



Joystick Module For Arduino SKU:DFR0061



Contents

- [1 Introduction](#)
- [2 Specification](#)
- [3 PinOut](#)
- [4 Tutorial](#)
 - [4.1 Connection Diagram](#)
 - [4.2 Sample Code](#)
- [5 Trouble shooting](#)
- [6 More](#)


Introduction

Lots of robot projects need joystick. This module provides a affordable solution to that. Simply connect to two analog inputs, the robot is at your commands with X,Y control. It also has a switch that is connected to a digital pin. This joystick module can be easily connect to Arduino by IO Expansion Shield For Arduino(V5) (SKU: DFR0088) with supplied cables.

Specification


- Supply Voltage: 3.3V to 5V
- Interface: Analog x2,Digital x1
- PH2.0 Interface
- Size:35x39mm
- Weight:15g

PinOut



Pin X		
S—Analog OUT	GND—GND	VCC—VCC
Pin Y		
S—Analog OUT	GND—GND	VCC—VCC
Pin Z		
DATA—Digital OUT	VCC—VCC	GND—VCC

Connection Diagram



连线图说明		
Pin X		
S——A1	GND——GND	VCC——VCC
Pin Y		
S——A0	GND——GND	VCC——VCC
Pin Z		
DATA——D3	VCC——VCC	GND——VCC

Sample Code

Library installation

```
// #
// # Editor      : Lauren from DFRobot
// # Date        : 17.01.2012

// # Product name: Joystick Module
// # Product SKU  : DFR0061
```

```

// # Version      : 1.0

// # Description:
// # Modify the Sample code for the Joystick Module

// # Connection:
// #           X-Axis  -> Analog pin 0
// #           Y-Axis  -> Analog pin 1
// #           Z-Axis  -> Digital pin 3
// #

int JoyStick_X = 0; //x
int JoyStick_Y = 1; //y
int JoyStick_Z = 3; //key

void setup()
{
    pinMode(JoyStick_Z, INPUT);
    Serial.begin(9600); // 9600 bps
}

void loop()
{
    int x,y,z;
    x=analogRead(JoyStick_X);
    y=analogRead(JoyStick_Y);
    z=digitalRead(JoyStick_Z);
    Serial.print(x ,DEC);
    Serial.print(",");
    Serial.print(y ,DEC);
    Serial.print(",");
    Serial.println(z ,DEC);
    delay(100);
}

```

```
}
```

Trouble shooting

More question and cool idea,[visit DFRobot Forum](#)