

BOX19产品规格书



产品概述

德晟达BOX19是一款基于英特尔® 第 11 代酷睿™ 处理器的紧凑型盒子，可为会议提供高质量的硬件支持。同时，它还广泛应用于广播、教育、医疗等其他场景。


- 支持第 11 代英特尔® 酷睿™ i7/i5/i3、英特尔® 奔腾™ 和英特尔® 赛扬™ 处理器；
- 2x DDR4 3200MT/s SO-DIMM，双通道，最大容量 64GB；
- 支持 HDMI® 输入（4K@60Hz）、HDMI® 输出（4K@60Hz）、带 DP Alt 模式的 USB Type-C；
- 灵活的网络连接，支持以太网、WI-FI 和 5G；
- 多路 HDMI® 输入/输出，提供出色的多媒体连接；
- 多种配置，满足不同场景需求；
- 独特的定制集线器接口，满足长距离需求；
- 支持 dTPM 加密技术。

接口示意图

■ 配置1




电源按键



■ 配置2



电源按键



■ 配置3



电源按键



产品规格

Model			S21-TGLU-BOX19		
SKU			SKU 1	SKU 2	SKU 3
CPU			Support 11th Gen Intel® Core™ i7/i5/i3, Intel® Pentium™/ Celeron™ Processor		
Memory	Type		2x DDR4 3200MT/s SO-DIMM memory, Dual channel		
	Capacity		Max. 64GB		
Graphic	Controller		Intel® Iris® Xe graphic		
	Connector		HDMI®		
Network	Ethernet	Controller	RTL8111H Intel® i219V		
		Connector	1GbE RJ45		
	WiFi		1x M.2 E-Key 2230 slot for WIFI 6E + BT 5.3, Support PCIe 3.0 & CNVi Signal		
	5G		1x M.2 3052 B-Key Slot/nano SIM Slot, Support PCIe 3.0 & USB 3.0 Signal		
Audio	Controller		Realtek ALC897		
Storage	SSD		1x M.2 M-Key 2280/2242 slot, Support PCIe 3.0 X4 & SATA 3.0 mode		
I/O	Front	Power Button	1, With Green LED; Power on: Solid Green, S3: Blinking Green, S4/S5: Off		
		HDD LED	1 (HDD LED_Green; Not transmitting data: Off; Transmitting data: Blinking Green)	1, Reserved (HDD LED_Green; Not transmitting data: Off; Transmitting data: Blinking Green)	1, Reserved (HDD LED_Green; Not transmitting data: Off; Transmitting data: Blinking Green)
		Recovery Button	1		
		IR	1, Reserved		
	Rear	LAN	2, 1 with POE		
		HUB	1x RJ45*, With POE		
		USB 3.2	3x USB 3.2 Gen 1		
		USB 2.0	1		
		HDMI® Out	3, With resolution of 4K@60Hz, Support CEC		
		HDMI® In	1, With resolution of 4K@60Hz 1, With resolution of 4K@30Hz		
		USB Type-C	1, With DP Alt mode		
		Headphone	1	1	/
		Canon Mic In	/	/	1
		Mic In Switch	/	/	1
		DC Jack	1	1	/
		Antenna	2	2	2
		Power Input	/	/	1
		Audio In	/	/	2
		Audio Out	/	/	2
		VCR Audio In	/	/	2
		VCR Audio Out	/	/	2
		COM	/	/	1x RS232
	Internal	COM	1x 9pin RS232, Reserved for internal debug		
		Audio	1		
		SIM	1x nano SIM Slot		
	Environment	Temperature	Operating	-10℃-50℃	
			Non-operating	-20℃-70℃	
		Humidity	Operating	10%~90% RH non-condensing	
			Non-operating	5%~95% RH non-condensing	
	Feature	Noise Value		38dB@1m	
dTPM		V2.0, Reserved			
One click system restore function		Y			
Dimensions			225×142.2×40(mm)	215×170.5×44.5(mm)	403×199.5×44.5(mm)
Material			Plastic	Metal	Metal

产品规格


Model	S21-TGLU-BOX19
OS	Win 11/ Win 10
Bios	Insyde BIOS
Cooling System	Heatsink
Power	DC 12-19V
Remark	* VCH Connector and 4k@30Hz HDMI® In can not work at the same time.

选配表


Module	Model Name	Wi-Fi Ver.	Bluetooth Ver.	Host Interface
WIFI Module	AC 3168	Wi-Fi 5	BT 4.2	PCIe, USB
	AC 9560	Wi-Fi 5	BT 5.1	CNVio2
	AX 201	Wi-Fi 6	BT 5.2	CNVio2

产品尺寸图 (Unit: mm)

■ SKU1



■ SKU2



■ SKU3



*本文件中包含的规格和信息仅供参考，可随时更改，恕不另行通知，请予以关注。