

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
-----------	------	----------	---------------	-------------

Section 22: Completed Pregnancies

[Generate a Completed Pregnancies Data Set containing one record for each pregnancy represented in the Section 18 for which H3TP1 ≠ 5.

The next questions are about the {PREGNANCY/ PREGNANCIES} you reported that {HAS/ HAVE} ended.

[For each record in the Completed Pregnancy Data Set, ask Q.1 to Q.24.]

Respondent identification number.			AID	num 8
		Range 10000000 - 99999999		
Romantic relationship number.			RRELNO	num 2
2163		Range 1 to 48		
Relationship pregnancy number.			RPREGNO	num 2
2163		Range 1 to 8		
1. <i>[If the respondent is male and number of pregnancies = 1:]</i> How many months pregnant was she when <PARTNER> told you that she was pregnant? <i>[If the respondent is male and number of pregnancies > 1:]</i> With regard to <PARTNER>'s pregnancy that ended in <CPEMTHT> of<CPEYR>, how many months pregnant was she when she told you that she was pregnant? <i>[If the respondent is female and number of pregnancies = 1:]</i> How many months pregnant were you when you told <PARTNER> that you were pregnant? <i>[If the respondent is female and number of pregnancies > 1:]</i> With regard to your pregnancy that ended in <CPEMTHT> of <CPEYR>, how many months pregnant were you when you told <PARTNER> that you were pregnant?			H3PG1	num 2
124	0	0 months		
1032	1	1 month		
474	2	2 months		
252	3	3 months		
83	4	4 months		
49	5	5 months		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
20	6	6 months		
7	7	7 months		
5	8	8 months		
37	9	9 months		
24	96	refused		
19	98	don't know		
22	99	not applicable		
15	●	missing		
<i>[If the respondent is female, ask Q.2.]</i>				
2.	How many weeks had you been pregnant when {YOUR/ THIS} pregnancy ended?		H3PG2	num 2
44	0	0 weeks		
1348		range 1 to 40		
18	96	refused		
713	97	legitimate skip		
18	98	don't know		
9	99	not applicable		
13	●	missing		
3.	How far had <PARTNER> gone in school when {SHE/ YOU} got pregnant by {YOU/ HIM}?		H3PG3	num 2
73	0	had never gone to school		
55	1	8th grade or less		
527	2	more than 8th grade, but not a high school graduate		
29	3	had gone to a business, trade, or vocational school instead of high school		
734	4	high school graduate		
146	5	completed a GED		
78	6	had gone to a business, trade, or vocational school after high school		
110	7	attending college		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
171	8	had gone to college, but not a college graduate		
52	9	college or university graduate		
6	10	attending graduate school		
14	11	receiving professional training beyond a four-year college or university		
11	12	had received an advanced degree		
34	96	refused		
68	98	don't know		
41	99	not applicable		
14	●	missing		
4. Did {YOU/ <PARTNER>} have any contact with {<PARTNER>/ YOU} between the time {YOU/ HE} learned {SHE WAS/ YOU WERE} pregnant and the time {HER/ YOUR} pregnancy ended?			H3PG4	num 1
163	0	no		
1919	1	yes		
27	6	refused		
23	8	don't know		
17	9	not applicable		
14	●	missing		
5. Before {<PARTNER>/ YOU} got pregnant, were you or {SHE/ <PARTNER>} using any kind of birth control when you had sex with each other?			H3PG5	num 1
1195	0	no <i>[skip to Q.8]</i>		
878	1	yes		
32	6	refused		
25	8	don't know		
19	9	not applicable		
14	●	missing		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/ Length
6. What kinds of birth control were you or {SHE/ HE} using? You may report as many as three methods. <i>1st response</i>			H3PG6A	num 2
550	1	condoms (rubbers)		
45	2	withdrawal		
5	3	rhythm (safe time) or safe period by the calendar		
1	4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test		
179	5	birth control pills (the pill)		
4	6	vaginal sponge		
4	7	spermicidal foam, jelly, creme, suppositories		
1	8	diaphragm, with or without jelly or cream		
11	10	female condom		
2	11	IUD (intrauterine device), coil, loop		
1	12	the implant of Norplant		
1	13	ring		
14	14	the injectable or Depo Provera		
1	17	hysterectomy		
1	18	vasectomy		
3	20	some other method		
43	21	no other method		
40	96	refused		
1195	97	legitimate skip		
17	98	don't know		
31	99	not applicable		
14	●	missing		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/ Length
6. What kinds of birth control were you or {SHE/ HE} using? You may report as many as three methods. <i>2nd response</i>			H3PG 6B	num 2
360	1	condoms (rubbers)		
87	2	withdrawal		
9	3	rhythm (safe time) or safe period by the calendar		
4	4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test		
219	5	birth control pills (the pill)		
2	6	vaginal sponge		
6	7	spermicidal foam, jelly, creme, suppositories		
9	10	female condom		
3	11	IUD (intrauterine device), coil, loop		
3	12	the implant of Norplant		
4	13	ring		
11	14	the injectable or Depo Provera		
1	15	vaginal contraceptive film or insert		
2	18	vasectomy		
2	19	emergency contraception, such as high-dose birth control pills or the morning-after pill		
1	20	some other method		
67	21	no other method		
48	96	refused		
1238	97	legitimate skip		
27	98	don't know		
46	99	not applicable		
14	●	missing		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/ Length
6. What kinds of birth control were you or {SHE/ HE} using? You may report as many as three methods. 3rd response			H3PG6C	num 2
336	1	condoms (rubbers)		
65	2	withdrawal		
2	3	rhythm (safe time) or safe period by the calendar		
2	4	natural family planning or safe period by temperature (basal body temperature) or cervical mucus test		
170	5	birth control pills (the pill)		
1	6	vaginal sponge		
12	7	spermicidal foam, jelly, creme, suppositories		
2	8	diaphragm, with or without jelly or cream		
14	10	female condom		
1	11	IUD (intrauterine device), coil, loop		
2	12	the implant of Norplant		
2	13	ring		
8	14	the injectable or Depo Provera		
2	15	vaginal contraceptive film or insert		
7	20	some other method		
74	21	no other method		
49	96	refused		
1305	97	legitimate skip		
31	98	don't know		
1305	97	legitimate skip		
31	98	don't know		
64	99	not applicable		
14	●	missing		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/ Length
7. In the month before {SHE/ YOU} got pregnant, did you or <PARTNER> use {THIS/ AT LEAST ONE} kind of birth control every time you and {SHE/ HE} had sexual intercourse?			H3PG7	num 1
351	0	no		
530	1	yes		
35	6	refused		
1195	7	legitimate skip		
20	8	don't know		
18	9	not applicable		
14	●	missing		
8. Please think back to the time just before {<PARTNER>/ YOU} became pregnant. Did you want to have a child then?			H3PG8	num 1
1287	0	no		
768	1	yes <i>[skip to Q.10]</i>		
35	6	refused		
40	8	don't know		
20	9	not applicable		
13	●	missing		
9. Did you want to have a child sometime later?			H3PG9	num 1
341	0	no <i>[skip to Q.11]</i>		
968	1	yes		
30	6	refused		
768	7	legitimate skip		
28	8	don't know		
15	9	not applicable		
13	●	missing		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/ Length
10. Did you want <PARTNER> to be your child's {MOTHER/ FATHER}?			H3PG 10	num 1
318	0	no		
1360	1	yes		
1	6	refused		
414	7	legitimate skip		
56	8	don't know		
1	9	not applicable		
13	●	missing		
<i>[If the respondent is male and Q.4 = 1, or if the respondent is female, ask Q.11 to Q.18.]</i>				
11. While {<PARTNER> WAS/ YOU WERE} pregnant, did {SHE/ YOU} visit a doctor or nurse-midwife for prenatal care or pregnancy check-ups?			H3PG 11	num 1
379	0	no <i>[skip to Q.18]</i>		
1639	1	yes		
34	6	refused		
55	7	legitimate skip		
21	8	don't know		
19	9	not applicable		
16	●	missing		
12. Did {YOU/ HE} go along with {HER/ YOU} for any of these check-ups?			H3PG 12	num 1
436	0	no		
1211	1	yes		
30	6	refused		
434	7	legitimate skip		
18	8	don't know		
17	9	not applicable		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
17	●	missing		
<i>[If the respondent is female, ask Q.13 to Q.15.]</i>				
13.		In which month of the pregnancy did you first see a doctor or nurse-midwife?	H3PG13	num 2
16	0	before the first month *		
396	1	first month		
314	2	second month		
220	3	third month		
66	4	fourth month		
62	5	fifth month		
26	6	sixth month		
11	7	seventh month		
11	8	eighth month		
11	9	ninth month		
17	96	refused		
974	97	legitimate skip		
15	98	don't know		
13	99	not applicable		
11	●	missing		
14.		<i>[If Q.2 ≤ 24:]</i> How many prenatal-care visits did you have with a doctor or nurse-midwife? <i>[If Q.2 > 24:]</i> During the first six months of this pregnancy, how many prenatal-care visits did you have with a doctor or nurse-midwife?	H3PG14	num 2
1101		visits range 1 to 90**		
16	96	refused		
974	97	legitimate skip		
49	98	don't know		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
13	99	not applicable		
10	●	missing		
<i>[If Q.2 > 24, ask Q.15.]</i>				
15.	After the first six months, how many prenatal-care visits did you have with a doctor or nurse-midwife?		H3PG15	num 2
4	0	0 visits		
738		visits range 1 to 70**		
2	96	refused		
1354	97	legitimate skip		
38	98	don't know		
6	99	not applicable		
21	●	missing		
16.	Where did {SHE/ YOU} go for most of {HER/ YOUR} prenatal care?		H3PG16	num 2
939	1	private doctor's office		
134	2	nurse-midwife's office		
50	3	county or city health department		
149	4	community health center		
46	5	HMO (health maintenance organization)		
17	6	clinic at work or at school		
234	7	clinic in a hospital		
6	8	emergency room in a hospital		
30	9	birthing center		
28	10	another sort of place		
27	96	refused		
434	97	legitimate skip		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
29	98	don't know		
26	99	not applicable		
14	●	missing		
17. [If MAX = 1:] How was <PARTNER>'s/ YOUR} prenatal care paid for? [If MAX > 1:] For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how was {<PARTNER>'s/ YOUR} prenatal care paid for? Mark all the kinds of payments that apply.				
your or <PARTNER>'s income or savings			H3PG17A	num 1
1337	0	not marked		
323	1	marked		
29	6	refused		
434	7	legitimate skip		
13	8	don't know		
11	9	not applicable		
16	●	missing		
your or <PARTNER>'s parents or other relatives			H3PG17B	num 1
1514	0	not marked		
156	1	marked		
25	6	refused		
434	7	legitimate skip		
9	8	don't know		
9	9	not applicable		
16	●	missing		
private insurance			H3PG17C	num 1
1254	0	not marked		
416	1	marked		
23	6	refused		
434	7	legitimate skip		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
11	8	don't know		
9	9	not applicable		
16	●	missing		
Medicaid			H3PG17D	num 1
858	0	not marked		
812	1	marked		
24	6	refused		
434	7	legitimate skip		
10	8	don't know		
9	9	not applicable		
16	●	missing		
government assistance other than Medicaid (state or local)			H3PG17E	num 1
1478	0	not marked		
194	1	marked		
22	6	refused		
434	7	legitimate skip		
10	8	don't know		
9	9	not applicable		
16	●	missing		
some other source of money			H3PG17F	num 1
1596	0	not marked		
79	1	marked		
20	6	refused		
434	7	legitimate skip		
10	8	don't know		
8	9	not applicable		
16	●	missing		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/ Length
18. During this pregnancy, how often did {SHE/ YOU} drink alcoholic beverages?			H3PG 18	num 1
1853	0	never		
115	1	less than once a month		
48	2	several times a month		
13	3	several times a week		
5	4	almost every day		
25	6	refused		
55	7	legitimate skip		
19	8	don't know		
18	9	not applicable		
12	●	missing		
19. How often did {SHE/ YOU} use drugs such as marijuana, crack cocaine, or heroin?			H3PG 19	num 1
1912	0	never		
59	1	less than once a month		
41	2	several times a month		
6	3	several times a week		
15	4	almost every day		
26	6	refused		
55	7	legitimate skip		
20	8	don't know		
18	9	not applicable		
11	●	missing		
20. How many cigarettes did {SHE/ YOU} smoke?			H3PG 20	num 1
1599	0	none		
403	1	1 pack a day or less		
29	2	more than 1 pack a day, but less than 2 packs a day		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
5	3	2 or more packs a day		
27	6	refused		
55	7	legitimate skip		
17	8	don't know		
19	9	not applicable		
9	●	missing		
<i>[If CPOUTC = L or D (i.e., the pregnancy ended in a live birth), ask Q.21 to Q.24.]</i>				
21. <i>[If MAX = 1:]</i> How were <PARTNER>'s/ YOUR} delivery and hospital stay paid for? <i>[If MAX > 1:]</i> For the pregnancy that ended in <CPEMTHT> of <CPEYR>, how were <PARTNER>'s/ YOUR} delivery and hospital stay paid for? Mark all the kinds of payments that apply.				
your or <PARTNER>'s income or savings			H3PG21A	num 1
1136	0	not marked		
186	1	marked		
19	6	refused		
796	7	legitimate skip		
8	8	don't know		
9	9	not applicable		
9	●	missing		
your or <PARTNER>'s parents or other relatives			H3PG21B	num 1
1228	0	not marked		
102	1	marked		
15	6	refused		
796	7	legitimate skip		
5	8	don't know		
8	9	not applicable		
9	●	missing		
private insurance			H3PG21C	num 1

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
985	0	not marked		
343	1	marked		
15	6	refused		
796	7	legitimate skip		
7	8	don't know		
8	9	not applicable		
9	●	missing		
Medicaid			H3PG21D	num 1
630	0	not marked		
697	1	marked		
16	6	refused		
796	7	legitimate skip		
7	8	don't know		
8	9	not applicable		
9	●	missing		
government assistance other than Medicaid (state or local)			H3PG21E	num 1
1166	0	not marked		
163	1	marked		
14	6	refused		
796	7	legitimate skip		
7	8	don't know		
8	9	not applicable		
9	●	missing		
some other source of money			H3PG21F	num 1
1296	0	not marked		
32	1	marked		
15	6	refused		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/Length
796	7	legitimate skip		
7	8	don't know		
8	9	not applicable		
9	●	missing		
22. Were you and <PARTNER> married to each other at the time of this birth?			H3PG22	num 1
897	0	no		
423	1	yes		
17	6	refused		
796	7	legitimate skip		
6	8	don't know		
13	9	not applicable		
11	●	missing		
23. Were you and <PARTNER> living together at that time?			H3PG23	num 1
486	0	no		
837	1	yes		
16	6	refused		
796	7	legitimate skip		
8	8	don't know		
11	9	not applicable		
9	●	missing		
<i>[If Q.22 = 0 and Q.23 = 0, ask Q.24.]</i>				
24. Which of the following statements best describes your relationship with <PARTNER> at the time of this birth?			H3PG24	num 1
85	1	We did not see or talk to each other.		
54	2	We hardly ever saw or talked to each other.		
44	3	We were just friends.		
92	4	We were involved in an on -again, off-again relationship.		

Public In Home Questionnaire Code Book III, S.22

Frequency	Code	Response	Variable Name	Type/ Length
185	5	We were romantically involved on a steady basis.		
3	6	refused		
1688	7	legitimate skip		
2	8	don't know		
1	9	not applicable		
9	●	missing		

*** H3PG13**

This was an open-ended question with a range of 0 to 9, making the response category of (0) ambiguous. Zero could mean before the first month or never.

**** H3PG14, H3PG15**

A response range for these variables was omitted causing the number of prenatal visits for some respondents to seem high.