


Subnetting Scenario

You work for the Ursa Major company. The company's headquarters is located in Dubhe City. Your company plans to launch a new office in Merak city. With the new office, your company decided to renew its network infrastructure. They establish new departments in the headquarters.

To install the new network, your company applied to IANA for an IP address. IANA registered the IP address **195.168.10.0/24** to your company.

According to the below network diagram, prepare the IP addressing plan for each network segment considering the number of hosts in each segment, including the interfaces for routers.

Note: Try to calculate the subnets manually to understand the topic better. Don't use subnetting calculators.



Answer the following questions:

1. Based on the topology, how many subnets are needed?

5

2. How many bits must be borrowed to support the number of subnets in the topology?

3

3. With the borrowed bits, how many subnets can be created?

$2^3 = 8 - 2 = 6$

4. How many usable hosts per subnet can be assigned an IP address with the remaining bits?

$2^5 = 32 - 2 = 30$

5. Calculate the binary values for the subnets.

11000011.10101000.00001010.00000000 - 195.168.10.0
11000011.10101000.00001010.00100000 - 195.168.10.32
11000011.10101000.00001010.01000000 - 195.168.10.64
11000011.10101000.00001010.01100000 - 195.168.10.96
11000011.10101000.00001010.10000000 - 195.168.10.128
11000011.10101000.00001010.10100000 - 195.168.10.160
11000011.10101000.00001010.11000000 - 195.168.10.192
11000011.10101000.00001010.11100000 - 195.168.10.224

6. Calculate the binary and decimal values of the new subnet mask.

Binary	11111111.11111111.11111111.11100000
Decimal	255.255.255.224

7. Fill in the below table, listing the decimal value of all available subnets, the first and last usable host address, and the broadcast address.

Subnet	Subnet ID	First Usable Host Address	Last Usable Host Address	Broadcast Address
Marketing	11000011.10101000.00001010.00100000 195.168.10.32	11000011.10101000.00001010.00100001 195.168.10.33	11000011.10101000.00001010.00111110 195.168.10.62	11000011.10101000.00001010.00111111 195.168.10.63
Support	11000011.10101000.00001010.01000000 195.168.10.64	11000011.10101000.00001010.01000001 195.168.10.65	11000011.10101000.00001010.01011110 195.168.10.94	11000011.10101000.00001010.01011111 195.168.10.95
HR	11000011.10101000.00001010.01100000 195.168.10.96	11000011.10101000.00001010.01100001 195.168.10.97	11000011.10101000.00001010.01111110 195.168.10.126	11000011.10101000.00001010.01111111 195.168.10.128
Operations				
Research				