



NJU Unofficial Template

Minimal academic slides for Marp
Self-documenting demo deck
PDF-first and intentionally unofficial

What this theme gives you

- One layout directive per slide: `single`, `cols`, or `grid`.
- Structured containers: `col`, `caption`, `ref`, `top`, `bottom`, `footer`.
- Compact math via MathJax, clean code blocks, and a quiet color palette.
- PDF-first output with no build dependencies beyond Node.js and Marp CLI.

Quick-start syntax

Use one layout directive, then compose the slide from `col`, `caption`, `ref`, `top`, `bottom`, and `footer`.

```
<!-- _layout: cols 1 1 -->

# Two-panel figure

::: col


::: caption
Left message.
:::

::: ref
Left ref.
:::

:::


::: col

:::

::: footer
Slide-level note.
:::
```

Supported directives: `single`, `cols ...`, and `grid RxC`.


Single layout example



`single` centers one panel and keeps the main message directly under it.
Good default for one key figure, one claim, and one short source line.


Syntax: `<!-- _layout: single -->`

Two-column example



Use the left panel for setup or comparison A.

Per-panel refs can stay attached to the panel.




Use the right panel for comparison B.

The bottom footer remains shared across the whole slide.

Syntax: `<!-- _layout: cols 1 1 -->`

Figure and text in one row



Left: the main panel.

Per-panel ref stays attached to the panel.


- The opposite column can be normal Markdown text.
- Bullets stay at the same base size as a normal text slide.
- This is the common "figure plus discussion" pattern.

Syntax: `<!-- _layout: cols 5 4 -->` with `<!-- _valign: start -->`.

Top and bottom around columns

Top text can introduce the slide before the columns.

- Text can stay on the left.
- Reading order remains simple.
- This works for setup bullets.




Right: a panel with a caption.


Bottom text can summarize the slide after the columns.

Supports `top` above the body and `bottom` below it.

Caption alignment control




This caption follows the slide default and aligns right.




This caption overrides the slide default and aligns left.

Use `::: caption left` or `::: caption right`; slide default: `<!-- _caption_align: ... -->`.


Three-column example



Three equal columns work well for compact comparisons.




Keep each message to one short line.




`cols` accepts any positive numeric sequence.

Syntax: `<!-- _layout: cols 1 1 1 -->`


2x2 grid example




Panel 1



Panel 2




Panel 3




Panel 4

Syntax: `<!-- _layout: grid 2x2 -->`

Shared caption and reference below columns



Panel A



Panel B

Top-level `caption` spans the full width below the columns.

Top-level `ref` also spans the full width and is useful for shared provenance.

Code block styling

The theme keeps code readable and quiet. The command block below matches the intended author workflow.

```
npm install  
npm test  
npm run html  
npm run pdf
```

LaTeX and equations

Enable MathJax in front matter, then mix inline math like $E = mc^2$ with displayed equations:

$$\chi(q, \omega) = \frac{\chi_0(q, \omega)}{1 - U\chi_0(q, \omega)}$$
$$\begin{pmatrix} 1 & t \\ t & 1 \end{pmatrix} \quad F(T) = E - TS$$
$$C_V = -T \frac{\partial^2 F}{\partial T^2}$$

Acknowledgements

University of Catburg

E. Schrödinger, F. Whiskers, G. Pawlov

Institute for Uncertain Sciences

W. Heisenberg, U. Blurry, V. Fuzzystate

Royal College of Antimatter

P. Dirac, Q. Spinor, R. Bra-Ket

Funding

Quantum Cat Foundation

Ministry of Entangled Affairs

Thank you