

How the reference changes query visibility

GZ120-Q-0001 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)



Paired with RAW's incorrect reference




S = 0.01056 M = 0.06513

Paired with the correct reference



S = 0.06795 M = 0.22616



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0008 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00006 M = 0.00773

Paired with the correct reference



S = 0.04647 M = 0.21806



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH


S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0013 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00084 M = 0.05296

Paired with the correct reference



S = 0.05474 M = 0.26314



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0015 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00660 M = 0.07827

Paired with the correct reference



S = 0.04029 M = 0.16722



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH


S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0036 | GroZi480 external panel | COST1 | Successful correction


Query (dataset product crop)



S = 0.01441 M = 0.05859



S = 0.09697 M = 0.40453



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0055 | GroZi480 external panel | COST1 | Successful correction


Query (dataset product crop)



Paired with RAW's incorrect reference




Paired with the correct reference



$S = 0.00023$ $M = 0.00735$

$S = 0.01181$ $M = 0.09872$



Incorrect reference (RAW) · entry 5481



Correct reference · entry 5450



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

GZ120-Q-0058 | GroZi480 external panel | COST1 | Successful correction


Query (dataset product crop)



S = 0.00552 M = 0.04130



S = 0.10378 M = 0.42333



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0062 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00029 M = 0.01780

Paired with the correct reference



S = 0.02353 M = 0.16237



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0066 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference



S = 0.00194 M = 0.03166

Paired with the correct reference




S = 0.09206 M = 0.26004

RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0067 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00056 M = 0.03195

Paired with the correct reference



S = 0.01918 M = 0.13014



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0078 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00005 M = 0.00966

Paired with the correct reference



S = 0.00229 M = 0.06402



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0105 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00084 M = 0.03056

Paired with the correct reference



S = 0.00960 M = 0.07329



Incorrect reference (RAW) · entry 1326

Correct reference · entry 5511

RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0142 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00039 M = 0.02160

Paired with the correct reference



S = 0.06161 M = 0.35165



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0147 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00023 M = 0.02120

Paired with the correct reference



S = 0.08768 M = 0.37617



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0169 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00859 M = 0.06606

Paired with the correct reference



S = 0.09753 M = 0.37253



Incorrect reference (RAW) · entry 5528

Correct reference · entry 5479

RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0188 | GroZi480 external panel | COST1 | Successful correction



Query (dataset product crop)



Paired with RAW's incorrect reference



Paired with the correct reference



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0193 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00152 M = 0.04997

Paired with the correct reference



S = 0.05671 M = 0.27342



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH


S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0219 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00019 M = 0.02064

Paired with the correct reference



S = 0.00396 M = 0.04683



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0232 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference



S = 0.00230 M = 0.06353

Paired with the correct reference



S = 0.07498 M = 0.33456

RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0234 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.01712 M = 0.08921

Paired with the correct reference



S = 0.10814 M = 0.39575



Incorrect reference (RAW) · entry 5528

Correct reference · entry 5479



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

GZ120-Q-0242 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00039 M = 0.01809

Paired with the correct reference



S = 0.14570 M = 0.31251



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0245 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00045 M = 0.02604

Paired with the correct reference



S = 0.01467 M = 0.12642



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0294 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00278 M = 0.06201

Paired with the correct reference



S = 0.03771 M = 0.24542



Incorrect reference (RAW) · entry 5415

Correct reference · entry 5519

RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0372 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)



Paired with RAW's incorrect reference




Paired with the correct reference



S = 0.00059 M = 0.02289

S = 0.03834 M = 0.19819



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0403 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00238 M = 0.03969

Paired with the correct reference



S = 0.02055 M = 0.11666



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0408 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




S = 0.00167 M = 0.04308

Paired with the correct reference



S = 0.04040 M = 0.27851



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0411 | GroZi480 external panel | COST1 | Successful correction


Query (dataset product crop)




Paired with RAW's incorrect reference


$$S = 0.00907 \quad M = 0.05330$$

Paired with the correct reference



S = 0.06579 M = 0.21317



Incorrect reference (RAW) · entry 2468

Correct reference · entry 5451

RAW incorrect → COST1 correct

Candidates: natural RAW C128

Decision: COST1 HOLD / SWITCH

S: weighted content score

M: joint visibility mass

The head combines multiple signals.




How the reference changes query visibility

GZ120-Q-0456 | GroZi480 external panel | COST1 | Successful correction

Query (dataset product crop)




Paired with RAW's incorrect reference




$S = 0.00042$ $M = 0.01435$

Paired with the correct reference



S = 0.04584 M = 0.27149



Incorrect reference (RAW) · entry 5476



Correct reference · entry 5433




RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

How the reference changes query visibility

GZ120-Q-0462 | GroZi480 external panel | COST1 | Successful correction



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.