



How the reference changes query visibility

ISIC-Q-0019 | ISIC537 exploratory panel | COST1 | Successful correction


Query (complete input image)




Paired with RAW's incorrect reference


$$S = 0.00417 \quad M = 0.05777$$


Paired with the correct reference




$S = 0.28181$ $M = 0.44764$



Incorrect reference (RAW) · entry 327



Correct reference · entry 248



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0020 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




$S = 0.03086$ $M = 0.12056$


Paired with the correct reference




$S = 0.48414$ $M = 0.68954$



Incorrect reference (RAW) · entry 340



Correct reference · entry 163



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0030 | ISIC537 exploratory panel | COST1 | Successful correction


Query (complete input image)



Paired with RAW's incorrect reference


$$S = 0.05117 \quad M = 0.14697$$


Paired with the correct reference



S = 0.54815 M = 0.76116

Incorrect reference (RAW) · entry 125

Correct reference · entry 242



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0045 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




S = 0.00086 M = 0.02206


Paired with the correct reference




S = 0.39113 M = 0.74233



Incorrect reference (RAW) · entry 23



Correct reference · entry 368



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0052 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)





Paired with RAW's incorrect reference




S = 0.03260 M = 0.10390


Paired with the correct reference


$$S = 0.53418 \quad M = 0.77691$$


Incorrect reference (RAW) · entry 66



Correct reference · entry 192




RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

How the reference changes query visibility

ISIC-Q-0062 | ISIC537 exploratory panel | COST1 | Successful correction




RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

How the reference changes query visibility

ISIC-Q-0097 | ISIC537 exploratory panel | COST1 | Successful correction



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0124 | ISIC537 exploratory panel | COST1 | Successful correction



Query (complete input image)




Paired with RAW's incorrect reference


$$S = 0.01705 \quad M = 0.08534$$


Paired with the correct reference


$$S = 0.70420 \quad M = 0.92171$$


Incorrect reference (RAW) · entry 229



Correct reference · entry 72



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0146 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)





Paired with RAW's incorrect reference




S = 0.01378 M = 0.07052


Paired with the correct reference


$$S = 0.50535 \quad M = 0.77872$$


Incorrect reference (RAW) · entry 325



Correct reference · entry 242



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0161 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




S = 0.00122 M = 0.01298


Paired with the correct reference




S = 0.12984 M = 0.22721



Incorrect reference (RAW) · entry 182



Correct reference · entry 235



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0168 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference



$S = 0.01916$ $M = 0.08611$


Paired with the correct reference


$$S = 0.68798 \quad M = 0.84447$$

Incorrect reference (RAW) · entry 88



Correct reference · entry 266



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0176 | ISIC537 exploratory panel | COST1 | Successful correction


Query (complete input image)



Paired with RAW's incorrect reference


$$S = 0.02616 \quad M = 0.10130$$


Paired with the correct reference


$$S = 0.72778 \quad M = 0.91255$$

Incorrect reference (RAW) · entry 356



Correct reference · entry 349




RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

How the reference changes query visibility

ISIC-Q-0177 | ISIC537 exploratory panel | COST1 | Successful correction



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0235 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)





Paired with RAW's incorrect reference




$S = 0.02669$ $M = 0.12942$


Paired with the correct reference


$$S = 0.44631 \quad M = 0.66127$$


Incorrect reference (RAW) · entry 340



Correct reference · entry 163




RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

How the reference changes query visibility

ISIC-Q-0244 | ISIC537 exploratory panel | COST1 | Successful correction



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0254 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)





Paired with RAW's incorrect reference




$S = 0.05798$ $M = 0.17349$


Paired with the correct reference


$$S = 0.43375 \quad M = 0.55580$$


Incorrect reference (RAW) · entry 227



Correct reference · entry 335




RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

How the reference changes query visibility

ISIC-Q-0286 | ISIC537 exploratory panel | COST1 | Successful correction



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0329 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




S = 0.03236 M = 0.14693


Paired with the correct reference




S = 0.69565 M = 0.93879



Incorrect reference (RAW) · entry 229



Correct reference · entry 72




RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

How the reference changes query visibility

ISIC-Q-0354 | ISIC537 exploratory panel | COST1 | Successful correction




RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

How the reference changes query visibility

ISIC-Q-0378 | ISIC537 exploratory panel | COST1 | Successful correction



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0388 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




$S = 0.03182$ $M = 0.12485$

Paired with the correct reference




S = 0.49624 M = 0.71607



Incorrect reference (RAW) · entry 86

Correct reference · entry 311



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0405 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




S = 0.01964 M = 0.06692


Paired with the correct reference




S = 0.19459 M = 0.29759



Incorrect reference (RAW) · entry 126



Correct reference · entry 271




RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

How the reference changes query visibility

ISIC-Q-0415 | ISIC537 exploratory panel | COST1 | Successful correction



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0438 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)





Paired with RAW's incorrect reference



S = 0.00585 M = 0.04346

Paired with the correct reference



$$S = 0.46006 \quad M = 0.69229$$


RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

Incorrect reference (RAW) · entry 26




Correct reference · entry 377




How the reference changes query visibility

ISIC-Q-0443 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)





Paired with RAW's incorrect reference




S = 0.00998 M = 0.06212


Paired with the correct reference


$$S = 0.65625 \quad M = 0.88837$$


Incorrect reference (RAW) · entry 157



Correct reference · entry 72



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0499 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




S = 0.03946 M = 0.12638


Paired with the correct reference



$S = 0.36267$ $M = 0.54863$



Incorrect reference (RAW) · entry 154



Correct reference · entry 174



RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

ISIC-Q-0500 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)





Paired with RAW's incorrect reference



$S = 0.12625$ $M = 0.26471$

Paired with the correct reference



$$S = 0.65056 \quad M = 0.81833$$


RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

Incorrect reference (RAW) · entry 291




Correct reference · entry 367




How the reference changes query visibility

ISIC-Q-0508 | ISIC537 exploratory panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




S = 0.09181 M = 0.24187

Paired with the correct reference




S = 0.73279 M = 0.98115

Incorrect reference (RAW) · entry 22



Correct reference · entry 176




RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

How the reference changes query visibility

ISIC-Q-0519 | ISIC537 exploratory panel | COST1 | Successful correction



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.