






How the reference changes query visibility

DIFFICULT-0015 | H593 development panel | COST1 | Successful correction



How the reference changes query visibility

DIFFICULT-0023 | H593 development panel | COST1 | Successful correction



RAW incorrect → COST1 correct




Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.



How the reference changes query visibility


DIFFICULT-0027 | H593 development panel | COST1 | Successful correction



RAW incorrect → COST1 correct





Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.



How the reference changes query visibility

DIFFICULT-0043 | H593 development panel | COST1 | Successful correction



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

DIFFICULT-0044 | H593 development panel | COST1 | Successful correction

Query (complete input image)





Paired with RAW's incorrect reference



S = 0.00025 M = 0.01146

Paired with the correct reference


$$S = 0.00347 \quad M = 0.03172$$


Incorrect reference (RAW) · entry 4367



Correct reference · entry 1130



RAW incorrect → COST1 correct

Candidates: natural RAW C128

Decision: COST1 HOLD / SWITCH


S: weighted content score

M: joint visibility mass

The head combines multiple signals.


How the reference changes query visibility

DIFFICULT-0061 | H593 development panel | COST1 | Successful correction



How the reference changes query visibility


DIFFICULT-0062 | H593 development panel | COST1 | Successful correction



RAW incorrect → COST1 correct





Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.



How the reference changes query visibility

DIFFICULT-0083 | H593 development panel | COST1 | Successful correction



RAW incorrect → COST1 correct



Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.



How the reference changes query visibility

DIFFICULT-0086 | H593 development panel | COST1 | Successful correction




RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

How the reference changes query visibility


DIFFICULT-0087 | H593 development panel | COST1 | Successful correction



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

DIFFICULT-0102 | H593 development panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




S = 0.00694 M = 0.04257

Paired with the correct reference



S = 0.08848 M = 0.16598



Incorrect reference (RAW) · entry 396



Correct reference · entry 395



RAW incorrect → COST1 correct

Candidates: natural RAW C128

Decision: COST1 HOLD / SWITCH





S: weighted content score

M: joint visibility mass

The head combines multiple signals.

How the reference changes query visibility

NDV2-011-P04 | H593 development panel | COST1 | Successful correction



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH


S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

OUTCOME-0015 | H593 development panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference



S = 0.00342 M = 0.03361

Paired with the correct reference




S = 0.12174 M = 0.22984

RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.



Incorrect reference (RAW) · entry 926



Correct reference · entry 518




How the reference changes query visibility

OUTCOME-0087 | H593 development panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




S = 0.00965 M = 0.04838

Paired with the correct reference



S = 0.06560 M = 0.13848



Incorrect reference (RAW) · entry 51



Correct reference · entry 9



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

OUTCOME-0108 | H593 development panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference



S = 0.00259 M = 0.01881

Paired with the correct reference




S = 0.03926 M = 0.10746

RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.



Incorrect reference (RAW) · entry 2208



Correct reference · entry 930




How the reference changes query visibility

OUTCOME-0131 | H593 development panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




$S = 0.00008$ $M = 0.00592$

Paired with the correct reference



$S = 0.01226$ $M = 0.04202$



Incorrect reference (RAW) · entry 4424

Correct reference · entry 935

RAW incorrect → COST1 correct

Candidates: natural RAW C128

Decision: COST1 HOLD / SWITCH

S: weighted content score

M: joint visibility mass

The head combines multiple signals.




How the reference changes query visibility

OUTCOME-0143 | H593 development panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference



S = 0.00078 M = 0.01513

Paired with the correct reference



S = 0.02774 M = 0.05130

RAW incorrect → COST1 correct


Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

OUTCOME-0159 | H593 development panel | COST1 | Successful correction



How the reference changes query visibility

OUTCOME-0202 | H593 development panel | COST1 | Successful correction




RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

How the reference changes query visibility

OUTCOME-0212 | H593 development panel | COST1 | Successful correction




How the reference changes query visibility

OUTCOME-0242 | H593 development panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




S = 0.00133 M = 0.01150

Paired with the correct reference



S = 0.03288 M = 0.08390



Incorrect reference (RAW) · entry 4083

Correct reference · entry 1032

RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

OUTCOME-0307 | H593 development panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




$S = 0.00047$ $M = 0.01207$

Paired with the correct reference



S = 0.02799 M = 0.06705



Incorrect reference (RAW) · entry 693



Correct reference · entry 1114




RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

How the reference changes query visibility

OUTCOME-0376 | H593 development panel | COST1 | Successful correction



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

OUTCOME-0436 | H593 development panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




S = 0.00047 M = 0.01680

Paired with the correct reference



S = 0.02076 M = 0.04812



Incorrect reference (RAW) · entry 868

Correct reference · entry 1322

RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

OUTCOME-0462 | H593 development panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




$S = 0.00072$ $M = 0.01696$

Paired with the correct reference



$S = 0.04335$ $M = 0.10514$



Incorrect reference (RAW) · entry 4759



Correct reference · entry 1402



RAW incorrect → COST1 correct

Candidates: natural RAW C128

Decision: COST1 HOLD / SWITCH

S: weighted content score

M: joint visibility mass

The head combines multiple signals.


How the reference changes query visibility

OUTCOME-0518 | H593 development panel | COST1 | Successful correction


Query (complete input image)



Paired with RAW's incorrect reference




Paired with the correct reference



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.



Incorrect reference (RAW) · entry 1850



Correct reference · entry 1641




How the reference changes query visibility

OUTCOME-0537 | H593 development panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




S = 0.00512 M = 0.03573

Paired with the correct reference



S = 0.09221 M = 0.16171



Incorrect reference (RAW) · entry 138

Correct reference · entry 147



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.


How the reference changes query visibility

OUTCOME-0636 | H593 development panel | COST1 | Successful correction


Query (complete input image)



Paired with RAW's incorrect reference




Paired with the correct reference



RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.




How the reference changes query visibility

OUTCOME-0657 | H593 development panel | COST1 | Successful correction

Query (complete input image)




Paired with RAW's incorrect reference




S = 0.00030 M = 0.01100

Paired with the correct reference



S = 0.04944 M = 0.12596



Incorrect reference (RAW) · entry 4742

Correct reference · entry 3312

RAW incorrect → COST1 correct

Candidates: natural RAW C128
Decision: COST1 HOLD / SWITCH

S: weighted content score
M: joint visibility mass
The head combines multiple signals.

