

1. Introduction & Defining the Problem

Objective: Evaluate the causal impact of shaped bin openings (Phase 2) and informational banners (Phase 3) on contamination of paper, plastic, and cans at NUS.

Problem: High contamination increases waste management costs and lowers the value of recyclables.

Research Questions:

1. Do shaped openings reduce contamination?
2. Do informational banners provide additional improvement?
3. Which intervention is more effective for each material type?

2. Understanding the Experimental Design

This project employs a quasi-experimental design that is well-suited for a **Difference-in-Differences (DiD)** analysis. This method allows us to isolate the true effect of the interventions from other time-based trends.

Treatment Group (UTOWN): Sequential interventions

- Phase 1: Baseline (standard bins)
- Phase 2: Shaped openings
- Phase 3: Shaped openings + banners

Control Group (ENGINE): Standard bins throughout, providing a counterfactual.

Key Metrics: PaperContaminant, PlasticContaminant, CanContaminant.

3. Data Exploration and Preparation

3.1 Data Cleaning and Anomalous Data Point Removal

The raw dataset initially contained 255 rows, with 170 being empty formatting artifacts (where Area = NaN), which were subsequently removed. Following this, two observations on 2020-02-02 (one per location) were identified with suspicious 0.0% contamination values for paper and plastic, and missing data for cans. Analysis of neighboring dates (Table 1) revealed typical contamination rates between 1% and 65%, indicating that 0.0% was a statistical impossibility and likely a systematic data collection failure. Both observations for 2020-02-02 were removed. This removal does not bias our Difference-in-Differences (DiD) estimates as it was balanced across both treatment and control groups and preserves parallel trends.

Table 1: contamination rates from 2020-01-30 to 2020-02-05

Date	Paper (%)		Plastic (%)		Cans (%)	
	ENGINE	UTOWN	ENGINE	UTOWN	ENGINE	UTOWN
2020-01-30	0.40	2.44	53.63	54.86	17.68	15.27
2020-01-31	1.43	4.22	60.71	65.94	15.71	33.38
2020-02-01	1.29	2.78	14.07	66.24	10.71	26.59
2020-02-02	0.00	0.00	0.00	0.00	—	—
2020-02-03	0.67	4.22	52.84	55.93	5.71	52.53
2020-02-04	0.33	7.22	60.56	62.01	14.58	25.46

2020-02-05	0.67	5.89	67.58	62.60	20.54	34.09
------------	------	------	-------	-------	-------	-------

3.2 Ensuring Balanced Structure for DiD Validity

A critical requirement for a valid Difference-in-Differences analysis is that both the treatment (UTOWN) and control (ENGINE) groups have observations on the same dates. To ensure this balanced panel structure, five unbalanced dates were identified and removed: three ENGINE-only dates (2020-01-16, 2020-02-07, 2020-03-10) and two UTOWN-only dates (2020-01-13, 2020-01-14). While this reduced the sample size, maintaining a balanced panel is non-negotiable for credibly attributing post-intervention changes to the treatment effect.

3.3 Exploratory Data Analysis (EDA)

After cleaning and balancing, the final dataset comprised 78 observations (39 per location) spanning Phase 1 (Baseline: Jan 15 – Feb 10), Phase 2 (Shaped Openings: Feb 11 – Feb 22), and Phase 3 (Shaped Openings + Banners: Mar 4 – Mar 17).

Key Observations from Summary Statistics (Tables 2-4):

- **Baseline Contamination Levels (Phase 1):** UTOWN consistently exhibited significantly higher contamination rates than ENGINE across all materials (Paper: 6.10% vs 0.87%; Plastic: 59.73% vs 49.04%; Cans: 35.47% vs 13.77%). This highlights the necessity of the DiD approach to control for these persistent pre-existing differences.
- **Plastic Shows Campus-Wide Time Trend:** Both ENGINE and UTOWN experienced substantial, nearly identical decreases in plastic contamination from Phase 1 to Phase 2 (≈ 13 pp). This suggests a campus-wide time trend, such as seasonal changes or broader awareness campaigns, unrelated to the shaped-opening intervention.
- **Can Contamination Shows Largest Changes:** UTOWN's can contamination dramatically dropped by 48% in Phase 2 (35.47% $\rightarrow$ 18.34%), while ENGINE remained relatively stable. This preliminary observation points towards a potential treatment effect for cans.
- **Phase 3 Plastic Reversal:** UTOWN's plastic contamination sharply rebounded in Phase 3 (46.51% $\rightarrow$ 59.18%), nearly returning to baseline, suggesting a potential adverse effect of informational banners.

Table 2: Paper Contamination Summary Statistics (%)

Phase	Location	Datapoints(N)	Mean	Median	Std Dev	Min	Max
1	ENGINE	17	0.87	0.86	0.39	0.29	1.71
1	UTOWN	17	6.10	4.22	3.56	2.44	13.11
2	ENGINE	11	1.29	0.57	2.04	0.00	7.20
2	UTOWN	11	4.00	3.67	1.48	2.11	7.67
3	ENGINE	11	0.77	0.20	1.41	0.00	4.80
3	UTOWN	11	4.69	4.11	1.77	2.78	7.78

Table 3: Plastic Contamination Summary Statistics (%)

Phase	Location	Datapoints(N)	Mean	Median	Std Dev	Min	Max
1	ENGINE	17	49.04	49.07	12.14	14.07	67.58
1	UTOWN	17	59.73	60.75	6.96	45.96	71.12


2	ENGINE	11	35.96	39.06	9.09	18.33	47.93
2	UTOWN	11	46.51	47.13	7.23	34.68	57.85
3	ENGINE	11	39.39	37.29	7.59	27.21	50.54
3	UTOWN	11	59.18	58.96	3.52	55.66	66.08

Table 4: Can Contamination Summary Statistics (%)

Phase	Location	Datapoints(N)	Mean	Median	Std Dev	Min	Max
1	ENGINE	17	13.77	14.58	8.94	0.00	29.76
1	UTOWN	17	35.47	33.38	10.30	15.27	56.28
2	ENGINE	11	11.67	8.33	9.66	0.00	34.40
2	UTOWN	11	18.34	20.14	10.18	0.00	34.17
3	ENGINE	11	7.86	5.36	8.27	0.00	21.81
3	UTOWN	11	22.31	21.77	5.11	14.75	31.28

3.4 Parallel Trends Assessment (Critical for DiD Validity) Visual and Statistical

Figure 1: Parallel Trends Check – Contamination Rates Over Time



The validity of our Difference-in-Differences analysis hinges on the parallel trends assumption, meaning the treatment and control groups would have followed similar trends in the absence of intervention. Both visual

inspection of time-series line charts (Figure 1) and formal statistical tests confirmed this assumption for all three materials during Phase 1. The interaction coefficient in regressions of Phase 1 contamination rates on time, treatment, and their interaction was not statistically significant for paper ($p > 0.05$), plastic ($p > 0.05$), or cans ($p > 0.05$). This robust evidence validates our DiD approach, allowing us to credibly attribute post-intervention divergences to causal treatment effects.

4. Statistical Analysis: Difference in Differences (DiD)

Difference-in-Differences (DiD) is a quasi-experimental method that isolates the causal effect of an intervention by comparing the change in the treatment group to the change in the control group over the same period. This approach effectively controls for time-invariant differences between groups and common time trends affecting both groups. The core DiD logic is:

$$\text{DiD_Effect} = (\text{UTOWN_after} - \text{UTOWN_before}) - (\text{ENGINE_after} - \text{ENGINE_before})$$

We conducted two separate DiD analyses using linear regression models to evaluate each intervention, providing robust statistical inference. The general regression model used was:

$$\text{Contamination} = \beta_0 + \beta_1 \cdot \text{PostPhase} + \beta_2 \cdot \text{IsUTOWN} + \delta \cdot (\text{PostPhase} \times \text{IsUTOWN}) + \varepsilon$$

Where δ (the interaction term) represents the DiD estimator, which is the causal effect of the intervention.

4.1 Phase 2 Analysis: Shaped Openings Effect

Research Question: Did shaped bin openings reduce contamination rates at UTOWN relative to ENGINE?

Comparison Periods:

- Before: Phase 1 (baseline, January 15 - February 10)
- After: Phase 2 (shaped openings introduced, February 11 - February 22)
- Sample: 56 observations (28 per location)

Hypotheses:

- H_0 : $\delta_1 = 0$ (shaped openings had no effect)
- H_1 : $\delta_1 \neq 0$ (shaped openings affected contamination)

Table 6: Phase 2 DiD Results (Shaped Openings Effect)

Material	DiD Estimate (δ_1)	Std Error	p-value	95% CI	Significant?
Paper	-2.52 pp	1.24	0.048	[-5.02, -0.03]	Yes
Plastic	-0.14 pp	5.08	0.978	[-10.33, 10.06]	No
Cans	-15.02 pp	5.34	0.007	[-25.73, -4.32]	Yes

Interpretation:

- **Cans (Highly Significant):** Shaped openings caused a substantial 15.02 percentage point reduction in can contamination at UTOWN ($p = 0.007$), representing a 43% decrease from the baseline rate. This effect is highly statistically significant and practically meaningful.
- **Paper (Marginally Significant):** Shaped openings reduced paper contamination by 2.52 percentage points ($p = 0.048$), a 41% decrease from baseline. This effect is statistically significant at the 5% level.
- **Plastic (Not Significant):** Shaped openings had no statistically significant effect on plastic

contamination ($p = 0.978$). The DiD approach successfully controlled for a campus-wide time trend, where both ENGINE and UTOWN experienced similar decreases (≈ 13 pp) during this period, unrelated to the intervention.

- **Key Insight:** Physical design cues (shaped openings) effectively reduced contamination for cans and paper but had no significant effect on plastic recycling.

4.2 Phase 3 Analysis: Informational Banners Effect

Research Question: Did adding informational banners provide additional benefit beyond shaped openings alone?

Comparison Periods:

- Before: Phase 2 (shaped openings only, February 11 - February 22)
- After: Phase 3 (shaped openings + banners, March 4 - March 17)
- Sample: 44 observations (22 per location)

Hypotheses:

- $H_0: \delta_2 = 0$ (banners had no additional effect)
- $H_1: \delta_2 < 0$ (banners provided additional contamination reduction)

Table 7: Phase 3 DiD Results (Banner Effect)

Material	DiD Estimate (δ_2)	Std Error	p-value	95% CI	Significant?
Paper	+1.22 pp	1.02	0.240	[-0.85, 3.28]	No
Plastic	+9.24 pp	4.31	0.038	[+0.52, +17.96]	Yes (adverse)
Cans	+7.78 pp	5.15	0.139	[-2.62, +18.18]	No

Interpretation:

- **Plastic (Significant Adverse Effect):** Contrary to expectations, informational banners significantly increased plastic contamination by 9.24 percentage points ($p = 0.038$). This backfire effect erased most of the Phase 2 improvements, returning contamination nearly to baseline levels, indicating harm rather than benefit.
- **Paper and Cans (Not Significant):** Banners showed no statistically significant additional effects for paper ($p = 0.240$) or cans ($p = 0.139$). However, the positive point estimates suggest potential harm rather than benefit, though a zero effect cannot be ruled out.
- **Key Insight:** Adding informational banners not only failed to improve recycling behavior but actually worsened plastic contamination, suggesting information overload, confusion, or distraction from the effective physical design cues of Phase 2.

4.3 Summary of Causal Effects

Table 8: Summary of DiD Treatment Effects

Intervention	Paper	Plastic	Cans
Shaped Openings (Phase 2)	✔ -2.52 pp(41% ↓)	✗ No effect	✔ -15.02 pp(43% ↓)
Banners (Phase 3)	✗ No effect	🔥 +9.24 pp* (backfire)	✗ No effect

Overall Conclusion: Shaped bin openings are an effective intervention for reducing can and paper contamination, but informational banners backfired for plastic recycling. Physical design cues outperform informational messaging for guiding recycling behavior.

5. Synthesizing Results and Discussion

Our Difference-in-Differences (DiD) analyses revealed distinct causal impacts of shaped bin openings (Phase 2) and informational banners (Phase 3) on recycling contamination rates for paper, plastic, and cans. The credibility of these DiD estimates is strongly supported by both visual inspection and statistical tests confirming parallel trends between the treatment (UTOWN) and control (ENGINE) groups during the baseline period.

Key Findings:

- **Shaped Openings (Phase 2):**
 - **Cans:** Highly significant 15.02 percentage point reduction ($p = 0.007$), representing a 43% decrease from baseline. The narrow, circular opening successfully guided users toward correct disposal.
 - **Paper:** Marginally significant 2.52 percentage point reduction ($p = 0.048$), a 41% decrease from baseline.
 - **Plastic:** No statistically significant effect ($p = 0.978$). A campus-wide time trend (≈ 13 pp decrease in both groups) was observed, which the DiD approach successfully controlled for.
 - **Insight:** Physical design cues effectively reduced contamination for cans and paper but had no effect on plastic recycling.
- **Informational Banners (Phase 3):**
 - **Plastic:** Significantly increased contamination by 9.24 percentage points ($p = 0.038$), erasing most Phase 2 improvements. This backfire effect suggests information overload, confusion, or distraction from physical cues.
 - **Paper and Cans:** No statistically significant additional effects. Positive (though non-significant) point estimates suggest potential harm rather than benefit.
 - **Insight:** Adding informational banners not only failed to improve recycling behavior but actually worsened plastic contamination.

Overall Conclusion: Shaped bin openings are an effective intervention for reducing can and paper contamination, while informational banners proved counterproductive for plastic recycling. This highlights that physical design cues are more effective than informational messaging for guiding recycling behavior.

6. Managerial Recommendations

6.1 Implement Shaped-Opening Bins Campus-Wide

Based on strong evidence from the Phase 2 analysis, shaped bin openings effectively reduce contamination for cans (15.02 pp reduction, 43% decrease) and paper (2.52 pp reduction, 41% decrease).

- **Implementation Strategy:** Prioritize immediate rollout in high-traffic areas. Design specifications should ensure intuitive openings (e.g., a narrow slot for paper, a circular one for cans). A phased approach, starting with proven effective materials, is recommended.
- **Expected Impact:** Approximately 15 percentage point reduction in can contamination and 2.5 percentage point reduction in paper contamination, leading to improved recycling stream purity, reduced sorting costs, and higher recyclable resale value.

6.2 Do Not Implement Informational Banners

The Phase 3 analysis revealed that informational banners **backfired**, significantly **increasing** plastic contamination by 9.24 pp ($p = 0.038$). This erased most Phase 2 gains, suggesting information overload or confusion, and aligns with behavioral economics research indicating that "nudges" via choice architecture outperform information provision.

6.3 Cost-Benefit Analysis

The cost-benefit analysis strongly favors implementing shaped-opening bins alone, without supplementary informational banners.

- **Capital Investment (Shaped-Opening Bins):** A one-time cost for bin replacement/retrofitting is estimated to have a payback period of 6-12 months through reduced contamination sorting costs and long-term benefits of higher recyclable resale value and improved campus sustainability.
- **Avoided Cost (Not Implementing Banners):** Saves design, printing, and installation costs, prevents a negative contamination impact (9.24 pp increase for plastic), and avoids "banner fatigue" and visual clutter.

Net Recommendation: The evidence unequivocally supports the implementation of shaped-opening bins without informational banners for an effective and cost-efficient improvement in campus recycling.