-
-
-

|

	[illegible]	→	✅
	[illegible]	→	✅
	[illegible]	→	✅
	[illegible]		✅

	[illegible]		
	[illegible]		
	[illegible]		

```
sk-xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

> ⚠️

-
-
-

→

```
sk-xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

-
-
-

|

	[illegible]
	[illegible] ⭐
	[illegible]
	[illegible]

```
#     Node.js
brew install node

#     OpenClaw
npm install -g openclaw

#
openclaw --version
```

```
#     Node.js: https://nodejs.org
#
npm install -g openclaw
openclaw --version
```

```
#
openclaw configure
```

-
-
-
-

```
#
openclaw configure --section model      #
openclaw configure --section channels   #
openclaw configure --section gateway    #
```

`workspace` `model` `web` `gateway` `daemon` `channels` `skills` `health`

```
openclaw configure --section channels
```

```
#     Gateway
openclaw gateway start

#
openclaw gateway status

#
openclaw status
```

-
-
-
-
-

```
#
openclaw chat "                    "
```

```
      AI       [      ]    ...
```

✅

`command not found`		
`API key invalid`		
`Connection timeout`		
`Rate limit exceeded`		

- [illegible]
- [illegible]

🎯

-
-
- `openclaw --version`
- `openclaw gateway start`
- `openclaw chat "test"`

🚀

✅

-
-
-
-

-
-
-

🧠

-
-
-

🎯

- [illegible]
- [illegible]
- [illegible]
- [illegible]

```
5 “ AI AI ”
```

-
-
-

💸

```
      =     Token ×        +     Token ×
```

-
-
-

```python
def estimate_cost(input_tokens: int, output_tokens: int, in_price_per_m: float, out_price_per_m: float) -> float:
    return input_tokens / 1_000_000 * in_price_per_m + output_tokens / 1_000_000 * out_price_per_m

#          120k     30k     GPT-5.3 Pro
cost = estimate_cost(120_000, 30_000, in_price_per_m=10.0, out_price_per_m=30.0)
print(f"estimated_cost=${cost:.2f}")
```


- [illegible]
- [illegible]
- [illegible]

-
-
-
-

⚠️

-
-
-

-
-
-

🎯

- _____
- ____

```
                    3        30
```


🎯

- [illegible] →
- [illegible] →
- [illegible] →

-
-
-

-
-
-

⏱

-
-
-

. . . .

🎯

- [illegible]
- [illegible]
- [illegible]

```
                    4%          6%                  5
    12
```


```
Layer 6: Current Task ←
Layer 5: Conversation ←
Layer 4: Tool Schemas ←
Layer 3: Retrieved Docs ← RAG
Layer 2: Memory ←
Layer 1: System Rules ←
```



```
# task_notes.md
##

##
-    A  $29/
-    B
##
-
```

🎯


```
    : 50,000 tokens
↓          95%
 : 5,000 tokens
```

```
Agent
  │
  ├──  Agent A
  │   └──    30K →    2K
  │
  │
  └──  Agent B
      └──    20K →    1.5K
```


🎯

✅

-
-
-

❌

-
-

```
- browser_search, browser_click
- shell_run, file_read

          token masking        browser_*
```

```
# todo.md
- [x]
- [x]
- [ ]            ←
- [ ]
```



✍🏻

-
-
-
-



①

```
12
```

②

```
A
90
```

③

-
-
-

④

-
-
-
-

⑤

-
-
-

🎯

- [illegible]
- [illegible]

-
-
-
-

-
-
-

-
-
-

🎯

- [____ _____]
- [_____]

```
SaaS          4%      5%
   199     229         3.2%    2.7%
```




```
{
  "problem": "           ",
  "root_causes": ["      ", "           "],
  "actions_30d": ["           ", "       "],
  "metrics": ["D7    ", "      "]
}
```



🎯

- _____
- _____

```
null
```

-
-
-
-

```
[Role]
   {   }

[Task]
     {   }

[Format]
  {   /JSON/   }

[Constraints]
-    {   }
-        {   }
-
```

$\rightarrow$

🧨

-
-
-
-

🎯

- [illegible]
- [illegible]

" "

-
-
-

✅

-
-
-
-

>

-
-
-

A

```
                        12
        A

1)            1-10
2) 90
3)
```

🎯

- [illegible]
- [illegible]
- [illegible]
- [illegible]

```
1)
2) Prompt   A
3) Prompt   B
4)
5)
6)
```

-
-
-
-
-

🏁

🎯

- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]

- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]

?

✅