

/interview/框架/logging framework/jcl (Jakarta Commons Logging)

<http://commons.apache.org/proper/commons-logging/>

/interview/框架/logging framework/log4j 1.2

<http://logging.apache.org/log4j/1.2/>

/interview/框架/logging framework/log4j 2.x

<http://logging.apache.org/log4j/2.x/>

/interview/框架/logging framework/log4j 2.x/Bridge (coded to the other API ...

<http://logging.apache.org/log4j/2.x/maven-artifacts.html>

/interview/框架/logging framework/slf4j (Simple Logging Facade fo...

<http://www.slf4j.org/index.html>

/interview/框架/logging framework/slf4j (Simple Logging Facade fo.../load org.slf4j.impl.StaticLogg...

<http://www.slf4j.org/codes.html#StaticLoggerBinder>

/interview/框架/logging framework/slf4j (Simple Logging Facade fo.../Use slf4j API


<http://www.slf4j.org/manual.html>

/interview/框架/logging framework/slf4j (Simple Logging Facade fo.../Bridging legacy APIs


<http://www.slf4j.org/legacy.html>

*/interview/框架/logging framework/slf4j (Simple Logging Facade fo.../Bridging legacy APIs/use jcl API and
routed to SLF4.../jcl-over-slf4j.jar/jcl-over-slf4j.jar and slf4j-j...*


<http://www.slf4j.org/legacy.html#jclRecursion>




SLF4J bound to logback-classic with redirection of commons-logging, log4j and java.util.logging to SLF4J



SLF4J bound to log4j with redirection of commons-logging and java.util.logging to SLF4J



SLF4J bound to java.util.logging with redirection of commons-logging and log4j to SLF4J



These diagrams illustrate *all* possible redirections for various bindings for reasons of convenience and expediency. Redirections should be performed only when necessary. For instance, it makes no sense to redirect `java.util.logging` to SLF4J if `java.util.logging` is not being used in your application.

