










Chapter 1: Introduction to Qt 6






















Chapter 2: Introduction to Qt Creator





Qt Widgets Application

Location

Build System

Details

Translation

Kits

Summary

Project Location

This wizard generates a Qt Widgets Application project. The application derives by default from QApplication and includes an empty widget.

Name:

Create in:

☐ Use as default project location

← Qt Widgets Application

Location

Build System

Details

Translation

Kits

Summary

Define Build System

Build system:

qmake

qmake

CMake

Qbs

← Qt Widgets Application

Location

Build System

Details

Translation

Kits

Summary

Class Information

Specify basic information about the classes for which you want to generate skeleton source code files.

Class name:

Base class:

Header file:

Source file:

☒ Generate form

Form file:

Next

Cancel

← Qt Widgets Application

Location

Build System

Details

Translation

Kits

Summary

Translation File



If you plan to provide translations for your project's user interface via the Qt Linguist tool, please select a language here. A corresponding translation (.ts) file will be generated for you.



Language:



Translation file: .ts


Next

Cancel









Filter

Kits

- Environment
- Text Editor
- FakeVim
- Help
- C++
- Qt Quick
- Build & Run
- Qbs
- Debugger
- Designer
- Python
- Analyzer
- Version Control
- Devices
- Code Pasting
- Language Client
- Testing

Kits

Kits Qt Versions Compilers Debuggers CMake

Name qmake Location

Auto-detected

Qt 6.0.0 MinGW 64-bit D:\Qt\6.0.0\mingw81_64\bin\qmake.exe

Manual

Add...

Remove

Link with Qt...

Clean Up

Qt version 6.0.0 for Desktop

Details ▲


Name: Qt 6.0.0 MinGW 64-bit
ABI: x86-windows-msys-pe-64bit
Source: D:\Qt\6.0.0\mingw81_64
mspec: win32-g++
qmake: D:\Qt\6.0.0\mingw81_64\bin\qmake.exe
Version: 6.0.0
QMAKE_SPEC win32-g++
QMAKE_VERSION 3.1
QMAKE_XSPEC win32-g++
QT_HOST_BINS D:\Qt\6.0.0\mingw81_64\bin
QT_HOST_DATA D:\Qt\6.0.0\mingw81_64

Register documentation: Highest Version Only ▼


OK



Cancel



Apply





New File or Project	CTRL + N
Open File or Project	CTRL + O
Save Current File	CTRL + S
Save All	CTRL + SHIFT + S
Close Current File	CTRL + W
Close All	CTRL + SHIFT + W
Quit Qt Creator	CTRL + Q
Return to Edit mode	ESCAPE
Switch Current File	CTRL + TAB
Force Code Completion	CTRL + SPACE
Start Debugging	F5
Stop Debugging	SHIFT + F5
Step Over	F10
Step Into	F11
Step Out	SHIFT + F11
Toggle Breakpoint	F9
Build Current Project	CTRL + B
Run	CTRL + R
Build All	CTRL + SHIFT + B
Locate	CTRL + K














Chapter 3: GUI Design Using Qt Widgets















← Qt Custom Designer Widget

Location

Kits

Custom Widgets

Plugin Details

Summary

Kit Selection

The following kits can be used for project **MyWidgets**:

Type to filter kits by name...

☐ Select all kits

☐ Desktop (x86-windows-msys-pe-64bit)

Details ▾

☒ Desktop Qt 6.0.0 MinGW 64-bit

Details ▾

Next

Cancel

← Qt Custom Designer Widget

Location

Kits

Custom Widgets

Plugin Details

Summary

Custom Widget List

Specify the list of custom widgets and their properties.

Widget Classes:

MyLabel

<New class>

Sources

Description

Property defaults

☐ Link library

☒ Include project

☒ Create skeleton

Widget library: mylabel

Widget project file: mylabel.pri

Widget header file: mylabel.h

Widget source file: mylabel.cpp

Widget base class: QLabel

Plugin class name: MyLabelPlugin

Plugin header file: mylabelplugin.h

Plugin source file: mylabelplugin.cpp

Icon file:

Browse...

Next

Cancel

Qt Custom Designer Widget

Location
Kits
Custom Widgets
Plugin Details
Summary

Custom Widget List

Specify the list of custom widgets and their properties.

Widget Classes:

MyLabel
MyFrame
<New class>

Sources

Description

Property defaults

Group:

Tooltip:

What's this:

☒ The widget is a container

Next

Cancel

Qt Custom Designer Widget

Location
Kits
Custom Widgets
Plugin Details
Summary

Plugin and Collection Class Information

Specify the properties of the plugin library and the collection class.

Collection class:

Collection header file:

Collection source file:

Plugin name:

Resource file:

MyWidgetCollection
mywidgetcollection.h
mywidgetcollection.cpp
mywidgetcollectionplugin
icons.qrc

Next

Cancel

Location

Kits

Custom Widgets

Plugin Details

➡ Summary

Project Management

Add as a subproject to project: <None>

Add to version control: <None> [Configure...](#)



Files to be added in


D:\QtProject\MyWidgets:



```
icons.qrc  
myframe.cpp  
myframe.h  
myframe.pri  
myframeplugin.cpp  
myframeplugin.h  
mylabel.cpp  
mylabel.h  
mylabel.pri  
mylabelplugin.cpp  
mylabelplugin.h  
mywidgetcollection.cpp  
mywidgetcollection.h  
MyWidgets.pro
```


Finish

Cancel











Chapter 4: Qt Quick and QML

QQuickStyle::setStyle()	QQuickStyle::setStyle("Universal");
-style command line argument	./application -style universal
Environment variable QT_QUICK_CONTROLS_STYLE	QT_QUICK_CONTROLS_STYLE=universal ./application
qtquickcontrols2.conf configuration file	[Controls] Style=Universal



Qt Quick Application - Empty



← Qt Quick Application - Empty

Location
Build System
Details
Translation
Kits
Summary

Kit Selection

The following kits can be used for project **SimpleQtQuickApp**:

Type to filter kits by name...

☒ Select all kits

☐ Desktop (x86-windows-msvc2017-pe-64bit)	Details ▾
☐ Desktop (x86-windows-msys-pe-64bit)	Details ▾
☒ Desktop Qt 6.0.0 MinGW 64-bit	Details ▾

Next

Cancel

← Qt Quick Application - Empty

Location
Build System
Details
Translation
Kits
Summary

Project Management

Add as a subproject to project: <None> ▾

Add to version control: Git ▾ [Configure...](#)

Files to be added in



D:\QtBook\Packt\Qt-6-and-C-Modern-Cross-Platform-development\Chapter04\SimpleQtQuickApp


```
.gitignore  
main.cpp  
main.qml  
qml.qrc  
SimpleQtQuickApp.pro
```

< >


Finish



Cancel








Qt New File or Project - Qt Creator










Anchoring Demo



Library × |

QML Types Assets QML Imports

Filter

- Qt Quick - Animation
- Qt Quick - Basic
 - Animated Image
 - Border Image
 - Flickable
 - Focus Scope
 - Image
 - Item
 - Mouse Area
 - Rectangle
 - Text
 - Text Edit
 - Text Input
- Qt Quick - Positioner
 - Column
 - Flow
 - Grid
 - Row
- Qt Quick - Views
 - Grid View
 - List View
 - Path View

Navigator × Projects File System Open Documents

← → ↓ ↑ 🔍

[Item]

- row
 - yellowRect
 - redRect
 - greenRect

Form Editor × Text Editor

Override Width Override Height



Repeater Demo



New File or Project - Qt Creator



Choose a template:

All Templates

Projects

Application (Qt)
Application (Qt Quick)
Application (Qt for Python)

Library

Other Project
Non-Qt Project
Import Project

Files and Classes

C/C++
Modeling
Qt
GLSL
General
Java
Python



C++ Library



Qt Quick 2 Extension Plugin



Qt Creator Plugin

Creates a C++ plugin to load Qt Quick extensions dynamically into applications using the QQmlEngine class.


Supported Platforms:

- Android Device
- Desktop

Choose...

Cancel

Chapter 5: Cross-Platform Development



Filter

Kits

Environment

Text Editor

FakeVim

Help

C++

Qt Quick

Build & Run

Qbs

Debugger

Designer

Python

Analyzer

Version Control

Devices

Code Pasting

Language Client

Testing

Kits

Qt Versions

Compilers

Debuggers

CMake

Name	Type
MinGW 8.1.0 64-bit for C	MinGW
Clang (C, x86 64bit in D:\Qt\Tools\QtCreator\bin\clang\bin)	Clang
Custom Android Clang (C, aarch64, NDK 21.3.6528147)	Android Clang
Custom Android Clang (C, arm, NDK 21.3.6528147)	Android Clang
Custom Android Clang (C, i686, NDK 21.3.6528147)	Android Clang
Custom Android Clang (C, x86_64, NDK 21.3.6528147)	Android Clang
MinGW 8.1.0 64-bit for C++	MinGW
Custom Android Clang (C++, aarch64, NDK 21.3.6528147)	Android Clang
Custom Android Clang (C++, arm, NDK 21.3.6528147)	Android Clang
Custom Android Clang (C++, i686, NDK 21.3.6528147)	Android Clang
Custom Android Clang (C++, x86_64, NDK 21.3.6528147)	Android Clang
Manual	
> C	
> C++	
Custom	MinGW

Name: Custom

Compiler path: D:\Qt\Tools\mingw810_64\bin\g++.exe

Make path:

ABI: x86 - windows - msvc2019 - pe - 64bit

Predefined macros: Empty

Header paths: Empty

C++11 flags:

Qt mkspecs:

Error parser: GCC

Add

Clone

Remove

Remove All

Re-detect

Auto-detection Settings...

OK

Cancel

Apply



Build Settings

Edit build configuration:

Debug ▾

Add ▾

Remove

Rename...

Clone...

General

Shadow build:



Build directory:

Desktop_Qt_6_0_2_MinGW_64_bit-Debug

Browse...

Separate debug info:

Leave at Default ▾

QML debugging and profiling:

Enable ▾

⚠ Might make your application vulnerable.
Only use in a safe environment.

Qt Quick Compiler:

Leave at Default ▾

qmake system() behavior when parsing:

Enable

Disable

Leave at Default

Build Steps

qmake: qmake.exe QtQuickCompilerDemo.pro

Details ▾

Make: mingw32-make.exe -j8 in D:\QtBook\Packt\Qt-6-and-C-Mod

Details ▲

Override D:\Qt\Tools\mingw810_64\bin\mingw32-make.exe:

Browse...

Make arguments:

Parallel jobs:


8 ▴ ▾



☐ Override MAKEFLAGS


Disable in subdirectories:






Add Build Step ▾









SDK manager arguments:

Available arguments:

--sdk_root=<sdkRootPath>: Use the specified SDK root instead of the SDK containing this tool

--channel=<channelId>: Include packages in channels up to <channelId>. Common channels are:
0 (Stable), 1 (Beta), 2 (Dev), and 3 (Canary).

--include_obsolete: With --list, show obsolete packages in the package listing. With --update, update obsolete packages as well as non-obsolete.

--no_https: Force all connections to use http rather than https.

--proxy=<http | socks>: Connect via a proxy of the given type.

--proxy_host=<IP or DNS address>: IP or DNS address of the proxy to use.

--proxy_port=<port #>: Proxy port to connect to.

--verbose: Enable verbose output.

* If the env var REPO_OS_OVERRIDE is set to "windows", "macosx", or "linux", packages will be downloaded for that OS.

OK

Cancel

Filter

Kits

Environment

Text Editor

FakeVim

Help

{ } C++

Qt Quick

Build & Run

Qbs

Debugger

Designer

Python

Analyzer

Version Control

Devices

Code Pasting

Language Client

Testing

Devices

Devices

Android

QNX

SSH

- ✓ Android settings are OK. (SDK Version: 3.0, NDK Version: 21.3.6528147) Details ▲
- ✓ Android SDK path exists.
 - ✓ Android SDK path writable.
 - ✓ SDK tools installed.
 - ✓ Platform tools installed.
 - ✓ Build tools installed.
 - ✓ SDK manager runs (SDK Tools versions <= 26.x require exactly Java 1.8).
 - ✓ Platform SDK installed.
 - ✓ All essential packages installed for all installed Qt versions.

Android OpenSSL settings (Optional)

OpenSSL binaries location: C:\Users\Nibedit\AppData\Local\Android\Sdk\android_openssl

Browse...

Download OpenSSL

- ✓ OpenSSL Settings are OK. Details ▼

☒ Automatically create kits for Android tool chains

AVD Manager

SDK Manager

☐ Expand All

Package	API	Revision
Tools		
✓ SDK Patch Applier v4		1
✓ Google USB Driver		13
✓ NDK (Side by side) 21.3.6528147		21.3.6528147
✓ Android SDK Platform-Tools		30.0.5
✓ Android SDK Build-Tools 30.0.2		30.0.2
✓ Android SDK Build-Tools 29.0.3		29.0.3

Update Installed

Apply

Show Packages

☐ Available☐ Installed☒ All

Advanced Options...

OK

Cancel

Apply



SDK Manager Arguments - Qt Creator



SDK manager arguments:

Available arguments:

--sdk_root=<sdkRootPath>: Use the specified SDK root instead of the SDK containing this tool

--channel=<channelId>: Include packages in channels up to <channelId>. Common channels are:
0 (Stable), 1 (Beta), 2 (Dev), and 3 (Canary).

--include_obsolete: With --list, show obsolete packages in the package listing. With --update, update obsolete packages as well as non-obsolete.

--no_https: Force all connections to use http rather than https.

--proxy=<http | socks>: Connect via a proxy of the given type.

--proxy_host=<IP or DNS address>: IP or DNS address of the proxy to use.

--proxy_port=<port #>: Proxy port to connect to.

--verbose: Enable verbose output.

* If the env var REPO_OS_OVERRIDE is set to "windows", "macosx", or "linux", packages will be downloaded for that OS.

OK

Cancel

Filter

Kits

Kits Qt Versions Compilers Debuggers CMake

Name

Auto-detected

- Android Qt 5.15.2 Clang Multi-Abi
- Android Qt 6.0.2 Clang arm64-v8a (default)**
- Android Qt 6.0.2 Clang armeabi-v7a
- Android Qt 6.0.2 Clang x86
- Android Qt 6.0.2 Clang x86_64
- Desktop Qt 5.15.2 MinGW 64-bit
- Desktop Qt 6.0.2 MSVC2019 64bit

Add

Clone

Remove

Make Default

Settings Filter...

Default Settings Filter...

Name: Android Qt %{Qt:Version} Clang arm64-v8a

File system name:

Device type: Android Device

Device: Run on Android (default for Android) Manage...

Sysroot: Browse...

Compiler: C: Custom Android Clang (C, aarch64, NDK 21.3.6528147) Manage...

C++: Custom Android Clang (C++, aarch64, NDK 21.3.6528147) Manage...

No changes to apply. Change...

Environment: ☐ Force UTF-8 MSVC compiler output

Debugger: Android Debugger (arm64-v8a, NDK 21.3.6528147) Manage...

Qt version: Qt 6.0.2 for Android ARM64-v8a Manage...

Qt mkspec:

Additional Qbs Profile Settings: Change...

CMake Tool: Manage...

CMake generator: <none> - <none>, Platform: <none>, Toolset: <none> Change...

CMake Configuration: CMAKE_CXX_COMPILER:STRING=%{Compiler:Executable:Cxx}; CMAKE_C_COMPILER:... Change...

OK Cancel Apply

Project: HelloWorld		
Deploy: Deploy to Android Device		
Run: HelloWorld		
HelloWorld Debug	Kit	Build
	Android Qt 6.0.2 Clang arm64-v8a	Debug
	Desktop Qt 6.0.2 MinGW 64-bit	Profile
		Release

Build Android APK

⌵ ^ ▾ ✕ Details ▲

Application Signature

Keystore: Browse... Create...

☐ Sign package

Certificate alias:

Application

Android build SDK:

Android customization: Create Templates

Advanced Actions

☒ Open package location after build

☐ Verbose output

☒ Add debug server


Additional Libraries


☐ Include prebuilt OpenSSL libraries

Add...
Remove

Create an Android package for Custom Java code, assets, and Gradle configurations.


Chapter 6: Signals and Slots









C++ Backend



QML File







Chapter 7: Model View Programming








QListWidget
QTableWidget
QTreeWidget



Have their own built in models and can be used directly.


Needs supporting models to work with such as

QListView
QTableView
QTreeView



QStringListModel
QStandardItemModel
QHelpContentModel
QSqlTableModel











Chapter 8: Graphics and Animations














GUI Thread










Chapter 9: Testing and Debugging





Filter

- Environment
- Text Editor
- FakeVim
- Help
- C++
- Qt Quick
- Build & Run
- Qbs
- Debugger
- Designer
- Python
- Analyzer
- Version Control
- Devices
- Code Pasting
- Language Client
- Testing**

Testing

General

Qt Test

Google Test

Boost Test

Catch Test

- ☒ Disable crash handler while debugging
- ☒ Use XML output
- ☒ Verbose benchmarks
- ☒ Log signals and slots




Benchmark Metrics

- ☒ Walltime
- ☐ Tick counter
- ☐ Event counter
- ☐ Callgrind
- ☐ Perf

OK

Cancel

Apply



Filter

- Environment
- Text Editor
- FakeVim
- Help
- C++
- Qt Quick
- Build & Run
- Qbs
- Debugger
- Designer
- Python
- Analyzer
- Version Control
- Devices
- Code Pasting
- Language Client
- Testing**

Testing

General

Qt Test

Google Test

Boost Test

Catch Test

☐ Run disabled tests☒ Break on failure while debugging☐ Repeat tests

Iterations:

1

☐ Shuffle tests

Seed:

0

☐ Throw on failure

Group mode:

Directory

Active filter:

,

OK

Cancel

Apply

←

Auto Test Project

×

Project and Test Information

Location

Details

Kits

Summary

Test framework:

Google Test

Test suite name:

AlgorithmTestSuite

Test case name:

BasicCalculations

☒ Enable C++11

Googletest source directory (optional):

Browse...

Build system:

qmake

Next

Cancel

←

Auto Test Project

×

Project and Test Information

Location

Details

Kits

Summary

Test framework:

Google Test

Test suite name:

AlgorithmTestSuite

Test case name:

BasicCalculations

☒ Enable C++11

Googletest source directory (optional):

googletest-release-1.10.0\googletest-release-1.10.0\googletest\include\gtest



Browse...

Build system:


qmake

Next

Cancel



Chapter 10: Deploying Qt Applications



Kit selector

Project: HelloWorld
Kit: Desktop Qt 6.1.0 MinGW 64-bit
Deploy: Deploy Configuration
Run: HelloWorld

HelloWorld

Build

Debug

Release

Profile

Release

Type to locate (Ctrl+K)

<< build-HelloWorld-Desktop_Qt_6_1_0_MinGW_64_bit-Release > release


Name	Date modified	Type	Size
HelloWorld.exe	18-05-2021 22:59	Application	24 KB
main.o	18-05-2021 22:59	O File	2 KB
moc_predefs.h	18-05-2021 22:59	C++ Header file	16 KB
moc_widget.cpp	18-05-2021 22:59	C++ Source file	3 KB
moc_widget.o	18-05-2021 22:59	O File	9 KB
widget.o	18-05-2021 22:59	O File	4 KB

HelloWorld.exe - System Error

The code execution cannot proceed because Qt6Core.dll was not found. Reinstalling the program may fix this problem.


OK

<< 6.1.0 > mingw81_64 > bin				Search bin	
Name	Date modified	Type	Size		
Qt6Concurrent.dll	26-04-2021 21:07	Application extension	36 KB		
Qt6Core.dll	26-04-2021 21:07	Application extension	6,006 KB		
Qt6Core5Compat.dll	27-04-2021 14:25	Application extension	815 KB		
Qt6DBus.dll	26-04-2021 21:07	Application extension	736 KB		
Qt6Designer.dll	27-04-2021 14:47	Application extension	5,257 KB		
Qt6DesignerComponents.dll	27-04-2021 14:47	Application extension	2,889 KB		
Qt6Gui.dll	26-04-2021 21:07	Application extension	8,869 KB		



<< 6.1.0 > mingw81_64 > plugins > platforms				Search platforms	
Name	Date modified	Type	Size		
qwindows.dll	26-04-2021 21:08	Application extension	975 KB		
qoffscreen.dll	26-04-2021 21:08	Application extension	83 KB		
qminimal.dll	26-04-2021 21:08	Application extension	42 KB		
qdirect2d.dll	26-04-2021 21:08	Application extension	1,064 KB		
qwindows.debug	26-04-2021 21:00	DEBUG File	68,848 KB		
qdirect2d.debug	26-04-2021 20:58	DEBUG File	78,123 KB		
qoffscreen.debug	26-04-2021 20:58	DEBUG File	5,090 KB		
qminimal.debug	26-04-2021 20:58	DEBUG File	3,533 KB		

<< release > deployment				Search deployment	
Name	Date modified	Type	Size		
platforms	18-05-2021 22:53	File folder			
HelloWorld.exe	18-05-2021 22:39	Application	24 KB		
libgcc_s_seh-1.dll	12-05-2018 11:41	Application exten...	75 KB		
libstdc++-6.dll	12-05-2018 11:41	Application exten...	1,384 KB		
libwinpthread-1.dll	12-05-2018 11:41	Application exten...	51 KB		
Qt6Core.dll	26-04-2021 21:07	Application exten...	6,006 KB		
Qt6Gui.dll	26-04-2021 21:07	Application exten...	8,869 KB		
Qt6Widgets.dll	26-04-2021 21:07	Application exten...	6,219 KB		





<< Qt >

6.1.0 >

mingw81_64 >


bin

▼




 Search bin


Name	Date modified	Type	Size
 windeployqt.exe	27-04-2021 14:49	Application	225 KB
 uic.exe	26-04-2021 21:08	Application	570 KB
 tracegen.exe	26-04-2021 21:08	Application	1,578 KB
 shadergen.exe	27-04-2021 14:52	Application	262 KB
 rcc.exe	26-04-2021 21:08	Application	1,795 KB
 qvkgen.exe	26-04-2021 21:08	Application	77 KB
 qtplugininfo.exe	27-04-2021 14:49	Application	41 KB
 qtpaths.exe	27-04-2021 14:48	Application	70 KB



Name	Date modified	Type	Size
iconengines	19-05-2021 00:25	File folder	
imageformats	19-05-2021 00:25	File folder	
platforms	19-05-2021 00:25	File folder	
styles	19-05-2021 00:25	File folder	
translations	19-05-2021 00:25	File folder	
D3Dcompiler_47.dll	11-03-2014 16:24	Application extension	4,077 KB
HelloWorld.exe	18-05-2021 22:39	Application	24 KB
libgcc_s_seh-1.dll	12-05-2018 11:41	Application extension	75 KB
libstdc++-6.dll	12-05-2018 11:41	Application extension	1,384 KB
libwinpthread-1.dll	12-05-2018 11:41	Application extension	51 KB
opengl32sw.dll	04-06-2020 13:20	Application extension	20,150 KB
Qt6Core.dll	26-04-2021 21:07	Application extension	6,006 KB
Qt6Gui.dll	26-04-2021 21:07	Application extension	8,869 KB
Qt6Svg.dll	27-04-2021 10:59	Application extension	350 KB
Qt6Widgets.dll	26-04-2021 21:07	Application extension	6,219 KB





Name	Date modified	Type	Size
 archivegen.exe	10-03-2020 15:28	Application	19,694 KB
 binarycreator.exe	10-03-2020 15:28	Application	20,303 KB
 devtool.exe	10-03-2020 15:29	Application	20,151 KB
 installerbase.exe	10-03-2020 15:28	Application	21,034 KB
 repogen.exe	10-03-2020 15:28	Application	20,078 KB



Name	Date modified	Type	Size
iconengines	19-05-2021 00:25	File folder	
imageformats	19-05-2021 00:25	File folder	
platforms	19-05-2021 00:25	File folder	
styles	19-05-2021 00:25	File folder	
translations	19-05-2021 00:25	File folder	
D3Dcompiler_47.dll	11-03-2014 16:24	Application extension	4,077 KB
HelloWorld.exe	18-05-2021 22:39	Application	24 KB
libgcc_s_seh-1.dll	12-05-2018 11:41	Application extension	75 KB
libstdc++-6.dll	12-05-2018 11:41	Application extension	1,384 KB
libwinpthread-1.dll	12-05-2018 11:41	Application extension	51 KB
opengl32sw.dll	04-06-2020 13:20	Application extension	20,150 KB
Qt6Core.dll	26-04-2021 21:07	Application extension	6,006 KB
Qt6Gui.dll	26-04-2021 21:07	Application extension	8,869 KB
Qt6Svg.dll	27-04-2021 10:59	Application extension	350 KB
Qt6Widgets.dll	26-04-2021 21:07	Application extension	6,219 KB

↑ « build-HelloWorld-Desktop_Qt_6_1_0_MinGW_64_bit-Release » deployment ▼ 🔄			
Name	Date modified	Type	Size
config	18-05-2021 23:55	File folder	
packages	19-05-2021 00:38	File folder	
HelloWorld.exe ← Installer	19-05-2021 00:40	Application	35,992 KB



Name	Date modified	Type	Size
iconengines	19-05-2021 00:44	File folder	
imageformats	19-05-2021 00:44	File folder	
installerResources	19-05-2021 00:44	File folder	
platforms	19-05-2021 00:44	File folder	
styles	19-05-2021 00:44	File folder	
translations	19-05-2021 00:44	File folder	
components.xml	19-05-2021 00:44	XML Document	1 KB
D3Dcompiler_47.dll	11-03-2014 16:24	Application extension	4,077 KB
HelloWorld.exe	18-05-2021 22:39	Application	24 KB
InstallationLog.txt	19-05-2021 00:44	Text Document	3 KB
installer.dat	19-05-2021 00:44	DAT File	1 KB
libgcc_s_seh-1.dll	12-05-2018 11:41	Application extension	75 KB
libstdc++-6.dll	12-05-2018 11:41	Application extension	1,384 KB
libwinpthread-1.dll	12-05-2018 11:41	Application extension	51 KB
maintenancetool.dat	19-05-2021 00:44	DAT File	5 KB
maintenancetool.exe	19-05-2021 00:44	Application	21,512 KB
maintenancetool.ini	19-05-2021 00:44	Configuration settings	5 KB
network.xml	19-05-2021 00:44	XML Document	1 KB
opengl32sw.dll	04-06-2020 13:20	Application extension	20,150 KB
Qt6Core.dll	26-04-2021 21:07	Application extension	6,006 KB
Qt6Gui.dll	26-04-2021 21:07	Application extension	8,869 KB
Qt6Svg.dll	27-04-2021 10:59	Application extension	350 KB
Qt6Widgets.dll	26-04-2021 21:07	Application extension	6,219 KB

Build Android APK

Application Signature

Keystore:

Browse...

Create...

☐ Sign package

Certificate alias:

Application

Android build SDK:

android-30

Android customization:

Create Templates

Advanced Actions

☒ Open package location after build
☐ Verbose output
☒ Add debug server

Additional Libraries

☐ Include prebuilt OpenSSL libraries

Add...

Remove

Create an Android package for Custom Java code, assets, and Gradle configurations.

QC Create a keystore and a certificate - Qt Creator

Keystore

Password:

Retype password:

☐ Show password

Certificate

Alias name:

Keysize: 2048

Validity (days): 10000

Password:

Retype password:

☐ Use Keystore password ☐ Show password

Certificate Distinguished Names

First and last name:

Organizational unit (e.g. Necessitas):

Organization (e.g. KDE):

City or locality:

State or province:

Two-letter country code for this unit (e.g. RO):

Save Close

Create Android Template Files Wizard

➡ Select the Android package source directory.

The files in the Android package source directory are copied to the build directory's Android directory and the default files are overwritten.

Android package source directory: Browse...

☒ Copy the Gradle files to Android directory

Finish Cancel

AndroidManifest.xml

General XML Source

Package

Package name: org.qtproject.example

Version code: -- %%INSERT_VERSION_CODE%%

Version name: v1.0

Minimum required SDK: Not set

Target SDK: Not set

Application

Application name: HelloWorld

Activity name: -- %%INSERT_APP_NAME%% --

Run: -- %%INSERT_APP_LIB_NAME%% --

Style extraction: default

Screen orientation: unspecified

Permissions

☒ Include default permissions for Qt modules.

☒ Include default features for Qt modules.

android.permission.ACCESS_CHECKIN_PROPERTIES

Add

Remove

Advanced

Application icon Android services Splash screen

Master icon

LDPI icon

MDPI icon

HDPI icon

XHDPI icon

XXHDPI icon

XXXHDPI icon

Click to select...

Select Android Device - Qt Creator

Compatible devices

SM-N770F RF8N934KMWN


Android 11 ABI:arm64-v8a armeabi-v7a armeabi

[My device is missing](#)

☐ Always use this device for this project

Refresh Device List Create Android Virtual Device



OK Cancel







Chapter10 > HelloWorld > android-build > build > outputs > apk > debug





Name	Date modified	Type	Size
 android-build-debug.apk ← apk	21-05-2021 01:57	APK File	15,456 KB
 output.json	21-05-2021 01:57	JSON File	1 KB




Chapter 11: Internationalization
















Chapter 12: Performance Considerations














QML Profiler Elapsed: 10.6 s Views									
Location	Type	Time in Percent	Total Time	Self Time in Percent	Self Time	Calls	Mean Time	Details	
<program>		100 %	244 ms	0.00 %	0 ns	1	244 ms	Main program	
main.qml:18	Handling Signal	37.98 %	92.7 ms	36.87 %	90 ms	4	23.2 ms	onClicked:{ rectangleComponent.createObject...	
main.qml:5	Creating	34.21 %	83.5 ms	34.15 %	83.3 ms	2	41.7 ms	QtQuick/Window	
main.qml:0	Compiling	27.79 %	67.8 ms	27.79 %	67.8 ms	1	67.8 ms	main.qml	
main.qml:18	JavaScript	1.11 %	2.71 ms	1.07 %	2.61 ms	4	677 µs	onClicked	
main.qml:11	Creating	0.05 %	130 µs	0.03 %	70.7 µs	2	65 µs	QtQuick/Rectangle	
main.qml:30	Creating	0.04 %	95.6 µs	0.04 %	95.6 µs	8	11.9 µs	QtQuick/Rectangle	
main.qml:15	Creating	0.02 %	43.3 µs	0.02 %	43.3 µs	2	21.6 µs	QtQuick/MouseArea	
main.qml:12	Binding	0.02 %	41.1 µs	0.00 %	6.2 µs	1	41.1 µs	anchors.fill: parent	
main.qml:12	JavaScript	0.01 %	34.9 µs	0.01 %	34.9 µs	1	34.9 µs	expression for fill	
main.qml:22	Creating	0.01 %	23.4 µs	0.01 %	23.4 µs	2	11.7 µs	QtQuick/Rectangle	
main.qml:28	Creating	0.00 %	7.7 µs	0.00 %	7.7 µs	1	7.7 µs	< component>	
<bytecode>	Binding	0.00 %	6.4 µs	0.00 %	6.4 µs	1	6.4 µs	Source code not available	
main.qml:24	Binding	0.00 %	1.4 µs	0.00 %	600 ns	1	1.4 µs	anchors.centerIn: parent	
main.qml:17	Binding	0.00 %	1.3 µs	0.00 %	600 ns	1	1.3 µs	anchors.fill: parent	
main.qml:24	JavaScript	0.00 %	800 ns	0.00 %	800 ns	1	800 ns	expression for centerIn	
Caller	Type	Total Time	Calls	Caller Description	Callee	Type	Total Time	Calls	Callee Description
<program>		83.5 ms	1	Main Program	main.qml:11	Creating	130 µs	1	QtQuick/Recta...

Timeline Flame Graph

Statistics

Start QML Profiler - Qt Creator

Select an externally started QML-debug enabled application.

Commonly used command-line arguments are:

`-qmljsdebugger=port:<port>,block,`
`services:CanvasFrameRate,EngineControl,DebugMessages`

Kit: Kit of Active Project: Desktop Qt 6.1.0 MinGW 64-bit Manage...

Port: 3768

OK

Cancel

Analyze Tools Window Help

Clang-Tidy and Clazy...

Performance Analyzer

Heob

Ctrl+Alt+H

QML Profiler

Chrome Trace Format Viewer

Valgrind Memory Analyzer (External Application)

Valgrind Function Profiler (External Application)

QML Profiler (Attach to Waiting Application)

Performance Analyzer Options

QML Profiler Options

Perf Process Failed to Start - Qt Creator



Make sure that you are running a recent Linux kernel and that the "perf" utility is available.

OK

