源文件范围：run.py:1 → app/main.py:58

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00001 0001  """Start the local application without a JavaScript build toolchain."""
00002 0002  import argparse
00003 0003  from pathlib import Path
00004 0004  import os
00005 0006  import uvicorn
00006 0009  def main():
00007 0010      parser = argparse.ArgumentParser(description="MedLabel Review 本地说明书审核工
00008 0010+ 作台")
00009 0011      parser.add_argument("--host", default="127.0.0.1")
00010 0012      parser.add_argument("--port", type=int, default=8000)
00011 0013      parser.add_argument("--data-dir", default=str(Path(__file__).parent / "data"))
00012 0014      args = parser.parse_args()
00013 0015      os.environ["MEDLABEL_DATA_DIR"] = str(Path(args.data_dir).resolve())
00014 0016      uvicorn.run("app.main:app", host=args.host, port=args.port)
00015 0019  if __name__ == "__main__":
00016 0020      main()
00017 0001  """MedLabel Review application."""
00018 0001  """Local-first drug-label comparison and review application."""
00019 0002  from datetime import date
00020 0003  import hashlib
00021 0004  import json
00022 0005  import os
00023 0006  from pathlib import Path
00024 0007  from typing import Literal
00025 0008  from urllib.parse import urlsplit
00026 0009  from uuid import uuid4
00027 0011  from fastapi import FastAPI, File, Form, HTTPException, Request, UploadFile
00028 0012  from fastapi.exceptions import RequestValidationError
00029 0013  from fastapi.responses import FileResponse, JSONResponse, Response
00030 0014  from fastapi.staticfiles import StaticFiles
00031 0015  from pydantic import BaseModel, ConfigDict, Field
00032 0017  from app.comparison import compare_sections
00033 0018  from app.database import Database, audit, encode, now
00034 0019  from app.demo import DRUG, NEW_TEXT, OLD_TEXT
00035 0020  from app.documents import extract_text, normalize_sections, parse_sections
00036 0021  from app.reports import export_report
00037 0023  MAX_FILE_SIZE = 10 * 1024 * 1024
00038 0024  MAX_TEXT = 300_000
00039 0025  STATIC_DIR = Path(__file__).parent / "static"
00040 0028  class Input(BaseModel):
00041 0029      model_config = ConfigDict(extra="forbid", str_strip_whitespace=True)
00042 0032  class DrugInput(Input):
00043 0033      name: str = Field(min_length=1, max_length=200)
00044 0034      manufacturer: str = Field(default="", max_length=300)
00045 0035      specification: str = Field(default="", max_length=300)
00046 0036      approval_number: str = Field(default="", max_length=200)
00047 0037      notes: str = Field(default="", max_length=3000)
00048 0040  class TextVersionInput(Input):
00049 0041      label: str = Field(min_length=1, max_length=120)
00050 0042      version_date: date
00051 0043      source: str = Field(default="", max_length=2000)
00052 0044      text: str = Field(min_length=1, max_length=MAX_TEXT)
00053 0047  class SectionInput(Input):
00054 0048      title: str = Field(min_length=1, max_length=200)
00055 0049      text: str = Field(max_length=MAX_TEXT)
00056 0052  class SectionsInput(Input):
00057 0053      sections: list[SectionInput] = Field(min_length=1, max_length=200)
00058 0056  class ComparisonInput(Input):
00059 0057      old_version_id: int = Field(gt=0)
00060 0058      new_version_id: int = Field(gt=0)
```

源文件范围：app/main.py:61 → app/main.py:123

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00061 0061  class ReviewInput(Input):
00062 0062      status: Literal["pending", "confirmed", "ignored"]
00063 0063      note: str = Field(default="", max_length=3000)
00064 0064      revision: int = Field(ge=0)
00065 0067  def required_row(connection, table, entity_id):
00066 0068      # Table names are exclusively supplied by internal call sites.
00067 0069      if table not in {"drugs", "versions", "changes", "comparisons"}:
00068 0070          raise ValueError("Unknown table")
00069 0071      row = connection.execute(f"SELECT * FROM {table} WHERE id=?", (entity_id,)).fe
00070 0071+ tchone()
00071 0072      if row is None:
00072 0073          raise HTTPException(404, "记录不存在")
00073 0074      return row
00074 0077  def version_data(row, full=False):
00075 0078      result = dict(row)
00076 0079      sections = json.loads(result.pop("sections"))
00077 0080      result.pop("storage_name", None)
00078 0081      result["warnings"] = json.loads(result["warnings"])
00079 0082      result["section_count"] = len(sections)
00080 0083      if full:
00081 0084          result["sections"] = sections
00082 0085      else:
00083 0086          result.pop("text", None)
00084 0087      return result
00085 0090  def change_data(row):
00086 0091      result = json.loads(row["payload"])
00087 0092      result.update({key: row[key] for key in ("id", "comparison_id", "status", "not
00088 0092+ e", "reviewer", "reviewed_at", "revision")})
00089 0093      return result
00090 0096  def comparison_data(connection, entity_id, full=True):
00091 0097      row = connection.execute(
00092 0098          """SELECT c.*, d.name AS drug_name, ov.label AS old_label, nv.label AS new
00093 0098+ _label
00094 0099          FROM comparisons c JOIN drugs d ON d.id=c.drug_id
00095 0100          JOIN versions ov ON ov.id=c.old_version_id
00096 0101          JOIN versions nv ON nv.id=c.new_version_id WHERE c.id=?""", (entity_id,)
00097 0102      ).fetchone()
00098 0103      if row is None:
00099 0104          raise HTTPException(404, "比对记录不存在")
00100 0105      result = dict(row)
00101 0106      result["warnings"] = json.loads(result["warnings"])
00102 0107      changes = [change_data(item) for item in connection.execute(
00103 0108          "SELECT * FROM changes WHERE comparison_id=? ORDER BY id", (entity_id,)
00104 0109      )]
00105 0110      result["total_changes"] = len(changes)
00106 0111      result["pending_changes"] = sum(item["status"] == "pending" for item in change
00107 0111+ s)
00108 0112      result["status"] = "pending" if result["pending_changes"] else "completed"
00109 0113      if full:
00110 0114          result["changes"] = changes
00111 0115          result["old_version"] = version_data(required_row(connection, "versions",
00112 0115+ result["old_version_id"]), True)
00113 0116          result["new_version"] = version_data(required_row(connection, "versions",
00114 0116+ result["new_version_id"]), True)
00115 0117      return result
00116 0120  def add_drug(connection, payload, actor):
00117 0121      cursor = connection.execute(
00118 0122          "INSERT INTO drugs(name,manufacturer,specification,approval_number,notes,c
00119 0122+ reated_at) VALUES(?,?,?,?,?,?)",
00120 0123          (payload["name"], payload.get("manufacturer", ""), payload.get("specificat
```

源文件范围：app/main.py:123 → app/main.py:181

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00121 0123+ ion", ""),
00122 0124           payload.get("approval_number", ""), payload.get("notes", ""), now()),
00123 0125      )
00124 0126      audit(connection, actor, "创建药品档案", "drug", cursor.lastrowid, {"name": pa
00125 0126+ yload["name"]})
00126 0127      return cursor.lastrowid
00127 0130  def add_version(connection, db, drug_id, label, version_date, source, filename, da
00128 0130+ ta, actor, created_files):
00129 0131      required_row(connection, "drugs", drug_id)
00130 0132      if not label.strip() or len(label.strip()) > 120:
00131 0133          raise HTTPException(422, "版本名称须为 1–120 个字符")
00132 0134      if len(source) > 2000:
00133 0135          raise HTTPException(422, "来源信息不能超过 2000 个字符")
00134 0136      if len(data) > MAX_FILE_SIZE:
00135 0137          raise HTTPException(413, "文件不能超过 10 MB")
00136 0138      if not data:
00137 0139          raise HTTPException(422, "文件不能为空")
00138 0140      try:
00139 0141          parsed_date = date.fromisoformat(str(version_date)).isoformat()
00140 0142      except (TypeError, ValueError):
00141 0143          raise HTTPException(422, "版本日期格式应为 YYYY-MM-DD")
00142 0144      clean_filename = Path(filename.replace("\\", "/")).name[:200]
00143 0145      if not clean_filename:
00144 0146          raise HTTPException(422, "文件名不能为空")
00145 0147      try:
00146 0148          text = extract_text(clean_filename, data)
00147 0149          if len(text) > MAX_TEXT:
00148 0150              raise ValueError("文档提取后不能超过 300000 个字符，请拆分文档")
00149 0151          sections = parse_sections(text)
00150 0152      except ValueError as error:
00151 0153          raise HTTPException(422, str(error))
00152 0154      warnings = []
00153 0155      if len(sections) == 1:
00154 0156          warnings.append("仅识别到一个章节，请在开始比对前核对章节划分。")
00155 0157      storage_name = uuid4().hex + Path(clean_filename).suffix.lower()
00156 0158      path = db.uploads / storage_name
00157 0159      path.write_bytes(data)
00158 0160      created_files.append(path)
00159 0161      digest = hashlib.sha256(data).hexdigest()
00160 0162      cursor = connection.execute(
00161 0163          """INSERT INTO versions(drug_id,label,version_date,source,filename,sha256,
00162 0163+ storage_name,
00163 0164          text,sections,warnings,created_at) VALUES(?,?,?,?,?,?,?,?,?,?,?)""",
00164 0165          (drug_id, label.strip(), parsed_date, source.strip(), clean_filename, dige
00165 0165+ st, storage_name,
00166 0166           text, encode(sections), encode(warnings), now()),
00167 0167      )
00168 0168      audit(connection, actor, "导入说明书版本", "version", cursor.lastrowid,
00169 0169            {"drug_id": drug_id, "label": label.strip(), "filename": clean_filename,
00170 0169+  "sha256": digest})
00171 0170      return cursor.lastrowid
00172 0173  def add_comparison(connection, old_id, new_id, actor):
00173 0174      if old_id == new_id:
00174 0175          raise HTTPException(422, "请选择两个不同版本")
00175 0176      old = required_row(connection, "versions", old_id)
00176 0177      new = required_row(connection, "versions", new_id)
00177 0178      if old["drug_id"] != new["drug_id"]:
00178 0179          raise HTTPException(422, "只能比对同一药品档案下的版本")
00179 0180      if old["version_date"] > new["version_date"]:
00180 0181          raise HTTPException(422, "旧版本日期不能晚于新版本日期")
```

源文件范围：app/main.py:182 → app/main.py:232

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00181 0182      try:
00182 0183          diff = compare_sections(json.loads(old["sections"]), json.loads(new["secti
00183 0183+ ons"]))
00184 0184      except ValueError as error:
00185 0185          raise HTTPException(422, str(error))
00186 0186      cursor = connection.execute(
00187 0187          """INSERT INTO comparisons(drug_id,old_version_id,new_version_id,unchanged
00188 0187+ _sections,warnings,created_at)
00189 0188          VALUES(?,?,?,?,?,?)""", (old["drug_id"], old_id, new_id, diff["unchanged_s
00190 0188+ ections"], encode(diff.get("warnings", [])), now())
00191 0189      )
00192 0190      comparison_id = cursor.lastrowid
00193 0191      for change in diff["changes"]:
00194 0192          connection.execute("INSERT INTO changes(comparison_id,payload) VALUES(?,?)
00195 0192+ ", (comparison_id, encode(change)))
00196 0193      audit(connection, actor, "创建版本比对", "comparison", comparison_id,
00197 0194            {"old_version_id": old_id, "new_version_id": new_id, "changes": len(diff
00198 0194+ ["changes"])})
00199 0195      return comparison_id
00200 0198  def create_app(data_dir=None):
00201 0199      application = FastAPI(
00202 0200          title="药品说明书版本比对与变更审核系统", version="1.0.0",
00203 0201          description="本地单操作员版本比对工具。输出用于人工复核，不判断医学正确性
00204 0201+ 。",
00205 0202      )
00206 0203      db = Database(data_dir or os.environ.get("MEDLABEL_DATA_DIR", "data"))
00207 0204      actor = os.environ.get("MEDLABEL_REVIEWER", "本地审核员").strip()[:200] or "本
00208 0204+ 地审核员"
00209 0205      allowed_hosts = {"localhost", "127.0.0.1", "::1"}
00210 0206      # TestClient's synthetic hostname is only enabled for explicit app factories.
00211 0207      if data_dir is not None:
00212 0208          allowed_hosts.add("testserver")
00213 0209      allowed_hosts.update(host.strip().lower() for host in os.environ.get("MEDLABEL
00214 0209+ _ALLOWED_HOSTS", "").split(",") if host.strip())
00215 0210      application.state.db = db
00216 0211      application.state.reviewer = actor
00217 0213      @application.middleware("http")
00218 0214      async def guard_requests(request: Request, call_next):
00219 0215          # DNS rebinding must not make an attacker's origin a trusted local UI.
00220 0216          host = request.headers.get("host", "")
00221 0217          try:
00222 0218              authority = urlsplit("//" + host)
00223 0219              host_port = authority.port or (443 if request.url.scheme == "https" el
00224 0219+ se 80)
00225 0220              if authority.username or authority.password or authority.path or autho
00226 0220+ rity.query or authority.fragment:
00227 0221                  raise ValueError("Invalid authority")
00228 0222              if (authority.hostname or "").lower() not in allowed_hosts:
00229 0223                  return JSONResponse({"detail": "不允许的访问主机，请使用 localhost
00230 0223+  或 127.0.0.1"}, status_code=400)
00231 0224          except ValueError:
00232 0225              return JSONResponse({"detail": "无效的访问主机"}, status_code=400)
00233 0226          if request.method in {"POST", "PUT", "PATCH", "DELETE"}:
00234 0227              if request.headers.get("X-Requested-With") != "MedLabelReview":
00235 0228                  return JSONResponse({"detail": "请求缺少本地应用校验头"}, status_c
00236 0228+ ode=403)
00237 0229              origin = request.headers.get("origin")
00238 0230              if origin:
00239 0231                  try:
00240 0232                      parsed_origin = urlsplit(origin)
```

源文件范围：app/main.py:233 → app/main.py:283

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00241 0233                      origin_port = parsed_origin.port or (443 if parsed_origin.sche
00242 0233+ me == "https" else 80)
00243 0234                      same_origin = (parsed_origin.scheme == request.url.scheme
00244 0235                                     and parsed_origin.hostname == authority.hostnam
00245 0235+ e
00246 0236                                     and origin_port == host_port
00247 0237                                     and not parsed_origin.username and not parsed_o
00248 0237+ rigin.password
00249 0238                                     and not parsed_origin.path and not parsed_origi
00250 0238+ n.query and not parsed_origin.fragment)
00251 0239                  except ValueError:
00252 0240                      same_origin = False
00253 0241                  if not same_origin:
00254 0242                      return JSONResponse({"detail": "不允许跨来源修改本地数据"}, st
00255 0242+ atus_code=403)
00256 0243              length = request.headers.get("content-length")
00257 0244              if length:
00258 0245                  try:
00259 0246                      if int(length) > MAX_FILE_SIZE + 256 * 1024:
00260 0247                          return JSONResponse({"detail": "请求内容过大，文件不能超过
00261 0247+  10 MB"}, status_code=413)
00262 0248                  except ValueError:
00263 0249                      return JSONResponse({"detail": "无效的请求长度"}, status_code=
00264 0249+ 400)
00265 0250          response = await call_next(request)
00266 0251          response.headers["X-Content-Type-Options"] = "nosniff"
00267 0252          response.headers["X-Frame-Options"] = "DENY"
00268 0253          response.headers["Referrer-Policy"] = "same-origin"
00269 0254          response.headers["Cache-Control"] = "no-store"
00270 0255          return response
00271 0257      @application.exception_handler(RequestValidationError)
00272 0258      async def validation_error(request, error):
00273 0259          fields = [".".join(str(part) for part in item["loc"]) for item in error.er
00274 0259+ rors()]
00275 0260          return JSONResponse({"detail": "输入格式不正确，请检查：" + "、".join(fiel
00276 0260+ ds)}, status_code=422)
00277 0262      @application.get("/api/health")
00278 0263      def health():
00279 0264          return {"status": "ok", "version": "1.0.0", "mode": "local-single-operator
00280 0264+ ", "reviewer": actor}
00281 0266      @application.get("/api/dashboard")
00282 0267      def dashboard():
00283 0268          with db.connect() as connection:
00284 0269              result = {table: connection.execute(f"SELECT COUNT(*) FROM {table}").f
00285 0269+ etchone()[0]
00286 0270                        for table in ("drugs", "versions", "comparisons")}
00287 0271              result["pending_changes"] = connection.execute("SELECT COUNT(*) FROM c
00288 0271+ hanges WHERE status='pending'").fetchone()[0]
00289 0272              result["recent_activity"] = [dict(row) for row in connection.execute("
00290 0272+ SELECT * FROM audit ORDER BY id DESC LIMIT 8")]
00291 0273              return result
00292 0275      @application.get("/api/drugs")
00293 0276      def list_drugs():
00294 0277          with db.connect() as connection:
00295 0278              return [dict(row) for row in connection.execute(
00296 0279                  "SELECT d.*, (SELECT COUNT(*) FROM versions v WHERE v.drug_id=d.id
00297 0279+ ) AS version_count FROM drugs d ORDER BY d.id DESC")]
00298 0281      @application.post("/api/drugs", status_code=201)
00299 0282      def create_drug(payload: DrugInput):
00300 0283          with db.connect(write=True) as connection:
```

源文件范围：app/main.py:284 → app/main.py:338

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00301 0284              entity_id = add_drug(connection, payload.model_dump(), actor)
00302 0285              result = dict(required_row(connection, "drugs", entity_id))
00303 0286              result["version_count"] = 0
00304 0287              return result
00305 0289      @application.get("/api/drugs/{drug_id}")
00306 0290      def get_drug(drug_id: int):
00307 0291          with db.connect() as connection:
00308 0292              result = dict(required_row(connection, "drugs", drug_id))
00309 0293              result["version_count"] = connection.execute("SELECT COUNT(*) FROM ver
00310 0293+ sions WHERE drug_id=?", (drug_id,)).fetchone()[0]
00311 0294              return result
00312 0296      @application.get("/api/drugs/{drug_id}/versions")
00313 0297      def list_versions(drug_id: int):
00314 0298          with db.connect() as connection:
00315 0299              required_row(connection, "drugs", drug_id)
00316 0300              return [version_data(row) for row in connection.execute(
00317 0301                  "SELECT * FROM versions WHERE drug_id=? ORDER BY version_date DESC
00318 0301+ ,id DESC", (drug_id,))]
00319 0303      @application.post("/api/drugs/{drug_id}/versions", status_code=201)
00320 0304      async def upload_version(drug_id: int, file: UploadFile = File(...), label: st
00321 0304+ r = Form(...),
00322 0305                                  version_date: str = Form(...), source: str = Form("")
00323 0305+ ):
00324 0306          created_files = []
00325 0307          try:
00326 0308              data = await file.read(MAX_FILE_SIZE + 1)
00327 0309              with db.connect(write=True) as connection:
00328 0310                  entity_id = add_version(connection, db, drug_id, label, version_da
00329 0310+ te, source,
00330 0311                                          file.filename or "", data, actor, created_
00331 0311+ files)
00332 0312                  return version_data(required_row(connection, "versions", entity_id
00333 0312+ ), True)
00334 0313          except Exception:
00335 0314              for path in created_files:
00336 0315                  path.unlink(missing_ok=True)
00337 0316              raise
00338 0317          finally:
00339 0318              await file.close()
00340 0320      @application.post("/api/drugs/{drug_id}/versions/text", status_code=201)
00341 0321      def text_version(drug_id: int, payload: TextVersionInput):
00342 0322          created_files = []
00343 0323          try:
00344 0324              with db.connect(write=True) as connection:
00345 0325                  entity_id = add_version(connection, db, drug_id, payload.label, pa
00346 0325+ yload.version_date,
00347 0326                                          payload.source, "pasted-text.txt", payload
00348 0326+ .text.encode("utf-8"), actor, created_files)
00349 0327                  return version_data(required_row(connection, "versions", entity_id
00350 0327+ ), True)
00351 0328          except Exception:
00352 0329              for path in created_files:
00353 0330                  path.unlink(missing_ok=True)
00354 0331              raise
00355 0333      @application.get("/api/versions/{version_id}")
00356 0334      def get_version(version_id: int):
00357 0335          with db.connect() as connection:
00358 0336              return version_data(required_row(connection, "versions", version_id),
00359 0336+ True)
00360 0338      @application.get("/api/versions/{version_id}/file")
```

源文件范围：app/main.py:339 → app/main.py:392

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00361 0339      def download_version(version_id: int):
00362 0340          with db.connect() as connection:
00363 0341              row = required_row(connection, "versions", version_id)
00364 0342              path = (db.uploads / row["storage_name"]).resolve()
00365 0343              if path.parent != db.uploads.resolve() or not path.is_file():
00366 0344                  raise HTTPException(404, "原始文件不存在")
00367 0345              return FileResponse(path, filename=row["filename"], media_type="applic
00368 0345+ ation/octet-stream")
00369 0347      @application.put("/api/versions/{version_id}/sections")
00370 0348      def update_sections(version_id: int, payload: SectionsInput):
00371 0349          if sum(len(item.title) + len(item.text) for item in payload.sections) > MA
00372 0349+ X_TEXT:
00373 0350              raise HTTPException(422, "章节总长度不能超过 300000 个字符")
00374 0351          with db.connect(write=True) as connection:
00375 0352              row = required_row(connection, "versions", version_id)
00376 0353              linked = connection.execute("SELECT id FROM comparisons WHERE old_vers
00377 0353+ ion_id=? OR new_version_id=? LIMIT 1",
00378 0354                                          (version_id, version_id)).fetchone()
00379 0355              if linked:
00380 0356                  raise HTTPException(409, "此版本已用于比对，不能修改章节。请导入一
00381 0356+ 个新版本进行校正。")
00382 0357              try:
00383 0358                  sections = normalize_sections([item.model_dump() for item in paylo
00384 0358+ ad.sections])
00385 0359              except ValueError as error:
00386 0360                  raise HTTPException(422, str(error))
00387 0361              for item in sections:
00388 0362                  item["start_line"] = None
00389 0363                  item["end_line"] = None
00390 0364              warnings = ["章节经人工校正；原始文件和提取原文保持不变，章节位置不再
00391 0364+ 等同于原文行号。"]
00392 0365              connection.execute("UPDATE versions SET sections=?,warnings=? WHERE id
00393 0365+ =?", (encode(sections), encode(warnings), version_id))
00394 0366              audit(connection, actor, "校正章节", "version", version_id,
00395 0367                    {"before": json.loads(row["sections"]), "after": sections})
00396 0368              return version_data(required_row(connection, "versions", version_id),
00397 0368+ True)
00398 0370      @application.get("/api/comparisons")
00399 0371      def list_comparisons():
00400 0372          with db.connect() as connection:
00401 0373              ids = [row[0] for row in connection.execute("SELECT id FROM comparison
00402 0373+ s ORDER BY id DESC")]
00403 0374              return [comparison_data(connection, entity_id, False) for entity_id in
00404 0374+  ids]
00405 0376      @application.post("/api/comparisons", status_code=201)
00406 0377      def create_comparison(payload: ComparisonInput):
00407 0378          with db.connect(write=True) as connection:
00408 0379              entity_id = add_comparison(connection, payload.old_version_id, payload
00409 0379+ .new_version_id, actor)
00410 0380              return comparison_data(connection, entity_id)
00411 0382      @application.get("/api/comparisons/{comparison_id}")
00412 0383      def get_comparison(comparison_id: int):
00413 0384          with db.connect() as connection:
00414 0385              return comparison_data(connection, comparison_id)
00415 0387      @application.patch("/api/changes/{change_id}")
00416 0388      def review_change(change_id: int, payload: ReviewInput):
00417 0389          if payload.status == "ignored" and not payload.note:
00418 0390              raise HTTPException(422, "忽略差异时必须填写原因")
00419 0391          with db.connect(write=True) as connection:
00420 0392              current = required_row(connection, "changes", change_id)
```

源文件范围：app/main.py:393 → app/main.py:443

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00421 0393              if current["revision"] != payload.revision:
00422 0394                  raise HTTPException(409, "此差异已被更新，请刷新后重新审核")
00423 0395              timestamp = now()
00424 0396              connection.execute(
00425 0397                  "UPDATE changes SET status=?,note=?,reviewer=?,reviewed_at=?,revis
00426 0397+ ion=revision+1 WHERE id=? AND revision=?",
00427 0398                  (payload.status, payload.note, actor, timestamp, change_id, payloa
00428 0398+ d.revision),
00429 0399              )
00430 0400              audit(connection, actor, "审核变更", "change", change_id,
00431 0401                    {"comparison_id": current["comparison_id"], "before": {"status":
00432 0401+  current["status"], "note": current["note"]},
00433 0402                     "after": {"status": payload.status, "note": payload.note}, "rev
00434 0402+ ision": payload.revision + 1})
00435 0403              return change_data(required_row(connection, "changes", change_id))
00436 0405      @application.get("/api/audit")
00437 0406      def list_audit():
00438 0407          with db.connect() as connection:
00439 0408              return [dict(row) for row in connection.execute("SELECT * FROM audit O
00440 0408+ RDER BY id DESC LIMIT 500")]
00441 0410      @application.get("/api/comparisons/{comparison_id}/export")
00442 0411      def export_comparison(comparison_id: int, format: Literal["html", "csv", "json
00443 0411+ "] = "html"):
00444 0412          with db.connect() as connection:
00445 0413              comparison = comparison_data(connection, comparison_id)
00446 0414          body, media_type, filename = export_report(comparison, format)
00447 0415          return Response(body, media_type=media_type, headers={"Content-Disposition
00448 0415+ ": f'attachment; filename="{filename}"'})
00449 0417      @application.post("/api/demo")
00450 0418      def seed_demo():
00451 0419          created_files = []
00452 0420          try:
00453 0421              with db.connect(write=True) as connection:
00454 0422                  seeded = connection.execute("SELECT value FROM settings WHERE key=
00455 0422+ 'demo'").fetchone()
00456 0423                  if seeded:
00457 0424                      return json.loads(seeded[0])
00458 0425                  drug_id = add_drug(connection, DRUG, actor)
00459 0426                  old_id = add_version(connection, db, drug_id, "模拟初始版", "2026-
00460 0426+ 01-01", "项目内置虚构示例，不用于临床",
00461 0427                                       "demo-v1.txt", OLD_TEXT.encode("utf-8"), acto
00462 0427+ r, created_files)
00463 0428                  new_id = add_version(connection, db, drug_id, "模拟修订版", "2026-
00464 0428+ 06-01", "项目内置虚构示例，不用于临床",
00465 0429                                       "demo-v2.txt", NEW_TEXT.encode("utf-8"), acto
00466 0429+ r, created_files)
00467 0430                  comparison_id = add_comparison(connection, old_id, new_id, actor)
00468 0431                  result = {"drug_id": drug_id, "comparison_id": comparison_id}
00469 0432                  connection.execute("INSERT INTO settings(key,value) VALUES('demo',
00470 0432+ ?)", (encode(result),))
00471 0433                  return result
00472 0434          except Exception:
00473 0435              for path in created_files:
00474 0436                  path.unlink(missing_ok=True)
00475 0437              raise
00476 0439      @application.get("/", include_in_schema=False)
00477 0440      def index():
00478 0441          path = STATIC_DIR / "index.html"
00479 0442          if not path.exists():
00480 0443              raise HTTPException(503, "界面文件尚未安装")
```

源文件范围：app/main.py:444 → app/database.py:60

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00481 0444          return FileResponse(path)
00482 0446      application.mount("/static", StaticFiles(directory=STATIC_DIR, check_dir=False
00483 0446+ ), name="static")
00484 0447      return application
00485 0450  app = create_app()
00486 0001  """SQLite persistence; every mutation and its audit record share a transaction."""
00487 0002  from contextlib import contextmanager
00488 0003  from datetime import datetime, timezone
00489 0004  import json
00490 0005  from pathlib import Path
00491 0006  import sqlite3
00492 0009  def now():
00493 0010      return datetime.now(timezone.utc).isoformat(timespec="microseconds")
00494 0013  def encode(value):
00495 0014      return json.dumps(value, ensure_ascii=False)
00496 0017  SCHEMA = """
00497 0018  CREATE TABLE IF NOT EXISTS drugs (
00498 0019   id INTEGER PRIMARY KEY, name TEXT NOT NULL, manufacturer TEXT NOT NULL DEFAULT ''
00499 0019+ ,
00500 0020   specification TEXT NOT NULL DEFAULT '', approval_number TEXT NOT NULL DEFAULT '',
00501 0021   notes TEXT NOT NULL DEFAULT '', created_at TEXT NOT NULL
00502 0022  );
00503 0023  CREATE TABLE IF NOT EXISTS versions (
00504 0024   id INTEGER PRIMARY KEY, drug_id INTEGER NOT NULL REFERENCES drugs(id),
00505 0025   label TEXT NOT NULL, version_date TEXT NOT NULL, source TEXT NOT NULL DEFAULT '',
00506 0026   filename TEXT NOT NULL, sha256 TEXT NOT NULL, storage_name TEXT NOT NULL,
00507 0027   text TEXT NOT NULL, sections TEXT NOT NULL, warnings TEXT NOT NULL DEFAULT '[]',
00508 0028   created_at TEXT NOT NULL
00509 0029  );
00510 0030  CREATE TABLE IF NOT EXISTS comparisons (
00511 0031   id INTEGER PRIMARY KEY, drug_id INTEGER NOT NULL REFERENCES drugs(id),
00512 0032   old_version_id INTEGER NOT NULL REFERENCES versions(id),
00513 0033   new_version_id INTEGER NOT NULL REFERENCES versions(id),
00514 0034   unchanged_sections INTEGER NOT NULL, warnings TEXT NOT NULL DEFAULT '[]',
00515 0035   created_at TEXT NOT NULL,
00516 0036   CHECK(old_version_id != new_version_id)
00517 0037  );
00518 0038  CREATE TABLE IF NOT EXISTS changes (
00519 0039   id INTEGER PRIMARY KEY, comparison_id INTEGER NOT NULL REFERENCES comparisons(id)
00520 0039+ ,
00521 0040   payload TEXT NOT NULL, status TEXT NOT NULL DEFAULT 'pending'
00522 0041   CHECK(status IN ('pending','confirmed','ignored')),
00523 0042   note TEXT NOT NULL DEFAULT '', reviewer TEXT NOT NULL DEFAULT '',
00524 0043   reviewed_at TEXT, revision INTEGER NOT NULL DEFAULT 0
00525 0044  );
00526 0045  CREATE TABLE IF NOT EXISTS audit (
00527 0046   id INTEGER PRIMARY KEY, action TEXT NOT NULL, entity_type TEXT NOT NULL,
00528 0047   entity_id INTEGER NOT NULL, detail TEXT NOT NULL, actor TEXT NOT NULL,
00529 0048   created_at TEXT NOT NULL
00530 0049  );
00531 0050  CREATE TABLE IF NOT EXISTS settings (key TEXT PRIMARY KEY, value TEXT NOT NULL);
00532 0051  CREATE INDEX IF NOT EXISTS versions_drug ON versions(drug_id);
00533 0052  CREATE INDEX IF NOT EXISTS changes_comparison ON changes(comparison_id);
00534 0053  CREATE INDEX IF NOT EXISTS comparisons_versions ON comparisons(old_version_id,new_
00535 0053+ version_id);
00536 0054  """
00537 0057  class Database:
00538 0058      def __init__(self, data_dir):
00539 0059          self.directory = Path(data_dir).resolve()
00540 0060          self.directory.mkdir(parents=True, exist_ok=True)
```

源文件范围：app/database.py:61 → app/documents.py:38

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00541 0061          self.uploads = self.directory / "uploads"
00542 0062          self.uploads.mkdir(exist_ok=True)
00543 0063          self.path = self.directory / "medlabel.sqlite3"
00544 0064          with self.connect() as connection:
00545 0065              connection.executescript(SCHEMA)
00546 0067      @contextmanager
00547 0068      def connect(self, write=False):
00548 0069          connection = sqlite3.connect(self.path, timeout=15)
00549 0070          connection.row_factory = sqlite3.Row
00550 0071          connection.execute("PRAGMA foreign_keys = ON")
00551 0072          connection.execute("PRAGMA journal_mode = WAL")
00552 0073          try:
00553 0074              if write:
00554 0075                  connection.execute("BEGIN IMMEDIATE")
00555 0076              yield connection
00556 0077              connection.commit()
00557 0078          except Exception:
00558 0079              connection.rollback()
00559 0080              raise
00560 0081          finally:
00561 0082              connection.close()
00562 0085  def audit(connection, actor, action, entity_type, entity_id, detail):
00563 0086      connection.execute(
00564 0087          "INSERT INTO audit(action,entity_type,entity_id,detail,actor,created_at) V
00565 0087+ ALUES(?,?,?,?,?,?)",
00566 0088          (action, entity_type, entity_id, encode(detail) if not isinstance(detail,
00567 0088+ str) else detail, actor, now()),
00568 0089      )
00569 0001  """Extract and structure drug leaflets without inferring medical meaning.
00570 0003  Only user supplied text is processed.  The original file/text is retained by the
00571 0004  API; these sections are a reviewable representation, never a replacement source.
00572 0005  """
00573 0007  from __future__ import annotations
00574 0009  import io
00575 0010  import re
00576 0011  import unicodedata
00577 0012  import zipfile
00578 0013  from collections import Counter
00579 0014  from pathlib import PurePath
00580 0017  MAX_FILE_BYTES = 10 * 1024 * 1024
00581 0018  MAX_TEXT_CHARS = 1_000_000
00582 0019  MAX_PDF_PAGES = 100
00583 0020  MAX_SECTIONS = 500
00584 0021  MAX_DOCX_EXPANDED = 40 * 1024 * 1024
00585 0023  # Alias matching is deliberately conservative.  Similar clinical concepts must
00586 0024  # not be merged simply because a fuzzy text matcher considers their names close.
00587 0025  _ALIASES = {
00588 0026      "药品名称": "药品名称", "药物名称": "药品名称",
00589 0027      "成份": "成份", "成分": "成份", "主要成份": "成份", "主要成分": "成份",
00590 0028      "性状": "性状", "适应症": "适应症", "适应证": "适应症",
00591 0029      "功能主治": "功能主治", "规格": "规格", "用法用量": "用法用量",
00592 0030      "用法与用量": "用法用量", "用法及用量": "用法用量",
00593 0031      "不良反应": "不良反应", "禁忌": "禁忌", "禁忌症": "禁忌",
00594 0032      "禁忌证": "禁忌", "注意事项": "注意事项", "警告": "警告",
00595 0033      "警示语": "警告", "警示": "警告", "黑框警告": "黑框警告",
00596 0034      "孕妇及哺乳期妇女用药": "孕妇及哺乳期妇女用药",
00597 0035      "孕妇和哺乳期妇女用药": "孕妇及哺乳期妇女用药",
00598 0036      "孕妇及哺乳期用药": "孕妇及哺乳期妇女用药",
00599 0037      "儿童用药": "儿童用药", "老年用药": "老年用药", "老年患者用药": "老年用药",
00600 0038      "特殊人群用药": "特殊人群用药", "药物相互作用": "药物相互作用",
```

源文件范围：app/documents.py:39 → app/documents.py:102

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00601 0039      "药物过量": "药物过量", "临床试验": "临床试验",
00602 0040      "药理毒理": "药理毒理", "药理作用": "药理作用", "毒理研究": "毒理研究",
00603 0041      "药代动力学": "药代动力学", "贮藏": "贮藏", "储藏": "贮藏",
00604 0042      "包装": "包装", "有效期": "有效期", "执行标准": "执行标准",
00605 0043      "批准文号": "批准文号", "药品批准文号": "批准文号",
00606 0044      "上市许可持有人": "上市许可持有人", "药品上市许可持有人": "上市许可持有人",
00607 0045      "生产企业": "生产企业", "生产厂家": "生产企业",
00608 0046      "核准日期": "核准日期", "修改日期": "修改日期", "修订日期": "修改日期",
00609 0047  }
00610 0048  _BRACKET_HEADING = re.compile(r"^\s*(?:【([^】\n]{1,60})】|\[([^\]\n]{1,60})\]| [(
00611 0048+ [^] \n]{1,60})] )\s*[:: ]?\s*(.*)$")
00612 0049  _NUMBER_PREFIX = re.compile(r"^\s*(?:(?:[一二三四五六七八九十百]+|\d+)[、.. ]\s*|[
00613 0049+  ((](?:[一二三四五六七八九十百]+|\d+)[) )]\s*)")
00614 0052  def _clean_text(text: str) -> str:
00615 0053      text = text.replace("\r\n", "\n").replace("\r", "\n").replace("\ufeff", "")
00616 0054      if "\x00" in text:
00617 0055          raise ValueError("文档包含二进制或空字符，请转换为文字版文件后重试")
00618 0056      if len(text) > MAX_TEXT_CHARS:
00619 0057          raise ValueError("文档文字超过 100 万字符，请拆分为单份药品说明书")
00620 0058      if not text.strip():
00621 0059          raise ValueError("未提取到可用文字；扫描件需要先进行 OCR 并人工核对")
00622 0060      return text
00623 0063  def _pdf_contains_image(page, reader) -> bool:
00624 0064      """Inspect resource graphs and parsed operators, never text-density guesses.
00625 0066      PDF images can coexist with a tiny text layer (for example only a page
00626 0067      number), be nested in Form XObjects, or be embedded as inline images. V1
00627 0068      deliberately rejects all such pages, including otherwise harmless logos.
00628 0069      """
00629 0070      from pypdf.generic import ContentStream
00630 0072      seen_resources: set[int] = set()
00631 0073      seen_streams: set[int] = set()
00632 0075      def resolve(value):
00633 0076          return value.get_object() if hasattr(value, "get_object") else value
00634 0078      def inspect(stream, resources, depth=0):
00635 0079          if depth > 32 or len(seen_resources) + len(seen_streams) > 2000:
00636 0080              raise ValueError("PDF 图形结构过于复杂，无法确认文字完整性；请转换为完
00637 0080+ 整文字并核对")
00638 0081          stream = resolve(stream)
00639 0082          resources = resolve(resources) if resources else {}
00640 0083          if stream is not None and id(stream) not in seen_streams:
00641 0084              seen_streams.add(id(stream))
00642 0085              parsed = stream if isinstance(stream, ContentStream) else ContentStrea
00643 0085+ m(stream, reader)
00644 0086              if any(operator == b"INLINE IMAGE" for _, operator in parsed.operation
00645 0086+ s):
00646 0087                  return True
00647 0088          if id(resources) in seen_resources:
00648 0089              return False
00649 0090          seen_resources.add(id(resources))
00650 0091          for category in ("/XObject", "/Pattern"):
00651 0092              objects = resolve(resources.get(category, {}))
00652 0093              for reference in objects.values():
00653 0094                  obj = resolve(reference)
00654 0095                  if obj.get("/Subtype") == "/Image":
00655 0096                      return True
00656 0097                  if obj.get("/Subtype") == "/Form" or obj.get("/PatternType") == 1:
00657 0098                      if inspect(obj, obj.get("/Resources", resources), depth + 1):
00658 0099                          return True
00659 0100          return False
00660 0102      resources = page.get("/Resources", {})
```

源文件范围：app/documents.py:103 → app/documents.py:164

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00661 0103      if inspect(page.get_contents(), resources):
00662 0104          return True
00663 0105      # Annotation appearance streams may also contain images not referenced by
00664 0106      # the main page content stream (for example a scanned stamp or attachment).
00665 0107      for reference in resolve(page.get("/Annots", [])):
00666 0108          annotation = resolve(reference)
00667 0109          appearances = resolve(annotation.get("/AP", {}))
00668 0110          for appearance in appearances.values():
00669 0111              appearance = resolve(appearance)
00670 0112              candidates = [appearance] if hasattr(appearance, "get_data") else [res
00671 0112+ olve(value) for value in appearance.values()]
00672 0113              for candidate in candidates:
00673 0114                  if inspect(candidate, candidate.get("/Resources", resources)):
00674 0115                      return True
00675 0116      return False
00676 0119  def _pdf_text(data: bytes) -> str:
00677 0120      from pypdf import PdfReader
00678 0122      reader = PdfReader(io.BytesIO(data), strict=False)
00679 0123      if reader.is_encrypted:
00680 0124          raise ValueError("PDF 已加密，请提供解密后的文字版 PDF")
00681 0125      if len(reader.pages) > MAX_PDF_PAGES:
00682 0126          raise ValueError("PDF 超过 100 页，请拆分为单份药品说明书")
00683 0127      texts: list[str] = []
00684 0128      length = 0
00685 0129      for index, page in enumerate(reader.pages, start=1):
00686 0130          if _pdf_contains_image(page, reader):
00687 0131              raise ValueError(f"此 PDF 含图片内容，可能遗漏文字；请先转换为完整文字
00688 0131+ 并核对（第 {index} 页）")
00689 0132          text = page.extract_text() or ""
00690 0133          if text.strip():
00691 0134              texts.append(text)
00692 0135              length += len(text) + 2
00693 0136          if length > MAX_TEXT_CHARS:
00694 0137              raise ValueError("文档文字超过 100 万字符，请拆分为单份药品说明书")
00695 0138      return "\n\n".join(texts)
00696 0141  def _docx_text(data: bytes) -> str:
00697 0142      from docx import Document
00698 0143      from docx.oxml.ns import qn
00699 0145      with zipfile.ZipFile(io.BytesIO(data)) as archive:
00700 0146          members = archive.infolist()
00701 0147          if len(members) > 2500 or sum(member.file_size for member in members) > MA
00702 0147+ X_DOCX_EXPANDED:
00703 0148              raise ValueError("DOCX 解压后体积或文件数量过大，请简化文件后重试")
00704 0149          if any(member.flag_bits & 1 for member in members):
00705 0150              raise ValueError("不支持加密的 DOCX 文件")
00706 0151          if any(member.file_size > 1024 * 1024 and member.file_size / max(member.co
00707 0151+ mpress_size, 1) > 200 for member in members):
00708 0152              raise ValueError("DOCX 压缩比例异常，请重新保存为普通文档")
00709 0153          if "word/document.xml" not in archive.namelist():
00710 0154              raise ValueError("文件不是有效的 DOCX 文档")
00711 0156      document = Document(io.BytesIO(data))
00712 0157      headers, footers = [], []
00713 0158      seen_parts: set[str] = set()
00714 0159      for relation in document.part.rels.values():
00715 0160          if relation.is_external or not relation.reltype.endswith(("/header", "/foo
00716 0160+ ter")):
00717 0161              continue
00718 0162          part = relation.target_part
00719 0163          if str(part.partname) in seen_parts:
00720 0164              continue
```

源文件范围：app/documents.py:165 → app/documents.py:225

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00721 0165          seen_parts.add(str(part.partname))
00722 0166          (headers if relation.reltype.endswith("/header") else footers).append(part
00723 0166+ .element)
00724 0167      roots = headers + [document.element.body] + footers
00725 0168      for root in roots:
00726 0169          if root.xpath(".//w:footnoteReference | .//w:endnoteReference"):
00727 0170              raise ValueError("DOCX 含脚注或尾注，请先转换为包含全部文字的 TXT，避
00728 0170+ 免遗漏")
00729 0171          if root.xpath(".//w:ins | .//w:del"):
00730 0172              raise ValueError("DOCX 含未处理的修订记录，请确认修订后重新上传")
00731 0173      # Iterate paragraphs in XML document order. This includes paragraphs inside
00732 0174      # table cells and text boxes, which Document.paragraphs alone would omit.
00733 0175      paragraphs: list[str] = []
00734 0176      for root in roots:
00735 0177          if root in headers:
00736 0178              paragraphs.append("【页眉内容】")
00737 0179          elif root in footers:
00738 0180              paragraphs.append("【页脚内容】")
00739 0181          for paragraph in root.iter(qn("w:p")):
00740 0182              fragments: list[str] = []
00741 0183              for node in paragraph.iter():
00742 0184                  # Text-box paragraphs are visited in their own iteration; skip
00743 0185                  # their text here to avoid duplication in the outer paragraph.
00744 0186                  parent = node.getparent()
00745 0187                  in_nested_paragraph = False
00746 0188                  while parent is not None and parent is not paragraph:
00747 0189                      if parent.tag == qn("w:p"):
00748 0190                          in_nested_paragraph = True
00749 0191                          break
00750 0192                      parent = parent.getparent()
00751 0193                  if in_nested_paragraph:
00752 0194                      continue
00753 0195                  if node.tag == qn("w:t") and node.text:
00754 0196                      fragments.append(node.text)
00755 0197                  elif node.tag == qn("w:tab"):
00756 0198                      fragments.append("\t")
00757 0199                  elif node.tag in {qn("w:br"), qn("w:cr")}:
00758 0200                      fragments.append("\n")
00759 0201              paragraphs.append("".join(fragments))
00760 0202      return "\n".join(paragraphs)
00761 0205  def extract_text(filename: str, data: bytes) -> str:
00762 0206      """Extract a supported document or raise a user-facing ``ValueError``.
00763 0208      Filenames are used only to select format, never as filesystem destinations.
00764 0209      Size checks are duplicated here so callers other than HTTP cannot bypass them.
00765 0210      """
00766 0211      if not isinstance(data, bytes) or not data:
00767 0212          raise ValueError("文件为空，请选择包含文字的文件")
00768 0213      if len(data) > MAX_FILE_BYTES:
00769 0214          raise ValueError("文件超过 10 MB，请压缩或拆分后重试")
00770 0215      extension = PurePath(filename.replace("\\", "/")).suffix.lower()
00771 0216      try:
00772 0217          if extension == ".txt":
00773 0218              text = None
00774 0219              for encoding in ("utf-8-sig", "gb18030"):
00775 0220                  try:
00776 0221                      text = data.decode(encoding)
00777 0222                      break
00778 0223                  except UnicodeDecodeError:
00779 0224                      pass
00780 0225              if text is None:
```

源文件范围：app/documents.py:226 → app/documents.py:289

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00781 0226                  raise ValueError("TXT 编码无法识别，请另存为 UTF-8")
00782 0227          elif extension == ".pdf":
00783 0228              if not data.lstrip().startswith(b"%PDF-"):
00784 0229                  raise ValueError("文件内容不是有效的 PDF")
00785 0230              text = _pdf_text(data)
00786 0231          elif extension == ".docx":
00787 0232              text = _docx_text(data)
00788 0233          else:
00789 0234              raise ValueError("仅支持 TXT、文字版 PDF 和 DOCX 文件；旧版 DOC 请另存
00790 0234+ 为 DOCX")
00791 0235          return _clean_text(text)
00792 0236      except ValueError:
00793 0237          raise
00794 0238      except Exception as exc:
00795 0239          raise ValueError("文档无法解析，可能已损坏或格式不匹配；请重新导出为文字版
00796 0239+ 文件") from exc
00797 0242  def canonical_title(title: str) -> str:
00798 0243      """Normalize only heading formatting and explicitly documented aliases."""
00799 0244      normalized = unicodedata.normalize("NFKC", title).strip().strip(" 【】 [] 〔〕 ::
00800 0244+  ")
00801 0245      normalized = _NUMBER_PREFIX.sub("", normalized)
00802 0246      compact = re.sub(r"\s+", "", normalized)
00803 0247      return _ALIASES.get(compact, compact or "未命名章节")
00804 0250  def _heading(line: str) -> tuple[str, str] | None:
00805 0251      match = _BRACKET_HEADING.match(line)
00806 0252      if match:
00807 0253          title = next(part for part in match.groups()[:3] if part is not None).stri
00808 0253+ p()
00809 0254          # [1] at the start of a reference paragraph is not a section title.
00810 0255          if re.fullmatch(r"[\d\W_]+", title):
00811 0256              return None
00812 0257          return title, match.group(4)
00813 0258      stripped = _NUMBER_PREFIX.sub("", line.strip())
00814 0259      # Unbracketed headings must exactly match a known heading, or be followed
00815 0260      # by a colon. Arbitrary short body sentences are never promoted to headings.
00816 0261      title, separator, remainder = stripped.partition(": ")
00817 0262      if not separator:
00818 0263          title, separator, remainder = stripped.partition(":")
00819 0264      compact = re.sub(r"\s+", "", title)
00820 0265      if compact in _ALIASES:
00821 0266          return title.strip(), remainder.strip() if separator else ""
00822 0267      return None
00823 0270  def _assign_keys(sections: list[dict]) -> list[dict]:
00824 0271      counts: Counter[str] = Counter()
00825 0272      for section in sections:
00826 0273          # Reserve ASCII '#' for the occurrence suffix; literal title characters
00827 0274          # must not collide with generated keys such as 成份#2.
00828 0275          canonical = canonical_title(section["title"]).replace("#", "＃")
00829 0276          counts[canonical] += 1
00830 0277          section["key"] = canonical if counts[canonical] == 1 else f"{canonical}#{c
00831 0277+ ounts[canonical]}"
00832 0278      return sections
00833 0281  def parse_sections(text: str) -> list[dict]:
00834 0282      """Split sections, preserving preamble, duplicates, and source line ranges.
00835 0284      Line numbers refer to extracted text, not PDF page layout. Unknown bracketed
00836 0285      headings remain separate sections. Unstructured documents become one 全文
00837 0286      section so content cannot silently disappear.
00838 0287      """
00839 0288      text = _clean_text(text)
00840 0289      lines = text.split("\n")
```

源文件范围：app/documents.py:290 → app/comparison.py:3

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00841 0290      sections: list[dict] = []
00842 0291      current: dict | None = None
00843 0292      buffer: list[str] = []
00844 0294      def flush(end_line: int) -> None:
00845 0295          if current is None:
00846 0296              return
00847 0297          current["text"] = "\n".join(buffer).strip()
00848 0298          current["end_line"] = max(current["start_line"], end_line)
00849 0299          sections.append(current)
00850 0301      for number, line in enumerate(lines, start=1):
00851 0302          heading = _heading(line)
00852 0303          if heading is not None:
00853 0304              flush(number - 1)
00854 0305              title, remainder = heading
00855 0306              current = {"title": title, "start_line": number}
00856 0307              buffer = [remainder] if remainder else []
00857 0308          else:
00858 0309              if current is None:
00859 0310                  if not line.strip():
00860 0311                      continue
00861 0312                  current = {"title": "前言", "start_line": number}
00862 0313              buffer.append(line)
00863 0314      flush(len(lines))
00864 0315      if len(sections) == 1 and sections[0]["title"] == "前言":
00865 0316          sections[0]["title"] = "全文"
00866 0317      if len(sections) > MAX_SECTIONS:
00867 0318          raise ValueError("章节数量超过 500，请检查文件格式或拆分文档")
00868 0319      return _assign_keys(sections)
00869 0322  def normalize_sections(sections: list[dict]) -> list[dict]:
00870 0323      """Validate a manual section correction and regenerate stable keys.
00871 0325      Source line numbers are intentionally cleared: manual corrections cannot
00872 0326      honestly claim exact correspondence with extraction line positions.
00873 0327      """
00874 0328      if not isinstance(sections, list) or not sections:
00875 0329          raise ValueError("至少保留一个章节")
00876 0330      if len(sections) > MAX_SECTIONS:
00877 0331          raise ValueError("章节数量不能超过 500")
00878 0332      result: list[dict] = []
00879 0333      total = 0
00880 0334      for section in sections:
00881 0335          if not isinstance(section, dict):
00882 0336              raise ValueError("章节格式错误")
00883 0337          title = section.get("title")
00884 0338          text = section.get("text")
00885 0339          if not isinstance(title, str) or not title.strip() or len(title.strip()) >
00886 0339+  120:
00887 0340              raise ValueError("章节标题应为 1 至 120 个字符")
00888 0341          if not isinstance(text, str) or "\x00" in text:
00889 0342              raise ValueError("章节内容应为有效文本")
00890 0343          text = text.replace("\r\n", "\n").replace("\r", "\n").strip()
00891 0344          total += len(text)
00892 0345          result.append({"title": title.strip(), "text": text, "start_line": None, "
00893 0345+ end_line": None})
00894 0346      if total > MAX_TEXT_CHARS:
00895 0347          raise ValueError("章节文字总量不能超过 100 万字符")
00896 0348      if not any(section["text"] for section in result):
00897 0349          raise ValueError("章节内容不能全部为空")
00898 0350      return _assign_keys(result)
00899 0001  """Deterministic section alignment and review prioritization.
00900 0003  Priority and flags identify textual review tasks, not clinical risk or a medical
```

源文件范围：app/comparison.py:4 → app/comparison.py:74

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00901 0004  recommendation. Inline segments are raw text and MUST be escaped by renderers.
00902 0005  """
00903 0007  from __future__ import annotations
00904 0009  import re
00905 0010  from collections import Counter
00906 0011  from difflib import SequenceMatcher
00907 0013  from .documents import canonical_title
00908 0016  _IMPORTANT_SECTIONS = {
00909 0017      "用法用量", "禁忌", "不良反应", "注意事项", "警告", "黑框警告",
00910 0018      "孕妇及哺乳期妇女用药", "儿童用药", "老年用药", "特殊人群用药",
00911 0019      "药物相互作用", "药物过量", "适应症", "功能主治",
00912 0020  }
00913 0021  _NUMBER = re.compile(r"(?<![A-Za-z0-9.])[-+]?\d+(?:[.,]\d+)*(?:\s*[%%])?")
00914 0022  _UNIT = re.compile(r"(?<![A-Za-z])(?:mcg|μg|µg|mg|kg|g|mL|ml|L|IU|mmol|mol|μL|µL|℃
00915 0022+ |°C|毫克|微克|克|毫升|升|单位|片|粒|支|袋|滴)(?![A-Za-z])", re.IGNORECASE)
00916 0025  def _comparison_text(text: str) -> str:
00917 0026      """Ignore layout whitespace without merging distinct numeric tokens.
00918 0028      In particular '1 0 mg' never becomes '10 mg'; decimal points, units,
00919 0029      punctuation and negation remain significant.
00920 0030      """
00921 0031      text = re.sub(r"\s+", " ", text).strip()
00922 0032      text = re.sub(r"(?<=[\u3400-\u9fff]) +(?=[\u3400-\u9fff])", "", text)
00923 0033      return text
00924 0036  def _indexed(sections: list[dict]) -> tuple[dict[str, dict], list[str]]:
00925 0037      counts: Counter[str] = Counter()
00926 0038      result: dict[str, dict] = {}
00927 0039      order: list[str] = []
00928 0040      # Recompute keys from headings rather than trusting mutable caller keys.
00929 0041      for section in sections:
00930 0042          title = canonical_title(section["title"]).replace("#", "＃")
00931 0043          counts[title] += 1
00932 0044          key = title if counts[title] == 1 else f"{title}#{counts[title]}"
00933 0045          result[key] = section
00934 0046          order.append(key)
00935 0047      return result, order
00936 0050  def _location(section: dict | None) -> str:
00937 0051      if section is None:
00938 0052          return "无对应章节"
00939 0053      start, end = section.get("start_line"), section.get("end_line")
00940 0054      if not isinstance(start, int) or not isinstance(end, int):
00941 0055          return "手工校正章节"
00942 0056      return f"提取文本第 {start} 行" if start == end else f"提取文本第 {start}–{end
00943 0056+ } 行"
00944 0059  def _inline_segments(old: str, new: str) -> tuple[list[dict], bool]:
00945 0060      if not old:
00946 0061          return ([{"op": "insert", "text": new}] if new else []), False
00947 0062      if not new:
00948 0063          return [{"op": "delete", "text": old}], False
00949 0064      # Character-level matching is useful for Chinese units and negations, but
00950 0065      # huge or pathological strings need a bounded whole-section fallback.
00951 0066      if len(old) + len(new) > 30_000:
00952 0067          return [{"op": "delete", "text": old}, {"op": "insert", "text": new}], Tru
00953 0067+ e
00954 0068      matcher = SequenceMatcher(None, old, new, autojunk=True)
00955 0069      segments: list[dict] = []
00956 0070      for op, a_start, a_end, b_start, b_end in matcher.get_opcodes():
00957 0071          if op == "equal":
00958 0072              segments.append({"op": "equal", "text": old[a_start:a_end]})
00959 0073          else:
00960 0074              if op in {"delete", "replace"}:
```

源文件范围：app/comparison.py:75 → app/comparison.py:131

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
00961 0075                  segments.append({"op": "delete", "text": old[a_start:a_end]})
00962 0076              if op in {"insert", "replace"}:
00963 0077                  segments.append({"op": "insert", "text": new[b_start:b_end]})
00964 0078      return segments, False
00965 0081  def compare_sections(old_sections: list[dict], new_sections: list[dict]) -> dict:
00966 0082      """Compare each canonical heading, pairing repeated headings by occurrence.
00967 0084      Reordering alone is reported as a warning, not falsely presented as new
00968 0085      clinical content. Differences are returned in new-document order, followed
00969 0086      by removed sections in old-document order.
00970 0087      """
00971 0088      old_map, old_order = _indexed(old_sections)
00972 0089      new_map, new_order = _indexed(new_sections)
00973 0090      warnings: list[str] = []
00974 0091      if any("#" in key for key in old_order + new_order):
00975 0092          warnings.append("存在重复标题，已按同名章节出现顺序配对；请人工核对章节对
00976 0092+ 应关系。")
00977 0093      if "全文" in old_map or "全文" in new_map:
00978 0094          warnings.append("至少一个版本未识别出标准章节；可在创建比对前手工整理章节
00979 0094+ ，以提高定位精度。")
00980 0095      shared_old = [key for key in old_order if key in new_map]
00981 0096      shared_new = [key for key in new_order if key in old_map]
00982 0097      if shared_old != shared_new:
00983 0098          warnings.append("章节顺序发生变化；已按标题对齐，顺序调整本身不计为内容变
00984 0098+ 更。")
00985 0099      changes: list[dict] = []
00986 0100      unchanged = 0
00987 0101      all_keys = new_order + [key for key in old_order if key not in new_map]
00988 0102      for key in all_keys:
00989 0103          old, new = old_map.get(key), new_map.get(key)
00990 0104          old_text = old["text"] if old else ""
00991 0105          new_text = new["text"] if new else ""
00992 0106          if old is not None and new is not None and _comparison_text(old_text) == _
00993 0106+ comparison_text(new_text):
00994 0107              unchanged += 1
00995 0108              continue
00996 0109          kind = "added" if old is None else "removed" if new is None else "modified
00997 0109+ "
00998 0110          section = new if new is not None else old
00999 0111          title = section["title"]
01000 0112          canonical = canonical_title(title)
01001 0113          flags: list[str] = []
01002 0114          if canonical in _IMPORTANT_SECTIONS:
01003 0115              flags.append("重点章节变更，需人工复核")
01004 0116          if _NUMBER.findall(old_text) != _NUMBER.findall(new_text):
01005 0117              flags.append("数字或比例变化")
01006 0118          if _UNIT.findall(old_text) != _UNIT.findall(new_text):
01007 0119              flags.append("单位或剂型计量词变化")
01008 0120          segments, coarse = _inline_segments(old_text, new_text)
01009 0121          if coarse:
01010 0122              flags.append("长章节采用整段展示，请对照原文复核")
01011 0123          changes.append({
01012 0124              "section_key": key,
01013 0125              "section_title": title,
01014 0126              "kind": kind,
01015 0127              "priority": "high" if canonical in _IMPORTANT_SECTIONS or any("变化" i
01016 0127+ n flag for flag in flags) else "normal",
01017 0128              "old_text": old_text,
01018 0129              "new_text": new_text,
01019 0130              "old_location": _location(old),
01020 0131              "new_location": _location(new),
```

源文件范围：app/comparison.py:132 → app/static/styles.css:61

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
01021 0132              "segments": segments,
01022 0133              "flags": flags,
01023 0134          })
01024 0135      return {"changes": changes, "unchanged_sections": unchanged, "warnings": warni
01025 0135+ ngs}
01026 0001  :root {
01027 0002    --ink: #203a38;
01028 0003    --muted: #74817d;
01029 0004    --line: #e1e7e1;
01030 0005    --paper: #fff;
01031 0006    --bg: #f5f6f2;
01032 0007    --teal: #176b5b;
01033 0008    --teal-soft: #eaf4ee;
01034 0009    --nav: #143c38;
01035 0010    --red: #aa4945;
01036 0011    --red-soft: #fcecea;
01037 0012    --green: #237251;
01038 0013    --green-soft: #e6f3e9;
01039 0014    --amber: #9a6a1f;
01040 0015    --amber-soft: #fbf3df;
01041 0016    --radius: 14px;
01042 0017    --shadow: 0 14px 50px #183c3710;
01043 0018    font-family:
01044 0019      Inter,
01045 0020      -apple-system,
01046 0021      BlinkMacSystemFont,
01047 0022      "Segoe UI",
01048 0023      "PingFang SC",
01049 0024      "Hiragino Sans GB",
01050 0025      "Microsoft YaHei",
01051 0026      sans-serif;
01052 0027    font-size: 14px;
01053 0028    color: var(--ink);
01054 0029    background: var(--bg);
01055 0030    font-synthesis: none;
01056 0031  }
01057 0033  * {
01058 0034    box-sizing: border-box;
01059 0035  }
01060 0037  body {
01061 0038    margin: 0;
01062 0039  }
01063 0041  button,
01064 0042  input,
01065 0043  textarea,
01066 0044  select {
01067 0045    font: inherit;
01068 0046  }
01069 0048  button,
01070 0049  a,
01071 0050  input,
01072 0051  textarea,
01073 0052  select {
01074 0053    -webkit-tap-highlight-color: transparent;
01075 0054  }
01076 0056  button,
01077 0057  a {
01078 0058    touch-action: manipulation;
01079 0059  }
01080 0061  button {
```

源文件范围：app/static/styles.css:62 → app/static/styles.css:131

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
01081 0062    cursor: pointer;
01082 0063  }
01083 0065  a {
01084 0066    color: var(--teal);
01085 0067    text-decoration: none;
01086 0068  }
01087 0070  a:hover {
01088 0071    text-decoration: none;
01089 0072    color: #0b5043;
01090 0073  }
01091 0075  button:disabled {
01092 0076    opacity: 0.55;
01093 0077    cursor: wait;
01094 0078  }
01095 0080  button:focus-visible,
01096 0081  a:focus-visible,
01097 0082  input:focus-visible,
01098 0083  textarea:focus-visible,
01099 0084  select:focus-visible {
01100 0085    outline: 3px solid #6eb6a4;
01101 0086    outline-offset: 3px;
01102 0087  }
01103 0089  button,
01104 0090  input,
01105 0091  select,
01106 0092  textarea {
01107 0093    border-radius: 8px;
01108 0094  }
01109 0096  svg {
01110 0097    display: inline-block;
01111 0098    width: 20px;
01112 0099    height: 20px;
01113 0100    fill: none;
01114 0101    stroke: currentColor;
01115 0102    stroke-width: 1.7;
01116 0103    stroke-linecap: round;
01117 0104    stroke-linejoin: round;
01118 0105    vertical-align: middle;
01119 0106  }
01120 0108  h1,
01121 0109  h2,
01122 0110  h3,
01123 0111  p {
01124 0112    margin-top: 0;
01125 0113  }
01126 0115  h1 {
01127 0116    font-size: 27px;
01128 0117    line-height: 1.4;
01129 0118    letter-spacing: -0.6px;
01130 0119    font-weight: 680;
01131 0120    margin-bottom: 7px;
01132 0121  }
01133 0123  h2 {
01134 0124    font-size: 18px;
01135 0125    letter-spacing: -0.2px;
01136 0126    margin-bottom: 5px;
01137 0127  }
01138 0129  h3 {
01139 0130    font-size: 15px;
01140 0131    margin-bottom: 7px;
```

源文件范围：app/static/styles.css:132 → app/static/styles.css:200

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
01141 0132  }
01142 0134  p {
01143 0135    line-height: 1.8;
01144 0136  }
01145 0138  button svg {
01146 0139    width: 17px;
01147 0140    height: 17px;
01148 0141    flex: none;
01149 0142  }
01150 0144  .skip-link {
01151 0145    position: fixed;
01152 0146    top: -60px;
01153 0147    left: 20px;
01154 0148    padding: 10px;
01155 0149    background: white;
01156 0150    z-index: 100;
01157 0151  }
01158 0153  .skip-link:focus {
01159 0154    top: 15px;
01160 0155  }
01161 0157  .sidebar {
01162 0158    position: fixed;
01163 0159    inset: 0 auto 0 0;
01164 0160    width: 232px;
01165 0161    background: var(--nav);
01166 0162    color: #d5e4df;
01167 0163    padding: 34px 22px 0;
01168 0164    display: flex;
01169 0165    flex-direction: column;
01170 0166    z-index: 20;
01171 0167  }
01172 0169  .brand {
01173 0170    display: flex;
01174 0171    align-items: center;
01175 0172    gap: 11px;
01176 0173    color: #fff !important;
01177 0174    font-size: 22px;
01178 0175    letter-spacing: -0.6px;
01179 0176    font-weight: 650;
01180 0177    margin-bottom: 48px;
01181 0178  }
01182 0180  .brand-mark {
01183 0181    width: 40px;
01184 0182    height: 44px;
01185 0183    border: 1px solid #ffffff35;
01186 0184    border-radius: 10px;
01187 0185    display: grid;
01188 0186    place-items: center;
01189 0187    background: #ffffff08;
01190 0188  }
01191 0190  .brand-mark svg {
01192 0191    width: 30px;
01193 0192    height: 30px;
01194 0193    stroke: #d4eee0;
01195 0194  }
01196 0196  .brand-sub {
01197 0197    display: block;
01198 0198    font-size: 8px;
01199 0199    letter-spacing: 2.1px;
01200 0200    font-weight: 500;
```

源文件范围：app/static/styles.css:201 → app/static/styles.css:270

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
01201 0201    color: #a1bcb2;
01202 0202    margin-top: 3px;
01203 0203  }
01204 0205  .nav-label,
01205 0206  .eyebrow {
01206 0207    font-size: 10px;
01207 0208    letter-spacing: 1.4px;
01208 0209    font-weight: 650;
01209 0210    text-transform: uppercase;
01210 0211  }
01211 0213  .nav-label {
01212 0214    color: #8cac9e;
01213 0215    padding-left: 13px;
01214 0216    margin-bottom: 13px;
01215 0217  }
01216 0219  nav {
01217 0220    display: grid;
01218 0221    gap: 6px;
01219 0222  }
01220 0224  nav a {
01221 0225    color: #bed1c8;
01222 0226    display: flex;
01223 0227    align-items: center;
01224 0228    padding: 13px;
01225 0229    gap: 12px;
01226 0230    border-radius: 9px;
01227 0231    font-size: 13px;
01228 0232    transition: 0.16s;
01229 0233  }
01230 0235  nav a:hover {
01231 0236    background: #ffffff0d;
01232 0237    color: white;
01233 0238  }
01234 0240  nav a.active {
01235 0241    background: #e8f2e7;
01236 0242    color: #174a3e;
01237 0243    font-weight: 650;
01238 0244  }
01239 0246  .nav-icon {
01240 0247    display: flex;
01241 0248    align-items: center;
01242 0249  }
01243 0251  .nav-icon svg {
01244 0252    width: 18px;
01245 0253    height: 18px;
01246 0254  }
01247 0256  .nav-count {
01248 0257    margin-left: auto;
01249 0258    font-size: 10px;
01250 0259    min-width: 20px;
01251 0260    text-align: center;
01252 0261    padding: 2px 5px;
01253 0262    border-radius: 5px;
01254 0263    background: #215d4b;
01255 0264    color: white;
01256 0265  }
01257 0267  .sidebar-tip {
01258 0268    border-top: 1px solid #ffffff17;
01259 0269    margin-top: auto;
01260 0270    padding: 25px 10px 27px;
```

源文件范围：app/static/styles.css:271 → app/static/styles.css:340

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
01261 0271  }
01262 0273  .sidebar-tip .eyebrow {
01263 0274    color: #a1c7b6;
01264 0275    letter-spacing: 0.5px;
01265 0276    font-size: 11px;
01266 0277  }
01267 0279  .sidebar-tip p {
01268 0280    color: #a2b9ae;
01269 0281    font-size: 11px;
01270 0282    line-height: 1.9;
01271 0283    margin: 10px 0 17px;
01272 0284  }
01273 0286  .demo-button {
01274 0287    color: #d8e8d9;
01275 0288    padding: 0;
01276 0289    border: 0;
01277 0290    background: none;
01278 0291    font-size: 12px;
01279 0292    display: flex;
01280 0293    width: 100%;
01281 0294    justify-content: space-between;
01282 0295    align-items: center;
01283 0296  }
01284 0298  .demo-button:hover {
01285 0299    color: white;
01286 0300  }
01287 0302  .demo-button span {
01288 0303    font-size: 19px;
01289 0304  }
01290 0306  .sidebar-footer {
01291 0307    border-top: 1px solid #ffffff17;
01292 0308    padding: 22px 0;
01293 0309    font-size: 10px;
01294 0310    color: #a6c0b2;
01295 0311    display: flex;
01296 0312    gap: 7px;
01297 0313    align-items: center;
01298 0314  }
01299 0316  .version-label {
01300 0317    margin-left: auto;
01301 0318    font-size: 9px;
01302 0319    color: #77998a;
01303 0320  }
01304 0322  .status-dot {
01305 0323    width: 6px;
01306 0324    height: 6px;
01307 0325    border-radius: 50%;
01308 0326    background: #90c2a2;
01309 0327    display: inline-block;
01310 0328    flex: none;
01311 0329  }
01312 0331  .workspace {
01313 0332    margin-left: 232px;
01314 0333    min-height: 100vh;
01315 0334    display: flex;
01316 0335    flex-direction: column;
01317 0336  }
01318 0338  .topbar {
01319 0339    height: 79px;
01320 0340    border-bottom: 1px solid var(--line);
```

源文件范围：app/static/styles.css:341 → app/static/styles.css:409

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
01321 0341    padding: 0 40px;
01322 0342    display: flex;
01323 0343    align-items: center;
01324 0344    justify-content: space-between;
01325 0345    background: #fafbf8;
01326 0346  }
01327 0348  .breadcrumb {
01328 0349    font-size: 12px;
01329 0350    color: #87928a;
01330 0351    display: flex;
01331 0352    gap: 14px;
01332 0353    align-items: center;
01333 0354  }
01334 0356  .breadcrumb span:first-child {
01335 0357    color: #bcc7bd;
01336 0358  }
01337 0360  .breadcrumb span:last-child {
01338 0361    color: #435d50;
01339 0362  }
01340 0364  .operator {
01341 0365    display: flex;
01342 0366    gap: 9px;
01343 0367    align-items: center;
01344 0368    font-size: 11px;
01345 0369    color: #42594d;
01346 0370  }
01347 0372  .operator-avatar {
01348 0373    display: grid;
01349 0374    place-items: center;
01350 0375    width: 32px;
01351 0376    height: 32px;
01352 0377    border-radius: 50%;
01353 0378    border: 1px solid #d6dfd3;
01354 0379    background: #e7eddf;
01355 0380    color: #687b60;
01356 0381    font-size: 11px;
01357 0382  }
01358 0384  .operator-caption {
01359 0385    font-size: 9px;
01360 0386    color: #8a9689;
01361 0387    display: block;
01362 0388    margin-top: 4px;
01363 0389  }
01364 0391  main {
01365 0392    padding: 35px 40px;
01366 0393    max-width: 1680px;
01367 0394    width: 100%;
01368 0395    margin: 0 auto;
01369 0396    flex: 1;
01370 0397    outline: none !important;
01371 0398  }
01372 0400  .page-footer {
01373 0401    padding: 18px 40px 24px;
01374 0402    display: flex;
01375 0403    justify-content: space-between;
01376 0404    font-size: 10px;
01377 0405    color: #919c91;
01378 0406    gap: 12px;
01379 0407  }
01380 0409  .page-heading {
```

源文件范围：app/static/styles.css:410 → app/static/styles.css:479

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
01381 0410    display: flex;
01382 0411    justify-content: space-between;
01383 0412    align-items: center;
01384 0413    gap: 20px;
01385 0414    margin-bottom: 27px;
01386 0415  }
01387 0417  .page-heading .eyebrow {
01388 0418    display: block;
01389 0419    color: var(--teal);
01390 0420    margin-bottom: 10px;
01391 0421  }
01392 0423  .subtitle {
01393 0424    color: var(--muted);
01394 0425    font-size: 12px;
01395 0426    margin: 0;
01396 0427    line-height: 1.8;
01397 0428  }
01398 0430  .actions {
01399 0431    display: flex;
01400 0432    align-items: center;
01401 0433    gap: 9px;
01402 0434    flex-wrap: wrap;
01403 0435  }
01404 0437  .button {
01405 0438    display: inline-flex;
01406 0439    align-items: center;
01407 0440    justify-content: center;
01408 0441    gap: 7px;
01409 0442    min-height: 38px;
01410 0443    padding: 9px 15px;
01411 0444    border: 1px solid #d8e1d7;
01412 0445    background: white;
01413 0446    color: #39574b;
01414 0447    font-size: 12px;
01415 0448    font-weight: 550;
01416 0449    white-space: nowrap;
01417 0450    border-radius: 8px;
01418 0451  }
01419 0453  .button:hover {
01420 0454    background: #f5f9f3;
01421 0455    border-color: #aec7b3;
01422 0456  }
01423 0458  .button.primary {
01424 0459    background: var(--teal);
01425 0460    color: white;
01426 0461    border-color: var(--teal);
01427 0462    box-shadow: 0 3px 5px #165e4710;
01428 0463  }
01429 0465  .button.primary:hover {
01430 0466    background: #125a4c;
01431 0467  }
01432 0469  .button.subtle {
01433 0470    background: #f4f7f1;
01434 0471  }
01435 0473  .button.small {
01436 0474    padding: 6px 10px;
01437 0475    min-height: 30px;
01438 0476    font-size: 11px;
01439 0477  }
01440 0479  .button.danger {
```

源文件范围：app/static/styles.css:480 → app/static/styles.css:548

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
01441 0480    color: var(--red);
01442 0481    border-color: #eacac4;
01443 0482    background: white;
01444 0483  }
01445 0485  .button.danger:hover {
01446 0486    background: var(--red-soft);
01447 0487  }
01448 0489  .text-button {
01449 0490    background: none;
01450 0491    border: 0;
01451 0492    color: var(--teal);
01452 0493    padding: 3px;
01453 0494    font-size: 12px;
01454 0495  }
01455 0497  .icon-button {
01456 0498    width: 32px;
01457 0499    height: 32px;
01458 0500    border: 1px solid var(--line);
01459 0501    background: #fff;
01460 0502    color: #5f7066;
01461 0503    display: grid;
01462 0504    place-items: center;
01463 0505    font-size: 23px;
01464 0506    flex: none;
01465 0507  }
01466 0509  .icon-button:hover {
01467 0510    background: #f0f4ef;
01468 0511  }
01469 0513  .stats {
01470 0514    display: grid;
01471 0515    grid-template-columns: repeat(4, minmax(0, 1fr));
01472 0516    gap: 16px;
01473 0517    margin-bottom: 25px;
01474 0518  }
01475 0520  .stat-card {
01476 0521    background: white;
01477 0522    border: 1px solid var(--line);
01478 0523    border-radius: var(--radius);
01479 0524    padding: 19px 20px 17px;
01480 0525    position: relative;
01481 0526    overflow: hidden;
01482 0527  }
01483 0529  .stat-label {
01484 0530    color: #6c7e70;
01485 0531    font-size: 11px;
01486 0532    margin-bottom: 18px;
01487 0533    display: flex;
01488 0534    justify-content: space-between;
01489 0535    align-items: center;
01490 0536  }
01491 0538  .stat-label svg {
01492 0539    color: #8aa68f;
01493 0540    width: 18px;
01494 0541    height: 18px;
01495 0542  }
01496 0544  .stat-number {
01497 0545    font-size: 32px;
01498 0546    font-weight: 600;
01499 0547    letter-spacing: -1px;
01500 0548    line-height: 1.1;
```

源文件范围：app/static/styles.css:549 → app/static/styles.css:619

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
01501 0549    margin-bottom: 8px;
01502 0550    font-variant-numeric: tabular-nums;
01503 0551  }
01504 0553  .stat-hint {
01505 0554    font-size: 10px;
01506 0555    color: #879485;
01507 0556  }
01508 0558  .stat-card.accent {
01509 0559    background: #eef4e9;
01510 0560    border-color: #d7e3cf;
01511 0561  }
01512 0563  .stat-card.accent .stat-number {
01513 0564    color: var(--teal);
01514 0565  }
01515 0567  .dashboard-grid {
01516 0568    display: grid;
01517 0569    grid-template-columns: minmax(0, 1.55fr) minmax(270px, 1fr);
01518 0570    gap: 22px;
01519 0571  }
01520 0573  .panel {
01521 0574    background: white;
01522 0575    border: 1px solid var(--line);
01523 0576    border-radius: var(--radius);
01524 0577    overflow: hidden;
01525 0578    margin-bottom: 22px;
01526 0579  }
01527 0581  .panel-header {
01528 0582    display: flex;
01529 0583    justify-content: space-between;
01530 0584    align-items: center;
01531 0585    padding: 20px 22px;
01532 0586    border-bottom: 1px solid #edf0e9;
01533 0587    gap: 12px;
01534 0588  }
01535 0590  .panel-header h2 {
01536 0591    font-size: 14px;
01537 0592    margin: 0;
01538 0593  }
01539 0595  .panel-header p {
01540 0596    margin: 5px 0 0;
01541 0597    font-size: 11px;
01542 0598    color: var(--muted);
01543 0599  }
01544 0601  .panel-body {
01545 0602    padding: 22px;
01546 0603  }
01547 0605  .welcome-panel {
01548 0606    background: #f0f5e9;
01549 0607    border: 1px solid #d8e4ce;
01550 0608    border-radius: var(--radius);
01551 0609    padding: 27px 26px;
01552 0610    position: relative;
01553 0611    margin-bottom: 22px;
01554 0612    overflow: hidden;
01555 0613  }
01556 0615  .welcome-panel:after {
01557 0616    content: "";
01558 0617    width: 120px;
01559 0618    height: 120px;
01560 0619    border: 24px solid #dce7cc;
```

源文件范围：app/static/styles.css:620 → app/static/styles.css:688

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
01561 0620    border-radius: 50%;
01562 0621    position: absolute;
01563 0622    right: -30px;
01564 0623    top: -30px;
01565 0624    opacity: 0.5;
01566 0625    pointer-events: none;
01567 0626  }
01568 0628  .welcome-panel .eyebrow {
01569 0629    color: #6b8260;
01570 0630    font-size: 9px;
01571 0631  }
01572 0633  .welcome-panel h2 {
01573 0634    font-size: 20px;
01574 0635    margin-top: 13px;
01575 0636    margin-bottom: 12px;
01576 0637    line-height: 1.6;
01577 0638    max-width: 260px;
01578 0639  }
01579 0641  .welcome-panel p {
01580 0642    font-size: 11px;
01581 0643    color: #708365;
01582 0644    max-width: 270px;
01583 0645    margin-bottom: 19px;
01584 0646    position: relative;
01585 0647    z-index: 1;
01586 0648  }
01587 0650  .welcome-panel .button {
01588 0651    position: relative;
01589 0652    z-index: 1;
01590 0653  }
01591 0655  .workflow {
01592 0656    padding: 0;
01593 0657    list-style: none;
01594 0658    margin: 0;
01595 0659    counter-reset: step;
01596 0660  }
01597 0662  .workflow li {
01598 0663    display: flex;
01599 0664    gap: 12px;
01600 0665    padding-bottom: 19px;
01601 0666    position: relative;
01602 0667  }
01603 0669  .workflow li:last-child {
01604 0670    padding: 0;
01605 0671  }
01606 0673  .workflow li:not(:last-child):after {
01607 0674    content: "";
01608 0675    position: absolute;
01609 0676    top: 27px;
01610 0677    left: 13px;
01611 0678    bottom: 3px;
01612 0679    border-left: 1px dashed #cfdccd;
01613 0680  }
01614 0682  .step-number {
01615 0683    width: 27px;
01616 0684    height: 27px;
01617 0685    border-radius: 8px;
01618 0686    background: #f0f5ec;
01619 0687    color: #5b8063;
01620 0688    font-size: 11px;
```

源文件范围：app/static/styles.css:689 → app/static/styles.css:758

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
01621 0689    display: grid;
01622 0690    place-items: center;
01623 0691    flex: none;
01624 0692  }
01625 0694  .workflow strong {
01626 0695    font-weight: 550;
01627 0696    font-size: 12px;
01628 0697    display: block;
01629 0698    margin: 2px 0 5px;
01630 0699  }
01631 0701  .workflow p {
01632 0702    font-size: 10px;
01633 0703    margin: 0;
01634 0704    color: #8a9686;
01635 0705    line-height: 1.7;
01636 0706  }
01637 0708  .table-scroll {
01638 0709    overflow-x: auto;
01639 0710  }
01640 0712  table {
01641 0713    width: 100%;
01642 0714    border-collapse: collapse;
01643 0715    text-align: left;
01644 0716  }
01645 0718  th {
01646 0719    background: #f8faf6;
01647 0720    color: #7b8977;
01648 0721    font-size: 10px;
01649 0722    font-weight: 550;
01650 0723    letter-spacing: 0.2px;
01651 0724    padding: 12px 20px;
01652 0725    white-space: nowrap;
01653 0726  }
01654 0728  td {
01655 0729    padding: 16px 20px;
01656 0730    border-top: 1px solid #edf0e9;
01657 0731    font-size: 12px;
01658 0732    vertical-align: middle;
01659 0733  }
01660 0735  tr:hover td {
01661 0736    background: #fbfcf8;
01662 0737  }
01663 0739  .cell-title {
01664 0740    font-weight: 550;
01665 0741    color: var(--ink);
01666 0742    display: block;
01667 0743    margin-bottom: 5px;
01668 0744  }
01669 0746  .cell-sub {
01670 0747    display: block;
01671 0748    color: #8a9588;
01672 0749    font-size: 10px;
01673 0750    line-height: 1.6;
01674 0751  }
01675 0753  .tag {
01676 0754    display: inline-flex;
01677 0755    align-items: center;
01678 0756    gap: 4px;
01679 0757    border-radius: 5px;
01680 0758    padding: 4px 7px;
```

源文件范围：app/static/styles.css:759 → app/static/styles.css:829

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
01681 0759    font-size: 10px;
01682 0760    font-weight: 550;
01683 0761    line-height: 1.2;
01684 0762    white-space: nowrap;
01685 0763    background: #f0f3ed;
01686 0764    color: #6a7c64;
01687 0765  }
01688 0767  .tag.teal {
01689 0768    background: var(--teal-soft);
01690 0769    color: var(--teal);
01691 0770  }
01692 0772  .tag.amber {
01693 0773    background: var(--amber-soft);
01694 0774    color: var(--amber);
01695 0775  }
01696 0777  .tag.red {
01697 0778    background: var(--red-soft);
01698 0779    color: var(--red);
01699 0780  }
01700 0782  .tag.gray {
01701 0783    background: #f0f2ef;
01702 0784    color: #7d877a;
01703 0785  }
01704 0787  .tag.green {
01705 0788    background: var(--green-soft);
01706 0789    color: var(--green);
01707 0790  }
01708 0792  .list-row {
01709 0793    display: flex;
01710 0794    align-items: center;
01711 0795    gap: 13px;
01712 0796    padding: 16px 22px;
01713 0797    border-bottom: 1px solid #edf0e9;
01714 0798  }
01715 0800  .list-row:last-child {
01716 0801    border: 0;
01717 0802  }
01718 0804  .list-icon {
01719 0805    width: 36px;
01720 0806    height: 40px;
01721 0807    background: #f1f5ed;
01722 0808    border: 1px solid #e7ede0;
01723 0809    border-radius: 8px;
01724 0810    display: grid;
01725 0811    place-items: center;
01726 0812    color: #6b8c6c;
01727 0813    flex: none;
01728 0814  }
01729 0816  .list-details {
01730 0817    flex: 1;
01731 0818    min-width: 0;
01732 0819  }
01733 0821  .list-details strong {
01734 0822    display: block;
01735 0823    font-size: 12px;
01736 0824    font-weight: 550;
01737 0825    margin-bottom: 5px;
01738 0826  }
01739 0828  .list-details p {
01740 0829    font-size: 10px;
```

源文件范围：app/static/styles.css:830 → app/static/styles.css:901

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
01741 0830    color: #85917f;
01742 0831    line-height: 1.65;
01743 0832    margin: 0;
01744 0833  }
01745 0835  .list-arrow {
01746 0836    color: #94a48e;
01747 0837    font-size: 19px;
01748 0838  }
01749 0840  .row-link:hover {
01750 0841    background: #f8fbf4;
01751 0842  }
01752 0844  .activity {
01753 0845    list-style: none;
01754 0846    margin: 0;
01755 0847    padding: 0;
01756 0848  }
01757 0850  .activity li {
01758 0851    display: flex;
01759 0852    gap: 12px;
01760 0853    padding: 12px 0;
01761 0854    border-bottom: 1px solid #edf1e9;
01762 0855  }
01763 0857  .activity li:first-child {
01764 0858    padding-top: 0;
01765 0859  }
01766 0861  .activity li:last-child {
01767 0862    border: 0;
01768 0863    padding-bottom: 0;
01769 0864  }
01770 0866  .activity-dot {
01771 0867    width: 7px;
01772 0868    height: 7px;
01773 0869    margin-top: 6px;
01774 0870    background: #91b59c;
01775 0871    flex: none;
01776 0872    border-radius: 50%;
01777 0873  }
01778 0875  .activity-content {
01779 0876    flex: 1;
01780 0877    min-width: 0;
01781 0878  }
01782 0880  .activity-content strong {
01783 0881    font-size: 11px;
01784 0882    font-weight: 550;
01785 0883  }
01786 0885  .activity-content p {
01787 0886    font-size: 10px;
01788 0887    color: #869080;
01789 0888    margin: 4px 0 0;
01790 0889    overflow-wrap: anywhere;
01791 0890  }
01792 0892  .activity time {
01793 0893    font-size: 9px;
01794 0894    color: #929c8c;
01795 0895    white-space: nowrap;
01796 0896  }
01797 0898  .toolbar {
01798 0899    display: flex;
01799 0900    align-items: center;
01800 0901    gap: 12px;
```

源文件范围：app/static/styles.css:1938 → app/static/styles.css:1997

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
02701 1938    }
02702 1939    nav {
02703 1940      display: flex;
02704 1941      gap: 4px;
02705 1942      overflow: auto;
02706 1943      margin: 0 -8px;
02707 1944    }
02708 1945    nav a {
02709 1946      white-space: nowrap;
02710 1947      font-size: 11px;
02711 1948      padding: 11px 12px;
02712 1949      border-radius: 8px 8px 0 0;
02713 1950      gap: 7px;
02714 1951    }
02715 1952    nav a.active {
02716 1953      background: var(--bg);
02717 1954    }
02718 1955    nav a svg {
02719 1956      width: 15px;
02720 1957      height: 15px;
02721 1958    }
02722 1959    .nav-count {
02723 1960      font-size: 9px;
02724 1961    }
02725 1962    .workspace {
02726 1963      margin: 0;
02727 1964    }
02728 1965    .topbar {
02729 1966      height: 61px;
02730 1967      padding: 0 22px;
02731 1968    }
02732 1969    .operator-caption {
02733 1970      display: none;
02734 1971    }
02735 1972    .operator-avatar {
02736 1973      width: 26px;
02737 1974      height: 26px;
02738 1975    }
02739 1976    .operator {
02740 1977      font-size: 10px;
02741 1978    }
02742 1979    .breadcrumb {
02743 1980      font-size: 11px;
02744 1981      gap: 10px;
02745 1982    }
02746 1983    main {
02747 1984      padding: 25px 22px;
02748 1985    }
02749 1986    .stats {
02750 1987      grid-template-columns: repeat(2, 1fr);
02751 1988      gap: 12px;
02752 1989    }
02753 1990    .stat-number {
02754 1991      font-size: 30px;
02755 1992    }
02756 1993    .stat-label {
02757 1994      margin-bottom: 12px;
02758 1995    }
02759 1996    .page-heading {
02760 1997      gap: 15px;
```

源文件范围：app/static/styles.css:1998 → app/static/styles.css:2057

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
02761 1998      margin-bottom: 21px;
02762 1999      flex-wrap: wrap;
02763 2000    }
02764 2001    h1 {
02765 2002      font-size: 23px;
02766 2003    }
02767 2004    .subtitle {
02768 2005      font-size: 11px;
02769 2006    }
02770 2007    .page-heading .eyebrow {
02771 2008      font-size: 9px;
02772 2009    }
02773 2010    .dashboard-aside {
02774 2011      grid-template-columns: 1fr;
02775 2012    }
02776 2013    .dashboard-grid {
02777 2014      gap: 0;
02778 2015    }
02779 2016    .page-footer {
02780 2017      font-size: 9px;
02781 2018      padding: 14px 22px 20px;
02782 2019      flex-wrap: wrap;
02783 2020      gap: 7px;
02784 2021    }
02785 2022    .toolbar {
02786 2023      padding: 13px 17px;
02787 2024    }
02788 2025    .panel-header {
02789 2026      padding: 17px;
02790 2027    }
02791 2028    .panel-body {
02792 2029      padding: 17px;
02793 2030    }
02794 2031    .metadata-grid {
02795 2032      gap: 17px;
02796 2033    }
02797 2034    .diff-grid {
02798 2035      grid-template-columns: 1fr;
02799 2036    }
02800 2037    .diff-column:first-child {
02801 2038      border-right: 0;
02802 2039      border-bottom: 1px solid #e8eee2;
02803 2040    }
02804 2041    .diff-text {
02805 2042      min-height: 70px;
02806 2043      padding: 16px 18px;
02807 2044    }
02808 2045    .diff-label {
02809 2046      padding: 10px 18px;
02810 2047    }
02811 2048    .change-card-head {
02812 2049      padding: 15px 18px;
02813 2050      align-items: flex-start;
02814 2051    }
02815 2052    .change-title {
02816 2053      gap: 6px;
02817 2054    }
02818 2055    .change-title h3 {
02819 2056      font-size: 13px;
02820 2057    }
```

源文件范围：app/static/styles.css:2058 → app/static/styles.css:2117

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
02821 2058    .change-flags {
02822 2059      padding: 10px 18px;
02823 2060    }
02824 2061    .review-area {
02825 2062      padding: 14px 18px;
02826 2063    }
02827 2064    .review-controls .actions {
02828 2065      width: 100%;
02829 2066      justify-content: flex-end;
02830 2067    }
02831 2068    .review-controls .button {
02832 2069      font-size: 10px;
02833 2070      padding: 7px 9px;
02834 2071      min-height: 32px;
02835 2072    }
02836 2073    .filter-bar {
02837 2074      gap: 10px;
02838 2075    }
02839 2076    .segmented button {
02840 2077      padding: 7px 10px;
02841 2078      font-size: 10px;
02842 2079    }
02843 2080    .filter-select {
02844 2081      font-size: 10px;
02845 2082    }
02846 2083    .filter-bar .small-hint {
02847 2084      display: none;
02848 2085    }
02849 2086    .comparison-summary {
02850 2087      padding: 17px;
02851 2088    }
02852 2089    .version-pair {
02853 2090      gap: 15px;
02854 2091    }
02855 2092    .version-pill strong {
02856 2093      font-size: 12px;
02857 2094    }
02858 2095    .version-pill small {
02859 2096      font-size: 9px;
02860 2097    }
02861 2098    .report-links {
02862 2099      flex-wrap: wrap;
02863 2100    }
02864 2101    .comparison-heading .actions {
02865 2102      width: 100%;
02866 2103    }
02867 2104    th {
02868 2105      padding: 11px 16px;
02869 2106    }
02870 2107    td {
02871 2108      padding: 14px 16px;
02872 2109    }
02873 2110    .table-scroll {
02874 2111      border-radius: 0 0 14px 14px;
02875 2112    }
02876 2113    .toasts {
02877 2114      left: 18px;
02878 2115      right: 18px;
02879 2116      bottom: 18px;
02880 2117      max-width: none;
```

源文件范围：app/static/styles.css:2118 → app/static/styles.css:2179

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
02881 2118    }
02882 2119    .toast {
02883 2120      font-size: 11px;
02884 2121    }
02885 2122    .form-grid {
02886 2123      grid-template-columns: 1fr;
02887 2124    }
02888 2125    .span-2 {
02889 2126      grid-column: auto;
02890 2127    }
02891 2128    .dialog-header {
02892 2129      padding: 20px;
02893 2130    }
02894 2131    .dialog-header h2 {
02895 2132      font-size: 18px;
02896 2133    }
02897 2134    #modal-content {
02898 2135      padding: 20px;
02899 2136    }
02900 2137    .sticky-form-actions {
02901 2138      bottom: -20px;
02902 2139    }
02903 2140    .audit-detail {
02904 2141      min-width: 220px;
02905 2142    }
02906 2143    .version-card-grid {
02907 2144      grid-template-columns: 1fr;
02908 2145    }
02909 2146    .welcome-panel {
02910 2147      margin-bottom: 20px;
02911 2148    }
02912 2149  }
02913 2151  @media (prefers-reduced-motion: reduce) {
02914 2152    *,
02915 2153    *:before,
02916 2154    *:after {
02917 2155      animation: none !important;
02918 2156      transition: none !important;
02919 2157      scroll-behavior: auto !important;
02920 2158    }
02921 2159  }
02922 2161  @media print {
02923 2162    .sidebar,
02924 2163    .topbar,
02925 2164    .page-footer,
02926 2165    .actions,
02927 2166    .filter-bar,
02928 2167    .review-controls,
02929 2168    dialog,
02930 2169    .toasts {
02931 2170      display: none !important;
02932 2171    }
02933 2172    .workspace {
02934 2173      margin: 0;
02935 2174    }
02936 2175    main {
02937 2176      padding: 0;
02938 2177    }
02939 2178    .change-card,
02940 2179    .panel {
```

源文件范围：app/static/styles.css:2180 → app/static/index.html:38

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
02941 2180      break-inside: avoid;
02942 2181      box-shadow: none;
02943 2182    }
02944 2183    .diff-grid {
02945 2184      grid-template-columns: 1fr 1fr;
02946 2185    }
02947 2186    .diff-text {
02948 2187      font-size: 10pt;
02949 2188    }
02950 2189    .diff-column:first-child {
02951 2190      border-right: 1px solid #ddd;
02952 2191    }
02953 2192    .stats {
02954 2193      grid-template-columns: repeat(4, 1fr);
02955 2194    }
02956 2195    body {
02957 2196      background: white;
02958 2197    }
02959 2198  }
02960 0001  <!doctype html>
02961 0002  <html lang="zh-CN">
02962 0003    <head>
02963 0004      <meta charset="utf-8" />
02964 0005      <meta name="viewport" content="width=device-width,initial-scale=1" />
02965 0006      <meta name="color-scheme" content="light" />
02966 0007      <meta name="theme-color" content="#123d3b" />
02967 0008      <title>MedLabel Review · 药品说明书审核</title>
02968 0009      <link
02969 0010        rel="icon"
02970 0011        href="data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='
02971 0011+ 0 0 48 48'%3E%3Crect width='48' height='48' rx='13' fill='%23174441'/%3E%3Cpath d=
02972 0011+ 'M15 12h18v24H15z' fill='none' stroke='white' stroke-width='2'/%3E%3Cpath d='m19 2
02973 0011+ 5 4 4 7-9M20 17h8' fill='none' stroke='%239ce1c7' stroke-width='2'/%3E%3C/svg%3E"
02974 0012      />
02975 0013      <link rel="stylesheet" href="/static/styles.css" />
02976 0014      <script src="/static/app.js" defer></script>
02977 0015    </head>
02978 0016    <body>
02979 0017      <a class="skip-link" href="#main">跳至主要内容</a>
02980 0018      <aside class="sidebar" aria-label="主导航">
02981 0019        <a class="brand" href="#dashboard" aria-label="MedLabel Review 工作台">
02982 0020          <span class="brand-mark" aria-hidden="true"
02983 0021            ><svg viewBox="0 0 32 32">
02984 0022              <path d="M8 5h12l4 4v18H8zM20 5v5h4M12 13h8m-8 5 3 3 6-6" /></svg
02985 0023          ></span>
02986 0024          <span>MedLabel<span class="brand-sub">REVIEW WORKSPACE</span></span>
02987 0025        </a>
02988 0026        <div class="nav-label">说明书管理</div>
02989 0027        <nav id="navigation">
02990 0028          <a href="#dashboard" data-nav="dashboard"
02991 0029            ><span class="nav-icon" data-icon="grid"></span>工作台</a
02992 0030          >
02993 0031          <a href="#drugs" data-nav="drugs"
02994 0032            ><span class="nav-icon" data-icon="archive"></span>药品与版本</a
02995 0033          >
02996 0034          <a href="#comparisons" data-nav="comparisons"
02997 0035            ><span class="nav-icon" data-icon="compare"></span>比对与审核<span
02998 0036              id="nav-pending"
02999 0037              class="nav-count"
03000 0038              hidden
```

源文件范围：app/static/index.html:39 → app/static/index.html:98

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03001 0039            ></span
03002 0040          ></a>
03003 0041          <a href="#audit" data-nav="audit"
03004 0042            ><span class="nav-icon" data-icon="clock"></span>操作记录</a
03005 0043          >
03006 0044        </nav>
03007 0045        <div class="sidebar-tip">
03008 0046          <span class="eyebrow">让每一次变更都有依据</span>
03009 0047          <p>从原文定位到人工复核，<br />保留完整的审核过程。</p>
03010 0048          <button type="button" class="demo-button" data-action="demo">
03011 0049            体验模拟示例 <span aria-hidden="true">↗</span>
03012 0050          </button>
03013 0051        </div>
03014 0052        <div class="sidebar-footer">
03015 0053          <span class="status-dot"></span> 本地工作空间<span class="version-label"
03016 0054            >V1.0</span
03017 0055          >
03018 0056        </div>
03019 0057      </aside>
03020 0058      <div class="workspace">
03021 0059        <header class="topbar">
03022 0060          <div class="breadcrumb">
03023 0061            药品说明书 <span>/</span> <span id="breadcrumb-current">工作台</span>
03024 0062          </div>
03025 0063          <div class="operator">
03026 0064            <span class="operator-avatar" aria-hidden="true">审</span
03027 0065            ><span
03028 0066              >本地单人审核<span class="operator-caption"
03029 0067                >资料保存在本机</span
03030 0068              ></span
03031 0069            >
03032 0070          </div>
03033 0071        </header>
03034 0072        <main id="main" tabindex="-1" aria-live="polite">
03035 0073          <div class="loading-state">
03036 0074            <span class="spinner"></span>正在加载工作空间…
03037 0075          </div>
03038 0076        </main>
03039 0077        <footer class="page-footer">
03040 0078          <span>药品说明书版本比对与变更审核系统</span
03041 0079          ><span>辅助资料核查 · 变更需人工复核</span>
03042 0080        </footer>
03043 0081      </div>
03044 0082      <dialog id="modal" aria-labelledby="modal-title">
03045 0083        <div class="dialog-shell">
03046 0084          <header class="dialog-header">
03047 0085            <div>
03048 0086              <span id="modal-eyebrow" class="eyebrow">MEDLABEL REVIEW</span>
03049 0087              <h2 id="modal-title"></h2>
03050 0088            </div>
03051 0089            <button
03052 0090              type="button"
03053 0091              class="icon-button"
03054 0092              id="modal-close"
03055 0093              aria-label="关闭对话框"
03056 0094            >
03057 0095              ×
03058 0096            </button>
03059 0097          </header>
03060 0098          <div id="modal-content"></div>
```

源文件范围：app/static/index.html:99 → app/static/app.js:42

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03061 0099        </div>
03062 0100      </dialog>
03063 0101      <div
03064 0102        id="toasts"
03065 0103        class="toasts"
03066 0104        role="status"
03067 0105        aria-live="polite"
03068 0106        aria-atomic="true"
03069 0107      ></div>
03070 0108      <noscript
03071 0109        ><div class="noscript">
03072 0110          本应用需要启用 JavaScript 才能管理药品说明书。
03073 0111        </div></noscript
03074 0112      >
03075 0113    </body>
03076 0114  </html>
03077 0001  /* MedLabel Review — local document review workspace. No remote assets or services
03078 0001+ . */
03079 0002  "use strict";
03080 0004  const $ = (selector, root = document) => root.querySelector(selector);
03081 0005  const $$ = (selector, root = document) =>
03082 0006    Array.from(root.querySelectorAll(selector));
03083 0007  const main = $("#main");
03084 0008  const modal = $("#modal");
03085 0009  const state = {
03086 0010    route: "",
03087 0011    generation: 0,
03088 0012    comparison: null,
03089 0013    reviewStatus: "all",
03090 0014    priority: "all",
03091 0015    drafts: new Map(),
03092 0016    drugs: [],
03093 0017    comparisons: [],
03094 0018    audit: [],
03095 0019    modalVersion: null,
03096 0020  };
03097 0021  const glyphs = {
03098 0022    grid: '<rect x="3" y="3" width="7" height="7" rx="1.5"/><rect x="14" y="3" width
03099 0022+ ="7" height="7" rx="1.5"/><rect x="3" y="14" width="7" height="7" rx="1.5"/><rect
03100 0022+ x="14" y="14" width="7" height="7" rx="1.5"/>',
03101 0023    archive: '<path d="M4 8h16v12H4zM3 4h18v4H3zM9 12h6"/>',
03102 0024    compare: '<path d="M3 7h16m-4-4 4 4-4 4M21 17H5m4-4-4 4 4 4"/>',
03103 0025    clock: '<circle cx="12" cy="12" r="9"/><path d="M12 7v5l3 2"/>',
03104 0026    plus: '<path d="M12 5v14M5 12h14"/>',
03105 0027    file: '<path d="M6 3h8l4 4v14H6zM14 3v5h4M9 12h6m-6 4h6"/>',
03106 0028    upload: '<path d="M12 16V3m-5 5 5-5 5 5M4 15v6h16v-6"/>',
03107 0029    download: '<path d="M12 3v13m-5-5 5 5 5-5M4 17v4h16v-4"/>',
03108 0030    search: '<circle cx="10.5" cy="10.5" r="6.5"/><path d="m16 16 5 5"/>',
03109 0031    check: '<path d="m5 12 4 4L19 6"/>',
03110 0032    shield: '<path d="m12 3 8 3v6c0 5-8 9-8 9s-8-4-8-9V6zM8 12l3 3 5-6"/>',
03111 0033    arrow: '<path d="M4 12h16m-6-6 6 6-6 6"/>',
03112 0034    back: '<path d="M20 12H4m6-6-6 6 6 6"/>',
03113 0035    warning: '<path d="M12 3 2 21h20zM12 9v5m0 3v1"/>',
03114 0036    edit: '<path d="m14 5 5 5M4 20l1-6L16 3l5 5-11 11z"/>',
03115 0037    filter: '<path d="M3 5h18l-7 8v7l-4-2v-5z"/>',
03116 0038    spark:
03117 0039      '<path d="m12 3 2.5 6.5L21 12l-6.5 2.5L12 21l-2.5-6.5L3 12l6.5-2.5z"/>',
03118 0040  };
03119 0041  function icon(name) {
03120 0042    return `<svg viewBox="0 0 24 24" aria-hidden="true">${glyphs[name] || glyphs.fil
```

源文件范围：app/static/app.js:42 → app/static/app.js:94

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03121 0042+ e}</svg>`;
03122 0043  }
03123 0044  function esc(value) {
03124 0045    return String(value ?? "").replace(
03125 0046      /[&<>"']/g,
03126 0047      (character) =>
03127 0048        ({ "&": "&amp;", "<": "&lt;", ">": "&gt;", '"': "&quot;", "'": "&#39;" })[
03128 0049          character
03129 0050        ],
03130 0051    );
03131 0052  }
03132 0053  function id(value) {
03133 0054    return Number.isInteger(Number(value)) && Number(value) > 0
03134 0055      ? String(Number(value))
03135 0056      : "0";
03136 0057  }
03137 0058  function fmtDate(value, includeTime = false) {
03138 0059    if (!value) return "未记录";
03139 0060    const date = new Date(value);
03140 0061    if (Number.isNaN(date.getTime())) return String(value);
03141 0062    return new Intl.DateTimeFormat("zh-CN", {
03142 0063      year: "numeric",
03143 0064      month: "2-digit",
03144 0065      day: "2-digit",
03145 0066      ...(includeTime ? { hour: "2-digit", minute: "2-digit" } : {}),
03146 0067    }).format(date);
03147 0068  }
03148 0069  function statusTag(status) {
03149 0070    const options = {
03150 0071      pending: ["待复核", "amber"],
03151 0072      confirmed: ["已确认", "teal"],
03152 0073      ignored: ["已忽略", "gray"],
03153 0074      completed: ["已完成", "teal"],
03154 0075      complete: ["已完成", "teal"],
03155 0076      reviewed: ["已完成", "teal"],
03156 0077    };
03157 0078    const [label, color] = options[status] || ["待复核", "amber"];
03158 0079    return `<span class="tag ${color}"><span class="badge-pending">${label}</span></
03159 0079+ span>`;
03160 0080  }
03161 0081  function kindTag(kind) {
03162 0082    return `<span class="tag ${kind === "added" ? "green" : kind === "removed" ? "re
03163 0082+ d" : "gray"}">${{ added: "新增", removed: "删除", modified: "修改" }[kind] || esc(
03164 0082+ kind)}</span>`;
03165 0083  }
03166 0084  function pageHeading(eyebrow, title, subtitle, actions = "", extra = "") {
03167 0085    return `<div class="page-heading ${extra}"><div><span class="eyebrow">${esc(eyeb
03168 0085+ row)}</span><h1>${esc(title)}</h1><p class="subtitle">${esc(subtitle)}</p></div>${
03169 0085+ actions ? `<div class="actions">${actions}</div>` : ""}</div>`;
03170 0086  }
03171 0087  function empty(title, description, action = "", compact = false) {
03172 0088    return `<div class="empty-state ${compact ? "compact" : ""}">${icon("file")}<h3>
03173 0088+ ${esc(title)}</h3><p>${esc(description)}</p>${action}</div>`;
03174 0089  }
03175 0090  function button(label, action, data = "", primary = false, glyph = "") {
03176 0091    return `<button type="button" class="button${primary ? " primary" : ""}" data-ac
03177 0091+ tion="${action}" ${data}>${glyph ? icon(glyph) : ""}${esc(label)}</button>`;
03178 0092  }
03179 0093  function warnings(items) {
03180 0094    if (!items?.length) return "";
```

源文件范围：app/static/app.js:95 → app/static/app.js:150

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03181 0095    return `<div class="notice">${icon("warning")}<p>${items.map((item) => esc(item)
03182 0095+ ).join("<br>")}</p></div>`;
03183 0096  }
03184 0097  async function api(path, options = {}) {
03185 0098    const headers = new Headers(options.headers || {});
03186 0099    if (options.method && options.method !== "GET")
03187 0100      headers.set("X-Requested-With", "MedLabelReview");
03188 0101    if (options.body && !(options.body instanceof FormData)) {
03189 0102      headers.set("Content-Type", "application/json");
03190 0103      options.body = JSON.stringify(options.body);
03191 0104    }
03192 0105    let response;
03193 0106    try {
03194 0107      response = await fetch(path, {
03195 0108        ...options,
03196 0109        headers,
03197 0110        credentials: "same-origin",
03198 0111      });
03199 0112    } catch (_) {
03200 0113      throw new Error("无法连接本地服务，请确认应用已启动后重试。");
03201 0114    }
03202 0115    let result;
03203 0116    try {
03204 0117      result = await response.json();
03205 0118    } catch (_) {
03206 0119      throw new Error("服务返回了无法读取的内容，请稍后重试。");
03207 0120    }
03208 0121    if (!response.ok) {
03209 0122      let detail =
03210 0123        result.detail || result.message || `请求失败（${response.status}）`;
03211 0124      if (Array.isArray(detail))
03212 0125        detail = detail
03213 0126          .map(
03214 0127            (item) =>
03215 0128              `${(item.loc || []).filter((p) => p !== "body").join(" / ")}: ${item.m
03216 0128+ sg}`,
03217 0129          )
03218 0130          .join("; ");
03219 0131      const error = new Error(
03220 0132        typeof detail === "string" ? detail : JSON.stringify(detail),
03221 0133      );
03222 0134      error.status = response.status;
03223 0135      throw error;
03224 0136    }
03225 0137    return result;
03226 0138  }
03227 0139  function toast(message, error = false) {
03228 0140    const element = document.createElement("div");
03229 0141    element.className = `toast${error ? " error" : ""}`;
03230 0142    element.innerHTML = `${icon(error ? "warning" : "check")}<span>${esc(message)}</
03231 0142+ span>`;
03232 0143    $("#toasts").append(element);
03233 0144    setTimeout(() => element.remove(), error ? 7500 : 4200);
03234 0145  }
03235 0146  function renderError(error) {
03236 0147    main.innerHTML = `<div class="error-state"><h2>暂时无法加载</h2><p>${esc(error.m
03237 0147+ essage)}</p>${button("重新加载", "refresh", "", "", "arrow")}</div>`;
03238 0148  }
03239 0149  function modalError(message) {
03240 0150    let container = $(".dialog-error", modal);
```

源文件范围：app/static/app.js:151 → app/static/app.js:211

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03241 0151    if (!container) {
03242 0152      container = document.createElement("div");
03243 0153      container.className = "dialog-error";
03244 0154      container.setAttribute("role", "alert");
03245 0155      $("#modal-content").prepend(container);
03246 0156    }
03247 0157    container.textContent = message;
03248 0158    container.scrollIntoView({ block: "nearest" });
03249 0159  }
03250 0160  function showModal(title, content, wide = false) {
03251 0161    $("#modal-title").textContent = title;
03252 0162    $("#modal-content").innerHTML = content;
03253 0163    modal.classList.toggle("wide", wide);
03254 0164    if (!modal.open) modal.showModal();
03255 0165    // Set initial focus synchronously; a delayed callback can steal focus after
03256 0166    // the user has already moved to another field and misdirect their input.
03257 0167    const input = $('input:not([type="hidden"]), textarea, select', modal);
03258 0168    (input || $("#modal-close")).focus();
03259 0169  }
03260 0170  function closeModal() {
03261 0171    modal.close();
03262 0172    state.modalVersion = null;
03263 0173  }
03264 0174  $("#modal-close").addEventListener("click", closeModal);
03265 0175  modal.addEventListener("click", (event) => {
03266 0176    if (event.target === modal) {
03267 0177      const bounds = modal.getBoundingClientRect();
03268 0178      if (
03269 0179        event.clientX < bounds.left ||
03270 0180        event.clientX > bounds.right ||
03271 0181        event.clientY < bounds.top ||
03272 0182        event.clientY > bounds.bottom
03273 0183      )
03274 0184        closeModal();
03275 0185    }
03276 0186  });
03277 0187  $$("[data-icon]").forEach((element) => {
03278 0188    element.innerHTML = icon(element.dataset.icon);
03279 0189  });
03280 0191  async function navigate() {
03281 0192    const route = location.hash.slice(1) || "dashboard";
03282 0193    const generation = ++state.generation;
03283 0194    const previous = state.route;
03284 0195    state.route = route;
03285 0196    if (previous !== route) {
03286 0197      state.reviewStatus = "all";
03287 0198      state.priority = "all";
03288 0199    }
03289 0200    const parts = route.split("/");
03290 0201    const section = ["dashboard", "drugs", "comparisons", "audit"].includes(
03291 0202      parts[0],
03292 0203    )
03293 0204      ? parts[0]
03294 0205      : "dashboard";
03295 0206    $$("[data-nav]").forEach((element) => {
03296 0207      const selected = element.dataset.nav === section;
03297 0208      element.classList.toggle("active", selected);
03298 0209      if (selected) element.setAttribute("aria-current", "page");
03299 0210      else element.removeAttribute("aria-current");
03300 0211    });
```

源文件范围：app/static/app.js:212 → app/static/app.js:272

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03301 0212    $("#breadcrumb-current").textContent = {
03302 0213      dashboard: "工作台",
03303 0214      drugs: parts[1] ? "药品档案" : "药品与版本",
03304 0215      comparisons: parts[1] ? "变更审核" : "比对与审核",
03305 0216      audit: "操作记录",
03306 0217    }[section];
03307 0218    main.innerHTML =
03308 0219      '<div class="loading-state"><span class="spinner"></span>正在加载…</div>';
03309 0220    try {
03310 0221      let html;
03311 0222      if (section === "drugs" && parts[1])
03312 0223        html = await drugPage(Number(parts[1]));
03313 0224      else if (section === "drugs") html = await drugsPage();
03314 0225      else if (section === "comparisons" && parts[1])
03315 0226        html = await comparisonPage(Number(parts[1]));
03316 0227      else if (section === "comparisons") html = await comparisonsPage();
03317 0228      else if (section === "audit") html = await auditPage();
03318 0229      else html = await dashboardPage();
03319 0230      if (generation !== state.generation) return;
03320 0231      main.innerHTML = html;
03321 0232      document.title = `${$("#breadcrumb-current").textContent} · MedLabel Review`;
03322 0233      if (previous !== route) window.scrollTo(0, 0);
03323 0234    } catch (error) {
03324 0235      if (generation === state.generation) renderError(error);
03325 0236    }
03326 0237  }
03327 0238  window.addEventListener("hashchange", navigate);
03328 0240  function auditLabel(action) {
03329 0241    const mapping = {
03330 0242      "drug.create": "建立药品档案",
03331 0243      "version.import": "导入说明书版本",
03332 0244      "version.create": "导入说明书版本",
03333 0245      "version.correct": "校正说明书章节",
03334 0246      "version.sections.update": "校正说明书章节",
03335 0247      "comparison.create": "创建版本比对",
03336 0248      "change.review": "更新审核结论",
03337 0249      "demo.seed": "载入模拟示例",
03338 0250      create_drug: "建立药品档案",
03339 0251      import_version: "导入说明书版本",
03340 0252      correct_sections: "校正说明书章节",
03341 0253      create_comparison: "创建版本比对",
03342 0254      review_change: "更新审核结论",
03343 0255    };
03344 0256    return mapping[action] || action;
03345 0257  }
03346 0258  function detailText(detail) {
03347 0259    let value = detail;
03348 0260    if (typeof value === "string") {
03349 0261      try {
03350 0262        value = JSON.parse(value);
03351 0263      } catch (_) {
03352 0264        return value;
03353 0265      }
03354 0266    }
03355 0267    if (!value || typeof value !== "object") return String(value ?? "");
03356 0268    if (Array.isArray(value.before) && Array.isArray(value.after)) {
03357 0269      return `章节校正：${value.before.length} 个 → ${value.after.length} 个章节`;
03358 0270    }
03359 0271    if (value.before?.status && value.after?.status) {
03360 0272      const labels = {
```

源文件范围：app/static/app.js:273 → app/static/app.js:327

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03361 0273        pending: "待复核",
03362 0274        confirmed: "已确认",
03363 0275        ignored: "已忽略",
03364 0276      };
03365 0277      return `${labels[value.before.status] || value.before.status} → ${labels[value
03366 0277+ .after.status] || value.after.status}${value.after.note ? `；复核意见：${value.aft
03367 0277+ er.note}` : ""}`;
03368 0278    }
03369 0279    const labels = {
03370 0280      name: "药品",
03371 0281      label: "版本",
03372 0282      filename: "文件",
03373 0283      drug_id: "药品档案",
03374 0284      old_version_id: "旧版编号",
03375 0285      new_version_id: "新版编号",
03376 0286      changes: "变更数",
03377 0287      comparison_id: "比对编号",
03378 0288      note: "复核意见",
03379 0289      status: "状态",
03380 0290    };
03381 0291    return Object.entries(value)
03382 0292      .filter(([key]) => key !== "sha256")
03383 0293      .map(
03384 0294        ([key, item]) =>
03385 0295          `${labels[key] || key}：${typeof item === "object" ? JSON.stringify(item)
03386 0295+ : item}`,
03387 0296      )
03388 0297      .join(" · ");
03389 0298  }
03390 0299  function activityList(items, limit = 5) {
03391 0300    if (!items?.length)
03392 0301      return empty(
03393 0302        "尚无操作记录",
03394 0303        "导入说明书后，操作记录会显示在这里。",
03395 0304        "",
03396 0305        true,
03397 0306      );
03398 0307    return `<ul class="activity">${items
03399 0308      .slice(0, limit)
03400 0309      .map(
03401 0310        (item) =>
03402 0311          `<li><span class="activity-dot"></span><div class="activity-content"><stro
03403 0311+ ng>${esc(auditLabel(item.action))}</strong><p>${esc(detailText(item.detail))}</p><
03404 0311+ /div><time>${esc(fmtDate(item.created_at))}</time></li>`,
03405 0312      )
03406 0313      .join("")}</ul>`;
03407 0314  }
03408 0315  async function dashboardPage() {
03409 0316    const [data, comparisons] = await Promise.all([
03410 0317      api("/api/dashboard"),
03411 0318      api("/api/comparisons"),
03412 0319    ]);
03413 0320    const count = Number(data.pending_changes || 0);
03414 0321    $("#nav-pending").textContent = count;
03415 0322    $("#nav-pending").hidden = !count;
03416 0323    const stats = [
03417 0324      ["药品档案", data.drugs, "已建立的药品资料", "archive"],
03418 0325      ["说明书版本", data.versions, "保留来源与原始文件", "file"],
03419 0326      ["比对任务", data.comparisons, "可追溯的版本变更", "compare"],
03420 0327      ["待复核变更", count, "等待人工确认与处理", "shield"],
```

源文件范围：app/static/app.js:328 → app/static/app.js:363

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03421 0328    ];
03422 0329    return (
03423 0330      pageHeading(
03424 0331        "YOUR REVIEW WORKSPACE",
03425 0332        "每一次变更，都清晰可见",
03426 0333        "管理说明书版本，让变更识别、复核与归档有序进行。",
03427 0334        button("新建药品", "new-drug", "", true, "plus"),
03428 0335      ) +
03429 0336      `<div class="stats">${stats.map(([label, value, hint, glyph], index) => `<div
03430 0336+ class="stat-card ${index === 3 ? "accent" : ""}"><div class="stat-label">${label}$
03431 0336+ {icon(glyph)}</div><div class="stat-number">${esc(value ?? 0)}</div><div class="st
03432 0336+ at-hint">${hint}</div></div>`).join("")}</div>` +
03433 0337      `<div class="dashboard-grid"><div><section class="panel"><header class="panel-
03434 0337+ header"><div><h2>最近的比对任务</h2><p>从差异发现到审核完成</p></div><a class="tex
03435 0337+ t-button" href="#comparisons">查看全部 →</a></header>${
03436 0338        comparisons.length
03437 0339          ? comparisons
03438 0340              .slice(0, 5)
03439 0341              .map(
03440 0342                (item) =>
03441 0343                  `<a class="list-row row-link" href="#comparisons/${id(item.id)}"><
03442 0343+ span class="list-icon">${icon("compare")}</span><div class="list-details"><strong>
03443 0343+ ${esc(item.drug_name || "说明书版本比对")}</strong><p>${esc(item.old_label)} → ${e
03444 0343+ sc(item.new_label)} · ${esc(item.total_changes ?? 0)} 处变更</p></div>${statusTag(
03445 0343+ Number(item.pending_changes) ? "pending" : "completed")}<span class="list-arrow">›
03446 0343+ </span></a>`,
03447 0344              )
03448 0345              .join("")
03449 0346          : empty(
03450 0347              "开启第一份说明书审核",
03451 0348              "建立药品档案，导入两个版本，即可生成章节差异。",
03452 0349              button("体验模拟示例", "demo", "", "", "spark"),
03453 0350            )
03454 0351      }</section><section class="panel"><header class="panel-header"><h2>最近操作</h
03455 0351+ 2><a href="#audit" class="text-button">完整记录 →</a></header><div class="panel-bo
03456 0351+ dy">${activityList(data.recent_activity)}</div></section></div><aside class="dashb
03457 0351+ oard-aside"><div class="welcome-panel"><span class="eyebrow">A CLEARER REVIEW PROC
03458 0351+ ESS</span><h2>关注重要变化，<br>保留判断依据。</h2><p>对齐说明书章节，定位数字、单
03459 0351+ 位和重点条款变化，逐条记录人工复核意见。</p><a class="button" href="#drugs">进入药
03460 0351+ 品资料库 ${icon("arrow")}</a></div><section class="panel"><header class="panel-hea
03461 0351+ der"><h2>四步完成审核</h2></header><div class="panel-body"><ol class="workflow"><l
03462 0351+ i><span class="step-number">01</span><div><strong>建立档案与导入版本</strong><p>支
03463 0351+ 持纯文字 PDF、DOCX、TXT 和粘贴文本</p></div></li><li><span class="step-number">02<
03464 0351+ /span><div><strong>检查章节，生成比对</strong><p>必要时先校正识别结果，再固定比对
03465 0351+ 依据</p></div></li><li><span class="step-number">03</span><div><strong>逐条人工复
03466 0351+ 核</strong><p>确认或忽略变更，保存审核意见</p></div></li><li><span class="step-num
03467 0351+ ber">04</span><div><strong>导出报告，留存记录</strong><p>HTML、CSV、JSON 三种格式<
03468 0351+ /p></div></li></ol></div></section></aside></div>`
03469 0352    );
03470 0353  }
03471 0354  async function drugsPage() {
03472 0355    state.drugs = await api("/api/drugs");
03473 0356    return (
03474 0357      pageHeading(
03475 0358        "DOCUMENT LIBRARY",
03476 0359        "药品与版本",
03477 0360        "以药品为单位归集说明书，保留每一版的来源与原文。",
03478 0361        button("新建药品", "new-drug", "", true, "plus"),
03479 0362      ) +
03480 0363      `<section class="panel"><div class="toolbar"><div class="search-wrap">${icon("
```

源文件范围：app/static/app.js:363 → app/static/app.js:407

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03481 0363+ search")}<input type="search" id="drug-search" aria-label="搜索药品名称、厂家或批
03482 0363+ 准文号" placeholder="搜索药品、厂家或批准文号"></div><span class="count-label" id=
03483 0363+ "drug-count">${state.drugs.length} 个药品档案</span></div><div id="drug-list">${dr
03484 0363+ ugTable(state.drugs)}</div></section>`
03485 0364    );
03486 0365  }
03487 0366  function drugTable(items) {
03488 0367    if (!items.length)
03489 0368      return empty(
03490 0369        "没有找到药品档案",
03491 0370        "新建档案后，可以导入说明书并开始版本比对。",
03492 0371        button("新建药品", "new-drug", "", true, "plus"),
03493 0372      );
03494 0373    return `<div class="table-scroll"><table><thead><tr><th>药品名称 / 规格</th><th>
03495 0373+ 生产厂家</th><th>批准文号</th><th>版本</th><th>建立日期</th><th></th></tr></thead>
03496 0373+ <tbody>${items.map((item) => `<tr><td><a class="cell-title" href="#drugs/${id(item
03497 0373+ .id)}">${esc(item.name)}</a><span class="cell-sub">${esc(item.specification || "未
03498 0373+ 填写规格")}</span></td><td>${esc(item.manufacturer || "—")}</td><td class="mono">$
03499 0373+ {esc(item.approval_number || "—")}</td><td><span class="tag teal">${esc(item.versi
03500 0373+ on_count ?? 0)} 版</span></td><td class="nowrap muted">${esc(fmtDate(item.created_
03501 0373+ at))}</td><td class="text-right"><a class="button small" href="#drugs/${id(item.id
03502 0373+ )}">查看档案 →</a></td></tr>`).join("")}</tbody></table></div>`;
03503 0374  }
03504 0375  async function drugPage(drugId) {
03505 0376    const [drug, versions] = await Promise.all([
03506 0377      api(`/api/drugs/${id(drugId)}`),
03507 0378      api(`/api/drugs/${id(drugId)}/versions`),
03508 0379    ]);
03509 0380    const fields = [
03510 0381      ["生产厂家", drug.manufacturer],
03511 0382      ["药品规格", drug.specification],
03512 0383      ["批准文号", drug.approval_number],
03513 0384      ["建立日期", fmtDate(drug.created_at)],
03514 0385    ];
03515 0386    return (
03516 0387      `<a class="back-link" href="#drugs">${icon("back")} 返回药品资料库</a>` +
03517 0388      pageHeading(
03518 0389        "DRUG DOSSIER",
03519 0390        drug.name,
03520 0391        "保存来源，核对章节，再开始版本审核。",
03521 0392        button(
03522 0393          "导入版本",
03523 0394          "import-version",
03524 0395          `data-id="${id(drugId)}"`,
03525 0396          true,
03526 0397          "upload",
03527 0398        ) +
03528 0399          button(
03529 0400            "创建比对",
03530 0401            "new-comparison",
03531 0402            `data-id="${id(drugId)}" ${versions.length < 2 ? 'disabled title="请先导
03532 0402+ 入至少两个版本"' : ""}`,
03533 0403            "",
03534 0404            "compare",
03535 0405          ),
03536 0406      ) +
03537 0407      `<section class="panel"><div class="panel-body"><div class="metadata-grid">${f
03538 0407+ ields.map(([label, value]) => `<div><span class="metadata-label">${label}</span><s
03539 0407+ pan class="metadata-value">${esc(value || "未填写")}</span></div>`).join("")}</div
03540 0407+ >${drug.notes ? `<div class="metadata-note">${esc(drug.notes)}</div>` : ""}</div><
```

源文件范围：app/static/app.js:407 → app/static/app.js:436

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03541 0407+ /section><div class="page-heading"><div><h2>说明书版本</h2><p class="subtitle">共
03542 0407+ ${versions.length} 个版本 · 导入后请检查章节识别结果</p></div></div>${versions.len
03543 0407+ gth ? `<div class="version-card-grid">${versions.map((version) => `<article class=
03544 0407+ "version-card"><div class="version-card-head"><div><h3>${esc(version.label)}</h3><
03545 0407+ span class="cell-sub">版本日期 ${esc(fmtDate(version.version_date))}</span></div><
03546 0407+ span class="list-icon">${icon("file")}</span></div><p>文件：${esc(version.filename
03547 0407+  || "粘贴文本")}</p><p>来源：${esc(version.source || "未填写")}</p><p>识别章节：${
03548 0407+ esc(version.section_count ?? 0)} 个</p><p class="hash" title="原始内容 SHA-256">SH
03549 0407+ A-256 ${esc(String(version.sha256 || "").slice(0, 20))}…</p><div class="actions">$
03550 0407+ {button("查看与校正", "view-version", `data-id="${id(version.id)}"`, "", "edit")}<
03551 0407+ a class="button small" href="/api/versions/${id(version.id)}/file">原始文件 ${icon
03552 0407+ ("download")}</a></div></article>`).join("")}</div>` : `<section class="panel">${e
03553 0407+ mpty("还没有说明书版本", "先导入旧版和新版说明书，随后可查看章节并创建比对。", but
03554 0407+ ton("导入第一个版本", "import-version", `data-id="${id(drugId)}"`, true, "upload")
03555 0407+ )}</section>`}`
03556 0408    );
03557 0409  }
03558 0410  async function comparisonsPage() {
03559 0411    state.comparisons = await api("/api/comparisons");
03560 0412    return (
03561 0413      pageHeading(
03562 0414        "REVIEW QUEUE",
03563 0415        "比对与审核",
03564 0416        "逐项核查版本差异，保留复核结论与变更依据。",
03565 0417        `<a class="button primary" href="#drugs">${icon("plus")} 从药品档案创建比对<
03566 0417+ /a>`,
03567 0418      ) +
03568 0419      `<section class="panel"><div class="toolbar"><div class="search-wrap">${icon("
03569 0419+ search")}<input type="search" id="comparison-search" aria-label="搜索比对任务" pla
03570 0419+ ceholder="搜索药品名称或版本"></div><select class="filter-select" id="comparison-s
03571 0419+ tatus" aria-label="任务状态"><option value="all">全部任务</option><option value="p
03572 0419+ ending">有待复核变更</option><option value="completed">已完成复核</option></select
03573 0419+ ><span class="count-label" id="comparison-count">${state.comparisons.length} 个比
03574 0419+ 对任务</span></div><div id="comparison-list">${comparisonTable(state.comparisons)}
03575 0419+ </div></section>`
03576 0420    );
03577 0421  }
03578 0422  function comparisonTable(items) {
03579 0423    if (!items.length)
03580 0424      return empty(
03581 0425        "暂无匹配的比对任务",
03582 0426        "在药品档案中选择两个版本，创建一份新的比对任务。",
03583 0427        '<a href="#drugs" class="button primary">前往药品档案 →</a>',
03584 0428      );
03585 0429    return `<div class="table-scroll"><table><thead><tr><th>药品 / 版本</th><th>变更
03586 0429+ 数量</th><th>待复核</th><th>任务状态</th><th>创建时间</th><th></th></tr></thead><t
03587 0429+ body>${items.map((item) => `<tr><td><a href="#comparisons/${id(item.id)}" class="c
03588 0429+ ell-title">${esc(item.drug_name)}</a><span class="cell-sub">${esc(item.old_label)}
03589 0429+  → ${esc(item.new_label)}</span></td><td>${esc(item.total_changes ?? 0)} 项</td><t
03590 0429+ d>${esc(item.pending_changes ?? 0)} 项</td><td>${statusTag(Number(item.pending_cha
03591 0429+ nges) ? "pending" : "completed")}</td><td class="nowrap muted">${esc(fmtDate(item.
03592 0429+ created_at))}</td><td><a class="button small" href="#comparisons/${id(item.id)}">
03593 0429+ 打开审核 →</a></td></tr>`).join("")}</tbody></table></div>`;
03594 0430  }
03595 0431  async function comparisonPage(comparisonId) {
03596 0432    const result = await api(`/api/comparisons/${id(comparisonId)}`);
03597 0433    if (state.route !== `comparisons/${id(comparisonId)}`) return "";
03598 0434    state.comparison = result;
03599 0435    return comparisonMarkup();
03600 0436  }
```

源文件范围：app/static/app.js:437 → app/static/app.js:471

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03601 0437  function comparisonMarkup() {
03602 0438    const data = state.comparison;
03603 0439    const changes = data.changes || [];
03604 0440    const pending = changes.filter(
03605 0441      (change) => change.status === "pending",
03606 0442    ).length;
03607 0443    const oldVersion = data.old_version || {};
03608 0444    const newVersion = data.new_version || {};
03609 0445    const progress = changes.length
03610 0446      ? Math.round(((changes.length - pending) / changes.length) * 100)
03611 0447      : 100;
03612 0448    return (
03613 0449      `<a class="back-link" href="#comparisons">${icon("back")} 返回审核任务</a>` +
03614 0450      pageHeading(
03615 0451        "VERSION COMPARISON",
03616 0452        data.drug_name || "说明书变更审核",
03617 0453        `${changes.length} 处章节变更 · ${data.unchanged_sections || 0} 个章节内容一
03618 0453+ 致 · 逐条核对后记录结论`,
03619 0454        `<div class="report-links"><a class="button" href="/api/comparisons/${id(dat
03620 0454+ a.id)}/export?format=html">${icon("download")} HTML 报告</a><a class="button" href
03621 0454+ ="/api/comparisons/${id(data.id)}/export?format=csv">CSV</a><a class="button" href
03622 0454+ ="/api/comparisons/${id(data.id)}/export?format=json">JSON</a></div>`,
03623 0455        "comparison-heading",
03624 0456      ) +
03625 0457      warnings(data.warnings) +
03626 0458      `<div class="comparison-summary"><div class="version-pair"><div class="version
03627 0458+ -pill"><span class="eyebrow">旧版说明书</span><strong>${esc(oldVersion.label || da
03628 0458+ ta.old_label)}</strong><small>${esc(fmtDate(oldVersion.version_date))}</small></di
03629 0458+ v>${icon("arrow")}<div class="version-pill"><span class="eyebrow">新版说明书</span
03630 0458+ ><strong>${esc(newVersion.label || data.new_label)}</strong><small>${esc(fmtDate(n
03631 0458+ ewVersion.version_date))}</small></div></div><div class="review-progress"><div cla
03632 0458+ ss="review-progress-label"><span>审核完成度</span><strong>${changes.length - pendi
03633 0458+ ng} / ${changes.length}</strong></div><div class="progress-track" role="progressba
03634 0458+ r" aria-label="审核完成度" aria-valuemin="0" aria-valuemax="100" aria-valuenow="${
03635 0458+ progress}"><div class="progress-fill" style="width:${progress}%"></div></div></div
03636 0458+ ></div><div class="filter-bar"><div class="segmented" role="group" aria-label="按
03637 0458+ 审核状态筛选">${[
03638 0459        ["all", "全部变更"],
03639 0460        ["pending", "待复核"],
03640 0461        ["confirmed", "已确认"],
03641 0462        ["ignored", "已忽略"],
03642 0463      ]
03643 0464        .map(
03644 0465          ([value, label]) =>
03645 0466            `<button type="button" data-action="filter-review" data-value="${value}"
03646 0466+  aria-pressed="${state.reviewStatus === value}" class="${state.reviewStatus === va
03647 0466+ lue ? "active" : ""}">${label}${value === "pending" ? ` ${pending}` : ""}</button>
03648 0466+ `,
03649 0467        )
03650 0468        .join(
03651 0469          "",
03652 0470        )}</div><select id="priority-filter" class="filter-select" aria-label="按复
03653 0470+ 核优先级筛选"><option value="all" ${state.priority === "all" ? "selected" : ""}>全
03654 0470+ 部优先级</option><option value="high" ${state.priority === "high" ? "selected" : "
03655 0470+ "}>重点复核</option><option value="normal" ${state.priority === "normal" ? "select
03656 0470+ ed" : ""}>常规复核</option></select><span class="small-hint">红色为删除 · 绿色为新
03657 0470+ 增</span></div><div id="changes-list">${changesMarkup()}</div><p class="comparison
03658 0470+ -footer">重点标记用于安排复核顺序，不代表医学风险等级。HTML 报告可通过浏览器打印为
03659 0470+  PDF。</p>`
03660 0471    );
```

源文件范围：app/static/app.js:472 → app/static/app.js:523

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03661 0472  }
03662 0473  function markedText(text) {
03663 0474    // Match untrusted plain text first; escaping before matching could split an HTM
03664 0474+ L entity.
03665 0475    const value = String(text ?? "");
03666 0476    const pattern =
03667 0477      /\d+(?:\.\d+)?(?:\s*(?:mg|μg|ug|kg|g|ml|mL|L|%|毫克|微克|克|毫升|片|次|日|天))
03668 0477+ ?/g;
03669 0478    let result = "";
03670 0479    let cursor = 0;
03671 0480    for (const match of value.matchAll(pattern)) {
03672 0481      result += esc(value.slice(cursor, match.index));
03673 0482      result += `<span class="numeric">${esc(match[0])}</span>`;
03674 0483      cursor = match.index + match[0].length;
03675 0484    }
03676 0485    return result + esc(value.slice(cursor));
03677 0486  }
03678 0487  function diffText(change, side) {
03679 0488    const text = side === "old" ? change.old_text : change.new_text;
03680 0489    if (!text) return '<span class="absent-text">该版本无此章节内容</span>';
03681 0490    const segments = change.segments;
03682 0491    if (!Array.isArray(segments) || !segments.length) return esc(text);
03683 0492    const relevant = segments.filter(
03684 0493      (segment) =>
03685 0494        segment.op === "equal" ||
03686 0495        segment.op === (side === "old" ? "delete" : "insert"),
03687 0496    );
03688 0497    // Only apply inline segments if they reconstruct this exact source; never hide
03689 0497+ source text.
03690 0498    if (relevant.map((segment) => segment.text || "").join("") !== text)
03691 0499      return esc(text);
03692 0500    return relevant
03693 0501      .map((segment) =>
03694 0502        segment.op === "equal"
03695 0503          ? esc(segment.text)
03696 0504          : `<${side === "old" ? "del" : "ins"}>${markedText(segment.text)}</${side
03697 0504+ === "old" ? "del" : "ins"}>`,
03698 0505      )
03699 0506      .join("");
03700 0507  }
03701 0508  function changesMarkup() {
03702 0509    const changes = state.comparison.changes || [];
03703 0510    const filtered = changes.filter(
03704 0511      (change) =>
03705 0512        (state.reviewStatus === "all" || change.status === state.reviewStatus) &&
03706 0513        (state.priority === "all" || change.priority === state.priority),
03707 0514    );
03708 0515    if (!filtered.length)
03709 0516      return `<section class="panel">${empty(changes.length ? "当前筛选下没有变更" :
03710 0516+  "两个版本未发现章节内容差异", changes.length ? "切换状态或优先级，查看其他变更。"
03711 0516+  : "已保留本次比对记录，可导出报告。", "", true)}</section>`;
03712 0517    return filtered
03713 0518      .map((change) => {
03714 0519        const index = changes.findIndex((item) => item.id === change.id) + 1;
03715 0520        const note = state.drafts.has(change.id)
03716 0521          ? state.drafts.get(change.id)
03717 0522          : change.note || "";
03718 0523        return `<article class="change-card" id="change-${id(change.id)}" data-prior
03719 0523+ ity="${change.priority === "high" ? "high" : "normal"}"><header class="change-card
03720 0523+ -head"><div class="change-title"><span class="change-index">${String(index).padSta
```

源文件范围：app/static/app.js:523 → app/static/app.js:552

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03721 0523+ rt(2, "0")}</span><h3>${esc(change.section_title)}</h3>${kindTag(change.kind)}${ch
03722 0523+ ange.priority === "high" ? '<span class="tag amber">重点复核</span>' : ""}</div>${
03723 0523+ statusTag(change.status)}</header>${change.flags?.length ? `<div class="change-fla
03724 0523+ gs">${change.flags.map((flag) => `<span>${esc(flag)}</span>`).join("")}</div>` : "
03725 0523+ "}<div class="diff-grid"><div class="diff-column"><div class="diff-label"><span>旧
03726 0523+ 版内容</span><span>${esc(change.old_location || "—")}</span></div><div class="diff
03727 0523+ -text">${diffText(change, "old")}</div></div><div class="diff-column"><div class="
03728 0523+ diff-label"><span>新版内容</span><span>${esc(change.new_location || "—")}</span></
03729 0523+ div><div class="diff-text">${diffText(change, "new")}</div></div></div><div class=
03730 0523+ "review-area">${change.reviewed_at ? `<div class="review-history"><strong>${esc(ch
03731 0523+ ange.reviewer || "本地审核员")}</strong> · ${esc(fmtDate(change.reviewed_at, true)
03732 0523+ )} · 已保存上次审核记录</div>` : ""}<div class="review-controls"><div class="revie
03733 0523+ w-note"><label for="note-${id(change.id)}">复核意见 <span class="muted">（忽略变更
03734 0523+ 时必填）</span></label><textarea id="note-${id(change.id)}" data-note-id="${id(cha
03735 0523+ nge.id)}" maxlength="3000" rows="1" placeholder="记录变更依据或处理意见…">${esc(no
03736 0523+ te)}</textarea></div><div class="actions">${change.status !== "pending" ? button("
03737 0523+ 重置待复核", "review", `data-id="${id(change.id)}" data-status="pending"`) : ""}${
03738 0523+ button("忽略", "review", `data-id="${id(change.id)}" data-status="ignored"`)}${but
03739 0523+ ton(change.status === "confirmed" ? "保存确认意见" : "确认变更", "review", `data-i
03740 0523+ d="${id(change.id)}" data-status="confirmed"`, true, "check")}</div></div></div></
03741 0523+ article>`;
03742 0524      })
03743 0525      .join("");
03744 0526  }
03745 0527  async function auditPage() {
03746 0528    state.audit = await api("/api/audit");
03747 0529    return (
03748 0530      pageHeading(
03749 0531        "ACTIVITY TRAIL",
03750 0532        "操作记录",
03751 0533        "记录导入、章节校正、版本比对与每次审核结论的变化。",
03752 0534        button("刷新记录", "refresh", "", "", "clock"),
03753 0535      ) +
03754 0536      `<section class="panel"><div class="toolbar"><div class="search-wrap">${icon("
03755 0536+ search")}<input id="audit-search" type="search" aria-label="搜索操作记录" placehol
03756 0536+ der="搜索操作、对象或记录内容"></div><span class="count-label" id="audit-count">${
03757 0536+ state.audit.length} 条记录</span></div><div id="audit-list">${auditTable(state.aud
03758 0536+ it)}</div></section>`
03759 0537    );
03760 0538  }
03761 0539  function auditTable(items) {
03762 0540    if (!items.length)
03763 0541      return empty(
03764 0542        "暂无匹配的操作记录",
03765 0543        "建立药品、导入版本和审核变更后，将在此保留操作过程。",
03766 0544        "",
03767 0545        true,
03768 0546      );
03769 0547    return `<div class="table-scroll"><table><thead><tr><th>时间</th><th>操作</th><t
03770 0547+ h>操作对象</th><th>记录内容</th><th>记录人</th></tr></thead><tbody>${items.map((it
03771 0547+ em) => `<tr><td class="nowrap muted">${esc(fmtDate(item.created_at, true))}</td><t
03772 0547+ d class="nowrap">${esc(auditLabel(item.action))}</td><td><span class="tag gray">${
03773 0547+ esc({ drug: "药品", version: "版本", comparison: "比对", change: "变更" }[item.ent
03774 0547+ ity_type] || item.entity_type)} #${esc(item.entity_id)}</span></td><td class="audi
03775 0547+ t-detail">${esc(detailText(item.detail))}</td><td class="nowrap muted">${esc(item.
03776 0547+ actor)}</td></tr>`).join("")}</tbody></table></div>`;
03777 0548  }
03778 0550  function newDrugModal() {
03779 0551    showModal(
03780 0552      "建立药品档案",
```

源文件范围：app/static/app.js:553 → app/static/app.js:573

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03781 0553      `<form id="drug-form"><div class="help-box">同一药品的不同说明书版本应放在同一
03782 0553+ 档案中，便于准确比对。</div><div class="form-grid"><div class="field span-2"><labe
03783 0553+ l for="drug-name">药品名称 <span class="required">*</span></label><input id="drug-
03784 0553+ name" name="name" maxlength="200" required placeholder="例如：某药品片剂"></div><d
03785 0553+ iv class="field"><label for="drug-manufacturer">生产厂家</label><input id="drug-ma
03786 0553+ nufacturer" name="manufacturer" maxlength="200" placeholder="填写说明书标示厂家"><
03787 0553+ /div><div class="field"><label for="drug-specification">药品规格</label><input id=
03788 0553+ "drug-specification" name="specification" maxlength="200" placeholder="按说明书填
03789 0553+ 写"></div><div class="field span-2"><label for="drug-approval">批准文号</label><in
03790 0553+ put id="drug-approval" name="approval_number" maxlength="100" placeholder="可选"><
03791 0553+ /div><div class="field span-2"><label for="drug-notes">备注</label><textarea id="d
03792 0553+ rug-notes" name="notes" maxlength="3000" placeholder="例如：资料用途、来源说明"></
03793 0553+ textarea></div></div><div class="form-actions">${button("取消", "close-modal")}<bu
03794 0553+ tton class="button primary" type="submit">${icon("plus")} 建立档案</button></div><
03795 0553+ /form>`,
03796 0554    );
03797 0555  }
03798 0556  function importModal(drugId) {
03799 0557    showModal(
03800 0558      "导入说明书版本",
03801 0559      `<form id="import-form" data-drug-id="${id(drugId)}"><div class="form-grid"><d
03802 0559+ iv class="field"><label for="version-label">版本名称 <span class="required">*</spa
03803 0559+ n></label><input id="version-label" name="label" required maxlength="120" placehol
03804 0559+ der="例如：2026 年修订版"></div><div class="field"><label for="version-date">版本
03805 0559+ 日期 <span class="required">*</span></label><input id="version-date" name="version
03806 0559+ _date" type="date" required></div><div class="field span-2"><label for="version-so
03807 0559+ urce">资料来源 <span class="required">*</span></label><input id="version-source" n
03808 0559+ ame="source" required maxlength="1000" placeholder="文件出处、公告链接或资料提供方
03809 0559+ "><small>来源信息会随比对报告保留，请填写可追溯的出处。</small></div></div><div cl
03810 0559+ ass="segmented import-tabs" role="group" aria-label="导入方式"><button type="butto
03811 0559+ n" class="active" data-action="import-tab" data-value="file" aria-pressed="true">$
03812 0559+ {icon("upload")} 上传文件</button><button type="button" data-action="import-tab" d
03813 0559+ ata-value="text" aria-pressed="false">${icon("edit")} 粘贴文本</button></div><inpu
03814 0559+ t type="hidden" id="import-mode" value="file"><div id="import-file-pane" class="ta
03815 0559+ b-pane"><div class="upload-area">${icon("upload")}<label for="version-file">选择说
03816 0559+ 明书文件</label><input id="version-file" name="file" type="file" required accept="
03817 0559+ .pdf,.docx,.txt"><small>纯文字 PDF（不含图片）/ DOCX / TXT · 最大 10 MB</small></d
03818 0559+ iv><p class="field-hint" style="margin-top:12px">含图片的 PDF（包括扫描件或带图片
03819 0559+ 页眉的文档）请先转换为经核对的 DOCX 或 TXT。导入后可手动校正章节识别结果。</p></di
03820 0559+ v><div id="import-text-pane" class="tab-pane" hidden><div class="field"><label for
03821 0559+ ="version-text">说明书原文 <span class="required">*</span></label><textarea id="ve
03822 0559+ rsion-text" name="text" disabled rows="10" placeholder="请保留章节标题，如：&amp;#10;
03823 0559+ 【药品名称】&amp;#10;…&amp;#10;【用法用量】&amp;#10;…"></textarea><small>请使用有权使用的资料
03824 0559+ ；模拟内容应明确标注。</small></div></div><div class="form-actions">${button("取消
03825 0559+ ", "close-modal")}<button class="button primary" type="submit">${icon("upload")}
03826 0559+ 导入并识别章节</button></div></form>`,
03827 0560    );
03828 0561  }
03829 0562  async function newComparisonModal(drugId) {
03830 0563    const versions = await api(`/api/drugs/${id(drugId)}/versions`);
03831 0564    if (versions.length < 2) {
03832 0565      toast("请先为该药品导入至少两个版本。", true);
03833 0566      return;
03834 0567    }
03835 0568    const sorted = [...versions].sort(
03836 0569      (a, b) =>
03837 0570        String(a.version_date).localeCompare(String(b.version_date)) ||
03838 0571        a.id - b.id,
03839 0572    );
03840 0573    const options = (selected) =>
```

源文件范围：app/static/app.js:574 → app/static/app.js:594

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03841 0574      sorted
03842 0575        .map(
03843 0576          (version) =>
03844 0577            `<option value="${id(version.id)}" ${version.id === selected ? "selected
03845 0577+ " : ""}>${esc(version.label)} · ${esc(version.version_date)}</option>`,
03846 0578        )
03847 0579        .join("");
03848 0580    showModal(
03849 0581      "创建版本比对",
03850 0582      `<form id="comparison-form"><div class="help-box">请选择同一药品的旧版与新版。
03851 0582+ 创建比对后，所用版本的章节内容将固定，后续修订请另行导入新版本。</div><div class="
03852 0582+ field"><label for="old-version">旧版说明书</label><select id="old-version" name="o
03853 0582+ ld_version_id" required>${options(sorted[sorted.length - 2].id)}</select></div><di
03854 0582+ v class="field"><label for="new-version">新版说明书</label><select id="new-version
03855 0582+ " name="new_version_id" required>${options(sorted[sorted.length - 1].id)}</select>
03856 0582+ </div><p class="field-hint">建议先查看章节识别结果，确认文档提取完整。新版日期不能
03857 0582+ 早于旧版。</p><div class="form-actions">${button("取消", "close-modal")}<button ty
03858 0582+ pe="submit" class="button primary">${icon("compare")} 生成章节比对</button></div><
03859 0582+ /form>`,
03860 0583    );
03861 0584  }
03862 0585  function sectionEditor(section, index) {
03863 0586    return `<div class="section-editor"><div class="section-editor-head"><span class
03864 0586+ ="section-number">${String(index + 1).padStart(2, "0")}</span><input name="section
03865 0586+ _title" aria-label="第 ${index + 1} 个章节标题" required maxlength="200" value="${
03866 0586+ esc(section.title)}"><button class="icon-button" type="button" data-action="remove
03867 0586+ -section" aria-label="移除第 ${index + 1} 个章节">×</button></div><textarea name="
03868 0586+ section_text" rows="4" aria-label="第 ${index + 1} 个章节正文">${esc(section.text)
03869 0586+ }</textarea></div>`;
03870 0587  }
03871 0588  async function viewVersionModal(versionId) {
03872 0589    const version = await api(`/api/versions/${id(versionId)}`);
03873 0590    state.modalVersion = version;
03874 0591    showModal(
03875 0592      version.label,
03876 0593      `<div class="version-meta"><span>版本日期 ${esc(version.version_date)}</span><
03877 0593+ span>${esc(version.filename || "粘贴文本")}</span><span>${version.sections?.length
03878 0593+  || 0} 个章节</span></div>${warnings(version.warnings)}<div class="segmented impor
03879 0593+ t-tabs" role="group" aria-label="版本查看方式"><button type="button" class="active
03880 0593+ " data-action="version-tab" data-value="sections" aria-pressed="true">章节与校正</
03881 0593+ button><button type="button" data-action="version-tab" data-value="raw" aria-press
03882 0593+ ed="false">原始提取文本</button><button type="button" data-action="version-tab" da
03883 0593+ ta-value="source" aria-pressed="false">来源与文件</button></div><div class="tab-pa
03884 0593+ ne" id="version-sections-pane"><div class="help-box">检查标题和正文是否完整。尚未
03885 0593+ 参与比对的版本可以校正章节；已参与比对的版本会锁定，以保留原有审核依据。校正不会改
03886 0593+ 写原始文件。</div><form id="sections-form" data-version-id="${id(versionId)}"><div
03887 0593+  id="section-editors">${(version.sections || []).map(sectionEditor).join("")}</div
03888 0593+ ><div class="editor-actions">${button("添加章节", "add-section", "", "", "plus")}<
03889 0593+ /div><div class="form-actions sticky-form-actions">${button("关闭", "close-modal")
03890 0593+ }<button type="submit" class="button primary">${icon("check")} 保存章节校正</butto
03891 0593+ n></div></form></div><div class="tab-pane" id="version-raw-pane" hidden><pre class
03892 0593+ ="raw-text">${esc(version.text)}</pre></div><div class="tab-pane" id="version-sour
03893 0593+ ce-pane" hidden><div class="field"><span class="metadata-label">资料来源</span><di
03894 0593+ v class="metadata-value">${esc(version.source || "未填写")}</div></div><div class=
03895 0593+ "field"><span class="metadata-label">原始文件 SHA-256</span><div class="hash">${es
03896 0593+ c(version.sha256)}</div></div><div class="field"><span class="metadata-label">导入
03897 0593+ 时间</span><div class="metadata-value">${esc(fmtDate(version.created_at, true))}</
03898 0593+ div></div><a class="button" href="/api/versions/${id(version.id)}/file">${icon("do
03899 0593+ wnload")} 下载原始文件</a></div>`,
03900 0594      true,
```

源文件范围：app/static/app.js:595 → app/static/app.js:655

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03901 0595    );
03902 0596    state.modalVersion = version;
03903 0597  }
03904 0599  document.addEventListener("input", (event) => {
03905 0600    const element = event.target;
03906 0601    if (element.dataset.noteId) {
03907 0602      state.drafts.set(Number(element.dataset.noteId), element.value);
03908 0603      return;
03909 0604    }
03910 0605    if (element.id === "drug-search") {
03911 0606      const query = element.value.toLocaleLowerCase().trim();
03912 0607      const filtered = state.drugs.filter((item) =>
03913 0608        [item.name, item.manufacturer, item.approval_number].some((value) =>
03914 0609          String(value || "")
03915 0610            .toLocaleLowerCase()
03916 0611            .includes(query),
03917 0612        ),
03918 0613      );
03919 0614      $("#drug-list").innerHTML = drugTable(filtered);
03920 0615      $("#drug-count").textContent = `${filtered.length} 个药品档案`;
03921 0616    }
03922 0617    if (element.id === "comparison-search") filterComparisonTable();
03923 0618    if (element.id === "audit-search") {
03924 0619      const query = element.value.toLocaleLowerCase().trim();
03925 0620      const filtered = state.audit.filter((item) =>
03926 0621        [
03927 0622          auditLabel(item.action),
03928 0623          item.entity_type,
03929 0624          item.entity_id,
03930 0625          item.actor,
03931 0626          detailText(item.detail),
03932 0627        ].some((value) =>
03933 0628          String(value || "")
03934 0629            .toLocaleLowerCase()
03935 0630            .includes(query),
03936 0631        ),
03937 0632      );
03938 0633      $("#audit-list").innerHTML = auditTable(filtered);
03939 0634      $("#audit-count").textContent = `${filtered.length} 条记录`;
03940 0635    }
03941 0636  });
03942 0637  function filterComparisonTable() {
03943 0638    const query = $("#comparison-search").value.toLocaleLowerCase().trim();
03944 0639    const status = $("#comparison-status").value;
03945 0640    const filtered = state.comparisons.filter(
03946 0641      (item) =>
03947 0642        [item.drug_name, item.old_label, item.new_label].some((value) =>
03948 0643          String(value || "")
03949 0644            .toLocaleLowerCase()
03950 0645            .includes(query),
03951 0646        ) &&
03952 0647        (status === "all" ||
03953 0648          (status === "pending"
03954 0649            ? Number(item.pending_changes) > 0
03955 0650            : !Number(item.pending_changes))),
03956 0651    );
03957 0652    $("#comparison-list").innerHTML = comparisonTable(filtered);
03958 0653    $("#comparison-count").textContent = `${filtered.length} 个比对任务`;
03959 0654  }
03960 0655  document.addEventListener("change", (event) => {
```

源文件范围：app/static/app.js:656 → app/static/app.js:716

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
03961 0656    if (event.target.id === "comparison-status") filterComparisonTable();
03962 0657    if (event.target.id === "priority-filter") {
03963 0658      state.priority = event.target.value;
03964 0659      $("#changes-list").innerHTML = changesMarkup();
03965 0660    }
03966 0661  });
03967 0663  document.addEventListener("click", async (event) => {
03968 0664    const trigger = event.target.closest("[data-action]");
03969 0665    if (!trigger || trigger.disabled) return;
03970 0666    const action = trigger.dataset.action;
03971 0667    try {
03972 0668      if (action === "new-drug") return newDrugModal();
03973 0669      if (action === "close-modal") return closeModal();
03974 0670      if (action === "refresh") return navigate();
03975 0671      if (action === "import-version") return importModal(trigger.dataset.id);
03976 0672      if (action === "filter-review") {
03977 0673        state.reviewStatus = trigger.dataset.value;
03978 0674        $$('[data-action="filter-review"]').forEach((button) => {
03979 0675          const active = button.dataset.value === state.reviewStatus;
03980 0676          button.classList.toggle("active", active);
03981 0677          button.setAttribute("aria-pressed", String(active));
03982 0678        });
03983 0679        $("#changes-list").innerHTML = changesMarkup();
03984 0680        return;
03985 0681      }
03986 0682      if (action === "import-tab") {
03987 0683        const mode = trigger.dataset.value;
03988 0684        $("#import-mode").value = mode;
03989 0685        $$('[data-action="import-tab"]').forEach((button) => {
03990 0686          const active = button.dataset.value === mode;
03991 0687          button.classList.toggle("active", active);
03992 0688          button.setAttribute("aria-pressed", String(active));
03993 0689        });
03994 0690        $("#import-file-pane").hidden = mode !== "file";
03995 0691        $("#import-text-pane").hidden = mode !== "text";
03996 0692        $("#version-file").disabled = mode !== "file";
03997 0693        $("#version-file").required = mode === "file";
03998 0694        $("#version-text").disabled = mode !== "text";
03999 0695        $("#version-text").required = mode === "text";
04000 0696        return;
04001 0697      }
04002 0698      if (action === "version-tab") {
04003 0699        const tab = trigger.dataset.value;
04004 0700        $$('[data-action="version-tab"]').forEach((button) => {
04005 0701          const active = button.dataset.value === tab;
04006 0702          button.classList.toggle("active", active);
04007 0703          button.setAttribute("aria-pressed", String(active));
04008 0704        });
04009 0705        ["sections", "raw", "source"].forEach((name) => {
04010 0706          $(`#version-${name}-pane`).hidden = name !== tab;
04011 0707        });
04012 0708        return;
04013 0709      }
04014 0710      if (action === "add-section") {
04015 0711        $("#section-editors").insertAdjacentHTML(
04016 0712          "beforeend",
04017 0713          sectionEditor(
04018 0714            { title: "新章节", text: "" },
04019 0715            $$(".section-editor").length,
04020 0716          ),
```

源文件范围：app/static/app.js:717 → app/static/app.js:777

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
04021 0717        );
04022 0718        $$(".section-editor").at(-1).querySelector("input").focus();
04023 0719        return;
04024 0720      }
04025 0721      if (action === "remove-section") {
04026 0722        if ($$(".section-editor").length <= 1) {
04027 0723          modalError("至少保留一个章节。");
04028 0724          return;
04029 0725        }
04030 0726        const editor = trigger.closest(".section-editor");
04031 0727        if (
04032 0728          $("textarea", editor).value.trim() &&
04033 0729          !window.confirm(
04034 0730            "移除此章节会从结构化版本中删除其正文，原始文件仍保留。确认移除？",
04035 0731          )
04036 0732        )
04037 0733          return;
04038 0734        editor.remove();
04039 0735        return;
04040 0736      }
04041 0737      trigger.disabled = true;
04042 0738      if (action === "demo") {
04043 0739        const data = await api("/api/demo", { method: "POST" });
04044 0740        toast("模拟示例已就绪，所有示例内容均不用于临床。");
04045 0741        const next = `comparisons/${id(data.comparison_id)}`;
04046 0742        if (state.route === next) await navigate();
04047 0743        else location.hash = next;
04048 0744      } else if (action === "view-version")
04049 0745        await viewVersionModal(trigger.dataset.id);
04050 0746      else if (action === "new-comparison")
04051 0747        await newComparisonModal(trigger.dataset.id);
04052 0748      else if (action === "review") await saveReview(trigger);
04053 0749    } catch (error) {
04054 0750      if (modal.open) modalError(error.message);
04055 0751      else toast(error.message, true);
04056 0752    } finally {
04057 0753      if (trigger.isConnected) trigger.disabled = false;
04058 0754    }
04059 0755  });
04060 0757  async function saveReview(trigger) {
04061 0758    const change = state.comparison.changes.find(
04062 0759      (item) => item.id === Number(trigger.dataset.id),
04063 0760    );
04064 0761    if (!change) throw new Error("变更记录已更新，请刷新页面。");
04065 0762    const note = $(`#note-${id(change.id)}`).value.trim();
04066 0763    const status = trigger.dataset.status;
04067 0764    if (status === "ignored" && !note) {
04068 0765      $(`#note-${id(change.id)}`).focus();
04069 0766      throw new Error("请填写忽略原因后再保存。");
04070 0767    }
04071 0768    const card = $(`#change-${id(change.id)}`);
04072 0769    const controls = $$("button, textarea", card);
04073 0770    controls.forEach((element) => {
04074 0771      element.disabled = true;
04075 0772    });
04076 0773    try {
04077 0774      await api(`/api/changes/${id(change.id)}`, {
04078 0775        method: "PATCH",
04079 0776        body: { status, note, revision: change.revision },
04080 0777      });
```

源文件范围：app/static/app.js:778 → app/static/app.js:837

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
04081 0778      state.drafts.delete(change.id);
04082 0779      state.comparison = await api(`/api/comparisons/${id(state.comparison.id)}`);
04083 0780      const scrollY = window.scrollY;
04084 0781      main.innerHTML = comparisonMarkup();
04085 0782      window.scrollTo(0, scrollY);
04086 0783      toast("审核意见已保存，操作记录已更新。");
04087 0784      const focusTarget =
04088 0785        $(`#note-${id(change.id)}`) || $('[data-action="filter-review"].active');
04089 0786      if (focusTarget) focusTarget.focus({ preventScroll: true });
04090 0787    } catch (error) {
04091 0788      if (error.status === 409) {
04092 0789        state.comparison = await api(
04093 0790          `/api/comparisons/${id(state.comparison.id)}`,
04094 0791        );
04095 0792        main.innerHTML = comparisonMarkup();
04096 0793        throw new Error(
04097 0794          "此变更已被其他页面更新，已载入最新状态并保留你的未提交意见。请核对后重新
04098 0794+ 保存。",
04099 0795        );
04100 0796      }
04101 0797      throw error;
04102 0798    } finally {
04103 0799      controls.forEach((element) => {
04104 0800        element.disabled = false;
04105 0801      });
04106 0802    }
04107 0803  }
04108 0805  document.addEventListener("submit", async (event) => {
04109 0806    const form = event.target;
04110 0807    if (
04111 0808      !["drug-form", "import-form", "comparison-form", "sections-form"].includes(
04112 0809        form.id,
04113 0810      )
04114 0811    )
04115 0812      return;
04116 0813    event.preventDefault();
04117 0814    if (form.dataset.busy === "true") return;
04118 0815    const submit = $('button[type="submit"]', form);
04119 0816    const previousText = submit.innerHTML;
04120 0817    const formData = new FormData(form);
04121 0818    form.dataset.busy = "true";
04122 0819    submit.disabled = true;
04123 0820    submit.innerHTML = '<span class="spinner"></span> 正在处理…';
04124 0821    $(".dialog-error", modal)?.remove();
04125 0822    try {
04126 0823      if (form.id === "drug-form") {
04127 0824        const payload = Object.fromEntries(formData);
04128 0825        Object.keys(payload).forEach((key) => {
04129 0826          payload[key] = payload[key].trim();
04130 0827        });
04131 0828        if (!payload.name) throw new Error("请输入药品名称。");
04132 0829        const drug = await api("/api/drugs", { method: "POST", body: payload });
04133 0830        closeModal();
04134 0831        toast("药品档案已建立，现在可以导入说明书。");
04135 0832        location.hash = `drugs/${id(drug.id)}`;
04136 0833      } else if (form.id === "import-form") {
04137 0834        const drugId = form.dataset.drugId;
04138 0835        const mode = $("#import-mode").value;
04139 0836        let version;
04140 0837        if (mode === "file") {
```

源文件范围：app/static/app.js:838 → app/static/app.js:897

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
04141 0838          const file = formData.get("file");
04142 0839          if (!file || !file.size) throw new Error("请选择非空的说明书文件。");
04143 0840          if (file.size > 10 * 1024 * 1024)
04144 0841            throw new Error("文件超过 10 MB，请缩减后重试。");
04145 0842          if (!/\.(pdf|docx|txt)$/i.test(file.name))
04146 0843            throw new Error("请选择 PDF、DOCX 或 TXT 文件。");
04147 0844          version = await api(`/api/drugs/${id(drugId)}/versions`, {
04148 0845            method: "POST",
04149 0846            body: formData,
04150 0847          });
04151 0848        } else {
04152 0849          const payload = {
04153 0850            label: formData.get("label").trim(),
04154 0851            version_date: formData.get("version_date"),
04155 0852            source: formData.get("source").trim(),
04156 0853            text: formData.get("text"),
04157 0854          };
04158 0855          if (!payload.text.trim()) throw new Error("请粘贴说明书原文。");
04159 0856          version = await api(`/api/drugs/${id(drugId)}/versions/text`, {
04160 0857            method: "POST",
04161 0858            body: payload,
04162 0859          });
04163 0860        }
04164 0861        closeModal();
04165 0862        toast("版本已导入，请检查章节识别结果。");
04166 0863        await navigate();
04167 0864        await viewVersionModal(version.id);
04168 0865      } else if (form.id === "comparison-form") {
04169 0866        const oldId = Number(formData.get("old_version_id"));
04170 0867        const newId = Number(formData.get("new_version_id"));
04171 0868        if (oldId === newId) throw new Error("请选择两个不同的说明书版本。");
04172 0869        const result = await api("/api/comparisons", {
04173 0870          method: "POST",
04174 0871          body: { old_version_id: oldId, new_version_id: newId },
04175 0872        });
04176 0873        closeModal();
04177 0874        toast("比对已生成，开始逐条复核。");
04178 0875        const route = `comparisons/${id(result.id)}`;
04179 0876        if (state.route === route) await navigate();
04180 0877        else location.hash = route;
04181 0878      } else if (form.id === "sections-form") {
04182 0879        const sections = $$(".section-editor", form).map((editor) => ({
04183 0880          title: $("input", editor).value.trim(),
04184 0881          text: $("textarea", editor).value,
04185 0882        }));
04186 0883        if (sections.some((section) => !section.title))
04187 0884          throw new Error("每个章节都需要填写标题。");
04188 0885        if (!sections.length || !sections.some((section) => section.text.trim()))
04189 0886          throw new Error("请至少保留一个有正文的章节。");
04190 0887        const versionId = form.dataset.versionId;
04191 0888        await api(`/api/versions/${id(versionId)}/sections`, {
04192 0889          method: "PUT",
04193 0890          body: { sections },
04194 0891        });
04195 0892        toast("章节校正已保存，原始文件保持不变。");
04196 0893        await navigate();
04197 0894        await viewVersionModal(versionId);
04198 0895      }
04199 0896    } catch (error) {
04200 0897      modalError(error.message);
```

源文件范围：app/static/app.js:898 → app/reports.py:63

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
04201 0898    } finally {
04202 0899      form.dataset.busy = "false";
04203 0900      if (submit.isConnected) {
04204 0901        submit.disabled = false;
04205 0902        submit.innerHTML = previousText;
04206 0903      }
04207 0904    }
04208 0905  });
04209 0907  navigate();
04210 0001  """Portable review reports. All human-supplied HTML is escaped on output."""
04211 0003  from __future__ import annotations
04212 0005  import csv
04213 0006  from datetime import datetime, timezone
04214 0007  from html import escape
04215 0008  import io
04216 0009  import json
04217 0010  from typing import Any
04218 0013  STATUSES = {"pending": "待复核", "confirmed": "已确认", "ignored": "已忽略"}
04219 0014  KINDS = {"added": "新增章节", "removed": "删除章节", "modified": "内容修改"}
04220 0015  PRIORITIES = {"high": "重点关注", "normal": "常规"}
04221 0018  def _text(value: Any) -> str:
04222 0019      if value is None:
04223 0020          return ""
04224 0021      if isinstance(value, (dict, list)):
04225 0022          return json.dumps(value, ensure_ascii=False)
04226 0023      return str(value)
04227 0026  def _html(value: Any) -> str:
04228 0027      return escape(_text(value), quote=True)
04229 0030  def _csv_cell(value: Any) -> str:
04230 0031      """Prevent spreadsheet applications interpreting untrusted cells as formulae.
04231 0033      Leading whitespace can hide a formula marker, and tab/CR/LF themselves are
04232 0034      unsafe leading characters in some spreadsheet importers. Prefix the entire
04233 0035      original cell with a quote so the original content remains readable.
04234 0036      """
04235 0037      text = _text(value)
04236 0038      trimmed = text.lstrip(" \t\r\n\v\f\ufeff")
04237 0039      if (text[:1] in ("\t", "\r", "\n")) or (
04238 0040          trimmed and trimmed[0] in "=+-@"
04239 0041      ):
04240 0042          return "'" + text
04241 0043      return text
04242 0046  def _provenance(version: dict, label: str) -> str:
04243 0047      fields = (
04244 0048          ("版本名称", version.get("label")),
04245 0049          ("版本日期", version.get("version_date")),
04246 0050          ("资料来源", version.get("source")),
04247 0051          ("原始文件", version.get("filename")),
04248 0052          ("导入时间", version.get("created_at")),
04249 0053          ("SHA-256", version.get("sha256")),
04250 0054      )
04251 0055      rows = "".join(
04252 0056          f"<dt>{_html(key)}</dt><dd>{_html(value) or '—'}</dd>"
04253 0057          for key, value in fields
04254 0058      )
04255 0059      warnings = version.get("warnings") or []
04256 0060      warning_html = "".join(f"<li>{_html(w)}</li>" for w in warnings)
04257 0061      if warning_html:
04258 0062          warning_html = f'<ul class="warning">{warning_html}</ul>'
04259 0063      return f'<section class="version"><h3>{_html(label)}</h3><dl>{rows}</dl>{warni
04260 0063+ ng_html}</section>'
```

源文件范围：app/reports.py:66 → app/reports.py:116

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
04261 0066  def _change_html(change: dict, index: int) -> str:
04262 0067      status = _text(change.get("status", "pending"))
04263 0068      flags = change.get("flags") or []
04264 0069      flag_html = "".join(f'<span class="flag">{_html(flag)}</span>' for flag in fla
04265 0069+ gs)
04266 0070      segments = []
04267 0071      for segment in change.get("segments") or []:
04268 0072          text = _html(segment.get("text", ""))
04269 0073          op = segment.get("op")
04270 0074          if op == "delete":
04271 0075              segments.append(f"<del>{text}</del>")
04272 0076          elif op == "insert":
04273 0077              segments.append(f"<ins>{text}</ins>")
04274 0078          else:
04275 0079              segments.append(text)
04276 0080      inline = (
04277 0081          '<details><summary>逐字差异（删除线为旧内容，下划线为新内容）</summary>'
04278 0082          f'<pre class="inline-diff">{"".join(segments)}</pre></details>'
04279 0083          if segments else ""
04280 0084      )
04281 0085      return f"""
04282 0086      <article class="change">
04283 0087        <header class="change-title"><h3>{index:02d} · {_html(change.get('section_ti
04284 0087+ tle', '未命名章节'))}</h3>
04285 0088        <span class="badge">{_html(KINDS.get(change.get('kind'), change.get('kind',
04286 0088+ ''))}</span>
04287 0089        <span class="badge">{_html(PRIORITIES.get(change.get('priority'), change.get
04288 0089+ ('priority', ''))}</span>
04289 0090        <span class="badge">{_html(STATUSES.get(status, status))}</span></header>
04290 0091        <div class="flags">{flag_html}</div>
04291 0092        <div class="columns">
04292 0093          <section><h4>旧版原文</h4><p class="location">{_html(change.get('old_locat
04293 0093+ ion')) or '无对应章节'}</p>
04294 0094            <pre>{_html(change.get('old_text')) or '（无）'}</pre></section>
04295 0095          <section><h4>新版原文</h4><p class="location">{_html(change.get('new_locat
04296 0095+ ion')) or '无对应章节'}</p>
04297 0096            <pre>{_html(change.get('new_text')) or '（无）'}</pre></section>
04298 0097        </div>
04299 0098        {inline}
04300 0099        <section class="review"><h4>人工审核记录</h4>
04301 0100          <p>状态：{_html(STATUSES.get(status, status))}  ·  操作员：{_html(change.g
04302 0100+ et('reviewer')) or '—'}  ·  记录修订号：{_html(change.get('revision', 0))}</p>
04303 0101          <p>复核时间：{_html(change.get('reviewed_at')) or '尚未复核'}</p>
04304 0102          <p class="note">{_html(change.get('note')) or '未填写审核意见'}</p>
04305 0103        </section>
04306 0104      </article>"""
04307 0107  def _html_report(comparison: dict, exported_at: str) -> bytes:
04308 0108      changes = comparison.get("changes") or []
04309 0109      counts = {key: sum(c.get("status", "pending") == key for c in changes) for key
04310 0109+  in STATUSES}
04311 0110      old = comparison.get("old_version") or {}
04312 0111      new = comparison.get("new_version") or {}
04313 0112      warnings = "".join(f"<li>{_html(w)}</li>" for w in comparison.get("warnings")
04314 0112+ or [])
04315 0113      warning_block = f'<aside class="warning"><strong>比对提示</strong><ul>{warning
04316 0113+ s}</ul></aside>' if warnings else ""
04317 0114      blocks = "".join(_change_html(c, i + 1) for i, c in enumerate(changes))
04318 0115      if not blocks:
04319 0116          blocks = '<section class="empty">未检出章节内容差异。此结果不等同于临床或
04320 0116+ 法规一致性结论。</section>'
```

源文件范围：app/reports.py:117 → app/reports.py:141

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
04321 0117      html = f"""<!doctype html>
04322 0118  <html lang="zh-CN"><head><meta charset="UTF-8"><meta name="viewport" content="widt
04323 0118+ h=device-width,initial-scale=1">
04324 0119  <meta http-equiv="Content-Security-Policy" content="default-src 'none'; style-src
04325 0119+ 'unsafe-inline'; img-src data:; base-uri 'none'; form-action 'none'">
04326 0120  <title>说明书变更审核报告 #{_html(comparison.get('id'))}</title>
04327 0121  <style>
04328 0122  *{{box-sizing:border-box}}body{{margin:0;background:#f3f6f9;color:#1c3042;font:14p
04329 0122+ x/1.7 system-ui,-apple-system,"Microsoft YaHei",sans-serif}}
04330 0123  main{{max-width:1150px;margin:32px auto;background:white;padding:40px;border-radiu
04331 0123+ s:16px}}h1{{margin:0 0 10px;font-size:28px;line-height:1.4}}h2{{margin:28px 0 14px
04332 0123+ ;font-size:20px}}h3,h4{{margin:0 0 8px}}
04333 0124  .eyebrow{{color:#087f85;font-size:12px;letter-spacing:2px}}.muted,.location{{color
04334 0124+ :#5e6f7c}}.location{{font-size:12px;margin-top:0}}
04335 0125  .stats,.columns,.versions{{display:grid;grid-template-columns:repeat(2,minmax(0,1f
04336 0125+ r));gap:18px}}.stats{{grid-template-columns:repeat(4,minmax(0,1fr));margin:25px 0}
04337 0125+ }
04338 0126  .stat,.version{{padding:18px;border:1px solid #dce5ec;border-radius:10px}}.stat st
04339 0126+ rong{{display:block;font-size:26px;color:#087f85}}dl{{display:grid;grid-template-c
04340 0126+ olumns:76px minmax(0,1fr);gap:6px 10px;margin:0}}dt{{color:#5e6f7c}}dd{{margin:0;o
04341 0126+ verflow-wrap:anywhere}}
04342 0127  .change{{border:1px solid #dce5ec;border-radius:10px;margin:18px 0;padding:22px}}.
04343 0127+ change-title{{display:flex;gap:8px;align-items:center;flex-wrap:wrap}}.change-titl
04344 0127+ e h3{{margin-right:auto}}.badge,.flag{{display:inline-block;border-radius:4px;padd
04345 0127+ ing:2px 7px;font-size:12px;background:#eaf2f7}}.flag{{background:#fff0d4;color:#78
04346 0127+ 510a;margin:0 5px 8px 0}}.flags{{margin-top:8px}}
04347 0128  pre{{font:inherit;font-size:13px;white-space:pre-wrap;overflow-wrap:anywhere;backg
04348 0128+ round:#f6f8fa;padding:14px;border-radius:6px;margin:0}}.review{{margin-top:16px;bo
04349 0128+ rder-top:1px solid #dce5ec;padding-top:14px}}.review p{{margin:5px 0}}.note{{white
04350 0128+ -space:pre-wrap;overflow-wrap:anywhere}}details{{margin-top:14px}}summary{{cursor:
04351 0128+ pointer;color:#087f85}}del{{background:#fee4e4;text-decoration:line-through}}ins{{
04352 0128+ background:#d9f3e4;text-decoration:underline}}.warning{{background:#fff7e9;padding
04353 0128+ :14px;border-radius:8px}}.empty{{padding:28px;border:1px dashed #a8c4d2;border-rad
04354 0128+ ius:8px}}footer{{margin-top:30px;border-top:1px solid #dce5ec;padding-top:15px;col
04355 0128+ or:#5e6f7c;font-size:12px}}.print-tip{{font-size:12px;color:#5e6f7c}}
04356 0129  @media(max-width:700px){{main{{padding:20px;margin:0;border-radius:0}}.columns,.ve
04357 0129+ rsions{{grid-template-columns:1fr}}.stats{{grid-template-columns:repeat(2,1fr)}}}}
04358 0130  @media print{{@page{{size:A4;margin:15mm}}body{{background:white;font-size:10pt}}m
04359 0130+ ain{{padding:0;margin:0;max-width:none}}.print-tip{{display:none}}.change{{break-i
04360 0130+ nside:auto;border-radius:0}}.change-title,.review{{break-inside:avoid}}pre{{font-s
04361 0130+ ize:9pt}}a{{color:inherit}}details{{display:none}}}}
04362 0131  </style></head><body><main>
04363 0132  <div class="eyebrow">MEDLABEL REVIEW · V1.0</div>
04364 0133  <h1>药品说明书版本比对与变更审核报告</h1>
04365 0134  <p><strong>{_html(comparison.get('drug_name', ''))}</strong> · 比对任务 #{_html(co
04366 0134+ mparison.get('id'))}</p>
04367 0135  <p class="muted">任务创建：{_html(comparison.get('created_at'))}  ｜  导出时间：{_
04368 0135+ html(exported_at)}（UTC）</p>
04369 0136  <p class="print-tip">可使用浏览器“打印 / 另存为 PDF”保存此报告。</p>
04370 0137  <div class="stats"><div class="stat"><strong>{len(changes)}</strong>变更章节</div>
04371 0137+ <div class="stat"><strong>{counts['pending']}</strong>待复核</div><div class="stat
04372 0137+ "><strong>{counts['confirmed']}</strong>已确认</div><div class="stat"><strong>{cou
04373 0137+ nts['ignored']}</strong>已忽略</div></div>
04374 0138  <p class="muted">未变更章节：{_html(comparison.get('unchanged_sections', 0))}。本
04375 0138+ 报告反映导出时点的审核状态。</p>
04376 0139  <h2>资料来源与版本追溯</h2><div class="versions">{_provenance(old, '旧版')}{_prove
04377 0139+ nance(new, '新版')}</div>
04378 0140  {warning_block}<h2>章节差异与审核意见</h2>{blocks}
04379 0141  <footer>药品说明书版本比对与变更审核系统 V1.0。此工具用于文本比对与记录整理，不判
04380 0141+ 断临床正确性或替代专业审核。操作员名称是本地配置的记录标签，未经身份认证；本报告不
```

源文件范围：app/reports.py:141 → app/demo.py:2

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
04381 0141+ 构成电子签名。行号指向提取文本，手工校正章节的位置应结合原始文件复核。文件 SHA-256
04382 0141+  用于核对原始文件内容。</footer>
04383 0142  </main></body></html>"""
04384 0143      return html.encode("utf-8")
04385 0146  def _csv_report(comparison: dict, exported_at: str) -> bytes:
04386 0147      stream = io.StringIO(newline="")
04387 0148      writer = csv.writer(stream)
04388 0149      writer.writerow([
04389 0150          "任务 ID", "药品名称", "导出时间 UTC", "旧版名称", "旧版日期", "旧版来源", "
04390 0150+ 旧版文件", "旧版 SHA256",
04391 0151          "新版名称", "新版日期", "新版来源", "新版文件", "新版 SHA256", "章节", "变
04392 0151+ 化类型", "关注级别",
04393 0152          "旧版位置", "新版位置", "旧版内容", "新版内容", "关注标记", "审核状态", "
04394 0152+ 审核意见", "本地操作员（未认证）", "复核时间", "修订号",
04395 0153      ])
04396 0154      old, new = comparison.get("old_version") or {}, comparison.get("new_version")
04397 0154+ or {}
04398 0155      common = [comparison.get("id"), comparison.get("drug_name"), exported_at]
04399 0156      for version in (old, new):
04400 0157          common.extend(version.get(key) for key in ("label", "version_date", "sourc
04401 0157+ e", "filename", "sha256"))
04402 0158      changes = comparison.get("changes") or []
04403 0159      if not changes:
04404 0160          writer.writerow([_csv_cell(value) for value in common + ["未检出章节内容差
04405 0160+ 异"] + [""] * 12])
04406 0161      for change in changes:
04407 0162          row = common + [
04408 0163              change.get("section_title"), KINDS.get(change.get("kind"), change.get(
04409 0163+ "kind")),
04410 0164              PRIORITIES.get(change.get("priority"), change.get("priority")),
04411 0165              change.get("old_location"), change.get("new_location"), change.get("ol
04412 0165+ d_text"), change.get("new_text"),
04413 0166              "; ".join(_text(flag) for flag in change.get("flags") or []),
04414 0167              STATUSES.get(change.get("status"), change.get("status")), change.get("
04415 0167+ note"),
04416 0168              change.get("reviewer"), change.get("reviewed_at"), change.get("revisio
04417 0168+ n"),
04418 0169          ]
04419 0170          writer.writerow([_csv_cell(value) for value in row])
04420 0171      return stream.getvalue().encode("utf-8-sig")
04421 0174  def export_report(comparison: dict, format: str) -> tuple[bytes, str, str]:
04422 0175      """Return a ready-to-download body, content type, and safe ASCII filename."""
04423 0176      exported_at = datetime.now(timezone.utc).isoformat(timespec="seconds")
04424 0177      identifier = str(comparison.get("id", "report"))
04425 0178      safe_id = "".join(char for char in identifier if char.isascii() and (char.isal
04426 0178+ num() or char in "-_")) or "report"
04427 0179      if format == "html":
04428 0180          return _html_report(comparison, exported_at), "text/html; charset=utf-8",
04429 0180+ f"comparison-{safe_id}.html"
04430 0181      if format == "csv":
04431 0182          return _csv_report(comparison, exported_at), "text/csv; charset=utf-8", f"
04432 0182+ comparison-{safe_id}.csv"
04433 0183      if format == "json":
04434 0184          payload = dict(comparison)
04435 0185          payload["exported_at"] = exported_at
04436 0186          return json.dumps(payload, ensure_ascii=False, indent=2).encode("utf-8"),
04437 0186+ "application/json; charset=utf-8", f"comparison-{safe_id}.json"
04438 0187      raise ValueError("不支持的导出格式，请选择 html、csv 或 json。")
04439 0001  """Fictional demonstration material, never real prescribing information."""
04440 0002  DRUG = {
```

源文件范围：app/demo.py:3 → app/demo.py:54

左列为显示序号，次列为原始文件行号；+ 表示同一源行的续行。

```
04441 0003      "name": "示例药品 A（模拟）",
04442 0004      "manufacturer": "虚构教学制药公司",
04443 0005      "specification": "仅用于软件演示",
04444 0006      "approval_number": "SIMULATED-NOT-APPROVED",
04445 0007      "notes": "模拟示例，不用于临床。所有名称、数据和变更均为虚构。",
04446 0008  }
04447 0010  OLD_TEXT = """模拟示例，不用于临床。以下为虚构说明书，用于演示文本比对。
04448 0011  【药品名称】
04449 0012  示例药品 A（模拟）
04450 0013  【成份】
04451 0014  虚构成份甲；本示例不对应任何真实药物。
04452 0015  【性状】
04453 0016  演示用白色片状物。
04454 0017  【适应症】
04455 0018  仅用于演示说明书软件，不具有任何适应症。
04456 0019  【用法用量】
04457 0020  测试字段：数值 10 mg。此字段为虚构测试数据，禁止据此用药。
04458 0021  【禁忌】
04459 0022  演示规则甲：禁止用于临床。
04460 0023  【不良反应】
04461 0024  无真实临床数据；待补充演示字段。
04462 0025  【贮藏】
04463 0026  测试温度字段：20 ℃。此字段不构成储存指导。
04464 0027  【包装】
04465 0028  模拟包装 A。
04466 0029  【说明书修订日期】
04467 0030  2026-01-01
04468 0031  """
04469 0033  NEW_TEXT = """模拟示例，不用于临床。以下为虚构说明书，用于演示文本比对。
04470 0034  【药品名称】
04471 0035  示例药品 A（模拟）
04472 0036  【成份】
04473 0037  虚构成份甲；本示例不对应任何真实药物。
04474 0038  【性状】
04475 0039  演示用白色片状物。
04476 0040  【适应症】
04477 0041  仅用于演示说明书软件，不具有任何适应症。
04478 0042  【用法用量】
04479 0043  测试字段：数值 15 mg。此字段为虚构测试数据，禁止据此用药。
04480 0044  【禁忌】
04481 0045  演示规则甲：禁止用于临床。新增演示规则乙：不得替代药师审核。
04482 0046  【不良反应】
04483 0047  无真实临床数据；新增虚构字段用于演示变化定位。
04484 0048  【注意事项】
04485 0049  请由人工审核软件识别出的差异；本材料为模拟示例，不用于临床。
04486 0050  【贮藏】
04487 0051  测试温度字段：20 ℃。此字段不构成储存指导。
04488 0052  【说明书修订日期】
04489 0053  2026-06-01
04490 0054  """
```