

Activity: Filter with grep

Task 1. Search for error messages in a log file

In this task, you must navigate to the `/home/analyst/logs` directory and report on the error messages in the `server_logs.txt` file. You'll do this by using `grep` to search the file and output only the entries that are for errors.

1. Navigate to the `/home/analyst/logs` directory.
2. Use `grep` to filter the `server_logs.txt` file, and return all lines containing the text string `error`.

```
analyst@90c2a2d4f90a:~$ cd /home/analyst/logs
analyst@90c2a2d4f90a:~/logs$ grep error server_logs.txt
2022-09-28 13:56:22 error    The password is incorrect
2022-09-28 15:56:22 error    The username is incorrect
2022-09-28 16:56:22 error    The password is incorrect
2022-09-29 13:56:22 error    An unexpected error occurred
2022-09-29 15:56:22 error    Unauthorized access
2022-09-29 16:56:22 error    Unauthorized access
```

How many error lines are there in the `server_logs.txt` file?

☒ Six

☐ Three

☐ Two

☐ Eight

Submit

Task 2. Find files containing specific strings

In this task, you must navigate to the `/home/analyst/reports/users` directory and use the correct Linux commands and arguments to search for user data files that contain a specific string in their names.

1. Navigate to the `/home/analyst/reports/users` directory.
2. Using the pipe character (`|`), pipe the output of the `ls` command to the `grep` command to list only the files containing the string `Q1` in their names.

3. List the files that contain the word **access** in their names.

```
analyst@90c2a2d4f90a:~/logs$ cd /home/analyst/reports/users
analyst@90c2a2d4f90a:~/reports/users$ ls | grep Q1
Q1_access.txt
Q1_added_users.txt
Q1_deleted_users.txt
analyst@90c2a2d4f90a:~/reports/users$ ls | grep access
Q1_access.txt
Q2_access.txt
Q3_access.txt
Q4_access.txt
```

How many files in the /home/analyst/reports/users subdirectory contain "Q1" in their names?

- ☐ Two
- ☒ Three
- ☐ One
- ☐ Five

Submit

How many files in the /home/analyst/reports/users directory contain "access" in their names?

- ☒ Four
- ☐ None
- ☐ Five
- ☐ Three

Submit

Task 3. Search more file contents

In this task, you must search for information contained in user files and report on users that were added and deleted from the system.

1. Display the files in the `/home/analyst/reports/users` directory.
2. Search the `Q2_deleted_users.txt` file for the username `jhill`.
3. Search the `Q4_added_users.txt` file to list the users who were added to the `Human Resources` department.

```
analyst@90c2a2d4f90a:~/reports/users$ ls /home/analyst/reports/users
```

```
Q1_access.txt      Q2_added_users.txt  Q3_deleted_users.txt
Q1_added_users.txt Q2_deleted_users.txt Q4_access.txt
Q1_deleted_users.txt Q3_access.txt      Q4_added_users.txt
Q2_access.txt      Q3_added_users.txt  Q4_deleted_users.txt
```

```
analyst@90c2a2d4f90a:~/reports/users$ grep jhill Q2_deleted_users.txt
11025      jhill      Sales
```

```
analyst@90c2a2d4f90a:~/reports/users$ grep "Human Resources" Q4_added_users.txt
```

```
11151      sshan      Human Resources
11145      msosa      Human Resources
analyst@90c2a2d4f90a:~/reports/users$
```

Did you find the username `jhill` in the `Q2_deleted_users.txt` file?

☐ No



☒ Yes

Submit

How many users were added to the `Human Resources` department in quarter 4?

☐ Five

☐ One

☐ Three



☒ Two

Submit