Thread-Level Parallelism

15-213: Introduction to Computer Systems
26th Lecture, April 26, 2018

Instructor:

Franz Franchetti, Seth Copen Goldstein, and Brian Railing

Today

- **Parallel Computing Hardware**
  - Multicore
    - Multiple separate processors on single chip
  - Hyperthreading
    - Efficient execution of multiple threads on single core

- **Thread-Level Parallelism**
  - Splitting program into independent tasks
    - Example 1: Parallel summation
  - Divide-and conquer parallelism
   - Example 2: Parallel quicksort

- **Consistency Models**
  - What happens when multiple threads are reading & writing shared state

Exploiting parallel execution

- **So far, we've used threads to deal with I/O delays**
  - e.g., one thread per client to prevent one from delaying another
- **Multi-core/Hyperthreaded CPUs offer another opportunity**
  - Spread work over threads executing in parallel
  - Happens automatically, if many independent tasks
    - e.g., running many applications or serving many clients
  - Can also write code to make one big task go faster
    - by organizing it as multiple parallel sub-tasks

# Typical Multicore Processor

- **Multiple processors operating with coherent view of memory**

Out-of-Order Processor Structure

- **Instruction control dynamically converts program into stream of operations**

- **Operations mapped onto functional units to execute in parallel**

Hyperthreading Implementation

- **Replicate instruction control to process K instruction streams**
- **K copies of all registers**
- **Share functional units**

Benchmark Machine

- **Get data about machine from /proc/cpuinfo**

- **Shark Machines**

  - Intel Xeon E5520 @ 2.27 GHz

  - Nehalem, ca. 2010

  - 8 Cores

  - Each can do 2x hyperthreading

Example 1: Parallel Summation

- **Sum numbers *0, …, n-1***
  - Should add up to *((n-1)*n)/2*

- **Partition values *1, …, n-1* into *t* ranges**
  - $\lfloor n/t \rfloor$ values in each range
  - Each of *t* threads processes 1 range
  - For simplicity, assume *n* is a multiple of *t*

- **Let's consider different ways that multiple threads might work on their assigned ranges in parallel**

First attempt: `psum-mutex`

- **Simplest approach: Threads sum into a global variable protected by a semaphore mutex.**

```c
void *sum_mutex(void *vargp); /* Thread routine */

/* Global shared variables */
long gsum = 0;              /* Global sum */
long nelems_per_thread;   /* Number of elements to sum */
sem_t mutex;               /* Mutex to protect global sum */

int main(int argc, char **argv)
{
    long i, nelems, log_nelems, nthreads, myid[MAXTHREADS];
    pthread_t tid[MAXTHREADS];

     /* Get input arguments */
    nthreads = atoi(argv[1]);
    log_nelems = atoi(argv[2]);
    nelems = (1L << log_nelems);
    nelems_per_thread = nelems / nthreads;
    sem_init(&mutex, 0, 1);
```

psum-mutex.c

`psum-mutex` (cont)

- **Simplest approach: Threads sum into a global variable protected by a semaphore mutex.**

Thread ID

Thread routine

*Thread arguments (void *p)*

```
/* Create peer threads and wait for them to finish */
for (i = 0; i < nthreads; i++) {
    myid[i] = i;
    Pthread_create(&tid[i], NULL, sum_mutex, &myid[i]);
}
for (i = 0; i < nthreads; i++)
    Pthread_join(tid[i], NULL);

/* Check final answer */
if (gsum != (nelems * (nelems-1))/2)
    printf("Error: result=%ld\n", gsum);

return 0;
}
```

psum-mutex.c

`psum-mutex` Thread Routine

- **Simplest approach: Threads sum into a global variable protected by a semaphore mutex.**

```c
/* Thread routine for psum-mutex.c */
void *sum_mutex(void *vargp)
{
    long myid = *((long *)vargp);         /* Extract thread ID */
    long start = myid * nelems_per_thread; /* Start element index */
    long end = start + nelems_per_thread;  /* End element index */
    long i;

    for (i = start; i < end; i++) {
        P(&mutex);
        gsum += i;
        V(&mutex);
    }
    return NULL;
}
```

psum-mutex.c

`psum-mutex` Performance

- **Shark machine with 8 cores, n=2^{31}**

Threads (Cores)	1 (1)	2 (2)	4 (4)	8 (8)	16 (8)
psum-mutex (secs)	51	456	790	536	681

- **Nasty surprise:**
  - **Single thread is very slow**
  - **Gets slower as we use more cores**

Bryant and O'Hallaron, Computer Systems: A Programmer's Perspective, Third Edition

Next Attempt: `psum-array`

- **Peer thread `i` sums into global array element `psum[i]`**
- **Main waits for theads to finish, then sums elements of `psum`**
- **Eliminates need for mutex synchronization**

```c
/* Thread routine for psum-array.c */
void *sum_array(void *vargp)
{
    long myid = *((long *)vargp);        /* Extract thread ID */
    long start = myid * nelems_per_thread; /* Start element index */
    long end = start + nelems_per_thread;  /* End element index */
    long i;

    for (i = start; i < end; i++) {
        psum[myid] += i;
    }
    return NULL;
}
```
psum-array.c

`psum-array` Performance

- **Orders of magnitude faster than `psum-mutex`**

Parallel Summation

Next Attempt: `psum-local`

- **Reduce memory references by having peer thread i sum into a local variable (register)**

```c
/* Thread routine for psum-local.c */
void *sum_local(void *vargp)
{
    long myid = *((long *)vargp);          /* Extract thread ID */
    long start = myid * nelems_per_thread; /* Start element index */
    long end = start + nelems_per_thread;  /* End element index */
    long i, sum = 0;

    for (i = start; i < end; i++) {
        sum += i;
    }
    psum[myid] = sum;
    return NULL;
}
```

psum-local.c

`psum-local` Performance

- ■ **Significantly faster than `psum-array`**

Parallel Summation

Characterizing Parallel Program Performance

- **p processor cores, T_k is the running time using k cores**

- **Def. *Speedup*: $S_p = T_1 / T_p$**
  - S_p is *relative speedup* if T_1 is running time of parallel version of the code running on 1 core
  - S_p is *absolute speedup* if T_1 is running time of sequential version of code running on 1 core
  - Absolute speedup is a much truer measure of the benefits of parallelism

- **Def. *Efficiency*: $E_p = S_p / p = T_1 / (p T_p)$**
  - Reported as a percentage in the range (0, 100]
  - Measures the overhead due to parallelization

- **Is super-linear speed-up ($S_p > p$, $E_p > 100\%$) possible?**
  - Yes: Due to hyperthreading and cache effects

Performance of `psum-local`

Threads (t)	1	2	4	8	16
Cores (p)	1	2	4	8	8
Running time (T_p)	1.98	1.14	0.60	0.32	0.33
Speedup (S_p)	1	1.74	3.30	6.19	6.00
Efficiency (E_p)	100%	87%	82%	77%	75%

■ **Efficiencies OK, not great**

■ **Our example is easily parallelizable**

■ **Real codes are often much harder to parallelize**

▪ **e.g., parallel quicksort later in this lecture**

Amdahl's Law

- Gene Amdahl (Nov. 16, 1922 – Nov. 10, 2015)

- **Captures the difficulty of using parallelism to speed things up.**

- **Overall problem**
  - T   Total sequential time required
  - p   Fraction of total that can be sped up ($0 \leq p \leq 1$)
  - k   Speedup factor

- **Resulting Performance**
  - $T_k = pT/k + (1-p)T$
    - Portion which can be sped up runs k times faster
    - Portion which cannot be sped up stays the same
  - Least possible running time:
    - $k = \infty$
    - $T_\infty = (1-p)T$

Amdahl's Law Example

- **Overall problem**
  - T = 10   Total time required
  - p = 0.9   Fraction of total which can be sped up
  - k = 9   Speedup factor

- **Resulting Performance**
  - T_9 = 0.9 * 10/9 + 0.1 * 10 = 1.0 + 1.0 = 2.0
  - Least possible running time:
    - T_∞ = 0.1 * 10.0 = 1.0

- **Limit on *strong scaling*: fixed problem size, increasing cores**
- **Not on *weak scaling*: problem size scales with increasing cores**

Quiz Time (actually, not yet—just copy the password for now…)

*Reckturm*: One of the corner towers of Eiener Neustadt's historic city wall (from A.D. 1194).

Check out: quiz: day 26 – Thread Level Parallelism

https://canvas.cmu.edu/courses/3822

A More Substantial Example: Sort

- **Sort set of N random numbers**

- **Multiple possible algorithms**
  - Use parallel version of quicksort

- **Sequential quicksort of set of values X**
  - Choose "pivot" p from X
  - Rearrange X into
    - L: Values $\leq$ p   (when value=p, break tie by array index)
    - R: Values $\geq$ p
  - Recursively sort L to get L'
  - Recursively sort R to get R'
  - Return L' : p : R'

Sequential Quicksort Visualized

Sequential Quicksort Visualized

Sequential Quicksort Code

```
void qsort_serial(data_t *base, size_t nele) {
  if (nele <= 1)
    return;
  if (nele == 2) {
    if (base[0] > base[1])
      swap(base, base+1);
    return;
  }

  /* Partition returns index of pivot */
  size_t m = partition(base, nele);
  if (m > 1)
    qsort_serial(base, m);
  if (nele-1 > m+1)
    qsort_serial(base+m+1, nele-m-1);
}
```

- **Sort nele elements starting at base**
 - Recursively sort L or R if has more than one element

Parallel Quicksort

- **Parallel quicksort of set of values X of size N**
  - If $N \leq$ Nthresh, do sequential quicksort
  - Else
    - Choose "pivot" p from X
    - Rearrange X into
      - L: Values $\leq$ p
      - R: Values $\geq$ p
    - Recursively spawn separate threads
      - Sort L to get L'
      - Sort R to get R'
    - Return L' : p : R'

Parallel Quicksort Visualized

Thread Structure: Sorting Tasks

Task Threads

- **Task: Sort subrange of data**
  - Specify as:
    - `base`: Starting address
    - `nele`: Number of elements in subrange
- **Run as separate thread**

Small Sort Task Operation

Task Threads

- **Sort subrange using serial quicksort**

Large Sort Task Operation

Partition Subrange

Spawn 2 tasks

Top-Level Function (Simplified)

```
void tqsort(data_t *base, size_t nele) {
    init_task(nele);
    global_base = base;
    global_end = global_base + nele - 1;
    task_queue_ptr tq = new_task_queue();
    tqsort_helper(base, nele, tq);
    join_tasks(tq);
    free_task_queue(tq);
}
```

- **Sets up data structures**

- **Calls recursive sort routine**

- **Keeps joining threads until none left**

- **Frees data structures**

Recursive sort routine (Simplified)

```
/* Multi-threaded quicksort */
static void tqsort_helper(data_t *base, size_t nele,
                          task_queue_ptr tq) {
    if (nele <= nele_max_sort_serial) {
        /* Use sequential sort */
        qsort_serial(base, nele);
        return;
    }
    sort_task_t *t = new_task(base, nele, tq);
    spawn_task(tq, sort_thread, (void *) t);
}
```

- **Small partition: Sort serially**
- **Large partition: Spawn new sort task**

Sort task thread (Simplified)

```c
/* Thread routine for many-threaded quicksort */
static void *sort_thread(void *vargp) {
    sort_task_t *t = (sort_task_t *) vargp;
    data_t *base = t->base;
    size_t nele = t->nele;
    task_queue_ptr tq = t->tq;
    free(vargp);
    size_t m = partition(base, nele);
    if (m > 1)
        tqsort_helper(base, m, tq);
    if (nele-1 > m+1)
        tqsort_helper(base+m+1, nele-m-1, tq);
    return NULL;
}
```

- **Get task parameters**
- **Perform partitioning step**
- **Call recursive sort routine on each partition**

Parallel Quicksort Performance

- **Serial fraction: Fraction of input at which do serial sort**
- **Sort 2^{27} (134,217,728) random values**
- **Best speedup = 6.84X**

Parallel Quicksort Performance

- ■ **Good performance over wide range of fraction values**
  - ▪ F too small: Not enough parallelism
  - ▪ F too large: Thread overhead + run out of thread memory

Amdahl's Law & Parallel Quicksort

- **Sequential bottleneck**
  - Top-level partition: No speedup
  - Second level: $\leq$ 2X speedup
  - k^{th} level: $\leq 2^{k-1}$X speedup

- **Implications**
  - Good performance for small-scale parallelism
  - Would need to parallelize partitioning step to get large-scale parallelism
    - Parallel Sorting by Regular Sampling
      - H. Shi & J. Schaeffer, J. Parallel & Distributed Computing, 1992

Parallelizing Partitioning Step

X_1	X_2	X_3	X_4

p

Parallel partitioning based on global p

L_1	R_1		L_2	R_2		L_3	R_3		L_4	R_4

Reassemble into partitions

L_1	L_2	L_3	L_4	R_1	R_2	R_3	R_4

Experience with Parallel Partitioning

- **Could not obtain speedup**

- **Speculate: Too much data copying**
  - Could not do everything within source array
  - Set up temporary space for reassembling partition

Lessons Learned

- **Must have parallelization strategy**
  - Partition into K independent parts
  - Divide-and-conquer

- **Inner loops must be synchronization free**
  - Synchronization operations very expensive

- **Beware of Amdahl's Law**
  - Serial code can become bottleneck

- **You can do it!**
  - Achieving modest levels of parallelism is not difficult
  - Set up experimental framework and test multiple strategies

Today

- **Parallel Computing Hardware**
  - Multicore
    - Multiple separate processors on single chip
  - Hyperthreading
    - Efficient execution of multiple threads on single core
- **Thread-Level Parallelism**
  - Splitting program into independent tasks
    - Example 1: Parallel summation
  - Divide-and conquer parallelism
    - Example 2: Parallel quicksort
- **Consistency Models**
  - What happens when multiple threads are reading & writing shared state

Memory Consistency

```
int a = 1;
int b = 100;
```

```
Thread1:
Wa:  a = 2;
Rb:   print(b);
```

```
Thread2:
Wb:  b = 200;
Ra:   print(a);
```

Thread consistency constraints

Wa ⟶ **Rb**

Wb ⟶ **Ra**

- **What are the possible values printed?**
  - Depends on memory consistency model
  - Abstract model of how hardware handles concurrent accesses
- **Sequential consistency**
  - Overall effect consistent with each individual thread
  - Otherwise, arbitrary interleaving

Sequential Consistency Example

```
int a = 1;
int b = 100;
```

```
Thread1:
Wa:  a = 2;
Rb:  print(b);
```

```
Thread2:
Wb: b = 200;
Ra:  print(a);
```

**Thread consistency
constraints**

Wa ———————— Rb

Wb ———————— Ra

Rb ——— Wb ——— Ra   **100, 2**

Wa

Wb   Rb ——— Ra   **200, 2**

Ra ——— Rb   **2, 200**

Ra ——— Wa ——— Rb   **1, 200**

Wb

Wa   Ra ——— Rb   **2, 200**

Rb ——— Ra   **200, 2**

- **Impossible outputs**
  - 100, 1 and 1, 100
  - Would require reaching both Ra and Rb before Wa and Wb

Non-Coherent Cache Scenario

- **Write-back caches, without coordination between them**

```
int a = 1;
int b = 100;
```

Thread1:	Thread2:
Wa: a = 2;	Wb: b = 200;
Rb: print(b);	Ra: print(a);

Thread1 Cache

a:2	b:100

Thread2 Cache

a:1	b:200

Main Memory

a:1	b:100

print 1

print 100

Snoopy Caches

- **Tag each cache block with state**

Invalid	Cannot use value
Shared	Readable copy
Exclusive	Writeable copy

```
int a = 1;
int b = 100;
```

```
Thread1:
Wa:  a = 2;
Rb:  print(b);
```

```
Thread2:
Wb:  b = 200;
Ra:  print(a);
```

Thread1 Cache

E	a:2

Thread2 Cache

E	b:200

Main Memory

T1	a:1

| T2	b:100

Snoopy Caches

- **Tag each cache block with state**

  Invalid   Cannot use value

  Shared   Readable copy

  Exclusive   Writeable copy

```
int a = 1;
int b = 100;
```

Thread1:	Thread2:
Wa: a = 2;	Wb: b = 200;
Rb: print(b);	Ra: print(a);

Thread1 Cache

S	a:2
S	b:200

Thread2 Cache

S	a:2
S	b:200

print 2

print 200

Main Memory

S	a:2

| S	b:200

- When cache sees request for one of its E-tagged blocks
  - Supply value from cache
  - Set tag to S

Non-Sequentially Consistent Scenario

- **Thread consistency constraints violated due to out-of-order execution**

```
int a = 1;
int b = 100;
```

Thread1:	Thread2:
Wa: a = 2;	Wb: b = 200;
Rb: print(b);	Ra: print(a);

a:2   b:200

Thread1 Cache   **Thread2 Cache**

b:100   a:1

Main Memory

a:1   b:100

print 1

print 100

- **Fix: Add SFENCE instructions between Wa & Rb and Wb & Ra**

Recap

- **Parallel Computing Hardware**
  - Multicore
    - Multiple separate processors on single chip
  - Hyperthreading
    - Efficient execution of multiple threads on single core

- **Thread-Level Parallelism**
  - Splitting program into independent tasks
    - Example 1: Parallel summation
  - Divide-and conquer parallelism
    - Example 2: Parallel quicksort

- **Consistency Models**
  - What happens when multiple threads are reading & writing shared state