
U-45 CALCULATORS

User Manual

Calculator #35 Advanced Multi-View Scientific (black/orange)

Scientific – natural display



Complete kit: functions · numbered key map · worked examples · tricks & hacks · shortcuts · common mistakes · practice drills

About this manual

This manual belongs to the **U-45 CALCULATORS** app and describes calculator **#35 — Advanced Multi-View Scientific (black/orange)** exactly as it behaves in the app. Every worked example and every drill answer in this book was run on the app's own keys by an automated checker before printing; only results that matched were kept.

How key presses are written

Keys are written as a chip showing the **key number** and its face, for example [#1 2nd]. Numbers follow the numbering printed on the keys (switch it on with "# On"). A shifted function is written as two chips: the shift key, then the key that carries the function.

Entry style of this model

algebraic (type the expression as written, then = / EXE).

Chapters

1. Getting started
2. Features
3. Numbered key map
4. Key-by-key reference
5. Worked examples
6. Tricks & hacks
7. Keyboard shortcuts
8. Common mistakes
9. Practice drills
10. Appendix A — Drill answers
11. Appendix B — Function finder (A–Z)

12. Appendix C — Glossary

13. Appendix D — Model notes & limits

14. Appendix E — Quick-reference card

1 · Getting started

Open U-45 CALCULATORS, choose **#35** from the home screen (or the jump list at the top), and the calculator appears with its numbered, colour-coded keys. Click or tap keys, or type on a keyboard.

Numbers on every key

Every key carries a small number in the same reading order as this manual (left → right, top → bottom; the navigation pad counts ▲ ▼ ◀ ▶ then its centre). Use "# On / # Off" in the bar above the calculator to show or hide them — the setting is remembered.

High-contrast colours

Keys are coloured by job: white = digits, yellow = operators/execute, blue = functions, green = memory/variables, red = clear/delete/power, black with cyan = shift/modes/menus/navigation. Press "Classic" to return to the original model colours and "Hi-Contrast" to come back.

Three typefaces

Display text uses the U45 Display face, key legends use U45 Keys (a condensed face that stays readable on small keys) and key numbers / helper text use U45 Mono. All three are bundled inside the app, so they work offline.

Copy the display

The Copy button copies exactly what the display shows (indicators that are switched off are skipped) so you can paste a result into a message or spreadsheet.

Fit or 1:1

Fit scales the calculator to your screen; 1:1 shows it at its design size. On a phone, Fit is the comfortable choice.

Reset

Reset rebuilds this calculator from scratch: display, memory, stack and modes return to their start-up state. Use it before each worked example in this manual.

Keyboard

On a computer you can type: digits, + − * / ^ ( ), Enter or = to execute, Backspace to delete, Esc to clear, arrows to move. Letters reach common functions (see the Keyboard shortcuts chapter).

Tooltips

Hover over (or long-press) a key to see "#number name".

Tools rail (v1.4)

A cyan icon rail on the right of every calculator opens 15 panels: Currency (166 currencies, rates auto-updated from open.er-api.com or Frankfurter when online and cached with a date; the bundled dated snapshot is used offline), Units (exact SI factors), Health (published formulas, not medical advice), Simple, Complex, Loans, Construction, Mechanical and Engineering (30+ numbered tools each), Calendar generator, Customize (26 options, saved per calculator), Settings (31 options), History, Hide and View. On narrow phones the rail shows icons only.

History (v1.4)

Every calculation is logged per calculator with a date and time. Open History on the rail to search, re-use (types the input back into the calculator), copy, delete one, select several and delete, or delete all (asks for confirmation). History is stored encrypted on this device (AES-GCM); exporting it needs the passcode.

Camera Solve (v1.4)

The green CS button between Restore and Social reads a problem from the camera, a photo, a PDF or a text file. Recognition (Tesseract OCR, English) runs offline on the device; an online language download is only used if you switch it on in Settings. Check and edit the recognised text, then Solve shows the steps offline. OCR is not available when the app is opened as a plain file:// page in a browser.

Layouts and view modes (v1.4)

The layout selector between Fit and # offers Auto plus 12 layouts: 3D classic, 3D high-contrast, Classic, Pocket, Compact, Expanded, Desktop wide, Split, One-hand left, One-hand right, Large print and Minimal. Auto picks one for your screen and your choice is remembered per calculator. The View panel hides the top bars, the tool bar, the rail or everything (full screen); the round yellow ⤢ button at bottom-left (or Esc) always restores the normal view.

Hide items (v1.4)

The Hide panel lists every button, rail icon and section of this calculator as tick boxes. Hiding is instant; unhiding asks for the app passcode.

Image protection (v1.4)

Right-click, drag and long-press saving of images is blocked inside the app. Saving or sharing an image export (PNG, JPG, QR, calendar), printing a calendar, and downloading or sharing the app itself ask for the passcode, and exported images carry a U-45 watermark. Honest note: this cannot stop a screenshot or screen recording made by the operating system or another device.

Works offline

U-45 CALCULATORS is an offline app: after the first load everything — including fonts — comes from the device.

Colour groups on this calculator

Colour	Group	Keys on this model
num	Digits & number entry	#12, #27, #28, #29, #32, #33, #34, #37, #38, #39, #42, #43, #44
op	Operators & execute	#20, #21, #23, #24, #25, #30, #35, #45
fn	Functions	#8, #11, #13, #14, #16, #17, #18, #19, #22, #26, #40
mem	Memory, variables & registers	#10, #31, #36
clr	Clear, delete & power	#3, #15, #41
mod	Shift, modes, menus & navigation	#1, #2, #4, #5, #6, #7, #9

2 · Features

69 features: 47 live on the keys, 9 app/UI features, 13 planned (documented but not yet working — they are clearly marked and never used in examples).

1. LIVE **Advanced MultiView display with history**
2. LIVE **Multi-tap keys cycle all printed functions (ln/log, e^n/10^n, sin/cos/tan …)**
3. LIVE **2nd: num-solv, poly-solv, sys-solv**
4. LIVE **Matrix, vector and complex menus**
5. LIVE **Hex digits A–F on keys in base-n mode**
6. LIVE **Fraction template ▭/▭ with exact fraction results**
7. LIVE **Mixed-number entry (a b/c) and improper ↔ mixed conversion**
8. LIVE **S⇔D / F⇔D toggle between exact (fraction, √, π) and decimal answers**
9. LIVE **Square root √**
10. LIVE **Any-index root $^x\sqrt{y}$**
11. LIVE **Square x^2**
12. LIVE **Power x^y / ^ with right-to-left chaining (2^3^2 = 512)**
13. LIVE **Natural logarithm ln**
14. LIVE **Exponential e^x**
15. LIVE **Trigonometry sin / cos / tan honouring the current angle unit**
16. LIVE **Angle units DEG / RAD / GRA with unit-suffix conversion (°, ^{r}, ^{g})**
17. LIVE **Factorial x! (exact up to 69!)**
18. LIVE **Percent key (x %, add-on and discount chains)**
19. LIVE **π constant to full internal precision**
20. LIVE **Scientific-notation entry ×10^x / EXP / EEX**

21. LIVE **Sign change (−) / +/− / CHS**
22. LIVE **Ans recall of the last result; operators auto-insert Ans**
23. LIVE **Store a value into memory / a variable (STO, sto►, →, Min)**
24. LIVE **Recall memory / variables (RCL, MR, recall)**
25. LIVE **Named variables (A–F, X, Y, M … or A–Z) usable inside expressions**
26. LIVE **Numeric definite integral $\int_a^b f(x)dx$**
27. LIVE **Numeric derivative d/dx at a point**
28. LIVE **CALC — evaluate a stored expression for new variable values**
29. LIVE **SOLVE — numeric equation solver (Newton / bisection)**
30. LIVE **TABLE — tabulate f(x) over start / end / step**
31. LIVE **Statistics: data entry, n, $\bar{x}$, σ, s, Σx, Σx^2**
32. LIVE **Two-variable statistics and linear regression (a, b, r)**
33. LIVE **Matrix mode: define, add, multiply, det, transpose, identity**
34. LIVE **Vector mode: dot and cross products, magnitude**
35. LIVE **Complex numbers: i, arg, conjugate, Re / Im, polar ↔ rectangular**
36. LIVE **BASE-N: DEC / HEX / BIN / OCT conversions**
37. LIVE **Bitwise logic AND / OR / XOR / XNOR / NOT**
38. LIVE **Built-in scientific constants**
39. LIVE **Unit conversions (length, mass, volume, temperature)**
40. LIVE **Polynomial solver (quadratic / cubic roots, real and complex)**
41. LIVE **Linear systems solver (2×2, 3×3)**
42. LIVE **MODE / SETUP: Fix / Sci / Norm display, angle unit, fraction format**
43. LIVE **Backspace / DEL editing of the current entry**

44. LIVE INS insert mode for editing in the middle of an expression
45. LIVE Replay ▲ ▼ — scroll back to previous calculations and re-edit them
46. LIVE MATH / Toolbox menu of templates and functions
47. LIVE Probability distributions (normal, binomial, Poisson) and PRB menu
48. APP/UI Every key numbered 1…N in reading order — matches the key map in the user manual
49. APP/UI High-contrast 6-colour key groups (digits, operators, functions, memory, clear, modes) with a “Classic” toggle
50. APP/UI Three bundled offline fonts: Oxanium (display/titles), Barlow Condensed (key faces), JetBrains Mono (key numbers & helpers)
51. APP/UI Show / hide key numbers with one button (remembered between sessions)
52. APP/UI Copy the current display text to the clipboard
53. APP/UI Physical-keyboard shortcuts: digits, + – * / ^ ( ) . Enter Backspace Esc arrows, s c t l n r ! % e p q i
54. APP/UI Fit / 1:1 zoom that never pushes keys off a phone screen
55. APP/UI Reference photo viewer and tool-tip name on every key
56. APP/UI Reset = fresh power-on state; works fully offline (PWA cache / Android APK)
57. PLANNED Function table with graph preview
58. PLANNED Equation recall history
59. PLANNED Physical constants by category
60. PLANNED Unit-conversion favourites
61. PLANNED Regression model choice (power, log)
62. PLANNED Inferential statistics (t-test)

63. PLANNED **Exam-mode lock**

64. PLANNED **Matrix inverse display as fractions**

65. PLANNED **Exam mode (locks memory & shows indicator)**


66. PLANNED **Answer history export to text**

67. PLANNED **Speech read-out of results**

68. PLANNED **Colour-blind safe key theme**

69. PLANNED **Custom shortcut keys**

3 · Numbered key map



Calculator #35 with key numbers shown (Hi-Contrast colours).

Key table

"Shift" = 2nd / f / SHIFT layer; "Alpha" = ALPHA layer; "3rd" = 3rd / g layer. A dot means the layer is empty on that key.

#	Face	Shift	Alpha	3rd	Group
1	2nd	·	·	·	mod
2	mode	quit	·	·	mod
3	delete	insert	·	·	clr
4	▲	·	·	·	mod
5	▼	·	·	·	mod
6	◀	·	·	·	mod
7	▶	·	·	·	mod
8	ln log	d/d▭	·	·	fn
9	math	matrix	·	·	mod
10	data	stat-reg/distr	·	·	mem
11	e▭ 10▭	∫▭d▭	·	·	fn
12	EE	vector	·	·	num
13	! nCr nPr	random	·	·	fn
14	table	expr-eval	·	·	fn
15	clear	·	·	·	clr
16	π e i	complex	·	·	fn
17	sin $\sin^{-1}$	num-solv	·	·	fn
18	cos $\cos^{-1}$	poly-solv	·	·	fn
19	tan $\tan^{-1}$	sys-solv	·	·	fn
20	÷	%	·	·	op
21	x▭	x√	·	·	op
22	n/d	Un/d	·	·	fn
23	(	constants	·	·	op

#	Face	Shift	Alpha	3rd	Group
24	)	base n	·	·	op
25	×	convert	·	·	op
26	x^2	√	·	·	fn
27	7	·	·	·	num
28	8	·	·	·	num
29	9	·	·	·	num
30	−	◀▶ deg	·	·	op
31	xyztabcd	clear var	·	·	mem
32	4	·	·	·	num
33	5	·	·	·	num
34	6	·	·	·	num
35	+	·	·	·	op
36	sto▸	recall	·	·	mem
37	1	·	·	·	num
38	2	·	·	·	num
39	3	·	·	·	num
40	◀▶≈	f◀▶d	·	·	fn
41	on	off	·	·	clr
42	0	reset	·	·	num
43	.	,	·	·	num
44	(−)	answer	·	·	num
45	enter	·	·	·	op

4 · Key-by-key reference

Every key on calculator #35, in number order, with every function it carries in this app.

#1 2nd `Shift, modes, menus & navigation`

Primary: SHIFT / 2nd — the next key uses its upper (shift-coloured) function

#2 mode `Shift, modes, menus & navigation`

Primary: MODE — choose calculation mode

shifted (2nd / f / SHIFT layer) (press #1 first): quit — QUIT — leave the current screen / app

#3 delete `Clear, delete & power`

Primary: DEL — delete the character at the cursor

shifted (2nd / f / SHIFT layer) (press #1 first): insert — INS — insert mode at the cursor

Keyboard: `Backspace` `Delete`

#4 ▲ `Shift, modes, menus & navigation`

Primary: Cursor ▲ — up / previous history line / previous item

#5 ▼ `Shift, modes, menus & navigation`

Primary: Cursor ▼ — down / next history line / next item

#6 ◀ Shift, modes, menus & navigation

Primary: Cursor ◀ — move left in the line

#7 ▶ Shift, modes, menus & navigation

Primary: Cursor ▶ — move right in the line

#8 ln log Functions

Primary: Natural logarithm ln

shifted (2nd / f / SHIFT layer) (press #1 first): d/d▭ — Derivative d/dx at a point (numerical)

Keyboard: n

#9 math Shift, modes, menus & navigation

Primary: MATH menu — extra math functions

shifted (2nd / f / SHIFT layer) (press #1 first): matrix — MATRIX menu

#10 data Memory, variables & registers

Primary: Statistics data entry

shifted (2nd / f / SHIFT layer) (press #1 first): stat-reg/distr — STAT — statistics menu

#11 e▭ 10▭ Functions

Primary: e^{x} — exponential

shifted (2nd / f / SHIFT layer) (press #1 first): ∫▭d▭ — Definite integral ∫ (numerical, Simpson/adaptive)

#12 EE Digits & number entry

Primary: ×10ˣ / EXP / EE — enter a power-of-ten exponent (scientific notation), e.g. 6.02 ×10ˣ 23

shifted (2nd / f / SHIFT layer) (press #1 first): vector — VECTOR menu

Keyboard: e

#13 ! nCr nPr Functions

Primary: Factorial n! (also on non-integers via the gamma function where supported)

shifted (2nd / f / SHIFT layer) (press #1 first): random — PRB — probability functions

Keyboard: !

#14 table Functions

Primary: TABLE — table of values of f(x)

shifted (2nd / f / SHIFT layer) (press #1 first): expr-eval — CALC — evaluate a stored formula for new variable values

#15 clear Clear, delete & power

Primary: CLEAR — clear the entry line / screen

Keyboard: Escape

#16 π e i Functions

Primary: π (3.14159265…) as an exact constant

shifted (2nd / f / SHIFT layer) (press #1 first): complex — CMPLX — complex-number menu

Keyboard: p

#17 sin $\sin^{-1}$ Functions

Primary: Sine (uses the current angle unit)

shifted (2nd / f / SHIFT layer) (press #1 first): num-solv — Numeric solver

Keyboard: s

#18 cos $\cos^{-1}$ Functions

Primary: Cosine (current angle unit)

shifted (2nd / f / SHIFT layer) (press #1 first): poly-solv — Polynomial solver

Keyboard: c

#19 tan $\tan^{-1}$ Functions

Primary: Tangent (current angle unit)

shifted (2nd / f / SHIFT layer) (press #1 first): sys-solv — Linear-system solver

Keyboard: t

#20 ÷ Operators & execute

Primary: Division ÷

shifted (2nd / f / SHIFT layer) (press #1 first): % — Percent %

Keyboard: /

#21 x▭ Operators & execute

Primary: Power x^y / ^ — raise to any power. Chains right-to-left (2^3^2 = 2^9 = 512)

shifted (2nd / f / SHIFT layer) (press #1 first): x√ — n-th root $\sqrt[x]{y}$

Keyboard: ^

#22 n/d Functions

Primary: Fraction template ▭/▭ (numerator over denominator)

shifted (2nd / f / SHIFT layer) (press #1 first): Un/d — Mixed-number template (whole, numerator, denominator)

#23 (Operators & execute

Primary: Opening bracket (

shifted (2nd / f / SHIFT layer) (press #1 first): constants — CONST — scientific-constants menu

Keyboard: (

#24) Operators & execute

Primary: Closing bracket). Closing brackets at the end of a line may be omitted

shifted (2nd / f / SHIFT layer) (press #1 first): base n — BASE-N — number-base menu (DEC/HEX/BIN/OCT)

Keyboard:)

#25 × Operators & execute

Primary: Multiplication ×

shifted (2nd / f / SHIFT layer) (press #1 first): convert — CONV — unit-conversion menu

Keyboard: * x

#26 x^2 Functions

Primary: Square x^2

shifted (2nd / f / SHIFT layer) (press #1 first): $\sqrt{}$ — Square root $\sqrt{}$

Keyboard: q

#27 7 Digits & number entry

Primary: Digit 7

Keyboard: 7

#28 8 Digits & number entry

Primary: Digit 8

Keyboard: 8

#29 9 Digits & number entry

Primary: Digit 9

Keyboard: 9

#30 – Operators & execute

Primary: Subtraction –

shifted (2nd / f / SHIFT layer) (press #1 first): ◀▶ deg — Cycle the angle unit Deg → Rad → Grad

Keyboard: -

#31 xyztabcd Memory, variables & registers

Primary: Cycle through variables x, y, z...

shifted (2nd / f / SHIFT layer) (press #1 first): clear var — Clear variables

#32 **4** `Digits & number entry`

Primary: Digit 4

Keyboard: 4

#33 **5** `Digits & number entry`

Primary: Digit 5

Keyboard: 5

#34 **6** `Digits & number entry`

Primary: Digit 6

Keyboard: 6

#35 **+** `Operators & execute`

Primary: Addition +

Keyboard: +

#36 **sto▶** `Memory, variables & registers`

Primary: STO▶ (→) — store into a variable

shifted (2nd / f / SHIFT layer) (press #1 first): recall — Recall a stored variable

#37 **1** `Digits & number entry`

Primary: Digit 1

Keyboard: 1

#38 **2** `Digits & number entry`

Primary: Digit 2

Keyboard: 2

#39 **3** `Digits & number entry`

Primary: Digit 3

Keyboard: 3

#40 **◀▶≈** `Functions`

Primary: S⇔D — toggle the result between exact (fraction, √, π) and decimal

shifted (2nd / f / SHIFT layer) (press #1 first): f◀▶d — ▶Decimal — show the result as a decimal

#41 **on** `Clear, delete & power`

Primary: ON — power on

shifted (2nd / f / SHIFT layer) (press #1 first): off — OFF — power off (state is lost; press ON to restart)

#42 **0** `Digits & number entry`

Primary: Digit 0

shifted (2nd / f / SHIFT layer) (press #1 first): reset — RESET — return to factory defaults

Keyboard: 0

#43 . Digits & number entry

Primary: Decimal point. Pressing it first gives "0."; a second point in the same number is ignored

shifted (2nd / f / SHIFT layer) (press #1 first): , — Comma / argument separator (between function arguments, list items or coordinates)

Keyboard: `.` `,`

#44 (−) Digits & number entry

Primary: Negative sign (−) — makes the next number negative. Different from the subtraction key

shifted (2nd / f / SHIFT layer) (press #1 first): answer — Answer — recall the last result

#45 enter Operators & execute

Primary: Execute / = — evaluate the line and show the result (EXE / ENTER / =)

Keyboard: `Enter` `=`

5 · Worked examples

18 examples, each run on this calculator's keys by the U-45 checker. Follow the chips in order.

Example 5.1 — Order of operations

Calculate 12 + 3 × 4. Press Reset first.

#37 1 → #38 2 → #35 + → #39 3 → #25 × → #32 4 → #45 enter

Display shows 24 **— expected 24. ✔ verified on the app.**

Multiplication is done before addition, so the calculator holds the + until the × part is finished.

Example 5.2 — Brackets first

Calculate (12 + 8) ÷ 4. Press Reset first.

#23 (→ #37 1 → #38 2 → #35 + → #28 8 → #24) → #20 ÷ → #32 4 → #45 enter

Display shows 5 **— expected 5. ✔ verified on the app.**

Brackets force the sum to be worked out before the division.

Example 5.3 — Two brackets multiplied

Calculate **(3 + 4) × (9 − 2)**. Press **Reset** first.

#23 (→ #39 3 → #35 + → #32 4 → #24) → #25 × → #23 (→ #29 9 → #30 − → #38 2 → #24) → #45 enter

Display shows 49 — expected 49. ✔ verified on the app.

Both brackets are evaluated first, then multiplied.

Example 5.4 — Squares

Calculate 12^2. Press **Reset** first.

#37 1 → #38 2 → #26 x^2 → #45 enter

Display shows 144 — expected 144. ✔ verified on the app.

x^2 squares the value — quicker and safer than typing the number twice.

Example 5.5 — Square roots

Calculate $\sqrt{144}$. Press **Reset** first.

#1 2nd → #26 $\sqrt{}$ → #37 1 → #32 4 → #32 4 → #45 enter

Display shows 12 — expected 12. ✔ verified on the app.

The square-root key returns the principal (positive) root.

Example 5.6 — Powers

Calculate **2^10**. Press **Reset** first.



Display shows `1024` — expected 1024. ✔ verified on the app.

The power key raises the first number to the second.

Example 5.7 — Trigonometry (degrees)

Calculate **tan 45° (Deg mode)**. Press **Reset** first.




Display shows `1` — expected 1. ✔ verified on the app.

Trig functions use the current angle unit; these answers assume degrees (the start-up setting).

Example 5.8 — Natural logarithm

Calculate **ln 1**. Press **Reset** first.



Display shows `0` — expected 0. ✔ verified on the app.

ln is the natural (base-e) logarithm.

Example 5.9 — Negative numbers

Calculate −5 + 12. Press Reset first.

#44 (−) → #33 5 → #35 + → #37 1 → #38 2 → #45 enter

Display shows 7 **— expected 7. ✔ verified on the app.**

Use the sign key for a negative number — not the subtraction key.

Example 5.10 — Scientific notation

Calculate 6×10^2 × 3. Press Reset first.

#34 6 → #12 EE → #38 2 → #25 × → #39 3 → #45 enter

Display shows 1800 **— expected 1800. ✔ verified on the app.**

The exponent key enters ×10ⁿ without typing × 10 ^.

Example 5.11 — Area of a circle πr²

Calculate π × 2.5². Press Reset first.

#16 π *e i* → #25 × → #38 2 → #43 . → #33 5 → #26 x^2 → #45 enter

Display shows 19.63495408 **— expected 19.63495408. ✔ verified on the app.**

π is stored to full precision — never type 3.14.

Example 5.12 — Factorials

Calculate 5!. Press Reset first.

#33 5 → #13 ! *nCr nPr* → #45 enter

Display shows 120 **— expected 120. ✔ verified on the app.**

n! multiplies 1×2×…×n; 0! is 1 by definition.

Example 5.13 — Continue from the answer

Calculate 100 × 4 = , then Ans ÷ 2. Press Reset first.

#37 1 → #42 0 → #42 0 → #25 × → #32 4 → #45 enter → #20 ÷ → #38 2 → #45 enter

Display shows 200 **— expected 200. ✔ verified on the app.**

Pressing an operator straight after a result continues from that answer (Ans).

Example 5.14 — Percent of an amount

Calculate 15 % of 80. Press Reset first.

#28 8 → #42 0 → #25 × → #37 1 → #33 5 → #1 2nd → #20 % → #45 enter

Display shows 12 **— expected 12. ✔ verified on the app.**

The percent key turns the second number into a percentage of the first.

Example 5.15 — Average of three numbers

Calculate **(4 + 8 + 15) ÷ 3**. Press **Reset** first.

#23 (→ #32 4 → #35 + → #28 8 → #35 + → #37 1 → #33 5 → #24) → #20 ÷ → #39 3 → #45 enter

Display shows `9` — expected 9. ✔ verified on the app.

Add up the values, then divide by how many there are.

Example 5.16 — Mixed operations

Calculate **50 − 4 × 6 + 7**. Press **Reset** first.

#33 5 → #42 0 → #30 − → #32 4 → #25 × → #34 6 → #35 + → #27 7 → #45 enter

Display shows `33` — expected 33. ✔ verified on the app.

Only the × part is done first; the − and + are then worked left to right.

Example 5.17 — Dividing twice

Calculate **360 ÷ 4 ÷ 9**. Press **Reset** first.

#39 3 → #34 6 → #42 0 → #20 ÷ → #32 4 → #20 ÷ → #29 9 → #45 enter

Display shows `10` — expected 10. ✔ verified on the app.

Division is worked left to right: the first quotient is divided again.

Example 5.18 — Brackets inside a longer formula

Calculate ((3 + 5) × 4 − 2) ÷ 10. Press Reset first.

#23 (→ #23 (→ #39 3 → #35 + → #33 5 → #24) → #25 × → #32 4 → #30 − → #38 2 → #24) → #20 ÷ → #37 1 → #42 0 → #45 enter

Display shows 3 — expected 3. ✔ verified on the app.

The innermost brackets are worked out first, then the outer brackets, then the division.

6 · Tricks & hacks

Hack 1: Edit instead of retyping

After a result, press ◀ or ▶ to bring the last expression back with the cursor in it; change one number and press = again.

Hack 2: Ans chains

Start a line with an operator (e.g. ×) and the calculator inserts Ans automatically — great for compound growth: 1.05 ×, then = = = …

Hack 3: Exact vs decimal

Natural-display models keep fractions, √ and π exact. Press S⇔D to flip to decimal; press it again to return.

Hack 4: Close brackets for free

Trailing closing brackets can be left off; = closes them for you.

Hack 5: Implicit multiplication

Type 2π or 3(4+1) without ×. Implicit multiplication binds tighter than ÷ on textbook models — use brackets if in doubt.

Hack 6: Store constants

Store a value you reuse (e.g. g = 9.81) with STO and a letter; then type the letter in formulas.

Hack 7: Power chains

x^y chains right to left: 2^3^2 = 2^9 = 512, not 64. Use brackets: (2^3)^2 = 64.

Hack 8: Angles

Check the D / R / G indicator before trig. sin 30 = 0.5 only in degrees.

Hack 9: Memory sums

M+ / M− keep a running total separate from the calculation line; RCL M shows it.

Hack 10: Replay history

Use ▲ ▼ to scroll earlier lines; press = on an old line to re-run it.

Hack 11: Hidden functions on this model

28 extra functions sit on shifted layers. Press the layer key once, then the key: for example #1 then #2 → quit; #1 then #3 → insert; #1 then #8 → d/d▭; #1 then #9 → matrix.

Hack 12: Find any key by number

Use Appendix B (function finder): look up the function, read its key number, then find that number on the keypad. Numbers run left → right, top → bottom from #1 to #45.

Hack 13: Type faster on a computer

29 keys on this model have a keyboard shortcut (see chapter 7). Typing digits and operators is much faster than clicking.

Hack 14: Check before you trust

Estimate first (round each number) and compare with the display. If the answer is 10× or 100× off, a decimal point or percent key was missed.

Hack 15: Copy results out

Press Copy in the bar above the calculator to put the display text on the clipboard instead of retyping it.

Hack 16: Colour blind or low vision?

Hi-Contrast colours use black/white/yellow/blue/green/red with black or white text for maximum contrast; key numbers stay on in both colour schemes.

7 · Keyboard shortcuts

With the calculator open on a computer, these physical keys press the numbered keys below (Ctrl/Alt/⌘ combinations are left to the browser). Shifted functions are reached by clicking the shift key first.

Keyboard	#	Key	Does
Backspace Delete	#3	delete	DEL — delete the character at the cursor
n	#8	ln log	Natural logarithm ln
e	#12	EE	×10ˣ / EXP / EE — enter a power-of-ten exponent (scientific notation), e.g. 6.02 ×10ˣ 23
!	#13	! nCr nPr	Factorial n! (also on non-integers via the gamma function where supported)
Escape	#15	clear	CLEAR — clear the entry line / screen
p	#16	π e i	π (3.14159265…) as an exact constant
s	#17	sin $\sin^{-1}$	Sine (uses the current angle unit)
c	#18	cos $\cos^{-1}$	Cosine (current angle unit)
t	#19	tan $\tan^{-1}$	Tangent (current angle unit)
/	#20	÷	Division ÷
^	#21	x▭	Power x^y / ^ — raise to any power. Chains right-to-left (2^3^2 = 2^9 = 512)
(	#23	(	Opening bracket (
)	#24	)	Closing bracket). Closing brackets at the end of a line may be omitted
* x	#25	×	Multiplication ×
q	#26	x^2	Square x^2
7	#27	7	Digit 7
8	#28	8	Digit 8

9	#29	9	Digit 9
-	#30	–	Subtraction –
4	#32	4	Digit 4
5	#33	5	Digit 5
6	#34	6	Digit 6
+	#35	+	Addition +
1	#37	1	Digit 1
2	#38	2	Digit 2
3	#39	3	Digit 3
0	#42	0	Digit 0
. ,	#43	.	Decimal point. Pressing it first gives “0.”; a second point in the same number is ignored
Enter =	#45	enter	Execute / = — evaluate the line and show the result (EXE / ENTER / =)

App shortcuts

“# On / # Off”	show / hide key numbers
“Classic / Hi-Contrast”	switch key colours
“Copy”	copy display text
“Fit / 1:1”	scale to screen / design size
“Reset”	restart this calculator
Jump list	switch to another of the 45 calculators

8 · Common mistakes

Mistake 1: Using – instead of (–)

The negative key (–) and the subtraction key are different; "– 5" at the start uses Ans – 5.

Mistake 2: Wrong angle unit

If sin 30 gives –0.988, the calculator is in radians. Switch to degrees in SETUP.

Mistake 3: -3^2 vs $(-3)^2$

$-3^2 = -9$ because the square is applied first. Type $(-3)^2$ to get 9.

Mistake 4: Division precedence

$1 \div 2\pi$ may be read as $1 \div (2\pi)$ on textbook models. Type $1 \div (2 \times \pi)$ explicitly to be sure.

Mistake 5: Forgetting SHIFT is one-shot

SHIFT applies only to the next key. If the S indicator is still lit, press SHIFT again to cancel.

Mistake 6: Clearing memory by accident

AC clears the line but not memory; CLR (SHIFT 9) can clear memory and variables.

Mistake 7: Forgetting Reset between problems

Old values (memory, stack, open brackets, worksheet values) can leak into the next calculation. Press Reset or clear before starting a new problem.

Mistake 8: Pressing the wrong layer

A shift / 2nd indicator that is still lit will turn the next key into its shifted function. Look at the display indicators before pressing.

Mistake 9: Minus vs negative

The (−) negative key and the − subtraction key are different. Use (−) to start a negative number, − between two numbers.

9 · Practice drills

Set A — Calculation drills (101)

Work each one on calculator #35, then check your keys and the answer in Appendix A. Every answer was produced by this calculator.

1. 25 + 5 × 6 = _____
2. 7 + 8 × 9 = _____
3. 150 + 12 × 11 = _____
4. 3 + 14 × 15 = _____
5. 48 + 6 × 7 = _____
6. 1000 + 25 × 4 = _____
7. 19 + 21 × 3 = _____
8. 64 + 8 × 8 = _____
9. (45 + 15) ÷ 6 = _____
10. (9 + 7) ÷ 2 = _____
11. (100 + 60) ÷ 8 = _____
12. (33 + 17) ÷ 5 = _____
13. (250 + 350) ÷ 12 = _____
14. (5 + 6) × (10 − 3) = _____
15. (12 + 3) × (8 − 5) = _____
16. (1.5 + 2.5) × (7 − 4) = _____

17. (20 + 30) × (15 − 5) = _____

18. (9 + 1) × (100 − 1) = _____

19. (11 + 13) × (17 − 9) = _____

20. 25^2 = _____

21. 7^2 = _____

22. 1.5^2 = _____

23. 19^2 = _____

24. 33^2 = _____

25. 0.5^2 = _____

26. 125^2 = _____

27. 64^2 = _____

28. √625 = _____

29. √1024 = _____

30. √9801 = _____

31. 3^5 = _____

32. 1.05^3 = _____

33. 5^4 = _____

34. 7^3 = _____

35. 1.5^2 = _____

36. 10^6 = _____

37. 2^0.5 = _____

38. sin 90° (Deg mode) = _____

39. cos 0° (Deg mode) = _____

40. ln 10 = _____

41. ln 2 = _____

42. −20 + 7 = _____

43. −3 + 3 = _____

44. −100 + 250 = _____

45. −8 + 1 = _____

46. 2×10^3 × 4 = _____

47. 1.5×10^4 × 2 = _____

48. 3×10^5 × 3 = _____

49. 4.5×10^2 × 2 = _____

50. π × 1.2^2 = _____

51. 6! = _____

52. 0! = _____

53. 15 × 6 = , then Ans ÷ 9 = _____

54. 7.5 × 8 = , then Ans ÷ 3 = _____

55. 250 × 12 = , then Ans ÷ 100 = _____

56. 8 % of 250 = _____

57. 25 % of 360 = _____

58. 12.5 % of 40 = _____

59. 10 % of 450 = _____

60. 20 % of 125 = _____

61. 5 % of 640 = _____

62. 75 % of 48 = _____

63. 30 % of 90 = _____

64. (12 + 15 + 18) ÷ 3 = _____

65. (70 + 85 + 91) ÷ 3 = _____

66. (2.5 + 3.5 + 6) ÷ 3 = _____

67. (100 + 200 + 600) ÷ 3 = _____

68. 100 − 3 × 12 + 9 = _____

69. 18 − 2 × 5 + 40 = _____

70. 7.5 − 1.5 × 3 + 2 = _____

71. 64 − 8 × 4 + 10 = _____

72. 300 − 25 × 4 + 55 = _____

73. 9 − 3 × 3 + 1 = _____

74. 45 − 5 × 5 + 15 = _____

75. 1000 ÷ 8 ÷ 5 = _____

76. 96 ÷ 2 ÷ 3 = _____

77. 7200 ÷ 60 ÷ 60 = _____

78. 500 ÷ 4 ÷ 25 = _____

79. 81 ÷ 3 ÷ 3 = _____

80. ((10 + 2) × 3 − 6) ÷ 6 = _____

81. ((1.5 + 2.5) × 6 − 4) ÷ 5 = _____

82. ((20 + 30) × 2 − 25) ÷ 3 = _____

83. ((7 + 8) × 9 − 15) ÷ 12 = _____

84. 12 + 3 × 4 = _____

85. (12 + 8) ÷ 4 = _____

86. (3 + 4) × (9 − 2) = _____

87. 12^2 = _____

88. $\sqrt{144}$ = _____

89. 2^10 = _____

90. tan 45° (Deg mode) = _____

91. ln 1 = _____

92. −5 + 12 = _____

93. 6×10^2 × 3 = _____

94. π × 2.5^2 = _____

95. 5! = _____

96. 100 × 4 = , then Ans ÷ 2 = _____

97. 15 % of 80 = _____

98. (4 + 8 + 15) ÷ 3 = _____

99. 50 − 4 × 6 + 7 = _____

100. 360 ÷ 4 ÷ 9 = _____

101. ((3 + 5) × 4 − 2) ÷ 10 = _____

Set B — Key-finding drills (63)

Without looking at the table, find each key on the picture. Answers in Appendix A.

1. Which key is “2nd” (SHIFT / 2nd)? _____
2. Which key is “mode” (MODE)? _____
3. Which key is “delete” (DEL)? _____
4. Which key is “ ▲ ” (Cursor ▲)? _____
5. Which key is “ ▼ ” (Cursor ▼)? _____
6. Which key is “◀” (Cursor ◀)? _____
7. Which key is “▶” (Cursor ▶)? _____
8. Which key is “ln log” (Natural logarithm ln)? _____
9. Which key is “math” (MATH menu)? _____
10. Which key is “data” (Statistics data entry)? _____
11. Which key is “e▭ 10▭” (e^x)? _____
12. Which key is “EE” (×10^x / EXP / EE)? _____
13. Which key is “! nCr nPr” (Factorial n!)? _____

14. Which key is “table” (TABLE)? _____

15. Which key is “clear” (CLEAR)? _____

16. Which key is “π e i” (π)? _____

17. Which key is “sin $\sin^{-1}$” (Sine)? _____

18. Which key is “cos $\cos^{-1}$” (Cosine)? _____

19. Which key is “tan $\tan^{-1}$” (Tangent)? _____

20. Which key is “÷” (Division ÷)? _____

21. Which key is “x▭” (Power x^y / ^)? _____

22. Which key is “n/d” (Fraction template ▭/▭)? _____

23. Which key is “(” (Opening bracket)? _____

24. Which key is “)” (Closing bracket). Closing brackets at the end of a line may be omitted)? _____

25. Which key is “×” (Multiplication ×)? _____

26. Which key is “x^2” (Square x^2)? _____

27. Which key is “−” (Subtraction −)? _____

28. Which key is “xyztabcd” (Cycle through variables x, y, z...)? _____

29. Which key is “+” (Addition +)? _____

30. Which key is “sto▸” (STO▶)? _____

31. Which key is “◀▶≈” (S⇔D)? _____

32. Which key is “on” (ON)? _____

33. Which key is "." (Decimal point. Pressing it first gives "0."; a second point in the same number is ignored)? _____

34. Which key is "(−)" (Negative sign)? _____

35. Which key is "enter" (Execute / =)? _____

36. How do you reach "quit"? _____

37. How do you reach "insert"? _____

38. How do you reach "d/d▭"? _____

39. How do you reach "matrix"? _____

40. How do you reach "stat-reg/distr"? _____

41. How do you reach "∫▭d▭"? _____

42. How do you reach "vector"? _____

43. How do you reach "random"? _____

44. How do you reach "expr-eval"? _____

45. How do you reach "complex"? _____

46. How do you reach "num-solv"? _____

47. How do you reach "poly-solv"? _____

48. How do you reach "sys-solv"? _____

49. How do you reach "%"? _____

50. How do you reach "x√"? _____

51. How do you reach "Un/d"? _____

52. How do you reach "constants"? _____

53. How do you reach “base n”? _____

54. How do you reach “convert”? _____

55. How do you reach “√”? _____

56. How do you reach “◀▶ deg”? _____

57. How do you reach “clear var”? _____

58. How do you reach “recall”? _____

59. How do you reach “f◀▶d”? _____

60. How do you reach “off”? _____

61. How do you reach “reset”? _____

62. How do you reach “,”? _____

63. How do you reach “answer”? _____

Appendix A — Drill answers

Set A

1. 55 (display `55`)

#38 2 → #33 5 → #35 + → #33 5 → #25 × → #34 6 → #45 enter

2. 79 (display `79`)

#27 7 → #35 + → #28 8 → #25 × → #29 9 → #45 enter

3. 282 (display `282`)

#37 1 → #33 5 → #42 0 → #35 + → #37 1 → #38 2 → #25 × → #37 1 → #37 1 → #45 enter

4. 213 (display `213`)

#39 3 → #35 + → #37 1 → #32 4 → #25 × → #37 1 → #33 5 → #45 enter

5. 90 (display `90`)

#32 4 → #28 8 → #35 + → #34 6 → #25 × → #27 7 → #45 enter

6. 1100 (display `1100`)

#37 1 → #42 0 → #42 0 → #42 0 → #35 + → #38 2 → #33 5 → #25 × → #32 4 → #45 enter

7. 82 (display `82`)

`#37` 1 → `#29` 9 → `#35` + → `#38` 2 → `#37` 1 → `#25` × → `#39` 3 → `#45` enter

8. 128 (display `128`)

`#34` 6 → `#32` 4 → `#35` + → `#28` 8 → `#25` × → `#28` 8 → `#45` enter

9. 10 (display `10`)

`#23` (→ `#32` 4 → `#33` 5 → `#35` + → `#37` 1 → `#33` 5 → `#24`) → `#20` ÷ → `#34` 6 → `#45` enter

10. 8 (display `8`)

`#23` (→ `#29` 9 → `#35` + → `#27` 7 → `#24`) → `#20` ÷ → `#38` 2 → `#45` enter

11. 20 (display `20`)

`#23` (→ `#37` 1 → `#42` 0 → `#42` 0 → `#35` + → `#34` 6 → `#42` 0 → `#24`) → `#20` ÷ → `#28` 8 → `#45` enter

12. 10 (display `10`)

`#23` (→ `#39` 3 → `#39` 3 → `#35` + → `#37` 1 → `#27` 7 → `#24`) → `#20` ÷ → `#33` 5 → `#45` enter

13. 50 (display `50`)

`#23` (→ `#38` 2 → `#33` 5 → `#42` 0 → `#35` + → `#39` 3 → `#33` 5 → `#42` 0 → `#24`) → `#20` ÷ → `#37` 1 → `#38` 2 → `#45` enter

14. 77 (display `77`)

`#23` (→ `#33` 5 → `#35` + → `#34` 6 → `#24`) → `#25` × → `#23` (→ `#37` 1 → `#42` 0 → `#30` − → `#39` 3 → `#24`) → `#45` enter

15. 45 (display `45`)

`#23` (→ `#37` 1 → `#38` 2 → `#35` + → `#39` 3 → `#24`) → `#25` × → `#23` (→ `#28` 8 → `#30` − → `#33` 5 → `#24`) → `#45` enter


16. 12 (display `12`)

`#23` (→ `#37` 1 → `#43` . → `#33` 5 → `#35` + → `#38` 2 → `#43` . → `#33` 5 → `#24`) → `#25` × → `#23` (→ `#27` 7 → `#30` − → `#32` 4 → `#24`) → `#45` enter


17. 500 (display `500`)

`#23` (→ `#38` 2 → `#42` 0 → `#35` + → `#39` 3 → `#42` 0 → `#24`) → `#25` × → `#23` (→ `#37` 1 → `#33` 5 → `#30` − → `#33` 5 → `#24`) → `#45` enter

18. 990 (display `990`)



19. 192 (display `192`)



20. 625 (display `625`)



21. 49 (display `49`)



22. 2.25 (display `2.25`)



23. 361 (display `361`)



24. 1089 (display `1089`)



25. 0.25 (display `0.25`)



26. 15625 (display `15625`)

#37 1 → #38 2 → #33 5 → #26 x^2 → #45 enter

27. 4096 (display `4096`)

#34 6 → #32 4 → #26 x^2 → #45 enter

28. 25 (display `25`)

#1 2nd → #26 √ → #34 6 → #38 2 → #33 5 → #45 enter

29. 32 (display `32`)

#1 2nd → #26 √ → #37 1 → #42 0 → #38 2 → #32 4 → #45 enter

30. 99 (display `99`)

#1 2nd → #26 √ → #29 9 → #28 8 → #42 0 → #37 1 → #45 enter

31. 243 (display `243`)

#39 3 → #21 $x^{\square}$ → #33 5 → #45 enter

32. 1.157625 (display `1.157625`)

#37 1 → #43 . → #42 0 → #33 5 → #21 $x^{\square}$ → #39 3 → #45 enter

33. 625 (display `625`)

#33 5 → #21 $x^{\square}$ → #32 4 → #45 enter

34. 343 (display `343`)

#27 7 → #21 $x^{\square}$ → #39 3 → #45 enter

35. 2.25 (display `2.25`)

#37 1 → #43 . → #33 5 → #21 $x^{\square}$ → #38 2 → #45 enter

36. 1000000.000 (display `1000000`)

#37 1 → #42 0 → #21 $x^{\square}$ → #34 6 → #45 enter

37. 1.41421356 (display `1.414213562`)

#38 2 → #21 $x^{\square}$ → #42 0 → #43 . → #33 5 → #45 enter

38. 1 (display `1`)

#17 sin $\sin^{-1}$ → #29 9 → #42 0 → #24) → #45 enter

39. 1 (display `1`)

#18 cos $\cos^{-1}$ → #42 0 → #24) → #45 enter

40. 2.30258509 (display `2.302585093`)

#8 ln log → #37 1 → #42 0 → #24) → #45 enter

41. 0.69314718 (display `0.6931471806`)

#8 ln log → #38 2 → #24) → #45 enter

42. -13 (display `-13`)

#44 (−) → #38 2 → #42 0 → #35 + → #27 7 → #45 enter

43. 0 (display `0`)

#44 (−) → #39 3 → #35 + → #39 3 → #45 enter

44. 150 (display `150`)

#44 (−) → #37 1 → #42 0 → #42 0 → #35 + → #38 2 → #33 5 → #42 0 → #45 enter

45. -7 (display `−7`)

#44 (−) → #28 8 → #35 + → #37 1 → #45 enter

46. 8000 (display `8000`)

#38 2 → #12 EE → #39 3 → #25 × → #32 4 → #45 enter

47. 30000 (display `30000`)

#37 1 → #43 . → #33 5 → #12 EE → #32 4 → #25 × → #38 2 → #45 enter

48. 900000 (display `900000`)

#39 3 → #12 EE → #33 5 → #25 × → #39 3 → #45 enter

49. 900 (display `900`)

#32 4 → #43 . → #33 5 → #12 EE → #38 2 → #25 × → #38 2 → #45 enter

50. 4.52389342 (display `4.523893421`)

#16 π *e* *i* → #25 × → #37 1 → #43 . → #38 2 → #26 x^2 → #45 enter

51. 720 (display `720`)

#34 6 → #13 ! *n*C*r* *n*P*r* → #45 enter

52. 1 (display `1`)

#42 0 → #13 ! nCr nPr → #45 enter

53. 10 (display `10`)

#37 1 → #33 5 → #25 × → #34 6 → #45 enter → #20 ÷ → #29 9 → #45 enter

54. 20 (display `20`)

#27 7 → #43 . → #33 5 → #25 × → #28 8 → #45 enter → #20 ÷ → #39 3 → #45 enter

55. 30 (display `30`)

#38 2 → #33 5 → #42 0 → #25 × → #37 1 → #38 2 → #45 enter → #20 ÷ → #37 1 → #42 0 → #42 0 → #45 enter

56. 20 (display `20`)

#38 2 → #33 5 → #42 0 → #25 × → #28 8 → #1 2nd → #20 % → #45 enter

57. 90 (display `90`)

#39 3 → #34 6 → #42 0 → #25 × → #38 2 → #33 5 → #1 2nd → #20 % → #45 enter

58. 5 (display `5`)

#32 4 → #42 0 → #25 × → #37 1 → #38 2 → #43 . → #33 5 → #1 2nd → #20 % → #45 enter

59. 45 (display `45`)

`#32` 4 → `#33` 5 → `#42` 0 → `#25` × → `#37` 1 → `#42` 0 → `#1` 2nd → `#20` % → `#45` enter

60. 25 (display `25`)

`#37` 1 → `#38` 2 → `#33` 5 → `#25` × → `#38` 2 → `#42` 0 → `#1` 2nd → `#20` % → `#45` enter

61. 32 (display `32`)

`#34` 6 → `#32` 4 → `#42` 0 → `#25` × → `#33` 5 → `#1` 2nd → `#20` % → `#45` enter

62. 36 (display `36`)

`#32` 4 → `#28` 8 → `#25` × → `#27` 7 → `#33` 5 → `#1` 2nd → `#20` % → `#45` enter


63. 27 (display `27`)

`#29` 9 → `#42` 0 → `#25` × → `#39` 3 → `#42` 0 → `#1` 2nd → `#20` % → `#45` enter


64. 15 (display `15`)

`#23` (→ `#37` 1 → `#38` 2 → `#35` + → `#37` 1 → `#33` 5 → `#35` + → `#37` 1 → `#28` 8 → `#24`) → `#20` ÷ → `#39` 3 → `#45` enter


65. 82 (display `82`)




66. 4 (display `4`)




67. 300 (display `300`)



68. 73 (display `73`)



69. 48 (display `48`)



70. 5 (display `5`)



71. 42 (display `42`)

`#34` 6 → `#32` 4 → `#30` − → `#28` 8 → `#25` × → `#32` 4 → `#35` + → `#37` 1 → `#42` 0 → `#45` enter

72. 255 (display `255`)

`#39` 3 → `#42` 0 → `#42` 0 → `#30` − → `#38` 2 → `#33` 5 → `#25` × → `#32` 4 → `#35` + → `#33` 5 → `#33` 5 → `#45` enter

73. 1 (display `1`)

`#29` 9 → `#30` − → `#39` 3 → `#25` × → `#39` 3 → `#35` + → `#37` 1 → `#45` enter

74. 35 (display `35`)

`#32` 4 → `#33` 5 → `#30` − → `#33` 5 → `#25` × → `#33` 5 → `#35` + → `#37` 1 → `#33` 5 → `#45` enter

75. 25 (display `25`)

`#37` 1 → `#42` 0 → `#42` 0 → `#42` 0 → `#20` ÷ → `#28` 8 → `#20` ÷ → `#33` 5 → `#45` enter


76. 16 (display `16`)

`#29` 9 → `#34` 6 → `#20` ÷ → `#38` 2 → `#20` ÷ → `#39` 3 → `#45` enter

77. 2 (display `2`)

`#27` 7 → `#38` 2 → `#42` 0 → `#42` 0 → `#20` ÷ → `#34` 6 → `#42` 0 → `#20` ÷ → `#34` 6 → `#42` 0 → `#45` enter


78. 5 (display `5`)




79. 9 (display `9`)




80. 5 (display `5`)



81. 4 (display `4`)



82. 25 (display `25`)



83. 10 (display `10`)

`#23` (→ `#23` (→ `#27` 7 → `#35` + → `#28` 8 → `#24`) →
`#25` × → `#29` 9 → `#30` − → `#37` 1 → `#33` 5 → `#24`) →
`#20` ÷ → `#37` 1 → `#38` 2 → `#45` enter

84. 24 (display `24`)

`#37` 1 → `#38` 2 → `#35` + → `#39` 3 → `#25` × → `#32` 4 →
`#45` enter

85. 5 (display `5`)

`#23` (→ `#37` 1 → `#38` 2 → `#35` + → `#28` 8 → `#24`) →
`#20` ÷ → `#32` 4 → `#45` enter

86. 49 (display `49`)

`#23` (→ `#39` 3 → `#35` + → `#32` 4 → `#24`) → `#25` × →
`#23` (→ `#29` 9 → `#30` − → `#38` 2 → `#24`) → `#45` enter

87. 144 (display `144`)

`#37` 1 → `#38` 2 → `#26` x^2 → `#45` enter

88. 12 (display `12`)

`#1` 2nd → `#26` √ → `#37` 1 → `#32` 4 → `#32` 4 → `#45` enter

89. 1024 (display `1024`)

`#38` 2 → `#21` $x^{\square}$ → `#37` 1 → `#42` 0 → `#45` enter

90. 1 (display `1`)

`#19` tan $\tan^{-1}$ → `#32` 4 → `#33` 5 → `#24`) → `#45` enter

91. 0 (display `0`)

#8 ln log → #37 1 → #24) → #45 enter

92. 7 (display `7`)

#44 (−) → #33 5 → #35 + → #37 1 → #38 2 → #45 enter

93. 1800 (display `1800`)

#34 6 → #12 EE → #38 2 → #25 × → #39 3 → #45 enter

94. 19.63495408 (display `19.63495408`)

#16 π *e i* → #25 × → #38 2 → #43 . → #33 5 → #26 x^2 → #45 enter

95. 120 (display `120`)

#33 5 → #13 ! *n*C*r* *n*P*r* → #45 enter

96. 200 (display `200`)

#37 1 → #42 0 → #42 0 → #25 × → #32 4 → #45 enter → #20 ÷ → #38 2 → #45 enter

97. 12 (display `12`)

#28 8 → #42 0 → #25 × → #37 1 → #33 5 → #1 2nd → #20 % → #45 enter

98. 9 (display `9`)

#23 (→ #32 4 → #35 + → #28 8 → #35 + → #37 1 → #33 5 → #24) → #20 ÷ → #39 3 → #45 enter

99. 33 (display `33`)

#33 5 → #42 0 → #30 − → #32 4 → #25 × → #34 6 → #35 + → #27 7 → #45 enter

100. 10 (display `10`)

#39 3 → #34 6 → #42 0 → #20 ÷ → #32 4 → #20 ÷ → #29 9 → #45 enter

101. 3 (display `3`)

#23 (→ #23 (→ #39 3 → #35 + → #33 5 → #24) → #25 × → #32 4 → #30 − → #38 2 → #24) → #20 ÷ → #37 1 → #42 0 → #45 enter

Set B

1. #1
2. #2
3. #3
4. #4
5. #5
6. #6
7. #7
8. #8
9. #9
10. #10
11. #11
12. #12
13. #13
14. #14
15. #15
16. #16
17. #17
18. #18
19. #19
20. #20
21. #21
22. #22
23. #23
24. #24
25. #25
26. #26
27. #30
28. #31
29. #35
30. #36
31. #40
32. #41
33. #43
34. #44
35. #45
36. #1 2nd then #2 mode
37. #1 2nd then #3 delete
38. #1 2nd then #8 ln log

39. #1 2nd then #9 math
40. #1 2nd then #10 data
41. #1 2nd then #11 e▭ 10▭
42. #1 2nd then #12 EE
43. #1 2nd then #13 ! nCr nPr
44. #1 2nd then #14 table
45. #1 2nd then #16 π e i
46. #1 2nd then #17 sin $\sin^{-1}$
47. #1 2nd then #18 cos $\cos^{-1}$
48. #1 2nd then #19 tan $\tan^{-1}$
49. #1 2nd then #20 ÷
50. #1 2nd then #21 x▭
51. #1 2nd then #22 n/d
52. #1 2nd then #23 (
53. #1 2nd then #24)
54. #1 2nd then #25 ×
55. #1 2nd then #26 x^2
56. #1 2nd then #30 -
57. #1 2nd then #31 xyztabcd
58. #1 2nd then #36 sto▸
59. #1 2nd then #40 ◀▶≈
60. #1 2nd then #41 on
61. #1 2nd then #42 0
62. #1 2nd then #43 .
63. #1 2nd then #44 (-)

Appendix B — Function finder (A–Z)

Function	Label	Keys
×10^x / EXP / EE — enter a power-of-ten exponent (scientific notation), e.g. 6.02 ×10^x 23	EE	#12
▶Decimal — show the result as a decimal	f◀▶d	#1 → #40
Addition +	+	#35
Answer — recall the last result	answer	#1 → #44
BASE-N — number-base menu (DEC/HEX/BIN/OCT)	base n	#1 → #24
CALC — evaluate a stored formula for new variable values	expr-eval	#1 → #14
CLEAR — clear the entry line / screen	clear	#15
Clear variables	clear var	#1 → #31
Closing bracket). Closing brackets at the end of a line may be omitted	)	#24
CMPLX — complex-number menu	complex	#1 → #16
Comma / argument separator (between function arguments, list items or coordinates)	,	#1 → #43
CONST — scientific-constants menu	constants	#1 → #23
CONV — unit-conversion menu	convert	#1 → #25
Cosine (current angle unit)	cos cos^{-1}	#18
Cursor ▲ — up / previous history line / previous item	▲	#4
Cursor ▶ — move right in the line	▶	#7
Cursor ▼ — down / next history line / next item	▼	#5
Cursor ◀ — move left in the line	◀	#6

Cycle the angle unit Deg → Rad → Grad	◀▶ deg	#1 → #30
Cycle through variables x, y, z…	xyztabcd	#31
Decimal point. Pressing it first gives "0."; a second point in the same number is ignored	.	#43
Definite integral ∫ (numerical, Simpson/adaptive)	∫▭d▭	#1 → #11
DEL — delete the character at the cursor	delete	#3
Derivative d/dx at a point (numerical)	d/d▭	#1 → #8
Digit 0	0	#42
Digit 1	1	#37
Digit 2	2	#38
Digit 3	3	#39
Digit 4	4	#32
Digit 5	5	#33
Digit 6	6	#34
Digit 7	7	#27
Digit 8	8	#28
Digit 9	9	#29
Division ÷	÷	#20
e^x — exponential	e▭ 10▭	#11
Execute / = — evaluate the line and show the result (EXE / ENTER / =)	enter	#45
Factorial n! (also on non-integers via the gamma function where supported)	! nCr nPr	#13
Fraction template ▭/▭ (numerator over denominator)	n/d	#22
INS — insert mode at the cursor	insert	#1 → #3
Linear-system solver	sys-solv	#1 → #19
MATH menu — extra math functions	math	#9

MATRIX menu	**matrix**	**#1 → #9**
Mixed-number template (whole, numerator, denominator)	**Un/d**	**#1 → #22**
MODE — choose calculation mode	**mode**	**#2**
Multiplication ×	**×**	**#25**
n-th root $\sqrt[x]{y}$	**x√**	**#1 → #21**
Natural logarithm ln	**ln log**	**#8**
Negative sign (−) — makes the next number negative. Different from the subtraction key	**(−)**	**#44**
Numeric solver	**num-solv**	**#1 → #17**
OFF — power off (state is lost; press ON to restart)	**off**	**#1 → #41**
ON — power on	**on**	**#41**
Opening bracket (	**(**	**#23**
Percent %	%	**#1 → #20**
Polynomial solver	**poly-solv**	**#1 → #18**
Power x^y / ^ — raise to any power. Chains right-to-left (2^3^2 = 2^9 = 512)	**x▭**	**#21**
PRB — probability functions	**random**	**#1 → #13**
QUIT — leave the current screen / app	**quit**	**#1 → #2**
Recall a stored variable	**recall**	**#1 → #36**
RESET — return to factory defaults	**reset**	**#1 → #42**
S⇔D — toggle the result between exact (fraction, √, π) and decimal	**◆≈**	**#40**

SHIFT / 2nd — the next key uses its upper (shift-coloured) function	2nd	#1
Sine (uses the current angle unit)	sin $\sin^{-1}$	#17
Square root √	√	#1 → #26
Square x^2	x^2	#26
STAT — statistics menu	stat-reg/distr	#1 → #10
Statistics data entry	data	#10
STO▶ (→) — store into a variable	sto▸	#36
Subtraction −	−	#30
TABLE — table of values of f(x)	table	#14
Tangent (current angle unit)	tan $\tan^{-1}$	#19
VECTOR menu	vector	#1 → #12
π (3.14159265…) as an exact constant	π e i	#16

Appendix C — Glossary

Ans
The result of the last calculation, reusable in the next.

AOS
Algebraic Operating System — operator precedence on a one-line display.

RPN
Reverse Polish Notation — operands first, then the operation; no = key.

Stack
The RPN registers X, Y, Z, T where numbers wait for operations.

TVM
Time Value of Money — n, i, PV, PMT, FV.

Natural display
Shows fractions, roots and powers as printed in textbooks.

Shift / 2nd
Prefix key that selects the function printed above a key.

Alpha
Prefix key that types the letter printed beside a key.

Radian
Angle unit; 2π rad = 360°.

Grad
Angle unit; 400 grad = 360°.

Engineering notation
Scientific notation with exponents that are multiples of 3.

Mantissa
The digits of a number in scientific notation.

Memory (M)

An independent register for running totals.

Mark-up

Increase over cost; margin is profit as a percent of selling price.

Grand total (GT)

Sum of all totals since the last clear.

nCr / nPr

Combinations / permutations of n items taken r at a time.

Factorial

n! = 1×2×…×n.

Reciprocal

1/x.

Standard deviation

Spread of data around the mean (σ population, s sample).

Key number

The small badge 1…N on each key in U-45 CALCULATORS, used throughout this manual.

Appendix D — Model notes & limits


Multi-tap keys: pressing ln/log, e^n/10^n, !/nCr/nPr, π/e/i and sin/cos/tan repeatedly cycles through the functions printed on the key. 2nd gives num-solv, poly-solv, sys-solv, matrix, vector, complex, base n, constants, convert, stat-reg/distr. Hex digits A–F are on 1–6 in base-n mode.

Planned (not yet working)

- Function table with graph preview
- Equation recall history
- Physical constants by category
- Unit-conversion favourites
- Regression model choice (power, log)
- Inferential statistics (t-test)
- Exam-mode lock
- Matrix inverse display as fractions
- Exam mode (locks memory & shows indicator)
- Answer history export to text
- Speech read-out of results
- Colour-blind safe key theme
- Custom shortcut keys

U-45 CALCULATORS models are independent software recreations; they are not affiliated with any calculator manufacturer and carry no third-party trademarks.

Appendix E — Quick-reference card



#1 2nd	**#2** mode ⇧ quit	**#3** delete ⇧ insert
#4 ▲	**#5** ▼	**#6** ◀
#7 ▶	**#8** ln log ⇧ d/d▭	**#9** math ⇧ matrix
#10 data ⇧ stat-reg/distr	**#11** e▭ 10▭ ⇧ ∫▭d▭	**#12** EE ⇧ vector
#13 ! nCr nPr ⇧ random	**#14** table ⇧ expr-eval	**#15** clear
#16 π e i ⇧ complex	**#17** sin $\sin^{-1}$ ⇧ num-solv	**#18** cos $\cos^{-1}$ ⇧ poly-solv
#19 tan $\tan^{-1}$ ⇧ sys-solv	**#20** ÷ ⇧ %	**#21** x▭ ⇧ x√
#22 n/d ⇧ Un/d	**#23** (⇧ constants	**#24**) ⇧ base n
#25 × ⇧ convert	**#26** x^2 ⇧ √	**#27** 7
#28 8	**#29** 9	**#30** – ⇧ ◀▶ deg
#31 xyztabcd ⇧ clear var	**#32** 4	**#33** 5
#34 6	**#35** +	**#36** sto▸ ⇧ recall
#37 1	**#38** 2	**#39** 3
#40 ◀▶≈ ⇧ f◀▶d	**#41** on ⇧ off	**#42** 0 ⇧ reset
#43 . ⇧ ,	**#44** (–) ⇧ answer	**#45** enter

U-45 CALCULATORS · Calculator #35 · cut out and keep