Table 1: fa2latex

Table 1. Factor Loadings for Confirmatory Factor Analysis with Target Rotation of APSI

Variable	MR1	MR1.1	MR1.2	com
1	**0.83**	0.68	0.32	1
2	**0.76**	0.58	0.42	1
3	0.22	0.05	0.95	1
4	**0.82**	0.68	0.32	1
5	**0.67**	0.45	0.55	1
6	-0.07	0.01	0.99	1
7	**0.77**	0.60	0.40	1
8	**0.81**	0.66	0.34	1
SS loadings	3.71			

of APSI

Table 2: fa2latex

Table 2. Factor Loadings for Exploratory Factor Analysis with Oblimin Rotation of APSI

Variable	ML2	ML1	h2	u2	com
1	**0.83**	-0.03	0.69	0.31	1.00
2	**0.76**	0.00	0.58	0.42	1.00
3	0.00	**1.00**	1.00	0.00	1.00
4	**0.83**	-0.03	0.68	0.32	1.00
5	**0.63**	0.18	0.49	0.51	1.17
6	0.15	**-0.31**	0.10	0.90	1.43
7	**0.77**	0.03	0.60	0.40	1.00
8	**0.82**	-0.04	0.66	0.34	1.01
SS loadings	3.65	1.13			
ML2	1.00	0.22			
ML1	0.22	1.00			

of APSI
of APSI
of APSI
of APSI
of APSI
of APSI
of APSI

Table 3: fa2latex

Table 3. Factor Loadings for Exploratory Factor Analysis with Oblimin Rotation of APSI

Variable	ML2	ML1	ML3	h2	u2	com
1	**0.73**	-0.03	0.13	0.67	0.33	1.07
2	**0.61**	-0.01	0.21	0.58	0.42	1.23
3	-0.01	**0.99**	0.03	1.00	0.00	1.00
4	**0.86**	0.00	-0.04	0.70	0.30	1.00
5	0.08	0.07	**0.84**	0.84	0.16	1.03
6	-0.13	**-0.36**	**0.39**	0.18	0.82	2.21
7	**0.80**	0.05	-0.04	0.62	0.38	1.01
8	**0.85**	-0.02	-0.03	0.68	0.32	1.00
SS loadings	3.13	1.11	1.01			
ML2	1.00	0.19	0.66			
ML1	0.19	1.00	0.26			
ML3	0.66	0.26	1.00			

Table 4: fa2latex

Table 4. Factor Loadings for Exploratory Factor Analysis with Oblimin Rotation of APSI

Variable	ML2	ML4	ML1	ML3	h2	u2	com
1	**0.32**	**0.57**	-0.01	-0.03	0.70	0.30	1.59
2	0.03	**0.81**	-0.04	0.00	0.70	0.30	1.01
3	0.03	-0.01	-0.14	**0.67**	0.51	0.49	1.10
4	**0.67**	0.21	-0.04	-0.04	0.69	0.31	1.22
5	0.07	**0.52**	0.20	**0.37**	0.63	0.37	2.18
6	0.00	-0.01	**0.99**	-0.03	1.00	0.00	1.00
7	**0.90**	-0.11	0.03	0.07	0.71	0.29	1.04
8	**0.65**	0.22	0.00	-0.05	0.67	0.33	1.25
SS loadings	2.14	1.75	1.06	0.66			
ML2	1.00	0.78	0.08	0.27			
ML4	0.78	1.00	0.10	0.28			
ML1	0.08	0.10	1.00	-0.17			
ML3	0.27	0.28	-0.17	1.00			

Table 5: fa2latex

Table 5. Factor Loadings for Exploratory Factor Analysis with Oblimin Rotation of APSI

Variable	ML1	ML1.1	ML1.2	com
1	**0.83**	0.69	0.31	1
2	**0.76**	0.58	0.42	1
4	**0.82**	0.68	0.32	1
5	**0.67**	0.45	0.55	1
7	**0.77**	0.60	0.40	1
8	**0.81**	0.66	0.34	1
SS loadings	3.65			

Table 6: fa2latex

Table 5. Factor Loadings for Exploratory Factor Analysis with Oblimin Rotation of APSI

Variable	ML1	ML1.1	ML1.2	com
1	**0.82**	0.67	0.33	1
2	**0.75**	0.56	0.44	1
4	**0.83**	0.69	0.31	1
7	**0.78**	0.61	0.39	1
8	**0.82**	0.68	0.32	1
SS loadings	3.2			

Table 7: fa2latex

Table 6. Factor Loadings for Exploratory Factor Analysis with Oblimin Rotation of APSI

Variable	ML1	ML1.1	ML1.2	com
1	**0.79**	0.62	0.38	1
4	**0.84**	0.71	0.29	1
7	**0.80**	0.64	0.36	1
8	**0.83**	0.68	0.32	1
SS loadings	2.65			

Table 8: fa2latex

Table 7. Factor Loadings for Exploratory Factor Analysis with Oblimin Rotation of APSI

Variable	ML1	ML1.1	ML1.2	com
2	0.16	0.02	0.98	1
6	0.16	0.02	0.98	1
SS loadings	0.05			

Table 9: fa2latex

Table 8. Factor Loadings for Exploratory Factor Analysis with Oblimin Rotation of APSI

Variable	ML1	ML1.1	ML1.2	com
3	**0.57**	0.32	0.68	1
5	**0.57**	0.32	0.68	1
SS loadings	0.64			

Table 10: fa2latex

Table 9. Factor Loadings for Confirmatory Factor Analysis with Target Rotation of APSI

Variable	MR1	MR2	h2	u2	com
1	**0.83**	0.01	0.69	0.31	1.00
2	**0.75**	0.04	0.58	0.42	1.01
3	**0.82**	0.01	0.68	0.32	1.00
4	**0.75**	0.07	0.60	0.40	1.02
5	**0.82**	0.00	0.66	0.34	1.00
6	**0.61**	0.22	0.49	0.51	1.25
7	-0.08	**1.01**	1.00	0.00	1.01
8	-0.17	**0.31**	0.10	0.90	1.56
SS loadings	3.58	1.2			
MR1	1.00	0.25			
MR2	0.25	1.00			

Table 11: fa2latex

Table 10. Factor Loadings for Confirmatory Factor Analysis with Target Rotation of APSI

Variable	MR1	MR3	MR2	h2	u2	com
1	**0.83**	0.06	0.20	0.67	0.33	1.12
2	**0.89**	-0.01	0.30	0.70	0.30	1.23
3	**0.81**	0.04	0.30	0.61	0.39	1.28
4	**0.89**	-0.03	0.29	0.68	0.32	1.22
5	**0.71**	0.13	0.13	0.57	0.43	1.13
6	0.11	-0.09	**-0.34**	0.16	0.84	1.35
7	**-0.36**	**0.94**	**0.36**	1.00	0.00	1.59
8	0.22	**0.76**	**-0.49**	0.99	0.01	1.89
SS loadings	3.34	1.48	0.56			
MR1	1.00	0.48	-0.33			
MR3	0.48	1.00	0.15			
MR2	-0.33	0.15	1.00			

Table 12: fa2latex

Table 10. Factor Loadings for Confirmatory Factor Analysis with Target Rotation of APSI

Variable	MR1	MR2	h2	u2	com
1	**0.84**	-0.04	0.69	0.31	1.01
2	**0.76**	-0.01	0.58	0.42	1.00
3	**0.83**	-0.04	0.68	0.32	1.00
4	**0.77**	0.02	0.60	0.40	1.00
5	**0.82**	-0.05	0.66	0.34	1.01
6	**0.64**	0.17	0.49	0.51	1.14
7	0.05	**0.99**	1.00	0.00	1.00
8	-0.13	**0.31**	0.10	0.90	1.36
SS loadings	3.68	1.11			
MR1	1.00	0.19			
MR2	0.19	1.00			

Table 13: fa2latex

Table 11. Factor Loadings for Confirmatory Factor Analysis with Target Rotation of APSI

Variable	MR1	MR2	h2	u2	com
1	**0.68**	0.25	0.71	0.29	1.27
2	**0.86**	-0.05	0.70	0.30	1.01
3	**0.91**	-0.20	0.67	0.33	1.10
4	**0.84**	-0.04	0.67	0.33	1.00
5	**0.53**	**0.42**	0.68	0.32	1.90
6	-0.05	-0.04	0.01	0.99	1.92
7	**0.50**	0.29	0.48	0.52	1.59
SS loadings	3.41	0.51			
MR1	1.00	0.52			
MR2	0.52	1.00			