

Sign Up

localhost:3000/SIT774/Task5-3\_sign\_up.html

AppsElectronics已匯入娱乐Useful LinksStudy(1) Study Music Alp...(9) YouTubeEAGLE - SparkFun E...

WikiAbout UsSupportContactLogin

LOGO TEXT HERE

Make a search here

Search

HOMEANIMAL PRODUCTSVEGETABLES

Home / Login / Sign Up

Sign up

Username:

Password:

Repeat Your Password:


Please Repeat Your Password


Email:

Sign Up


Reset


This website belongs to a fictional company














```
<!DOCTYPE html>
<html lang="en">

<!-- Here is the head element-->

<head>
  <title>Homepage for a Fictional Business</title>
  <meta name="author" content="Yiyang Hou">
  <meta name="description" content="Homepage for a Fictional Business">
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
```



```

    <!-- Latest compiled and minified CSS -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/
4.5.0/css/bootstrap.min.css"
        integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYYxFfc+NcPb1dKGj7Sk" crossorigin=
"anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" href="project.css">

</head>

<body>
    <nav class="navbar navbar-expand-md navbar-dark bg-dark">
        <div class="container">
            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarResponsive">
                <ul class="navbar-nav ml-auto">

                    <li class="nav-item">
                        <a class="btn btn-
dark" href="wikiPage.html" role="button">Wiki</a>
                    </li>
                    <li class="nav-item">
                        <a class="btn btn-dark" href="Task5-
3_about_us.html" role="button">About Us</a>
                    </li>
                    <li class="nav-item">
                        <a class="btn btn-dark" href="Task5-
3_support.html" role="button">Support</a>
                    </li>
                    <li class="nav-item">
                        <a class="btn btn-dark" href="Task5-
3_contact.html" role="button">Contact</a>
                    </li>
                    <li class="nav-item">
                        <a class="btn btn-dark" href="Task5-
3_login.html" role="button">Login</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>

    <!-- Header part of the page within jumbotron -->

```



```

<div class="jumbotron">
  <div class="container">
    <div class="row">
      <div class="col-md-2">
        
      </div>
      <!-- Some navigation options at the top -->
      <div class="col-md-10 text-center font-weight-bold">
        <form>
          <!-- A search feature -->
          <div class="form-row container">
            <div class="col-md-10 col-12">
              <input type="text" class="form-
control" name="searchbox" id="searchbox"
              placeholder="Make a search here">
            </div>
            <div class="col-md-2 font-weight-bold">
              <input type="submit" class="form-
control btn btn-dark" value="Search">
            </div>
          </div>
        </form>
      </div>
    </div>
    <hr style="height: 1em;">
    <!-- Navigation of the site -->
    <nav class="bg-dark sticky-top">
      <div class="row">
        <div class="col-md-4 font-weight-bold text-center">
          <a href="Task5-
3_home.html" role="button" style="color: white;">HOME</a>
        </div>
        <div class="col-md-4 font-weight-bold text-center">
          <a href="Task5-
3_product_cate1.html" role="button" style="color: white;">ANIMAL PRODUCTS</a>
        </div>
        <div class="col-md-4 font-weight-bold text-center">
          <a href="Task5-
3_product_cate2.html" role="button" style="color: white;">VEGETABLES</a>
        </div>
      </div>
    </nav>
  </div>
</div>
<!-- Homepage Content Section -->
<div class="container">
  <div class="col-md-12">

```

```
<h2>Highlight of the Week!</h2>  
<br>  
<div class="container">  
    <div id="newCarousel" class="carousel slide" data-  
ride="carousel">  
        <!--Indicators-->  
        <ol class="carousel-indicators">  
            <li data-target="#newCarousel" data-slide-  
to="0" class="active"></li>  
            <li data-target="#newCarousel" data-slide-to="1"></li>  
        </ol>  
        <!-- Wrapper for slides -->  
        <div class="carousel-inner">  
            <div class="carousel-item active">  
                <a href="Task5-  
3_product1.html" style="color: black;">  
                      
  
                    <div class="carousel-caption font-weight-  
bold">  
  
                        <h5 style="color: black;">  
                            Eggs&nbsp;&nbsp;&$10  
                        </h5>  
                    </div>  
                </a>  
            </div>  
            <div class="carousel-item">  
                <a href="Task5-  
3_product2.html" style="color: black;">  
                      
  
                    <div class="carousel-caption font-weight-  
bold">  
  
                        <h5>  
                            Broccoli&nbsp;&nbsp;&$10  
                        </h5>  
                    </div>  
                </a>  
            </div>  
        </div>  
        <!-- Left and right controls -->  
        <a class="carousel-control-prev" href="#newCarousel" data-  
slide="prev">  
            <span class="carousel-control-prev-icon"></span>  
            <span class="sr-only">Previous</span>  
        </a>  
        <a class="carousel-control-next" href="#newCarousel" data-  
slide="next">
```

```

        <span class="carousel-control-next-icon"></span>
        <span class="sr-only">Next</span>
    </a>
</div>
</div>
</div>
<br>
<!-- Social Media Section -->
<hr>
<div class="container-fluid padding">
    <div class="row text-center padding">
        <div class="col-12">
            <h2>Social Media</h2>
        </div>
        <div class="col-12 social padding">
            <a href="https://www.facebook.com" class="fa fa-
facebook"></a>
            <a href="https://www.linkedin.com" class="fa fa-
linkedin"></a>
            <a href="https://www.twitter.com" class="fa fa-
twitter"></a>
            <a href="https://www.youtube.com" class="fa fa-
youtube"></a>
        </div>
    </div>
</div>
</div>
<!-- footer -->
<footer>
    <div class="container-fluid padding bg-dark text-center">
        <small class="text-
light"><i> This website belongs to a fictional company</i></small>
    </div>
</footer>

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
    integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
    crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper
.min.js"
    integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
    crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstr
ap.min.js"

```

```

        integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI"
        crossorigin="anonymous"></script>
</body>

</html>

```

```

<!DOCTYPE html>
<html lang="en">

<!-- Here is the head element-->

<head>
    <title>About Us</title>
    <meta name="author" content="Yiyang Hou">
    <meta name="description" content="About Us">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
    <!-- Latest compiled and minified CSS -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/
4.5.0/css/bootstrap.min.css"
        integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYYxFfc+NcPb1dKGj7Sk" crossorigin=
"anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" href="project.css">
</head>

<body>
    <nav class="navbar navbar-expand-md navbar-dark bg-dark">
        <div class="container">
            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarResponsive">
                <ul class="navbar-nav ml-auto">
                    <li class="nav-item">
                        <a class="btn btn-
dark" href="wikiPage.html" role="button">Wiki</a>
                    </li>
                    <li class="nav-item">
                        <a class="btn btn-dark" href="Task5-
3_about_us.html" role="button">About Us</a>
                    </li>
                    <li class="nav-item">

```



```

        <a class="btn btn-dark" href="Task5-
3_support.html" role="button">Support</a>
    </li>
    <li class="nav-item">
        <a class="btn btn-dark" href="Task5-
3_contact.html" role="button">Contact</a>
    </li>
    <li class="nav-item">
        <a class="btn btn-dark" href="Task5-
3_login.html" role="button">Login</a>
    </li>
</ul>
</div>
</div>
</nav>

<!-- Header part of the page within jumbotron -->
<div class="jumbotron" style="background-color:goldenrod">
    <div class="container">
        <div class="row">
            <div class="col-md-2">
                
            </div>
            <!-- Some navigation options at the top -->
            <div class="col-md-10 text-center font-weight-bold">
                <form>
                    <!-- A search feature -->
                    <div class="form-row container">
                        <div class="col-md-10 col-12">
                            <input type="text" class="form-
control" name="searchbox" id="searchbox"
                                placeholder="Make a search here">
                        </div>
                        <div class="col-md-2 font-weight-bold">
                            <input type="submit" class="form-
control btn btn-dark" value="Search">
                        </div>
                    </div>
                </form>
            </div>
        </div>
        <hr style="height: 1em;"/>
        <!-- Navigation of the site -->
        <nav class="bg-dark sticky-top">
            <div class="row">
                <div class="col-md-4 font-weight-bold text-center">
                    <a href="Task5-
3_home.html" role="button" style="color: white;">HOME</a>

```

```

        </div>
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_product_cate1.html " role="button" style="color: white;">ANIMAL PRODUCTS</a>
        </div>
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_product_cate2.html" role="button" style="color: white;">VEGETABLES</a>
        </div>
    </div>
</nav>
</div>
</div>
<div class="container">
    <nav aria-label="breadcrumb">
        <ol class="breadcrumb">
            <li class="breadcrumb-item"><a href="Task5-
3_home.html">Home</a></li>
            <li class="breadcrumb-item active" aria-
current="page">About us</li>
        </ol>
    </nav>
    <h2>About us</h2>
    <p>
        Company introduction is placed here.<br><br><br><br><br><br><br><br><br>
    </p>
</div>
<!-- footer -->
<footer>
    <div class="container-fluid padding bg-dark text-center">
        <small class="text-
light"><i> This website belongs to a fictional company</i></small>
    </div>
</footer>

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
    integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
    crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper
.min.js"
    integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
    crossorigin="anonymous"></script>

```

```

    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"
        integrity="sha384-
0gVRvuATP1z7JjHLku0U7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI"
        crossorigin="anonymous"></script>
</body>

</html>

```

```

<!DOCTYPE html>
<html lang="en">

<!-- Here is the head element-->

<head>
    <title>Contact</title>
    <meta name="author" content="Yiyang Hou">
    <meta name="description" content="Contact">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
    <!-- Latest compiled and minified CSS -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/
4.5.0/css/bootstrap.min.css"
        integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYYxFfc+NcPb1dKGj7Sk" crossorigin=
"anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" href="project.css">

    <script>
        function validation() {
            var numbers = /^[0-9]+$/, flag;
            flag = true;
            if (document.getElementById("name").value.length == 0) {
                document.getElementById("nameError").innerHTML = "<span class=
'text-danger'><i>You did not enter your name</i></span>";
                flag = false;
            }
            else {
                document.getElementById("nameError").innerHTML = "";
            }
            if (document.getElementById("email").value.length == 0) {
                document.getElementById("emailError").innerHTML = "<span class
='text-danger'><i>You did not enter your email address</i></span>";
                flag = false;
            }
        }
    </script>

```

```

        else if (document.getElementById("email").value.indexOf("@") < 0)
        {
            document.getElementById("emailError").innerHTML = "<span class
='text-danger'><i>Your input is invalid, it does not contain @</i></span>";
            flag = false;
        }
        else {
            document.getElementById("emailError").innerHTML = "";
        }

        if (document.getElementById("phone").value.length == 0) {
            document.getElementById("phoneError").innerHTML = "<span class
='text-danger'><i>You did not enter your phone number</i></span>";
            flag = false;
        }
        else if (!document.getElementById("phone").value.match(numbers)) {
            document.getElementById("phoneError").innerHTML = "<span class
='text-danger'><i>Your phone number must be an array of numbers</i></span>";
            flag = false;
        }
        else if (document.getElementById("phone").value.length != 10) {
            document.getElementById("phoneError").innerHTML = "<span class
='text-danger'><i>Phone number must be exactly 10 digits</i></span>";
            flag = false;
        }
        else {
            document.getElementById("phoneError").innerHTML = "";
        }
        if (document.getElementById("subject").value.length == 0) {
            document.getElementById("subjectError").innerHTML = "<span cla
ss='text-danger'><i>You must have a subject</i></span>";
            flag = false;
        }
        else {
            document.getElementById("subjectError").innerHTML = "";
        }
        return flag;
    }
</script>
</head>

<body>
    <nav class="navbar navbar-expand-md navbar-dark bg-dark">
        <div class="container">
            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive">
                <span class="navbar-toggler-icon"></span>
            </button>

```



```

        <div class="collapse navbar-collapse" id="navbarResponsive">
            <ul class="navbar-nav ml-auto">
                <li class="nav-item">
                    <a class="btn btn-
dark" href="wikiPage.html" role="button">Wiki</a>
                </li>
                <li class="nav-item">
                    <a class="btn btn-dark" href="Task5-
3_about_us.html" role="button">About Us</a>
                </li>
                <li class="nav-item">
                    <a class="btn btn-dark" href="Task5-
3_support.html" role="button">Support</a>
                </li>
                <li class="nav-item">
                    <a class="btn btn-dark" href="Task5-
3_contact.html" role="button">Contact</a>
                </li>
                <li class="nav-item">
                    <a class="btn btn-dark" href="Task5-
3_login.html" role="button">Login</a>
                </li>
            </ul>
        </div>
    </div>
</nav>

<!-- Header part of the page within jumbotron -->
<div class="jumbotron" style="background-color:goldenrod">
    <div class="container">
        <div class="row">
            <div class="col-md-2">
                
            </div>
            <!-- Some navigation options at the top -->
            <div class="col-md-10 text-center font-weight-bold">
                <form>
                    <!-- A search feature -->
                    <div class="form-row container">
                        <div class="col-md-10 col-12">
                            <input type="text" class="form-
control" name="searchbox" id="searchbox"
                                placeholder="Make a search here">
                        </div>
                        <div class="col-md-2 font-weight-bold">
                            <input type="submit" class="form-
control btn btn-dark" value="Search">
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>

```

```

        </div>
    </form>
</div>
</div>
<hr style="height: 1em;">
<!-- Navigation of the site -->
<nav class="bg-dark sticky-top">
    <div class="row">
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_home.html" role="button" style="color: white;">HOME</a>
        </div>
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_product_cate1.html " role="button" style="color: white;">ANIMAL PRODUCTS</a>
        </div>
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_product_cate2.html" role="button" style="color: white;">VEGETABLES</a>
        </div>
    </div>
</nav>
</div>
<div class="container">
    <div class="container">
        <nav aria-label="breadcrumb">
            <ol class="breadcrumb">
                <li class="breadcrumb-item"><a href="Task5-
3_home.html">Home</a></li>
                <li class="breadcrumb-item active" aria-
current="page">Contact</li>
            </ol>
        </nav>
        <h2>Contact</h2>
        <p>
            Company contact details are placed here.<br><br><br><br><br><b
r><br><br><br>
        </p>
        <!-- Contact Form-->
        <h3>Please fill out the form to send us a messgae:</h3>
        <br>
        <form onsubmit="return validation()">
            <div class="form-group row">
                <label class="col-form-label col-md-3 col-4 text-
right font-weight-bold" for="name">Name:</label>
                <div class="col-md-6 col-5">

```

```

        <input type="text" class="form-
control" name="name" id="name" placeholder="Your Name">
    </div>
    <span class="col-md-3 col-3" id="nameError">
    </span>
</div>
<div class="form-group row">
    <label class="col-form-label col-md-3 col-4 text-
right font-weight-bold" for="email">Email:</label>
    <div class="col-md-6 col-5">
        <input type="text" class="form-
control" name="email" id="email" placeholder="Enter Email">
    </div>
    <span class="col-md-3 col-3" id="emailError">
    </span>
</div>
<div class="form-group row">
    <label class="col-form-label col-md-3 col-4 text-
right font-weight-bold" for="phone">Phone:</label>
    <div class="col-md-6 col-5">
        <input type="text" class="form-
control" name="phone" id="phone"
        placeholder="Enter Phone Number">
    </div>
    <span class="col-md-3 col-3" id="phoneError">
    </span>
</div>
<div class="form-group row">
    <label class="col-form-label col-md-3 col-4 text-
right font-weight-bold"
        for="subject">Subject:</label>
    <div class="col-md-6 col-5">
        <input type="text" class="form-
control" name="subject" id="subject"
        placeholder="Subject of the Message">
    </div>
    <span class="col-md-3 col-3" id="subjectError">
    </span>
</div>
<div class="form-group row">
    <label class="col-form-label col-md-3 col-4 text-
right font-weight-bold"
        for="message">Message:</label>
    <div class="col-md-9 col-8">
        <textarea class="form-
control" name="message" id="message" rows="5">
        </textarea>
    </div>
</div>

```

```

        </div>
        <div class="form-group row col-md-9 offset-md-3 col-9 offset-
3">
            <div>
                <input type="submit" value="Submit">
            </div>
            &nbsp;
            <div>
                <input type="reset" value="Reset">
            </div>
        </div>
    </form>
</div>

</div>
<!-- footer -->
<footer>
    <div class="container-fluid padding bg-dark text-center">
        <small class="text-
light"><i> This website belongs to a fictional company</i></small>
    </div>
</footer>

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
    integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
    crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper
.min.js"
    integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
    crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstr
ap.min.js"
    integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI"
    crossorigin="anonymous"></script>
</body>

</html>

```

```

<!DOCTYPE html>
<html lang="en">

<!-- Here is the head element-->

```



```

<head>
  <title>Login</title>
  <meta name="author" content="Yiyang Hou">
  <meta name="description" content="Login">
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
  <!-- Latest compiled and minified CSS -->
  <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/
4.5.0/css/bootstrap.min.css"
    integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYYxFfc+NcPb1dKGj7Sk" crossorigin=
"anonymous">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <link rel="stylesheet" href="project.css">
</head>

<body>
  <nav class="navbar navbar-expand-md navbar-dark bg-dark">
    <div class="container">
      <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarResponsive">
        <ul class="navbar-nav ml-auto">
          <li class="nav-item">
            <a class="btn btn-
dark" href="wikiPage.html" role="button">Wiki</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_about_us.html" role="button">About Us</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_support.html" role="button">Support</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_contact.html" role="button">Contact</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_login.html" role="button">Login</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

```

```

        </ul>
    </div>
</div>
</nav>

<!-- Header part of the page within jumbotron -->
<div class="jumbotron" style="background-color:goldenrod">
    <div class="container">
        <div class="row">
            <div class="col-md-2">
                
            </div>
            <!-- Some navigation options at the top -->
            <div class="col-md-10 text-center font-weight-bold">
                <form>
                    <!-- A search feature -->
                    <div class="form-row container">
                        <div class="col-md-10 col-12">
                            <input type="text" class="form-
control" name="searchbox" id="searchbox"
                                placeholder="Make a search here">
                        </div>
                        <div class="col-md-2 font-weight-bold">
                            <input type="submit" class="form-
control btn btn-dark" value="Search">
                        </div>
                    </div>
                </form>
            </div>
        </div>
        <hr style="height: 1em;">
        <!-- Navigation of the site -->
        <nav class="bg-dark sticky-top">
            <div class="row">
                <div class="col-md-4 font-weight-bold text-center">
                    <a href="Task5-
3_home.html" role="button" style="color: white;">HOME</a>
                </div>
                <div class="col-md-4 font-weight-bold text-center">
                    <a href="Task5-
3_product_cate1.html " role="button" style="color: white;">ANIMAL PRODUCTS</a>
                </div>
                <div class="col-md-4 font-weight-bold text-center">
                    <a href="Task5-
3_product_cate2.html" role="button" style="color: white;">VEGETABLES</a>
                </div>
            </div>
        </nav>

```

```

        </div>
    </div>
    <div class="container">
        <div class="container">
            <!-- Login -->
            <nav aria-label="breadcrumb">
                <ol class="breadcrumb">
                    <li class="breadcrumb-item"><a href="Task5-
3_home.html">Home</a></li>
                    <li class="breadcrumb-item active" aria-
current="page">Login</li>
                </ol>
            </nav>
            <h2>Login</h2>
            <form>
                <div class="form-group row">
                    <label class="col-form-label col-md-3 col-4 text-
right font-weight-bold"
                        for="username">Username:</label>
                    <div class="col-md-9 col-8">
                        <input type="text" class="form-
control" name="username" id="username" required>
                    </div>
                </div>
                <div class="form-group row">
                    <label class="col-form-label col-md-3 col-4 text-
right font-weight-bold"
                        for="password">Password:</label>
                    <div class="col-md-9 col-8">
                        <input type="password" class="form-
control" name="password" id="password" required>
                    </div>
                </div>
                <div class="form-group row col-md-9 offset-md-3 col-9 offset-
3">
                    <div>
                        <input type="submit" value="Login">
                    </div>
                </div>
                <div class="form-group row col-md-9 offset-md-3 col-9 offset-
3">
                    <div>
                        <a href="Task5-
3_sign_up.html" role="button">Not a member? Sign up here</a>
                    </div>
                </div>
            </form>
        </div>
    </div>

```

```

    </div>
<!-- footer -->
<footer>
    <div class="container-fluid padding bg-dark text-center">
        <small class="text-
light"><i> This website belongs to a fictional company</i></small>
    </div>
</footer>
    <!-- Optional JavaScript -->
    <!-- jQuery first, then Popper.js, then Bootstrap JS -->
    <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
        integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
        crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper
.min.js"
        integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
        crossorigin="anonymous"></script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstr
ap.min.js"
        integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI"
        crossorigin="anonymous"></script>
</body>

</html>
<!DOCTYPE html>
<html lang="en">

<!-- Here is the head element-->

<head>
    <title>Support</title>
    <meta name="author" content="Yiyang Hou">
    <meta name="description" content="Support">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
    <!-- Latest compiled and minified CSS -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/
4.5.0/css/bootstrap.min.css"
        integrity="sha384-
9aIt2nRpC12Uk9gS9baD1411NQApFmC26EwAOH8WgZl5MYYYxFfc+NcPb1dKGj7Sk" crossorigin=
"anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

```

```
<link rel="stylesheet" href="project.css">
</head>

<body>
  <nav class="navbar navbar-expand-md navbar-dark bg-dark">
    <div class="container">
      <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarResponsive">
        <ul class="navbar-nav ml-auto">
          <li class="nav-item">
            <a class="btn btn-
dark" href="wikiPage.html" role="button">Wiki</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_about_us.html" role="button">About Us</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_support.html" role="button">Support</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_contact.html" role="button">Contact</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_login.html" role="button">Login</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

  <!-- Header part of the page within jumbotron -->
  <div class="jumbotron" style="background-color:goldenrod">
    <div class="container">
      <div class="row">
        <div class="col-md-2">
          
        </div>
        <!-- Some navigation options at the top -->
        <div class="col-md-10 text-center font-weight-bold">
          <form>
            <!-- A search feature -->
          </form>
        </div>
      </div>
    </div>
  </div>
</body>
</html>
```

```
<div class="form-row container">  
    <div class="col-md-10 col-12">  
        <input type="text" class="form-control" name="searchbox" id="searchbox"  
            placeholder="Make a search here">  
    </div>  
    <div class="col-md-2 font-weight-bold">  
        <input type="submit" class="form-control btn btn-dark" value="Search">  
    </div>  
</div>  
</form>  
</div>  
</div>  
<hr style="height: 1em;">  
<!-- Navigation of the site -->  
<nav class="bg-dark sticky-top">  
    <div class="row">  
        <div class="col-md-4 font-weight-bold text-center">  
            <a href="Task5-  
3_home.html" role="button" style="color: white;">HOME</a>  
        </div>  
        <div class="col-md-4 font-weight-bold text-center">  
            <a href="Task5-  
3_product_cate1.html " role="button" style="color: white;">ANIMAL PRODUCTS</a>  
        </div>  
        <div class="col-md-4 font-weight-bold text-center">  
            <a href="Task5-  
3_product_cate2.html" role="button" style="color: white;">VEGETABLES</a>  
        </div>  
    </div>  
</nav>  
</div>  
</div>  
<div class="container">  
    <div class="container">  
        <nav aria-label="breadcrumb">  
            <ol class="breadcrumb">  
                <li class="breadcrumb-item"><a href="Task5-  
3_home.html">Home</a></li>  
                <li class="breadcrumb-item active" aria-current="page">Support</li>  
            </ol>  
        </nav>  
        <h2>Support</h2>  
        <p>  
            Support terms are placed here.<br><br><br><br><br><br><br><br>  
<br>
```



```

        </p>
    </div>

</div>
<!-- footer -->
<footer>
    <div class="container-fluid padding bg-dark text-center">
        <small class="text-light"><i> This website belongs to a fictional company</i></small>
    </div>
</footer>
<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
        integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
        crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
        integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
        crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"
        integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI"
        crossorigin="anonymous"></script>
</body>

</html>

```

```

<!DOCTYPE html>
<html lang="en">

<!-- Here is the head element-->

<head>
    <title>Animal Products</title>
    <meta name="author" content="Yiyang Hou">
    <meta name="description" content="Animal Products">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <!-- Latest compiled and minified CSS -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css"

```

```

        integrity="sha384-
9aIt2nRpC12Uk9gS9baD1411NQApFmC26EwAOH8WgZl5MYYYxFfc+NcPb1dKGj7Sk" crossorigin=
"anonymous">
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
        <link rel="stylesheet" href="project.css">

</head>

<body>
    <nav class="navbar navbar-expand-md navbar-dark bg-dark">
        <div class="container">
            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarResponsive">
                <ul class="navbar-nav ml-auto">
                    <li class="nav-item">
                        <a class="btn btn-
dark" href="wikiPage.html" role="button">Wiki</a>
                    </li>
                    <li class="nav-item">
                        <a class="btn btn-dark" href="Task5-
3_about_us.html" role="button">About Us</a>
                    </li>
                    <li class="nav-item">
                        <a class="btn btn-dark" href="Task5-
3_support.html" role="button">Support</a>
                    </li>
                    <li class="nav-item">
                        <a class="btn btn-dark" href="Task5-
3_contact.html" role="button">Contact</a>
                    </li>
                    <li class="nav-item">
                        <a class="btn btn-dark" href="Task5-
3_login.html" role="button">Login</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>

    <!-- Header part of the page within jumbotron -->
    <div class="jumbotron" style="background-color:goldenrod">
        <div class="container">
            <div class="row">
                <div class="col-md-2">

```

```

        
    </div>
    <!-- Some navigation options at the top -->
    <div class="col-md-10 text-center font-weight-bold">
        <form>
            <!-- A search feature -->
            <div class="form-row container">
                <div class="col-md-10 col-12">
                    <input type="text" class="form-
3_home.html" name="searchbox" id="searchbox"
                    placeholder="Make a search here">
                </div>
                <div class="col-md-2 font-weight-bold">
                    <input type="submit" class="form-
3_product_cate1.html" control btn btn-dark" value="Search">
                </div>
            </div>
        </form>
    </div>
</div>
<hr style="height: 1em;">
<!-- Navigation of the site -->
<nav class="bg-dark sticky-top">
    <div class="row">
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_home.html" role="button" style="color: white;">HOME</a>
        </div>
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_product_cate1.html" role="button" style="color: white;">ANIMAL PRODUCTS</a>
        </div>
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_product_cate2.html" role="button" style="color: white;">VEGETABLES</a>
        </div>
    </div>
</nav>
</div>
</div>
<div class="container">
    <div class="container">
        <nav aria-label="breadcrumb">
            <ol class="breadcrumb">
                <li class="breadcrumb-item"><a href="Task5-
3_home.html">Home</a></li>
                <li class="breadcrumb-item active" aria-
3_product_cate1.html" current="page">Animal Products</li>

```

```
</ol>
</nav>
<h2>ANIMAL PRODUCTS</h2>
<p>
    <br>
    <!--Prospective Item List -->
    <div class="row container">
        <div class="card text-center bg-light col-md-3">
            <a href="Task5-3_product1.html" style="color: black;">
                
                <div class="card-body">
                    <h5 class="card-title">
                        Eggs&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;$10 <span class="badge badge-secondary"> New</span>
                    </h5>
                </div>
            </a>
        </div>
    </div>
    <br><br><br><br><br><br><br><br><br>
</p>
</div>
<nav>
    <ul class="pagination justify-content-center">
        <li class="page-item disabled">
            <a class="page-link" href="#" aria-label="Previous">
                <span aria-hidden="true">&laquo;</span>
            </a>
        </li>
        <li class="page-item disabled"><a class="page-link" href="#">1</a></li>
        <li class="page-item disabled">
            <a class="page-link" href="#" aria-label="Next">
                <span aria-hidden="true">&raquo;</span>
            </a>
        </li>
    </ul>
</nav>
</div>
<!-- footer -->
<footer>
    <div class="container-fluid padding bg-dark text-center">
        <small class="text-light"><i> This website belongs to a fictional company</i></small>
    </div>
</footer>
<!-- Optional JavaScript -->
```

```

    <!-- jQuery first, then Popper.js, then Bootstrap JS -->
    <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
        integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
        crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper
.min.js"
        integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
        crossorigin="anonymous"></script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstr
ap.min.js"
        integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JJKI"
        crossorigin="anonymous"></script>
</body>

</html>

```

```

<!DOCTYPE html>
<html lang="en">

<!-- Here is the head element-->

<head>
    <title>Vegetables</title>
    <meta name="author" content="Yiyang Hou">
    <meta name="description" content="Vegetables">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
    <!-- Latest compiled and minified CSS -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/
4.5.0/css/bootstrap.min.css"
        integrity="sha384-
9aIt2nRpC12Uk9gS9baD1411NQApFmC26EwAOH8WgZl5MYXxHfC+NcPb1dKGj7Sk" crossorigin=
"anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" href="project.css">
</head>

<body>
    <nav class="navbar navbar-expand-md navbar-dark bg-dark">
        <div class="container">
            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive">
                <span class="navbar-toggler-icon"></span>

```



```

        </button>
        <div class="collapse navbar-collapse" id="navbarResponsive">
            <ul class="navbar-nav ml-auto">
                <li class="nav-item">
                    <a class="btn btn-
dark" href="wikiPage.html" role="button">Wiki</a>
                </li>
                <li class="nav-item">
                    <a class="btn btn-dark" href="Task5-
3_about_us.html" role="button">About Us</a>
                </li>
                <li class="nav-item">
                    <a class="btn btn-dark" href="Task5-
3_support.html" role="button">Support</a>
                </li>
                <li class="nav-item">
                    <a class="btn btn-dark" href="Task5-
3_contact.html" role="button">Contact</a>
                </li>
                <li class="nav-item">
                    <a class="btn btn-dark" href="Task5-
3_login.html" role="button">Login</a>
                </li>
            </ul>
        </div>
    </div>
</nav>

<!-- Header part of the page within jumbotron -->
<div class="jumbotron" style="background-color:goldenrod">
    <div class="container">
        <div class="row">
            <div class="col-md-2">
                
            </div>
            <!-- Some navigation options at the top -->
            <div class="col-md-10 text-center font-weight-bold">
                <form>
                    <!-- A search feature -->
                    <div class="form-row container">
                        <div class="col-md-10 col-12">
                            <input type="text" class="form-
control" name="searchbox" id="searchbox"
                                placeholder="Make a search here">
                        </div>
                        <div class="col-md-2 font-weight-bold">
                            <input type="submit" class="form-
control btn btn-dark" value="Search">

```

```
</div>
</div>
</form>
</div>
</div>
<hr style="height: 1em;">
<!-- Navigation of the site -->
<nav class="bg-dark sticky-top">
    <div class="row">
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_home.html" role="button" style="color: white;">HOME</a>
        </div>
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_product_cate1.html " role="button" style="color: white;">ANIMAL PRODUCTS</a>
        </div>
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_product_cate2.html" role="button" style="color: white;">VEGETABLES</a>
        </div>
    </div>
</nav>
</div>
</div>
<div class="container">
    <div class="container">
        <nav aria-label="breadcrumb">
            <ol class="breadcrumb">
                <li class="breadcrumb-item"><a href="Task5-
3_home.html">Home</a></li>
                <li class="breadcrumb-item active" aria-
current="page">Vegetables</li>
            </ol>
        </nav>
        <h2>VEGETABLES</h2>
        <p>
            <br>
            <!--Prospective Item List -->
            <div class="row container">
                <div class="card text-center bg-light col-md-3">
                    <a href="Task5-3_product2.html" style="color: black;">
                        
                        <div class="card-body">
                            <h5 class="card-title">
                                Broccoli&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;$10
                            </h5>
```

```

        </div>
    </a>
</div>
</div>
</div>
<br><br><br><br><br><br><br><br>
</p>
</div>
<nav>
    <ul class="pagination justify-content-center">
        <li class="page-item disabled">
            <a class="page-link" href="#" aria-label="Previous">
                <span aria-hidden="true">&laquo;</span>
            </a>
        </li>
        <li class="page-item disabled"><a class="page-
link" href="#">1</a></li>
        <li class="page-item disabled">
            <a class="page-link" href="#" aria-label="Next">
                <span aria-hidden="true">&raquo;</span>
            </a>
        </li>
    </ul>
</nav>
</div>
<!-- footer -->
<footer>
    <div class="container-fluid padding bg-dark text-center">
        <small class="text-
light"><i> This website belongs to a fictional company</i></small>
    </div>
</footer>
<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
    integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
    crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper
.min.js"
    integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
    crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstr
ap.min.js"
    integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI"
    crossorigin="anonymous"></script>
</body>

```

```

</html>
<!DOCTYPE html>
<html lang="en">

<!-- Here is the head element-->

<head>
  <title>Eggs</title>
  <meta name="author" content="Yiyang Hou">
  <meta name="description" content="Eggs">
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
  <!-- Latest compiled and minified CSS -->
  <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/
4.5.0/css/bootstrap.min.css"
        integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYYxFfc+NcPb1dKGj7Sk" crossorigin=
"anonymous">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <link rel="stylesheet" href="project.css">
</head>

<body>
  <nav class="navbar navbar-expand-md navbar-dark bg-dark">
    <div class="container">
      <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarResponsive">
        <ul class="navbar-nav ml-auto">
          <li class="nav-item">
            <a class="btn btn-
dark" href="wikiPage.html" role="button">Wiki</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_about_us.html" role="button">About Us</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_support.html" role="button">Support</a>
          </li>
          <li class="nav-item">

```

```

        <a class="btn btn-dark" href="Task5-
3_contact.html" role="button">Contact</a>
    </li>
    <li class="nav-item">
        <a class="btn btn-dark" href="Task5-
3_login.html" role="button">Login</a>
    </li>
</ul>
</div>
</div>
</nav>

<!-- Header part of the page within jumbotron -->
<div class="jumbotron" style="background-color:goldenrod">
    <div class="container">
        <div class="row">
            <div class="col-md-2">
                
            </div>
            <!-- Some navigation options at the top -->
            <div class="col-md-10 text-center font-weight-bold">
                <form>
                    <!-- A search feature -->
                    <div class="form-row container">
                        <div class="col-md-10 col-12">
                            <input type="text" class="form-
control" name="searchbox" id="searchbox"
                                placeholder="Make a search here">
                        </div>
                        <div class="col-md-2 font-weight-bold">
                            <input type="submit" class="form-
control btn btn-dark" value="Search">
                        </div>
                    </div>
                </form>
            </div>
        </div>
        <hr style="height: 1em;">
        <!-- Navigation of the site -->
        <nav class="bg-dark sticky-top">
            <div class="row">
                <div class="col-md-4 font-weight-bold text-center">
                    <a href="Task5-
3_home.html" role="button" style="color: white;">HOME</a>
                </div>
                <div class="col-md-4 font-weight-bold text-center">
                    <a href="Task5-
3_product_cate1.html " role="button" style="color: white;">ANIMAL PRODUCTS</a>

```

```

        </div>
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_product_cate2.html" role="button" style="color: white;">VEGETABLES</a>
        </div>
    </div>
</nav>
</div>
</div>
<div class="container">
    <nav aria-label="breadcrumb">
        <ol class="breadcrumb">
            <li class="breadcrumb-item"><a href="Task5-
3_home.html">Home</a></li>
            <li class="breadcrumb-item"><a href="Task5-
3_product_cate1.html">Animal Products</a></li>
            <li class="breadcrumb-item active" aria-
current="page">Eggs</li>
        </ol>
    </nav>
    <div class="font-weight-bold text-left">
        <a href="Task5-
3_product_cate1.html" role="button" style="color: black;">Back to Animal Produ
cts</a>
    </div>
    <br>
    <!--Prospective Item Detail Section -->
    <div class="container">
        <h2>Eggs</h2>
        <br>
        <p>
            <br><br>
            <b>Description</b><br>
            It's good for you!<br><br><br><br><br><br><br><br>
        </p>
    </div>
</div>
<!-- footer -->
<footer>
    <div class="container-fluid padding bg-dark text-center">
        <small class="text-
light"><i> This website belongs to a fictional company</i></small>
    </div>
</footer>
<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"

```



```

        integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
        crossorigin="anonymous"></script>
        <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper
.min.js"
        integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
        crossorigin="anonymous"></script>
        <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstr
ap.min.js"
        integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI"
        crossorigin="anonymous"></script>
</body>

</html>

```

```

<!DOCTYPE html>
<html lang="en">

<!-- Here is the head element-->

<head>
    <title>Broccoli</title>
    <meta name="author" content="Yiyang Hou">
    <meta name="description" content="Broccoli">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
    <!-- Latest compiled and minified CSS -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/
4.5.0/css/bootstrap.min.css"
        integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYYxFfc+NcPb1dKGj7Sk" crossorigin=
"anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" href="project.css">
</head>

<body>
    <nav class="navbar navbar-expand-md navbar-dark bg-dark">
        <div class="container">
            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarResponsive">

```

```

        <ul class="navbar-nav ml-auto">
            <li class="nav-item">
                <a class="btn btn-
dark" href="wikiPage.html" role="button">Wiki</a>
            </li>
            <li class="nav-item">
                <a class="btn btn-dark" href="Task5-
3_about_us.html" role="button">About Us</a>
            </li>
            <li class="nav-item">
                <a class="btn btn-dark" href="Task5-
3_support.html" role="button">Support</a>
            </li>
            <li class="nav-item">
                <a class="btn btn-dark" href="Task5-
3_contact.html" role="button">Contact</a>
            </li>
            <li class="nav-item">
                <a class="btn btn-dark" href="Task5-
3_login.html" role="button">Login</a>
            </li>
        </ul>
    </div>
</div>
</nav>

<!-- Header part of the page within jumbotron -->
<div class="jumbotron" style="background-color:goldenrod">
    <div class="container">
        <div class="row">
            <div class="col-md-2">
                
            </div>
            <!-- Some navigation options at the top -->
            <div class="col-md-10 text-center font-weight-bold">
                <form>
                    <!-- A search feature -->
                    <div class="form-row container">
                        <div class="col-md-10 col-12">
                            <input type="text" class="form-
control" name="searchbox" id="searchbox"
                                placeholder="Make a search here">
                        </div>
                        <div class="col-md-2 font-weight-bold">
                            <input type="submit" class="form-
control btn btn-dark" value="Search">
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>

```

```

        </form>
    </div>
</div>
<hr style="height: 1em;">
<!-- Navigation of the site -->
<nav class="bg-dark sticky-top">
    <div class="row">
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_home.html" role="button" style="color: white;">HOME</a>
        </div>
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_product_cate1.html " role="button" style="color: white;">ANIMAL PRODUCTS</a>
        </div>
        <div class="col-md-4 font-weight-bold text-center">
            <a href="Task5-
3_product_cate2.html" role="button" style="color: white;">VEGETABLES</a>
        </div>
    </div>
</nav>
</div>
<div class="container">
    <nav aria-label="breadcrumb">
        <ol class="breadcrumb">
            <li class="breadcrumb-item"><a href="Task5-
3_home.html">Home</a></li>
            <li class="breadcrumb-item"><a href="Task5-
3_product_cate2.html">Vegetables</a></li>
            <li class="breadcrumb-item active" aria-
current="page">Broccoli</li>
        </ol>
    </nav>
    <div class="font-weight-bold text-left">
        <a href="Task5-
3_product_cate2.html" role="button" style="color: black;">Back to Vegetables</
a>
    </div>
    <br>
    <!--Prospective Item Detail Section -->
    <div class="container">
        <h2>Broccoli</h2>
        <br>
        <p>
            <br>
<br>
            <b>Description</b><br>

```

```

        It's good for you!<br><br><br><br><br><br><br><br>
    </p>
</div>
</div>
<!-- footer -->
<footer>
    <div class="container-fluid padding bg-dark text-center">
        <small class="text-
light"><i> This website belongs to a fictional company</i></small>
    </div>
</footer>

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
    integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
    crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper
.min.js"
    integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
    crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstr
ap.min.js"
    integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI"
    crossorigin="anonymous"></script>
</body>

</html>
<!DOCTYPE html>
<html lang="en">

<!-- Here is the head element-->

<head>
    <title>Sign Up</title>
    <meta name="author" content="Yiyang Hou">
    <meta name="description" content="Sign up">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
    <!-- Latest compiled and minified CSS -->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/
4.5.0/css/bootstrap.min.css"

```

```

        integrity="sha384-
9aIt2nRpC12Uk9gS9baD1411NQApFmC26EwAOH8WgZl5MYYYxFfc+NcPb1dKGj7Sk" crossorigin=
"anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" href="project.css">

    <script>
        function validation() {
            var flag;
            flag = true;
            if (document.getElementById("username").value.length == 0) {
                document.getElementById("usernameError").innerHTML = "<span cl
ass='text-danger'><i>You did not enter your username</i></span>";
                flag = false;
            }
            else {
                document.getElementById("usernameError").innerHTML = "";
            }

            if (document.getElementById("password").value.length == 0) {
                document.getElementById("passwordError").innerHTML = "<span cl
ass='text-danger'><i>You did not enter your password</i></span>";
                flag = false;
            }
            else {
                document.getElementById("passwordError").innerHTML = "";
            }

            if (document.getElementById("password2").value != document.getElem
entById("password").value) {
                document.getElementById("password2Error").innerHTML = "<span c
lass='text-danger'><i>Your input is different to your password</i></span>";
                flag = false;
            }
            else {
                document.getElementById("password2Error").innerHTML = "";
            }

            if (document.getElementById("email").value.length == 0) {
                document.getElementById("emailError").innerHTML = "<span class
='text-danger'><i>You did not enter your email address</i></span>";
                flag = false;
            }
            else if (document.getElementById("email").value.indexOf("@") < 0)
{
                document.getElementById("emailError").innerHTML = "<span class
='text-danger'><i>Your input is invalid, it does not contain @</i></span>";
                flag = false;
            }
        }
    </script>

```

```

        else {
            document.getElementById("emailError").innerHTML = "";
        }
        return flag;
    }
</script>
</head>

<body>
    <nav class="navbar navbar-expand-md navbar-dark bg-dark">
        <div class="container">
            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarResponsive">
                <ul class="navbar-nav ml-auto">
                    <li class="nav-item">
                        <a class="btn btn-
dark" href="wikiPage.html" role="button">Wiki</a>
                    </li>
                    <li class="nav-item">
                        <a class="btn btn-dark" href="Task5-
3_about_us.html" role="button">About Us</a>
                    </li>
                    <li class="nav-item">
                        <a class="btn btn-dark" href="Task5-
3_support.html" role="button">Support</a>
                    </li>
                    <li class="nav-item">
                        <a class="btn btn-dark" href="Task5-
3_contact.html" role="button">Contact</a>
                    </li>
                    <li class="nav-item">
                        <a class="btn btn-dark" href="Task5-
3_login.html" role="button">Login</a>
                    </li>
                </ul>
            </div>
        </div>
    </nav>

    <!-- Header part of the page within jumbotron -->
    <div class="jumbotron" style="background-color:goldenrod">
        <div class="container">
            <div class="row">
                <div class="col-md-2">
                    

```



```

        </div>
        <!-- Some navigation options at the top -->
        <div class="col-md-10 text-center font-weight-bold">
            <form>
                <!-- A search feature -->
                <div class="form-row container">
                    <div class="col-md-10 col-12">
                        <input type="text" class="form-
control" name="searchbox" id="searchbox"
                        placeholder="Make a search here">
                    </div>
                    <div class="col-md-2 font-weight-bold">
                        <input type="submit" class="form-
control btn btn-dark" value="Search">
                    </div>
                </div>
            </form>
        </div>
    </div>
    <hr style="height: 1em;">
    <!-- Navigation of the site -->
    <nav class="bg-dark sticky-top">
        <div class="row">
            <div class="col-md-4 font-weight-bold text-center">
                <a href="Task5-
3_home.html" role="button" style="color: white;">HOME</a>
            </div>
            <div class="col-md-4 font-weight-bold text-center">
                <a href="Task5-
3_product_cate1.html " role="button" style="color: white;">ANIMAL PRODUCTS</a>
            </div>
            <div class="col-md-4 font-weight-bold text-center">
                <a href="Task5-
3_product_cate2.html" role="button" style="color: white;">VEGETABLES</a>
            </div>
        </div>
    </nav>
</div>
</div>
<div class="container">
    <div class="container">
        <nav aria-label="breadcrumb">
            <ol class="breadcrumb">
                <li class="breadcrumb-item"><a href="Task5-
3_home.html">Home</a></li>
                <li class="breadcrumb-item"><a href="Task5-
3_login.html">Login</a></li>

```

```

        <li class="breadcrumb-item active" aria-
current="page">Sign Up</li>
    </ol>
</nav>
<!-- Sign Up -->
<h2>Sign up</h2>
<form onsubmit="return validation()">
    <div class="form-group row">
        <label class="col-form-label col-md-3 col-4 text-
right font-weight-bold"
            for="username">Username:</label>
        <div class="col-md-6 col-5">
            <input type="text" class="form-
control" name="username" id="username">
        </div>
        <span class="col-md-3 col-3" id="usernameError">
        </span>
    </div>
    <div class="form-group row">
        <label class="col-form-label col-md-3 col-4 text-
right font-weight-bold"
            for="password">Password:</label>
        <div class="col-md-6 col-5">
            <input type="password" class="form-
control" name="password" id="password">
        </div>
        <span class="col-md-3 col-3" id="passwordError">
        </span>
    </div>
    <div class="form-group row">
        <label class="col-form-label col-md-3 col-4 text-
right font-weight-bold" for="password2">Repeat Your
        Password:</label>
        <div class="col-md-6 col-5">
            <input type="password" class="form-
control" name="password2" id="password2"
                placeholder="Please Repeat Your Password">
        </div>
        <span class="col-md-3 col-3" id="password2Error">
        </span>
    </div>
    <div class="form-group row">
        <label class="col-form-label col-md-3 col-4 text-
right font-weight-bold" for="email">Email:</label>
        <div class="col-md-6 col-5">
            <input type="text" class="form-
control" name="email" id="email">
        </div>

```

```

        <span class="col-md-3 col-3" id="emailError">
        </span>
    </div>
    <div class="form-group row col-md-9 offset-md-3 col-9 offset-
3">

        <div>
            <input type="submit" value="Sign Up">
        </div>
        &nbsp;
        <div>
            <input type="reset" value="Reset">
        </div>
    </div>
</form>
</div>

</div>
<!-- footer -->
<footer>
    <div class="container-fluid padding bg-dark text-center">
        <small class="text-
light"><i> This website belongs to a fictional company</i></small>
    </div>
</footer>
<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
    integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
    crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper
.min.js"
    integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
    crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstr
ap.min.js"
    integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI"
    crossorigin="anonymous"></script>
</body>

</html>
<!DOCTYPE html>
<html lang="en">

<!-- Here is the head element-->

```

```

<head>
  <title>Wiki Page</title>
  <meta name="author" content="Yiyang Hou">
  <meta name="description" content="Wiki Page">
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">
  <!-- Latest compiled and minified CSS -->
  <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/
4.5.0/css/bootstrap.min.css"
    integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYXxFfc+NcPb1dKGj7Sk" crossorigin=
"anonymous">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <link rel="stylesheet" href="project.css">
</head>

<body>
  <nav class="navbar navbar-expand-md navbar-dark bg-dark">
    <div class="container">
      <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarResponsive">
        <ul class="navbar-nav ml-auto">
          <li class="nav-item">
            <a class="btn btn-
dark" href="wikiPage.html" role="button">Wiki</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_about_us.html" role="button">About Us</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_support.html" role="button">Support</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_contact.html" role="button">Contact</a>
          </li>
          <li class="nav-item">
            <a class="btn btn-dark" href="Task5-
3_login.html" role="button">Login</a>
          </li>
        </ul>
      </div>
    </div>
  </nav>

```

```

        </div>
    </div>
</nav>

<!-- Header part of the page within jumbotron -->
<div class="jumbotron" style="background-color:goldenrod">
    <div class="container">
        <div class="row">
            <div class="col-md-2">
                
            </div>
            <!-- Some navigation options at the top -->
            <div class="col-md-10 text-center font-weight-bold">
                <form>
                    <!-- A search feature -->
                    <div class="form-row container">
                        <div class="col-md-10 col-12">
                            <input type="text" class="form-
control" name="searchbox" id="searchbox"
                                placeholder="Make a search here">
                        </div>
                        <div class="col-md-2 font-weight-bold">
                            <input type="submit" class="form-
control btn btn-dark" value="Search">
                        </div>
                    </div>
                </form>
            </div>
        </div>
        <hr style="height: 1em;">
        <!-- Navigation of the site -->
        <nav class="bg-dark sticky-top">
            <div class="row">
                <div class="col-md-4 font-weight-bold text-center">
                    <a href="Task5-
3_home.html" role="button" style="color: white;">HOME</a>
                </div>
                <div class="col-md-4 font-weight-bold text-center">
                    <a href="Task5-
3_product_cate1.html " role="button" style="color: white;">ANIMAL PRODUCTS</a>
                </div>
                <div class="col-md-4 font-weight-bold text-center">
                    <a href="Task5-
3_product_cate2.html" role="button" style="color: white;">VEGETABLES</a>
                </div>
            </div>
        </nav>
    </div>

```

```

</div>
<div class="container">
  <nav aria-label="breadcrumb">
    <ol class="breadcrumb">
      <li class="breadcrumb-item"><a href="Task5-
3_home.html">Home</a></li>
      <li class="breadcrumb-item active" aria-
current="page">Wiki</li>
    </ol>
  </nav>
  <h2>Wiki</h2>
  <br>
  <h4>Information</h4>
  <p>This project focuses on exploring the extended Bootstrap components
and features to further refine
    the
    presentation of the website to make it look as professional as pos-
sible and offer the users with a positive
    user experience and easy to use interactions.
    Several features
    are explored and implemented.
  </p>
  <dl>
    <dt><b>Navbar</b></dt>
    <dd><i>navbar</i>, <i>navbar-
expand</i> are used to enable responsive collapsing for navigation bar. It is i-
mplemented as such: a button with
      <i>navbar-
toggler</i> feature targets an element with <i>collapse</i> class
      by its ID. The outcome of this feature is that if the size of
the window is smaller than a certain point, the nav bar will collapse and turn
into a
      drop-
down menu button that contains all the navigation elements. The navigation opt-
ions will be contained within the drop-down menu is because each of the
      options has a <i>nav-
item</i> class on them which classifies them as a part of the navigation eleme-
nt.
    </dd>
    <dt><b>Social media icons</b></dt>
    <dd>When social media icons are required, class <i>social</i> and
<i>fa</i> can be useful. With external
      style sheet injected from
      <i>"https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css"</i>,
      specific social media icons can be retrieved (eg. <i>fa-
facebook</i> will give you Facebook icon).
      Further styling can also be done

```

after retrieving the icons with CSS, on this page, the size, colour scheme and mouse hover effect is added to the icons.

**Background image for jumbotron**

A background image can be put on jumbotron by using CSS style rules

```
.jumbotron{
    background: url(agriculture.jpg) no-repeat center center fixed;
    background-size: cover;}
```

These rules load the image, set it to be "no-repeat" and covers up the entire jumbotron area. The image is also fixed in the center, it doesn't move as the page gets scrolled by the user.

**Breadcrumb**

On each subpages other than the home page, breadcrumb can be added to offer a convenient functionality. Breadcrumb is a feature indicates the current page's location within a website. It indicates a navigational heirarchy of pages. Breadcrumb needs to be true to the structure of the website to avoid causing confusions for the users. Breadcrumb is implemented by have breadcrumb class on a ordered list element, each list item contains a link to a specific page and has a breadcrumb-item class on them. The item up the list has higher heirarchy. The item that represents the current page doesn't need to link to any page.

**Badges**

badges are small labels used to count or label elements. This feature can be implemented by have a span tag next to the element you want to label and put a badge class on the span tag. This will enable the badge to appear next to the desired element.

**Pagination**

Pagination offers a list of pages that allows the users to navigate through, especially useful for long list of contents. Pagitation can be implemented by putting pagitation class on an unordered list, each list item has page-item class on them, they can be either a previous button, a next button



or any specific page number. each of them refers to another page, and the previous button counts down on the index of the page list, while the next button counts up.</dd>

```
</dl>
<br><br>

</div>
<!-- footer -->
<footer>
  <div class="container-fluid padding bg-dark text-center">
    <small class="text-light"><i> This website belongs to a fictional company</i></small>
  </div>
</footer>

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
  integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
  crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
  integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
  crossorigin="anonymous"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"
  integrity="sha384-
OgVRvuATP1z7JjHLkuOU7Xw704+h835Lr+6QL9UvYjZE3Ipu6Tp75j7Bh/kR0JKI"
  crossorigin="anonymous"></script>
</body>

</html>
```

```
.fa {
  padding: 20px;
  font-size: 30px;
  width: 70px;
  text-align: center;
  text-decoration: none;
  margin: 5px 1em;
  border-radius: 50%;
}

.fas:hover {
  opacity: 0.7;
}
```

```
}

.fa-facebook {
  background: #3B5998;
  color: white;
}

.fa-twitter {
  background: #55ACEE;
  color: white;
}

.fa-linkedin {
  background: #007bb5;
  color: white;
}

.fa-youtube {
  background: #bb0000;
  color: white;
}

.jumbotron{
  background: url(agriculture.jpg) no-repeat center center fixed;
  background-size: cover;
}
```