How2Sign → FoundHand: batch report

5 clips · batch_20261011_024800_UTC_7c0ac2

Paired metrics: matching unsegmented hand ROIs. PSNR/SSIM higher is better; LPIPS lower is better. Main Mean ± Std uses clip means; auxiliary results use target scores. Std is not a confidence interval.

Orientation evaluation: deferred. References are excluded from all metrics.

JSON · Hand CSV · Summary CSV · Distribution CSV

Paired metrics

Group	Weighting	PSNR (dB)	SSIM	LPIPS	Successful / selected targets
quality_pass	Clip equal — main	7.3582 ± 1.2600 (n=5)	0.4406 ± 0.0457 (n=5)	0.6346 ± 0.0125 (n=5)	19 / 19
quality_pass	Target equal — auxiliary	7.1584 ± 1.4511 (n=19)	0.4466 ± 0.0621 (n=19)	0.6303 ± 0.0480 (n=19)	19 / 19
quality_exception	Clip equal — main	9.6625 ± N/A (n=1)	0.5748 ± N/A (n=1)	0.5692 ± N/A (n=1)	1 / 1
quality_exception	Target equal — auxiliary	9.6625 ± N/A (n=1)	0.5748 ± N/A (n=1)	0.5692 ± N/A (n=1)	1 / 1
quality_unknown	Clip equal — main	N/A ± N/A (n=0)	N/A ± N/A (n=0)	N/A ± N/A (n=0)	0 / 0
quality_unknown	Target equal — auxiliary	N/A ± N/A (n=0)	N/A ± N/A (n=0)	N/A ± N/A (n=0)	0 / 0

quality_pass_single_hand	Clip equal — main	8.3387 ± 0.9315 (n=2)	0.4482 ± 0.0075 (n=2)	0.6334 ± 0.0307 (n=2)	2 / 2
quality_pass_single_hand	Target equal — auxiliary	8.3387 ± 0.9315 (n=2)	0.4482 ± 0.0075 (n=2)	0.6334 ± 0.0307 (n=2)	2 / 2
quality_pass_two_hands	Clip equal — main	6.7356 ± 1.3151 (n=4)	0.4306 ± 0.0684 (n=4)	0.6322 ± 0.0099 (n=4)	17 / 17
quality_pass_two_hands	Target equal — auxiliary	7.0196 ± 1.4560 (n=17)	0.4465 ± 0.0658 (n=17)	0.6299 ± 0.0503 (n=17)	17 / 17
quality_exception_single_hand	Clip equal — main	9.6625 ± N/A (n=1)	0.5748 ± N/A (n=1)	0.5692 ± N/A (n=1)	1 / 1
quality_exception_single_hand	Target equal — auxiliary	9.6625 ± N/A (n=1)	0.5748 ± N/A (n=1)	0.5692 ± N/A (n=1)	1 / 1
quality_exception_two_hands	Clip equal — main	N/A ± N/A (n=0)	N/A ± N/A (n=0)	N/A ± N/A (n=0)	0 / 0
quality_exception_two_hands	Target equal — auxiliary	N/A ± N/A (n=0)	N/A ± N/A (n=0)	N/A ± N/A (n=0)	0 / 0

Coverage and excluded values

Group	Clips with success	Scored hands	Failed targets	Pending/prepared	Excluded values per metric
quality_pass	5	36	0	0	psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0
quality_exception	1	1	0	0	psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0

quality_unknown	0	0	0	0	psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0
quality_pass_single_hand	2	2	0	0	psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0
quality_pass_two_hands	4	34	0	0	psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0
quality_exception_single_hand	1	1	0	0	psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0
quality_exception_two_hands	0	0	0	0	psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0

Distribution metrics

Status: completed.

FID: exploratory finite-sample estimate. KID is raw scale; negative estimates are possible. KID Std is over repeated image subsets, not clips. ROI counts are not independent sequence counts.

Group	**Hand**	**Clips**	**Real / generated ROIs**	**FID ↓**	**KID mean ± subset Std ↓**	**Status**
quality_pass	overall	5	36 / 36	224.2554	0.1385 ± 0.0000	success
quality_pass	left	5	19 / 19	245.6762	0.1294 ± 0.0000	success
quality_pass	right	4	17 / 17	248.0883	0.1492 ± 0.0000	success

quality_exception	overall	1	1 / 1	N/A	N/A ± N/A	insufficient_samples: Need >= 2 ROI pairs; got 1.
quality_exception	left	0	0 / 0	N/A	N/A ± N/A	insufficient_samples: Need >= 2 ROI pairs; got 0.
quality_exception	right	1	1 / 1	N/A	N/A ± N/A	insufficient_samples: Need >= 2 ROI pairs; got 1.
quality_unknown	overall	0	0 / 0	N/A	N/A ± N/A	insufficient_samples: Need >= 2 ROI pairs; got 0.
quality_unknown	left	0	0 / 0	N/A	N/A ± N/A	insufficient_samples: Need >= 2 ROI pairs; got 0.
quality_unknown	right	0	0 / 0	N/A	N/A ± N/A	insufficient_samples: Need >= 2 ROI pairs; got 0.
quality_pass_single_hand	overall	2	2 / 2	483.3327	-0.0906 ± 0.0000	success
quality_pass_single_hand	left	2	2 / 2	483.3327	-0.0906 ± 0.0000	success
quality_pass_single_hand	right	0	0 / 0	N/A	N/A ± N/A	insufficient_samples: Need >= 2 ROI pairs; got 0.
quality_pass_two_hands	overall	4	34 / 34	223.0321	0.1408 ± 0.0000	success
quality_pass_two_hands	left	4	17 / 17	242.2853	0.1327 ± 0.0000	success
quality_pass_two_hands	right	4	17 / 17	248.0883	0.1492 ± 0.0000	success
quality_exception_single_hand	overall	1	1 / 1	N/A	N/A ± N/A	insufficient_samples: Need >= 2 ROI pairs; got 1.
quality_exception_single_hand	left	0	0 / 0	N/A	N/A ± N/A	insufficient_samples: Need >= 2 ROI pairs; got 0.

quality_exception_single_hand	right	1	1 / 1	N/A	N/A ± N/A	insufficient_samples: Need >= 2 ROI pairs; got 1.
quality_exception_two_hands	overall	0	0 / 0	N/A	N/A ± N/A	insufficient_samples: Need >= 2 ROI pairs; got 0.
quality_exception_two_hands	left	0	0 / 0	N/A	N/A ± N/A	insufficient_samples: Need >= 2 ROI pairs; got 0.
quality_exception_two_hands	right	0	0 / 0	N/A	N/A ± N/A	insufficient_samples: Need >= 2 ROI pairs; got 0.

Clip reports

▼ 13yrKJ6yOPQ_14-8-rgb_front.mp4 — completed

Four-row hand comparison

▼ bUsxa-igAF0_15-8-rgb_front.mp4 — completed

Four-row hand comparison

▼ 0Dqrsiqf4pY_9-8-rgb_front.mp4 — completed

Four-row hand comparison

▼ cZbKzFhPbsg_14-8-rgb_front.mp4 — completed

Four-row hand comparison

▼ -8tIt1vEinQ_8-8-rgb_front.mp4 — completed

Four-row hand comparison

Sampling steps: PSNR / SSIM / LPIPS