Sampling steps and target-frame metrics


Steps are set manually in config.py. Missing steps are not interpolated.

Curves use the same valid target frames across currently available steps, separately for each metric. Means can change when another step introduces a failed or invalid target. Reference frames are excluded. All-valid means and coverage are also shown. No invalid score is replaced by zero.


Each target has equal weight; its score is the existing average over present hands. These image metrics do not measure hand orientation accuracy directly.

CSV · JSON


PSNR


Line plots: PSNR
k_samples_loop
Mean PSNR (dB) — higher is better
7.45
7.40
7.35
7.30
7.25
25
50
75
100
125
150
175
200
225
250
Diffusion sampling steps

SSIM


Line plots: SSIM
k_samples_loop
Mean SSIM — higher is better
0.4600
0.4575
0.4550
0.4525
0.4500
0.4475
0.4450
0.4425
25
50
75
100
125
150
175
200
225
250
Diffusion sampling steps

LPIPS



Means and coverage

sampler	steps	metric	mean	common_frame_count	all_valid_mean	all_valid_frame_count	selected_frame_count	failed_frame_count
k_samples_loop	25	psnr	7.444894282850838	20	7.444894282850838	20	20	0
k_samples_loop	50	psnr	7.300486044130707	20	7.300486044130707	20	20	0
k_samples_loop	75	psnr	7.248256311619351	20	7.248256311619351	20	20	0
k_samples_loop	100	psnr	7.281632645357089	20	7.281632645357089	20	20	0
k_samples_loop	125	psnr	7.308103504323521	20	7.308103504323521	20	20	0

k_samples_loop	150	psnr	7.3156865773210935	20	7.3156865773210935	20	20	0
k_samples_loop	175	psnr	7.299183837706829	20	7.299183837706829	20	20	0
k_samples_loop	200	psnr	7.369588717730279	20	7.369588717730279	20	20	0
k_samples_loop	225	psnr	7.225831134528885	20	7.225831134528885	20	20	0
k_samples_loop	250	psnr	7.281339942167525	20	7.281339942167525	20	20	0
k_samples_loop	25	ssim	0.4609816559374529	20	0.4609816559374529	20	20	0
k_samples_loop	50	ssim	0.4479360001491628	20	0.4479360001491628	20	20	0
k_samples_loop	75	ssim	0.44335526553111365	20	0.44335526553111365	20	20	0
k_samples_loop	100	ssim	0.44697762999652463	20	0.44697762999652463	20	20	0
k_samples_loop	125	ssim	0.4437874196974722	20	0.4437874196974722	20	20	0
k_samples_loop	150	ssim	0.4453431477218308	20	0.4453431477218308	20	20	0
k_samples_loop	175	ssim	0.449937133595707	20	0.449937133595707	20	20	0
k_samples_loop	200	ssim	0.4458009922222581	20	0.4458009922222581	20	20	0
k_samples_loop	225	ssim	0.4470894264346249	20	0.4470894264346249	20	20	0
k_samples_loop	250	ssim	0.45217015911976866	20	0.45217015911976866	20	20	0
k_samples_loop	25	lpips	0.6234659478068352	20	0.6234659478068352	20	20	0
k_samples_loop	50	lpips	0.6229191944003105	20	0.6229191944003105	20	20	0
k_samples_loop	75	lpips	0.625258319079876	20	0.625258319079876	20	20	0
k_samples_loop	100	lpips	0.6285734206438065	20	0.6285734206438065	20	20	0
k_samples_loop	125	lpips	0.6278481498360634	20	0.6278481498360634	20	20	0
k_samples_loop	150	lpips	0.6297387167811394	20	0.6297387167811394	20	20	0
k_samples_loop	175	lpips	0.6288625478744507	20	0.6288625478744507	20	20	0
k_samples_loop	200	lpips	0.62408457249403	20	0.62408457249403	20	20	0
k_samples_loop	225	lpips	0.6301307871937751	20	0.6301307871937751	20	20	0
k_samples_loop	250	lpips	0.6300539597868919	20	0.6300539597868919	20	20	0