# How2Sign → FoundHand: batch report

5 clips · batch_20261011_005406_UTC_1de486

Paired metrics: matching unsegmented hand ROIs. PSNR/SSIM higher is better; LPIPS lower is better. Main Mean ± Std uses clip means; auxiliary results use target scores. Std is not a confidence interval.

Orientation evaluation: deferred. References are excluded from all metrics.

JSON · Hand CSV · Summary CSV · Distribution CSV

## Paired metrics

| Group | Weighting | PSNR (dB) | SSIM | LPIPS | Successful / selected targets |
|---|---|---|---|---|---|
| quality_pass | Clip equal — main | 7.3357 ± 1.0750 (n=5) | 0.4336 ± 0.0458 (n=5) | 0.6357 ± 0.0215 (n=5) | 19 / 19 |
| quality_pass | Target equal — auxiliary | 7.2167 ± 1.4775 (n=19) | 0.4417 ± 0.0669 (n=19) | 0.6298 ± 0.0518 (n=19) | 19 / 19 |
| quality_exception | Clip equal — main | 9.1971 ± N/A (n=1) | 0.5138 ± N/A (n=1) | 0.6292 ± N/A (n=1) | 1 / 1 |
| quality_exception | Target equal — auxiliary | 9.1971 ± N/A (n=1) | 0.5138 ± N/A (n=1) | 0.6292 ± N/A (n=1) | 1 / 1 |
| quality_unknown | Clip equal — main | N/A ± N/A (n=0) | N/A ± N/A (n=0) | N/A ± N/A (n=0) | 0 / 0 |
| quality_unknown | Target equal — auxiliary | N/A ± N/A (n=0) | N/A ± N/A (n=0) | N/A ± N/A (n=0) | 0 / 0 |

| | | | | | |
|---|---|---|---|---|---|
| quality_pass_single_hand | Clip equal — main | 7.8992 ± 0.9389 (n=2) | 0.4234 ± 0.0050 (n=2) | 0.6337 ± 0.0542 (n=2) | 2 / 2 |
| quality_pass_single_hand | Target equal — auxiliary | 7.8992 ± 0.9389 (n=2) | 0.4234 ± 0.0050 (n=2) | 0.6337 ± 0.0542 (n=2) | 2 / 2 |
| quality_pass_two_hands | Clip equal — main | 6.8758 ± 1.1923 (n=4) | 0.4289 ± 0.0637 (n=4) | 0.6297 ± 0.0072 (n=4) | 17 / 17 |
| quality_pass_two_hands | Target equal — auxiliary | 7.1364 ± 1.5282 (n=17) | 0.4439 ± 0.0706 (n=17) | 0.6293 ± 0.0533 (n=17) | 17 / 17 |
| quality_exception_single_hand | Clip equal — main | 9.1971 ± N/A (n=1) | 0.5138 ± N/A (n=1) | 0.6292 ± N/A (n=1) | 1 / 1 |
| quality_exception_single_hand | Target equal — auxiliary | 9.1971 ± N/A (n=1) | 0.5138 ± N/A (n=1) | 0.6292 ± N/A (n=1) | 1 / 1 |
| quality_exception_two_hands | Clip equal — main | N/A ± N/A (n=0) | N/A ± N/A (n=0) | N/A ± N/A (n=0) | 0 / 0 |
| quality_exception_two_hands | Target equal — auxiliary | N/A ± N/A (n=0) | N/A ± N/A (n=0) | N/A ± N/A (n=0) | 0 / 0 |

### Coverage and excluded values

| Group | Clips with success | Scored hands | Failed targets | Pending/prepared | Excluded values per metric |
|---|---|---|---|---|---|
| quality_pass | 5 | 36 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |
| quality_exception | 1 | 1 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |

| | | | | | |
|---|---|---|---|---|---|
| quality_unknown | 0 | 0 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |
| quality_pass_single_hand | 2 | 2 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |
| quality_pass_two_hands | 4 | 34 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |
| quality_exception_single_hand | 1 | 1 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |
| quality_exception_two_hands | 0 | 0 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |

## Distribution metrics

Status: completed.

FID: exploratory finite-sample estimate. KID is raw scale; negative estimates are possible. KID Std is over repeated image subsets, not clips. ROI counts are not independent sequence counts.

| **Group** | **Hand** | **Clips** | **Real / generated ROIs** | **FID ↓** | **KID mean ± subset Std ↓** | **Status** |
|---|---|---|---|---|---|---|
| quality_pass | overall | 5 | 36 / 36 | 221.6726 | 0.1349 ± 0.0000 | success |
| quality_pass | left | 5 | 19 / 19 | 243.2542 | 0.1227 ± 0.0000 | success |
| quality_pass | right | 4 | 17 / 17 | 240.8432 | 0.1508 ± 0.0000 | success |

| | | | | | | |
|---|---|---|---|---|---|---|
| quality_exception | overall | 1 | 1 / 1 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 1. |
| quality_exception | left | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_exception | right | 1 | 1 / 1 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 1. |
| quality_unknown | overall | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_unknown | left | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_unknown | right | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_pass_single_hand | overall | 2 | 2 / 2 | 452.3140 | -0.0439 ± 0.0000 | success |
| quality_pass_single_hand | left | 2 | 2 / 2 | 452.3140 | -0.0439 ± 0.0000 | success |
| quality_pass_single_hand | right | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_pass_two_hands | overall | 4 | 34 / 34 | 220.8085 | 0.1372 ± 0.0000 | success |
| quality_pass_two_hands | left | 4 | 17 / 17 | 241.7324 | 0.1262 ± 0.0000 | success |
| quality_pass_two_hands | right | 4 | 17 / 17 | 240.8432 | 0.1508 ± 0.0000 | success |
| quality_exception_single_hand | overall | 1 | 1 / 1 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 1. |
| quality_exception_single_hand | left | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |


| | | | | | | |
|---|---|---|---|---|---|---|
| quality_exception_single_hand | right | 1 | 1 / 1 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 1. |
| quality_exception_two_hands | overall | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_exception_two_hands | left | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_exception_two_hands | right | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |

## Clip reports

▼ **13yrKJ6yOPQ_14-8-rgb_front.mp4 — completed**

| | Reference t=22<br>Fixed two-hand reference | t=76<br>1 hand(s) \| quality pass | t=105<br>2 hand(s) \| quality pass | t=1<br>2 ha |
|---|---|---|---|---|
| Truth |  |  |  | |
| Generated |  |  |  | |
| Keypoints |  |  |  | |
















| Metrics | | | | |
|---|---|---|---|---|
| | | Left<br>PSNR: 7.24 dB<br>SSIM: 0.420 LPIPS: 0.595<br>Mean<br>PSNR: 7.24 dB<br>SSIM: 0.420 LPIPS: 0.595 | Left<br>PSNR: 5.31 dB<br>SSIM: 0.314 LPIPS: 0.687<br>Right<br>PSNR: 4.72 dB<br>SSIM: 0.305 LPIPS: 0.628<br>Mean<br>PSNR: 5.02 dB<br>SSIM: 0.310 LPIPS: 0.658 | Left<br>PSN<br>SSI<br>Righ<br>PSN<br>SSI<br>Mea<br>PSN<br>SSI |

▼ bUsxa-igAF0_15-8-rgb_front.mp4 — completed

| | Reference t=2<br>Fixed two-hand reference | t=43<br>2 hand(s) \| quality pass | t=52<br>2 hand(s) \| quality pass | t=6<br>2 ha |
|---|---|---|---|---|
| Truth |  | | | |
| Generated |  | | | |
| Keypoints |  | | | |

| | | | | |
|---|---|---|---|---|
| | |  |  |  |
| Metrics | | Left<br>PSNR: 9.39 dB<br>SSIM: 0.572 LPIPS: 0.507<br>Right<br>PSNR: 7.67 dB<br>SSIM: 0.524 LPIPS: 0.629<br>Mean<br>PSNR: 8.53 dB<br>SSIM: 0.548 LPIPS: 0.568 | Left<br>PSNR: 7.63 dB<br>SSIM: 0.498 LPIPS: 0.647<br>Right<br>PSNR: 6.44 dB<br>SSIM: 0.478 LPIPS: 0.745<br>Mean<br>PSNR: 7.04 dB<br>SSIM: 0.488 LPIPS: 0.696 | Left<br>PSN<br>SSI<br>Righ<br>PSN<br>SSI<br>Mea<br>PSN<br>SSI |








▼ 0Dqrsiqf4pY_9-8-rgb_front.mp4 — completed




| | Reference t=6<br>Fixed two-hand reference | t=20<br>2 hand(s) \| quality pass | t=38<br>2 hand(s) \| quality pass | t=5<br>2 ha |
|---|---|---|---|---|
| Truth |  |  |  | |
| Generated |  |  |  | |
| Keypoints |  |  |  | |





| Metrics | | | | |
|---|---|---|---|---|
| | | Left<br>PSNR: 8.31 dB<br>SSIM: 0.474 LPIPS: 0.675<br>Right<br>PSNR: 5.81 dB<br>SSIM: 0.380 LPIPS: 0.736<br>Mean<br>PSNR: 7.06 dB<br>SSIM: 0.427 LPIPS: 0.706 | Left<br>PSNR: 7.09 dB<br>SSIM: 0.521 LPIPS: 0.597<br>Right<br>PSNR: 8.73 dB<br>SSIM: 0.452 LPIPS: 0.672<br>Mean<br>PSNR: 7.91 dB<br>SSIM: 0.487 LPIPS: 0.635 | Left<br>PSN<br>SSI<br>Righ<br>PSN<br>SSI<br>Mea<br>PSN<br>SSI |



▼ cZbKzFhPbsg_14-8-rgb_front.mp4 — completed

| | Reference t=3<br>Fixed two-hand reference | t=34<br>2 hand(s) \| quality pass | t=56<br>2 hand(s) \| quality pass | t=7<br>2 ha |
|---|---|---|---|---|
| Truth |  |  |  | |
| Generated |  |  |  | |
| Keypoints |  |  |  | |

| | | | | |
|---|---|---|---|---|
| |  |  |  |  |
| Metrics | | Left<br>PSNR: 3.40 dB<br>SSIM: 0.257 LPIPS: 0.704<br>Right<br>PSNR: 6.33 dB<br>SSIM: 0.445 LPIPS: 0.695<br>Mean<br>PSNR: 4.86 dB<br>SSIM: 0.351 LPIPS: 0.700 | Left<br>PSNR: 8.95 dB<br>SSIM: 0.527 LPIPS: 0.531<br>Right<br>PSNR: 8.62 dB<br>SSIM: 0.535 LPIPS: 0.579<br>Mean<br>PSNR: 8.79 dB<br>SSIM: 0.531 LPIPS: 0.555 | Left<br>PSN<br>SSI<br>Righ<br>PSN<br>SSI<br>Mea<br>PSN<br>SSI |

▼ -8tIt1vEinQ_8-8-rgb_front.mp4 — completed

| | Reference t=1<br>Fixed two-hand reference | t=30<br>1 hand(s) \| quality exception | t=78<br>1 hand(s) \| quality pass |
|---|---|---|---|
| Truth |  |  |  |
| Generated |  |  |  |
| Keypoints |  |  |  |

| | | | |
|---|---|---|---|
| |  |  |  |
| Metrics | | Right<br>PSNR: 9.20 dB<br>SSIM: 0.514 LPIPS: 0.629<br>Mean<br>PSNR: 9.20 dB<br>SSIM: 0.514 LPIPS: 0.629 | Left<br>PSNR: 8.56 dB<br>SSIM: 0.427 LPIPS: 0.672<br>Mean<br>PSNR: 8.56 dB<br>SSIM: 0.427 LPIPS: 0.672 |

Sampling steps: PSNR / SSIM / LPIPS