# How2Sign → FoundHand: batch report

5 clips · batch_20261011_010522_UTC_515d5c

Paired metrics: matching unsegmented hand ROIs. PSNR/SSIM higher is better; LPIPS lower is better. Main Mean ± Std uses clip means; auxiliary results use target scores. Std is not a confidence interval.

Orientation evaluation: deferred. References are excluded from all metrics.

JSON · Hand CSV · Summary CSV · Distribution CSV

## Paired metrics

| Group | Weighting | PSNR (dB) | SSIM | LPIPS | Successful / selected targets |
|---|---|---|---|---|---|
| quality_pass | Clip equal — main | 7.4751 ± 1.4219 (n=5) | 0.4424 ± 0.0447 (n=5) | 0.6270 ± 0.0119 (n=5) | 19 / 19 |
| quality_pass | Target equal — auxiliary | 7.2631 ± 1.6585 (n=19) | 0.4418 ± 0.0663 (n=19) | 0.6240 ± 0.0514 (n=19) | 19 / 19 |
| quality_exception | Clip equal — main | 9.3928 ± N/A (n=1) | 0.5225 ± N/A (n=1) | 0.6248 ± N/A (n=1) | 1 / 1 |
| quality_exception | Target equal — auxiliary | 9.3928 ± N/A (n=1) | 0.5225 ± N/A (n=1) | 0.6248 ± N/A (n=1) | 1 / 1 |
| quality_unknown | Clip equal — main | N/A ± N/A (n=0) | N/A ± N/A (n=0) | N/A ± N/A (n=0) | 0 / 0 |
| quality_unknown | Target equal — auxiliary | N/A ± N/A (n=0) | N/A ± N/A (n=0) | N/A ± N/A (n=0) | 0 / 0 |

| | | | | | |
|---|---|---|---|---|---|
| quality_pass_single_hand | Clip equal — main | 8.1062 ± 1.6278 (n=2) | 0.4449 ± 0.0397 (n=2) | 0.6231 ± 0.0330 (n=2) | 2 / 2 |
| quality_pass_single_hand | Target equal — auxiliary | 8.1062 ± 1.6278 (n=2) | 0.4449 ± 0.0397 (n=2) | 0.6231 ± 0.0330 (n=2) | 2 / 2 |
| quality_pass_two_hands | Clip equal — main | 6.9008 ± 1.3484 (n=4) | 0.4311 ± 0.0529 (n=4) | 0.6242 ± 0.0038 (n=4) | 17 / 17 |
| quality_pass_two_hands | Target equal — auxiliary | 7.1639 ± 1.6821 (n=17) | 0.4414 ± 0.0696 (n=17) | 0.6242 ± 0.0539 (n=17) | 17 / 17 |
| quality_exception_single_hand | Clip equal — main | 9.3928 ± N/A (n=1) | 0.5225 ± N/A (n=1) | 0.6248 ± N/A (n=1) | 1 / 1 |
| quality_exception_single_hand | Target equal — auxiliary | 9.3928 ± N/A (n=1) | 0.5225 ± N/A (n=1) | 0.6248 ± N/A (n=1) | 1 / 1 |
| quality_exception_two_hands | Clip equal — main | N/A ± N/A (n=0) | N/A ± N/A (n=0) | N/A ± N/A (n=0) | 0 / 0 |
| quality_exception_two_hands | Target equal — auxiliary | N/A ± N/A (n=0) | N/A ± N/A (n=0) | N/A ± N/A (n=0) | 0 / 0 |

## Coverage and excluded values

| Group | Clips with success | Scored hands | Failed targets | Pending/prepared | Excluded values per metric |
|---|---|---|---|---|---|
| quality_pass | 5 | 36 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |
| quality_exception | 1 | 1 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |

| | | | | | |
|---|---|---|---|---|---|
| quality_unknown | 0 | 0 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |
| quality_pass_single_hand | 2 | 2 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |
| quality_pass_two_hands | 4 | 34 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |
| quality_exception_single_hand | 1 | 1 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |
| quality_exception_two_hands | 0 | 0 | 0 | 0 | psnr: missing=0, nonfinite=0; ssim: missing=0, nonfinite=0; lpips: missing=0, nonfinite=0 |

## Distribution metrics

Status: completed.

FID: exploratory finite-sample estimate. KID is raw scale; negative estimates are possible. KID Std is over repeated image subsets, not clips. ROI counts are not independent sequence counts.

| **Group** | **Hand** | **Clips** | **Real / generated ROIs** | **FID ↓** | **KID mean ± subset Std ↓** | **Status** |
|---|---|---|---|---|---|---|
| quality_pass | overall | 5 | 36 / 36 | 228.9852 | 0.1325 ± 0.0000 | success |
| quality_pass | left | 5 | 19 / 19 | 253.9832 | 0.1275 ± 0.0000 | success |
| quality_pass | right | 4 | 17 / 17 | 249.4385 | 0.1402 ± 0.0000 | success |

| | | | | | | |
|---|---|---|---|---|---|---|
| quality_exception | overall | 1 | 1 / 1 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 1. |
| quality_exception | left | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_exception | right | 1 | 1 / 1 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 1. |
| quality_unknown | overall | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_unknown | left | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_unknown | right | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_pass_single_hand | overall | 2 | 2 / 2 | 435.5540 | -0.0392 ± 0.0000 | success |
| quality_pass_single_hand | left | 2 | 2 / 2 | 435.5540 | -0.0392 ± 0.0000 | success |
| quality_pass_single_hand | right | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_pass_two_hands | overall | 4 | 34 / 34 | 228.7303 | 0.1337 ± 0.0000 | success |
| quality_pass_two_hands | left | 4 | 17 / 17 | 253.1707 | 0.1292 ± 0.0000 | success |
| quality_pass_two_hands | right | 4 | 17 / 17 | 249.4385 | 0.1402 ± 0.0000 | success |
| quality_exception_single_hand | overall | 1 | 1 / 1 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 1. |
| quality_exception_single_hand | left | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |


| | | | | | | |
|---|---|---|---|---|---|---|
| quality_exception_single_hand | right | 1 | 1 / 1 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 1. |
| quality_exception_two_hands | overall | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_exception_two_hands | left | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |
| quality_exception_two_hands | right | 0 | 0 / 0 | N/A | N/A ± N/A | insufficient_samples: Need >= 2 ROI pairs; got 0. |

## Clip reports

▼ **13yrKJ6yOPQ_14-8-rgb_front.mp4 — completed**

| | Reference t=22<br>Fixed two-hand reference | t=76<br>1 hand(s) \| quality pass | t=105<br>2 hand(s) \| quality pass | t=1<br>2 ha |
|---|---|---|---|---|
| Truth |  |  |  | |
| Generated |  |  |  | |
| Keypoints |  |  |  | |























| | | | | |
|---|---|---|---|---|
| Metrics | | Left<br>PSNR: 6.96 dB<br>SSIM: 0.417 LPIPS: 0.600<br>Mean<br>PSNR: 6.96 dB<br>SSIM: 0.417 LPIPS: 0.600 | Left<br>PSNR: 5.16 dB<br>SSIM: 0.308 LPIPS: 0.696<br>Right<br>PSNR: 4.98 dB<br>SSIM: 0.332 LPIPS: 0.622<br>Mean<br>PSNR: 5.07 dB<br>SSIM: 0.320 LPIPS: 0.659 | Left<br>PSN<br>SSI<br>Righ<br>PSN<br>SSI<br>Mea<br>PSN<br>SSI |

▼ bUsxa-igAF0_15-8-rgb_front.mp4 — completed

| | Reference t=2<br>Fixed two-hand reference | t=43<br>2 hand(s) \| quality pass | t=52<br>2 hand(s) \| quality pass | t=6<br>2 ha |
|---|---|---|---|---|
| Truth |  |  |  | |
| Generated |  |  |  | |
| Keypoints |  |  |  | |

| | | | | |
|---|---|---|---|---|
| | |  |  |  |
| Metrics | | Left<br>PSNR: 9.26 dB<br>SSIM: 0.566 LPIPS: 0.514<br>Right<br>PSNR: 7.94 dB<br>SSIM: 0.505 LPIPS: 0.642<br>Mean<br>PSNR: 8.60 dB<br>SSIM: 0.535 LPIPS: 0.578 | Left<br>PSNR: 7.58 dB<br>SSIM: 0.502 LPIPS: 0.634<br>Right<br>PSNR: 6.33 dB<br>SSIM: 0.479 LPIPS: 0.717<br>Mean<br>PSNR: 6.96 dB<br>SSIM: 0.490 LPIPS: 0.676 | Left<br>PSN<br>SSI<br>Righ<br>PSN<br>SSI<br>Mea<br>PSN<br>SSI |








▼ 0Dqrsiqf4pY_9-8-rgb_front.mp4 — completed




| | Reference t=6<br>Fixed two-hand reference | t=20<br>2 hand(s) \| quality pass | t=38<br>2 hand(s) \| quality pass | t=5<br>2 ha |
|---|---|---|---|---|
| Truth |  |  |  | |
| Generated |  |  |  | |
| Keypoints |  |  |  | |






| Metrics | | Left<br>PSNR: 8.26 dB<br>SSIM: 0.476 LPIPS: 0.675<br>Right<br>PSNR: 5.94 dB<br>SSIM: 0.385 LPIPS: 0.740<br>Mean<br>PSNR: 7.10 dB<br>SSIM: 0.430 LPIPS: 0.707 | Left<br>PSNR: 7.28 dB<br>SSIM: 0.495 LPIPS: 0.592<br>Right<br>PSNR: 7.41 dB<br>SSIM: 0.398 LPIPS: 0.677<br>Mean<br>PSNR: 7.35 dB<br>SSIM: 0.447 LPIPS: 0.635 | Left<br>PSN<br>SSI<br>Righ<br>PSN<br>SSI<br>Mea<br>PSN<br>SSI |
|---|---|---|---|---|



▼ cZbKzFhPbsg_14-8-rgb_front.mp4 — completed

| | Reference t=3<br>Fixed two-hand reference | t=34<br>2 hand(s) \| quality pass | t=56<br>2 hand(s) \| quality pass | t=7<br>2 ha |
|---|---|---|---|---|
| Truth |  |  |  | |
| Generated |  |  |  | |
| Keypoints |  |  |  | |

| | | | | |
|---|---|---|---|---|
| |  |  |  |  |
| Metrics | | Left<br>PSNR: 3.61 dB<br>SSIM: 0.262 LPIPS: 0.707<br>Right<br>PSNR: 6.77 dB<br>SSIM: 0.490 LPIPS: 0.706<br>Mean<br>PSNR: 5.19 dB<br>SSIM: 0.376 LPIPS: 0.707 | Left<br>PSNR: 6.88 dB<br>SSIM: 0.445 LPIPS: 0.569<br>Right<br>PSNR: 7.17 dB<br>SSIM: 0.481 LPIPS: 0.617<br>Mean<br>PSNR: 7.02 dB<br>SSIM: 0.463 LPIPS: 0.593 | Left<br>PSN<br>SSI<br>Righ<br>PSN<br>SSI<br>Mea<br>PSN<br>SSI |

▼ -8tIt1vEinQ_8-8-rgb_front.mp4 — completed

| | Reference t=1<br>Fixed two-hand reference | t=30<br>1 hand(s) \| quality exception | t=78<br>1 hand(s) \| quality pass |
|---|---|---|---|
| Truth |  | | |
| Generated |  | | |
| Keypoints |  | | |

| | | | |
|---|---|---|---|
| |  |  |  |
| Metrics | | Right<br>PSNR: 9.39 dB<br>SSIM: 0.523 LPIPS: 0.625<br>Mean<br>PSNR: 9.39 dB<br>SSIM: 0.523 LPIPS: 0.625 | Left<br>PSNR: 9.26 dB<br>SSIM: 0.473 LPIPS: 0.646<br>Mean<br>PSNR: 9.26 dB<br>SSIM: 0.473 LPIPS: 0.646 |

Sampling steps: PSNR / SSIM / LPIPS