

# **MongoDB Physical Model**

#### Schema for:

Model name: New Model

Author: Version:

File name: MongoDB model New Model.json

File path: D:\Users\ykard\Documents\Stage\Family Organizer App\MongoDB model New Model.json

Printed On: Wed Sep 30 2020 10:37:01 GMT+0200 (heure d'été d'Europe centrale) Created with: Hackolade - Visual data modeling for NoSQL and multimodel databases

#### 1. Model

#### 2. Databases

#### 2.1 FOA

#### 2.1.2. Collections

2.1.2.1 Event

2.1.2.2 Item

2.1.2.3 Item\_Shop

2.1.2.4 List

2.1.2.5 List\_Item

2.1.2.6 Recipe

2.1.2.7 Recipe Item

2.1.2.8 Recipe Step

2.1.2.9 Shop

2.1.2.10 ToDo

2.1.2.11 User

2.1.2.12 User\_Event

2.1.2.13 User List

2.1.2.14 User\_Recipe

2.1.2.15 User\_ToDo

### 3. Relationships


- 3.1 fk Event.eventld to User\_Event.eventld
- 3.2 fk Item.itemId to Item Shop.itemId
- 3.3 fk Item.itemId to List\_Item.itemId
- 3.4 fk Item.itemId to Recipe Item.itemid
- 3.5 fk List.listId to New Collection.listId
- 3.6 fk List.listld to User List.listld
- 3.7 fk Recipe.recipeld to Recipe Item.recipeld
- 3.8 fk Recipe.recipeld to Recipe Step.recipeld
- 3.9 fk Recipe.recipeld to User Recipe.recipeld
- 3.10 fk Shop.shopld to Item\_Shop.shopld
- 3.11 fk ToDo.toDold to User\_ToDo.toDold
- 3.12 fk User.userld to Event.creatorld
- 3.13 fk User.userld to List.creatorld

- 3.14 fk User.userld to Recipe.creatorld
- 3.15 fk User.userld to ToDo.creatorld
- 3.16 fk User.userld to User\_Event.userld
- 3.17 fk User.userld to User\_List.userld
- 3.18 fk User.userld to User\_Recipe.userld
- 3.19 fk User.userld to User\_ToDo.userld

### 1. MODEL

#### 1.1 Model New Model

### 1.1.1 New Model Entity Relationship Diagram




### 1.1.2 New Model Properties

PROPERTY	VALUE
Model name	New Model
Technical name	
Description	
Author	
Version	
DB vendor	MongoDB
DB version	v4.4
Comments	

#### 1.1.3 New Model DB Definitions

#### 2. DATABASES

### 2.1 Database FOA




### 2.1.1 FOA Properties

PROPERTY	VALUE
Database name	FOA
Technical name	Family Organizer App
Activated	true
Enable sharding	
Description	
Comments	

### 2.1.2 FOA Collections

### 2.1.2.1 Collection Event

### 2.1.2.1.1 Event Tree Diagram



# 2.1.2.1.2 Event Properties

PROPERTY	VALUE
Collection name	Event
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

### 2.1.2.1.3 Event Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
eventld	numeric	false			
name	string	false			
overview	string	false			
startDate	date	false			
endDate	date	false			
creatorld	numeric	false			

### 2.1.2.1.3.1 Field eventId

# 2.1.2.1.3.1.1 eventId Tree Diagram



# 2.1.2.1.3.1.2 eventId properties

PROPERTY	VALUE
Name	eventld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	
Foreign field	
Relationship type	
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

### 2.1.2.1.3.2 Field name

# 2.1.2.1.3.2.1 name Tree Diagram



# 2.1.2.1.3.2.2 name properties

PROPERTY	VALUE
Name	name
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

### 2.1.2.1.3.3 Field overview

# 2.1.2.1.3.3.1 overview Tree Diagram



# 2.1.2.1.3.3.2 overview properties

PROPERTY	VALUE
Name	overview
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

### 2.1.2.1.3.4 Field startDate

# 2.1.2.1.3.4.1 startDate Tree Diagram



### 2.1.2.1.3.4.2 startDate properties

PROPERTY	VALUE
Name	startDate
Technical name	
Activated	true
ld	
Туре	date
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Sample	
Comments	

### 2.1.2.1.3.5 Field endDate

# 2.1.2.1.3.5.1 endDate Tree Diagram



### 2.1.2.1.3.5.2 endDate properties

PROPERTY	VALUE
Name	endDate
Technical name	
Activated	true
ld	
Туре	date
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Sample	
Comments	

### 2.1.2.1.3.6 Field creatorld

# 2.1.2.1.3.6.1 creatorld Tree Diagram



# 2.1.2.1.3.6.2 creatorld properties

PROPERTY	VALUE
Name	creatorld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	User
Foreign field	userld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

### 2.1.2.1.4 Event JSON Schema

```
"$schema": "http://json-schema.org/draft-04/schema#",
  "type": "object",
  "title": "Event",
  "additionalProperties": false,
  "properties": {
    "eventId": {
       "type": "number"
    },
    "name": {
       "type": "string"
    "overview": {
       "type": "string"
    },
    "startDate": {
       "type": "string",
       "format": "date-time"
    },
    "endDate": {
       "type": "string",
       "format": "date-time"
    },
    "creatorId": {
       "type": "number"
    }
  }
}
```

#### 2.1.2.1.5 Event JSON data


```
{
    "eventld": 63,
    "name": "Lorem",
    "overview": "Lorem",
    "startDate": ISODate("2016-04-08T15:06:21.595Z"),
    "endDate": ISODate("2016-04-08T15:06:21.595Z"),
    "creatorld": 26
}
```

### 2.1.2.1.6 Event Target Script

```
use Family Organizer App;
db.createCollection( "Event",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
       "title": "Event",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "eventId": {
           "bsonType": "number"
         },
         "name": {
           "bsonType": "string"
         },
         "overview": {
           "bsonType": "string"
         "startDate": {
           "bsonType": "date"
         "endDate": {
           "bsonType": "date"
         },
         "creatorId": {
           "bsonType": "number"
      }
    }
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

### 2.1.2.2 Collection Item

### 2.1.2.2.1 Item Tree Diagram



### 2.1.2.2.2 Item Properties

PROPERTY	VALUE
Collection name	ltem
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

### 2.1.2.2.3 Item Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
itemld	numeric	false			
name	string	false			
overview	string	false			
pathlmage	string	false			
category	string	false			
quantity	string	false			
price	numeric	false			
unit	numeric	false			

### 2.1.2.2.3.1 Field itemld

# 2.1.2.2.3.1.1 itemId Tree Diagram



# 2.1.2.2.3.1.2 itemId properties

PROPERTY	VALUE
Name	itemld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	
Foreign field	
Relationship type	
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

## 2.1.2.2.3.2 Field name

## 2.1.2.2.3.2.1 name Tree Diagram



# 2.1.2.2.3.2.2 name properties

PROPERTY	VALUE
Name	name
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

### 2.1.2.2.3.3 Field overview

# 2.1.2.2.3.3.1 overview Tree Diagram



# 2.1.2.2.3.3.2 overview properties

PROPERTY	VALUE
Name	overview
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

### 2.1.2.2.3.4 Field pathImage

# 2.1.2.2.3.4.1 pathImage Tree Diagram



# 2.1.2.2.3.4.2 pathImage properties

PROPERTY	VALUE
Name	pathlmage
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

# 2.1.2.2.3.5 Field category

# 2.1.2.2.3.5.1 category Tree Diagram



# 2.1.2.2.3.5.2 category properties

PROPERTY	VALUE
Name	category
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

# 2.1.2.2.3.6 Field quantity

# 2.1.2.2.3.6.1 quantity Tree Diagram



# 2.1.2.2.3.6.2 quantity properties

PROPERTY	VALUE
Name	quantity
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

### 2.1.2.2.3.7 Field price

# 2.1.2.2.3.7.1 price Tree Diagram



# **2.1.2.2.3.7.2** price properties

PROPERTY	VALUE
Name	price
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

### 2.1.2.2.3.8 Field unit

# 2.1.2.2.3.8.1 unit Tree Diagram



# 2.1.2.2.3.8.2 unit properties

PROPERTY	VALUE
Name	unit
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

# 2.1.2.2.4 Item JSON Schema

```
"$schema": "http://json-schema.org/draft-04/schema#",
  "type": "object",
  "title": "Item",
  "additionalProperties": false,
  "properties": {
     "item Id": {
       "type": "number"
    },
     "name": {
       "type": "string"
     "overview": {
       "type": "string"
     "pathImage": {
       "type": "string"
     "category": {
       "type": "string"
     "quantity": {
       "type": "string"
    },
     "price": {
       "type": "number"
     "unit": {
       "type": "number"
  }
}
```

### 2.1.2.2.5 Item JSON data

```
{
  "itemId": -48,
  "name": "Lorem",
  "overview": "Lorem",
  "pathImage": "Lorem",
  "category": "Lorem",
  "quantity": "Lorem",
  "price": -71,
  "unit": -94
}
```

### 2.1.2.2.6 Item Target Script

```
use Family Organizer App;
db.createCollection( "Item",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
       "bsonType": "object",
       "title": "Item",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "item Id": {
           "bsonType": "number"
         },
         "name": {
           "bsonType": "string"
         "overview": {
           "bsonType": "string"
         "pathImage": {
           "bsonType": "string"
         "category": {
           "bsonType": "string"
         "quantity": {
           "bsonType": "string"
         "price": {
           "bsonType": "number"
         "unit": {
           "bsonType": "number"
    }
  "validationLevel": "off",
  "validationAction": "warn"
});
```

### 2.1.2.3 Collection Item\_Shop

### 2.1.2.3.1 Item\_Shop Tree Diagram



## 2.1.2.3.2 Item\_Shop Properties

PROPERTY	VALUE
Collection name	Item_Shop
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

# 2.1.2.3.3 Item\_Shop Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
itemld	numeric	false			
shopld	numeric	false			

### 2.1.2.3.3.1 Field itemld

# 2.1.2.3.3.1.1 itemId Tree Diagram




# 2.1.2.3.3.1.2 itemId properties

PROPERTY	VALUE
Name	itemld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	ltem
Foreign field	itemld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

# 2.1.2.3.3.2 Field shopld

# 2.1.2.3.3.2.1 shopld Tree Diagram



### 2.1.2.3.3.2.2 shopld properties

PROPERTY	VALUE
Name	shopld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	Shop
Foreign field	shopld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

### 2.1.2.3.4 Item\_Shop JSON Schema

```
{
    "$schema": "http://json-schema.org/draft-04/schema#",
    "type": "object",
    "title": "Item_Shop",
    "additionalProperties": false,
    "properties": {
        "itemId": {
            "type": "number"
        },
        "shopId": {
            "type": "number"
        }
    }
}
```

### 2.1.2.3.5 Item\_Shop JSON data


```
{
    "itemId": 62,
    "shopId": -53
}
```

### 2.1.2.3.6 Item\_Shop Target Script

```
use Family Organizer App;
db.createCollection( "Item_Shop",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
       "bsonType": "object",
      "title": "Item_Shop",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "item Id": {
           "bsonType": "number"
         "shopId": {
           "bsonType": "number"
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

#### 2.1.2.4 Collection List

### 2.1.2.4.1 List Tree Diagram



# 2.1.2.4.2 List Properties

PROPERTY	VALUE
Collection name	List
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

### 2.1.2.4.3 List Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
listld	numeric	false			
name	string	false			
didFinish	boolean	false			
createdDate	date	false			
updatedDate	date	false			
creatorld	numeric	false			

### 2.1.2.4.3.1 Field listId

# 2.1.2.4.3.1.1 listId Tree Diagram



## 2.1.2.4.3.1.2 listId properties

PROPERTY	VALUE
Name	listld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	
Foreign field	
Relationship type	
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

### 2.1.2.4.3.2 Field name

## 2.1.2.4.3.2.1 name Tree Diagram



# 2.1.2.4.3.2.2 name properties

PROPERTY	VALUE
Name	name
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

### 2.1.2.4.3.3 Field didFinish

# 2.1.2.4.3.3.1 didFinish Tree Diagram



## 2.1.2.4.3.3.2 didFinish properties

PROPERTY	VALUE
Name	didFinish
Technical name	
Activated	true
ld	
Туре	boolean
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Sample	
Comments	

### 2.1.2.4.3.4 Field createdDate

# 2.1.2.4.3.4.1 createdDate Tree Diagram



### 2.1.2.4.3.4.2 createdDate properties

PROPERTY	VALUE
Name	createdDate
Technical name	
Activated	true
ld	
Туре	date
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Sample	
Comments	

# 2.1.2.4.3.5 Field updatedDate

### 2.1.2.4.3.5.1 updatedDate Tree Diagram



# 2.1.2.4.3.5.2 updatedDate properties

PROPERTY	VALUE
Name	updatedDate
Technical name	
Activated	true
ld	
Туре	date
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Sample	
Comments	

### 2.1.2.4.3.6 Field creatorld

### 2.1.2.4.3.6.1 creatorld Tree Diagram



# 2.1.2.4.3.6.2 creatorld properties

PROPERTY	VALUE
Name	creatorld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	User
Foreign field	userld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

### 2.1.2.4.4 List JSON Schema

```
"$schema": "http://json-schema.org/draft-04/schema#",
  "type": "object",
  "title": "List",
  "additionalProperties": false,
  "properties": {
    "listld": {
       "type": "number"
    },
    "name": {
       "type": "string"
    "didFinish": {
       "type": "boolean"
    },
    "createdDate": {
       "type": "string",
       "format": "date-time"
    "updatedDate": {
       "type": "string",
       "format": "date-time"
    },
    "creatorId": {
       "type": "number"
    }
  }
}
```

#### 2.1.2.4.5 List JSON data


```
{
    "listld": -74,
    "name": "Lorem",
    "didFinish": true,
    "createdDate": ISODate("2016-04-08T15:06:21.595Z"),
    "updatedDate": ISODate("2016-04-08T15:06:21.595Z"),
    "creatorId": -9
}
```

### 2.1.2.4.6 List Target Script

```
use Family Organizer App;
db.createCollection( "List",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
       "bsonType": "object",
       "title": "List",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "listld": {
           "bsonType": "number"
         },
         "name": {
           "bsonType": "string"
         },
         "didFinish": {
           "bsonType": "bool"
         "createdDate": {
           "bsonType": "date"
         "updatedDate": {
           "bsonType": "date"
         },
         "creatorId": {
           "bsonType": "number"
      }
    }
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

### 2.1.2.5 Collection List\_Item

### 2.1.2.5.1 List\_Item Tree Diagram



### 2.1.2.5.2 List\_Item Properties

PROPERTY	VALUE
Collection name	List_ltem
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

# 2.1.2.5.3 List\_Item Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
listld	numeric	false			
itemld	numeric	false			

### 2.1.2.5.3.1 Field listId

# 2.1.2.5.3.1.1 listId Tree Diagram



# 2.1.2.5.3.1.2 listId properties

PROPERTY	VALUE
Name	listld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	List
Foreign field	listId
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

#### 2.1.2.5.3.2 Field itemId

# 2.1.2.5.3.2.1 itemId Tree Diagram



## 2.1.2.5.3.2.2 itemId properties

PROPERTY	VALUE
Name	itemld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	ltem
Foreign field	itemld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

#### 2.1.2.5.4 List\_Item JSON Schema

```
{
    "$schema": "http://json-schema.org/draft-04/schema#",
    "type": "object",
    "title": "List_Item",
    "additionalProperties": false,
    "properties": {
        "listld": {
            "type": "number"
        },
        "itemId": {
            "type": "number"
        }
    }
}
```

## 2.1.2.5.5 List\_Item JSON data


```
{
    "listld": 45,
    "itemId": 63
}
```

#### 2.1.2.5.6 List\_Item Target Script

```
use Family Organizer App;
db.createCollection( "List_Item",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
       "bsonType": "object",
       "title": "List_Item",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "listld": {
           "bsonType": "number"
         "item Id": {
           "bsonType": "number"
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

#### 2.1.2.6 Collection Recipe

#### 2.1.2.6.1 Recipe Tree Diagram



## 2.1.2.6.2 Recipe Properties

PROPERTY	VALUE
Collection name	Recipe
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

## 2.1.2.6.3 Recipe Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
recipeld	numeric	false			
name	string	false			
imagePath	string	false			
category	string	false			
overview	string	false			
createdDate	date	false			
updatedDate	date	false			
creatorld	numeric	false			

## 2.1.2.6.3.1 Field recipeld

# 2.1.2.6.3.1.1 recipeld Tree Diagram



# 2.1.2.6.3.1.2 recipeld properties

PROPERTY	VALUE
Name	recipeld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	
Foreign field	
Relationship type	
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

#### 2.1.2.6.3.2 Field name

## 2.1.2.6.3.2.1 name Tree Diagram



# 2.1.2.6.3.2.2 name properties

PROPERTY	VALUE
Name	name
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

## 2.1.2.6.3.3 Field imagePath

## 2.1.2.6.3.3.1 imagePath Tree Diagram



# 2.1.2.6.3.3.2 imagePath properties

PROPERTY	VALUE
Name	imagePath
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

# 2.1.2.6.3.4 Field category

# 2.1.2.6.3.4.1 category Tree Diagram



# 2.1.2.6.3.4.2 category properties

PROPERTY	VALUE
Name	category
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

#### 2.1.2.6.3.5 Field overview

# 2.1.2.6.3.5.1 overview Tree Diagram



# 2.1.2.6.3.5.2 overview properties

PROPERTY	VALUE
Name	overview
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

## 2.1.2.6.3.6 Field createdDate

# 2.1.2.6.3.6.1 createdDate Tree Diagram



## 2.1.2.6.3.6.2 createdDate properties

PROPERTY	VALUE
Name	createdDate
Technical name	
Activated	true
ld	
Туре	date
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Sample	
Comments	

## 2.1.2.6.3.7 Field updatedDate

## 2.1.2.6.3.7.1 updatedDate Tree Diagram



## 2.1.2.6.3.7.2 updatedDate properties

PROPERTY	VALUE
Name	updatedDate
Technical name	
Activated	true
ld	
Туре	date
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Sample	
Comments	

## 2.1.2.6.3.8 Field creatorld

# 2.1.2.6.3.8.1 creatorld Tree Diagram



# 2.1.2.6.3.8.2 creatorld properties

PROPERTY	VALUE
Name	creatorld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	User
Foreign field	userld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

## 2.1.2.6.4 Recipe JSON Schema

```
"$schema": "http://json-schema.org/draft-04/schema#",
  "type": "object",
  "title": "Recipe",
  "additionalProperties": false,
  "properties": {
    "recipeld": {
       "type": "number"
    },
    "name": {
       "type": "string"
    "imagePath": {
       "type": "string"
    },
    "category": {
       "type": "string"
    "overview": {
       "type": "string"
    },
    "createdDate": {
       "type": "string",
       "format": "date-time"
    "updatedDate": {
       "type": "string",
       "format": "date-time"
     "creatorId": {
       "type": "number"
  }
}
```

#### 2.1.2.6.5 Recipe JSON data


```
"recipeId": -13,
    "name": "Lorem",
    "imagePath": "Lorem",
    "category": "Lorem",
    "overview": "Lorem",
    "createdDate": ISODate("2016-04-08T15:06:21.595Z"),
    "updatedDate": ISODate("2016-04-08T15:06:21.595Z"),
    "creatorId": 59
}
```

#### 2.1.2.6.6 Recipe Target Script

```
use Family Organizer App;
db.createCollection( "Recipe",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
       "bsonType": "object",
       "title": "Recipe",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "recipeld": {
           "bsonType": "number"
         "name": {
           "bsonType": "string"
         "imagePath": {
           "bsonType": "string"
         "category": {
           "bsonType": "string"
         "overview": {
           "bsonType": "string"
         "createdDate": {
           "bsonType": "date"
         "updatedDate": {
           "bsonType": "date"
         "creatorId": {
           "bsonType": "number"
    }
  "validationLevel": "off",
  "validationAction": "warn"
});
```

#### 2.1.2.7 Collection Recipe\_Item

# 2.1.2.7.1 Recipe\_Item Tree Diagram



# 2.1.2.7.2 Recipe\_Item Properties

PROPERTY	VALUE
Collection name	Recipe_Item
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

## 2.1.2.7.3 Recipe\_Item Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
recipeld	numeric	false			
itemid	numeric	false			

# 2.1.2.7.3.1 Field recipeld

# 2.1.2.7.3.1.1 recipeld Tree Diagram



# 2.1.2.7.3.1.2 recipeld properties

PROPERTY	VALUE
Name	recipeld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	Recipe
Foreign field	recipeld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

#### 2.1.2.7.3.2 Field itemid

# 2.1.2.7.3.2.1 itemid Tree Diagram



## 2.1.2.7.3.2.2 itemid properties

PROPERTY	VALUE
Name	itemid
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	ltem
Foreign field	itemld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

#### 2.1.2.7.4 Recipe\_Item JSON Schema

```
{
    "$schema": "http://json-schema.org/draft-04/schema#",
    "type": "object",
    "title": "Recipe_Item",
    "additionalProperties": false,
    "properties": {
        "recipeId": {
            "type": "number"
        },
        "itemid": {
            "type": "number"
        }
    }
}
```

#### 2.1.2.7.5 Recipe\_Item JSON data


```
{
    "recipeld": -80,
    "itemid": -82
}
```

#### 2.1.2.7.6 Recipe\_Item Target Script

```
use Family Organizer App;
db.createCollection( "Recipe_Item",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
       "bsonType": "object",
      "title": "Recipe_Item",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "recipeld": {
           "bsonType": "number"
         "itemid": {
           "bsonType": "number"
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

#### 2.1.2.8 Collection Recipe\_Step

#### 2.1.2.8.1 Recipe\_Step Tree Diagram



#### 2.1.2.8.2 Recipe\_Step Properties

PROPERTY	VALUE
Collection name	Recipe_Step
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

# 2.1.2.8.3 Recipe\_Step Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
recipeld	numeric	false			
step	numeric	false			

# 2.1.2.8.3.1 Field recipeld

## 2.1.2.8.3.1.1 recipeld Tree Diagram



# 2.1.2.8.3.1.2 recipeld properties

PROPERTY	VALUE
Name	recipeld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	
Foreign field	
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

# 2.1.2.8.3.2 Field step

# 2.1.2.8.3.2.1 step Tree Diagram



#### 2.1.2.8.3.2.2 step properties

PROPERTY	VALUE
Name	step
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	
Foreign field	
Relationship type	
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

#### 2.1.2.8.4 Recipe\_Step JSON Schema

```
{
    "$schema": "http://json-schema.org/draft-04/schema#",
    "type": "object",
    "title": "Recipe_Step",
    "additionalProperties": false,
    "properties": {
        "recipeld": {
            "type": "number"
        },
        "step": {
            "type": "number"
        }
    }
}
```

## 2.1.2.8.5 Recipe\_Step JSON data


```
{
    "recipeId": -27,
    "step": 90
}
```

#### 2.1.2.8.6 Recipe\_Step Target Script

```
use Family Organizer App;
db.createCollection( "Recipe_Step",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
       "bsonType": "object",
      "title": "Recipe_Step",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "recipeld": {
           "bsonType": "number"
         "step": {
           "bsonType": "number"
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

#### 2.1.2.9 Collection Shop

#### 2.1.2.9.1 Shop Tree Diagram



## 2.1.2.9.2 Shop Properties

PROPERTY	VALUE
Collection name	Shop
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

# 2.1.2.9.3 Shop Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
shopld	numeric	false			
localisation	string	false			

# 2.1.2.9.3.1 Field shopld

# 2.1.2.9.3.1.1 shopld Tree Diagram



# 2.1.2.9.3.1.2 shopld properties

PROPERTY	VALUE
Name	shopld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

## 2.1.2.9.3.2 Field localisation

# 2.1.2.9.3.2.1 localisation Tree Diagram



## 2.1.2.9.3.2.2 localisation properties

PROPERTY	VALUE
Name	localisation
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

## 2.1.2.9.4 Shop JSON Schema

```
{
    "$schema": "http://json-schema.org/draft-04/schema#",
    "type": "object",
    "title": "Shop",
    "additionalProperties": false,
    "properties": {
        "shopld": {
            "type": "number"
        },
        "localisation": {
            "type": "string"
        }
    }
}
```

#### 2.1.2.9.5 Shop JSON data


```
{
    "shopId": 88,
    "localisation": "Lorem"
}
```

## 2.1.2.9.6 Shop Target Script

```
use Family Organizer App;
db.createCollection( "Shop",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
       "bsonType": "object",
       "title": "Shop",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "shopId": {
           "bsonType": "number"
         "localisation": {
           "bsonType": "string"
    }
  "validationLevel": "off",
  "validationAction": "warn"
});
```

#### 2.1.2.10 Collection ToDo

## 2.1.2.10.1 ToDo Tree Diagram



# 2.1.2.10.2 ToDo Properties

PROPERTY	VALUE
Collection name	ToDo
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

#### 2.1.2.10.3 ToDo Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
toDold	numeric	false			
name	string	false			
overview	string	false			
createdDate	date	false			
updatedDate	date	false			
creatorld	numeric	false			

## 2.1.2.10.3.1 Field toDold

# 2.1.2.10.3.1.1 toDold Tree Diagram



## 2.1.2.10.3.1.2 toDold properties

PROPERTY	VALUE
Name	toDold
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	
Foreign field	
Relationship type	
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

#### 2.1.2.10.3.2 Field name

# 2.1.2.10.3.2.1 name Tree Diagram



# 2.1.2.10.3.2.2 name properties

PROPERTY	VALUE
Name	name
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

#### 2.1.2.10.3.3 Field overview

# 2.1.2.10.3.3.1 overview Tree Diagram



# 2.1.2.10.3.3.2 overview properties

PROPERTY	VALUE
Name	overview
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

#### 2.1.2.10.3.4 Field createdDate

# 2.1.2.10.3.4.1 createdDate Tree Diagram



## 2.1.2.10.3.4.2 createdDate properties

PROPERTY	VALUE
Name	createdDate
Technical name	
Activated	true
ld	
Туре	date
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Sample	
Comments	

## 2.1.2.10.3.5 Field updatedDate

## 2.1.2.10.3.5.1 updatedDate Tree Diagram



## 2.1.2.10.3.5.2 updatedDate properties

PROPERTY	VALUE
Name	updatedDate
Technical name	
Activated	true
ld	
Туре	date
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Sample	
Comments	

## 2.1.2.10.3.6 Field creatorld

# 2.1.2.10.3.6.1 creatorld Tree Diagram



# 2.1.2.10.3.6.2 creatorld properties

PROPERTY	VALUE
Name	creatorld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	User
Foreign field	userld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

#### 2.1.2.10.4 ToDo JSON Schema

```
"$schema": "http://json-schema.org/draft-04/schema#",
  "type": "object",
  "title": "ToDo",
  "additionalProperties": false,
  "properties": {
    "toDold": {
       "type": "number"
    },
    "name": {
       "type": "string"
    "overview": {
       "type": "string"
    },
    "createdDate": {
       "type": "string",
       "format": "date-time"
    "updatedDate": {
       "type": "string",
       "format": "date-time"
    },
    "creatorId": {
       "type": "number"
    }
  }
}
```

#### 2.1.2.10.5 ToDo JSON data


```
{
    "toDold": 31,
    "name": "Lorem",
    "overview": "Lorem",
    "createdDate": ISODate("2016-04-08T15:06:21.595Z"),
    "updatedDate": ISODate("2016-04-08T15:06:21.595Z"),
    "creatorld": -4
}
```

#### 2.1.2.10.6 ToDo Target Script

```
use Family Organizer App;
db.createCollection( "ToDo",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
       "title": "ToDo",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "toDold": {
           "bsonType": "number"
         },
         "name": {
           "bsonType": "string"
         },
         "overview": {
           "bsonType": "string"
         "createdDate": {
           "bsonType": "date"
         "updatedDate": {
           "bsonType": "date"
         "creatorId": {
           "bsonType": "number"
      }
    }
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

#### 2.1.2.11 Collection User

#### 2.1.2.11.1 User Tree Diagram



# 2.1.2.11.2 User Properties

PROPERTY	VALUE
Collection name	User
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

## 2.1.2.11.3 User Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
userld	numeric	false			
lastname	string	false			
firstname	string	false			
emailAddress	string	false			
password	string	false			
profillmagePath	string	false			

#### 2.1.2.11.3.1 Field userId

# 2.1.2.11.3.1.1 userld Tree Diagram



## 2.1.2.11.3.1.2 userId properties

PROPERTY	VALUE
Name	userld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	
Foreign field	
Relationship type	
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

#### 2.1.2.11.3.2 Field lastname

# 2.1.2.11.3.2.1 lastname Tree Diagram



# 2.1.2.11.3.2.2 lastname properties

PROPERTY	VALUE
Name	lastname
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

#### 2.1.2.11.3.3 Field firstname

## 2.1.2.11.3.3.1 firstname Tree Diagram



# 2.1.2.11.3.3.2 firstname properties

PROPERTY	VALUE
Name	firstname
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

## 2.1.2.11.3.4 Field emailAddress

# 2.1.2.11.3.4.1 emailAddress Tree Diagram



# 2.1.2.11.3.4.2 emailAddress properties

PROPERTY	VALUE
Name	emailAddress
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

## 2.1.2.11.3.5 Field password

# 2.1.2.11.3.5.1 password Tree Diagram



# 2.1.2.11.3.5.2 password properties

PROPERTY	VALUE
Name	password
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

# 2.1.2.11.3.6 Field profillmagePath

# 2.1.2.11.3.6.1 profillmagePath Tree Diagram



# 2.1.2.11.3.6.2 profillmagePath properties

PROPERTY	VALUE
Name	profillmagePath
Technical name	
Activated	true
ld	
Туре	string
Description	
Dependencies	
Required	false
Primary key	false
Foreign collection	
Foreign field	
Relationship type	
Default	
Min length	
Max length	
Pattern	
Format	
Enum	
Sample	
Comments	

## 2.1.2.11.4 User JSON Schema

```
"$schema": "http://json-schema.org/draft-04/schema#",
"type": "object",
"title": "User",
"additionalProperties": false,
"properties": {
  "userId": {
    "type": "number"
  },
  "lastname": {
     "type": "string"
  "firstname": {
     "type": "string"
  },
  "emailAddress": {
     "type": "string"
  "password": {
     "type": "string"
  "profillmagePath": {
     "type": "string"
}
```

#### 2.1.2.11.5 User JSON data


```
{
  "userId": 32,
  "lastname": "Lorem",
  "firstname": "Lorem",
  "emailAddress": "Lorem",
  "password": "Lorem",
  "profillmagePath": "Lorem"
}
```

## 2.1.2.11.6 User Target Script

```
use Family Organizer App;
db.createCollection( "User",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
       "bsonType": "object",
       "title": "User",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "userld": {
           "bsonType": "number"
         },
         "lastname": {
           "bsonType": "string"
         },
         "firstname": {
           "bsonType": "string"
         "emailAddress": {
           "bsonType": "string"
         "password": {
           "bsonType": "string"
         "profillmagePath": {
           "bsonType": "string"
      }
    }
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

### 2.1.2.12 Collection User\_Event

#### 2.1.2.12.1 User\_Event Tree Diagram



# 2.1.2.12.2 User\_Event Properties

PROPERTY	VALUE
Collection name	User_Event
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

# 2.1.2.12.3 User\_Event Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
userld	numeric	false			
eventld	numeric	false			

### 2.1.2.12.3.1 Field userId

# 2.1.2.12.3.1.1 userld Tree Diagram



# 2.1.2.12.3.1.2 userId properties

PROPERTY	VALUE	
Name	userld	
Technical name		
Activated	true	
ld		
Туре	numeric	
Subtype		
Description		
Dependencies		
Required	false	
Primary key	true	
Foreign collection	User	
Foreign field	userld	
Relationship type	Foreign Key	
Default		
Unit		
Min value		
Excl min	false	
Max value		
Excl max	false	
Multiple of		
Divisible by		
Enum		
Sample		
Comments		

# 2.1.2.12.3.2 Field eventld

# 2.1.2.12.3.2.1 eventld Tree Diagram



## 2.1.2.12.3.2.2 eventId properties

PROPERTY	VALUE
Name	eventld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	Event
Foreign field	eventld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

### 2.1.2.12.4 User\_Event JSON Schema

```
{
    "$schema": "http://json-schema.org/draft-04/schema#",
    "type": "object",
    "title": "User_Event",
    "additionalProperties": false,
    "properties": {
        "userId": {
            "type": "number"
        },
        "eventId": {
            "type": "number"
        }
    }
}
```

## 2.1.2.12.5 User\_Event JSON data


```
{
  "userId": 84,
  "eventId": 62
}
```

### 2.1.2.12.6 User\_Event Target Script

```
use Family Organizer App;
db.createCollection( "User_Event",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
      "title": "User_Event",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "userld": {
           "bsonType": "number"
         "eventId": {
           "bsonType": "number"
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

### 2.1.2.13 Collection User\_List

### 2.1.2.13.1 User\_List Tree Diagram



# 2.1.2.13.2 User\_List Properties

PROPERTY	VALUE
Collection name	User_List
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

# 2.1.2.13.3 User\_List Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
userld	numeric	false			
listld	numeric	false			

#### 2.1.2.13.3.1 Field userId

## 2.1.2.13.3.1.1 userld Tree Diagram



# 2.1.2.13.3.1.2 userId properties

PROPERTY	VALUE	
Name	userld	
Technical name		
Activated	true	
ld		
Туре	numeric	
Subtype		
Description		
Dependencies		
Required	false	
Primary key	true	
Foreign collection	User	
Foreign field	userld	
Relationship type	Foreign Key	
Default		
Unit		
Min value		
Excl min	false	
Max value		
Excl max	false	
Multiple of		
Divisible by		
Enum		
Sample		
Comments		

## 2.1.2.13.3.2 Field listId

# 2.1.2.13.3.2.1 listId Tree Diagram



## 2.1.2.13.3.2.2 listId properties

PROPERTY	VALUE
Name	listld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	List
Foreign field	listld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

## 2.1.2.13.4 User\_List JSON Schema

```
{
    "$schema": "http://json-schema.org/draft-04/schema#",
    "type": "object",
    "title": "User_List",
    "additionalProperties": false,
    "properties": {
        "userId": {
            "type": "number"
        },
        "listId": {
            "type": "number"
        }
    }
}
```

### 2.1.2.13.5 User\_List JSON data


```
{
    "userId": -13,
    "listId": 38
}
```

### 2.1.2.13.6 User\_List Target Script

```
use Family Organizer App;
db.createCollection( "User_List",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
      "title": "User_List",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "userld": {
           "bsonType": "number"
         "listld": {
           "bsonType": "number"
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

### 2.1.2.14 Collection User\_Recipe

#### 2.1.2.14.1 User\_Recipe Tree Diagram



### 2.1.2.14.2 User\_Recipe Properties

PROPERTY	VALUE
Collection name	User_Recipe
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

# 2.1.2.14.3 User\_Recipe Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
userld	numeric	false			
recipeld	numeric	false			

#### 2.1.2.14.3.1 Field userId

## 2.1.2.14.3.1.1 userId Tree Diagram




# **2.1.2.14.3.1.2 userId properties**

PROPERTY	VALUE
Name	userld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	User
Foreign field	userld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

# 2.1.2.14.3.2 Field recipeld

# 2.1.2.14.3.2.1 recipeld Tree Diagram



## 2.1.2.14.3.2.2 recipeld properties

PROPERTY	VALUE
Name	recipeld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	Recipe
Foreign field	recipeld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

### 2.1.2.14.4 User\_Recipe JSON Schema

```
{
    "$schema": "http://json-schema.org/draft-04/schema#",
    "type": "object",
    "title": "User_Recipe",
    "additionalProperties": false,
    "properties": {
        "userId": {
            "type": "number"
        },
        "recipeId": {
            "type": "number"
        }
    }
}
```

## 2.1.2.14.5 User\_Recipe JSON data


```
{
    "userld": 89,
    "recipeld": 84
}
```

### 2.1.2.14.6 User\_Recipe Target Script

```
use Family Organizer App;
db.createCollection( "User_Recipe",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
       "bsonType": "object",
      "title": "User_Recipe",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "userld": {
           "bsonType": "number"
         "recipeld": {
           "bsonType": "number"
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

### 2.1.2.15 Collection User\_ToDo

## 2.1.2.15.1 User\_ToDo Tree Diagram



# 2.1.2.15.2 User\_ToDo Properties

PROPERTY	VALUE
Collection name	User_ToDo
Technical name	
Activated	true
ld	
Description	
Database	FOA
Capped	false
Size	
Max	
Storage engine	WiredTiger
Config String	
Validation level	Off
Validation action	Warn
Additional properties	false
Comments	

# 2.1.2.15.3 User\_ToDo Fields

FIELD	TYPE	REQ	KEY	DESCRIPTION	COMMENTS
userld	numeric	false			
toDold	numeric	false			

#### 2.1.2.15.3.1 Field userId

## 2.1.2.15.3.1.1 userld Tree Diagram



# **2.1.2.15.3.1.2 userId properties**

PROPERTY	VALUE
Name	userld
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	User
Foreign field	userld
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

# 2.1.2.15.3.2 Field toDold

# 2.1.2.15.3.2.1 toDold Tree Diagram



## 2.1.2.15.3.2.2 toDold properties

PROPERTY	VALUE
Name	toDold
Technical name	
Activated	true
ld	
Туре	numeric
Subtype	
Description	
Dependencies	
Required	false
Primary key	true
Foreign collection	ToDo
Foreign field	toDold
Relationship type	Foreign Key
Default	
Unit	
Min value	
Excl min	false
Max value	
Excl max	false
Multiple of	
Divisible by	
Enum	
Sample	
Comments	

### 2.1.2.15.4 User\_ToDo JSON Schema

```
{
    "$schema": "http://json-schema.org/draft-04/schema#",
    "type": "object",
    "title": "User_ToDo",
    "additionalProperties": false,
    "properties": {
        "userId": {
            "type": "number"
        },
        "toDold": {
            "type": "number"
        }
    }
}
```

### 2.1.2.15.5 User\_ToDo JSON data

```
{
    "userId": 85,
    "toDold": 90
}
```


### 2.1.2.15.6 User\_ToDo Target Script

```
use Family Organizer App;
db.createCollection( "User_ToDo",{
  "storageEngine": {
    "wiredTiger": {}
  },
  "capped": false,
  "validator": {
    "$jsonSchema": {
      "bsonType": "object",
      "title": "User_ToDo",
       "additionalProperties": false,
       "properties": {
         "_id": {
           "bsonType": "objectId"
         "userld": {
           "bsonType": "number"
         "toDold": {
           "bsonType": "number"
    }
  },
  "validationLevel": "off",
  "validationAction": "warn"
});
```

### 3. RELATIONSHIPS

### 3.1 Relationship fk Event.eventld to User\_Event.eventld

# 3.1.1 fk Event.eventld to User\_Event.eventld Diagram




### 3.1.2 fk Event.eventId to User\_Event.eventId Properties

PROPERTY	VALUE
Name	fk Event.eventld to User_Event.eventld
Description	
Parent Collection	Event
Parent field	eventld
Parent Cardinality	1
Child Collection	User_Event
Child field	eventld
Child Cardinality	1
Comments	

### 3.2 Relationship fk Item.itemId to Item\_Shop.itemId

### 3.2.1 fk Item.itemId to Item\_Shop.itemId Diagram




## 3.2.2 fk Item.itemId to Item\_Shop.itemId Properties

PROPERTY	VALUE
Name	fk Item.itemId to Item_Shop.itemId
Description	
Parent Collection	Item
Parent field	itemld
Parent Cardinality	1
Child Collection	Item_Shop
Child field	itemld
Child Cardinality	1
Comments	

### 3.3 Relationship fk Item.itemId to List\_Item.itemId

#### 3.3.1 fk Item.itemId to List\_Item.itemId Diagram




### 3.3.2 fk Item.itemId to List\_Item.itemId Properties

PROPERTY	VALUE
Name	fk Item.itemId to List_Item.itemId
Description	
Parent Collection	Item
Parent field	itemld
Parent Cardinality	1
Child Collection	List_ltem
Child field	itemld
Child Cardinality	1
Comments	

## 3.4 Relationship fk Item.itemId to Recipe\_Item.itemid

### 3.4.1 fk Item.itemId to Recipe\_Item.itemid Diagram




### 3.4.2 fk Item.itemId to Recipe\_Item.itemid Properties

PROPERTY	VALUE
Name	fk Item.itemId to Recipe_Item.itemid
Description	
Parent Collection	Item
Parent field	itemld
Parent Cardinality	1
Child Collection	Recipe_ltem
Child field	itemid
Child Cardinality	1
Comments	

## 3.5 Relationship fk List.listId to New Collection.listId

# 3.5.1 fk List.listId to New Collection.listId Diagram




### 3.5.2 fk List.listId to New Collection.listId Properties

PROPERTY	VALUE
Name	fk List.listld to New Collection.listld
Description	
Parent Collection	List
Parent field	listId
Parent Cardinality	1
Child Collection	List_Item
Child field	listId
Child Cardinality	1
Comments	

## 3.6 Relationship fk List.listId to User\_List.listId

#### 3.6.1 fk List.listld to User\_List.listld Diagram




### 3.6.2 fk List.listld to User\_List.listld Properties

PROPERTY	VALUE
Name	fk List.listld to User_List.listld
Description	
Parent Collection	List
Parent field	listId
Parent Cardinality	1
Child Collection	User_List
Child field	listId
Child Cardinality	1
Comments	

## 3.7 Relationship fk Recipe.recipeld to Recipe\_Item.recipeld

# 3.7.1 fk Recipe.recipeld to Recipe\_Item.recipeld Diagram




### 3.7.2 fk Recipe.recipeId to Recipe\_Item.recipeId Properties

PROPERTY	VALUE
Name	fk Recipe.recipeld to Recipe_Item.recipeld
Description	
Parent Collection	Recipe
Parent field	recipeld
Parent Cardinality	1
Child Collection	Recipe_Item
Child field	recipeld
Child Cardinality	1
Comments	

### 3.8 Relationship fk Recipe.recipeld to Recipe\_Step.recipeld

# 3.8.1 fk Recipe.recipeld to Recipe\_Step.recipeld Diagram




### 3.8.2 fk Recipe.recipeId to Recipe\_Step.recipeId Properties

PROPERTY	VALUE
Name	fk Recipe.recipeld to Recipe_Step.recipeld
Description	
Parent Collection	Recipe
Parent field	recipeld
Parent Cardinality	1
Child Collection	Recipe_Step
Child field	recipeld
Child Cardinality	1
Comments	

### 3.9 Relationship fk Recipe.recipeld to User\_Recipe.recipeld

### 3.9.1 fk Recipe.recipeId to User\_Recipe.recipeId Diagram




### 3.9.2 fk Recipe.recipeId to User\_Recipe.recipeId Properties

PROPERTY	VALUE
Name	fk Recipe.recipeld to User_Recipe.recipeld
Description	
Parent Collection	Recipe
Parent field	recipeld
Parent Cardinality	1
Child Collection	User_Recipe
Child field	recipeld
Child Cardinality	1
Comments	

## 3.10 Relationship fk Shop.shopId to Item\_Shop.shopId

# 3.10.1 fk Shop.shopId to Item\_Shop.shopId Diagram




### 3.10.2 fk Shop.shopId to Item\_Shop.shopId Properties

PROPERTY	VALUE
Name	fk Shop.shopld to Item_Shop.shopld
Description	
Parent Collection	Shop
Parent field	shopld
Parent Cardinality	1
Child Collection	Item_Shop
Child field	shopld
Child Cardinality	1
Comments	

### 3.11 Relationship fk ToDo.toDold to User\_ToDo.toDold

### 3.11.1 fk ToDo.toDold to User\_ToDo.toDold Diagram




## 3.11.2 fk ToDo.toDold to User\_ToDo.toDold Properties

PROPERTY	VALUE
Name	fk ToDo.toDold to User_ToDo.toDold
Description	
Parent Collection	ToDo
Parent field	toDold
Parent Cardinality	1
Child Collection	User_ToDo
Child field	toDold
Child Cardinality	1
Comments	

### 3.12 Relationship fk User.userld to Event.creatorld

#### 3.12.1 fk User.userId to Event.creatorId Diagram




### 3.12.2 fk User.userld to Event.creatorld Properties

PROPERTY	VALUE
Name	fk User.userld to Event.creatorld
Description	
Parent Collection	User
Parent field	userld
Parent Cardinality	1
Child Collection	Event
Child field	creatorld
Child Cardinality	1
Comments	

## 3.13 Relationship fk User.userld to List.creatorld

## 3.13.1 fk User.userld to List.creatorld Diagram




### 3.13.2 fk User.userld to List.creatorld Properties

PROPERTY	VALUE
Name	fk User.userld to List.creatorld
Description	
Parent Collection	User
Parent field	userld
Parent Cardinality	1
Child Collection	List
Child field	creatorld
Child Cardinality	1
Comments	

## 3.14 Relationship fk User.userId to Recipe.creatorId

## 3.14.1 fk User.userld to Recipe.creatorld Diagram




### 3.14.2 fk User.userld to Recipe.creatorld Properties

PROPERTY	VALUE
Name	fk User.userld to Recipe.creatorld
Description	
Parent Collection	User
Parent field	userld
Parent Cardinality	1
Child Collection	Recipe
Child field	creatorld
Child Cardinality	1
Comments	

### 3.15 Relationship fk User.userld to ToDo.creatorld

#### 3.15.1 fk User.userld to ToDo.creatorld Diagram




### 3.15.2 fk User.userld to ToDo.creatorld Properties

PROPERTY	VALUE
Name	fk User.userld to ToDo.creatorld
Description	
Parent Collection	User
Parent field	userld
Parent Cardinality	1
Child Collection	ToDo
Child field	creatorld
Child Cardinality	1
Comments	

## 3.16 Relationship fk User.userld to User\_Event.userld

# 3.16.1 fk User.userld to User\_Event.userld Diagram




### 3.16.2 fk User.userld to User\_Event.userld Properties

PROPERTY	VALUE
Name	fk User.userld to User_Event.userld
Description	
Parent Collection	User
Parent field	userld
Parent Cardinality	1
Child Collection	User_Event
Child field	userld
Child Cardinality	1
Comments	

### 3.17 Relationship fk User.userld to User\_List.userld

### 3.17.1 fk User.userld to User\_List.userld Diagram




### 3.17.2 fk User.userld to User\_List.userld Properties

PROPERTY	VALUE
Name	fk User.userld to User_List.userld
Description	
Parent Collection	User
Parent field	userld
Parent Cardinality	1
Child Collection	User_List
Child field	userld
Child Cardinality	1
Comments	

## 3.18 Relationship fk User.userld to User\_Recipe.userld

#### 3.18.1 fk User.userld to User\_Recipe.userld Diagram




### 3.18.2 fk User.userId to User\_Recipe.userId Properties

PROPERTY	VALUE
Name	fk User.userld to User_Recipe.userld
Description	
Parent Collection	User
Parent field	userld
Parent Cardinality	1
Child Collection	User_Recipe
Child field	userld
Child Cardinality	1
Comments	

## 3.19 Relationship fk User.userld to User\_ToDo.userld

# 3.19.1 fk User.userld to User\_ToDo.userld Diagram



# 3.19.2 fk User.userld to User\_ToDo.userld Properties

PROPERTY	VALUE
Name	fk User.userld to User_ToDo.userld
Description	
Parent Collection	User
Parent field	userld
Parent Cardinality	1
Child Collection	User_ToDo
Child field	userld
Child Cardinality	1
Comments	