JIANGYIN XINGCHENG SPECIAL STEEL WORKS CO., LTD.

NO.297, BINJIANG(E) ROAD, JIANGYIN, CITY, JIANGSU PROVINCE, CHINA,
PC: 214429 TEL: 0086-510-86193388 FAX: 0086-510-86271603

# COMMERCIAL INVOICE

DATE: NOV. 26, 2025

TO: TOYOTA TSUSHO（THAILAND） CO.LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND

CONTRACT NO: XWTHA25195MSA INVOICE NO: XWTHA25195MSA-1C
SHIPPING MARKS: JIANGYIN XING CHENG SPECIAL STEEL WORKS CO.,LTD.
CREDIT NUMBER: 3631ILS0033610
L/C DATE: 20251127
PORT OF LOADING: SHANGHAI PORT, CHINA
PORT OF DISCHARGE:LAEM CHABANG, THAILAND

DESCRIPTION OF GOODS:
253.976 MT OF HOT ROLLED ALLOY STEEL WIRE ROD 54SICR6.,
GRADE: 54SICR6 SIZE(MM) X LENGTH(MM),
AS PER SALE CONTRACT NO.: XWTHA25195MSA
DATE: OCT.25, 2025
.
CIF LAEM CHABANG, THAILAND (INCOTERMS 2020)

| ITEM | GRADE | SIZE(MM) | QUANTITY | | UNIT PRICE (USD/MT) | AMOUNT (USD) |
|---|---|---|---|---|---|---|
| | | | COILS | NET WEIGHT (MT) | | |
| 1 | 54SiCr6 | 11 | 10 | 23.260 | 808 | 18794.08 |
| 2 | 54SiCr6 | 11.5 | 13 | 30.585 | 808 | 24712.68 |
| 3 | 54SiCr6 | 12.5 | 12 | 28.537 | 808 | 23057.90 |
| 4 | 54SiCr6 | 14.5 | 43 | 101.049 | 808 | 81647.59 |
| 5 | 54SiCr6 | 17 | 15 | 35.360 | 808 | 28570.88 |
| 6 | 54SiCr6 | 18 | 15 | 35.185 | 808 | 28429.48 |
| | TOTAL | | 108 | 253.976 | | 205212.61 |

PRICE TERM: CIF LAEM CHABANG, THAILAND
TOTAL QUANTITY: 253.976MT
TOTAL AMOUNT: USD205212.61
FOB VALUE: USD200039.4
FREIGHT CHARGES: USD5130.32
INSURANCE PREMIUM: USD42.89

江阴兴澄特种钢铁有限公司
JIANGYIN XINGCHENG SPECIAL STEEL WORKS CO.,LTD.

JIANGYIN XINGCHENG SPECIAL STEEL WORKS CO., LTD.

NO.297, BINJIANG(E) ROAD, JIANGYIN, CITY, JIANGSU PROVINCE, CHINA,
PC: 214429 TEL: 0086-510-86193388 FAX: 0086-510-86271603

# PACKING LIST

DATE: NOV. 26, 2025

TO: TOYOTA TSUSHO（THAILAND） CO.LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND

CONTRACT NO: XWTHA25195MSA INVOICE NO: XWTHA25195MSA-1C
CREDIT NUMBER: 3631ILS0033610
L/C DATE: 20251127
SHIPPING MARKS: JIANGYIN XING CHENG SPECIAL STEEL WORKS CO.,LTD.
PORT OF LOADING: SHANGHAI PORT, CHINA
PORT OF DISCHARGE:LAEM CHABANG, THAILAND

DESCRIPTION OF GOODS:
HOT ROLLED ALLOY STEEL WIRE ROD

| ITEM | GRADE | SIZE (MM) | QUANTITY | |
|---|---|---|---|---|
| | | | COILS | NET WEIGHT(MT) |
| 1 | 54SiCr6 | 11 | 10 | 23.260 |
| 2 | 54SiCr6 | 11.5 | 13 | 30.585 |
| 3 | 54SiCr6 | 12.5 | 12 | 28.537 |
| 4 | 54SiCr6 | 14.5 | 43 | 101.049 |
| 5 | 54SiCr6 | 17 | 15 | 35.360 |
| 6 | 54SiCr6 | 18 | 15 | 35.185 |
| | TOTAL | | 108 | 253.976 |

（GROSS WEIGHT IS THE SAME AS NET WEIGHT）

TOTAL QUANTITY: 253.976MT 108COILS

江阴兴澄特种钢铁有限公司
JIANGYIN XINGCHENG SPECIAL STEEL WORKS CO.,LTD.

JIANGYIN XINGCHENG SPECIAL STEEL WORKS CO., LTD.

NO.297, BINJIANG(E) ROAD, JIANGYIN, CITY, JIANGSU PROVINCE, CHINA,
PC: 214429 TEL: 0086-510-86193388 FAX: 0086-510-86271603

# CERTIFICATE OF ORIGIN

DATE: NOV. 26, 2025

TO: TOYOTA TSUSHO（THAILAND） CO.LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND

CONTRACT NO: XWTHA25195MSA

INVOICE NO: XWTHA25195MSA-1C

CREDIT NUMBER: 3631ILS0033610

L/C DATE: 20251127

SHIPPING MARKS: JIANGYIN XING CHENG SPECIAL STEEL WORKS CO.,LTD.

PORT OF LOADING: SHANGHAI PORT, CHINA

PORT OF DISCHARGE:LAEM CHABANG, THAILAND

DESCRIPTION OF GOODS: HOT ROLLED ALLOY STEEL WIRE ROD

WE CERTIFY THAT THE GOODS ARE OF CHINA ORIGIN.

江阴兴澄特种钢铁有限公司
JIANGYIN XINGCHENG SPECIAL STEEL WORKS CO.,LTD.

新鑫海航运有限公司
NEW GOLDEN SEA SHIPPING PTE. LTD.

# ORIGINAL



Tel: +65 68128288
E-Business: elines.coscoshipping.com

PORT TO PORT OR COMBINED TRANSPORT BILL OF LADING

| | |
|---|---|
| 1. Shipper Insert Name Address and Phone/Fax<br>JIANGYIN XINGCHENG SPECIAL STEEL WORKS CO., LTD.<br>NO.297, BINJIANG(E) ROAD,<br>JIANGYIN, CITY, JIANGSU<br>PROVINCE, CHINA, * | Booking No. 7264576640<br>Bill of Lading No. COAU7264576640<br>Export References<br>SERVICE CONTRACT NUMBER GAA25164 |
| 2. Consignee Insert Name Address and Phone/Fax<br>TO THE ORDER OF<br>BANK OF AYUDHYA PUBLIC<br>COMPANY LIMITED | Forwarding Agent and References<br>FMC/CHB No.<br>Point and Country of Origin |
| 3. Notify Party Insert Name Address and Phone/Fax (It is agreed that no responsibility shall attach to the Carrier or his agents for failure to notify)<br>TOYOTA TSUSHO(THAILAND)CO.LTD<br>607 ASOKE-DINDAENG ROAD,<br>KWAENG DINDAENG, KHET DINDAENG,<br>BANGKOK 10400 THAILAND | Also Notify Party-routing & Instructions |

| | | | |
|---|---|---|---|
| 4. Combined Transport * Pre-Carriage by | 5. Combined Transport * Place of Receipt<br>JIANGYIN,CHINA | | |
| 6. Ocean Vessel Voy. No.<br>XIN RI ZHAO 384S | 7. Port of Loading<br>SHANGHAI PORT, CHINA | Service Contract No.<br>GAA25164 | Doc. Form No.<br>1 |
| 8. Port of Discharge<br>LAEM CHABANG, THAILAND | 9. Combined Transport * Place of Delivery<br>LAEM CHABANG, THAILAND | Type of Movement<br>FCL / FCL | DOOR-CY |

| Marks & Nos. Container / Seal No. | No. of Container or Packages | Description of Goods (if Dangerous Goods, See Clause 21) | Gross Weight | Measurement |
|---|---|---|---|---|
| JIANGYIN<br>XING CHENG<br>SPECIAL STEEL<br>WORKS CO.,LTD. | 108<br>COILS | HOT ROLLED ALLOY STEEL<br>WIRE ROD<br>CREDIT NUMBER:3631ILS0033610<br>*<br>PC: 214429<br>TEL: 0086-510-86193388<br>FAX: 0086-510-86271603 | 253976.000KGS | 32.6000CBM |
| TOTAL: | 108<br>COILS | | 253976.000KGS | 32.6000CBM |

OCEAN FREIGHT PREPAID
SHIPPER'S LOAD STOW COUNT AND SEAL
ON DOOR-CY TERM

| | | | | |
|---|---|---|---|---|
| TEMU2746714 | /CW852076 / | 9 COILS | /FCL/FCL /20GP/21212.000KGS | ;2.7000CBM |
| OOCU0413052 | /CW115105 / | 9 COILS | /FCL/FCL /20GP/21375.000KGS | ;2.7000CBM |
| DFSU1372789 | /CW115009 / | 9 COILS | /FCL/FCL /20GP/21065.000KGS | ;2.7000CBM |

** TO BE CONTINUED ON ATTACHED LIST **

Declared Cargo Value US$

Description of Contents for Shipper's Use Only (Not part of This B/L Contract)

10. Total Number of Containers and/or Packages (in words) Subject to Clause 8 Limitation of Liability: SAY TWELVE CONTAINERS TOTAL

| 11. Freight & Charges | Revenue Tons | Rate | Per | Amount | Prepaid | Collect | Freight & Charges Payable at / by |
|---|---|---|---|---|---|---|---|
| | | | | | | | |

Received in external apparent good order and condition unless otherwise stated. The total number of the packages or units, the description of the goods and the weights shown in this Bill of Lading are furnished by the merchants, to which the carrier has no reasonable means and duties of verification. The carrier has issued 3 original Bills of Lading, all of this tenor and date, upon any one of the original Bills of Lading be surrendered and endorsed or signed against the delivery of the shipment, the others shall be void. The merchants agree to be bound by the terms and conditions of this Bill of Lading and Sanctions and the Export Control Compliance Terms as if each had personally signed this Bill of Lading. The complete TERMS AND CONDITIONS appearing on the reverse side of this Bill of Lading and the Sanctions and Export Control Compliance Terms are available at https://lines.coscoshipping.com/home/HelpCenter/termsAndConditions. Demurrage and Detention shall be charged according to the tariff published on the Home page of https://lines.coscoshipping.com. If any ambiguity or query, please search by Demurrage & Detention Tariff Enquiry.
*Applicable Only When Document Used as a Combined Transport Bill of Lading.

Date Laden on Board 29 NOV 2025

Signed by:

上海中远海运集装箱船务代理有限公司
COSCO SHIPPING LINES AGENCY (SHANGHAI) CO.,LTD.

AS AGENT

1201 Date of Issue 29 NOV 2025 Place of Issue WUXI

Signed for the Carrier, NEW GOLDEN SEA SHIPPING PTE. LTD.

PHOTOCOPY PHOTOCOPY

新鑫海航运有限公司
NEW GOLDEN SEA SHIPPING PTE. LTD.

**ORIGINAL**

Vessel: XIN RI ZHAO Voyage: 384S B/L NO.: COAU7264576640 

| Marks & Nos. Container / Seal No. | No. of Container or Packages | Description of Goods (if Dangerous Goods, See Clause 21) | Gross Weight | Measurement |
|---|---|---|---|---|
| OOLU0345123 /CU073202 / | 9 COILS | /FCL/FCL /20GP/ | 21142.000KGS; | 2.7000CBM |
| TIIU2452534 /CU073203 / | 9 COILS | /FCL/FCL /20GP/ | 21150.000KGS; | 2.7000CBM |
| FCIU5244988 /CW805225 / | 9 COILS | /FCL/FCL /20GP/ | 21232.000KGS; | 2.7000CBM |
| OOLU0265964 /CW805230 / | 9 COILS | /FCL/FCL /20GP/ | 21108.000KGS; | 2.7000CBM |
| TEMU3431080 /CT807350 / | 9 COILS | /FCL/FCL /20GP/ | 21223.000KGS; | 2.7000CBM |
| OOLU0131097 /CW873196 / | 9 COILS | /FCL/FCL /20GP/ | 21038.000KGS; | 2.7000CBM |
| CSNU2250781 /CW852075 / | 9 COILS | /FCL/FCL /20GP/ | 21053.000KGS; | 2.7000CBM |
| OOCU0762537 /CM641740 / | 9 COILS | /FCL/FCL /20GP/ | 21124.000KGS; | 2.7000CBM |
| CSNU2352546 /CM714925 / | 9 COILS | /FCL/FCL /20GP/ | 21254.000KGS; | 2.9000CBM |

PHOTO COPY PHOTO COPY

# Original



**1. Products consigned from (Exporter's business name, address, country)**

JIANGYIN XINGCHENG SPECIAL STEEL WORKS CO.,LTD.
NO.297, BINJIANG(E)ROAD, JIANGYIN CITY, JIANGSU PROVINCE, CHINA PC:214429

**2. Products consigned to (Consignee's name, address, country)**

TOYOTA TSUSHO(THAILAND)CO.,LTD.
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND.

Reference No. E256079842025605

**ASEAN-CHINA FREE TRADE AREA**
**PREFERENTIAL TARIFF**
**CERTIFICATE OF ORIGIN**
**(Combined Declaration and Certificate)**

**FORM E**

Issued in THE PEOPLE'S REPUBLIC OF CHINA
(Country)

See Overleaf Notes

**3. Means of transport and route (as far as known)**

Departure date NOV. 29, 2025

Vessel's name / Aircraft etc. XIN RI ZHAO 384S

Port of Discharge LAEM CHABANG, THAILAND

FROM SHANGHAI PORT, CHINA TO LAEM CHABANG, THAILAND BY SEA

**4. For Official Use**

Verification:origin.customs.gov.cn

☐ Preferential Treatment Given

☐ Preferential Treatment Not Given (Please state reason/s)

Signature of Authorised Signatory of the Importing Party

| 5. Item Number | 6. Marks and numbers on packages | 7. Number and type of packages, description of products (including quantity where appropriate and HS number in six digit code) | 8. Origin criteria (see Overleaf Notes) | 9. Gross weight or net weight or other quantity, and value (FOB) only when RVC criterion is applied | 10. Number, date of Invoices |
|---|---|---|---|---|---|
| 1 | | FORTY THREE (43) COILS OF HOT ROLLED ALLOY STEEL WIRE ROD GRADE 54SICR6 SIZE(MM) 14.5 HS CODE: 7227.90 | 87% | 101.049MT N.W. USD:79589.34 | XWTHA25195 MSA-1C NOV. 26, 2025 |
| 2 | | FIFTEEN (15) COILS OF HOT ROLLED ALLOY STEEL WIRE ROD GRADE 54SICR6 SIZE(MM) 17 HS CODE: 7227.90 | 87% | 35.36MT N.W. USD:27850.64 | |
| 3 | | FIFTEEN (15) COILS OF HOT ROLLED ALLOY STEEL WIRE ROD GRADE 54SICR6 SIZE(MM) 18 HS CODE: 7227.90 | 87% | 35.185MT N.W. USD:27712.80 | |
| 4 | | TEN (10) COILS OF HOT ROLLED ALLOY STEEL WIRE ROD GRADE 54SICR6 SIZE(MM) 11 HS CODE: 7227.90 | 87% | 23.26MT N.W. USD:18320.30 | |
| 5 | | THIRTEEN (13) COILS OF HOT ROLLED ALLOY | 87% | 30.585MT N.W. USD:24089.69 | |

**11. Declaration by the exporter**

The undersigned hereby declares that the above details and statement are correct; that all the products were produced in

CHINA
(Country)

and that they comply with the origin requirements specified for these products in the Rules of Origin for the ACFTA for the products exported to

THAILAND
(Importing Country)

江阴兴澄特种钢铁有限公司
JIANGYIN XINGCHENG SPECIAL STEEL WORKS CO.,LTD.

Nanjing, China, DEC. 03, 2025
Place and date, signature of authorised signatory

**12. Certification**

It is hereby certified, on the basis of control carried out, that the declaration by the exporter is correct.

NANJING CUSTOMS 中华人民共和国 南京 ORIGIN 海关 THE PEOPLE'S REPUBLIC OF CHINA

252300085489

Nanjing, China, DEC. 03, 2025
Place and date, signature and stamp of certifying authority

**13.**

☑ Issued Retroactively ☐ Exhibition
☐ Movement Certificate ☐ Third Party Invoicing

252312007889870

# Original



1. Products consigned from (Exporter's business name, address, country)

**********

Reference No. E256079842025605

**ASEAN-CHINA FREE TRADE AREA**
**PREFERENTIAL TARIFF**
**CERTIFICATE OF ORIGIN**
**(Combined Declaration and Certificate)**

**FORM E**

Issued in THE PEOPLE'S REPUBLIC OF CHINA
(Country)

See Overleaf Notes

2. Products consigned to (Consignee's name, address, country)

**********

3. Means of transport and route (as far as known)

Departure date

Vessel's name / Aircraft etc. **********

Port of Discharge

4. For Official Use

Verification:origin.customs.gov.cn

☐ Preferential Treatment Given

☐ Preferential Treatment Not Given (Please state reason/s)

Signature of Authorised Signatory of the Importing Party

| 5. Item Number | 6. Marks and numbers on packages | 7. Number and type of packages, description of products (including quantity where appropriate and HS number in six digit code) | 8. Origin criteria (see Overleaf Notes) | 9. Gross weight or net weight or other quantity, and value (FOB) only when RVC criterion is applied | 10. Number, date of Invoices |
|---|---|---|---|---|---|
| 6 | JIANGYIN XING SPECIAL STEEL | STEEL WIRE ROD<br>GRADE 54SICR6 SIZE(MM) 11.5<br>HS CODE: 7227.90<br><br>TWELVE (12) COILS OF HOT ROLLED ALLOY STEEL WIRE ROD<br>GRADE 54SICR6 SIZE(MM) 12.5<br>HS CODE: 7227.90<br><br>*** *** *** *** ***<br><br>REMARKS:TOTAL FOB VALUE: USD200039.40<br>TOTAL QUANTITY: 108COILS 253.976MT<br><br>CHENG WORKS CO.,LTD. | 87% | 28.537MT N.W.<br>USD:22476.63 | |

11. Declaration by the exporter

The undersigned hereby declares that the above details and statement are correct; that all the products were produced in

CHINA
(Country)

and that they comply with the origin requirements specified for these products in the Rules of Origin for the ACFTA for the products exported to

THAILAND
(Importing Country)

江阴兴澄特种钢铁有限公司
JIANGYIN XINGCHENG SPECIAL STEEL WORKS CO.,LTD.

陈薇

Nanjing, China, DEC. 03, 2025
Place and date, signature of authorised signatory

12. Certification

It is hereby certified, on the basis of control carried out, that the declaration by the exporter is correct.

NANJING CUSTOMS 中华人民共和国 南京 ORIGIN 海关 THE PEOPLE'S REPUBLIC OF CHINA

2523000885489

Nanjing, China, DEC. 03, 2025
Place and date, signature and stamp of certifying authority

13.

☑ Issued Retroactively ☐ Exhibition

☐ Movement Certificate ☐ Third Party Invoicing

252312007889870

# Triplicate



**1. Products consigned from (Exporter's business name, address, country)**
JIANGYIN XINGCHENG SPECIAL STEEL WORKS CO.,LTD.
NO.297, BINJIANG(E)ROAD, JIANGYIN CITY, JIANGSU PROVINCE, CHINA PC:214429

**2. Products consigned to (Consignee's name, address, country)**
TOYOTA TSUSHO(THAILAND)CO.,LTD.
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND.

Reference No. E256079842025605

**ASEAN-CHINA FREE TRADE AREA PREFERENTIAL TARIFF CERTIFICATE OF ORIGIN (Combined Declaration and Certificate)**

**FORM E**

Issued in THE PEOPLE'S REPUBLIC OF CHINA
(Country)

See Overleaf Notes

**3. Means of transport and route (as far as known)**

Departure date NOV. 29, 2025

Vessel's name / Aircraft etc. XIN RI ZHAO 384S

Port of Discharge LAEM CHABANG, THAILAND

FROM SHANGHAI PORT, CHINA TO LAEM CHABANG, THAILAND BY SEA

**4. For Official Use**

Verification:origin.customs.gov.cn

☐ Preferential Treatment Given

☐ Preferential Treatment Not Given (Please state reason/s)

Signature of Authorised Signatory of the Importing Party

| 5. Item Number | 6. Marks and numbers on packages | 7. Number and type of packages, description of products (including quantity where appropriate and HS number in six digit code) | 8. Origin criteria (see Overleaf Notes) | 9. Gross weight or net weight or other quantity, and value (FOB) only when RVC criterion is applied | 10. Number, date of Invoices |
|---|---|---|---|---|---|
| 1 | | FORTY THREE (43) COILS OF HOT ROLLED ALLOY STEEL WIRE ROD<br>GRADE 54SICR6 SIZE(MM) 14.5<br>HS CODE: 7227.90 | 87% | 101.049MT N.W.<br>USD:79589.34 | XWTHA25195<br>MSA-1C<br>NOV. 26, 2025 |
| 2 | | FIFTEEN (15) COILS OF HOT ROLLED ALLOY STEEL WIRE ROD<br>GRADE 54SICR6 SIZE(MM) 17<br>HS CODE: 7227.90 | 87% | 35.36MT N.W.<br>USD:27850.64 | |
| 3 | | FIFTEEN (15) COILS OF HOT ROLLED ALLOY STEEL WIRE ROD<br>GRADE 54SICR6 SIZE(MM) 18<br>HS CODE: 7227.90 | 87% | 35.185MT N.W.<br>USD:27712.80 | |
| 4 | | TEN (10) COILS OF HOT ROLLED ALLOY STEEL WIRE ROD<br>GRADE 54SICR6 SIZE(MM) 11<br>HS CODE: 7227.90 | 87% | 23.26MT N.W.<br>USD:18320.30 | |
| 5 | | THIRTEEN (13) COILS OF HOT ROLLED ALLOY | 87% | 30.585MT N.W.<br>USD:24089.69 | |

**11. Declaration by the exporter**

The undersigned hereby declares that the above details and statement are correct; that all the products were produced in

CHINA
(Country)

and that they comply with the origin requirements specified for these products in the Rules of Origin for the ACFTA for the products exported to

THAILAND
(Importing Country)

江阴兴澄特种钢铁有限公司
JIANGYIN XINGCHENG SPECIAL STEEL WORKS CO.,LTD.

陈敏

Nanjing, China, DEC. 03, 2025
Place and date, signature of authorised signatory

**12. Certification**

It is hereby certified, on the basis of control carried out, that the declaration by the exporter is correct.

NANJING CIQ/SMS 中华人民共和国 南京 ORIGIN 海关 THE PEOPLE'S REPUBLIC OF CHINA

252300085489

Nanjing, China, DEC. 03, 2025
Place and date, signature and stamp of certifying authority

**13.**

☑ Issued Retroactively ☐ Exhibition

☐ Movement Certificate ☐ Third Party Invoicing

252312007889870

# Triplicate



1. Products consigned from (Exporter's business name, address, country)

**********

2. Products consigned to (Consignee's name, address, country)

**********

Reference No. E256079842025605

**ASEAN-CHINA FREE TRADE AREA**
**PREFERENTIAL TARIFF**
**CERTIFICATE OF ORIGIN**
**(Combined Declaration and Certificate)**

**FORM E**

Issued in THE PEOPLE'S REPUBLIC OF CHINA
(Country)

See Overleaf Notes

3. Means of transport and route (as far as known)

Departure date

Vessel's name / Aircraft etc. **********

Port of Discharge

4. For Official Use

Verification:origin.customs.gov.cn

☐ Preferential Treatment Given

☐ Preferential Treatment Not Given (Please state reason/s)

Signature of Authorised Signatory of the Importing Party

| 5. Item Number | 6. Marks and numbers on packages | 7. Number and type of packages, description of products (including quantity where appropriate and HS number in six digit code) | 8. Origin criteria (see Overleaf Notes) | 9. Gross weight or net weight or other quantity, and value (FOB) only when RVC criterion is applied | 10. Number, date of Invoices |
|---|---|---|---|---|---|
| 6 | JIANGYIN XING CHENG SPECIAL STEEL WORKS CO.,LTD. | STEEL WIRE ROD<br>GRADE 54SICR6 SIZE(MM) 11.5<br>HS CODE: 7227.90<br><br>TWELVE (12) COILS OF HOT ROLLED ALLOY STEEL WIRE ROD<br>GRADE 54SICR6 SIZE(MM) 12.5<br>HS CODE: 7227.90<br><br>*** *** *** *** ***<br><br>REMARKS:TOTAL FOB VALUE: USD200039.40<br>TOTAL QUANTITY: 108COILS 253.976MT | 87% | 28.537MT N.W.<br>USD:22476.63 | |

11. Declaration by the exporter

The undersigned hereby declares that the above details and statement are correct; that all the products were produced in

CHINA
(Country)

and that they comply with the origin requirements specified for these products in the Rules of Origin for the ACFTA for the products exported to

THAILAND
(Importing Country)

陈筱

江阴兴澄特种钢铁有限公司
JIANGYIN XINGCHENG SPECIAL STEEL WORKS CO.,LTD.

Nanjing, China, DEC. 03, 2025
Place and date, signature of authorised signatory

12. Certification

It is hereby certified, on the basis of control carried out, that the declaration by the exporter is correct.

NANJING CUSTOMS 中华人民共和国 南京 ORIGIN 海关 THE PEOPLE'S REPUBLIC OF CHINA

252300885489

Nanjing, China, DEC. 03, 2025
Place and date, signature and stamp of certifying authority

13.

☑ Issued Retroactively ☐ Exhibition

☐ Movement Certificate ☐ Third Party Invoicing

252312007889870

CITIC PACIFIC SPECIAL STEEL

# QUALITY CERTIFICATE

-- EN10204 3.1

**Certificate No:** 20251203000052


JIANGYIN XING CHENG SPECIAL STEEL WORKS CO., LTD.

NO.297, BINJIANG(E) ROAD, JIANGYIN, CITY, JIANGSU PROVINCE, CHINA,
PC: 214429 TEL: 0086-510-86193388 FAX: 0086-510-86271603


TO:TOYOTA TSUSHO（THAILAND） CO.LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND
DESCRIPTION OF GOODS:HOT ROLLED ALLOY STEEL WIRE ROD
CONTRACT NO.:XWTHA25195MSA INVOICE NO.:XWTHA25195MSA-1C

| Batch No. | Grade | Heat No: | Size(mm) | Pieces | Bundles | Weight(MT) | | Delivery Condition |
|---|---|---|---|---|---|---|---|---|
| G2525268 | 54SiCr6 | E22510291XX | 11 | 3 | 3 | 6.98 | | Hot rolled wire rod |

I、 Chemical Composition:(%):

| Ladle | C:0.55 | Si:1.47 | Mn:0.68 | P:0.012 | S:0.008 | Cu:0.03 | Ni:0.04 | Cr:0.64 | V:0.004 | Mo:0.01 | Al:0.001 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sn:0.001 | As:0.004 | N:0.0061 | O:0.0012 | | | | | | | |

II、Mechanical Properties Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Rm\MPa : | 1041 | 1037 | 2、Z\Area\% : | 46 | 45 |

III、Microstructure Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Total Decarburized\Layer\mm : | 0.06 | 0.06 | 2、Ferrite Decarburized\Layer\mm : | 0 | 0 |
| 3、A(T)\Grade : | 1.0 | 1.0 | 4、A(H)\Grade : | 0.0 | 0.0 |
| 5、B(T)\Grade : | 0.5 | 0.5 | 6、B(H)\Grade : | 0.0 | 0.0 |
| 7、C(T)\Grade : | 0.0 | 0.0 | 8、C(H)\Grade : | 0.0 | 0.0 |
| 9、D(T)\Grade : | 0.5 | 0.5 | 10、D(H)\Grade : | 0.5 | 0.5 |
| 11、DS\Grade : | 1.0 | 0.5 | 12、Micro structure : | OK | |

IV、Dimensions,Appearance and Surface Quality:

1、dimensions,appearance and surface quality :good

WARRANTY DEDICATED
JIANGYIN XINGCHENG
SPECIAL STEEL WORKS CO.,LTD.
INSPECTION

| DATE: | INSPECTOR: | MANAGER OF INSPECTION: |
|---|---|---|
| 2025-11-26 | | Zhang Ming |

NOTE:

No impermissible macro-structural defects,such as flakes,subsurface bubbles and macro inclusions are available.;When there is any complain,you are kindly requested to mark the Steel Grade,Heat No.,Size,Delivery Data,Causes and ,materials in the condition.;This certificate is wrritten according to EN 10204 3.1;;Surface quality and shape size of material are all qualified.收缩率指标要求≥32%

CITIC PACIFIC SPECIAL STEEL

# QUALITY CERTIFICATE

-- EN10204 3.1

**Certificate No:** 20251203000053

TO:TOYOTA TSUSHO（THAILAND） CO.LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND
DESCRIPTION OF GOODS:HOT ROLLED ALLOY STEEL WIRE ROD
CONTRACT NO.:XWTHA25195MSA INVOICE NO.:XWTHA25195MSA-1C


**JIANGYIN XING CHENG SPECIAL STEEL WORKS CO., LTD.**

NO.297, BINJIANG(E) ROAD, JIANGYIN, CITY, JIANGSU PROVINCE, CHINA,
PC: 214429 TEL: 0086-510-86193388 FAX: 0086-510-86271603


| Batch No. | Grade | Heat No: | Size(mm) | Pieces | Bundles | Weight(MT) | | Delivery Condition |
|---|---|---|---|---|---|---|---|---|
| G2525269 | 54SiCr6 | E22510289XX | 11 | 7 | 7 | 16.28 | | Hot rolled wire rod |

Ⅰ、 Chemical Composition:(%):

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Ladle | C:0.55 | Si:1.44 | Mn:0.68 | P:0.014 | S:0.007 | Cu:0.03 | Ni:0.04 | Cr:0.64 | V:0.004 | Mo:0.01 | Al:0.001 |
| | Sn:0.001 | As:0.004 | N:0.0055 | O:0.0010 | | | | | | | |

II、Mechanical Properties Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Rm\MPa : | 1035 | 1041 | 2、Z\Area\% : | 47 | 45 |

III、Microstructure Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Total Decarburized\Layer\mm : | 0.06 | 0.05 | 2、Ferrite Decarburized\Layer\mm : | 0 | 0 |
| 3、A(T)\Grade : | 1.0 | 1.0 | 4、A(H)\Grade : | 0.0 | 0.0 |
| 5、B(T)\Grade : | 0.5 | 0.5 | 6、B(H)\Grade : | 0.0 | 0.0 |
| 7、C(T)\Grade : | 0.0 | 0.0 | 8、C(H)\Grade : | 0.0 | 0.0 |
| 9、D(T)\Grade : | 0.5 | 0.5 | 10、D(H)\Grade : | 0.5 | 0.5 |
| 11、DS\Grade : | 1.0 | 1.0 | 12、Micro structure : | OK | |

IV、Dimensions,Appearance and Surface Quality:

1、dimensions,appearance and surface quality :good

WARRANTY DEDICATED
JIANGYIN XINGCHENG
SPECIAL STEEL WORKS CO.,LTD.
INSPECTION

| DATE: | INSPECTOR: | MANAGER OF INSPECTION: |
|---|---|---|
| 2025-11-26 | | Zhang Ming |

NOTE:

No impermissible macro-structural defects,such as flakes,subsurface bubbles and macro inclusions are available.;When there is any complain,you are kindly requested to mark the Steel Grade,Heat No.,Size,Delivery Data,Causes and ,materials in the condition.;This certificate is wrritten according to EN 10204 3.1;;Surface quality and shape size of material are all qualified.收缩率指标要求≥32%

CITIC PACIFIC SPECIAL STEEL

# QUALITY CERTIFICATE

-- EN10204 3.1

**Certificate No:** 20251203000054

TO:TOYOTA TSUSHO（THAILAND） CO.LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND
DESCRIPTION OF GOODS:HOT ROLLED ALLOY STEEL WIRE ROD
CONTRACT NO.:XWTHA25195MSA INVOICE NO.:XWTHA25195MSA-1C


**JIANGYIN XING CHENG SPECIAL STEEL WORKS CO., LTD.**

NO.297, BINJIANG(E) ROAD, JIANGYIN, CITY, JIANGSU PROVINCE, CHINA,
PC: 214429 TEL: 0086-510-86193388 FAX: 0086-510-86271603


| Batch No. | Grade | Heat No: | Size(mm) | Pieces | Bundles | Weight(MT) | | Delivery Condition |
|---|---|---|---|---|---|---|---|---|
| G2525965 | 54SiCr6 | E22510305XX | 11.5 | 13 | 13 | 30.585 | | Hot rolled wire rod |

I、 Chemical Composition:(%):

| Ladle | C:0.55 | Si:1.44 | Mn:0.70 | P:0.012 | S:0.008 | Cu:0.03 | Ni:0.02 | Cr:0.66 | V:0.004 | Mo:0.01 | Al:0.001 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sn:0.001 | As:0.004 | N:0.0055 | O:0.0013 | | | | | | | |

II、Mechanical Properties Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Rm\MPa : | 1044 | 1040 | 2、Z\Area\% : | 47 | 48 |

III、Microstructure Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Total Decarburized\Layer\mm : | 0.06 | 0.06 | 2、Ferrite Decarburized\Layer\mm : | 0 | 0 |
| 3、A(T)\Grade : | 1.0 | 1.0 | 4、A(H)\Grade : | 0.0 | 0.0 |
| 5、B(T)\Grade : | 0.5 | 0.5 | 6、B(H)\Grade : | 0.0 | 0.0 |
| 7、C(T)\Grade : | 0.0 | 0.0 | 8、C(H)\Grade : | 0.0 | 0.0 |
| 9、D(T)\Grade : | 0.5 | 0.5 | 10、D(H)\Grade : | 0.5 | 0.5 |
| 11、DS\Grade : | 0.5 | 0.0 | 12、Micro structure : | OK | |

IV、Dimensions,Appearance and Surface Quality:

1、dimensions,appearance and surface quality :good

| DATE: | INSPECTOR: | MANAGER OF INSPECTION: | | |
|---|---|---|---|---|
| 2025-11-26 | | Zhang Ming | | |

WARRANTY DEDICATED
JIANGYIN XINGCHENG
SPECIAL STEEL WORKS CO.,LTD.
INSPECTION

NOTE:

No impermissible macro-structural defects,such as flakes,subsurface bubbles and macro inclusions are available.;When there is any complain,you are kindly requested to mark the Steel Grade,Heat No.,Size,Delivery Data,Causes and ,materials in the condition.;This certificate is wrritten according to EN 10204 3.1;;Surface quality and shape size of material are all qualified.收缩率指标要求≥32%

CITIC PACIFIC SPECIAL STEEL

# QUALITY CERTIFICATE

-- EN10204 3.1

**Certificate No:** 20251203000055

TO:TOYOTA TSUSHO（THAILAND） CO.LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND
DESCRIPTION OF GOODS:HOT ROLLED ALLOY STEEL WIRE ROD
CONTRACT NO.:XWTHA25195MSA INVOICE NO.:XWTHA25195MSA-1C


**JIANGYIN XING CHENG SPECIAL STEEL WORKS CO., LTD.**

NO.297, BINJIANG(E) ROAD, JIANGYIN, CITY, JIANGSU PROVINCE, CHINA,
PC: 214429 TEL: 0086-510-86193388 FAX: 0086-510-86271603


| Batch No. | Grade | Heat No: | Size(mm) | Pieces | Bundles | Weight(MT) | | Delivery Condition |
|---|---|---|---|---|---|---|---|---|
| G2525909 | 54SiCr6 | E22510305XX | 12.5 | 12 | 12 | 28.537 | | Hot rolled wire rod |

Ⅰ、 Chemical Composition:(%):

| Ladle | C:0.55 | Si:1.44 | Mn:0.70 | P:0.012 | S:0.008 | Cu:0.03 | Ni:0.02 | Cr:0.66 | V:0.004 | Mo:0.01 | Al:0.001 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sn:0.001 | As:0.004 | N:0.0055 | O:0.0013 | | | | | | | |

II、Mechanical Properties Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Rm\MPa : | 1034 | 1038 | 2、Z\Area\% : | 46 | 47 |

III、Microstructure Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Total Decarburized\Layer\mm : | 0.1 | 0.11 | 2、Ferrite Decarburized\Layer\mm : | 0 | 0 |
| 3、A(T)\Grade : | 1.0 | 1.0 | 4、A(H)\Grade : | 0.0 | 0.0 |
| 5、B(T)\Grade : | 0.5 | 0.5 | 6、B(H)\Grade : | 0.0 | 0.0 |
| 7、C(T)\Grade : | 0.0 | 0.0 | 8、C(H)\Grade : | 0.0 | 0.0 |
| 9、D(T)\Grade : | 0.5 | 0.5 | 10、D(H)\Grade : | 0.5 | 0.5 |
| 11、DS\Grade : | 0.5 | 0.5 | 12、Micro structure : | OK | |

IV、Dimensions,Appearance and Surface Quality:

1、dimensions,appearance and surface quality :good

| DATE: | INSPECTOR: | MANAGER OF INSPECTION: | | |
|---|---|---|---|---|
| 2025-11-26 | | Zhang Ming | | |

WARRANTY DEDICATED
JIANGYIN XINGCHENG
SPECIAL STEEL WORKS CO.,LTD.
INSPECTION

NOTE:

No impermissible macro-structural defects,such as flakes,subsurface bubbles and macro inclusions are available.;When there is any complain,you are kindly requested to mark the Steel Grade,Heat No.,Size,Delivery Data,Causes and ,materials in the condition.;This certificate is wrritten according to EN 10204 3.1;;Surface quality and shape size of material are all qualified.收缩率指标要求≥32%

CITIC PACIFIC SPECIAL STEEL

# QUALITY CERTIFICATE

-- EN10204 3.1

**Certificate No:** 20251203000056

TO:TOYOTA TSUSHO（THAILAND） CO.LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND
DESCRIPTION OF GOODS:HOT ROLLED ALLOY STEEL WIRE ROD
CONTRACT NO.:XWTHA25195MSA INVOICE NO.:XWTHA25195MSA-1C


**JIANGYIN XING CHENG SPECIAL STEEL WORKS CO., LTD.**

NO.297, BINJIANG(E) ROAD, JIANGYIN, CITY, JIANGSU PROVINCE, CHINA,
PC: 214429 TEL: 0086-510-86193388 FAX: 0086-510-86271603


| Batch No. | Grade | Heat No: | Size(mm) | Pieces | Bundles | Weight(MT) | | Delivery Condition |
|---|---|---|---|---|---|---|---|---|
| G2524617 | 54SiCr6 | E22509372XX | 14.5 | 3 | 3 | 6.919 | | Hot rolled wire rod |

I、 Chemical Composition:(%):

| Ladle | C:0.55 | Si:1.46 | Mn:0.69 | P:0.013 | S:0.008 | Cu:0.02 | Ni:0.02 | Cr:0.66 | V:0.005 | Mo:0.01 | Al:0.001 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sn:0.001 | As:0.004 | N:0.0046 | O:0.0014 | | | | | | | |

II、Mechanical Properties Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Rm\MPa : | 1040 | 1042 | 2、Z\Area\% : | 44 | 43 |

III、Microstructure Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Total Decarburized\Layer\mm : | 0.06 | 0.06 | 2、Ferrite Decarburized\Layer\mm : | 0 | 0 |
| 3、A(T)\Grade : | 1.0 | 1.0 | 4、A(H)\Grade : | 0.0 | 0.0 |
| 5、B(T)\Grade : | 0.5 | 0.5 | 6、B(H)\Grade : | 0.0 | 0.0 |
| 7、C(T)\Grade : | 0.0 | 0.0 | 8、C(H)\Grade : | 0.0 | 0.0 |
| 9、D(T)\Grade : | 0.5 | 0.5 | 10、D(H)\Grade : | 0.0 | 0.5 |
| 11、DS\Grade : | 0.0 | 0.5 | 12、Micro structure : | OK | |

IV、Dimensions,Appearance and Surface Quality:

1、dimensions,appearance and surface quality :good

| DATE: | INSPECTOR: | MANAGER OF INSPECTION: | | |
|---|---|---|---|---|
| 2025-11-26 | | Zhang Ming | | |

WARRANTY DEDICATED
JIANGYIN XINGCHENG
SPECIAL STEEL WORKS CO.,LTD.
INSPECTION

NOTE:

No impermissible macro-structural defects,such as flakes,subsurface bubbles and macro inclusions are available.;When there is any complain,you are kindly requested to mark the Steel Grade,Heat No.,Size,Delivery Data,Causes and ,materials in the condition.;This certificate is wrritten according to EN 10204 3.1;;Surface quality and shape size of material are all qualified.收缩率指标要求≥32%

CITIC PACIFIC SPECIAL STEEL

# QUALITY CERTIFICATE

-- EN10204 3.1

**Certificate No:** 20251203000057

JIANGYIN XING CHENG SPECIAL STEEL WORKS CO., LTD.

NO.297, BINJIANG(E) ROAD, JIANGYIN, CITY, JIANGSU PROVINCE, CHINA,
PC: 214429 TEL: 0086-510-86193388 FAX: 0086-510-86271603

TO:TOYOTA TSUSHO（THAILAND） CO.LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND
DESCRIPTION OF GOODS:HOT ROLLED ALLOY STEEL WIRE ROD
CONTRACT NO.:XWTHA25195MSA INVOICE NO.:XWTHA25195MSA-1C

| Batch No. | Grade | Heat No: | Size(mm) | Pieces | Bundles | Weight(MT) | | Delivery Condition |
|---|---|---|---|---|---|---|---|---|
| G2524618 | 54SiCr6 | E22509375XX | 14.5 | 1 | 1 | 2.292 | | Hot rolled wire rod |

I、 Chemical Composition:(%):

| Ladle | C:0.55 | Si:1.46 | Mn:0.70 | P:0.013 | S:0.008 | Cu:0.02 | Ni:0.02 | Cr:0.67 | V:0.005 | Mo:0.01 | Al:0.001 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sn:0.001 | As:0.003 | N:0.0047 | O:0.0014 | | | | | | | |

II、Mechanical Properties Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Rm\MPa : | 1037 | 1034 | 2、Z\Area\% : | 42 | 44 |

III、Microstructure Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Total Decarburized\Layer\mm : | 0.07 | 0.06 | 2、Ferrite Decarburized\Layer\mm : | 0 | 0 |
| 3、A(T)\Grade : | 1.0 | 1.0 | 4、A(H)\Grade : | 0.0 | 0.0 |
| 5、B(T)\Grade : | 0.5 | 0.5 | 6、B(H)\Grade : | 0.0 | 0.0 |
| 7、C(T)\Grade : | 0.0 | 0.0 | 8、C(H)\Grade : | 0.0 | 0.0 |
| 9、D(T)\Grade : | 0.5 | 0.5 | 10、D(H)\Grade : | 0.0 | 0.5 |
| 11、DS\Grade : | 0.0 | 0.5 | 12、Micro structure : | OK | |

IV、Dimensions,Appearance and Surface Quality:

1、dimensions,appearance and surface quality :good

| DATE: | INSPECTOR: | MANAGER OF INSPECTION: | | |
|---|---|---|---|---|
| 2025-11-26 | | Zhang Ming | | |

WARRANTY DEDICATED
JIANGYIN XINGCHENG
SPECIAL STEEL WORKS CO.,LTD.
INSPECTION

NOTE:

No impermissible macro-structural defects,such as flakes,subsurface bubbles and macro inclusions are available.;When there is any complain,you are kindly requested to mark the Steel Grade,Heat No.,Size,Delivery Data,Causes and ,materials in the condition.;This certificate is wrritten according to EN 10204 3.1;;Surface quality and shape size of material are all qualified.收缩率指标要求≥32%

CITIC PACIFIC SPECIAL STEEL

# QUALITY CERTIFICATE

-- EN10204 3.1

**Certificate No:** 20251203000058

JIANGYIN XING CHENG SPECIAL STEEL WORKS CO., LTD.

NO.297, BINJIANG(E) ROAD, JIANGYIN, CITY, JIANGSU PROVINCE, CHINA,
PC: 214429 TEL: 0086-510-86193388 FAX: 0086-510-86271603

TO:TOYOTA TSUSHO（THAILAND） CO.LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND
DESCRIPTION OF GOODS:HOT ROLLED ALLOY STEEL WIRE ROD
CONTRACT NO.:XWTHA25195MSA INVOICE NO.:XWTHA25195MSA-1C

| Batch No. | Grade | Heat No: | Size(mm) | Pieces | Bundles | Weight(MT) | | Delivery Condition |
|---|---|---|---|---|---|---|---|---|
| G2524619 | 54SiCr6 | E22509377XX | 14.5 | 11 | 11 | 25.866 | | Hot rolled wire rod |

Ⅰ、 Chemical Composition:(%):

| Ladle | C:0.54 | Si:1.44 | Mn:0.66 | P:0.011 | S:0.007 | Cu:0.02 | Ni:0.03 | Cr:0.65 | V:0.005 | Mo:0.01 | Al:0.001 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sn:0.001 | As:0.003 | N:0.0054 | O:0.0014 | | | | | | | |

II、Mechanical Properties Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Rm\MPa : | 1030 | 1035 | 2、Z\Area\% : | 45 | 46 |

III、Microstructure Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Total Decarburized\Layer\mm : | 0.06 | 0.07 | 2、Ferrite Decarburized\Layer\mm : | 0 | 0 |
| 3、A(T)\Grade : | 1.0 | 1.0 | 4、A(H)\Grade : | 0.0 | 0.0 |
| 5、B(T)\Grade : | 0.5 | 0.5 | 6、B(H)\Grade : | 0.0 | 0.0 |
| 7、C(T)\Grade : | 0.0 | 0.0 | 8、C(H)\Grade : | 0.0 | 0.0 |
| 9、D(T)\Grade : | 0.5 | 0.5 | 10、D(H)\Grade : | 0.5 | 0.0 |
| 11、DS\Grade : | 0.5 | 0.0 | 12、Micro structure : | OK | |

IV、Dimensions,Appearance and Surface Quality:

1、dimensions,appearance and surface quality :good

WARRANTY DEDICATED
JIANGYIN XINGCHENG
SPECIAL STEEL WORKS CO.,LTD.
INSPECTION

| DATE: | INSPECTOR: | MANAGER OF INSPECTION: |
|---|---|---|
| 2025-11-26 | | Zhang Ming |

NOTE:

No impermissible macro-structural defects,such as flakes,subsurface bubbles and macro inclusions are available.;When there is any complain,you are kindly requested to mark the Steel Grade,Heat No.,Size,Delivery Data,Causes and ,materials in the condition.;This certificate is wrritten according to EN 10204 3.1;;Surface quality and shape size of material are all qualified.收缩率指标要求≥32%

CITIC PACIFIC SPECIAL STEEL

# QUALITY CERTIFICATE

-- EN10204 3.1

**Certificate No:** 20251203000059

TO:TOYOTA TSUSHO（THAILAND） CO.LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND
DESCRIPTION OF GOODS:HOT ROLLED ALLOY STEEL WIRE ROD
CONTRACT NO.:XWTHA25195MSA INVOICE NO.:XWTHA25195MSA-1C


**JIANGYIN XING CHENG SPECIAL STEEL WORKS CO., LTD.**

NO.297, BINJIANG(E) ROAD, JIANGYIN, CITY, JIANGSU PROVINCE, CHINA,
PC: 214429 TEL: 0086-510-86193388 FAX: 0086-510-86271603


| Batch No. | Grade | Heat No: | Size(mm) | Pieces | Bundles | Weight(MT) | | Delivery Condition |
|---|---|---|---|---|---|---|---|---|
| G2524620 | 54SiCr6 | E22510281XX | 14.5 | 28 | 28 | 65.972 | | Hot rolled wire rod |

Ⅰ、 Chemical Composition:(%):

| Ladle | C:0.55 | Si:1.46 | Mn:0.69 | P:0.012 | S:0.005 | Cu:0.03 | Ni:0.03 | Cr:0.65 | V:0.005 | Mo:0.01 | Al:0.001 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sn:0.001 | As:0.004 | N:0.0061 | O:0.0013 | | | | | | | |

II、Mechanical Properties Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Rm\MPa : | 1046 | 1043 | 2、Z\Area\% : | 46 | 47 |

III、Microstructure Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Total Decarburized\Layer\mm : | 0.06 | 0.06 | 2、Ferrite Decarburized\Layer\mm : | 0 | 0 |
| 3、A(T)\Grade : | 1.0 | 1.0 | 4、A(H)\Grade : | 0.0 | 0.0 |
| 5、B(T)\Grade : | 0.5 | 0.5 | 6、B(H)\Grade : | 0.0 | 0.0 |
| 7、C(T)\Grade : | 0.0 | 0.0 | 8、C(H)\Grade : | 0.0 | 0.0 |
| 9、D(T)\Grade : | 0.5 | 0.5 | 10、D(H)\Grade : | 0.5 | 0.5 |
| 11、DS\Grade : | 0.0 | 0.0 | 12、Micro structure : | OK | |

IV、Dimensions,Appearance and Surface Quality:

1、dimensions,appearance and surface quality :good

| DATE: | INSPECTOR: | MANAGER OF INSPECTION: | | |
|---|---|---|---|---|
| 2025-11-26 | | Zhang Ming | | |

WARRANTY DEDICATED
JIANGYIN XINGCHENG
SPECIAL STEEL WORKS CO.,LTD.
INSPECTION

NOTE:

No impermissible macro-structural defects,such as flakes,subsurface bubbles and macro inclusions are available.;When there is any complain,you are kindly requested to mark the Steel Grade,Heat No.,Size,Delivery Data,Causes and ,materials in the condition.;This certificate is wrritten according to EN 10204 3.1;;Surface quality and shape size of material are all qualified.收缩率指标要求≥32%

CITIC PACIFIC SPECIAL STEEL

# QUALITY CERTIFICATE

-- EN10204 3.1

**Certificate No:** 20251203000060

JIANGYIN XING CHENG SPECIAL STEEL WORKS CO., LTD.

NO.297, BINJIANG(E) ROAD, JIANGYIN, CITY, JIANGSU PROVINCE, CHINA,
PC: 214429 TEL: 0086-510-86193388 FAX: 0086-510-86271603

TO:TOYOTA TSUSHO（THAILAND） CO.LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND
DESCRIPTION OF GOODS:HOT ROLLED ALLOY STEEL WIRE ROD
CONTRACT NO.:XWTHA25195MSA INVOICE NO.:XWTHA25195MSA-1C

| Batch No. | Grade | Heat No: | Size(mm) | Pieces | Bundles | Weight(MT) | | Delivery Condition |
|---|---|---|---|---|---|---|---|---|
| G2524917 | 54SiCr6 | E22510273XX | 17 | 15 | 15 | 35.36 | | Hot rolled wire rod |

I、 Chemical Composition:(%):

| Ladle | C:0.55 | Si:1.41 | Mn:0.68 | P:0.011 | S:0.006 | Cu:0.03 | Ni:0.03 | Cr:0.66 | V:0.004 | Mo:0.01 | Al:0.001 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sn:0.001 | As:0.004 | N:0.0058 | O:0.0011 | | | | | | | |

II、Mechanical Properties Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Rm\MPa : | 1032 | 1039 | 2、Z\Area\% : | 44 | 46 |

III、Microstructure Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Total Decarburized\Layer\mm : | 0.08 | 0.06 | 2、Ferrite Decarburized\Layer\mm : | 0 | 0 |
| 3、A(T)\Grade : | 1.0 | 1.0 | 4、A(H)\Grade : | 0.0 | 0.0 |
| 5、B(T)\Grade : | 0.5 | 0.5 | 6、B(H)\Grade : | 0.0 | 0.0 |
| 7、C(T)\Grade : | 0.0 | 0.0 | 8、C(H)\Grade : | 0.0 | 0.0 |
| 9、D(T)\Grade : | 0.5 | 0.5 | 10、D(H)\Grade : | 0.5 | 0.5 |
| 11、DS\Grade : | 0.0 | 0.0 | 12、Micro structure : | OK | |

IV、Dimensions,Appearance and Surface Quality:

1、dimensions,appearance and surface quality :good

| DATE: | INSPECTOR: | MANAGER OF INSPECTION: | | |
|---|---|---|---|---|
| 2025-11-26 | | Zhang Ming | | |

WARRANTY DEDICATED
JIANGYIN XINGCHENG
SPECIAL STEEL WORKS CO.,LTD.
INSPECTION

NOTE:

No impermissible macro-structural defects,such as flakes,subsurface bubbles and macro inclusions are available.;When there is any complain,you are kindly requested to mark the Steel Grade,Heat No.,Size,Delivery Data,Causes and ,materials in the condition.;This certificate is wrritten according to EN 10204 3.1;;Surface quality and shape size of material are all qualified.收缩率指标要求≥32%

CITIC PACIFIC SPECIAL STEEL

# QUALITY CERTIFICATE

-- EN10204 3.1

**Certificate No:** 20251203000061

TO:TOYOTA TSUSHO（THAILAND） CO.LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND
DESCRIPTION OF GOODS:HOT ROLLED ALLOY STEEL WIRE ROD
CONTRACT NO.:XWTHA25195MSA INVOICE NO.:XWTHA25195MSA-1C


**JIANGYIN XING CHENG SPECIAL STEEL WORKS CO., LTD.**

NO.297, BINJIANG(E) ROAD, JIANGYIN, CITY, JIANGSU PROVINCE, CHINA,
PC: 214429 TEL: 0086-510-86193388 FAX: 0086-510-86271603


| Batch No. | Grade | Heat No: | Size(mm) | Pieces | Bundles | Weight(MT) | | Delivery Condition |
|---|---|---|---|---|---|---|---|---|
| G2524885 | 54SiCr6 | E22510275XX | 18 | 15 | 15 | 35.185 | | Hot rolled wire rod |

I、 Chemical Composition:(%):

| Ladle | C:0.55 | Si:1.43 | Mn:0.68 | P:0.014 | S:0.007 | Cu:0.03 | Ni:0.03 | Cr:0.65 | V:0.004 | Mo:0.01 | Al:0.001 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sn:0.001 | As:0.005 | N:0.0061 | O:0.0011 | | | | | | | |

II、Mechanical Properties Examination:

| | | | | | | |
|---|---|---|---|---|---|---|
| 1、Rm\MPa : | 1032 | 1037 | 2、Z\Area\% : | 46 | 48 |

III、Microstructure Examination:

| | | | | | |
|---|---|---|---|---|---|
| 1、Total Decarburized\Layer\mm : | 0.05 | 0.05 | 2、Ferrite Decarburized\Layer\mm : | 0 | 0 |
| 3、A(T)\Grade : | 1.0 | 1.0 | 4、A(H)\Grade : | 0.0 | 0.0 |
| 5、B(T)\Grade : | 0.5 | 0.5 | 6、B(H)\Grade : | 0.0 | 0.0 |
| 7、C(T)\Grade : | 0.0 | 0.0 | 8、C(H)\Grade : | 0.0 | 0.0 |
| 9、D(T)\Grade : | 0.5 | 0.5 | 10、D(H)\Grade : | 0.5 | 0.5 |
| 11、DS\Grade : | 0.5 | 0.0 | 12、Micro structure : | OK | |

IV、Dimensions,Appearance and Surface Quality:

1、dimensions,appearance and surface quality :good

| DATE: | INSPECTOR: | MANAGER OF INSPECTION: | | |
|---|---|---|---|---|
| 2025-11-26 | | Zhang Ming | | |

WARRANTY DEDICATED
JIANGYIN XINGCHENG
SPECIAL STEEL WORKS CO.,LTD.
INSPECTION

NOTE:

No impermissible macro-structural defects,such as flakes,subsurface bubbles and macro inclusions are available.;When there is any complain,you are kindly requested to mark the Steel Grade,Heat No.,Size,Delivery Data,Causes and ,materials in the condition.;This certificate is wrritten according to EN 10204 3.1;;Surface quality and shape size of material are all qualified.收缩率指标要求≥32%