TAX INVOICE

(SUBJECT TO RULE 7, SECTION 31)

Original

Exporter

TOYOTA TSUSHO INDIA PRIVATE LIMITED

NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM,
BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM,
TAMIL NADU INDIA
TEL:91-(0)44-67202525
FAX:91-(0)44-67202525

Invoice No. & Date **3177001171** **14/10/2024**

Export Ref.

Buyer's Order No. Date
48849698 **14/10/2024**

Consignee
TOYOTA TSUSHO (THAILAND) CO., LTD.

607, ASOKE-DINDAENG ROAD, KWAENG DINDAENG,
KHET DINDAENG, BANGKOK.THAILAND
BANGKOK 10400

Buyer (if other than consignee)

Pre-Carriage by	Place of Receipt by pre-carrier	Dispatch Through	Destination
BY TRUCK		BY SEA	LAEMCHABANG - THAILAND
Vessel / Flight No.	**Port of loading**	**City / Port of loading**	**City / Port of Discharge**
	PIPAVAV PORT	PIPAVAV PORT	LAEMCHABANG - THAILAND
Port of Discharge	**Final Destination**	**Terms of Delivery**	CIF LAEMCHABANG - THAILAND LAEMCHABANG - THAILAND
LAEMCHABANG - THAILAND	LAEMCHABANG - THAILAND	**Terms of Payment**	TT REMITTANCE 30 DAYS FROM BL DATE
Nature of Packing	Total Container: 4(20 Feet)		

MARKS & NOS	Part Code and description	HSN Code	Quantity Unit	Rate per item (USD)	Total Amt (USD)
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	85.149 MT	1,103.0000	93,919.35
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	2.661 MT	1,103.0000	2,935.08
				Sub Total	96,854.43
				IGST @0.000 %	0.00
			87.810 MT	**Total**	**96,854.43**

All amounts in USD

Amount chargeable (in words / currency)
USD NINETY SIX THOUSAND EIGHT HUNDRED FIFTY FOUR AND FORTY THREE ONLY.

Remarks :
SUPPLY MEANT FOR EXPORT UNDER LUT WITHOUT PAYMENT OF INTEGRATED TAX VIDE LUT NO ARN
AD330324050073O Dt : 12/03/2024
DATED - 01/04/2024 VALID UPTO 31/03/2025

MATERIAL QUANTITY DETAILS:
Total Container: 4(20 Feet)

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 85.149 MT

SIKU3055923 BND- 10 PCS- 302
SIKU3108324 BND- 10 PCS- 302
SIKU3060560 BND- 11 PCS- 330
SIKU3048821 BND- 11 PCS- 321

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 2.661 MT

SIKU3055923 BND- 1 PCS- 22
SIKU3108324 BND- 1 PCS- 15
SIKU3048821 BND- 1 PCS- 7

- To be continued -

TAX INVOICE

(SUBJECT TO RULE 7, SECTION 31)

Original

Exporter	Invoice No. & Date	Export Ref.
TOYOTA TSUSHO INDIA PRIVATE LIMITED Oragadam-Chennai NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM, BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM, TAMIL NADU INDIA TEL:91-(0)44-67202525 FAX:91-(0)44-67202525	**3177001171** **14/10/2024**	
	Buyer's Order No. Date 48849698	**14/10/2024**

Net weight: 87.810 MT Gross Weight: 87.824 MT.

FOB : USD 94,748.43
Fright : USD 1,931
Insura : USD 175

Other references

GSTIN : 33AADCS6230N1Z9
PAN No. : AADCS6230N
IEC No. : 0799000973 / AADCS6230NXFT001
Authorized Dealer No. : 6440006

Bank Reference :
MUFG Bank, Ltd.
No. 701, 7th Floor, World Trade Centre,
Brigade Gateway Campus, 26/1, Dr. Rajkumar Road,
Malleshwaram West, Bangalore -560 055, India.
Account No : 6265111000000868
IFSC Code : BOTM0BL3626
SWIFT Code : BOTKINBX

TOYOTA TSUSHO INDIA PRIVATE LIMITED

RYOSUKE YOSHIMURA

Digitally signed by RYOSUKE YOSHIMURA
Date: 2024.10.17 12:33:00 +05'30'

AUTHORISED SIGNATORY

- End of document -

TAX INVOICE

(SUBJECT TO RULE 7, SECTION 31)

Duplicate

Exporter	Invoice No. & Date	Export Ref.
TOYOTA TSUSHO INDIA PRIVATE LIMITED NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM, BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM, TAMIL NADU INDIA TEL:91-(0)44-67202525 FAX:91-(0)44-67202525	**3177001171** **14/10/2024**	
	Buyer's Order No. Date 48849698 **14/10/2024**	

Consignee	Buyer (if other than consignee)
TOYOTA TSUSHO (THAILAND) CO., LTD. 607, ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK.THAILAND BANGKOK 10400	

Pre-Carriage by	Place of Receipt by pre-carrier	Dispatch Through	Destination
BY TRUCK		BY SEA	LAEMCHABANG - THAILAND
Vessel / Flight No.	**Port of loading**	**City / Port of loading**	**City / Port of Discharge**
	PIPAVAV PORT	PIPAVAV PORT	LAEMCHABANG - THAILAND
Port of Discharge	**Final Destination**	**Terms of Delivery**	CIF LAEMCHABANG - THAILAND LAEMCHABANG - THAILAND
LAEMCHABANG - THAILAND	LAEMCHABANG - THAILAND	**Terms of Payment**	TT REMITTANCE 30 DAYS FROM BL DATE
Nature of Packing	Total Container: 4(20 Feet)		

MARKS & NOS	Part Code and description	HSN Code	Quantity Unit	Rate per item (USD)	Total Amt (USD)
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	85.149 MT	1,103.0000	93,919.35
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	2.661 MT	1,103.0000	2,935.08
				Sub Total	96,854.43
				IGST @0.000 %	0.00
			87.810 MT	**Total**	**96,854.43**

All amounts in USD

Amount chargeable (in words / currency)

USD NINETY SIX THOUSAND EIGHT HUNDRED FIFTY FOUR AND FORTY THREE ONLY.

Remarks :

SUPPLY MEANT FOR EXPORT UNDER LUT WITHOUT PAYMENT OF INTEGRATED TAX VIDE LUT NO ARN AD330324050073O Dt : 12/03/2024
DATED - 01/04/2024 VALID UPTO 31/03/2025

MATERIAL QUANTITY DETAILS:
Total Container: 4(20 Feet)

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 85.149 MT

SIKU3055923 BND- 10 PCS- 302
SIKU3108324 BND- 10 PCS- 302
SIKU3060560 BND- 11 PCS- 330
SIKU3048821 BND- 11 PCS- 321

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 2.661 MT

SIKU3055923 BND- 1 PCS- 22
SIKU3108324 BND- 1 PCS- 15
SIKU3048821 BND- 1 PCS- 7

- To be continued -

TAX INVOICE

(SUBJECT TO RULE 7, SECTION 31)

Duplicate

Exporter	Invoice No. & Date	Export Ref.
TOYOTA TSUSHO INDIA PRIVATE LIMITED Oragadam-Chennai NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM, BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM, TAMIL NADU INDIA TEL:91-(0)44-67202525 FAX:91-(0)44-67202525	**3177001171** **14/10/2024**	
	Buyer's Order No. Date 48849698	**14/10/2024**

Net weight: 87.810 MT Gross Weight: 87.824 MT.

FOB : USD 94,748.43
Fright : USD 1,931
Insura : USD 175

Other references

GSTIN : 33AADCS6230N1Z9
PAN No. : AADCS6230N
IEC No. : 0799000973 / AADCS6230NXFT001
Authorized Dealer No. : 6440006

Bank Reference :
MUFG Bank, Ltd.
No. 701, 7th Floor, World Trade Centre,
Brigade Gateway Campus, 26/1, Dr. Rajkumar Road,
Malleshwaram West, Bangalore -560 055, India.
Account No : 6265111000000868
IFSC Code : BOTM0BL3626
SWIFT Code : BOTKINBX

TOYOTA TSUSHO INDIA PRIVATE LIMITED

RYOSUKE YOSHIMURA

Digitally signed by RYOSUKE YOSHIMURA
Date: 2024.10.17 12:33:14 +05'30'

AUTHORISED SIGNATORY

- End of document -

TAX INVOICE

(SUBJECT TO RULE 7, SECTION 31)

Triplicate

Exporter

TOYOTA TSUSHO INDIA PRIVATE LIMITED

NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM,
BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM,
TAMIL NADU INDIA
TEL:91-(0)44-67202525
FAX:91-(0)44-67202525

Invoice No. & Date **3177001171** **14/10/2024**

Export Ref.

Buyer's Order No. Date
48849698 **14/10/2024**

Consignee
TOYOTA TSUSHO (THAILAND) CO., LTD.

607, ASOKE-DINDAENG ROAD, KWAENG DINDAENG,
KHET DINDAENG, BANGKOK.THAILAND
BANGKOK 10400

Buyer (if other than consignee)

Pre-Carriage by	Place of Receipt by pre-carrier	Dispatch Through	Destination
BY TRUCK		BY SEA	LAEMCHABANG - THAILAND
Vessel / Flight No.	**Port of loading**	**City / Port of loading**	**City / Port of Discharge**
	PIPAVAV PORT	PIPAVAV PORT	LAEMCHABANG - THAILAND
Port of Discharge	**Final Destination**	**Terms of Delivery**	CIF LAEMCHABANG - THAILAND LAEMCHABANG - THAILAND
LAEMCHABANG - THAILAND	LAEMCHABANG - THAILAND	**Terms of Payment**	TT REMITTANCE 30 DAYS FROM BL DATE
Nature of Packing	Total Container: 4(20 Feet)		

MARKS & NOS	Part Code and description	HSN Code	Quantity Unit	Rate per item (USD)	Total Amt (USD)
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	85.149 MT	1,103.0000	93,919.35
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	2.661 MT	1,103.0000	2,935.08
				Sub Total	96,854.43
				IGST @0.000 %	0.00
			87.810 MT	**Total**	**96,854.43**

All amounts in USD

Amount chargeable (in words / currency)
USD NINETY SIX THOUSAND EIGHT HUNDRED FIFTY FOUR AND FORTY THREE ONLY.

Remarks :
SUPPLY MEANT FOR EXPORT UNDER LUT WITHOUT PAYMENT OF INTEGRATED TAX VIDE LUT NO ARN
AD330324050073O Dt : 12/03/2024
DATED - 01/04/2024 VALID UPTO 31/03/2025

MATERIAL QUANTITY DETAILS:
Total Container: 4(20 Feet)

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 85.149 MT

SIKU3055923 BND- 10 PCS- 302
SIKU3108324 BND- 10 PCS- 302
SIKU3060560 BND- 11 PCS- 330
SIKU3048821 BND- 11 PCS- 321

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 2.661 MT

SIKU3055923 BND- 1 PCS- 22
SIKU3108324 BND- 1 PCS- 15
SIKU3048821 BND- 1 PCS- 7

- To be continued -

TAX INVOICE

(SUBJECT TO RULE 7, SECTION 31)

Triplicate

Exporter	Invoice No. & Date	Export Ref.
TOYOTA TSUSHO INDIA PRIVATE LIMITED Oragadam-Chennai NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM, BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM, TAMIL NADU INDIA TEL:91-(0)44-67202525 FAX:91-(0)44-67202525	**3177001171** **14/10/2024**	
	Buyer's Order No. Date 48849698	**14/10/2024**

Net weight: 87.810 MT Gross Weight: 87.824 MT.

FOB : USD 94,748.43
Fright : USD 1,931
Insura : USD 175

Other references

GSTIN : 33AADCS6230N1Z9
PAN No. : AADCS6230N
IEC No. : 0799000973 / AADCS6230NXFT001
Authorized Dealer No. : 6440006

Bank Reference :
MUFG Bank, Ltd.
No. 701, 7th Floor, World Trade Centre,
Brigade Gateway Campus, 26/1, Dr. Rajkumar Road,
Malleshwaram West, Bangalore -560 055, India.
Account No : 6265111000000868
IFSC Code : BOTM0BL3626
SWIFT Code : BOTKINBX

TOYOTA TSUSHO INDIA PRIVATE LIMITED

RYOSUKE YOSHIMURA

Digitally signed by RYOSUKE YOSHIMURA
Date: 2024.10.17 12:33:24 +05'30'

AUTHORISED SIGNATORY

- End of document -

TAX INVOICE

(SUBJECT TO RULE 7, SECTION 31)

Quadruplicate

Exporter	Invoice No. & Date	Export Ref.
TOYOTA TSUSHO INDIA PRIVATE LIMITED NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM, BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM, TAMIL NADU INDIA TEL:91-(0)44-67202525 FAX:91-(0)44-67202525	**3177001171** **14/10/2024**	
	Buyer's Order No. Date 48849698 **14/10/2024**	

Consignee	Buyer (if other than consignee)
TOYOTA TSUSHO (THAILAND) CO., LTD. 607, ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK.THAILAND BANGKOK 10400	

Pre-Carriage by	Place of Receipt by pre-carrier	Dispatch Through	Destination
BY TRUCK		BY SEA	LAEMCHABANG - THAILAND
Vessel / Flight No.	**Port of loading**	**City / Port of loading**	**City / Port of Discharge**
	PIPAVAV PORT	PIPAVAV PORT	LAEMCHABANG - THAILAND
Port of Discharge	**Final Destination**	**Terms of Delivery**	CIF LAEMCHABANG - THAILAND LAEMCHABANG - THAILAND
LAEMCHABANG - THAILAND	LAEMCHABANG - THAILAND	**Terms of Payment**	TT REMITTANCE 30 DAYS FROM BL DATE
Nature of Packing Total Container: 4(20 Feet)			

MARKS & NOS	Part Code and description	HSN Code	Quantity Unit	Rate per item (USD)	Total Amt (USD)
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	85.149 MT	1,103.0000	93,919.35
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	2.661 MT	1,103.0000	2,935.08
				Sub Total	96,854.43
				IGST @0.000 %	0.00
			87.810 MT	**Total**	**96,854.43**

All amounts in USD

Amount chargeable (in words / currency)

USD NINETY SIX THOUSAND EIGHT HUNDRED FIFTY FOUR AND FORTY THREE ONLY.

Remarks :

SUPPLY MEANT FOR EXPORT UNDER LUT WITHOUT PAYMENT OF INTEGRATED TAX VIDE LUT NO ARN AD330324050073O Dt : 12/03/2024
DATED - 01/04/2024 VALID UPTO 31/03/2025

MATERIAL QUANTITY DETAILS:
Total Container: 4(20 Feet)

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 85.149 MT

SIKU3055923 BND- 10 PCS- 302
SIKU3108324 BND- 10 PCS- 302
SIKU3060560 BND- 11 PCS- 330
SIKU3048821 BND- 11 PCS- 321

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 2.661 MT

SIKU3055923 BND- 1 PCS- 22
SIKU3108324 BND- 1 PCS- 15
SIKU3048821 BND- 1 PCS- 7

- To be continued -

TAX INVOICE

(SUBJECT TO RULE 7, SECTION 31)

Quadruplicate

Exporter	Invoice No. & Date	Export Ref.
TOYOTA TSUSHO INDIA PRIVATE LIMITED Oragadam-Chennai NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM, BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM, TAMIL NADU INDIA TEL:91-(0)44-67202525 FAX:91-(0)44-67202525	**3177001171** **14/10/2024**	
	Buyer's Order No. Date 48849698	**14/10/2024**

Net weight: 87.810 MT Gross Weight: 87.824 MT.

FOB : USD 94,748.43
Fright : USD 1,931
Insura : USD 175

Other references

GSTIN : 33AADCS6230N1Z9
PAN No. : AADCS6230N
IEC No. : 0799000973 / AADCS6230NXFT001
Authorized Dealer No. : 6440006

Bank Reference :
MUFG Bank, Ltd.
No. 701, 7th Floor, World Trade Centre,
Brigade Gateway Campus, 26/1, Dr. Rajkumar Road,
Malleshwaram West, Bangalore -560 055, India.
Account No : 6265111000000868
IFSC Code : BOTM0BL3626
SWIFT Code : BOTKINBX

TOYOTA TSUSHO INDIA PRIVATE LIMITED

RYOSUKE YOSHIMURA

Digitally signed by RYOSUKE YOSHIMURA
Date: 2024.10.17 12:33:34 +05'30'

AUTHORISED SIGNATORY

- End of document -

TAX INVOICE

(SUBJECT TO RULE 7, SECTION 31)

Quintuplicate

Exporter	Invoice No. & Date	Export Ref.
TOYOTA TSUSHO INDIA PRIVATE LIMITED NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM, BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM, TAMIL NADU INDIA TEL:91-(0)44-67202525 FAX:91-(0)44-67202525	**3177001171** **14/10/2024**	
	Buyer's Order No. Date 48849698 **14/10/2024**	

Consignee	Buyer (if other than consignee)
TOYOTA TSUSHO (THAILAND) CO., LTD. 607, ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK.THAILAND BANGKOK 10400	

Pre-Carriage by	Place of Receipt by pre-carrier	Dispatch Through	Destination
BY TRUCK		BY SEA	LAEMCHABANG - THAILAND
Vessel / Flight No.	**Port of loading**	**City / Port of loading**	**City / Port of Discharge**
	PIPAVAV PORT	PIPAVAV PORT	LAEMCHABANG - THAILAND
Port of Discharge	**Final Destination**	**Terms of Delivery**	CIF LAEMCHABANG - THAILAND LAEMCHABANG - THAILAND
LAEMCHABANG - THAILAND	LAEMCHABANG - THAILAND	**Terms of Payment**	TT REMITTANCE 30 DAYS FROM BL DATE
Nature of Packing Total Container: 4(20 Feet)			

MARKS & NOS	Part Code and description	HSN Code	Quantity Unit	Rate per item (USD)	Total Amt (USD)
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	85.149 MT	1,103.0000	93,919.35
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	2.661 MT	1,103.0000	2,935.08
				Sub Total	96,854.43
				IGST @0.000 %	0.00
			87.810 MT	**Total**	**96,854.43**

All amounts in USD

Amount chargeable (in words / currency)

USD NINETY SIX THOUSAND EIGHT HUNDRED FIFTY FOUR AND FORTY THREE ONLY.

Remarks :

SUPPLY MEANT FOR EXPORT UNDER LUT WITHOUT PAYMENT OF INTEGRATED TAX VIDE LUT NO ARN AD330324050073O Dt : 12/03/2024
DATED - 01/04/2024 VALID UPTO 31/03/2025

MATERIAL QUANTITY DETAILS:
Total Container: 4(20 Feet)

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 85.149 MT

SIKU3055923 BND- 10 PCS- 302
SIKU3108324 BND- 10 PCS- 302
SIKU3060560 BND- 11 PCS- 330
SIKU3048821 BND- 11 PCS- 321

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 2.661 MT

SIKU3055923 BND- 1 PCS- 22
SIKU3108324 BND- 1 PCS- 15
SIKU3048821 BND- 1 PCS- 7

- To be continued -

TAX INVOICE

(SUBJECT TO RULE 7, SECTION 31)

Exporter	**Invoice No. & Date**	**Export Ref.**
TOYOTA TSUSHO INDIA PRIVATE LIMITED Oragadam-Chennai NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM, BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM, TAMIL NADU INDIA TEL:91-(0)44-67202525 FAX:91-(0)44-67202525	**3177001171** **14/10/2024**	
	Buyer's Order No. Date 48849698	**14/10/2024**

Net weight: 87.810 MT Gross Weight: 87.824 MT.

FOB : USD 94,748.43
Fright : USD 1,931
Insura : USD 175

Other references

GSTIN : 33AADCS6230N1Z9
PAN No. : AADCS6230N
IEC No. : 0799000973 / AADCS6230NXFT001
Authorized Dealer No. : 6440006

Bank Reference :
MUFG Bank, Ltd.
No. 701, 7th Floor, World Trade Centre,
Brigade Gateway Campus, 26/1, Dr. Rajkumar Road,
Malleshwaram West, Bangalore -560 055, India.
Account No : 6265111000000868
IFSC Code : BOTM0BL3626
SWIFT Code : BOTKINBX

TOYOTA TSUSHO INDIA PRIVATE LIMITED

RYOSUKE YOSHIMURA

Digitally signed by RYOSUKE YOSHIMURA
Date: 2024.10.17 12:33:44 +05'30'

AUTHORISED SIGNATORY

- End of document -

PACKING LIST

Original

Exporter

TOYOTA TSUSHO INDIA PRIVATE LIMITED

NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM,
BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM,
TAMIL NADU INDIA
TEL:91-(0)44-67202525
FAX:91-(0)44-67202525

Document No. & Date 3177001171 14/10/2024

Export Ref.

Buyer's Order No. Date
48849698 **14/10/2024**

Consignee
TOYOTA TSUSHO (THAILAND) CO., LTD.

607, ASOKE-DINDAENG ROAD, KWAENG DINDAENG,
KHET DINDAENG, BANGKOK.THAILAND
BANGKOK 10400

Buyer (if other than consignee)

Pre-Carriage by	**Place of Receipt by pre-carrier**	**Dispatch Through**	**Destination**
BY TRUCK		BY SEA	LAEMCHABANG - THAILAND
Vessel / Flight No.	**Port of loading**	**City / Port of loading**	**City / Port of Discharge**
	PIPAVAV PORT	PIPAVAV PORT	LAEMCHABANG - THAILAND
Port of Discharge	**Final Destination**	**Terms of Delivery**	CIF LAEMCHABANG - THAILAND LAEMCHABANG - THAILAND
LAEMCHABANG - THAILAND	LAEMCHABANG - THAILAND	**Terms of Payment**	TT REMITTANCE 30 DAYS FROM BL DATE

Nature of Packing Total Container: 4(20 Feet)

MARKS & NOS	Part Code and description	HSN Code	Quantity	Dimensions (mm)	Net Wt. (Kgs)	Gross Wt. (Kgs)
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	85.149 MT	45 X 5400	85,149.000	85,157.000
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	2.661 MT	45 X 5400	2,661.000	2,667.000
	Total :		87.810 MT		87,810.000	87,824.000

Remarks :

SUPPLY MEANT FOR EXPORT UNDER LUT WITHOUT PAYMENT OF INTEGRATED TAX VIDE LUT NO ARN AD330324050073O Dt : 12/03/2024
DATED - 01/04/2024 VALID UPTO 31/03/2025

MATERIAL QUANTITY DETAILS:
Total Container: 4(20 Feet)

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 85.149 MT

SIKU3055923 BND- 10 PCS- 302
SIKU3108324 BND- 10 PCS- 302
SIKU3060560 BND- 11 PCS- 330
SIKU3048821 BND- 11 PCS- 321

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 2.661 MT

SIKU3055923 BND- 1 PCS- 22
SIKU3108324 BND- 1 PCS- 15
SIKU3048821 BND- 1 PCS- 7

Net weight: 87.810 MT Gross Weight: 87.824 MT.

- To be continued -

PACKING LIST

Original

Exporter	Document No. & Date	Export Ref.
TOYOTA TSUSHO INDIA PRIVATE LIMITED Oragadam-Chennai NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM, BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM, TAMIL NADU INDIA TEL:91-(0)44-67202525 FAX:91-(0)44-67202525	**3177001171** **14/10/2024**	
	Buyer's Order No. Date 48849698 **14/10/2024**	

Other references

GSTIN : 33AADCS6230N1Z9
PAN No. : AADCS6230N
Authorized Dealer No. : 6440006
IEC No. : 0799000973 / AADCS62

TOYOTA TSUSHO INDIA PRIVATE LIMITED

RYOSUKE YOSHIMURA

Digitally signed by RYOSUKE YOSHIMURA
Date: 2024.10.17 12:36:11 +05'30'

AUTHORISED SIGNATORY

- End of document -

PACKING LIST

Duplicate

Exporter

TOYOTA TSUSHO INDIA PRIVATE LIMITED

NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM,
BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM,
TAMIL NADU INDIA
TEL:91-(0)44-67202525
FAX:91-(0)44-67202525

Document No. & Date **Export Ref.**

3177001171 14/10/2024

Buyer's Order No. Date

48849698 **14/10/2024**

Consignee

TOYOTA TSUSHO (THAILAND) CO., LTD.

607, ASOKE-DINDAENG ROAD, KWAENG DINDAENG,
KHET DINDAENG, BANGKOK.THAILAND
BANGKOK 10400

Buyer (if other than consignee)

Pre-Carriage by	**Place of Receipt by pre-carrier**	**Dispatch Through**	**Destination**
BY TRUCK		BY SEA	LAEMCHABANG - THAILAND
Vessel / Flight No.	**Port of loading**	**City / Port of loading**	**City / Port of Discharge**
	PIPAVAV PORT	PIPAVAV PORT	LAEMCHABANG - THAILAND
Port of Discharge	**Final Destination**	**Terms of Delivery**	CIF LAEMCHABANG - THAILAND LAEMCHABANG - THAILAND
LAEMCHABANG - THAILAND	LAEMCHABANG - THAILAND	**Terms of Payment**	TT REMITTANCE 30 DAYS FROM BL DATE

Nature of Packing Total Container: 4(20 Feet)

MARKS & NOS	Part Code and description	HSN Code	Quantity	Dimensions (mm)	Net Wt. (Kgs)	Gross Wt. (Kgs)
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	85.149 MT	45 X 5400	85,149.000	85,157.000
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	2.661 MT	45 X 5400	2,661.000	2,667.000
	Total :		87.810 MT		87,810.000	87,824.000

Remarks :

SUPPLY MEANT FOR EXPORT UNDER LUT WITHOUT PAYMENT OF INTEGRATED TAX VIDE LUT NO ARN AD330324050073O Dt : 12/03/2024
DATED - 01/04/2024 VALID UPTO 31/03/2025

MATERIAL QUANTITY DETAILS:
Total Container: 4(20 Feet)

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 85.149 MT

SIKU3055923 BND- 10 PCS- 302
SIKU3108324 BND- 10 PCS- 302
SIKU3060560 BND- 11 PCS- 330
SIKU3048821 BND- 11 PCS- 321

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 2.661 MT

SIKU3055923 BND- 1 PCS- 22
SIKU3108324 BND- 1 PCS- 15
SIKU3048821 BND- 1 PCS- 7

Net weight: 87.810 MT Gross Weight: 87.824 MT.

- To be continued -

PACKING LIST

Duplicate

Exporter	Document No. & Date	Export Ref.
TOYOTA TSUSHO INDIA PRIVATE LIMITED Oragadam-Chennai NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM, BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM, TAMIL NADU INDIA TEL:91-(0)44-67202525 FAX:91-(0)44-67202525	**3177001171 14/10/2024**	
	Buyer's Order No. Date 48849698 **14/10/2024**	

Other references

GSTIN : 33AADCS6230N1Z9
PAN No. : AADCS6230N
Authorized Dealer No. : 6440006
IEC No. : 0799000973 / AADCS62

TOYOTA TSUSHO INDIA PRIVATE LIMITED

RYOSUKE YOSHIMURA

Digitally signed by RYOSUKE YOSHIMURA
Date: 2024.10.17 12:36:20 +05'30'

AUTHORISED SIGNATORY

- End of document -

PACKING LIST

Triplicate

Exporter

TOYOTA TSUSHO INDIA PRIVATE LIMITED

NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM,
BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM,
TAMIL NADU INDIA
TEL:91-(0)44-67202525
FAX:91-(0)44-67202525

Document No. & Date **Export Ref.**

3177001171 14/10/2024

Buyer's Order No. Date

48849698 **14/10/2024**

Consignee
TOYOTA TSUSHO (THAILAND) CO., LTD.

607, ASOKE-DINDAENG ROAD, KWAENG DINDAENG,
KHET DINDAENG, BANGKOK.THAILAND
BANGKOK 10400

Buyer (if other than consignee)

Pre-Carriage by	**Place of Receipt by pre-carrier**	**Dispatch Through**	**Destination**
BY TRUCK		BY SEA	LAEMCHABANG - THAILAND
Vessel / Flight No.	**Port of loading**	**City / Port of loading**	**City / Port of Discharge**
	PIPAVAV PORT	PIPAVAV PORT	LAEMCHABANG - THAILAND
Port of Discharge	**Final Destination**	**Terms of Delivery**	CIF LAEMCHABANG - THAILAND LAEMCHABANG - THAILAND
LAEMCHABANG - THAILAND	LAEMCHABANG - THAILAND	**Terms of Payment**	TT REMITTANCE 30 DAYS FROM BL DATE

Nature of Packing Total Container: 4(20 Feet)

MARKS & NOS	Part Code and description	HSN Code	Quantity	Dimensions (mm)	Net Wt. (Kgs)	Gross Wt. (Kgs)
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	85.149 MT	45 X 5400	85,149.000	85,157.000
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	2.661 MT	45 X 5400	2,661.000	2,667.000
	Total :		87.810 MT		87,810.000	87,824.000

Remarks :

SUPPLY MEANT FOR EXPORT UNDER LUT WITHOUT PAYMENT OF INTEGRATED TAX VIDE LUT NO ARN AD330324050073O Dt : 12/03/2024
DATED - 01/04/2024 VALID UPTO 31/03/2025

MATERIAL QUANTITY DETAILS:
Total Container: 4(20 Feet)

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 85.149 MT

SIKU3055923 BND- 10 PCS- 302
SIKU3108324 BND- 10 PCS- 302
SIKU3060560 BND- 11 PCS- 330
SIKU3048821 BND- 11 PCS- 321

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 2.661 MT

SIKU3055923 BND- 1 PCS- 22
SIKU3108324 BND- 1 PCS- 15
SIKU3048821 BND- 1 PCS- 7

Net weight: 87.810 MT Gross Weight: 87.824 MT.

- To be continued -

PACKING LIST

Triplicate

Exporter	Document No. & Date	Export Ref.
TOYOTA TSUSHO INDIA PRIVATE LIMITED Oragadam-Chennai NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM, BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM, TAMIL NADU INDIA TEL:91-(0)44-67202525 FAX:91-(0)44-67202525	**3177001171 14/10/2024**	
	Buyer's Order No. Date 48849698 **14/10/2024**	

Other references

GSTIN : 33AADCS6230N1Z9
PAN No. : AADCS6230N
Authorized Dealer No. : 6440006
IEC No. : 0799000973 / AADCS62

TOYOTA TSUSHO INDIA PRIVATE LIMITED

RYOSUKE YOSHIMURA

Digitally signed by RYOSUKE YOSHIMURA
Date: 2024.10.17 12:36:33 +05'30'

AUTHORISED SIGNATORY

- End of document -

PACKING LIST

Quadruplicate

Exporter

TOYOTA TSUSHO INDIA PRIVATE LIMITED

NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM,
BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM,
TAMIL NADU INDIA
TEL:91-(0)44-67202525
FAX:91-(0)44-67202525

Document No. & Date **Export Ref.**

3177001171 14/10/2024

Buyer's Order No. Date

48849698 **14/10/2024**

Consignee
TOYOTA TSUSHO (THAILAND) CO., LTD.

607, ASOKE-DINDAENG ROAD, KWAENG DINDAENG,
KHET DINDAENG, BANGKOK.THAILAND
BANGKOK 10400

Buyer (if other than consignee)

Pre-Carriage by	**Place of Receipt by pre-carrier**	**Dispatch Through**	**Destination**
BY TRUCK		BY SEA	LAEMCHABANG - THAILAND
Vessel / Flight No.	**Port of loading**	**City / Port of loading**	**City / Port of Discharge**
	PIPAVAV PORT	PIPAVAV PORT	LAEMCHABANG - THAILAND
Port of Discharge	**Final Destination**	**Terms of Delivery**	CIF LAEMCHABANG - THAILAND LAEMCHABANG - THAILAND
LAEMCHABANG - THAILAND	LAEMCHABANG - THAILAND	**Terms of Payment**	TT REMITTANCE 30 DAYS FROM BL DATE

Nature of Packing Total Container: 4(20 Feet)

MARKS & NOS	Part Code and description	HSN Code	Quantity	Dimensions (mm)	Net Wt. (Kgs)	Gross Wt. (Kgs)
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	85.149 MT	45 X 5400	85,149.000	85,157.000
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	2.661 MT	45 X 5400	2,661.000	2,667.000
	Total :		87.810 MT		87,810.000	87,824.000

Remarks :

SUPPLY MEANT FOR EXPORT UNDER LUT WITHOUT PAYMENT OF INTEGRATED TAX VIDE LUT NO ARN AD330324050073O Dt : 12/03/2024
DATED - 01/04/2024 VALID UPTO 31/03/2025

MATERIAL QUANTITY DETAILS:
Total Container: 4(20 Feet)

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 85.149 MT

SIKU3055923 BND- 10 PCS- 302
SIKU3108324 BND- 10 PCS- 302
SIKU3060560 BND- 11 PCS- 330
SIKU3048821 BND- 11 PCS- 321

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 2.661 MT

SIKU3055923 BND- 1 PCS- 22
SIKU3108324 BND- 1 PCS- 15
SIKU3048821 BND- 1 PCS- 7

Net weight: 87.810 MT Gross Weight: 87.824 MT.

- To be continued -

PACKING LIST

Quadruplicate

Exporter	Document No. & Date	Export Ref.
TOYOTA TSUSHO INDIA PRIVATE LIMITED Oragadam-Chennai NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM, BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM, TAMIL NADU INDIA TEL:91-(0)44-67202525 FAX:91-(0)44-67202525	**3177001171 14/10/2024**	
	Buyer's Order No. Date 48849698 **14/10/2024**	

Other references

GSTIN : 33AADCS6230N1Z9
PAN No. : AADCS6230N
Authorized Dealer No. : 6440006
IEC No. : 0799000973 / AADCS62

TOYOTA TSUSHO INDIA PRIVATE LIMITED

RYOSUKE YOSHIMURA

Digitally signed by RYOSUKE YOSHIMURA
Date: 2024.10.17 12:36:52 +05'30'

AUTHORISED SIGNATORY

- End of document -

PACKING LIST

Quintuplicate

Exporter

TOYOTA TSUSHO INDIA PRIVATE LIMITED

NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM,
BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM,
TAMIL NADU INDIA
TEL:91-(0)44-67202525
FAX:91-(0)44-67202525

Document No. & Date **Export Ref.**

3177001171 14/10/2024

Buyer's Order No. Date

48849698 **14/10/2024**

Consignee
TOYOTA TSUSHO (THAILAND) CO., LTD.

607, ASOKE-DINDAENG ROAD, KWAENG DINDAENG,
KHET DINDAENG, BANGKOK.THAILAND
BANGKOK 10400

Buyer (if other than consignee)

Pre-Carriage by	**Place of Receipt by pre-carrier**	**Dispatch Through**	**Destination**
BY TRUCK		BY SEA	LAEMCHABANG - THAILAND
Vessel / Flight No.	**Port of loading**	**City / Port of loading**	**City / Port of Discharge**
	PIPAVAV PORT	PIPAVAV PORT	LAEMCHABANG - THAILAND
Port of Discharge	**Final Destination**	**Terms of Delivery**	CIF LAEMCHABANG - THAILAND LAEMCHABANG - THAILAND
LAEMCHABANG - THAILAND	LAEMCHABANG - THAILAND	**Terms of Payment**	TT REMITTANCE 30 DAYS FROM BL DATE

Nature of Packing Total Container: 4(20 Feet)

MARKS & NOS	Part Code and description	HSN Code	Quantity	Dimensions (mm)	Net Wt. (Kgs)	Gross Wt. (Kgs)
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	85.149 MT	45 X 5400	85,149.000	85,157.000
AS ADDRESSED	HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400	722830	2.661 MT	45 X 5400	2,661.000	2,667.000
	Total :		87.810 MT		87,810.000	87,824.000

Remarks :

SUPPLY MEANT FOR EXPORT UNDER LUT WITHOUT PAYMENT OF INTEGRATED TAX VIDE LUT NO ARN AD330324050073O Dt : 12/03/2024
DATED - 01/04/2024 VALID UPTO 31/03/2025

MATERIAL QUANTITY DETAILS:
Total Container: 4(20 Feet)

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 85.149 MT

SIKU3055923 BND- 10 PCS- 302
SIKU3108324 BND- 10 PCS- 302
SIKU3060560 BND- 11 PCS- 330
SIKU3048821 BND- 11 PCS- 321

HOT ROLLED STEEL ROUND BARS SCM20 Dia 45 X 5400 (ST0076) Qty - 2.661 MT

SIKU3055923 BND- 1 PCS- 22
SIKU3108324 BND- 1 PCS- 15
SIKU3048821 BND- 1 PCS- 7

Net weight: 87.810 MT Gross Weight: 87.824 MT.

- To be continued -

PACKING LIST

Quintuplicate

Exporter	Document No. & Date	Export Ref.
TOYOTA TSUSHO INDIA PRIVATE LIMITED Oragadam-Chennai NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM, BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM, TAMIL NADU INDIA TEL:91-(0)44-67202525 FAX:91-(0)44-67202525	**3177001171 14/10/2024**	
	Buyer's Order No. Date 48849698 **14/10/2024**	

Other references

GSTIN : 33AADCS6230N1Z9
PAN No. : AADCS6230N
Authorized Dealer No. : 6440006
IEC No. : 0799000973 / AADCS62

TOYOTA TSUSHO INDIA PRIVATE LIMITED

RYOSUKE YOSHIMURA

Digitally signed by RYOSUKE YOSHIMURA
Date: 2024.10.17 12:37:31 +05'30'

AUTHORISED SIGNATORY

- End of document -

MULTI-MODAL TRANSPORT DOCUMENT / BILL OF LADING — SEAWAY BILL

Consignor
TOYOTA TSUSHO INDIA PRIVATE LIMITED
NO.165, VENBAKKAM VILLAGE, KUNNAVAK KAM,
BUS STOP,WALAJABAD ROAD,PANRUTI ORAGADAM,
TAMIL NADU INDIA
TEL:91-(0)44-67202525
FAX:91-(0)44-67202525

MTD / BL No : SLDH00172524

Shipment Reference No. : SLDH00172524

DahNAY Logistics

DahNAY Logistics Pvt Ltd | Registered Office
12/9, 5C, Phase II, 5th Floor, Krishnan Koil Street,
Parrys, Chennai - 600 001 INDIA
T +91 44 4042 2888 | www.dahnay.com
Global Offices : Canada | USA | UK | Kenya | Turkey | UAE | India | Sri Lanka | Bangladesh | Thailand | Malaysia | Singapore | Vietnam | Hong Kong | Indonesia
REGN.No. MTO/ DGS / 759 / JAN / 2024

Consignee
TOYOTA TSUSHO (THAILAND) CO., LTD.
607, ASOKE-DINDAENG ROAD, KWAENG DINDAENG,
KHET DINDAENG, BANGKOK.THAILAND
BANGKOK 10400

Notify Address
SAME AS CONSIGNEE

Taken in charge in apparently good condition herein at the place of receipt for transport and delivery as mentioned above, unless otherwise stated. The MTO in accordance with the provisions contained in the MTD undertakes to perform or to procure the performance of the multimodal transport from the place designated for delivery and assumes responsibility for such transport.
One of the MTD(s) must be surrendered, duly endorsed in exchange for the goods. In witness were of the original MTD all of this tenor and date have been signed in the number indicated below one of which being accomplished the other(s) to be void.

Place of Acceptance	Port of Loading
PIPAVAV PORT,INDIA	PIPAVAV PORT,INDIA
Place of Discharge	**Place of Delivery**
LAEM CHABANG,THAILAND	LAEM CHABANG,THAILAND

Vessel & Voyage No.	Mode / Means of Transport	Move Type
CAP ANDREAS / 015E	FCL/FCL	CY/CY

Marks and Numbers	Number of Packages, kind of packages, general description of Goods	Gross Weight	Measurement
	SAID TO CONTAIN SHIPPER'S LOAD STOW & COUNT	SAID TO WEIGHT / MEASURE	
AS ADDRESSED	4 x 20GP CONTAINER STC 45 Bundle(s) HOT ROLLED STEEL ROUND BARS SCM20 DIA 45 X 5400 HS CODE:722830 INVOICE NO:3177001171 DT.14.10.2024 SB NO:4803594 DT.14.10.2024 IEC NO:0799000973 NET WEIGHT:87810.00 KGS CUSTOM SEAL NO.020977,020974, 020976 & 020975 FREIGHT PREPAID	87824.00 KG	60.00 M3

Container	Seals	Type	Weight	Volume	Packages	Mode
SIKU3048821	196125	20GP	22213.00 KG	15.00 M3	12 BND	CY/CY*
SIKU3055923	196122	20GP	21807.00 KG	15.00 M3	11 BND	CY/CY*
SIKU3060560	196124	20GP	22431.00 KG	15.00 M3	11 BND	CY/CY*
SIKU3108324	196123	20GP	21373.00 KG	15.00 M3	11 BND	CY/CY*

SHIPPED ON BOARD 29-Oct-24 — 4 X 20GP FOUR TWENTY FOOT GENERAL PURPOSE CONTAINERS ONLY

Particulars Above furnished by consignee / consignor

Freight Amount	Freight Payable at	Number of Original MTD(s)	Place and Date of issue
As Arranged	ORIGIN	0 ZERO	LUDHIANA, INDIA 29-Oct-24

Other Particulars (if any) For Delivery Contact:

DAHNAY LOGISTICS CO LTD
77/66 SINN SATHORN TOWER FLOOR 17, KRUNG THONBURI
RD,KHLONG TON SAI SUB DISTRICT,KHLONG SAN DISTRICT
BANGKOK
10600
THAILAND
Phone: +66 2 115 1139
Email: bkk.cs1@dahnaylogistics.com

Weight and measurement of container not br included (TERMS CONTINUED ON BACK HEREOF)

For DahNAY Logistics Pvt Ltd

Authorised Signatory

*IF CUSTOMS ENTRY AND PROPER DELIVERY INSTRUCTIONS NOT CONFIRMED TO DISCHARGE PORT AGENT 48 HRS IN ADVANCE ANY DEMURAGE INCURRED IS TO CONSIGNEE'S ACCOUNT EVEN IF CARGO IS DOOR DELIVERED

* CARRIER IS NOT LIABLE FOR ANY WET DAMAGES DUE WET LOADING,HUMIDITY,MOULD,FUNGUS,CONDENSATION OR INHERENT VICE .

*ANY DAMAGE OR SUBSEQUENT REPAIRS TO THE CONTAINER DUE TO NATURE OF THE CARGO/GOODS ARE FOR THE ACCOUNT OF THE SHIPPER/CONSIGNEE.CARRIER WILL NOT BE LIABLE FOR ANY MISDECLARATION OF H.S.CODE/NCM AND ALL COSTS AND CONSEQUENCES ARISING OUT OF THE MISDECLARATION WILL BE ON ACCOUNT OF SHIPPERS.SHIPPER DECLARES THAT ANY APPLICABLE WOOD PACKAGING MATERIALS COMPLY WITH ISPM15 REGULATIONS.FAILURE TO COMPLY WILL RESULT IN CONTAINERS BEING RETURNED TO LOAD PORT OR CARGO DESTROYED.ALL COSTS/FINES/ PENALITES WILL BE FOR SHIPPERS ACCOUNTS.

IFFCO-TOKIO GENERAL INSURANCE CO. LTD

Regd. Office: IFFCO Sadan, C-1, Distt. Centre, Saket, New Delhi-110017

Corporate Identification Number (CIN): U74899DL2000PLC107621

Marine Overseas Specific Voyage Policy Schedule cum Tax Invoice

UIN:

Client Name	**TOYOTA TSUSHO INDIA PRIVATE LIMITED**	
Address	No-165 Venbakkam Village Walajabad Road Oragadam Panruti Kunnavakkam Bs Kancheepuram KOVALAVEDU TAMIL NADU India	
	Pin Code	631604
Contact No	******014	
CKYC Number	---	
Email	ra**********@gmail.com	
GSTIN	33AADCS6230N1Z9	

Unique Case ID	N-SVP-20241017-37
Policy Number	22K31497
Policy Inception Date	17/10/2024
Expiry	Till the End of the Voyage
Policy Issuance Date	17/10/2024
SAC Code	997135
Tax Invoice Number	22K31497
Tax Invoice Date	17/10/2024
Place of Supply	TAMIL NADU
Issuing Office	Iffco Tokio Gen Insu. Co. Ltd. Ist Floor, Sohan Singh Complex Near Rly. Crossing, Shastri Nagar Ludhiana Punjab 141002 GSTIN: 03AAACI7573H2ZL

Intermediary Details		
Name	**Code**	**Contact Number**
GUPTA, KAVITA	**14000667**	**9653413274**

Risk Details	
Policy Type	Export
Hypothecation	No items
Commodity Category	Pig Iron, Iron Ingot, All Metal Ingots, Bloom, Billet, Slab, Ferroalloys, Bar, Plate, Sheet, Iron, Steel, Aluminium Products, Galvanised Iron Or Steel Sheets, Pipes, Tubes, Electric Cables, Metallic Items
Commodity Description	Hot Rolled Steel Round Bars invoice No: 3177001171 dated : 14.10.2024
Nature of Packaging	Bare

Transit Details	
Voyage From	India
Voyage From (Complete Address)	Pipavav Port
Voyage To	Thailand
Voyage to (Complete Address)	Laemchabang Thailand
Mode of Transit	Sea
Vessel Name	
Vessel Age	
Vessel Class	

Signature Not Verified
Digitally signed by GUNASEKHAR BOGA
Date: 2024.10.17 16:07:28 IST
Reason: Valid Policy Copy
Location: IFFCO Tokio General Insurance Company Ltd, India

Consignment Bill Details		
Bill Type	**Bill Number**	**Bill Date**
Invoice	3177001171	14/10/2024

Coverage Details	
Terms of Sale	**Cost Insurance Freight (CIF)**
Basis of Valuation	**Cost + Insurance + Freight + 10%**
Cover Terms	**Institute Cargo Clause (A) 1.1.2009 + Institute War Clause & Institute Strikes Clause**
Excess Applicable Value	**0.5% Of whole shipment value subject to Minimum of Rs 5000 for each and every claim**
Consignee Name	
Consignee Address	
Additional Risk Details	

Sum Insured Details			
Consignment Value (₹)	**Markup (incidental) Value** (₹)	**Custom Duty Value** (₹)	**Total Sum Insured** (₹)
8,048,651.00	804,865.10	---	8,853,516

Premium Details				
Premium (₹)	7,084.01	Stamp Duty (₹)	1.00	
CESS				
CESS %	0	CESS (₹)	0.00	
GST Details				
	CGST	SGST	UGST	IGST
Percentage	0	0	0	18
Amount	0.00	0.00	0.00	1,275.12
Total GST Amount (₹)	1,275.12	Total Premium Payable (₹)	8,360	
Whether GST is payable on Reverse Charge Basis- No				

We hereby declare that though our aggregate turnover in any preceding financial year from 2017-18 onwards is more than the aggregate turnover notified under sub-rule (4) of rule 48, we are not required to prepare an invoice in terms of the provisions of the said sub-rule.

CoInsurance Details		
Company Name	**Type**	**Share %**
ITGI	Leader	100

Exclusions

Exclusions:

- Excluding Rusting , Oxidation & Discoloration losses/damages unless caused by ICC B / ITC B perils .
- Excluding Denting, scratching & Chipping, Bending, twisting, Bending , End / Corner Damages losses/damages unless caused by ICC B / ITC B perils.

Conditions:

- Cover subject to Cutting Clause -In the event of a claim for breakage, chipping, cracking, bending, denting or any other damage provided this be of such a nature that it is practicable to use the sound portion or portions for the purpose for which they were originally intended, Underwriters shall be liable only for the damaged parts of each pipe/sheet or tile and this insurance shall pay only their proportionate values together with the costs of cutting.

Signature Not Verified
Digitally signed by GUNASEKHAR BOGA
Date: 2024.10.17 16:07:29 IST
Reason: Valid Policy Copy
Location: IFFCO Tokio General Insurance Company Ltd, India

Clauses And Conditions

- Registered Post Parcel Clause amended for Courier
- Institute Classification Clause
- Cargo ISM Endorsement
- Cargo ISM Forwarding Charges Clause
- Institute Cyber Attack Exclusion Clause
- Institute Radioactive Contamination, Chemical Biological Biochemical and Electromagnetic Weapons Exclusion Clause
- Termination of Transit Clause (Terrorism)
- Important Notice
- Country Specification Clause- Voyages terminating/ originating in the interiors of Afghanistan, Pakistan, CIS and African countries are covered from/upto loading/unloading port (CIS Countries - Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan, ?Uzbekistan, Armenia, Azerbaijan, Russia, Ukraine and Moldova)
- Sanctions and Limitations Exclusion Clause - Imports from/Exports to Belarus, Burma, Burundi, Central African Republic, Cote d'Ivoire, Cuba, Libya, Lebanon, North Korea,Somalia, Sudan, Syria,imbabwe, Venezuela,Yemen, Iran and Iraq are not covered.
- War Coverage - It has hereby agreed and understood that in respect of coverages of Import/Export consignments, where War & SRCC risk have been opted under the policy, there would not be any coverage under the Policy of War, Strikes, Riots and Civil Commotion Risks from and within Ukraine, Ukraine territorial waters, Russian Black Sea territorial waters, Sea of Azov, Russian Black Sea ports, Sea of Azov ports and Russian territories within 200kms of the Ukrainian border.
  Notice period in respect of any future amendments stands revised to 48 hours.

  Note : The list is dynamic and is subject to change
- Gulf Of Aden Clause :

  a) Excess for loss or damage to subject matter of insurance arising due to piracy is 1% of consignment value. This deductible to be applicable for G.A. arising out of piracy also.

  b) Special Conditions (applicable for shipments through Gulf of Aden) - Warranted vessel to register with Maritime Security Centre, Horn of Africa (MSC - HOA), prior to transit.

- Limitation of Liability Clause - This Clause stipulates that for carriage by Private Carriers, the Liability of the Company is ordinarily limited to 75% of the assessed loss.
- Per Bottom Limit (PBL) - Notwithstanding anything contained to the contrary in the Policy, the limit of the insurer liability in respect of any one accident or series of accidents arising from the same event shall not exceed the amount as specified in Policy Schedule under Per Bottom Limit (PBL). If the shipment value exceeds PBL limit, unless prior notice is given to the insurer and it has specifically been agreed and accepted by the insurer, the insured will be deemed self-insurer in respect of uninsured amount and condition of average will be applicable at the time of claim settlement.
- Second hand or Used goods to be covered as per ICC'B'+War+Strikes
- Duty Clause - Customs duty with respect to Imports if opted in the duty sum insured column to be covered as per actual
- CIF Port imports /Tail end transits to be restricted to ITC(B)+ SRCC in case the satisfactory pre dispatch survey at port is not carried out ,by authorised surveyor at the insured's cost.
- Warranted the vessel/vehicle/cargo hold/container is clean and fit for carriage of cargo
- Warranted that the subject matter insured is properly lashed and secured in the carrying conveyance/container
- Warranted that unless containerized, goods are transported in vehicle/ or trucks covered with tarpaulin and/or adequately covered with weather proof material to avoid ingress of water (during Inland leg of transit).
- Excluding Rejection Risk and Quality losses/ trade losses of the subject matter
- Excluding unexplained shortages / losses, shortages from seal intact containers / sound packages
- Excluding pre-existing damages
- Excluding Intentional Storage

Signature Not Verified
Digitally signed by GUNASEKHAR BOGA
Date: 2024.10.17 16:07:29 IST
Reason: Valid Policy Copy
Location: IFFCO Tokio General Insurance Company Ltd, India

- Communicable Disease Exclusion [Clause]
  1. Notwithstanding any provision, clause or term of this [insurance Contract] to the contrary, this [insurance Contract] excludes any loss, cost, damage, liability, claim, fines, penalty or expense or any other amount of whatsoever nature, whether directly or indirectly and/or in whole or in part, related to, caused by, contributed to by, resulting from, as a result of, as a consequence of, attributable to, arising out of, arising under, in connection with, or in any way involving (this includes all other terms commonly used and/or understood to reflect or describe nexus and/or connection from one thing to another whether direct or indirect):
  1.1 a Communicable Disease and/or the fear or threat (whether actual or perceived) of a Communicable Disease and/or the actual or alleged transmission of a Communicable Disease regardless of any other cause or event contributing and/ or occurring concurrently or in any sequence thereto, and
  1.2 a pandemic or epidemic, as declared by the World Health Organisation or any governmental authority.
  2. As used herein, Communicable Disease means: any infectious, contagious or communicable substance or agent and/or any infectious, contagious or communicable disease which can be caused and/or transmitted by means of substance or agent where:
  2.1 the disease includes, but is not limited an illness, sickness, condition or an interruption or disorder of body functions, systems or organs, and
  2.2 the substance or agent includes, but is not limited to, a virus, bacterium, parasite, other organism or other micro-organism (whether asymptomatic or not); including any variation or mutation thereof, whether deemed living or not, and
  2.3 the method of transmission, whether direct or indirect, includes but not limited to, airborne transmission, bodily fluid transmission, transmission through contact with human fluids, waste or the like, transmission from or to any surface or object, solid, liquid or gas or between organisms including between humans, animals, or from any animal to any human or from any human to any animal, and
  2.4 the disease, substance or agent is such:
  2.4.1 that causes or threatens damage or can cause or threaten damage to human health or human welfare, or
  2.4.2 that causes or threatens damage to or can cause or threaten damage to, deterioration to, contamination of, loss of value of, loss of marketability of or loss of use or usefulness of, tangible or intangible property. For avoidance of doubt, Communicable Disease includes but is not limited to Coronavirus Disease 2019 (Covid -19) and any variation or mutation thereof.

ON DECK CARGO:
It has been agreed and understood that the Policy covers on Deck Cargo (if sea mode is opted by the insured and mentioned on policy schedule). However, On Deck Non-Containerized cargo would be covered as per ICC (C) Perils only.

Overage Premium:
For Bulk carriers, Additional Premium would be chargeable as follows.
For Vessel age: Below 15 years – No Additional Premium
Above 15 – Upto 20 years – At the discretion of the Cedant
Above 20 - Upto 25 years – minimum 0.01%
Above 25 - Upto 30 years – minimum 0.02%
More than 30 years – to be referred to Underwriters and approval to obtained in writing. All Additional Rates are to apply on full shipment value.

Deductible:
It has been agreed and understood that, until unless specifically mentioned, the deductible mentioned in policy schedule is not applicable for General Average and Salvage Claims.

SANCTION LIMITATION AND EXCLUSION CLAUSE LMA 3100 (Amended):
No insurer shall be deemed to provide cover and no insurer shall be liable to pay any claim or provide any benefit hereunder to the extent that the provision of such cover, payment of such claim or provision of such benefit would expose that insurer to any sanction, prohibition or restriction under United Nations resolutions or the trade or economic sanctions, laws or regulations of the European Union, United Kingdom, United States of America or Switzerland.

RUB Exclusion Clause :

"Excluding all loss, damage, liability, or expense directly caused by or arising from or in connection with the current Russia-Ukraine-Belarus conflict and/or any expansion of such conflict. Also excluded shall be loss, damage, liability or expense where the aforementioned conflict is deemed to be the proximate cause of such loss, damage, liability or expense. This also includes but is not limited to confiscation, expropriation, nationalization, deprivation or restraining in movement of vessels and cargo in the territory of the aforementioned countries".

Five Powers War Clause :
Where any war risks coverage is provided by underwriters, this insurance excludes loss damage liability or expense arising from the outbreak of war (whether there be a declaration of war or not) between any of the following: United Kingdom, United States of America, France, the Russian Federation, the People's Republic of China.

JC2023-024
6th Jan 2023

War and Strike Risk Termination Clause:
This clause shall be paramount and shall override anything contained in this insurance agreement inconsistent therewith.

Signature Not Verified
Digitally signed by GUNASEKHAR BOGA
Date: 2024.10.17 16:07:29 IST
Reason: Valid Policy Copy
Location: IFFCO Tokio General Insurance Company Ltd, India

Notwithstanding anything to the contrary stated herein or subsequently added hereto, it is understood and agreed that if this treaty provides that war and strikes, riot and civil commotions risks (including terrorism) may be ceded hereunder, then the cover afforded by this insurance in respect of such war and strikes, riot and civil commotions risks (including terrorism) shall be subject to terms and conditions no wider than the relevant London Institute War and Strikes Clauses current at the inception of the risk ceded hereunder, or current at the later of either the inception date or the most recent anniversary date of this treaty.

The acceptance of war and strikes, riot and civil commotions risks (including terrorism) under this contract is at all times subject to 72 hours' notice of cancellation by insurers or reinsurers. Such cancellation becoming effective on the expiry of 72 hours from midnight of the day on which notice of cancellation is issued by either party.

Notice of cancelation can be given by e mail and is deemed served at the time that the e mail is sent. Also, any notice of cancelation given to the placing insurance broker or intermediary under this section shall be deemed to satisfy any requirement of notice provided for anywhere in this reinsurance agreement and shall override any inconsistent provisions as to notice within this insurance agreement.

Marine Cyber Endorsement Clause LMA5403:

1. Subject only to paragraph 3 below, in no case shall this insurance cover loss, damage, liability or expense directly or indirectly caused by or contributed to by or arising from the use or operation, as a means for inflicting harm, of any computer, computer system, computer software programme, malicious code, computer virus, computer process or any other electronic system.

2. Subject to the conditions, limitations and exclusions of the policy to which this clause attaches, the indemnity otherwise recoverable hereunder shall not be prejudiced by the use or operation of any computer, computer system, computer software programme, computer process or any other electronic system, if such use or operation is not as a means for inflicting harm.

3. Where this clause is endorsed on policies covering risks of war, civil war, revolution, rebellion, insurrection, or civil strife arising therefrom, or any hostile act by or against a belligerent power, or terrorism or any person acting from a political motive, paragraph 1 shall not operate to exclude losses (which would otherwise be covered) arising from the use of any computer, computer system or computer software programme or any other electronic system in the launch and/or guidance system and/or firing mechanism of any weapon or missile.

LMA5403
11 November 2019

SPECIFIED TERRITORRY EXCLUSION CLAUSE:

Notwithstanding anything to the contrary herein, all Specified Territory Exposures whether direct or indirect, are excluded. The term “Specified Territory Exposure” includes but is not limited to any activity, transaction, legal proceedings, operation, entity, subsidiary, headquarters, branch, products, goods, property, assets, services, in a Specified Territory or as applicable, delivered to, located in, originating in, transitioning from, to or through a Specified Territory, as well any person ordinarily resident in a Specified Territory, the Government of a Specified Territory, as well as any entity owned or controlled by an entity in a Specified Territory including, without limitation, affiliates, outside of a Specified Territory.
Specified Territory means The Republic of Belarus, Ukraine, and/or The Russian Federation.

IRAN EXCLUSION CLAUSE:

It is understood and agreed that this contract does not provide cover and does not include any liability to pay any claim or provide any benefit hereunder in respect of any risk from Iran. “Iran risks” refers to any goods, services or insured items or risks located in Iran, of Iranian origin, to be transported to or from Iran or directly or indirectly owned by an Iranian person or entity or in any other way subject to an Iranian interest.

Survey & Claim Settlement

In the event of loss or damage which may give rise to a claim under the certificate, notice of loss or damage should be given to -

Tokio Marine Sri Muang Insuran
"40th Floor, Empire Tower, 195 South Sathorn Road, Yannawa Sathorn, Bangkok

*The claims will be payable at Thailand in freely covertible currency

Important Notice – Procedure in the event of loss or damage

Liability of Carriers , Bailees or Other Third Parties

It is the duty of the Assured and their Agents, in all cases, to take such measures as may be reasonable for the purpose of averting or minimizing a loss and to ensure that all rights against Carriers, Bailees or other third parties are properly preserved and exercised. In particular, the Assured or their Agents are required:-

Signature Not Verified
Digitally signed by GUNASEKHAR BOGA
Date: 2024.10.17 16:07:29 IST
Reason: Valid Policy Copy
Location: IFFCO Tokio General Insurance Company Ltd, India

1. To claim immediately on the Carriers, Port Authorities or other Bailees for any missing packages.
2. In no circumstances, except under written protest, to give clean receipts where goods are in doubtful condition.
3. When delivery is made by Container, to ensure that the Container and its seals are examined immediately by their responsible official. If the Container is delivered damaged or with seals broken or missing or with seals other than as stated in the shipping documents, to clause the delivery receipt accordingly and retain all defective or irregular seals for subsequent identification.
4. To apply immediately for survey by Carriers' or other Bailees' Representatives if any loss or damage be apparent and claim on the Carriers or other Bailees for any actual loss or damage found at such survey.
5. To give notice in writing to the Carriers or other Bailees within 3 days of delivery if the loss or damage was not apparent at the time of taking delivery.

Documentation of claims

To enable claims to be dealt with promptly, the Assured or their Agents are advised to submit all available supporting documents without delay, including when applicable:-
1. Original policy or certificate of insurance.
2. Original or copy shipping invoices, together with shipping specification and/or weight notes.
3. Original Bill of Lading and/or other contract of carriage.
4. Survey report or other documentary evidence to show the extent of the loss or damage.
5. Landing account and weight notes at final destination.
6. Correspondence exchanged with the Carriers and other Parties regarding their liability for the loss or damage.
NOTE – The Consignees or their Agents are recommended to make themselves familiar with the Regulations of the Port Authorities at the port of discharge. Loss, if any, payable to the Assured or order upon surrender of this Policy. It is agreed that, upon payment of any loss or damage, the Insurers are to be subrogated to the extent of such payments to all the rights of the Assured under the Bills of Lading or other contracts of carriage.

This is to certify that insurance of the above mentioned goods has been effected with this company as per details specified in the Schedule herein above, subject to the terms and conditions of the above policy.

Warranted transit to commence on or after the inception date of the Policy

The coverage is as per Marine Specific Voyage clauses/ conditions / warranties & exclusions printed herein or attached hereto .Please go through the Policy and in case of any discrepancy, please inform us.

In case of cheque dishonor or whatsoever, cover provided under this document automatically stands cancelled from the date of inception irrespective of whether a separate communication is sent or not

GRIEVANCE OR COMPLAINT

In case of any grievance, **We** can be contacted at:

Website: https://www.iffcotokio.co.in/customer-services/grievance-redressal
Toll free: 1800-103-5499
E-mail: support@iffcotokio.co.in
Courier: Chief Grievance Officer
IFFCO-Tokio General Insurance Co Ltd
IFFCO Tower, Plot no. 3
Sector -29, Gurgaon – 122001

For updated details of grievance officer, kindly refer the link
https://www.iffcotokio.co.in/customer-services/grievance-redressal.

Grievance may also be lodged at IRDAI Integrated Grievance Management System
- https://bimabharosa.irdai.gov.in/

Toll Free : 1-800-103-5499 ; Other : (0124) 428-5499 ; SMS "claim" to 56161 GSTIN : : 27AAACI7573H1ZC CIN : U74899DL2000PLC107621 Consolidated Stamp Duty deposited as per the order of Government of National Capital Territory of Delhi	

Signature Not Verified
Digitally signed by GUNASEKHAR BOGA
Date: 2024.10.17 16:07:29 IST
Reason: Valid Policy Copy
Location: IFFCO Tokio General Insurance Company Ltd, India

Disclaimer:

The issuance of this Insurance Policy is subject to satisfactory verification of KYC documentation of the Client/ Policyholder as per IRDAI Master Circular dated 1st August 2022 on AML/ CFT. In case, if any discrepancy is found in KYC Verification of the Client/ Policyholder, it is agreed by the Client/ Policyholder to complete/ rectify the discrepancy found in the KYC documents/information for the generation of CKYC Number, failing which the policy will be considered ineffective/suspended/ cancelled and no claim will be payable under this Insurance Policy.

Signature Not Verified
Digitally signed by GUNASEKHAR BOGA
Date: 2024.10.17 16:07:29 IST
Reason: Valid Policy Copy
Location: IFFCO Tokio General Insurance Company Ltd, India

VARDHMAN SPECIAL STEELS LTD.

C-58,FOCAL POINT,PHASE III, LUDHIANA (PB.) INDIA
Ph. No. : 0161-2670707-09

QF R&D 01
IATF 16949 : 2016
Certificate No : 37659-2008-AQ-IND-IATF
ISO 17025 : 2017
Certificate No : TC-7438
ISO 14001 : 2015
Certificate No : 261680-2018-AE-IND-RVA
ISO 45001 : 2018
Certificate No : 10000414502 MSC-RVA-IND
ISO 9001 : 2015
Certificate No : 39216-2008-AQ-IND-RVA

TEST CERTIFICATE

URL No **TC1350324000001365F**

TEST CERTIFICATE NO.: BLB530LAB2445689 **Date of Issue :** 04-10-2024

To: TOYOTA TSUSHO INDIA PVT LTD

TEST RESULTS

Order No. & Date	Class & Design.	Grade	Heat No. (Cast No.)	Cast Section (mm)	Finished Section (Nominal Size mm)	Finish Shape	Reduction Ratio
S61-24001440/10.00 10-09-2024		SCM20	99507	200*200	45	Round	25.14

Supply Condition	Length of Bar	Color Code	Invoice No. & Date	No. of Bars	Qty.(MT)
Hot Rolled	5.40000 meter	Orange	SAA240001424 / 10-10-2024	180 PCS	12.230 MT

Manufacturing Route EAF-LRF-VD-CCP With EMS & AMLC

% CHEMICAL COMPOSITION - ASTM E 415

	C	Si	Mn	S	P	Ni	Cr	Mo	Cu	Sn	Al	Ti	Ca	B	V	Nb
Min.	0.170	0.150	0.550	-	-	-	0.850	0.150	-	-	-	-	-	-	-	-
Max.	0.230	0.350	0.900	0.030	0.030	0.250	1.250	0.350	0.300	-	-	-	-	-	-	-
Actual	0.205	0.278	0.828	0.017	0.010	0.090	1.180	0.160	0.042	0.003	0.027	0.0028	0.0008	0.0003	0.0050	0.0015

Gases In PPM	O2 ASTM E 1019	N2 ASTM E 1019	H2 IS:228	Grain Size (IS:4748/ASTM E112)	D.I Value	% Carbon Equivalent	% Manganese Equivalent	Decarb (mm) (IS:6396)	Micro Structure (As per ASM Handbook Vol 9)
Min.	-	-	-	Min. Go 6.0	-	-	-	-	Pearlite + Ferrite + Bainite
Max.	20.0	150.0	2.0		-	-	-		
Actual	9.0	122.0	1.2	8.0	-	-	-	-	Pearlite + Ferrite + Bainite

INCLUSION RATING - IS:4163 / ASTM E45A/ ISO 4967,Method A

	A		B		C		D	
	Thin	Thick	Thin	Thick	Thin	Thick	Thin	Thick
Max. Req.	2.0	1.0	1.0	-	1.0	-	1.5	1.0
Actual	2.00	-	0.50	-	-	-	1.50	-

Hardness- IS:1500/1586

IS 1500 (Part-1) / IS 1586 (Part-1)	
Min.	-
Max.	260 BHN
Actual	200-220 BHN

JOMINY HARDENABILITY IN HRC (IS 1586) Part 1

Inch	1/16	2/16	3/16	4/16	5/16	6/16	7/16	8/16	9/16	10/16	11/16	12/16	13/16	14/16	15/16
Min.	-	-	-	-	-	-	-	30.0	-	-	-	-	-	-	-
Max.	-	-	-	-	-	-	-	36.0	-	-	-	-	-	-	-
Actual	-	-	-	-	-	-	-	31.00	-	-	-	-	-	-	-
inch	16/16	17/16	18/16	19/16	20/16	21/16	22/16	23/16	24/16	25/16	26/16	27/16	28/16	29/16	30/16
Min.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Max.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Actual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

MECHANICAL PROPERTIES (IS:1608) **IS:1499 / IS:1598**

	Test Condition	Tensile Strength	Yield Strength	% Elongation	% Reduction Area	Impact Strength
Min	-	-	-	-	-	-
Max		-	-	-	-	-
Actual	-	-	-	-	-	-

For any Technical Support / Quality related issues please contact -
Mr. Dinesh Singh Mobile no. : 081466-25586 , email : met5.vss@vardhman.com

For any Test Certificate related issues please contact -
Mr. K.K. Shukla Mobile no. : 075080-02659 , email : met2.vss@vardhman.com
Website : www.vardhmansteel.com

Checked by : Engineer - R&D

Approved by : Dinesh Singh Authorised Signatory

For VARDHMAN SPECIAL STEELS LTD.

Note::- 1. The above results relate to the sample tested.
2. This Report should not be reproduced expect in full without the permission of Lab.
3. When the Information is Provided by the customer can affect the validity of results .
4. Opinion & Interpetation - Not Applicable for Laboratory
5. Conformity Assesment & Decision Rule _ Not Applicable for Laboratory
6. Testing Temp Range : 20-28 Deg. Celcius & Testing Humidity Range : 30 - 70 %

VARDHMAN SPECIAL STEELS LTD.

C-58,FOCAL POINT,PHASE III, LUDHIANA (PB.) INDIA
Ph. No. : 0161-2670707-09

QF R&D 4.12.06
IATF 16949 : 2016
Certificate No : 37659-2008-AQ-IND-IATF
ISO 17025 : 2005
Certificate No : TC-7438
ISO 14001 : 2015
Certificate No : 261680-2018-AE-IND-RVA
OHSAS 18001:2007
Certificate No : 261679-2018-AHSO-IND-RVA
ISO 9001 : 2015
Certificate No : 39216-2008-AQ-IND-RVA

TEST CERTIFICATE

TEST CERTIFICATE NO.: BLB530LAB2445689 **Date of Issue :** 04-10-2024
To: TOYOTA TSUSHO INDIA PVT LTD

TEST RESULTS

Order No. & Date	Class & Design.	Grade	Heat No. (Cast No.)	Cast Section (mm)	Finished Section (Nominal Size mm)	Finish Shape	Reduction Ratio
S61-24001440/10.0 10-09-2024		SCM20	00099507	200*200	45	Round	25.14

Supply Condition	Length of Bar	Color Code
Hot Rolled	5.40000 meter	Orange

Manufacturing Route	EAF-LRF-VD-CCP With EMS & AMLC

INCLUSION RATING -

	JIS G 0555			DIN 50602	
	A	B+C	Total	K3	K4
Max. Req.	-	-	-	-	-
Actual	-	-	-	-	-

SUPPLEMENTARY REQUIREMENTS

	Internal Soundness (ASTM E381 / IS11371)	Step Down Test (IS 4075)	Blue Fracture Test (IS 10138)	Surface Defects	Straightness mm / meter max.
Required	Free from harmful defects	-	-	Surface Defects < 0.30 mm	3.0
Actual	C1R1S1 max	OK	-	OK	OK

	Ultrasonic Test	MFLT	MPI	Dimension Tolerance	Ovality/Lobbing
Required	At 0.3x30 mm SDH	Yes	-	+0.25/-0.39 mm	75% of Dimensional Tolerance max
Actual	OK	OK	-	OK	OK
Mixup Test	100% Bars checked by Spark & XRF Test				

THE MATERIAL SUPPLIED TO THE STANDARD ROLLING TOLERANCES

Remarks	Material is free from radioactive elements	Orange color painting on steel bars

Reference Standard	Spec No. : ST0076, Rev.-01, Date- 09.06.2023	NPDP-220814, Rev.-00, Date-11.08.2022

Above mentioned results relate only to the sample tested
This report shall not be reproduced except in full without the approval of laboratary / Authorised signatory

For any Technical Support / Quality related issues please contact -
Mr. Dinesh Singh Mobile no. : 081466-25586 , email : met5.vss@vardhman.com

For any Test Certificate related issues please contact -
Mr. K.K. Shukla Mobile no. : 075080-02659 , email : met2.vss@vardhman.com

Website : www.vardhmansteel.com

Checked by :	Approved by : Dinesh Singh
Engineer - R&D	Authorised Signatory

For VARDHMAN SPECIAL STEELS LTD.

VARDHMAN SPECIAL STEELS LTD.

C-58,FOCAL POINT,PHASE III, LUDHIANA (PB.) INDIA
Ph. No. : 0161-2670707-09

QF R&D 01
IATF 16949 : 2016
Certificate No : 37659-2008-AQ-IND-IATF
ISO 17025 : 2017
Certificate No : TC-7438
ISO 14001 : 2015
Certificate No : 261680-2018-AE-IND-RVA
ISO 45001 : 2018
Certificate No : 10000414502 MSC-RVA-IND
ISO 9001 : 2015
Certificate No : 39216-2008-AQ-IND-RVA

TEST CERTIFICATE

URL No **TC1350324000001368F**

TEST CERTIFICATE NO.: BLB530LAB2445690 **Date of Issue :** 04-10-2024

To: TOYOTA TSUSHO INDIA PVT LTD

TEST RESULTS

Order No. & Date	Class & Design.	Grade	Heat No. (Cast No.)	Cast Section (mm)	Finished Section (Nominal Size mm)	Finish Shape	Reduction Ratio
S61-24001538/10.00 25-09-2024		SCM20	99508	200*200	45	Round	25.14

Supply Condition	Length of Bar	Color Code	Invoice No. & Date	No. of Bars	Qty.(MT)
Hot Rolled	5.40000 meter	Orange	SAA240001427 / 10-10-2024	321 PCS	21.688 MT

Manufacturing Route EAF-LRF-VD-CCP With EMS & AMLC

% CHEMICAL COMPOSITION - ASTM E 415

	C	Si	Mn	S	P	Ni	Cr	Mo	Cu	Sn	Al	Ti	Ca	B	V	Nb
Min.	0.170	0.150	0.550	-	-	-	0.850	0.150	-	-	-	-	-	-	-	-
Max.	0.230	0.350	0.900	0.030	0.030	0.250	1.250	0.350	0.300	-	-	-	-	-	-	-
Actual	0.205	0.292	0.840	0.016	0.015	0.078	1.190	0.162	0.050	0.003	0.028	0.0034	0.0008	0.0003	0.0070	0.0020

Gases In PPM	O2 ASTM E 1019	N2 ASTM E 1019	H2 IS:228	Grain Size (IS:4748/ASTM E112)	D.I Value	% Carbon Equivalent	% Manganese Equivalent	Decarb (mm) (IS:6396)	Micro Structure (As per ASM Handbook Vol 9)
Min.	-	-	-	Min. Go 6.0	-	-	-	-	Pearlite + Ferrite + Bainite
Max.	20.0	150.0	2.0		-	-	-		
Actual	10.0	111.0	1.3	8.0	-	-	-	-	Pearlite + Ferrite + Bainite

INCLUSION RATING - IS:4163 / ASTM E45A/ ISO 4967,Method A

	A		B		C		D	
	Thin	Thick	Thin	Thick	Thin	Thick	Thin	Thick
Max. Req.	2.0	1.0	1.0	-	1.0	-	1.5	1.0
Actual	1.50	0.50	0.50	-	-	-	1.00	0.50

Hardness- IS:1500/1586

IS 1500 (Part-1) / IS 1586 (Part-1)	
Min.	-
Max.	260 BHN
Actual	200-220 BHN

JOMINY HARDENABILITY IN HRC (IS 1586) Part 1

Inch	1/16	2/16	3/16	4/16	5/16	6/16	7/16	8/16	9/16	10/16	11/16	12/16	13/16	14/16	15/16
Min.	-	-	-	-	-	-	-	30.0	-	-	-	-	-	-	-
Max.	-	-	-	-	-	-	-	36.0	-	-	-	-	-	-	-
Actual	-	-	-	-	-	-	-	32.50	-	-	-	-	-	-	-
inch	16/16	17/16	18/16	19/16	20/16	21/16	22/16	23/16	24/16	25/16	26/16	27/16	28/16	29/16	30/16
Min.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Max.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Actual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

MECHANICAL PROPERTIES (IS:1608) **IS:1499 / IS:1598**

	Test Condition	Tensile Strength	Yield Strength	% Elongation	% Reduction Area	Impact Strength
Min	-	-	-	-	-	-
Max		-	-	-	-	-
Actual	-	-	-	-	-	-

For any Technical Support / Quality related issues please contact -
Mr. Dinesh Singh Mobile no. : 081466-25586 , email : met5.vss@vardhman.com

For any Test Certificate related issues please contact -
Mr. K.K. Shukla Mobile no. : 075080-02659 , email : met2.vss@vardhman.com
Website : www.vardhmansteel.com

Checked by :	Approved by : Dinesh Singh
Engineer - R&D	Authorised Signatory

For VARDHMAN SPECIAL STEELS LTD.

Note::- 1. The above results relate to the sample tested.
2. This Report should not be reproduced expect in full without the permission of Lab.
3. When the Information is Provided by the customer can affect the validity of results .
4. Opinion & Interpetation - Not Applicable for Laboratory
5. Conformity Assesment & Decision Rule _ Not Applicable for Laboratory
6. Testing Temp Range : 20-28 Deg. Celcius & Testing Humidity Range : 30 - 70 %

VARDHMAN SPECIAL STEELS LTD.

C-58,FOCAL POINT,PHASE III, LUDHIANA (PB.) INDIA
Ph. No. : 0161-2670707-09

QF R&D 4.12.06
IATF 16949 : 2016
Certificate No : 37659-2008-AQ-IND-IATF
ISO 17025 : 2005
Certificate No : TC-7438
ISO 14001 : 2015
Certificate No : 261680-2018-AE-IND-RVA
OHSAS 18001:2007
Certificate No : 261679-2018-AHSO-IND-RVA
ISO 9001 : 2015
Certificate No : 39216-2008-AQ-IND-RVA

TEST CERTIFICATE

TEST CERTIFICATE NO.: BLB530LAB2445690 **Date of Issue :** 04-10-2024
To: TOYOTA TSUSHO INDIA PVT LTD

TEST RESULTS

Order No. & Date	Class & Design.	Grade	Heat No. (Cast No.)	Cast Section (mm)	Finished Section (Nominal Size mm)	Finish Shape	Reduction Ratio
S61-24001538/10.0 25-09-2024		SCM20	00099508	200*200	45	Round	25.14

Supply Condition	Length of Bar	Color Code
Hot Rolled	5.40000 meter	Orange

Manufacturing Route	EAF-LRF-VD-CCP With EMS & AMLC

INCLUSION RATING -

	JIS G 0555			DIN 50602	
	A	B+C	Total	K3	K4
Max. Req.	-	-	-	-	-
Actual	-	-	-	-	-

SUPPLEMENTARY REQUIREMENTS

	Internal Soundness (ASTM E381 / IS11371)	Step Down Test (IS 4075)	Blue Fracture Test (IS 10138)	Surface Defects	Straightness mm / meter max.
Required	Free from harmful defects	-	-	Surface Defects < 0.30 mm	3.0
Actual	C1R1S1 max	OK	-	OK	OK

	Ultrasonic Test	MFLT	MPI	Dimension Tolerance	Ovality/Lobbing
Required	At 0.3x30 mm SDH	Yes	-	+0.25/-0.39 mm	75% of Dimensional Tolerance max
Actual	OK	OK	-	OK	OK
Mixup Test	100% Bars checked by Spark & XRF Test				

THE MATERIAL SUPPLIED TO THE STANDARD ROLLING TOLERANCES

Remarks	Material is free from radioactive elements	Orange color painting on steel bars

Reference Standard	Spec No. : ST0076, Rev.-01, Date- 09.06.2023	NPDP-220814, Rev.-00, Date-11.08.2022

Above mentioned results relate only to the sample tested
This report shall not be reproduced except in full without the approval of laboratary / Authorised signatory

For any Technical Support / Quality related issues please contact -
Mr. Dinesh Singh Mobile no. : 081466-25586 , email : met5.vss@vardhman.com

For any Test Certificate related issues please contact -
Mr. K.K. Shukla Mobile no. : 075080-02659 , email : met2.vss@vardhman.com

Website : www.vardhmansteel.com

Checked by :	Approved by : Dinesh Singh
Engineer - R&D	Authorised Signatory

For VARDHMAN SPECIAL STEELS LTD.

VARDHMAN SPECIAL STEELS LTD.

C-58,FOCAL POINT,PHASE III, LUDHIANA (PB.) INDIA
Ph. No. : 0161-2670707-09

QF R&D 01
IATF 16949 : 2016
Certificate No : 37659-2008-AQ-IND-IATF
ISO 17025 : 2017
Certificate No : TC-7438
ISO 14001 : 2015
Certificate No : 261680-2018-AE-IND-RVA
ISO 45001 : 2018
Certificate No : 10000414502 MSC-RVA-IND
ISO 9001 : 2015
Certificate No : 39216-2008-AQ-IND-RVA

TEST CERTIFICATE

URL No **TC1350324000001364F**

TEST CERTIFICATE NO.: BLB530LAB2445688 **Date of Issue :** 04-10-2024

To: TOYOTA TSUSHO INDIA PVT LTD

TEST RESULTS

Order No. & Date	Class & Design.	Grade	Heat No. (Cast No.)	Cast Section (mm)	Finished Section (Nominal Size mm)	Finish Shape	Reduction Ratio
S61-24001440/20.00 10-09-2024		SCM20	99506	200*200	45	Round	25.14

Supply Condition	Length of Bar	Color Code	Invoice No. & Date	No. of Bars	Qty.(MT)
Hot Rolled	5.40000 meter	Orange	SAA240001421 / 10-10-2024	302 PCS	20.530 MT

Manufacturing Route EAF-LRF-VD-CCP With EMS & AMLC

% CHEMICAL COMPOSITION - ASTM E 415

	C	Si	Mn	S	P	Ni	Cr	Mo	Cu	Sn	Al	Ti	Ca	B	V	Nb
Min.	0.170	0.150	0.550	-	-	-	0.850	0.150	-	-	-	-	-	-	-	-
Max.	0.230	0.350	0.900	0.030	0.030	0.250	1.250	0.350	0.300	-	-	-	-	-	-	-
Actual	0.200	0.292	0.830	0.017	0.010	0.115	1.180	0.167	0.056	0.003	0.025	0.0032	0.0008	0.0003	0.0060	0.0016

Gases In PPM	O2 ASTM E 1019	N2 ASTM E 1019	H2 IS:228	Grain Size (IS:4748/ASTM E112)	D.I Value	% Carbon Equivalent	% Manganese Equivalent	Decarb (mm) (IS:6396)	Micro Structure (As per ASM Handbook Vol 9)
Min.	-	-	-	Min. Go 6.0	-	-	-	-	Pearlite + Ferrite + Bainite
Max.	20.0	150.0	2.0		-	-	-		
Actual	12.0	122.0	1.4	8.0	-	-	-	-	Pearlite + Ferrite + Bainite

INCLUSION RATING - IS:4163 / ASTM E45A/ ISO 4967,Method A

	A		B		C		D	
	Thin	Thick	Thin	Thick	Thin	Thick	Thin	Thick
Max. Req.	2.0	1.0	1.0	-	1.0	-	1.5	1.0
Actual	2.00	-	0.50	-	-	-	1.50	-

Hardness- IS:1500/1586

IS 1500 (Part-1) / IS 1586 (Part-1)	
Min.	-
Max.	260 BHN
Actual	200-220 BHN

JOMINY HARDENABILITY IN HRC (IS 1586) Part 1

Inch	1/16	2/16	3/16	4/16	5/16	6/16	7/16	8/16	9/16	10/16	11/16	12/16	13/16	14/16	15/16
Min.	-	-	-	-	-	-	-	30.0	-	-	-	-	-	-	-
Max.	-	-	-	-	-	-	-	36.0	-	-	-	-	-	-	-
Actual	-	-	-	-	-	-	-	32.00	-	-	-	-	-	-	-
inch	16/16	17/16	18/16	19/16	20/16	21/16	22/16	23/16	24/16	25/16	26/16	27/16	28/16	29/16	30/16
Min.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Max.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Actual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

MECHANICAL PROPERTIES (IS:1608) **IS:1499 / IS:1598**

	Test Condition	Tensile Strength	Yield Strength	% Elongation	% Reduction Area	Impact Strength
Min	-	-	-	-	-	-
Max		-	-	-	-	-
Actual	-	-	-	-	-	-

For any Technical Support / Quality related issues please contact -
Mr. Dinesh Singh Mobile no. : 081466-25586 , email : met5.vss@vardhman.com

For any Test Certificate related issues please contact -
Mr. K.K. Shukla Mobile no. : 075080-02659 , email : met2.vss@vardhman.com
Website : www.vardhmansteel.com

Checked by :	Approved by : Dinesh Singh
Engineer - R&D	Authorised Signatory

For VARDHMAN SPECIAL STEELS LTD.

Note::- 1. The above results relate to the sample tested.
2. This Report should not be reproduced expect in full without the permission of Lab.
3. When the Information is Provided by the customer can affect the validity of results .
4. Opinion & Interpetation - Not Applicable for Laboratory
5. Conformity Assesment & Decision Rule _ Not Applicable for Laboratory
6. Testing Temp Range : 20-28 Deg. Celcius & Testing Humidity Range : 30 - 70 %

VARDHMAN SPECIAL STEELS LTD.

C-58,FOCAL POINT,PHASE III, LUDHIANA (PB.) INDIA
Ph. No. : 0161-2670707-09

QF R&D 4.12.06
IATF 16949 : 2016
Certificate No : 37659-2008-AQ-IND-IATF
ISO 17025 : 2005
Certificate No : TC-7438
ISO 14001 : 2015
Certificate No : 261680-2018-AE-IND-RVA
OHSAS 18001:2007
Certificate No : 261679-2018-AHSO-IND-RVA
ISO 9001 : 2015
Certificate No : 39216-2008-AQ-IND-RVA

TEST CERTIFICATE

TEST CERTIFICATE NO.: BLB530LAB2445688 **Date of Issue :** 04-10-2024
To: TOYOTA TSUSHO INDIA PVT LTD

TEST RESULTS

Order No. & Date	Class & Design.	Grade	Heat No. (Cast No.)	Cast Section (mm)	Finished Section (Nominal Size mm)	Finish Shape	Reduction Ratio
S61-24001440/20.0 10-09-2024		SCM20	00099506	200*200	45	Round	25.14

Supply Condition	Length of Bar	Color Code
Hot Rolled	5.40000 meter	Orange

Manufacturing Route	EAF-LRF-VD-CCP With EMS & AMLC

INCLUSION RATING -

	JIS G 0555			DIN 50602	
	A	B+C	Total	K3	K4
Max. Req.	-	-	-	-	-
Actual	-	-	-	-	-

SUPPLEMENTARY REQUIREMENTS

	Internal Soundness (ASTM E381 / IS11371)	Step Down Test (IS 4075)	Blue Fracture Test (IS 10138)	Surface Defects	Straightness mm / meter max.
Required	Free from harmful defects	-	-	Surface Defects < 0.30 mm	3.0
Actual	C1R1S1 max	OK	-	OK	OK

	Ultrasonic Test	MFLT	MPI	Dimension Tolerance	Ovality/Lobbing
Required	At 0.3x30 mm SDH	Yes	-	+0.25/-0.39 mm	75% of Dimensional Tolerance max
Actual	OK	OK	-	OK	OK
Mixup Test	100% Bars checked by Spark & XRF Test				

THE MATERIAL SUPPLIED TO THE STANDARD ROLLING TOLERANCES

Remarks	Material is free from radioactive elements	Orange color painting on steel bars

Reference Standard	Spec No. : ST0076, Rev.-01, Date- 09.06.2023	NPDP-220814, Rev.-00, Date-11.08.2022

Above mentioned results relate only to the sample tested
This report shall not be reproduced except in full without the approval of laboratary / Authorised signatory

For any Technical Support / Quality related issues please contact -
Mr. Dinesh Singh Mobile no. : 081466-25586 , email : met5.vss@vardhman.com

For any Test Certificate related issues please contact -
Mr. K.K. Shukla Mobile no. : 075080-02659 , email : met2.vss@vardhman.com

Website : www.vardhmansteel.com

Checked by :	Approved by : Dinesh Singh
Engineer - R&D	Authorised Signatory

For VARDHMAN SPECIAL STEELS LTD.

VARDHMAN SPECIAL STEELS LTD.

C-58,FOCAL POINT,PHASE III, LUDHIANA (PB.) INDIA
Ph. No. : 0161-2670707-09

QF R&D 01
IATF 16949 : 2016
Certificate No : 37659-2008-AQ-IND-IATF
ISO 17025 : 2017
Certificate No : TC-7438
ISO 14001 : 2015
Certificate No : 261680-2018-AE-IND-RVA
ISO 45001 : 2018
Certificate No : 10000414502 MSC-RVA-IND
ISO 9001 : 2015
Certificate No : 39216-2008-AQ-IND-RVA

TEST CERTIFICATE

URL No **TC1350324000001364F**

TEST CERTIFICATE NO.: BLB530LAB2445688 **Date of Issue :** 04-10-2024

To: TOYOTA TSUSHO INDIA PVT LTD

TEST RESULTS

Order No. & Date	Class & Design.	Grade	Heat No. (Cast No.)	Cast Section (mm)	Finished Section (Nominal Size mm)	Finish Shape	Reduction Ratio
S61-24001440/20.00 10-09-2024		SCM20	99506	200*200	45	Round	25.14

Supply Condition	Length of Bar	Color Code	Invoice No. & Date	No. of Bars	Qty.(MT)
Hot Rolled	5.40000 meter	Orange	SAA240001424 / 10-10-2024	150 PCS	10.199 MT

Manufacturing Route EAF-LRF-VD-CCP With EMS & AMLC

% CHEMICAL COMPOSITION - ASTM E 415

	C	Si	Mn	S	P	Ni	Cr	Mo	Cu	Sn	Al	Ti	Ca	B	V	Nb
Min.	0.170	0.150	0.550	-	-	-	0.850	0.150	-	-	-	-	-	-	-	-
Max.	0.230	0.350	0.900	0.030	0.030	0.250	1.250	0.350	0.300	-	-	-	-	-	-	-
Actual	0.200	0.292	0.830	0.017	0.010	0.115	1.180	0.167	0.056	0.003	0.025	0.0032	0.0008	0.0003	0.0060	0.0016

Gases In PPM	O2 ASTM E 1019	N2 ASTM E 1019	H2 IS:228	Grain Size (IS:4748/ASTM E112)	D.I Value	% Carbon Equivalent	% Manganese Equivalent	Decarb (mm) (IS:6396)	Micro Structure (As per ASM Handbook Vol 9)
Min.	-	-	-	Min. Go 6.0	-	-	-	-	Pearlite + Ferrite + Bainite
Max.	20.0	150.0	2.0		-	-	-		
Actual	12.0	122.0	1.4	8.0	-	-	-	-	Pearlite + Ferrite + Bainite

INCLUSION RATING - IS:4163 / ASTM E45A/ ISO 4967,Method A

	A		B		C		D	
	Thin	Thick	Thin	Thick	Thin	Thick	Thin	Thick
Max. Req.	2.0	1.0	1.0	-	1.0	-	1.5	1.0
Actual	2.00	-	0.50	-	-	-	1.50	-

Hardness- IS:1500/1586

IS 1500 (Part-1) / IS 1586 (Part-1)	
Min.	-
Max.	260 BHN
Actual	200-220 BHN

JOMINY HARDENABILITY IN HRC (IS 1586) Part 1

Inch	1/16	2/16	3/16	4/16	5/16	6/16	7/16	8/16	9/16	10/16	11/16	12/16	13/16	14/16	15/16
Min.	-	-	-	-	-	-	-	30.0	-	-	-	-	-	-	-
Max.	-	-	-	-	-	-	-	36.0	-	-	-	-	-	-	-
Actual	-	-	-	-	-	-	-	32.00	-	-	-	-	-	-	-
inch	16/16	17/16	18/16	19/16	20/16	21/16	22/16	23/16	24/16	25/16	26/16	27/16	28/16	29/16	30/16
Min.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Max.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Actual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

MECHANICAL PROPERTIES (IS:1608) **IS:1499 / IS:1598**

	Test Condition	Tensile Strength	Yield Strength	% Elongation	% Reduction Area	Impact Strength
Min	-	-	-	-	-	-
Max		-	-	-	-	-
Actual	-	-	-	-	-	-

For any Technical Support / Quality related issues please contact -
Mr. Dinesh Singh Mobile no. : 081466-25586 , email : met5.vss@vardhman.com

For any Test Certificate related issues please contact -
Mr. K.K. Shukla Mobile no. : 075080-02659 , email : met2.vss@vardhman.com
Website : www.vardhmansteel.com

Checked by : Engineer - R&D

Approved by : Dinesh Singh Authorised Signatory

For VARDHMAN SPECIAL STEELS LTD.

Note::- 1. The above results relate to the sample tested.
2. This Report should not be reproduced expect in full without the permission of Lab.
3. When the Information is Provided by the customer can affect the validity of results .
4. Opinion & Interpetation - Not Applicable for Laboratory
5. Conformity Assesment & Decision Rule _ Not Applicable for Laboratory
6. Testing Temp Range : 20-28 Deg. Celcius & Testing Humidity Range : 30 - 70 %

VARDHMAN SPECIAL STEELS LTD.

C-58,FOCAL POINT,PHASE III, LUDHIANA (PB.) INDIA
Ph. No. : 0161-2670707-09

QF R&D 4.12.06
IATF 16949 : 2016
Certificate No : 37659-2008-AQ-IND-IATF
ISO 17025 : 2005
Certificate No : TC-7438
ISO 14001 : 2015
Certificate No : 261680-2018-AE-IND-RVA
OHSAS 18001:2007
Certificate No : 261679-2018-AHSO-IND-RVA
ISO 9001 : 2015
Certificate No : 39216-2008-AQ-IND-RVA

TEST CERTIFICATE

TEST CERTIFICATE NO.: BLB530LAB2445688 **Date of Issue :** 04-10-2024
To: TOYOTA TSUSHO INDIA PVT LTD

TEST RESULTS

Order No. & Date	Class & Design.	Grade	Heat No. (Cast No.)	Cast Section (mm)	Finished Section (Nominal Size mm)	Finish Shape	Reduction Ratio
S61-24001440/20.0 10-09-2024		SCM20	00099506	200*200	45	Round	25.14

Supply Condition	Length of Bar	Color Code
Hot Rolled	5.40000 meter	Orange

Manufacturing Route	EAF-LRF-VD-CCP With EMS & AMLC

INCLUSION RATING -

	JIS G 0555			DIN 50602	
	A	B+C	Total	K3	K4
Max. Req.	-	-	-	-	-
Actual	-	-	-	-	-

SUPPLEMENTARY REQUIREMENTS

	Internal Soundness (ASTM E381 / IS11371)	Step Down Test (IS 4075)	Blue Fracture Test (IS 10138)	Surface Defects	Straightness mm / meter max.
Required	Free from harmful defects	-	-	Surface Defects < 0.30 mm	3.0
Actual	C1R1S1 max	OK	-	OK	OK

	Ultrasonic Test	MFLT	MPI	Dimension Tolerance	Ovality/Lobbing
Required	At 0.3x30 mm SDH	Yes	-	+0.25/-0.39 mm	75% of Dimensional Tolerance max
Actual	OK	OK	-	OK	OK
Mixup Test	100% Bars checked by Spark & XRF Test				

THE MATERIAL SUPPLIED TO THE STANDARD ROLLING TOLERANCES

Remarks	Material is free from radioactive elements	Orange color painting on steel bars

Reference Standard	Spec No. : ST0076, Rev.-01, Date- 09.06.2023	NPDP-220814, Rev.-00, Date-11.08.2022

Above mentioned results relate only to the sample tested
This report shall not be reproduced except in full without the approval of laboratary / Authorised signatory

For any Technical Support / Quality related issues please contact -
Mr. Dinesh Singh Mobile no. : 081466-25586 , email : met5.vss@vardhman.com

For any Test Certificate related issues please contact -
Mr. K.K. Shukla Mobile no. : 075080-02659 , email : met2.vss@vardhman.com

Website : www.vardhmansteel.com

Checked by :	Approved by : Dinesh Singh
Engineer - R&D	Authorised Signatory

For VARDHMAN SPECIAL STEELS LTD.

VARDHMAN SPECIAL STEELS LTD.

C-58,FOCAL POINT,PHASE III, LUDHIANA (PB.) INDIA
Ph. No. : 0161-2670707-09

QF R&D 01
IATF 16949 : 2016
Certificate No : 37659-2008-AQ-IND-IATF
ISO 17025 : 2017
Certificate No : TC-7438
ISO 14001 : 2015
Certificate No : 261680-2018-AE-IND-RVA
ISO 45001 : 2018
Certificate No : 10000414502 MSC-RVA-IND
ISO 9001 : 2015
Certificate No : 39216-2008-AQ-IND-RVA

TEST CERTIFICATE

URL No **TC1350324000001365F**

TEST CERTIFICATE NO.: BLB530LAB2445689 **Date of Issue :** 04-10-2024

To: TOYOTA TSUSHO INDIA PVT LTD

TEST RESULTS

Order No. & Date	Class & Design.	Grade	Heat No. (Cast No.)	Cast Section (mm)	Finished Section (Nominal Size mm)	Finish Shape	Reduction Ratio
S61-24001440/10.00 10-09-2024		SCM20	99507	200*200	45	Round	25.14

Supply Condition	Length of Bar	Color Code	Invoice No. & Date	No. of Bars	Qty.(MT)
Hot Rolled	5.40000 meter	Orange	SAA240001419 / 10-10-2024	302 PCS	20.502 MT

Manufacturing Route EAF-LRF-VD-CCP With EMS & AMLC

% CHEMICAL COMPOSITION - ASTM E 415

	C	Si	Mn	S	P	Ni	Cr	Mo	Cu	Sn	Al	Ti	Ca	B	V	Nb
Min.	0.170	0.150	0.550	-	-	-	0.850	0.150	-	-	-	-	-	-	-	-
Max.	0.230	0.350	0.900	0.030	0.030	0.250	1.250	0.350	0.300	-	-	-	-	-	-	-
Actual	0.205	0.278	0.828	0.017	0.010	0.090	1.180	0.160	0.042	0.003	0.027	0.0028	0.0008	0.0003	0.0050	0.0015

Gases In PPM	O2 ASTM E 1019	N2 ASTM E 1019	H2 IS:228	Grain Size (IS:4748/ASTM E112)	D.I Value	% Carbon Equivalent	% Manganese Equivalent	Decarb (mm) (IS:6396)	Micro Structure (As per ASM Handbook Vol 9)
Min.	-	-	-	Min. Go 6.0	-	-	-	-	Pearlite + Ferrite + Bainite
Max.	20.0	150.0	2.0		-	-	-		
Actual	9.0	122.0	1.2	8.0	-	-	-	-	Pearlite + Ferrite + Bainite

INCLUSION RATING - IS:4163 / ASTM E45A/ ISO 4967,Method A

	A		B		C		D	
	Thin	Thick	Thin	Thick	Thin	Thick	Thin	Thick
Max. Req.	2.0	1.0	1.0	-	1.0	-	1.5	1.0
Actual	2.00	-	0.50	-	-	-	1.50	-

Hardness- IS:1500/1586

IS 1500 (Part-1) / IS 1586 (Part-1)	
Min.	-
Max.	260 BHN
Actual	200-220 BHN

JOMINY HARDENABILITY IN HRC (IS 1586) Part 1

Inch	1/16	2/16	3/16	4/16	5/16	6/16	7/16	8/16	9/16	10/16	11/16	12/16	13/16	14/16	15/16
Min.	-	-	-	-	-	-	-	30.0	-	-	-	-	-	-	-
Max.	-	-	-	-	-	-	-	36.0	-	-	-	-	-	-	-
Actual	-	-	-	-	-	-	-	31.00	-	-	-	-	-	-	-
inch	16/16	17/16	18/16	19/16	20/16	21/16	22/16	23/16	24/16	25/16	26/16	27/16	28/16	29/16	30/16
Min.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Max.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Actual	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

MECHANICAL PROPERTIES (IS:1608) **IS:1499 / IS:1598**

	Test Condition	Tensile Strength	Yield Strength	% Elongation	% Reduction Area	Impact Strength
Min	-	-	-	-	-	-
Max		-	-	-	-	-
Actual	-	-	-	-	-	-

For any Technical Support / Quality related issues please contact -
Mr. Dinesh Singh Mobile no. : 081466-25586 , email : met5.vss@vardhman.com

For any Test Certificate related issues please contact -
Mr. K.K. Shukla Mobile no. : 075080-02659 , email : met2.vss@vardhman.com
Website : www.vardhmansteel.com

Checked by :	Approved by : Dinesh Singh
Engineer - R&D	Authorised Signatory

For VARDHMAN SPECIAL STEELS LTD.

Note::- 1. The above results relate to the sample tested.
2. This Report should not be reproduced expect in full without the permission of Lab.
3. When the Information is Provided by the customer can affect the validity of results .
4. Opinion & Interpetation - Not Applicable for Laboratory
5. Conformity Assesment & Decision Rule _ Not Applicable for Laboratory
6. Testing Temp Range : 20-28 Deg. Celcius & Testing Humidity Range : 30 - 70 %

VARDHMAN SPECIAL STEELS LTD.

C-58,FOCAL POINT,PHASE III, LUDHIANA (PB.) INDIA
Ph. No. : 0161-2670707-09

QF R&D 4.12.06
IATF 16949 : 2016
Certificate No : 37659-2008-AQ-IND-IATF
ISO 17025 : 2005
Certificate No : TC-7438
ISO 14001 : 2015
Certificate No : 261680-2018-AE-IND-RVA
OHSAS 18001:2007
Certificate No : 261679-2018-AHSO-IND-RVA
ISO 9001 : 2015
Certificate No : 39216-2008-AQ-IND-RVA

TEST CERTIFICATE

TEST CERTIFICATE NO.: BLB530LAB2445689 **Date of Issue :** 04-10-2024
To: TOYOTA TSUSHO INDIA PVT LTD

TEST RESULTS

Order No. & Date	Class & Design.	Grade	Heat No. (Cast No.)	Cast Section (mm)	Finished Section (Nominal Size mm)	Finish Shape	Reduction Ratio
S61-24001440/10.0 10-09-2024		SCM20	00099507	200*200	45	Round	25.14

Supply Condition	Length of Bar	Color Code
Hot Rolled	5.40000 meter	Orange

Manufacturing Route	EAF-LRF-VD-CCP With EMS & AMLC

INCLUSION RATING -

	JIS G 0555			DIN 50602	
	A	B+C	Total	K3	K4
Max. Req.	-	-	-	-	-
Actual	-	-	-	-	-

SUPPLEMENTARY REQUIREMENTS

	Internal Soundness (ASTM E381 / IS11371)	Step Down Test (IS 4075)	Blue Fracture Test (IS 10138)	Surface Defects	Straightness mm / meter max.
Required	Free from harmful defects	-	-	Surface Defects < 0.30 mm	3.0
Actual	C1R1S1 max	OK	-	OK	OK

	Ultrasonic Test	MFLT	MPI	Dimension Tolerance	Ovality/Lobbing
Required	At 0.3x30 mm SDH	Yes	-	+0.25/-0.39 mm	75% of Dimensional Tolerance max
Actual	OK	OK	-	OK	OK
Mixup Test	100% Bars checked by Spark & XRF Test				

THE MATERIAL SUPPLIED TO THE STANDARD ROLLING TOLERANCES

Remarks	Material is free from radioactive elements	Orange color painting on steel bars

Reference Standard	Spec No. : ST0076, Rev.-01, Date- 09.06.2023	NPDP-220814, Rev.-00, Date-11.08.2022

Above mentioned results relate only to the sample tested
This report shall not be reproduced except in full without the approval of laboratary / Authorised signatory

For any Technical Support / Quality related issues please contact -
Mr. Dinesh Singh Mobile no. : 081466-25586 , email : met5.vss@vardhman.com

For any Test Certificate related issues please contact -
Mr. K.K. Shukla Mobile no. : 075080-02659 , email : met2.vss@vardhman.com

Website : www.vardhmansteel.com

Checked by :	Approved by : Dinesh Singh
Engineer - R&D	Authorised Signatory

For VARDHMAN SPECIAL STEELS LTD.