Consignor/Shipper
TOYOTA TSUSHO KOREA CORPORATION
30F, MIRAE ASSET CENTER 1 WEST TOWER,
67, SUHA-DONG, JUNG-GU, SEOUL 04539, KOREA

COMBINED TRANSPORT BILL OF LADING

B/L No. WBLCH2410003

Reg.No.

WORLD BEST LOGIS

WORLD BEST LOGIS CO., LTD.

TEL. 82-70-7076-8518 FAX. 82-70-7076-9400
E-mail. world@wblkorea.co.kr

Consignee
TOYOTA TSUSHO(THAILAND)CO.,LTD
607 ASOKE-DINDAENG ROAD,KWAENG
DINDAENG,KHET DINDAENG, BANGKOK 10400 THAILAND
MS. NICHAREE
TEL)66-2625-5952

Notify Party
TOYOTA TSUSHO(THAILAND)CO.,LTD
607 ASOKE-DINDAENG ROAD,KWAENG
DINDAENG,KHET DINDAENG, BANGKOK 10400 THAILAND
MS. NICHAREE
TEL)66-2625-5952

For delivery of goods please apply to:
PJ TRANS MILLENNIUM CO., LTD.
1000/57-58 TROKWATJANNAI, RAMA III ROAD
BANGKLO, BANGKORLAEM, BANGKOK 10120, THAILAND.
ATTN : JATURON
TEL : 662-2969599 FAX : 662-683-7945~6

Pre-carriage by	Place of Receipt
	BUSAN, KOREA

Vessel/Voyage No.
SAWASDEE SIRIUS 2414S

Port of Loading	Port of Discharge	Place of Delivery	Final Destination(For the Merchant Ref.)
BUSAN, KOREA	LAEM CHABANG, THAILAND	LAEM CHABANG, THAILAND	

PARTICULARS FURNISHED BY CONSIGNOR/SHIPPER

Container No. & Seal No. Marks and No.	No. & Kinds of Containers or P' kgs	Description of Goods	Gross Weight	Measurement
- ATTACHED RIDER -	148 BUNDLES 20`DV x 13	SAID TO CONTAIN: 148 BUNDLES OF HOT ROLLED ALLOY STEEL ROUND BARS HOT ROLLED ALLOY STEEL ROUND BARS PEELED HOT ROLLED STEEL ROUND BARS	304,394.000KG	65.000CBM

COPY
NON-NEGOTIABLE

ON BOARD DATE:
OCT.19,2024

SURRENDERED

CFS/CY "FREIGHT PREPAID"

Excess Value Declaration(Refer to § Ⅱ-4.3) :

Total Number of Containers or Packages(in words) SAY : ONE HUNDRED AND FORTY EIGHT (148) BUNDLES ONLY.

Freight Payable at SEOUL, KOREA

Freight & Charges	Prepaid	Collect
FREIGHT PREPAID AS ARRANGED		

Received by the Carrier, the Goods specified herein in apparent good order and condition unless otherwise stated, to be transported to such place as agreed, authorized or permitted herein and subject to all the terms and conditions appearing on the front and reverse of this Multimodal Transport Bill of Lading (hereinafter called the 'B/L') to which the Merchant agrees by accepting this B/L, notwithstanding any local privileges, customs or any other agreements between the parties. The particulars of the Goods provided herein were stated by the shipper and the weight, measurements, quantity, condition, contents and value of the Goods are unknown to the Carrier. In witness where of three(3) original B/L(s) have been signed unless otherwise stated herein. If two(2) or more original B/L(s) have been issued and either one(1) has been surrendered, all the other(s) shall be null and void. If required by the Carrier one(1) duly endorsed original B/L must be surrendered in exchange for the Goods or delivery order.

Place and Date of Issue		No. of Original B/L	Signature
SEOUL, KOREA	OCT.19,2024	ZERO(0)	

B/L No. WBLCH2410003

WORLD BEST LOGIS CO., LTD.
ACTING AS A CARRIER

- ATTACHED RIDER -

Vessel/Voy:SAWASDEE SIRIUS 2414S B/L No.:WBLCH2410003

NTN
GRADE
HEAT NO
SIZE
Q`TY
SEAH BESTEEL

TEMU4705102/SKR054694
TEMU2577764/SKR054695
SEGU1658952/SKR054696
SKLU1589730/SKR054601
BEAU2343011/SKR054602
SKLU1580564/SKR054603
SKLU2100280/SKR054604
SKLU1320340/SKR054605
HALU2073178/SKR054606
FCIU5790546/SKR054607
HALU2346185/SKR054608
BEAU2996192/SKR054609
TEMU1310618/SKR054610

Original

1.Goods consigned from (Exporter's business name, address, country) TOYOTA TSUSHO KOREA CORPORATION 30F, MIRAE ASSET CENTER 1 WEST TOWER, 67, SUHA-DONG, JUNG-GU, SEOUL 04539, KOREA Tel: 02-6744-6736 Fax: 02-6744-6897	Reference No. C010-24-0046856 Reference code. 3fei-3h24 **KOREA-ASEAN FREE TRADE AREA PREFERENTIAL TARIFF CERTIFICATE OF ORIGIN** (Combined Declaration and Certificate) FORM AK Issued in the REPUBLIC OF KOREA (Country) See Notes Overleaf
2.Goods consigned to (Consignee's name, address, country) TOYOTA TSUSHO THAILAND CO LTD 607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG BANGKOK 10400 THAILAND	
3.Means of transport and route(as far as known) Departure date : 19-OCT-2024 Vessel's name/Aircraft etc : SAWASDEE SIRIUS 2414S Port of Discharge : LAEM CHABANG, Thailand	4. For official use ☐ Preferential Treatment Given Under KOREA-ASEAN Free Trade Area Preferential Tariff ☐ Preferential Treatment Not Given (Please state reason/s) Signature of Authorized Signatory of the importing Country

5.Item number	6.Marks and numbers on packages	7.Number and type of packages, description of goods (including quantity where appropriate and HS number of the importing country)	8.Origin criterion (see notes overleaf)	9.Gross weight or other quantity, and Value (FOB only when RVC criterion is used)	10.Number and date of invoices
1	NTN GRADE HEAT NO SIZE Q'TY SEAH BESTEEL //////////////////////////////	HOT ROLLED ALLOY STEEL ROUND BARS 38B3 32.00MM X 5450MM 24BUNDLES 38.96 MT HS No. 7228.30	CTH	38.96(MT)	TTKT2-NTNTH-241003 14-OCT-2024 ////////////////
2		HOT ROLLED ALLOY STEEL ROUND BARS PEELED 38B3 24.00MM X 5600MM 38BUNDLES 54.106 MT HS No. 7228.50	CTH	54.106(MT)	
3		HOT ROLLED STEEL ROUND BARS S53C 50.00MM X 5800MM 18BUNDLES 42.504 MT HS No. 7214.99	CTH	42.504(MT)	
4		HOT ROLLED STEEL ROUND BARS S53C 55.00MM X 5800MM 20BUNDLES	CTH	46.642(MT)	

11.Declaration by the exporter The undersigned hereby declares that the above details and statements are correct, that all the goods were produced in THE REPUBLIC OF KOREA (Country) and that they comply with the origin requirements specified for these goods in the KOREA-ASEAN Free Trade Area Preferential Tariff for goods exported to THAILAND (Importing Country) Seoul, Republic of Korea, 21-OCT-2024 Place and date, signature of authorized signatory	12.Certification It is hereby certified on the basis of control carried out, that the declaration by the exporter is correct. YOO YEASEUL YOO YEA SEUL SEOUL MAIN CUSTOMS REPUBLIC OF KOREA 22-OCT-2024 SEOUL MAIN CUSTOMS REPUBLIC OF KOREA Place and date, signature and stamp of certifying authority

13. ☐ Third Country Invoicing ☐ Exhibition ☐ Back-to-Back C/O

※ You can verify the authenticity of this Certificate of Origin at **www.customs.go.kr/co.html**

Reference No. C010-24-0046856
Reference Code. 3fei-3h24

Original

5.Item number	6.Marks and numbers on packages	7.Number and type of packages, description of goods (including quantity where appropriate and HS number of the importing country)	8.Origin criterion (see notes overleaf)	9.Gross weight or other quantity, and Value (FOB only when RVC criterion is used)	10.Number and date of invoices
		46.642 MT HS No. 7214.99			
5		HOT ROLLED STEEL ROUND BARS S53C 65.00MM X 5800MM 12BUNDLES 28.318 MT HS No. 7214.99	CTH	28.318(MT)	
6 ////////		HOT ROLLED STEEL ROUND BARS S53C 70.00MM X 5800MM 36BUNDLES 93.864 MT HS No. 7214.99	CTH //////////////	93.864(MT) ////////////////	
		//			

11.Declaration by the exporter

The undersigned hereby declares that the above details and statements are correct, that all the goods were produced in

THE REPUBLIC OF KOREA

(Country)

and that they comply with the origin requirements specified for these goods in the KOREA-ASEAN Free Trade Area Preferential Tariff for goods exported to

THAILAND

(Importing Country)

Seoul, Republic of Korea, 21-OCT-2024

Place and date, signature of authorized signatory

12.Certification

It is hereby certified on the basis of control carried out, that the declaration by the exporter is correct.

YOO YEA SEUL

YOO YEA SEUL

SEOUL MAIN CUSTOMS REPUBLIC OF KOREA 관세청 KOREA CUSTOMS SERVICE 1876

22-OCT-2024 SEOUL MAIN CUSTOMS REPUBLIC OF KOREA

Place and date, signature and stamp of certifying authority

13. ☐ Third Country Invoicing ☐ Exhibition ☐ Back-to-Back C/O

※ You can verify the authenticity of this Certificate of Origin at **www.customs.go.kr/co.html**

Triplicate

1.Goods consigned from (Exporter's business name, address, country)
TOYOTA TSUSHO KOREA CORPORATION
30F, MIRAE ASSET CENTER 1 WEST TOWER, 67, SUHA-DONG, JUNG-GU, SEOUL 04539, KOREA
Tel: 02-6744-6736 Fax: 02-6744-6897

Reference No. C010-24-0046856

Reference code. 3fei-3h24

KOREA-ASEAN FREE TRADE AREA PREFERENTIAL TARIFF CERTIFICATE OF ORIGIN

(Combined Declaration and Certificate)
FORM AK
Issued in the REPUBLIC OF KOREA
_____
(Country)
See Notes Overleaf

2.Goods consigned to (Consignee's name, address, country)
TOYOTA TSUSHO THAILAND CO LTD
607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG BANGKOK 10400 THAILAND

3.Means of transport and route(as far as known)
Departure date : 19-OCT-2024
Vessel's name/Aircraft etc : SAWASDEE SIRIUS 2414S
Port of Discharge : LAEM CHABANG, Thailand

4. For official use
☐ Preferential Treatment Given Under KOREA-ASEAN Free Trade Area Preferential Tariff
☐ Preferential Treatment Not Given (Please state reason/s)

_____
Signature of Authorized Signatory of the importing Country

5.Item number	6.Marks and numbers on packages	7.Number and type of packages, description of goods (including quantity where appropriate and HS number of the importing country)	8.Origin criterion (see notes overleaf)	9.Gross weight or other quantity, and Value (FOB only when RVC criterion is used)	10.Number and date of invoices
1	NTN GRADE HEAT NO SIZE Q'TY SEAH BESTEEL //////////////////////////////	HOT ROLLED ALLOY STEEL ROUND BARS 38B3 32.00MM X 5450MM 24BUNDLES 38.96 MT HS No. 7228.30	CTH	38.96(MT)	TTKT2-NTNTH-241003 14-OCT-2024 ////////////////
2		HOT ROLLED ALLOY STEEL ROUND BARS PEELED 38B3 24.00MM X 5600MM 38BUNDLES 54.106 MT HS No. 7228.50	CTH	54.106(MT)	
3		HOT ROLLED STEEL ROUND BARS S53C 50.00MM X 5800MM 18BUNDLES 42.504 MT HS No. 7214.99	CTH	42.504(MT)	
4		HOT ROLLED STEEL ROUND BARS S53C 55.00MM X 5800MM 20BUNDLES	CTH	46.642(MT)	

11.Declaration by the exporter
The undersigned hereby declares that the above details and statements are correct, that all the goods were produced in
THE REPUBLIC OF KOREA
_____
(Country)
and that they comply with the origin requirements specified for these goods in the KOREA-ASEAN Free Trade Area Preferential Tariff for goods exported to
THAILAND
_____
(Importing Country)

Seoul, Republic of Korea, 21-OCT-2024
Place and date, signature of authorized signatory

12.Certification
It is hereby certified on the basis of control carried out, that the declaration by the exporter is correct.

YOO YEASEUL

YOO YEA SEUL

SEOUL MAIN CUSTOMS REPUBLIC OF KOREA 관세청 KOREA CUSTOMS SERVICE 1676

22-OCT-2024 SEOUL MAIN CUSTOMS REPUBLIC OF KOREA
Place and date, signature and stamp of certifying authority

13. ☐ Third Country Invoicing ☐ Exhibition ☐ Back-to-Back C/O

※ You can verify the authenticity of this Certificate of Origin at **www.customs.go.kr/co.html**

Reference No. C010-24-0046856
Reference Code. 3fei-3h24

Triplicate

5.Item number	6.Marks and numbers on packages	7.Number and type of packages, description of goods (including quantity where appropriate and HS number of the importing country)	8.Origin criterion (see notes overleaf)	9.Gross weight or other quantity, and Value (FOB only when RVC criterion is used)	10.Number and date of invoices
		46.642 MT HS No. 7214.99			
5		HOT ROLLED STEEL ROUND BARS S53C 65.00MM X 5800MM 12BUNDLES 28.318 MT HS No. 7214.99	CTH	28.318(MT)	
6 ////////		HOT ROLLED STEEL ROUND BARS S53C 70.00MM X 5800MM 36BUNDLES 93.864 MT HS No. 7214.99 //	CTH ////////////////	93.864(MT) ////////////////////	

11.Declaration by the exporter

The undersigned hereby declares that the above details and statements are correct, that all the goods were produced in

THE REPUBLIC OF KOREA
(Country)

and that they comply with the origin requirements specified for these goods in the KOREA-ASEAN Free Trade Area Preferential Tariff for goods exported to

THAILAND
(Importing Country)

Seoul, Republic of Korea, 21-OCT-2024
Place and date, signature of authorized signatory

12.Certification

It is hereby certified on the basis of control carried out, that the declaration by the exporter is correct.

YOO YEASEUL

YOO YEA SEUL

SEOUL MAIN CUSTOMS REPUBLIC OF KOREA
관세청 KOREA CUSTOMS SERVICE 1678

22-OCT-2024 SEOUL MAIN CUSTOMS REPUBLIC OF KOREA
Place and date, signature and stamp of certifying authority

13. ☐ Third Country Invoicing ☐ Exhibition ☐ Back-to-Back C/O

※ You can verify the authenticity of this Certificate of Origin at **www.customs.go.kr/co.html**

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-08-24
Cert. No. : 202408-008672
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D24399
Size : 70 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)																			
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ni+Cr										
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×100										
Spec.	Min.	50	15	70					10												
	Max.	56	35	90	25	25	25	20	20	50	35										
Ladle Result		51	22	78	16	3	9	5	12	18	17										

Inspection Items		Macro Structure					
		DENDRITE	PIT	CENTER	PATTERN		
Spec.	Min.						
	Max.	3	3	3	2		
Result		1	1	1	1		

Inspection Items		Test Piece Tensile Test (N /)					
		TS	YS	EL(%)	ROA(%)		
Spec.	Min.	780	590	14	35		
	Max.						
Result		780.90	594.58	21.80	51.38		

Inspection Items		Austenite Grain Size		
Spec.	Min.	5		
	Max.			
Result		7.5		

Inspection Items		Decarburized Layer (mm)		
		DM-T		
Spec.	Min.			
	Max.	.5		
Result		.17		

Inspection Items		Gas Analysis (ppm)		
		O_2		
Spec.	Min.			
	Max.	15		
Result		2.91		

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Nonmetallic Inclusion (JIS G 0555)		
		dA	dT	d(B+C)
Spec.	Min.			
	Max.	.1	.2	.1
Result		.05	.06	.01

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.			
	Max.	241		
Result		225		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		8.4		

Inspection Items		Segregation Test (%)		
Spec.	Min.			
	Max.			
Result		GOOD		

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-08-24
Cert. No. : 202408-008672
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D24399
Size : 70 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Test Piece Charpy Impact Test (J /)		
		TEMP.(℃)	L-AVERAGE	
Spec.	Min.	20	59	
	Max.	20		
Result		20	115.60	

Inspection Items		Test Piece Hardness (HB)		
		SURFACE		
Spec.	Min.	229		
	Max.	285		
Result		239		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	194									
Weight(kg)	33,934									
Length(mm)	5,800									

<<Remark>> - According to approved Documenet SRR2020000461
- Specification : Draft for CVJ, HS-D-SC0550HE_2003(1)
- Billet : 180x180
- The result of macro grade of the semi-finished(as casted) product : OK
* MADE IN KOREA / * P.O.# : PT647NTN027

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-09-29
Cert. No. : 202409-008227
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D24945
Size : 50 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN
Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)																			
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ni+Cr										
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×100										
Spec.	Min.	50	15	70					10												
	Max.	56	35	90	25	25	25	20	20	50	35										
Ladle Result		52	24	78	18	6	12	7	13	13	19										

Inspection Items		Macro Structure					
		DENDRITE	PIT	CENTER	PATTERN		
Spec.	Min.						
	Max.	3	3	3	2		
Result		1	1	2	1		

Inspection Items		Test Piece Tensile Test (N /)					
		TS	YS	EL(%)	ROA(%)		
Spec.	Min.	780	590	14	35		
	Max.						
Result		839.74	660.58	19.90	50.53		

Inspection Items		Austenite Grain Size		
Spec.	Min.	5		
	Max.			
Result		7.5		

Inspection Items		Decarburized Layer (mm)		
		DM-T		
Spec.	Min.			
	Max.	.5		
Result		.23		

Inspection Items		Gas Analysis (ppm)		
		O_2		
Spec.	Min.			
	Max.	15		
Result		4.01		

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Nonmetallic Inclusion (JIS G 0555)		
		dA	dT	d(B+C)
Spec.	Min.			
	Max.	.1	.2	.1
Result		.05	.06	.01

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.			
	Max.	241		
Result		225		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		16.5		

Inspection Items		Segregation Test (%)		
Spec.	Min.			
	Max.			
Result		GOOD		

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-09-29
Cert. No. : 202409-008227
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D24945
Size : 50 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Test Piece Charpy Impact Test (J /)		
		TEMP.(℃)	L-AVERAGE	
Spec.	Min.	20	59	
	Max.	20		
Result		20	130.80	

Inspection Items		Test Piece Hardness (HB)		
		SURFACE		
Spec.	Min.	229		
	Max.	285		
Result		246		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	476									
Weight(kg)	42,504									
Length(mm)	5,800									

<<Remark>> - According to approved Documenet SRR2020000461
- Specification : Draft for CVJ, HS-D-SC0550HE_2003(1)
- Billet : 180x180
- The result of macro grade of the semi-finished(as casted) product : OK
* MADE IN KOREA / * P.O.# : PT646NTN027

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-14
Cert. No. : 202410-004692
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D24396
Size : 65 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN
Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)																			
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ni+Cr										
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×100										
Spec.	Min.	50	15	70					10												
	Max.	56	35	90	25	25	25	20	20	50	35										
Ladle Result		51	24	79	18	2	16	8	12	25	20										

Inspection Items		Macro Structure					
		DENDRITE	PIT	CENTER	PATTERN		
Spec.	Min.						
	Max.	3	3	3	2		
Result		1	1	1	1		

Inspection Items		Test Piece Tensile Test (N /)					
		TS	YS	EL(%)	ROA(%)		
Spec.	Min.	780	590	14	35		
	Max.						
Result		827.98	652.04	23.32	56.91		

Inspection Items		Austenite Grain Size		
Spec.	Min.	5		
	Max.			
Result		7.5		

Inspection Items		Decarburized Layer (mm)		
		DM-T		
Spec.	Min.			
	Max.	.5		
Result		.23		

Inspection Items		Gas Analysis (ppm)		
		O_2		
Spec.	Min.			
	Max.	15		
Result		6.23		

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Nonmetallic Inclusion (JIS G 0555)		
		dA	dT	d(B+C)
Spec.	Min.			
	Max.	.1	.2	.1
Result		.05	.06	.01

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.			
	Max.	241		
Result		222		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		9.8		

Inspection Items		Segregation Test (%)		
Spec.	Min.			
	Max.			
Result		GOOD		

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-14
Cert. No. : 202410-004692
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D24396
Size : 65 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Test Piece Charpy Impact Test (J /)		
		TEMP.(℃)	L-AVERAGE	
Spec.	Min.	20	59	
	Max.	20		
Result		20	112.41	

Inspection Items		Test Piece Hardness (HB)		
		SURFACE		
Spec.	Min.	229		
	Max.	285		
Result		252		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	16									
Weight(kg)	2,418									
Length(mm)	5,800									

- According to approved Documenet SRR2020000461
- Specification : Draft for CVJ, HS-D-SC0550HE_2003(1)
- Billet : 180x180
- The result of macro grade of the semi-finished(as casted) product : OK

* MADE IN KOREA / * P.O.# : PT646NTN027

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-12
Cert. No. : 202410-004693
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D24941
Size : 70 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN
Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)																			
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ni+Cr										
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×100										
Spec.	Min.	50	15	70					10												
	Max.	56	35	90	25	25	25	20	20	50	35										
Ladle Result		51	23	78	20	6	14	11	12	15	23										

Inspection Items		Macro Structure					
		DENDRITE	PIT	CENTER	PATTERN		
Spec.	Min.						
	Max.	3	3	3	2		
Result		1	1	1	1		

Inspection Items		Test Piece Tensile Test (N /)					
		TS	YS	EL(%)	ROA(%)		
Spec.	Min.	780	590	14	35		
	Max.						
Result		856.81	691.76	22.70	52.24		

Inspection Items		Austenite Grain Size		
Spec.	Min.	5		
	Max.			
Result		7.5		

Inspection Items		Decarburized Layer (mm)		
		DM-T		
Spec.	Min.			
	Max.	.5		
Result		.22		

Inspection Items		Gas Analysis (ppm)		
		O_2		
Spec.	Min.			
	Max.	15		
Result		3.74		

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Nonmetallic Inclusion (JIS G 0555)		
		dA	dT	d(B+C)
Spec.	Min.			
	Max.	.1	.2	.1
Result		.04	.05	.01

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.			
	Max.	241		
Result		231		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		8.4		

Inspection Items		Segregation Test (%)		
Spec.	Min.			
	Max.			
Result		GOOD		

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-12
Cert. No. : 202410-004693
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D24941
Size : 70 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Test Piece Charpy Impact Test (J /)		
		TEMP.(℃)	L-AVERAGE	
Spec.	Min.	20	59	
	Max.	20		
Result		20	113.14	

Inspection Items		Test Piece Hardness (HB)		
		SURFACE		
Spec.	Min.	229		
	Max.	285		
Result		246		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	345									
Weight(kg)	59,930									
Length(mm)	5,800									

- According to approved Documenet SRR2020000461
- Specification : Draft for CVJ, HS-D-SC0550HE_2003(1)
- Billet : 180x180
- The result of macro grade of the semi-finished(as casted) product : OK

* MADE IN KOREA / * P.O.# : PT647NTN027

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-14
Cert. No. : 202410-004694
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25108
Size : 24 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled , As Peeled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)										
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ti	B
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×1000	×10000
Spec.	Min.	37	15	85						20	30	8
	Max.	40	35	110	30	25	25	20	20	50	60	30
Ladle Result		37	26	89	24	12	18	8	20	23	32	21

Inspection Items		Hardenability(End Quenching Method) HRC, mm												
		1.5	3	5	7	9	11	13	15	20	25	30	35	40
Spec.	Min.	52	50	48	39	31	25	20						
	Max.	60	59	58	57	54	48	42	36	30	27	25	23	22
Result		54	54	53	52	51	46	38	30	24	22	21	18	16

Inspection Items		Nonmetallic Inclusion (ASTM E-45)							
		A(T)	A(H)	B(T)	B(H)	C(T)	C(H)	D(T)	D(H)
Spec.	Min.								
	Max.	3	2	2.5	2	2	1	1.5	1
Result		2.3	.7	.2	.2	.0	.0	1.0	.5

Inspection Items		Macro Structure			
		DENDRITE	PIT	CENTER	PATTERN
Spec.	Min.				
	Max.	3	3	3	2
Result		1	1	1	1

Inspection Items		Austenite Grain Size
Spec.	Min.	5
	Max.	
Result		7.5

Inspection Items		Decarburized Layer (mm)
		DM-T
Spec.	Min.	0
	Max.	0
Result		.00

Inspection Items		Gas Analysis (ppm)	
		O_2	N_2
Spec.	Min.		
	Max.	20	120
Result		9.20	49.80

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-14
Cert. No. : 202410-004694
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25108
Size : 24 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled , As Peeled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.	172		
	Max.	223		
Result		207		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		61.0		

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	1,426									
Weight(kg)	28,440									
Length(mm)	5,600									

* MADE IN KOREA / * P.O.# : PT647NTN029

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-14
Cert. No. : 202410-004695
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25108
Size : 24 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled , As Peeled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)										
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ti	B
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×1000	×10000
Spec.	Min.	37	15	85						20	30	8
	Max.	40	35	110	30	25	25	20	20	50	60	30
Ladle Result		37	26	89	24	12	18	8	20	23	32	21

Inspection Items		Hardenability(End Quenching Method) HRC, mm												
		1.5	3	5	7	9	11	13	15	20	25	30	35	40
Spec.	Min.	52	50	48	39	31	25	20						
	Max.	60	59	58	57	54	48	42	36	30	27	25	23	22
Result		54	54	53	52	51	46	38	30	24	22	21	18	16

Inspection Items		Nonmetallic Inclusion (ASTM E-45)							
		A(T)	A(H)	B(T)	B(H)	C(T)	C(H)	D(T)	D(H)
Spec.	Min.								
	Max.	3	2	2.5	2	2	1	1.5	1
Result		2.3	.7	.2	.2	.0	.0	1.0	.5

Inspection Items		Macro Structure			
		DENDRITE	PIT	CENTER	PATTERN
Spec.	Min.				
	Max.	3	3	3	2
Result		1	1	1	1

Inspection Items		Austenite Grain Size
Spec.	Min.	5
	Max.	
Result		7.5

Inspection Items		Decarburized Layer (mm)
		DM-T
Spec.	Min.	0
	Max.	0
Result		.00

Inspection Items		Gas Analysis (ppm)	
		O_2	N_2
Spec.	Min.		
	Max.	20	120
Result		9.20	49.80

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-14
Cert. No. : 202410-004695
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25108
Size : 24 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled , As Peeled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.	172		
	Max.	223		
Result		206		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		61.0		

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	1,286									
Weight(kg)	25,666									
Length(mm)	5,600									

* MADE IN KOREA / * P.O.# : PT647NTN029

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-14
Cert. No. : 202410-004696
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25111
Size : 32 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)										
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ti	B
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×1000	×10000
Spec.	Min.	37	15	85						20	30	8
	Max.	40	35	110	30	25	25	20	20	50	60	30
Ladle Result		39	26	90	23	11	14	6	15	25	38	22

Inspection Items		Hardenability(End Quenching Method) HRC, mm												
		1.5	3	5	7	9	11	13	15	20	25	30	35	40
Spec.	Min.	52	50	48	39	31	25	20						
	Max.	60	59	58	57	54	48	42	36	30	27	25	23	22
Result		56	55	55	54	53	44	33	28	24	22	20	18	17

Inspection Items		Nonmetallic Inclusion (ASTM E-45)							
		A(T)	A(H)	B(T)	B(H)	C(T)	C(H)	D(T)	D(H)
Spec.	Min.	0	0	0	0	0	0	0	0
	Max.	3	2	2.5	2	2	1	1.5	1
Result		2.6	.5	.5	.4	.2	.0	1.0	.5

Inspection Items		Macro Structure			
		DENDRITE	PIT	CENTER	PATTERN
Spec.	Min.				
	Max.	3	3	3	2
Result		1	1	1	1

Inspection Items		Austenite Grain Size (Sample Location : 1/2 Radius)		
Spec.	Min.	5		
	Max.			
Result		7.0		

Inspection Items		Decarburized Layer (mm)		
		DM-T		
Spec.	Min.	0		
	Max.	.25		
Result		.13		

Inspection Items		Gas Analysis (ppm)		
		O_2	N_2	
Spec.	Min.			
	Max.	20	120	
Result		6.60	53.57	

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-14
Cert. No. : 202410-004696
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25111
Size : 32 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.	172		
	Max.	223		
Result		207		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		40.3		

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	1,133									
Weight(kg)	38,960									
Length(mm)	5,450									

- According to SR2021000492 approved.
- Al killed and Vacuum degassed
- Appropriate cutting of head and tail of casting sequence
- Chamfering of each end

* MADE IN KOREA / * P.O.# : PT648NTN028

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-14
Cert. No. : 202410-004697
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D24940
Size : 55 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN
Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)																			
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ni+Cr										
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×100										
Spec.	Min.	50	15	70					10												
	Max.	56	35	90	25	25	25	20	20	50	35										
Ladle Result		52	23	80	23	3	15	8	17	13	25										

Inspection Items		Macro Structure					
		DENDRITE	PIT	CENTER	PATTERN		
Spec.	Min.						
	Max.	3	3	3	2		
Result		1	1	1	1		

Inspection Items		Test Piece Tensile Test (N /)					
		TS	YS	EL(%)	ROA(%)		
Spec.	Min.	780	590	14	35		
	Max.						
Result		855.14	701.47	17.10	48.98		

Inspection Items		Austenite Grain Size		
Spec.	Min.	5		
	Max.			
Result		8.0		

Inspection Items		Decarburized Layer (mm)		
		DM-T		
Spec.	Min.			
	Max.	.5		
Result		.13		

Inspection Items		Gas Analysis (ppm)		
		O_2		
Spec.	Min.			
	Max.	15		
Result		5.82		

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Nonmetallic Inclusion (JIS G 0555)		
		dA	dT	d(B+C)
Spec.	Min.			
	Max.	.1	.2	.1
Result		.05	.06	.01

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.			
	Max.	241		
Result		232		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		13.6		

Inspection Items		Segregation Test (%)		
Spec.	Min.			
	Max.			
Result		GOOD		

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-14
Cert. No. : 202410-004697
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D24940
Size : 55 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Test Piece Charpy Impact Test (J /)		
		TEMP.(℃)	L-AVERAGE	
Spec.	Min.	20	59	
	Max.	20		
Result		20	134.47	

Inspection Items		Test Piece Hardness (HB)		
		SURFACE		
Spec.	Min.	229		
	Max.	285		
Result		253		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	69									
Weight(kg)	7,468									
Length(mm)	5,800									

<<Remark>> - According to approved Documenet SRR2020000461
- Specification : Draft for CVJ, HS-D-SC0550HE_2003(1)
- Billet : 180x180
- The result of macro grade of the semi-finished(as casted) product : OK
* MADE IN KOREA / * P.O.# : PT648NTN027

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-14
Cert. No. : 202410-004698
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D25096
Size : 65 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN
Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)																			
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ni+Cr										
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×100										
Spec.	Min.	50	15	70					10												
	Max.	56	35	90	25	25	25	20	20	50	35										
Ladle Result		52	24	78	16	3	15	7	15	17	23										

Inspection Items		Macro Structure					
		DENDRITE	PIT	CENTER	PATTERN		
Spec.	Min.						
	Max.	3	3	3	2		
Result		1	1	1	1		

Inspection Items		Test Piece Tensile Test (N /)					
		TS	YS	EL(%)	ROA(%)		
Spec.	Min.	780	590	14	35		
	Max.						
Result		830.03	680.39	23.70	54.96		

Inspection Items		Austenite Grain Size		
Spec.	Min.	5		
	Max.			
Result		7.5		

Inspection Items		Decarburized Layer (mm)		
		DM-T		
Spec.	Min.			
	Max.	.5		
Result		.16		

Inspection Items		Gas Analysis (ppm)		
		O_2		
Spec.	Min.			
	Max.	15		
Result		7.30		

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Nonmetallic Inclusion (JIS G 0555)		
		dA	dT	d(B+C)
Spec.	Min.			
	Max.	.1	.2	.1
Result		.04	.05	.01

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.			
	Max.	241		
Result		235		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		9.8		

Inspection Items		Segregation Test (%)		
Spec.	Min.			
	Max.			
Result		GOOD		

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-14
Cert. No. : 202410-004698
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D25096
Size : 65 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Test Piece Charpy Impact Test (J /)		
		TEMP.(℃)	L-AVERAGE	
Spec.	Min.	20	59	
	Max.	20		
Result		20	127.12	

Inspection Items		Test Piece Hardness (HB)		
		SURFACE		
Spec.	Min.	229		
	Max.	285		
Result		250		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	172									
Weight(kg)	25,900									
Length(mm)	5,800									

- According to approved Documenet SRR2020000461
- Specification : Draft for CVJ, HS-D-SC0550HE_2003(1)
- Billet : 180x180
- The result of macro grade of the semi-finished(as casted) product : OK

* MADE IN KOREA / * P.O.# : PT646NTN027

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-18
Cert. No. : 202410-004699
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D24942
Size : 55 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)																			
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ni+Cr										
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×100										
Spec.	Min.	50	15	70					10												
	Max.	56	35	90	25	25	25	20	20	50	35										
Ladle Result		52	23	78	19	4	15	7	13	12	20										

Inspection Items		Macro Structure					
		DENDRITE	PIT	CENTER	PATTERN		
Spec.	Min.						
	Max.	3	3	3	2		
Result		1	1	1	1		

Inspection Items		Test Piece Tensile Test (N /)					
		TS	YS	EL(%)	ROA(%)		
Spec.	Min.	780	590	14	35		
	Max.						
Result		841.02	672.83	20.50	55.59		

Inspection Items		Austenite Grain Size		
Spec.	Min.	5		
	Max.			
Result		8.0		

Inspection Items		Decarburized Layer (mm)		
		DM-T		
Spec.	Min.			
	Max.	.5		
Result		.12		

Inspection Items		Gas Analysis (ppm)		
		O_2		
Spec.	Min.			
	Max.	15		
Result		6.49		

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Nonmetallic Inclusion (JIS G 0555)		
		dA	dT	d(B+C)
Spec.	Min.			
	Max.	.1	.2	.1
Result		.04	.05	.01

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.			
	Max.	241		
Result		223		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		13.6		

Inspection Items		Segregation Test (%)		
Spec.	Min.			
	Max.			
Result		GOOD		

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-10-18
Cert. No. : 202410-004699
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D24942
Size : 55 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Test Piece Charpy Impact Test (J /)		
		TEMP.(℃)	L-AVERAGE	
Spec.	Min.	20	59	
	Max.	20		
Result		20	134.84	

Inspection Items		Test Piece Hardness (HB)		
		SURFACE		
Spec.	Min.	229		
	Max.	285		
Result		252		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	362									
Weight(kg)	39,174									
Length(mm)	5,800									

- According to approved Documenet SRR2020000461
- Specification : Draft for CVJ, HS-D-SC0550HE_2003(1)
- Billet : 180x180
- The result of macro grade of the semi-finished(as casted) product : OK

* MADE IN KOREA / * P.O.# : PT646NTN027

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

WORLD BEST LOGIS CO., LTD.

RM307, HANARO BLDG., 25, INSA-DONG 5-GIL, JONGNO-GU, SEOUL 03162, KOREA.

Tel : 82-70-7076-8518 Fax : 82-70-7076-9400 world@wblkorea.com

TALLY SHEET

SHIPPER : TOYOTA **DEST.,: LAEM CHABANG, THAILAND** **COMMODITY : STEEL ROUND BAR** **2024.10.15**

NO.	CONTAINER NO.	SEAL NO.	PROD. NO.	LENGTH	G.WT	Q`ty(BUNDLE)	Q'ty(BAR)	PO NO.
1	TEMU4705102	SKR054694	E24S9K0334-0014	5,600	1,478	1	74	PT647NTN029
			E24S9K0334-0017	5,600	1,020	1	51	PT647NTN029
			E24S9K0334-0012	5,600	1,478	1	74	PT647NTN029
			E24S9K0334-0013	5,600	1,476	1	74	PT647NTN029
			E24S9K0334-0008	5,600	1,476	1	74	PT647NTN029
			E24S9K0334-0016	5,600	1,476	1	74	PT647NTN029
			E24S9K0334-0004	5,600	1,476	1	74	PT647NTN029
			E24S9K0334-0015	5,600	1,476	1	74	PT647NTN029
			E24S9K0334-0011	5,600	1,478	1	74	PT647NTN029
			E24S9K0334-0009	5,600	1,476	1	74	PT647NTN029
			E24S9K0334-0003	5,600	1,478	1	74	PT647NTN029
			E24S9K0334-0002	5,600	1,476	1	74	PT647NTN029
			E24S9K0334-0018	5,600	1,020	1	51	PT647NTN029
			E24S9K0334-0007	5,600	1,478	1	74	PT647NTN029
			E24S9K0334-0006	5,600	1,476	1	74	PT647NTN029
			E24S9K0334-0005	5,600	1,476	1	74	PT647NTN029
			E24S9K0334-0001	5,600	1,476	1	74	PT647NTN029
			17 BUNDLES		**24,190**	**17**	**1212**	
			E24S9K0333-0014	5,600	1,496	1	75	PT647NTN029
			E24S9K0333-0013	5,600	1,494	1	75	PT647NTN029
			E24S9K0333-0003	5,600	1,496	1	75	PT647NTN029
			E24S9K0333-0011	5,600	1,496	1	75	PT647NTN029
			E24S9K0333-0012	5,600	1,494	1	75	PT647NTN029
			E24S9K0333-0005	5,600	1,496	1	75	PT647NTN029

2	TEMU2577764	SKR054695	E24S9K0333-0019	5,600	998	1	50	PT647NTN029
			E24S9K0333-0018	5,600	1,020	1	51	PT647NTN029
			E24S9K0333-0015	5,600	1,494	1	75	PT647NTN029
			E24S9K0333-0002	5,600	1,496	1	75	PT647NTN029
			E24S9K0333-0001	5,600	1,496	1	75	PT647NTN029
			E24S9K0333-0020	5,600	998	1	50	PT647NTN029
			E24S9K0333-0004	5,600	1,496	1	75	PT647NTN029
			E24S9K0333-0016	5,600	1,496	1	75	PT647NTN029
			E24S9K0333-0006	5,600	1,496	1	75	PT647NTN029
			E24S9K0333-0010	5,600	1,496	1	75	PT647NTN029
			E24S9K0333-0017	5,600	1,496	1	75	PT647NTN029
			17 BUNDLES		**23,954**	**17**	**1201**	
3	SEGU1658952	SKR054696	E24S9K0333-0007	5,600	1,494	1	75	PT647NTN029
			E24S9K0333-0008	5,600	1,496	1	75	PT647NTN029
			E24S9K0333-0009	5,600	1,496	1	75	PT647NTN029
			E24S9K0334-0010	5,600	1,476	1	74	PT647NTN029
			E24S9K0542-G019	5,450	1,684	1	49	PT648NTN028
			E24S9K0542-G016	5,450	1,682	1	49	PT648NTN028
			E24S9K0542-G007	5,450	1,686	1	49	PT648NTN028
			E24S9K0542-G012	5,450	1,686	1	49	PT648NTN028
			E24S9K0542-G001	5,450	1,684	1	49	PT648NTN028
			E24S9K0542-G017	5,450	1,686	1	49	PT648NTN028
			E24S9K0542-G005	5,450	1,686	1	49	PT648NTN028
			E24S9K0542-G018	5,450	1,686	1	49	PT648NTN028
			E24S9K0542-G025	5,450	930	1	27	PT648NTN028
			E24S9K0542-G008	5,450	1,682	1	49	PT648NTN028
			14 BUNDLES		**22,054**	**14**	**767**	
			E24S9K0542-G014	5,450	1,684	1	49	PT648NTN028
			E24S9K0542-G009	5,450	1,684	1	49	PT648NTN028
			E24S9K0542-G013	5,450	1,684	1	49	PT648NTN028
			E24S9K0542-G003	5,450	1,684	1	49	PT648NTN028
			E24S9K0542-G020	5,450	1,684	1	49	PT648NTN028

4	SKLU1589730	SKR054601	E24S9K0542-G021	5,450	1,686	1	49	PT648NTN028
			E24S9K0542-G011	5,450	1,686	1	49	PT648NTN028
			E24S9K0542-G006	5,450	1,686	1	49	PT648NTN028
			E24S9K0542-G004	5,450	1,686	1	49	PT648NTN028
			E24S9K0542-G022	5,450	1,686	1	49	PT648NTN028
			E24S9K0542-G010	5,450	1,686	1	49	PT648NTN028
			E24S9K0542-G002	5,450	1,684	1	49	PT648NTN028
			E24S9K0542-G024	5,450	964	1	28	PT648NTN028
			E24S9K0542-G015	5,450	1,684	1	49	PT648NTN028
			14 BUNDLES		**22,868**	**14**	**665**	
5	BEAU2343011	SKR054602	E24S9N7017-G034	5,800	2,492	1	23	PT648NTN027
			E24S9N7022-G004	5,800	2,414	1	16	PT648NTN027
			E24S9N7022-G005	5,800	2,412	1	16	PT648NTN027
			E24S9N7022-G010	5,800	2,412	1	16	PT648NTN027
			E24S9N7022-G006	5,800	2,412	1	16	PT648NTN027
			E24S9N7022-G011	5,800	1,774	1	12	PT648NTN027
			E24S9N7022-G001	5,800	2,412	1	16	PT648NTN027
			E24S9N7022-G007	5,800	2,414	1	16	PT648NTN027
			E24S9N7022-G009	5,800	2,412	1	16	PT648NTN027
			E24S9N7022-G008	5,800	2,414	1	16	PT648NTN027
			10 BUNDLES		**23,568**	**10**	**163**	
6	SKLU1580564	SKR054603	E24S8N7025-G008	5,800	2,636	1	15	PT647NTN027
			E24S9N7009-G017	5,800	1,700	1	19	PT648NTN027
			E24S9N7017-G039	5,800	2,492	1	23	PT648NTN027
			E24S9N7017-G033	5,800	2,486	1	23	PT648NTN027
			E24S9N7017-G036	5,800	2,492	1	23	PT648NTN027
			E24S9N7017-G030	5,800	2,490	1	23	PT648NTN027
			E24S9N7017-G032	5,800	2,488	1	23	PT648NTN027
			E24S9N7017-G029	5,800	2,492	1	23	PT648NTN027
			E24S9N7022-G003	5,800	2,412	1	16	PT648NTN027
			E24S9N7022-G002	5,800	2,412	1	16	PT648NTN027
			10 BUNDLES		**24,100**	**10**	**204**	

7	SKLU2100280	SKR054604	E24S8N7025-G022	5,800	2,622	1	15	PT647NTN027
			E24S8N7025-G021	5,800	2,628	1	15	PT647NTN027
			E24S8N7025-G020	5,800	2,632	1	15	PT647NTN027
			E24S8N7025-G019	5,800	2,632	1	15	PT647NTN027
			E24S8N7025-G009	5,800	2,632	1	15	PT647NTN027
			E24S7N7007-G005	5,800	2,418	1	16	PT648NTN027
			E24S9N7017-G028	5,800	2,494	1	23	PT648NTN027
			E24S9N7017-G031	5,800	2,488	1	23	PT648NTN027
			E24S9N7017-G035	5,800	2,492	1	23	PT648NTN027
			9 BUNDLES		**23,038**	**9**	**160**	
8	SKLU1320340	SKR054605	E24S8N7025-G017	5,800	2,632	1	15	PT647NTN027
			E24S8N7025-G010	5,800	2,632	1	15	PT647NTN027
			E24S9N7009-G002	5,800	2,420	1	27	PT648NTN027
			E24S9N7009-G004	5,800	2,420	1	27	PT648NTN027
			E24S9N7009-G008	5,800	2,418	1	27	PT648NTN027
			E24S9N7009-G005	5,800	2,418	1	27	PT648NTN027
			E24S9N7009-G009	5,800	2,418	1	27	PT648NTN027
			E24S9N7009-G010	5,800	2,416	1	27	PT648NTN027
			E24S9N7009-G003	5,800	2,420	1	27	PT648NTN027
			E24S9N7017-G042	5,800	1,408	1	13	PT648NTN027
			10 BUNDLES		**23,602**	**10**	**232**	
9	HALU2073178	SKR054606	E24S8N7025-G018	5,800	2,634	1	15	PT647NTN027
			E24S8N7025-G002	5,800	2,638	1	15	PT647NTN027
			E24S9N7009-G012	5,800	2,416	1	27	PT648NTN027
			E24S9N7009-G007	5,800	2,418	1	27	PT648NTN027
			E24S9N7009-G013	5,800	2,416	1	27	PT648NTN027
			E24S9N7009-G016	5,800	2,414	1	27	PT648NTN027
			E24S9N7009-G014	5,800	2,416	1	27	PT648NTN027
			E24S9N7009-G001	5,800	2,420	1	27	PT648NTN027
			E24S9N7009-G018	5,800	2,120	1	25	PT648NTN027
			E24S9N7009-G015	5,800	2,416	1	27	PT648NTN027
			10 BUNDLES		**24,308**	**10**	**244**	

10	**FCIU5790546**	**SKR054607**	E24S8N7009-G001	5,800	2,622	1	15	PT647NTN027
			E24S8N7009-G013	5,800	2,430	1	14	PT647NTN027
			E24S8N7009-G008	5,800	2,626	1	15	PT647NTN027
			E24S8N7009-G009	5,800	2,624	1	15	PT647NTN027
			E24S8N7009-G011	5,800	2,626	1	15	PT647NTN027
			E24S8N7009-G006	5,800	2,624	1	15	PT647NTN027
			E24S8N7009-G010	5,800	2,626	1	15	PT647NTN027
			E24S9N7009-G011	5,800	2,418	1	27	PT648NTN027
			E24S9N7016-G036	5,800	2,488	1	23	PT648NTN027
			9 BUNDLES		**23,084**	**9**	**154**	
11	**HALU2346185**	**SKR054608**	E24S8N7009-G007	5,800	2,626	1	15	PT647NTN027
			E24S8N7009-G005	5,800	2,628	1	15	PT647NTN027
			E24S8N7009-G012	5,800	2,628	1	15	PT647NTN027
			E24S8N7025-G005	5,800	2,406	1	15	PT647NTN027
			E24S8N7025-G001	5,800	2,636	1	15	PT647NTN027
			E24S8N7025-G003	5,800	2,632	1	15	PT647NTN027
			E24S8N7025-G006	5,800	2,638	1	15	PT647NTN027
			E24S9N7016-G034	5,800	2,492	1	23	PT647NTN027
			E24S9N7016-G035	5,800	2,488	1	23	PT648NTN027
			9 BUNDLES		**23,174**	**9**	**151**	
12	**BEAU2996192**	**SKR054609**	E24S8N7025-G014	5,800	2,632	1	15	PT647NTN027
			E24S8N7025-G016	5,800	2,470	1	15	PT647NTN027
			E24S8N7025-G023	5,800	2,626	1	15	PT647NTN027
			E24S8N7025-G004	5,800	2,632	1	15	PT647NTN027
			E24S9N7009-G006	5,800	2,420	1	27	PT648NTN027
			E24S9N7017-G041	5,800	1,514	1	14	PT648NTN027
			E24S9N7017-G043	5,800	2,484	1	23	PT648NTN027
			E24S9N7017-G037	5,800	2,488	1	23	PT648NTN027
			E24S9N7017-G044	5,800	1,396	1	13	PT648NTN027
			E24S9N7017-G040	5,800	2,488	1	23	PT648NTN027
			10 BUNDLES		**23,150**	**10**	**183**	

13	TEMU1310618	SKR054610	E24S8N7009-G002	5,800	2,624	1	15	PT647NTN027
			E24S8N7009-G004	5,800	2,624	1	15	PT647NTN027
			E24S8N7009-G003	5,800	2,626	1	15	PT647NTN027
			E24S8N7025-G015	5,800	2,630	1	15	PT647NTN027
			E24S8N7025-G012	5,800	2,410	1	15	PT647NTN027
			E24S8N7025-G007	5,800	2,638	1	15	PT647NTN027
			E24S8N7025-G011	5,800	2,632	1	15	PT647NTN027
			E24S8N7025-G013	5,800	2,630	1	15	PT647NTN027
			E24S9N7017-G038	5,800	2,490	1	23	PT648NTN027
			9 BUNDLES		**23,304**	**9**	**143**	

G.TOTAL : 148BUNDLES / NET WEIGHT : 304,394KGS / GROSS WEIGHT : 304,394KGS / 65CBM