Consignor/Shipper
TOYOTA TSUSHO KOREA CORPORATION
30F, MIRAE ASSET CENTER 1 WEST TOWER,
67, SUHA-DONG, JUNG-GU, SEOUL 04539, KOREA

COMBINED TRANSPORT BILL OF LADING

B/L No. WBLCH2411001

Reg.No.

WORLD BEST LOGIS

WORLD BEST LOGIS CO., LTD.

TEL. 82-70-7076-8518 FAX. 82-70-7076-9400
E-mail. world@wblkorea.co.kr

Consignee
TOYOTA TSUSHO(THAILAND)CO.,LTD
607 ASOKE-DINDAENG ROAD,KWAENG
DINDAENG,KHET DINDAENG, BANGKOK 10400 THAILAND
MS. NICHAREE
TEL)66-2625-5952

Notify Party
TOYOTA TSUSHO(THAILAND)CO.,LTD
607 ASOKE-DINDAENG ROAD,KWAENG
DINDAENG,KHET DINDAENG, BANGKOK 10400 THAILAND
MS. NICHAREE
TEL)66-2625-5952

For delivery of goods please apply to:
PJ TRANS MILLENNIUM CO., LTD.
1000/57-58 TROKWATJANNAI, RAMA III ROAD
BANGKLO, BANGKORLAEM, BANGKOK 10120, THAILAND.
ATTN : JATURON
TEL : 662-2969599 FAX : 662-683-7945~6

Pre-carriage by	Place of Receipt
	BUSAN, KOREA

Vessel/Voyage No.
WAN HAI 317 S225

Port of Loading	Port of Discharge	Place of Delivery	Final Destination(For the Merchant Ref.)
BUSAN, KOREA	LAEM CHABANG, THAILAND	LAEM CHABANG, THAILAND	

PARTICULARS FURNISHED BY CONSIGNOR/SHIPPER

Container No. & Seal No. Marks and No.	No. & Kinds of Containers or P' kgs	Description of Goods	Gross Weight	Measurement
- ATTACHED RIDER -	140 BUNDLES 20`DV x 13	SAID TO CONTAIN: 140 BUNDLES OF HOT ROLLED ALLOY STEEL ROUND BARS HOT ROLLED ALLOY STEEL ROUND BARS PEELED HOT ROLLED STEEL ROUND BARS	307,804.000KG	65.000CBM

COPY
NON-NEGOTIABLE

ON BOARD DATE:
NOV.11,2024

SURRENDERED

CFS/CY "FREIGHT PREPAID"

Excess Value Declaration(Refer to § Ⅱ-4.3) :

Total Number of Containers or Packages(in words) SAY : ONE HUNDRED AND FORTY (140) BUNDLES ONLY.

Freight Payable at SEOUL, KOREA

Freight & Charges	Prepaid	Collect
FREIGHT PREPAID AS ARRANGED		

Received by the Carrier, the Goods specified herein in apparent good order and condition unless otherwise stated, to be transported to such place as agreed, authorized or permitted herein and subject to all the terms and conditions appearing on the front and reverse of this Multimodal Transport Bill of Lading (hereinafter called the 'B/L') to which the Merchant agrees by accepting this B/L, notwithstanding any local privileges, customs or any other agreements between the parties. The particulars of the Goods provided herein were stated by the shipper and the weight, measurements, quantity, condition, contents and value of the Goods are unknown to the Carrier. In witness where of three(3) original B/L(s) have been signed unless otherwise stated herein. If two(2) or more original B/L(s) have been issued and either one(1) has been surrendered, all the other(s) shall be null and void. If required by the Carrier one(1) duly endorsed original B/L must be surrendered in exchange for the Goods or delivery order.

Place and Date of Issue
SEOUL, KOREA NOV.11,2024

No. of Original B/L
ZERO(0)

Signature

B/L No. WBLCH2411001

WORLD BEST LOGIS CO., LTD.
ACTING AS A CARRIER

- ATTACHED RIDER -

Vessel/Voy:WAN HAI 317 S225 B/L No.:WBLCH2411001

NTN
GRADE
HEAT NO
SIZE
Q`TY
SEAH BESTEEL

WHLU0692580/WHLT956265
WHLU0704654/WHLT950378
WHSU0239413/WHLT951798
WHSU2113506/WHLT951847
WHSU2131794/WHLT951151
WHSU2166574/WHLT951100
WHSU2184428/WHLT951157
WHSU2187330/WHLT956321
WHSU2396010/WHLT958614
WHSU2468050/WHLT958919
WHSU2597735/WHLT955362
WHSU2708037/WHLT951977
WHSU2991950/WHLT951184

Original

1.Goods consigned from (Exporter's business name, address, country) TOYOTA TSUSHO KOREA CORPORATION 30F, MIRAE ASSET CENTER 1 WEST TOWER, 67, SUHA-DONG, JUNG-GU, SEOUL 04539, KOREA Tel: 02-6744-6736 Fax: 02-6744-6897	Reference No. C010-24-0049950 Reference code. 2mr6-r2wf **KOREA-ASEAN FREE TRADE AREA PREFERENTIAL TARIFF CERTIFICATE OF ORIGIN** (Combined Declaration and Certificate) FORM AK Issued in the REPUBLIC OF KOREA (Country) See Notes Overleaf
2.Goods consigned to (Consignee's name, address, country) TOYOTA TSUSHO THAILAND CO LTD 607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG BANGKOK 10400 THAILAND	
3.Means of transport and route(as far as known) Departure date : 11-NOV-2024 Vessel's name/Aircraft etc : WAN HAI 317 S225 Port of Discharge : LAEM CHABANG, Thailand	4. For official use ☐ Preferential Treatment Given Under KOREA-ASEAN Free Trade Area Preferential Tariff ☐ Preferential Treatment Not Given (Please state reason/s) Signature of Authorized Signatory of the importing Country

5.Item number	6.Marks and numbers on packages	7.Number and type of packages, description of goods (including quantity where appropriate and HS number of the importing country)	8.Origin criterion (see notes overleaf)	9.Gross weight or other quantity, and Value (FOB only when RVC criterion is used)	10.Number and date of invoices
1	NTN GRADE HEAT NO SIZE Q'TY SEAH BESTEEL //////////////////////////	HOT ROLLED ALLOY STEEL ROUND BARS 38B3 29.00MM X 5750MM 7BUNDLES 10.218 MT HS No. 7228.30	CTH	10.218(MT)	TTKT2-NTNTH-241101 01-NOV-2024 ////////////////
2		HOT ROLLED ALLOY STEEL ROUND BARS 38B3 30.50MM X 5600MM 12BUNDLES 20.116 MT HS No. 7228.30	CTH	20.116(MT)	
3		HOT ROLLED ALLOY STEEL ROUND BARS PEELED 38B3 24.00MM X 5600MM 12BUNDLES 16.074 MT HS No. 7228.50	CTH	16.074(MT)	
4		HOT ROLLED STEEL ROUND BARS S53C 55.00MM X 5800MM 46BUNDLES	CTH	109.472(MT)	

11.Declaration by the exporter The undersigned hereby declares that the above details and statements are correct, that all the goods were produced in THE REPUBLIC OF KOREA (Country) and that they comply with the origin requirements specified for these goods in the KOREA-ASEAN Free Trade Area Preferential Tariff for goods exported to THAILAND (Importing Country) Seoul, Republic of Korea, 11-NOV-2024 Place and date, signature of authorized signatory	12.Certification It is hereby certified on the basis of control carried out, that the declaration by the exporter is correct. KANG YOON SUN KANG YOON SUN SEOUL MAIN CUSTOMS REPUBLIC OF KOREA 11-NOV-2024 SEOUL MAIN CUSTOMS REPUBLIC OF KOREA Place and date, signature and stamp of certifying authority

13. ☐ Third Country Invoicing ☐ Exhibition ☐ Back-to-Back C/O

※ You can verify the authenticity of this Certificate of Origin at **www.customs.go.kr/co.html**

Reference No. C010-24-0049950
Reference Code. 2mr6-r2wf

Original

5.Item number	6.Marks and numbers on packages	7.Number and type of packages, description of goods (including quantity where appropriate and HS number of the importing country)	8.Origin criterion (see notes overleaf)	9.Gross weight or other quantity, and Value (FOB only when RVC criterion is used)	10.Number and date of invoices
		109.472 MT HS No. 7214.99			
5 ////////		HOT ROLLED STEEL ROUND BARS S53C 70.00MM X 5800MM 63BUNDLES 151.924 MT HS No. 7214.99 //	CTH ////////////////	151.924(MT) //////////////////	

11.Declaration by the exporter

The undersigned hereby declares that the above details and statements are correct, that all the goods were produced in

THE REPUBLIC OF KOREA
(Country)

and that they comply with the origin requirements specified for these goods in the KOREA-ASEAN Free Trade Area Preferential Tariff for goods exported to

THAILAND
(Importing Country)

Seoul, Republic of Korea, 11-NOV-2024
Place and date, signature of authorized signatory

12.Certification

It is hereby certified on the basis of control carried out, that the declaration by the exporter is correct.

KANG YOON SUN

KANG YOON SUN

SEOUL MAIN CUSTOMS REPUBLIC OF KOREA 관세청 KOREA CUSTOMS SERVICE 1876

11-NOV-2024 SEOUL MAIN CUSTOMS REPUBLIC OF KOREA
Place and date, signature and stamp of certifying authority

13. ☐ Third Country Invoicing ☐ Exhibition ☐ Back-to-Back C/O

※ You can verify the authenticity of this Certificate of Origin at **www.customs.go.kr/co.html**

Triplicate

1.Goods consigned from (Exporter's business name, address, country) TOYOTA TSUSHO KOREA CORPORATION 30F, MIRAE ASSET CENTER 1 WEST TOWER, 67, SUHA-DONG, JUNG-GU, SEOUL 04539, KOREA Tel: 02-6744-6736 Fax: 02-6744-6897	Reference No. C010-24-0049950 Reference code. 2mr6-r2wf **KOREA-ASEAN FREE TRADE AREA PREFERENTIAL TARIFF CERTIFICATE OF ORIGIN** (Combined Declaration and Certificate) FORM AK Issued in the REPUBLIC OF KOREA (Country) See Notes Overleaf
2.Goods consigned to (Consignee's name, address, country) TOYOTA TSUSHO THAILAND CO LTD 607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG BANGKOK 10400 THAILAND	
3.Means of transport and route(as far as known) Departure date : 11-NOV-2024 Vessel's name/Aircraft etc : WAN HAI 317 S225 Port of Discharge : LAEM CHABANG, Thailand	4. For official use ☐ Preferential Treatment Given Under KOREA-ASEAN Free Trade Area Preferential Tariff ☐ Preferential Treatment Not Given (Please state reason/s) Signature of Authorized Signatory of the importing Country

5.Item number	6.Marks and numbers on packages	7.Number and type of packages, description of goods (including quantity where appropriate and HS number of the importing country)	8.Origin criterion (see notes overleaf)	9.Gross weight or other quantity, and Value (FOB only when RVC criterion is used)	10.Number and date of invoices
1	NTN GRADE HEAT NO SIZE Q'TY SEAH BESTEEL //////////////////////////	HOT ROLLED ALLOY STEEL ROUND BARS 38B3 29.00MM X 5750MM 7BUNDLES 10.218 MT HS No. 7228.30	CTH	10.218(MT)	TTKT2-NTNTH-241101 01-NOV-2024 ////////////////
2		HOT ROLLED ALLOY STEEL ROUND BARS 38B3 30.50MM X 5600MM 12BUNDLES 20.116 MT HS No. 7228.30	CTH	20.116(MT)	
3		HOT ROLLED ALLOY STEEL ROUND BARS PEELED 38B3 24.00MM X 5600MM 12BUNDLES 16.074 MT HS No. 7228.50	CTH	16.074(MT)	
4		HOT ROLLED STEEL ROUND BARS S53C 55.00MM X 5800MM 46BUNDLES	CTH	109.472(MT)	

11.Declaration by the exporter The undersigned hereby declares that the above details and statements are correct, that all the goods were produced in THE REPUBLIC OF KOREA (Country) and that they comply with the origin requirements specified for these goods in the KOREA-ASEAN Free Trade Area Preferential Tariff for goods exported to THAILAND (Importing Country) Seoul, Republic of Korea, 11-NOV-2024 Place and date, signature of authorized signatory	12.Certification It is hereby certified on the basis of control carried out, that the declaration by the exporter is correct. KANG YOON SUN KANG YOON SUN SEOUL MAIN CUSTOMS REPUBLIC OF KOREA 11-NOV-2024 SEOUL MAIN CUSTOMS REPUBLIC OF KOREA Place and date, signature and stamp of certifying authority

13. ☐ Third Country Invoicing ☐ Exhibition ☐ Back-to-Back C/O

※ You can verify the authenticity of this Certificate of Origin at **www.customs.go.kr/co.html**

Reference No. C010-24-0049950
Reference Code. 2mr6-r2wf

Triplicate

5.Item number	6.Marks and numbers on packages	7.Number and type of packages, description of goods (including quantity where appropriate and HS number of the importing country)	8.Origin criterion (see notes overleaf)	9.Gross weight or other quantity, and Value (FOB only when RVC criterion is used)	10.Number and date of invoices
		109.472 MT HS No. 7214.99			
5 //////////		HOT ROLLED STEEL ROUND BARS S53C 70.00MM X 5800MM 63BUNDLES 151.924 MT HS No. 7214.99 //	CTH //////////////////	151.924(MT) //////////////////	

11.Declaration by the exporter

The undersigned hereby declares that the above details and statements are correct, that all the goods were produced in

THE REPUBLIC OF KOREA
(Country)

and that they comply with the origin requirements specified for these goods in the KOREA-ASEAN Free Trade Area Preferential Tariff for goods exported to

THAILAND
(Importing Country)

Seoul, Republic of Korea, 11-NOV-2024
Place and date, signature of authorized signatory

12.Certification

It is hereby certified on the basis of control carried out, that the declaration by the exporter is correct.

KANG YOON SUN

KANG YOON SUN

SEOUL MAIN CUSTOMS REPUBLIC OF KOREA 관세청 KOREA CUSTOMS SERVICE 1678

11-NOV-2024 SEOUL MAIN CUSTOMS REPUBLIC OF KOREA
Place and date, signature and stamp of certifying authority

13. ☐ Third Country Invoicing ☐ Exhibition ☐ Back-to-Back C/O

※ You can verify the authenticity of this Certificate of Origin at **www.customs.go.kr/co.html**

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002118
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25108
Size : 24 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled , As Peeled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)										
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ti	B
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×1000	×10000
Spec.	Min.	37	15	85						20	30	8
	Max.	40	35	110	30	25	25	20	20	50	60	30
Ladle Result		37	26	89	24	12	18	8	20	23	32	21

Inspection Items		Hardenability(End Quenching Method) HRC, mm												
		1.5	3	5	7	9	11	13	15	20	25	30	35	40
Spec.	Min.	52	50	48	39	31	25	20						
	Max.	60	59	58	57	54	48	42	36	30	27	25	23	22
Result		54	54	53	52	51	46	38	30	24	22	21	18	16

Inspection Items		Nonmetallic Inclusion (ASTM E-45)							
		A(T)	A(H)	B(T)	B(H)	C(T)	C(H)	D(T)	D(H)
Spec.	Min.								
	Max.	3	2	2.5	2	2	1	1.5	1
Result		2.3	.7	.2	.2	.0	.0	1.0	.5

Inspection Items		Macro Structure			
		DENDRITE	PIT	CENTER	PATTERN
Spec.	Min.				
	Max.	3	3	3	2
Result		1	1	1	1

Inspection Items		Austenite Grain Size
Spec.	Min.	5
	Max.	
Result		7.5

Inspection Items		Decarburized Layer (mm)
		DM-T
Spec.	Min.	0
	Max.	0
Result		.00

Inspection Items		Gas Analysis (ppm)	
		O_2	N_2
Spec.	Min.		
	Max.	20	120
Result		9.20	49.80

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002118
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25108
Size : 24 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled , As Peeled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.	172		
	Max.	223		
Result		206		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		61.0		

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	39									
Weight(kg)	778									
Length(mm)	5,600									

* MADE IN KOREA / * P.O.# : PT647NTN029

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002119
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25108
Size : 24 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled , As Peeled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)										
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ti	B
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×1000	×10000
Spec.	Min.	37	15	85						20	30	8
	Max.	40	35	110	30	25	25	20	20	50	60	30
Ladle Result		37	26	89	24	12	18	8	20	23	32	21

Inspection Items		Hardenability(End Quenching Method) HRC, mm												
		1.5	3	5	7	9	11	13	15	20	25	30	35	40
Spec.	Min.	52	50	48	39	31	25	20						
	Max.	60	59	58	57	54	48	42	36	30	27	25	23	22
Result		54	54	53	52	51	46	38	30	24	22	21	18	16

Inspection Items		Nonmetallic Inclusion (ASTM E-45)							
		A(T)	A(H)	B(T)	B(H)	C(T)	C(H)	D(T)	D(H)
Spec.	Min.								
	Max.	3	2	2.5	2	2	1	1.5	1
Result		2.3	.7	.2	.2	.0	.0	1.0	.5

Inspection Items		Macro Structure			
		DENDRITE	PIT	CENTER	PATTERN
Spec.	Min.				
	Max.	3	3	3	2
Result		1	1	1	1

Inspection Items		Austenite Grain Size
Spec.	Min.	5
	Max.	
Result		7.5

Inspection Items		Decarburized Layer (mm)
		DM-T
Spec.	Min.	0
	Max.	0
Result		.00

Inspection Items		Gas Analysis (ppm)	
		O_2	N_2
Spec.	Min.		
	Max.	20	120
Result		9.20	49.80

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002119
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25108
Size : 24 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled , As Peeled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.	172		
	Max.	223		
Result		205		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		61.0		

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	767									
Weight(kg)	15,296									
Length(mm)	5,600									

* MADE IN KOREA / * P.O.# : PT647NTN029

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002120
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25109
Size : 29 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)										
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ti	B
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×1000	×10000
Spec.	Min.	37	15	85						20	30	8
	Max.	40	35	110	30	25	25	20	20	50	60	30
Ladle Result		38	23	90	21	14	15	6	14	23	33	22

Inspection Items		Hardenability(End Quenching Method) HRC, mm												
		1.5	3	5	7	9	11	13	15	20	25	30	35	40
Spec.	Min.	52	50	48	39	31	25	20						
	Max.	60	59	58	57	54	48	42	36	30	27	25	23	22
Result		54	54	54	52	49	37	28	26	23	21	20	19	17

Inspection Items		Nonmetallic Inclusion (ASTM E-45)							
		A(T)	A(H)	B(T)	B(H)	C(T)	C(H)	D(T)	D(H)
Spec.	Min.	0	0	0	0	0	0	0	0
	Max.	3	2	2.5	2	2	1	1.5	1
Result		2.6	.5	.3	.0	.2	.2	1.0	.5

Inspection Items		Macro Structure			
		DENDRITE	PIT	CENTER	PATTERN
Spec.	Min.				
	Max.	3	3	3	2
Result		1	1	1	1

Inspection Items		Austenite Grain Size
Spec.	Min.	5
	Max.	
Result		7.0

Inspection Items		Decarburized Layer (mm)
		DM-T
Spec.	Min.	0
	Max.	.25
Result		.17

Inspection Items		Gas Analysis (ppm)	
		O_2	N_2
Spec.	Min.		
	Max.	20	120
Result		8.60	31.53

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002120
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25109
Size : 29 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.	172		
	Max.	223		
Result		206		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		49.1		

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	342									
Weight(kg)	10,218									
Length(mm)	5,750									

- According to SR2021000492 approved.
- Al killed and Vacuum degassed
- Appropriate cutting of head and tail of casting sequence
- Chamfering of each end

* MADE IN KOREA / * P.O.# : PT648NTN028

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002121
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D25509
Size : 70 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN
Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)																			
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ni+Cr										
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×100										
Spec.	Min.	50	15	70					10												
	Max.	56	35	90	25	25	25	20	20	50	35										
Ladle Result		52	26	79	16	6	15	7	12	13	19										

Inspection Items		Macro Structure					
		DENDRITE	PIT	CENTER	PATTERN		
Spec.	Min.						
	Max.	3	3	3	2		
Result		1	1	2	1		

Inspection Items		Test Piece Tensile Test (N /)					
		TS	YS	EL(%)	ROA(%)		
Spec.	Min.	780	590	14	35		
	Max.						
Result		853.47	686.96	20.42	52.69		

Inspection Items		Austenite Grain Size		
Spec.	Min.	5		
	Max.			
Result		7.0		

Inspection Items		Decarburized Layer (mm)		
		DM-T		
Spec.	Min.			
	Max.	.5		
Result		.29		

Inspection Items		Gas Analysis (ppm)		
		O_2		
Spec.	Min.			
	Max.	15		
Result		6.20		

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Nonmetallic Inclusion (JIS G 0555)		
		dA	dT	d(B+C)
Spec.	Min.			
	Max.	.1	.2	.1
Result		.05	.06	.01

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.			
	Max.	241		
Result		231		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		8.4		

Inspection Items		Segregation Test (%)		
Spec.	Min.			
	Max.			
Result		GOOD		

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002121
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D25509
Size : 70 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Test Piece Charpy Impact Test (J /)		
		TEMP.(℃)	L-AVERAGE	
Spec.	Min.	20	59	
	Max.	20		
Result		20	113.63	

Inspection Items		Test Piece Hardness (HB)		
		SURFACE		
Spec.	Min.	229		
	Max.	285		
Result		249		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	507									
Weight(kg)	88,660									
Length(mm)	5,800									

- According to approved Documenet SRR2020000461
- Specification : Draft for CVJ, HS-D-SC0550HE_2003(1)
- Billet : 180x180
- The result of macro grade of the semi-finished(as casted) product : OK

* MADE IN KOREA / * P.O.# : PT648NTN027

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002122
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D25508
Size : 70 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)																			
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ni+Cr										
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×100										
Spec.	Min.	50	15	70					10												
	Max.	56	35	90	25	25	25	20	20	50	35										
Ladle Result		52	25	79	17	8	13	7	12	16	19										

Inspection Items		Macro Structure					
		DENDRITE	PIT	CENTER	PATTERN		
Spec.	Min.						
	Max.	3	3	3	2		
Result		1	1	2	1		

Inspection Items		Test Piece Tensile Test (N /)					
		TS	YS	EL(%)	ROA(%)		
Spec.	Min.	780	590	14	35		
	Max.						
Result		838.17	659.10	22.36	52.29		

Inspection Items		Austenite Grain Size		
Spec.	Min.	5		
	Max.			
Result		7.0		

Inspection Items		Decarburized Layer (mm)		
		DM-T		
Spec.	Min.			
	Max.	.5		
Result		.33		

Inspection Items		Gas Analysis (ppm)		
		O_2		
Spec.	Min.			
	Max.	15		
Result		4.01		

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Nonmetallic Inclusion (JIS G 0555)		
		dA	dT	d(B+C)
Spec.	Min.			
	Max.	.1	.2	.1
Result		.05	.05	.01

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.			
	Max.	241		
Result		232		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		8.4		

Inspection Items		Segregation Test (%)		
Spec.	Min.			
	Max.			
Result		GOOD		

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002122
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D25508
Size : 70 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Test Piece Charpy Impact Test (J /)		
		TEMP.(℃)	L-AVERAGE	
Spec.	Min.	20	59	
	Max.	20		
Result		20	112.41	

Inspection Items		Test Piece Hardness (HB)		
		SURFACE		
Spec.	Min.	229		
	Max.	285		
Result		244		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	362									
Weight(kg)	63,264									
Length(mm)	5,800									

- According to approved Documenet SRR2020000461
- Specification : Draft for CVJ, HS-D-SC0550HE_2003(1)
- Billet : 180x180
- The result of macro grade of the semi-finished(as casted) product : OK

* MADE IN KOREA / * P.O.# : PT648NTN027

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002123
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25359
Size : 30.5 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)										
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ti	B
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×1000	×10000
Spec.	Min.	37	15	85						20	30	8
	Max.	40	35	110	30	25	25	20	20	50	60	30
Ladle Result		38	25	90	16	14	13	7	13	20	31	23

Inspection Items		Hardenability(End Quenching Method) HRC, mm												
		1.5	3	5	7	9	11	13	15	20	25	30	35	40
Spec.	Min.	52	50	48	39	31	25	20						
	Max.	60	59	58	57	54	48	42	36	30	27	25	23	22
Result		54	54	54	52	49	36	29	25	23	21	20	17	16

Inspection Items		Nonmetallic Inclusion (ASTM E-45)							
		A(T)	A(H)	B(T)	B(H)	C(T)	C(H)	D(T)	D(H)
Spec.	Min.	0	0	0	0	0	0	0	0
	Max.	3	2	2.5	2	2	1	1.5	1
Result		2.9	.9	.0	.0	.0	.0	1.0	.5

Inspection Items		Macro Structure			
		DENDRITE	PIT	CENTER	PATTERN
Spec.	Min.				
	Max.	3	3	3	2
Result		1	1	1	1

Inspection Items		Austenite Grain Size
Spec.	Min.	5
	Max.	
Result		8.0

Inspection Items		Decarburized Layer (mm)
		DM-T
Spec.	Min.	0
	Max.	.25
Result		.21

Inspection Items		Gas Analysis (ppm)	
		O_2	N_2
Spec.	Min.		
	Max.	20	120
Result		7.13	45.03

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002123
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : 38B3
Heat No. : D25359
Size : 30.5 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.	172		
	Max.	223		
Result		198		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		44.3		

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	624									
Weight(kg)	20,116									
Length(mm)	5,600									

- According to SR2021000492 approved.
- Al killed and Vacuum degassed
- Appropriate cutting of head and tail of casting sequence
- Chamfering of each end

* MADE IN KOREA / * P.O.# : PT649NTN028

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002124
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D25097
Size : 55 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN
Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Chemical Composition (wt. %)																			
		C	Si	Mn	P	S	Cu	Ni	Cr	Al	Ni+Cr										
		×100	×100	×100	×1000	×1000	×100	×100	×100	×1000	×100										
Spec.	Min.	50	15	70					10												
	Max.	56	35	90	25	25	25	20	20	50	35										
Ladle Result		51	25	77	14	4	16	7	14	19	21										

Inspection Items		Macro Structure					
		DENDRITE	PIT	CENTER	PATTERN		
Spec.	Min.						
	Max.	3	3	3	2		
Result		1	1	1	1		

Inspection Items		Test Piece Tensile Test (N /)					
		TS	YS	EL(%)	ROA(%)		
Spec.	Min.	780	590	14	35		
	Max.						
Result		903.88	721.18	20.22	51.20		

Inspection Items		Austenite Grain Size		
Spec.	Min.	5		
	Max.			
Result		7.5		

Inspection Items		Decarburized Layer (mm)		
		DM-T		
Spec.	Min.			
	Max.	.5		
Result		.27		

Inspection Items		Gas Analysis (ppm)		
		O_2		
Spec.	Min.			
	Max.	15		
Result		2.52		

Inspection Items		Macro Streak Flaw		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Micro Structure		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Nonmetallic Inclusion (JIS G 0555)		
		dA	dT	d(B+C)
Spec.	Min.			
	Max.	.1	.2	.1
Result		.05	.06	.01

Inspection Items		Product Hardness (HB)		
		MID		
Spec.	Min.			
	Max.	241		
Result		225		

Inspection Items		Reduction Ratio		
Spec.	Min.	6		
	Max.			
Result		13.6		

Inspection Items		Segregation Test (%)		
Spec.	Min.			
	Max.			
Result		GOOD		

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

SeAH Besteel

522, Oehang-ro, Gunsan-si, Jeollabuk-do, Republic of Korea (54007)

INSPECTION CERTIFICATE

ACCORDING TO EN10204:2004, Type 3.1

Date : 2024-11-04
Cert. No. : 202411-002124
Made in Korea
Melted and poured in the Republic of Korea

Steel Grade : S53C
Heat No. : D25097
Size : 55 mm
Commodity : Round Bar

Specification :
Melting Process : EAF-LF-VD(RH)-CC
Delivery Condition : As Rolled

Customer : NTN

Supplier : SeAH Besteel
Serial-No. :

Inspection Items		Surface Inspection (mm)		
Spec.	Min.			
	Max.			
Result		GOOD		

Inspection Items		Test Piece Charpy Impact Test (J /)		
		TEMP.(℃)	L-AVERAGE	
Spec.	Min.	20	59	
	Max.	20		
Result		20	125.03	

Inspection Items		Test Piece Hardness (HB)		
		SURFACE		
Spec.	Min.	229		
	Max.	285		
Result		251		

Inspection Items		Ultrasonic Test		
Spec.	Min.			
	Max.			
Result		GOOD		

Bundle	TOTAL									
Quantity(pcs)	1,017									
Weight(kg)	109,472									
Length(mm)	5,800									

<<Remark>> - According to approved Documenet SRR2020000461
- Specification : Draft for CVJ, HS-D-SC0550HE_2003(1)
- Billet : 180x180
- The result of macro grade of the semi-finished(as casted) product : OK
* MADE IN KOREA / * P.O.# : PT649NTN027

We hereby certify that the material described herein has been made in accordance with the rules of the contract.
Our quality system is certified in accordance with IATF 16949:2016 / ISO 9001:2015 by KSA

TEL : +82-(0)2-6970-2192(Sales) +82-(0)63-460-8573(QA) / 8285(QA) / 8516(Technology Service) FAX : +82-(0)63-460-8423

Certified by S. J. Yoon.

Manager of Quality Assurance Team.

WORLD BEST LOGIS CO., LTD.

RM307, HANARO BLDG., 25, INSA-DONG 5-GIL, JONGNO-GU, SEOUL 03162, KOREA.
Tel : 82-70-7076-8518 Fax : 82-70-7076-9400 world@wblkorea.com

TALLY SHEET

SHIPPER : TOYOTA **DEST.,: LAEM CHABANG, THAILAND** **COMMODITY : STEEL ROUND BAR** **2024.11.05**

NO.	CONTAINER NO.	SEAL NO.	PROD. NO.	LENGTH	G.WT	Q`ty(BUNDLE)	Q'ty(BAR)	PO NO.
1	WHSU2708037	WHLT951977	E24S9K0335-0005	5,600	1,416	1	71	PT647NTN029
			E24S9K0335-0007	5,600	1,416	1	71	PT647NTN029
			E24S9K0335-0008	5,600	1,414	1	71	PT647NTN029
			E24S9K0335-0009	5,600	1,416	1	71	PT647NTN029
			E24S9K0349-0006	5,600	1,374	1	46	PT648NTN028
			E24SAK0225-G001	5,600	1,678	1	52	PT649NTN028
			E24SAK0225-G003	5,600	1,674	1	52	PT649NTN028
			E24SAK0225-G004	5,600	1,676	1	52	PT649NTN028
			E24SAK0225-G005	5,600	1,674	1	52	PT649NTN028
			E24SAK0225-G006	5,600	1,674	1	52	PT649NTN028
			E24SAK0225-G007	5,600	1,676	1	52	PT649NTN028
			E24SAK0225-G008	5,600	1,674	1	52	PT649NTN028
			E24SAK0225-G009	5,600	1,678	1	52	PT649NTN028
			E24SAK0225-G010	5,600	1,678	1	52	PT649NTN028
			E24SAK0225-G012	5,600	1,678	1	52	PT649NTN028
			15 BUNDLES		**23,796**	**15**	**850**	
2	WHSU2184428	WHLT951157	E24S9K0334-0019	5,600	778	1	39	PT647NTN029
			E24S9K0335-0001	5,600	1,416	1	71	PT647NTN029
			E24S9K0335-0002	5,600	1,416	1	71	PT647NTN029
			E24S9K0335-0003	5,600	1,416	1	71	PT647NTN029
			E24S9K0335-0004	5,600	1,416	1	71	PT647NTN029
			E24S9K0335-0006	5,600	1,416	1	71	PT647NTN029
			E24S9K0335-0010	5,600	1,416	1	71	PT647NTN029
			E24S9K0335-0011	5,600	1,138	1	57	PT647NTN029
			E24S9K0349-0001	5,600	1,494	1	50	PT648NTN028
			E24S9K0349-0002	5,600	1,494	1	50	PT648NTN028

			E24S9K0349-0003	5,600	1,494	1	50	PT648NTN028
			E24S9K0349-0004	5,600	1,494	1	50	PT648NTN028
			E24S9K0349-0005	5,600	1,494	1	50	PT648NTN028
			E24S9K0349-0007	5,600	1,374	1	46	PT648NTN028
			E24SAK0225-G002	5,600	1,678	1	52	PT649NTN028
			E24SAK0225-G011	5,600	1,678	1	52	PT649NTN028
			16 BUNDLES		**22,612**	**16**	**922**	
3	**WHLU2131794**	**WHLT951151**	E24S9N7035-G003	5,800	2,454	1	14	PT648NTN027
			E24S9N7035-G014	5,800	2,458	1	14	PT648NTN027
			E24S9N7035-G015	5,800	2,458	1	14	PT648NTN027
			E24S9N7035-G016	5,800	2,352	1	14	PT648NTN027
			E24S9N7035-G017	5,800	2,456	1	14	PT648NTN027
			E24S9N7035-G018	5,800	2,458	1	14	PT648NTN027
			E24S9N7034-G004	5,800	2,456	1	14	PT648NTN027
			E24S9N7034-G006	5,800	2,454	1	14	PT648NTN027
			E24S9N7034-G008	5,800	2,454	1	14	PT648NTN027
			E24SAN7010-G031	5,800	2,492	1	23	PT649NTN027
			10 BUNDLES		**24,492**	**10**	**149**	
4	**WHLU0704654**	**WHLT950378**	E24S9N7035-G023	5,800	2,450	1	14	PT648NTN027
			E24S9N7034-G012	5,800	2,414	1	14	PT648NTN027
			E24SAN7010-G004	5,800	2,494	1	23	PT649NTN027
			E24SAN7010-G014	5,800	2,498	1	23	PT649NTN027
			E24SAN7010-G015	5,800	2,362	1	23	PT649NTN027
			E24SAN7010-G016	5,800	2,498	1	23	PT649NTN027
			E24SAN7010-G021	5,800	2,294	1	23	PT649NTN027
			E24SAN7010-G022	5,800	2,496	1	23	PT649NTN027
			E24SAN7010-G023	5,800	2,492	1	23	PT649NTN027
			E24SAN7010-G024	5,800	2,492	1	23	PT649NTN027
			10 BUNDLES		**24,490**	**10**	**212**	
			E24S9N7035-G010	5,800	2,456	1	14	PT648NTN027
			E24S9N7035-G011	5,800	2,430	1	14	PT648NTN027
			E24S9N7034-G019	5,800	2,450	1	14	PT648NTN027

5	WHSU2166574	WHLT951100	E24S9N7034-G033	5,800	2,450	1	14	PT648NTN027
			E24S9N7034-G034	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G037	5,800	2,004	1	12	PT648NTN027
			E24SAN7010-G002	5,800	2,490	1	23	PT649NTN027
			E24SAN7010-G005	5,800	2,490	1	23	PT649NTN027
			E24SAN7010-G009	5,800	2,386	1	23	PT649NTN027
			E24SAN7010-G010	5,800	2,496	1	23	PT649NTN027
			10 BUNDLES		**24,104**	**10**	**174**	
6	WHSU0239413	WHLT951798	E24S9N7035-G004	5,800	2,454	1	14	PT648NTN027
			E24S9N7035-G019	5,800	2,414	1	14	PT648NTN027
			E24S9N7035-G020	5,800	2,452	1	14	PT648NTN027
			E24S9N7035-G021	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G026	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G027	5,800	2,454	1	14	PT648NTN027
			E24S9N7034-G029	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G031	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G032	5,800	2,452	1	14	PT648NTN027
			E24SAN7010-G008	5,800	2,492	1	23	PT649NTN027
			10 BUNDLES		**24,526**	**10**	**149**	
7	WHSU2597735	WHLT955362	E24S9N7035-G022	5,800	2,452	1	14	PT648NTN027
			E24S9N7035-G027	5,800	2,274	1	13	PT648NTN027
			E24S9N7035-G028	5,800	2,242	1	13	PT648NTN027
			E24S9N7034-G001	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G002	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G010	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G011	5,800	2,450	1	14	PT648NTN027
			E24SAN7010-G003	5,800	2,492	1	23	PT649NTN027
			E24SAN7010-G033	5,800	2,492	1	23	PT649NTN027
			E24SAN7010-G034	5,800	2,494	1	23	PT649NTN027
			10 BUNDLES		**24,252**	**10**	**165**	
			E24S9N7035-G012	5,800	2,458	1	14	PT648NTN027
			E24S9N7034-G007	5,800	2,452	1	14	PT648NTN027

8	WHSU2113506	WHLT951847	E24S9N7034-G009	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G020	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G028	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G030	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G035	5,800	2,452	1	14	PT648NTN027
			E24SAN7010-G013	5,800	2,500	1	23	PT649NTN027
			E24SAN7010-G018	5,800	2,244	1	23	PT649NTN027
			E24SAN7010-G043	5,800	1,408	1	13	PT649NTN027
			10 BUNDLES		**23,322**	**9**	**157**	
9	WHSU2468050	WHLT958919	E24S9N7035-G009	5,800	2,456	1	14	PT648NTN027
			E24S9N7034-G025	5,800	2,454	1	14	PT648NTN027
			E24SAN7010-G017	5,800	2,496	1	23	PT649NTN027
			E24SAN7010-G027	5,800	2,490	1	23	PT649NTN027
			E24SAN7010-G028	5,800	2,490	1	23	PT649NTN027
			E24SAN7010-G035	5,800	2,494	1	23	PT649NTN027
			E24SAN7010-G036	5,800	2,492	1	23	PT649NTN027
			E24SAN7010-G037	5,800	2,492	1	23	PT649NTN027
			E24SAN7010-G041	5,800	2,492	1	23	PT649NTN027
			9 BUNDLES		**22,356**	**9**	**189**	
10	WHSU2991950	WHLT951184	E24SAN7010-G001	5,800	2,490	1	23	PT649NTN027
			E24SAN7010-G006	5,800	2,492	1	23	PT649NTN027
			E24SAN7010-G007	5,800	2,492	1	23	PT649NTN027
			E24SAN7010-G011	5,800	2,498	1	23	PT649NTN027
			E24SAN7010-G012	5,800	2,498	1	23	PT649NTN027
			E24SAN7010-G038	5,800	2,494	1	23	PT649NTN027
			E24SAN7010-G039	5,800	2,490	1	23	PT649NTN027
			E24SAN7010-G040	5,800	2,492	1	23	PT649NTN027
			E24SAN7010-G042	5,800	2,490	1	23	PT649NTN027
			E24SAN7010-G045	5,800	1,258	1	12	PT649NTN027
			10 BUNDLES		**23,694**	**10**	**219**	
			E24S9N7034-G005	5,800	2,454	1	14	PT648NTN027
			E24S9N7034-G013	5,800	2,450	1	14	PT648NTN027

11	WHLU0692580	WHLT956265	E24S9N7034-G014	5,800	2,450	1	14	PT648NTN027
			E24S9N7034-G015	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G016	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G018	5,800	2,450	1	14	PT648NTN027
			E24S9N7034-G022	5,800	2,452	1	14	PT648NTN027
			E24S9N7034-G023	5,800	2,454	1	14	PT648NTN027
			E24S9N7034-G024	5,800	2,452	1	14	PT648NTN027
			E24SAN7010-G044	5,800	1,410	1	13	PT649NTN027
			10 BUNDLES		**23,476**	**10**	**139**	
12	WHSU2396010	WHLT958614	E24S9N7035-G001	5,800	2,454	1	14	PT648NTN027
			E24S9N7035-G002	5,800	2,454	1	14	PT648NTN027
			E24S9N7035-G005	5,800	2,454	1	14	PT648NTN027
			E24S9N7035-G013	5,800	2,456	1	14	PT648NTN027
			E24S9N7035-G026	5,800	2,450	1	14	PT648NTN027
			E24S9N7034-G003	5,800	2,452	1	14	PT648NTN027
			E24SAN7010-G019	5,800	2,496	1	23	PT649NTN027
			E24SAN7010-G026	5,800	2,490	1	23	PT649NTN027
			E24SAN7010-G032	5,800	2,492	1	23	PT649NTN027
			E24SAN7010-G046	5,800	1,374	1	13	PT649NTN027
			10 BUNDLES		**23,572**	**10**	**166**	
13	WHSU2187330	WHLT956321	E24S9N7035-G006	5,800	2,456	1	14	PT648NTN027
			E24S9N7035-G007	5,800	2,458	1	14	PT648NTN027
			E24S9N7035-G008	5,800	2,456	1	14	PT648NTN027
			E24S9N7034-G017	5,800	2,450	1	14	PT648NTN027
			E24S9N7034-G021	5,800	2,450	1	14	PT648NTN027
			E24S9N7034-G036	5,800	874	1	5	PT648NTN027
			E24SAN7010-G020	5,800	2,494	1	23	PT649NTN027
			E24SAN7010-G025	5,800	2,490	1	23	PT649NTN027
			E24SAN7010-G029	5,800	2,492	1	23	PT649NTN027
			E24SAN7010-G030	5,800	2,492	1	23	PT649NTN027
			10 BUNDLES		**23,112**	**10**	**167**	

G.TOTAL : 140BUNDLES / NET WEIGHT : 307,804KGS / GROSS WEIGHT : 307,804KGS / 65CBM