COMMERCIAL INVOICE

Exporter VARDHMAN SPECIAL STEELS LIMITED C-58, PHASE III, FOCAL POINT, LUDHIANA,PUNJAB, 141010 INDIA IE Code: 3010020180	Manufacturer Vardhman Special Steels Ltd C-58, Phase-III, Focal Point, Ludhiana 141010 GST No: 03AADCV4812B1ZY	**Invoice No:** VSSL25-013 **Date:** 18.11.2025 Sub Reference:SE25000146,SE25000147,SE25000148 Buyer's Order No & Date: 4214000052 11-11-2025 , 4214000053 12-11-2025 , 4216002288 12-11-2
Consignee TOYOTA TSUSHO (THAILAND) CO.,LTD. 607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND		PI Number & Date: PT659TSMF069, PT65ATSMF049 & PT65BTSMF049 LC Number & Date
Notify Party		Buyer(if other than Consignee):
Pre-Carriage By: ROAD,RAILWAY	Receipt Pre-Carriage LUDHIANA, INDIA	Country of Origin of Goods India Country of Final Destination Thailand
Vessel/Flight No:	Port of Loading PIPAVAV, INDIA	Payment Terms PAYMENT WITHIN 15 DAYS
Port of Discharge LAEM CHABANG, THAILAND	Final Destination LAEM CHABANG, THAILAND	Delivery Terms CIF LAEM CHABANG, THAILAND

Shipping Marks	HS Code	Bundle/ Wooden box	No. of Pcs	Description of Goods	Quantity	UOM	Rate in USD	Amount in USD
TOYOTA TSUSHO (THAILAND) CO., LTD.	72283000	29	510	HOT ROLLED STEEL ROUND BARS SCR30 DIA. 55MMX5500MM (AS PER PURCHASE ORDER REFERENCE NO. PT659TSMF069, PT65ATSMF049 & PT65BTSMF049)	52.553	MT	902.00	47402.82
TOTAL								47402.82 USD

Amount Chargeable in words: FORTY-SEVEN THOUSAND FOUR HUNDRED TWO USD EIGHTY-TWO CENT ONLY.

Container Number :GLDU9332455, NYKU9724670

Heat Numbers: 106676 , 106677 , 106679 , 106680

Net Weight : 52.553 MT

Gross Weight : 52.553 MT

Price Breakup

Invoice	47402.82	Packaging Charges	0.00
Freight	200.00	Discount	0.00
Insurance	5.67	FOB Value in USD	47197.15

We Declare that this invoice shows the actual price of goods described and that all particulars are true and correct.

For Vardhman Special Steels Ltd.

VARDHMAN SPECIAL STEELS LTD. C-58, Focal Point LUDHIANA.

Signature & Date

Company name and address : Vardhman Special Steels Ltd. Regd. Office, Vardhman Premises, Chandigarh Road Ludhiana 141010

Packing List

Exporter VARDHMAN SPECIAL STEELS LIMITED C-58, PHASE III, FOCAL POINT, LUDHIANA,PUNJAB, 141010 INDIA IE Code: 3010020180	Manufacturer Vardhman Special Steels Ltd C-58, Phase-III, Focal Point, Ludhiana 141010 GST No: 03AADCV4812B1ZY	**Invoice No. :** VSSL25-013 **Date:** 18-11-2025 Sub Reference:SE25000146,SE25000147,SE25000148 Buyers Order No & Date: 4214000052 11-11-2025 , 4214000053 12-11-2025 , 4216002288 12-11-2025
Consignee TOYOTA TSUSHO (THAILAND) CO.,LTD. 607 ASOKE-DINDAENG ROAD, KWAENG DINDAENG, KHET DINDAENG, BANGKOK 10400 THAILAND		PI Number & Date: PT659TSMF069, PT65ATSMF049 & PT65BTSMF049 LC Number & Date
Notify Party		Buyer(if other than Consignee): Country of Origin of Goods: India Country of Final Destination: Thailand
Pre-Carriage By ROAD,RAILWAY	Receipt Pre-carriage LUDHIANA, INDIA	Payment Terms: PAYMENT WITHIN 15 DAYS
Vessel / Flight No	Port of Loading PIPAVAV, INDIA	Delivery Terms: CIF LAEM CHABANG, THAILAND
Port of Discharge LAEM CHABANG, THAILAND	Final Destination LAEM CHABANG, THAILAND	

Shipping Marks & No	Bundle/Wooden Box	No of Pcs	HS Code	Description of Goods	Quantity	Gross wt.	Net wt.
TOYOTA TSUSHO (THAILAND) CO., LTD.	29	510	72283000	HOT ROLLED STEEL ROUND BARS SCR30 DIA. 55MMX5500MM (AS PER PURCHASE ORDER REFERENCE NO. PT659TSMF069 PT65ATSMF049 & PT65BTSMF049)	52.553	52.553 MT	52.553 MT
	Total						

Container Number : GLDU9332455, NYKU9724670

Total Bundles: 29

Heat Number: 106676 , 106677 , 106679 , 106680

Net Weight : 52.553 MT

Gross Weight : 52.553 MT

We Declare that Invoice shows the actual price of goods described at all particulars are true and correct

For Vardhman Special Steels Ltd.

VARDHMAN SPECIAL STEELS LTD. C-58, Focal Point LUDHIANA.

Signature & Date

OCEAN NETWORK EXPRESS

FIRST ORIGINAL

BILL OF LADING
(NON NEGOTIABLE UNLESS CONSIGNED TO ORDER)

SHIPPER/EXPORTER
VARDHMAN SPECIAL STEELS LIMITED
C-58, PHASE III, FOCAL POINT,
LUDHIANA,PUNJAB, 141010 INDIA

BOOKING NO.
LUHF09842700

BILL OF LADING NO.
ONEYLUHF09842700

EXPORT REFERENCES(for the Merchant's and/or Carrier's reference only. See back clause 8, (4).)

CONSIGNEE
TOYOTA TSUSHO (THAILAND) CO.,LTD.
607 ASOKE-DINDAENG ROAD, KWAENG
DINDAENG, KHET DINDAENG, BANGKOK
10400 THAILAND

FORWARDING AGENT-REFERENCES
FMC NO.
CONAIR LOGISTICSR.NO.131,OWPL,
C-205,PH-5, FOCAL POI NT ,
LUDHIANA -141010 (PUNJAB)

NOTIFY PARTY (it is agreed that no responsibility shall be attached to the Carrier or its Agents for failure to notify)
TOYOTA TSUSHO (THAILAND) CO.,LTD.
607 ASOKE-DINDAENG ROAD, KWAENG
DINDAENG, KHET DINDAENG, BANGKOK
10400 THAILAND

RECEIVED by the Carrier in apparent good order and condition (unless otherwise stated herein) the total number or quantity of Containers or other packages or units indicated in the box entitled "Carrier's Receipt", to be carried subject to all the terms and conditions hereof from the Place of Receipt or Port of Loading to the Port of Discharge or Place of Delivery, as applicable. Delivery of the Goods to the Carrier for Carriage hereunder constitutes acceptance by the Merchant (as defined hereinafter) (i) of all the terms and conditions, whether printed, stamped or otherwise incorporated on this side and on the reverse side of this Bill of lading and the terms and conditions of the Carrier's applicable tariff(s) as if they were all signed by the Merchant, and (ii) that any prior representations and/or agreements for or in connection with Carriage of the Goods are superseded by this Bill of Lading. If this is a negotiable (To Order/of) Bill of Lading, one original Bill of Lading, duly endorsed must be surrendered by the Merchant to the Carrier (together with any outstanding Freight) in exchange for the Goods or a Delivery Order or the pin codes for any applicable Electronic Release System. If this is a non-negotiable (straight) Bill of Lading, or where issued as a Sea Waybill, the Carrier shall deliver the Goods or issue a Delivery Order or the pin codes for any applicable Electronic Release System (after payment of outstanding Freight) to the named consignee against the surrender of one original Bill of Lading, or in the case of a Sea Waybill, on production of such reasonable proof of identity as may be required by the Carrier, or in accordance with the national law at the Port of Discharge or Place of Delivery as applicable. IN WITNESS WHEREOF the Carrier or their Agent has signed the number of Bills of Lading stated at the top, all of this tenor and date, and whenever one original Bill of Lading has been surrendered all other Bills of Lading shall be void.

PRE-CARRIAGE BY

PLACE OF RECEIPT
LUDHIANA - SAHNEWAL, INDIA

OCEAN VESSEL VOYAGE NO. FLAG
X-PRESS ANGLESEY 25009E

PORT OF LOADING
PIPAVAV, INDIA

FINAL DESTINATION(for the Merchant's reference only)

PORT OF DISCHARGE
LAEM CHABANG, THAILAND

PLACE OF DELIVERY
LAEM CHABANG, THAILAND

TYPE OF MOVEMENT(IF MIXED, USE DESCRIPTION OF PACKAGES AND GOODS FIELD)
FCL / FCL CY / CY

(CHECK "HM" COLUMN IF HAZARDOUS MATERIAL) PARTICULARS DECLARED BY SHIPPER BUT NOT ACKNOWLEDGED BY THE CARRIER

CNTR. NOS. W/SEAL NOS. MARKS & NUMBERS	QUANTITY (FOR CUSTOMS DECLARATION ONLY)	H M	DESCRIPTION OF GOODS	GROSS WEIGHT	GROSS MEASUREMENT
GLDU9332455 / IN1529947 BOLT51790617		/	14 BUNDLES /FCL / FCL/20GP	/25965.000KGS	/20.000M3
NYKU9724670 / IN1529950 BOLT51790620		/	15 BUNDLES /FCL / FCL/20GP	/26588.000KGS	/20.000M3
TOYOTA TSUSHO (THAILAND) CO., LTD.	29 BUNDLES		HOT ROLLED STEEL ROUND BARS SCR30 DIA. 55MMX5500MM (AS PER PURCHASE ORDER REFERENCE NO. PT659TSMF069) 29 BUNDLES/ 510 PCS SUB REF. NO. : SE25000146, SE25000147,SE25000148 INVOICE NO. : VSSL25-013	52553.000KGS	40.000CBM

** TO BE CONTINUED ON ATTACHED LIST **

Declared Cargo Value US $ _____ . If Merchant enters a value, Carrier's limitation of liability shall not apply and the ad valorem rate will be charged.

FREIGHT & CHARGES PAYABLE AT / BY:
LUDHIANA - CONCOR ICD
BANGKOK

SERVICE CONTRACT NO.
LUHN00512A

DOC FORM NO.

COMMODITY CODE

EXCHANGE RATE

CODE	TARIFF ITEM	FREIGHTED AS	RATE	PREPAID	COLLECT

[3] ORIGINAL BILLS(S) OF LADING HAVE BEEN SIGNED, WHERE DELIVERED AGAINST ONE, THE OTHERS(S) TO BE VOID.

DATE CARGO RECEIVED

DATE LADEN ON BOARD
28 NOV 2025

PLACE OF BILL(S) ISSUE
LUDHIANA

DATED
28 NOV 2025

The printed terms and conditions on this Bill are available at its website at www.one-line.com

SIGNED BY: OCEAN NETWORK EXPRESS (INDIA) PVT. LTD.
, as agent for and on behalf of

Ocean Network Express Pte. Ltd.

FIRST ORIGINAL

VESSEL VOYAGE: X-PRESS ANGLESEY 25009E B/L NO.: ONEYLUHF09842700

CNTR NOS. W/SEAL NOS. MARKS & NUMBERS	QUANTITY (FOR CUSTOMS DECLARATION ONLY)	H M	DESCRIPTION OF GOODS	GROSS WEIGHT	MEASUREMENT
			DT 18.11.2025 SB NO. : 6903265 DT 12.11.2025 SB NO. : 6929702 DT 13.11.2025 HS CODE : 72283000 TOTAL NET WEIGHT: 52553.000KGS		

OCEAN FREIGHT PREPAID
DESTINATION CHARGES COLLECT PER LINE TARIFF AND OTHER CHARGES TO BE COLLECTED FROM THE PARTY WHO LAWFULLY DEMANDS DELIVERY OF THE CARGO WITHOUT PREJUDICE TO THE CARRIER'S RIGHTS AGAINST THE MERCHANT (SEE BACK CLAUSE 1) AS SET OUT AT BACK
CLAUSE 13(1)
SAID TO CONTAIN
SHIPPERS PACK, LOAD, COUNT AND SEAL
THE MERCHANT HAS CONTRACTED DIRECTLY WITH ONE OR MORE INLAND CARRIERS FOR THE MOVEMENT OF GOODS AND/OR CONTAINERS FROM THE INLAND CONTAINER DEPOT (ICD) NAMED AS THE PLACE OF RECEIPT ON THE FRONT HEREOF TO THE PORT OF LOADING NAMED ON THE FRONT HEREOF (SUCH ARRANGEMENT HEREINAFTER BEING REFERRED TO AS MERCHANT HAULAGE). NOTWITHSTANDING ANYTHING TO THE CONTRARY SET OUT HEREIN OR ON THE FRONT HEREOF, THE CARRIER SHALL NOT BE RESPONSIBLE FOR ANY CLAIMS, LIABILITY, LOSS, DAMAGE, DELAY, COSTS, FINES AND/OR EXPENSES DIRECTLY OR INDIRECTLY ARISING OUT OF SUCH MERCHANT HAULAGE AND THE MERCHANT SHALL INDEMNIFY THE CARRIER, HIS SERVANTS, AGENTS AND SUBCONTRACTORS AGAINST ALL SUCH LOSS, DAMAGE, DELAY, COSTS, FINES AND/OR EXPENSES AND SHALL DEAL DIRECTLY WITH THE INLAND CARRIER WITHOUT INVOLVING THE CARRIER.
AGENT ADDRESS
OCEAN NETWORK EXPRESS (THAILAND) LTD.
ADDRESS: CENTRAL PARK OFFICES UNIT MM2701-2710, 27TH FLOOR, 92 RAMA 4 ROAD, SILOM, BANGRAK , BANGKOK 10500
PHONE NUMBER: +66 2097 1111

SIGNED BY: OCEAN NETWORK EXPRESS (INDIA) PVT. LTD.
, as agent for and on behalf of

Ocean Network Express Pte. Ltd.
(ONE), AS CARRIER

VARDHMAN SPECIAL STEELS LTD.

C-58, FOCAL POINT, PHASE III, LUDHIANA (PUNJAB) INDIA
Phone No. : 0161-2670707-09

QF / R&D / 01

IATF 16949:2016
Certificate No. : 37659-2008-AQ-IND-IATF
ISO/IEC 17025:2017
Certificate No. : TC-13503
ISO 14001:2015
Certificate No. : 261680-2018-AE-IND-RVA
ISO 45001:2018
Certificate No. : 10000414502-MSC-RVA-IND
ISO 9001:2015
Certificate No. : 159699-2014-AQ-IND-RVA

ULR No : TC1350325000012527F

TEST CERTIFICATE

Test Certificate no. & Date	251110ZBLB040000066579A	2025-11-10	Invoice No. & Date		
Customer name	TOYOTA TSUSHO (THAILAND) CO. LTD		No. of Bars & Bundles	0	0
Heat No.	106680		Quantity (MT)	0	
Grade/Class & Designation	SCR30		Order No. & Date	4214000052 / 40	Oct 4, 2025
Cast Size (mm)	200X200		TDC No.		
Supply Size (mm)	55		TDC Rev. No.		
Bar Shape	Round		TDC Date		
Red. Ratio	4:1 Minimum	Actual 16.84	MFR No.	240202	
Supply condition	As Rolled		MFR Rev. No.	00	
Bar Length (In meter)	5.500F	Actual 5.500 meter	MFR Date	03.02.2024	
Manufacturing Route	EAF-LRF-VD-CCP With EMS & AMLC		Colour Code	White Base	

Chemical Composition ASTM E 415

Elements	UOM	Min.	Max.	Product
C	%	0.270	0.340	0.317
MN	%	0.550	0.900	0.837
S	%		0.030	0.013
P	%		0.030	0.010
SI	%	0.150	0.350	0.255
NI	%		0.250	0.070
CR	%	0.850	1.250	1.205
MO	%			0.015
V	%			0.004
CU	%		0.300	0.055
SN	%			0.004
AL	%			0.023

Ideal Diameter

Gases ASTM E1019/IS:228

Parameters	UOM	Min.	Max.	Product
O2	ppm			14.0
N2	ppm			119.0
H2	ppm			1.4

Mechanical Properties IS1608/IS1757/IS1598

Test Condition

Parameters	UOM	Min.	Max.	Product

Hardness IS:1500

Specification	Product
	190-210 BHN

Grain Size ASTM E112

Specification	Product
Go ≥ 6	8.0

Micro Structure ASM Handbook Vol 9

Specification	Product

Decarburization IS:6396

Specification	Product

Inclusion rating ASTM E45,Method - A

Type	A		B		C		D		DS
	Thin	Thick	Thin	Thick	Thin	Thick	Thin	Thick	
Specification (max)									
Product									

For any technical support / quality related issues, please contact -
Mobile no. :6284176228 , e-mail :ravi.shekhar@vardhman.com

For any test certificate related issues please contact -
Mobile no. :7508002659 , e-mail :met2.vss@vardhman.com

REMARKS : Test certificate according to EN10204/3.1
The steel is free from harmful radioactive contents.
Above material confirm ROHS, ELV, Reach requirement.

Checked By :Harmandeep Singh

Website : www.vardhmansteel.com

For VARDHMAN SPECIAL STEELS LTD.

Note:-
1. The above results relate to the sample tested
2. This report should not be reproduced except in full without the permission of the lab
3. When the information is provided by the customer, it can affect the validity of results .
4. Opinion & Interpretation - Not Applicable for Laboratory
5. Conformity Assessment & Decision Rule _ Not Applicable for Laboratory
6. Testing Temp Range : 20-28 Deg. Celsius & Testing Humidity Range : 30 - 70 %

This is system generated document, signature is not required.

VARDHMAN SPECIAL STEELS LTD.

C-58, FOCAL POINT, PHASE III,LUDHIANA (PUNJAB) INDIA
Phone No. : 0161-2670707-09

QF / R&D / 01

IATF 16949:2016
Certificate No. : 37659-2008-AQ-IND-IATF
ISO/IEC 17025:2017
Certificate No. : TC-13503
ISO 14001:2015
Certificate No. : 261680-2018-AE-IND-RVA
ISO 45001:2018
Certificate No. : 10000414502-MSC-RVA-IND
ISO 9001:2015
Certificate No. :159699-2014-AQ-IND-RVA

TEST CERTIFICATE

Test Certificate no. & Date	**251110ZBLB040000066579A**	**2025-11-10**	**Invoice No. & Date**		
Customer name	**TOYOTA TSUSHO (THAILAND) CO. LTD**		**No. of Bars & Bundles**	**0**	**0**
Heat No.	**106680**		**Quantity (MT)**	**0**	
Grade/Class & Designation	**SCR30**		**Order No. & Date**	**4214000052 / 40**	**Oct 4, 2025**
Cast Size (mm)	**200X200**		**TDC No.**		
Supply Size (mm)	**55**		**TDC Rev. No.**		
Bar Shape	**Round**		**TDC Date**		
Red. Ratio	**4:1 Minimum**	**Actual 16.84**	**MFR No.**	**240202**	
Supply condition	**As Rolled**		**MFR Rev. No.**	**00**	
Bar Length (In meter)	**5.500F**	**Actual** 5.500 meter	**MFR Date**	**03.02.2024**	
Manufacturing Route	**EAF-LRF-VD-CCP With EMS & AMLC**		**Colour Code**	**White Base**	

Jominy Hardenability IS:3848

Band	UOM	Min.	Max.	Product
J8/16	HRC	30.0	42.0	37.5

Eddy current

Specification	Product

MPI

Specification	Product

Residual Magnetism

Specification	Product

MFLT

Specification	Product
Yes	ok

Ultrasonic Test

Specification	Product
Auto UST At 2mm FBH	ok

Banding

Specification	Product

Inclusion rating JIS G 0555

Parameters	UOM	Min.	Max.	Product
A	%		0.25	0.10
B+C	%		0.10	0.03
TOTAL	%		0.35	0.13

Inclusion rating DIN 50602

Parameters	UOM	Min.	Max.	Product
K3				
K4				

Internal Soundness ASTM E381

Specification	Product
	C2R2S2

Step Down Test As per IS: 4075

Specification	Product
	ok

Dimension Tolerance

Specification	Product
+/-0.83 mm	ok

Ovality / Lobbing

Specification	Product
70% of Dimensional Tolerance max	ok

Surface Defects

Specification	Product
Surface Defects < 0.30 mm	ok

Surface Roughness

Specification	Product

Straightness / Bend

Specification	Product
3 mm/meter max	ok

Radioactive elements

Specification	Product
Free from radioactive elements	ok

Mix Up Test

Specification	Product
100% Bars checked by Spark & XRF Test	ok

Remarks

Reference Std

The above mentioned results relate only to the sample tested. This report shall not be reproduced except in full without the approval of Laboratory/ Authorized signatory.

Condition: Hot rolled, turned & polished, ultrasonically tested, magnetic particle inspection & spectro check. It is certified that the contents of this report is correct & accurate and that all tests and operations performed on this material was in compliance with applicable material specification & purchaser designated requirements. Any alteration to this report voids Vardhman Special Steels warranty. No weld repair has been performed on this material. The material is not radioactive and has not been exposed to radioactivity while under the control of Vardhman Special Steels. The material has not been exposed to mercury while under the control of Vardhman Special Steels. Unless other wise mentioned, this material was melted, continuous cast and rolled in India, with all testing performed by Vardhman Special Steels.

For any technical support / quality related issues please contact -
Mobile no. :6284176228 , e-mail :ravi.shekhar@vardhman.com

For any test certificate related issues please contact -
Mobile no. :7508002659 , e-mail :met2.vss@vardhman.com

REMARKS : Test certificate according to EN10204/3.1
The steel is free from harmful radioactive contents.
Above material confirm ROHS, ELV, Reach requirement.

Checked By :Harmandeep Singh

Website : www.vardhmansteel.com

For VARDHMAN SPECIAL STEELS LTD.

This is system generated document, signature is not required.

VARDHMAN SPECIAL STEELS LTD.

C-58, FOCAL POINT, PHASE III, LUDHIANA (PUNJAB) INDIA
Phone No. : 0161-2670707-09

QF / R&D / 01

IATF 16949:2016
Certificate No. : 37659-2008-AQ-IND-IATF
ISO/IEC 17025:2017
Certificate No. : TC-13503
ISO 14001:2015
Certificate No. : 261680-2018-AE-IND-RVA
ISO 45001:2018
Certificate No. : 10000414502-MSC-RVA-IND
ISO 9001:2015
Certificate No. : 159699-2014-AQ-IND-RVA

ULR No : TC1350325000012526F

TEST CERTIFICATE

Test Certificate no. & Date	251110ZBLB040000066582A	2025-11-10	Invoice No. & Date		
Customer name	TOYOTA TSUSHO (THAILAND) CO. LTD		No. of Bars & Bundles	0	0
Heat No.	106677		Quantity (MT)	0	
Grade/Class & Designation	SCR30		Order No. & Date	4214000052 / 20	Oct 4, 2025
Cast Size (mm)	200X200		TDC No.		
Supply Size (mm)	55		TDC Rev. No.		
Bar Shape	Round		TDC Date		
Red. Ratio	4:1 Minimum	Actual 16.84	MFR No.	240202	
Supply condition	As Rolled		MFR Rev. No.	00	
Bar Length (In meter)	5.500F	Actual 5.500 meter	MFR Date	03.02.2024	
Manufacturing Route	EAF-LRF-VD-CCP With EMS & AMLC		Colour Code	White Base	

Chemical Composition ASTM E 415

Elements	UOM	Min.	Max.	Product
C	%	0.270	0.340	0.320
MN	%	0.550	0.900	0.825
S	%		0.030	0.013
P	%		0.030	0.009
SI	%	0.150	0.350	0.260
NI	%		0.250	0.087
CR	%	0.850	1.250	1.200
MO	%			0.020
V	%			0.004
CU	%		0.300	0.065
SN	%			0.003
AL	%			0.026

Ideal Diameter

Gases ASTM E1019/IS:228

Parameters	UOM	Min.	Max.	Product
O2	ppm			7.0
N2	ppm			138.0
H2	ppm			1.3

Mechanical Properties IS1608/IS1757/IS1598

Test Condition

Parameters	UOM	Min.	Max.	Product

Hardness IS:1500

Specification	Product
	190-210 BHN

Grain Size ASTM E112

Specification	Product
Go ≥ 6	8.0

Micro Structure ASM Handbook Vol 9

Specification	Product

Decarburization IS:6396

Specification	Product

Inclusion rating ASTM E45,Method - A

Type	A		B		C		D		DS
	Thin	Thick	Thin	Thick	Thin	Thick	Thin	Thick	
Specification (max)									
Product									

For any technical support / quality related issues, please contact -
Mobile no. :6284176228 , e-mail :ravi.shekhar@vardhman.com

For any test certificate related issues please contact -
Mobile no. :7508002659 , e-mail :met2.vss@vardhman.com

REMARKS : Test certificate according to EN10204/3.1
The steel is free from harmful radioactive contents.
Above material confirm ROHS, ELV, Reach requirement.

Checked By :Harmandeep Singh

Website : www.vardhmansteel.com

For VARDHMAN SPECIAL STEELS LTD.

Note:-
1. The above results relate to the sample tested
2. This report should not be reproduced except in full without the permission of the lab
3. When the information is provided by the customer, it can affect the validity of results .
4. Opinion & Interpretation - Not Applicable for Laboratory
5. Conformity Assessment & Decision Rule _ Not Applicable for Laboratory
6. Testing Temp Range : 20-28 Deg. Celsius & Testing Humidity Range : 30 - 70 %

This is system generated document, signature is not required.

VARDHMAN SPECIAL STEELS LTD.

C-58, FOCAL POINT, PHASE III,LUDHIANA (PUNJAB) INDIA
Phone No. : 0161-2670707-09

QF / R&D / 01

IATF 16949:2016
Certificate No. : 37659-2008-AQ-IND-IATF
ISO/IEC 17025:2017
Certificate No. : TC-13503
ISO 14001:2015
Certificate No. : 261680-2018-AE-IND-RVA
ISO 45001:2018
Certificate No. : 10000414502-MSC-RVA-IND
ISO 9001:2015
Certificate No. :159699-2014-AQ-IND-RVA

TEST CERTIFICATE

Test Certificate no. & Date	**251110ZBLB040000066582A**	**2025-11-10**	**Invoice No. & Date**		
Customer name	**TOYOTA TSUSHO (THAILAND) CO. LTD**		**No. of Bars & Bundles**	**0**	**0**
Heat No.	**106677**		**Quantity (MT)**	**0**	
Grade/Class & Designation	**SCR30**		**Order No. & Date**	**4214000052 / 20**	**Oct 4, 2025**
Cast Size (mm)	**200X200**		**TDC No.**		
Supply Size (mm)	**55**		**TDC Rev. No.**		
Bar Shape	**Round**		**TDC Date**		
Red. Ratio	**4:1 Minimum**	**Actual 16.84**	**MFR No.**	**240202**	
Supply condition	**As Rolled**		**MFR Rev. No.**	**00**	
Bar Length (In meter)	**5.500F**	**Actual** 5.500 meter	**MFR Date**	**03.02.2024**	
Manufacturing Route	**EAF-LRF-VD-CCP With EMS & AMLC**		**Colour Code**	**White Base**	

Jominy Hardenability IS:3848

Band	UOM	Min.	Max.	Product
J8/16	HRC	30.0	42.0	37.0

Eddy current

Specification	Product

MPI

Specification	Product

Residual Magnetism

Specification	Product

MFLT

Specification	Product
Yes	ok

Ultrasonic Test

Specification	Product
Auto UST At 2mm FBH	ok

Banding

Specification	Product

Inclusion rating JIS G 0555

Parameters	UOM	Min.	Max.	Product
A	%		0.25	0.10
B+C	%		0.10	0.04
TOTAL	%		0.35	0.14

Inclusion rating DIN 50602

Parameters	UOM	Min.	Max.	Product
K3				
K4				

Internal Soundness ASTM E381

Specification	Product
	C2R2S2

Step Down Test As per IS: 4075

Specification	Product
	ok

Dimension Tolerance

Specification	Product
+/-0.83 mm	ok

Ovality / Lobbing

Specification	Product
70% of Dimensional Tolerance max	ok

Surface Defects

Specification	Product
Surface Defects < 0.30 mm	ok

Surface Roughness

Specification	Product

Straightness / Bend

Specification	Product
3 mm/meter max	ok

Radioactive elements

Specification	Product
Free from radioactive elements	ok

Mix Up Test

Specification	Product
100% Bars checked by Spark & XRF Test	ok

Remarks

Reference Std

The above mentioned results relate only to the sample tested. This report shall not be reproduced except in full without the approval of Laboratory/ Authorized signatory.

Condition: Hot rolled, turned & polished, ultrasonically tested, magnetic particle inspection & spectro check. It is certified that the contents of this report is correct & accurate and that all tests and operations performed on this material was in compliance with applicable material specification & purchaser designated requirements. Any alteration to this report voids Vardhman Special Steels warranty. No weld repair has been performed on this material. The material is not radioactive and has not been exposed to radioactivity while under the control of Vardhman Special Steels. The material has not been exposed to mercury while under the control of Vardhman Special Steels. Unless other wise mentioned, this material was melted, continuous cast and rolled in India, with all testing performed by Vardhman Special Steels.

For any technical support / quality related issues please contact -
Mobile no. :6284176228 , e-mail :ravi.shekhar@vardhman.com

For any test certificate related issues please contact -
Mobile no. :7508002659 , e-mail :met2.vss@vardhman.com

REMARKS : Test certificate according to EN10204/3.1
The steel is free from harmful radioactive contents.
Above material confirm ROHS, ELV, Reach requirement.

Checked By :Harmandeep Singh

Website : www.vardhmansteel.com

For VARDHMAN SPECIAL STEELS LTD.

This is system generated document, signature is not required.

VARDHMAN SPECIAL STEELS LTD.

C-58, FOCAL POINT, PHASE III, LUDHIANA (PUNJAB) INDIA
Phone No. : 0161-2670707-09

QF / R&D / 01

IATF 16949:2016
Certificate No. : 37659-2008-AQ-IND-IATF
ISO/IEC 17025:2017
Certificate No. : TC-13503
ISO 14001:2015
Certificate No. : 261680-2018-AE-IND-RVA
ISO 45001:2018
Certificate No. : 10000414502-MSC-RVA-IND
ISO 9001:2015
Certificate No. : 159699-2014-AQ-IND-RVA

ULR No : TC1350325000012501F

TEST CERTIFICATE

Test Certificate no. & Date	251109ZBLB040000066575A	2025-11-09	Invoice No. & Date		
Customer name	TOYOTA TSUSHO (THAILAND) CO. LTD		No. of Bars & Bundles	0	0
Heat No.	106679		Quantity (MT)	0	
Grade/Class & Designation	SCR30		Order No. & Date	4214000052 / 60	Oct 4, 2025
Cast Size (mm)	200X200		TDC No.		
Supply Size (mm)	55		TDC Rev. No.		
Bar Shape	Round		TDC Date		
Red. Ratio	4:1 Minimum	Actual 16.84	MFR No.	240202	
Supply condition	As Rolled		MFR Rev. No.	00	
Bar Length (In meter)	5.500F	Actual 5.500 meter	MFR Date	03.02.2024	
Manufacturing Route	EAF-LRF-VD-CCP With EMS & AMLC		Colour Code	White Base	

Chemical Composition ASTM E 415

Elements	UOM	Min.	Max.	Product
C	%	0.270	0.340	0.315
MN	%	0.550	0.900	0.830
S	%		0.030	0.013
P	%		0.030	0.011
SI	%	0.150	0.350	0.255
NI	%		0.250	0.065
CR	%	0.850	1.250	1.200
MO	%			0.013
V	%			0.005
CU	%		0.300	0.050
SN	%			0.003
AL	%			0.031

Ideal Diameter

Gases ASTM E1019/IS:228

Parameters	UOM	Min.	Max.	Product
O2	ppm			8.0
N2	ppm			135.0
H2	ppm			1.3

Mechanical Properties IS1608/IS1757/IS1598

Test Condition

Parameters	UOM	Min.	Max.	Product

Hardness IS:1500

Specification	Product
	190-210 BHN

Grain Size ASTM E112

Specification	Product
Go ≥ 6	8.0

Micro Structure ASM Handbook Vol 9

Specification	Product

Decarburization IS:6396

Specification	Product

Inclusion rating ASTM E45,Method - A

Type	A		B		C		D		DS
	Thin	Thick	Thin	Thick	Thin	Thick	Thin	Thick	
Specification (max)									
Product									

For any technical support / quality related issues, please contact -
Mobile no. :6284176228 , e-mail :ravi.shekhar@vardhman.com

For any test certificate related issues please contact -
Mobile no. :7508002659 , e-mail :met2.vss@vardhman.com

REMARKS : Test certificate according to EN10204/3.1
The steel is free from harmful radioactive contents.
Above material confirm ROHS, ELV, Reach requirement.

Checked By :Krishan Kumar Shukla

Website : www.vardhmansteel.com

For VARDHMAN SPECIAL STEELS LTD.

Note:-
1. The above results relate to the sample tested
2. This report should not be reproduced except in full without the permission of the lab
3. When the information is provided by the customer, it can affect the validity of results .
4. Opinion & Interpretation - Not Applicable for Laboratory
5. Conformity Assessment & Decision Rule _ Not Applicable for Laboratory
6. Testing Temp Range : 20-28 Deg. Celsius & Testing Humidity Range : 30 - 70 %

This is system generated document, signature is not required.

VARDHMAN SPECIAL STEELS LTD.

C-58, FOCAL POINT, PHASE III,LUDHIANA (PUNJAB) INDIA
Phone No. : 0161-2670707-09

QF / R&D / 01

IATF 16949:2016
Certificate No. : 37659-2008-AQ-IND-IATF
ISO/IEC 17025:2017
Certificate No. : TC-13503
ISO 14001:2015
Certificate No. : 261680-2018-AE-IND-RVA
ISO 45001:2018
Certificate No. : 10000414502-MSC-RVA-IND
ISO 9001:2015
Certificate No. :159699-2014-AQ-IND-RVA

TEST CERTIFICATE

Test Certificate no. & Date	**251109ZBLB040000066575A**	**2025-11-09**	**Invoice No. & Date**		
Customer name	**TOYOTA TSUSHO (THAILAND) CO. LTD**		**No. of Bars & Bundles**	**0**	**0**
Heat No.	**106679**		**Quantity (MT)**	**0**	
Grade/Class & Designation	**SCR30**		**Order No. & Date**	**4214000052 / 60**	**Oct 4, 2025**
Cast Size (mm)	**200X200**		**TDC No.**		
Supply Size (mm)	**55**		**TDC Rev. No.**		
Bar Shape	**Round**		**TDC Date**		
Red. Ratio	**4:1 Minimum**	**Actual 16.84**	**MFR No.**	**240202**	
Supply condition	**As Rolled**		**MFR Rev. No.**	**00**	
Bar Length (In meter)	**5.500F**	**Actual** 5.500 meter	**MFR Date**	**03.02.2024**	
Manufacturing Route	**EAF-LRF-VD-CCP With EMS & AMLC**		**Colour Code**	**White Base**	

Jominy Hardenability IS:3848

Band	UOM	Min.	Max.	Product
J8/16	HRC	30.0	42.0	37.0

Eddy current

Specification	Product

MPI

Specification	Product

Residual Magnetism

Specification	Product

MFLT

Specification	Product
Yes	OK

Ultrasonic Test

Specification	Product
Auto UST At 2mm FBH	OK

Banding

Specification	Product

Inclusion rating JIS G 0555

Parameters	UOM	Min.	Max.	Product
A	%		0.25	0.11
B+C	%		0.10	0.03
TOTAL	%		0.35	0.14

Inclusion rating DIN 50602

Parameters	UOM	Min.	Max.	Product
K3				
K4				

Internal Soundness ASTM E381

Specification	Product
	C1R1S1

Step Down Test As per IS: 4075

Specification	Product
	OK

Dimension Tolerance

Specification	Product
+/-0.83 mm	OK

Ovality / Lobbing

Specification	Product
70% of Dimensional Tolerance max	OK

Surface Defects

Specification	Product
Surface Defects < 0.30 mm	OK

Surface Roughness

Specification	Product

Straightness / Bend

Specification	Product
3 mm/meter max	OK

Radioactive elements

Specification	Product
Free from radioactive elements	OK

Mix Up Test

Specification	Product
100% Bars checked by Spark & XRF Test	OK

Remarks

Reference Std

The above mentioned results relate only to the sample tested. This report shall not be reproduced except in full without the approval of Laboratory/ Authorized signatory.

Condition: Hot rolled, turned & polished, ultrasonically tested, magnetic particle inspection & spectro check. It is certified that the contents of this report is correct & accurate and that all tests and operations performed on this material was in compliance with applicable material specification & purchaser designated requirements. Any alteration to this report voids Vardhman Special Steels warranty. No weld repair has been performed on this material. The material is not radioactive and has not been exposed to radioactivity while under the control of Vardhman Special Steels. The material has not been exposed to mercury while under the control of Vardhman Special Steels. Unless other wise mentioned, this material was melted, continuous cast and rolled in India, with all testing performed by Vardhman Special Steels.

For any technical support / quality related issues please contact -
Mobile no. :6284176228 , e-mail :ravi.shekhar@vardhman.com

For any test certificate related issues please contact -
Mobile no. :7508002659 , e-mail :met2.vss@vardhman.com

REMARKS : Test certificate according to EN10204/3.1
The steel is free from harmful radioactive contents.
Above material confirm ROHS, ELV, Reach requirement.

Checked By :Krishan Kumar Shukla

Website : www.vardhmansteel.com

For VARDHMAN SPECIAL STEELS LTD.

This is system generated document, signature is not required.