TOYOTA TSUSHO CORPORATION

TO: TTTC/ATTN:MR.ARTHIT/MR.KANEKO **DATE** OCT. 18, 2024

INVOICE NO. GH-47827

SHIPPING ADVICE

DEAR SIRS,
PLEASE FIND ATTACHED SHIPPING DOCUMENTS AS FOLLOWS:

( ) COMMERCIAL INVOICE
( ) SEA WAY BILL
( ) PACKING LIST
( ) INSURANCE POLICY
( ) CERTIFICATE OF ORIGIN FOR EPA

WE TRUST THE INVOICED GOODS DESCRIBED HEREIN REACH YOU SAFELY AND IN GOOD CONDITION.

B/L No.:
ETA: OCT. 28, 2024
COPY TO: TTC 1121 MS.ONISHI

TOYOTA TSUSHO CORPORATION

M. Yoshida

GENERAL MANAGER

INVOICE

TOYOTA TSUSHO CORPORATION
9-8,MEIEKI 4-CHOME,NAKAMURA-KU,
NAGOYA,450-8575 JAPAN

(A1121)

INVOICE NO. GH-47827
PLACE & DATE NAGOYA, JAPAN OCT. 03, 2024
OUR S/C NO. 121ST1001
BUYER'S ORDER NO. PT6-48-SMT-013

MARKS & NOS.
- AS PER ATTACHED SHEET -

CONSIGNEE
TOYOTA TSUSHO(THAILAND)CO.,LTD.
607 ASOKE-DINDAENG ROAD,KWAENG DINDAENG,KHET DINDAENG,
(P.O.BOX NO.494,SAMSENNAI POST OFFICE)
BANGKOK 10400,THAILAND
ATTN: MR.ARTHIT/MR.KANEKO
TEL : 66-2641-7705 FAX : 66-2246-5664

FROM NAGOYA, JAPAN
TO LAEM CHABANG, THAILAND
VIA
SHIPPED ON YM IMPROVEMENT
SAILING ON OR ABOUT OCT. 18, 2024

TERMS OF PAYMENT

T.T.REMITTANCE AT 70 DAYS
AFTER THE END DAY OF SHIPPING MONTH

DESCRIPTION	QUANTITY	UNIT PRICE	AMOUNT
HOT ROLLED ALLOY STEEL ROUND BARS		CIF LAEM CHABANG, THAILAND	

		@USD	USD
HOT ROLLED ALLOY STEEL ROUND BARS			
121ST1001			
SCM20 55.0 MM X 5,570 MM			
(CP)			
	116.028 M/T	1,049.000	121,713.37
121ST1001			
SCR23 80.0 MM X 5,650 MM			
(CP)			
	15.147 M/T	954.000	14,450.24
TOTAL :			
	CIF LAEM CHABANG, THAILAND	USD	136,163.61

GRAND TOTAL :
70 BUNDLES 131.175 M/T

TOTAL NET WEIGHT : 131,175.000 KGS
TOTAL GROSS WEIGHT : 131,245.000 KGS
TOTAL MEASUREMENT : 29.166 M3

(FOB JAPAN: USD135,325.78)
(OCEAN FREIGHT: 372.01)
(INS.PREMIUM: 465.82)

TOYOTA TSUSHO CORPORATION
H. Yoshida
GENERAL MANAGER

TTTC/SMT
121-ST1001
LAEM CHABANG
GRADE:
SIZE:
LENGTH:
NET WT.:
GROSS WT.:
HEAT NO.:
BUNDLE NO.: PL1-PL57
PL8000-PL8003
PM1-PM8
PM8000
NO. OF PCS.:
MADE IN JAPAN
AICHI STEEL CORP.

- END OF LIST -

PACKING LIST

TOYOTA TSUSHO CORPORATION
9-8,MEIEKI 4-CHOME,NAKAMURA-KU,
NAGOYA,450-8575 JAPAN

(A1121)

INVOICE NO. GH-47827

PLACE & DATE NAGOYA, JAPAN OCT. 03, 2024

OUR S/C NO. 121ST1001

BUYER'S ORDER NO. PT6-48-SMT-013

MARKS & NOS.
- AS PER ATTACHED SHEET -

CONSIGNEE
TOYOTA TSUSHO(THAILAND)CO.,LTD.
607 ASOKE-DINDAENG ROAD,KWAENG DINDAENG,KHET DINDAENG,
(P.O.BOX NO.494,SAMSENNAI POST OFFICE)
BANGKOK 10400,THAILAND
ATTN: MR.ARTHIT/MR.KANEKO
TEL : 66-2641-7705 FAX : 66-2246-5664

FROM NAGOYA, JAPAN
TO LAEM CHABANG, THAILAND
VIA
SHIPPED ON YM IMPROVEMENT
SAILING ON OR ABOUT OCT. 18, 2024

TERMS OF PAYMENT

T.T.REMITTANCE AT 70 DAYS
AFTER THE END DAY OF SHIPPING MONTH

DESCRIPTION	QUANTITY	NET WEIGHT	GROSS WEIGHT	MEASUREMENT
HOT ROLLED ALLOY STEEL ROUND BARS				
- DETAILS AS PER ATTACHED SHEET -				

GRAND TOTAL :

70 BUNDLES

131.175 M/T

NET WEIGHT	GROSS WEIGHT	MEASUREMENT
131,175.000 KGS	131,245.000 KGS	29.166 M3

TOYOTA TSUSHO CORPORATION

H. Yoshida

GENERAL MANAGER

TTTC/SMT
121-ST1001
LAEM CHABANG
GRADE:
SIZE:
LENGTH:
NET WT.:
GROSS WT.:
HEAT NO.:
BUNDLE NO.: PL1-PL57
PL8000-PL8003
PM1-PM8
PM8000
NO. OF PCS.:
MADE IN JAPAN
AICHI STEEL CORP.

- END OF LIST -

PACKING LIST

3399-24-1

OUR REFERENCE NO. : 9I23
SHIPPER : 3060TOYODA TSUSHO KAISHA,LTD.
CUSTOMER : SIAM METAL TECHNOLOGY
CONTRACT NO. : 121-ST1001
SHIPPING NO. : 2409199I23
2024-09

AICHI STEEL CORP.
CHITA PLANT
1CHITA PLANT
3399-24
2024-10-10
" "

TTTC/SMT
121-ST1001
LAEM CHABANG
GRADE:
SIZE:
LENGTH:
NET WT.:
GROSS WT.:
HEAT NO.:
BUNDLE NO.:
NO. OF PCS.:
MADE IN JAPAN
AICHI STEEL CORP.

ALLOY STEEL ROUND BAR

B/NO.	No. of B/D		Nos of PCS	Net W/T (kgs)	Gross W/T (kgs)
PL0001-0057	57	BUNDLES	1,051	109,077	109,134
PL8000-8003	4	BUNDLES	67	6,951	6,955
TOTAL	61	BUNDLES	1,118	116,028	116,089

ALLOY STEEL ROUND BAR

GRADE: SCM20 SIZE: 55.00 RB

B/NO.	CH/NO.	Length	No. of PCS.	Net W/T (kgs)	Gross W/T (kgs)	Product No	Work No
PL0001	40500	5570	19	1,972	1,973	9I2301	4-09-025561
PL0002	40500	5570	19	1,972	1,973	9I2301	4-09-025561
PL0003	40500	5570	19	1,971	1,972	9I2301	4-09-025561
PL0004	40500	5570	19	1,971	1,972	9I2301	4-09-025561
PL0005	40500	5570	19	1,971	1,972	9I2301	4-09-025561
PL0006	40500	5570	19	1,971	1,972	9I2301	4-09-025561
PL0007	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0008	40500	5570	19	1,972	1,973	9I2301	4-09-025561
PL0009	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0010	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0011	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0012	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0013	40500	5570	19	1,972	1,973	9I2301	4-09-025561
PL0014	40500	5570	19	1,970	1,971	9I2301	4-09-025561
PL0015	40500	5570	19	1,971	1,972	9I2301	4-09-025561
PL0016	40500	5570	19	1,971	1,972	9I2301	4-09-025561
PL0017	40500	5570	19	1,972	1,973	9I2301	4-09-025561
PL0018	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0019	40500	5570	19	1,971	1,972	9I2301	4-09-025561
PL0020	40500	5570	19	1,970	1,971	9I2301	4-09-025561
PL0021	40500	5570	19	1,970	1,971	9I2301	4-09-025561
PL0022	40500	5570	19	1,971	1,972	9I2301	4-09-025561
PL0023	40500	5570	19	1,972	1,973	9I2301	4-09-025561
PL0024	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0025	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0026	40500	5570	19	1,974	1,975	9I2301	4-09-025561
PL0027	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0028	40500	5570	19	1,974	1,975	9I2301	4-09-025561
PL0029	40500	5570	19	1,972	1,973	9I2301	4-09-025561
PL0030	40500	5570	19	1,971	1,972	9I2301	4-09-025561
PL0031	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0032	40500	5570	19	1,972	1,973	9I2301	4-09-025561
PL0033	40500	5570	19	1,974	1,975	9I2301	4-09-025561
PL0034	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0035	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0036	40500	5570	19	1,971	1,972	9I2301	4-09-025561
PL0037	40500	5570	19	1,972	1,973	9I2301	4-09-025561
PL0038	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0039	40500	5570	19	1,973	1,974	9I2301	4-09-025561
PL0040	40500	5570	18	1,870	1,871	9I2301	4-09-025561
PL0041	40500	5570	18	1,869	1,870	9I2301	4-09-025561
PL0042	40500	5570	18	1,869	1,870	9I2301	4-09-025561
PL0043	40500	5570	18	1,870	1,871	9I2301	4-09-025561
PL0044	40500	5570	18	1,867	1,868	9I2301	4-09-025581

PL0045	40500	5570	18	1,868	1,869	9I2301	4-09-025581
PL0046	40499	5570	17	1,764	1,765	9I2302	4-09-025551
PL0047	40499	5570	17	1,763	1,764	9I2302	4-09-025551
PL0048	40499	5570	17	1,763	1,764	9I2302	4-09-025551
PL0049	40499	5570	17	1,763	1,764	9I2302	4-09-025551
PL0050	40499	5570	17	1,763	1,764	9I2302	4-09-025551
PL0051	40499	5570	17	1,763	1,764	9I2302	4-09-025551
PL0052	40499	5570	18	1,867	1,868	9I2302	4-09-025551
PL0053	40499	5570	18	1,867	1,868	9I2302	4-09-025551
PL0054	40499	5570	18	1,868	1,869	9I2302	4-09-025551
PL0055	40499	5570	18	1,866	1,867	9I2302	4-09-025551
PL0056	40500	5570	14	1,349	1,350	9I2302	4-09-025571
PL0057	40500	5570	14	1,556	1,557	9I2302	4-09-025571
PL8000	40500	5570	14	1,452	1,453	9I2302	4-09-025571
PL8001	40500	5570	18	1,867	1,868	9I2301	4-09-025581
PL8002	40500	5570	18	1,868	1,869	9I2301	4-09-025581
PL8003	40500	5570	17	1,764	1,765	9I2301	4-09-025581
SUB/TOTAL	61	BUNDLES	1,118	116,028	116,089		

TOTAL 61 BUNDLES 1,118 PCS 116,028 kgs 116,089 kgs

PACKING LIST

3468-24-1

OUR REFERENCE NO. : 9I24
SHIPPER : 3060TOYODA TSUSHO KAISHA,LTD.
CUSTOMER : SIAM METAL TECHNOLOGY
CONTRACT NO. : 121-ST1001
SHIPPING NO. : 2409239I24
2024-09

AICHI STEEL CORP.
CHITA PLANT
1CHITA PLANT
3468-24
2024-10-10
" "

TTTC/SMT
121-ST1001
LAEM CHABANG
GRADE:
SIZE:
LENGTH:
NET WT.:
GROSS WT.:
HEAT NO.:
BUNDLE NO.:
NO. OF PCS.:
MADE IN JAPAN
AICHI STEEL CORP.

ALLOY STEEL ROUND BAR

B/NO.	No. of B/D		Nos of PCS	Net W/T (kgs)	Gross W/T (kgs)
PM0001-0008	8	BUNDLES	61	13,584	13,592
PM8000	1	BUNDLE	7	1,563	1,564
TOTAL	9	BUNDLES	68	15,147	15,156

PACKING LIST OUR REFERRENCE NO 9I24 3468-24- 2

ALLOY STEEL ROUND BAR

GRADE: SCR23 SIZE: 80.00 RB

B/NO.	CH/NO.	Length	No. of PCS.	Net W/T (kgs)	Gross W/T (kgs)	Product No	Work No
PM0001	40593	5650	8	1,778	1,779	9I2401	4-09-038981
PM0002	40593	5650	8	1,779	1,780	9I2401	4-09-038981
PM0003	40593	5650	8	1,782	1,783	9I2401	4-09-038981
PM0004	40593	5650	8	1,781	1,782	9I2401	4-09-038981
PM0005	40593	5650	8	1,782	1,783	9I2401	4-09-038981
PM0006	40593	5650	7	1,560	1,561	9I2401	4-09-038981
PM0007	40593	5650	7	1,561	1,562	9I2401	4-09-038981
PM0008	40593	5650	7	1,561	1,562	9I2401	4-09-038981
PM8000	40593	5650	7	1,563	1,564	9I2401	4-09-038981
SUB/TOTAL	9	BUNDLES	68	15,147	15,156		

TOTAL 9 BUNDLES 68 PCS 15,147 kgs 15,156 kgs

CONTAINER STUFFING PLAN

ALL NIPPON CHECKERS CORPORATRION

NAME OF VESSEL : " YM IMPROVEMENT " VOY NO. 252S

DESTNATION : LAEM CHABANG

PLACE OF PACKING : MEIKO TRANS CO.,LTD. KTC H/W. PACKER : MEIKO TRANS CO., LTD.

PACKING TIME : FROM TO FORWADER : 三協

PACKING DATE : 9TH, OCT' 2024 ~~CARRIER'S PACK~~ SHIPPER'S PACK

CONTAINER NO. GROSS WEIGHT : ~~LBS.~~ KGS.

SEAL NO. BOOKING : YANG MING MARINE I253046979 TARE WEIGHT

SHIPPER'S NAME	MARK & NUMBER	NO. OF P'KGS.	INV.NO.:	MEASURMENT (CFT.M3)	NET WEIGHT (LBS.KGS)
TOYOTA TSUSHO	S/NO. 24K1630361 S/NO. 24K1630362	70 B/D 20 B/D	GH-47827 GH-47828	29.166 M3 8.468 M3	131,245 KGS 38,107 KGS
CORPORATION					
	S/O 2 MATTERS	90 B/D		37.634 M3	169,352 KGS
20' DC × 8					
		** AS PER ATTACHED SHEET **			

DOOR

LEFT

RIGHT

SIGNATURE

ALL NIPPON CHECKERS CORPORATION

NAGOYA BRANCH

N-C-1

ATTACHED SHEET

船名：	" YM IMPROVEMENT "	船社：	YANG MING MARINE
ポート：	LAEM CHABANG	B/NO.	I253046979
乙仲：	三協　荷主：　豊田通商	VOY NO.	252S
S/O NO.	24K1630361,362	コンテナ本数	20'×8

LOT	VAN NO.	SEAL NO.	P'KGS	N.W	T.W	G.W	M3
1	YMMU1142270	YMAS176968	11 B/D	20,652 KGS	2,260 KGS	22,912 KGS	4.589 M3
2	TCLU7451663	YMAS176941	11 B/D	21,192 KGS	2,230 KGS	23,422 KGS	4.709 M3
3	TLLU2184921	YMAS185491	11 B/D	21,395 KGS	2,100 KGS	23,495 KGS	4.754 M3
4	SEGU2221740	YMAS176979	11 B/D	21,699 KGS	2,180 KGS	23,879 KGS	4.822 M3
5	YMMU1182967	YMAS177030	10 B/D	17,338 KGS	2,240 KGS	19,578 KGS	3.853 M3

LOT										
1	S/NO.	24K1630361	11	B/D	20,652	KGS	4.589	M3	B/NO.	PL20-23,46-47,51-53,55,8002
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
2	S/NO.	24K1630361	11	B/D	21,192	KGS	4.709	M3	B/NO.	PL27-29,32,34-35,41-43,45,54
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
3	S/NO.	24K1630361	11	B/D	21,395	KGS	4.754	M3	B/NO.	PL24-26,30,36-40,44,8001
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
4	S/NO.	24K1630361	11	B/D	21,699	KGS	4.822	M3	B/NO.	PL1-5,8-9,13-15,18
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
5	S/NO.	24K1630361	10	B/D	17,338	KGS	3.853	M3	B/NO.	PL19,31,33,48-50,56-57,8000,8003
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	
	S/NO.			B/D		KGS		M3	B/NO.	

ATTACHED SHEET

船名:	" YM IMPROVEMENT "	船社:	YANG MING MARINE
ポート:	LAEM CHABANG	B/NO.	I253046979
乙仲:	三協 荷主: 豊田通商	VOY NO.	252S
S/O NO.	24K1630361,362	コンテナ本数	20'×8

LOT	VAN NO.	SEAL NO.	P'KGS		N.W		T.W		G.W		M3	
6	YMMU1048562	YMAS177123	12	B/D	22,094	KGS	2,300	KGS	24,394	KGS	4.91	M3
	S/NO. 24K1630361	12	B/D	22,094	KGS	4.91	M3	B/NO.	PL7,10-12,16-17 PM1,3-5,8,8000			
	S/NO.		B/D		KGS		M3	B/NO.				
	S/NO.		B/D		KGS		M3	B/NO.				
	S/NO.		B/D		KGS		M3	B/NO.				
	S/NO.		B/D		KGS		M3	B/NO.				
7	SEGU3018419	YMAS176966	12	B/D	22,369	KGS	2,100	KGS	24,469	KGS	4.972	M3
	S/NO. 24K1630361	4	B/D	6,875	KGS	1.529	M3	B/NO.	PL6 PM2,6-7			
	S/NO. 24K1630362	8	B/D	15,494	KGS	3.443	M3	B/NO.	PN1-2,4-7,11-12			
	S/NO.		B/D		KGS		M3	B/NO.				
	S/NO.		B/D		KGS		M3	B/NO.				
	S/NO.		B/D		KGS		M3	B/NO.				
8	BEAU2415127	YMAS177106	12	B/D	22,613	KGS	2,210	KGS	24,823	KGS	5.025	M3
	S/NO. 24K1630362	12	B/D	22,613	KGS	5.025	M3	B/NO.	PN3,8-10,13-19,8000			
	S/NO.		B/D		KGS		M3	B/NO.				
	S/NO.		B/D		KGS		M3	B/NO.				
	S/NO.		B/D		KGS		M3	B/NO.				
	S/NO.		B/D		KGS		M3	B/NO.				

YANG MING

NON-NEGOTIABLE SEA WAYBILL

Shipper TOYOTA TSUSHO CORPORATION 9-8, MEIEKI 4-CHOME, NAKAMURA-KU, NAGOYA, 450-8575 JAPAN	Booking No. I253046979 W B/L No. YMJAI253046979 Export References
Consignee TOYOTA TSUSHO (THAILAND) CO.,LTD. 607 ASOKE-DINDAENG ROAD,KWAENG DINDAENG,KHET DINDAENG, (P.O.BOX NO.494,SAMSENNAI POST OFFICE) BANGKOK 10400,THAILAND ATTN: MR.ARTHIT/MR.KANEKO*	Forwarding agent references Point and Country of origin of goods
Notify PartySAME AS CONSIGNEE	ALSO NOTIFY

*Precarried by	*Place of Receipt NAGOYA CY	Onward inland routing
Vessel Voy No. 252S YM IMPROVEMENT	Port of Loading NAGOYA, JAPAN	
Port of Discharge LAEM CHABANG, THAILAND	*Place of Delivery LAEM CHABANG CY	Delivery status CY

PARTICULARS FURNISHED BY MERCHANT

MKS & NOS/CONTAINER NOS	NO OF PKGS	DESCRIPTION OF PACKAGES AND GOODS	Measurement(M) Gross Weight(KGS)
	7 CTNR	SHIPPER'S LOAD, STOWAGE AND COUNT S.T.C 70 BUNDLES	131245.000KGS 29.166CBM
TTTC/SMT 121-ST1001 LAEM CHABANG GRADE: SIZE: LENGTH: NET WT.: GROSS WT.: HEAT NO.: BUNDLE NO.: PL1-PL57		HOT ROLLED ALLOY STEEL ROUND BARS INV.NO.:GH-47827 *TEL : 66-2641-7705 FAX : 66-2246-5664 "PARTIAL" THE SHIPMENTS ON MULTIPLE BILLS OF	FREIGHT PREPAID LOADED ON M/V : YM IMPROVEMENT VOY :252S AT:NAGOYA, JAPAN SHIPPED ON BOARD: 2024/10/18 CRD :2024/10/11
SEGU2221740 20DC	FCL/FCL	YMAS176979 11 BUNDLES 21699.000KGS	4.822CBM
SEGU3018419 20DC	FCL/FCL	YMAS176966 4 BUNDLES 6875.000KGS	1.529CBM

Declared Value $_____if Merchant enters value of Goods and pays the applicable ad valorem rate,Carrier's Package limitation shall not apply. See Clause 23 (2) & (3) hereof

JTC2441S

Place and Date of issue NAGOYA 2024/10/18

On Board Date 2024/10/18

B/L No YMJAI253046979

ITEM NO	CHG	RATED AS	PER	RATE	PREPAID	COLLECT
O/F FOR BL	:	FREIGHT AS ARRANGED I253047933 ARE CHARGED			ON THIS B/L	

RECEIVED by the Carrier from the Merchant in apparent external good order and condition (unless otherwise noted herein) the total number of Containers, or if Goods are not shipped in containers, the total number of packages or other shipping units specified in the box marked "No. of PKgs. or Containers" for Carriage subject to all the terms and conditions hereof (including the terms and conditions on the reverse hereof and the terms and conditions of the Carrier's applicable Tariff) from the place of receipt by the Carrier of Goods or the port of loading. whichever is applicable, to the port of discharge or place of delivery, whichever is applicable.
In Witness Whereof, the undersigned has signed Full set of Bill of Lading, all of the same tenor and date, one of which being accomplished, the other to stand void.

Rate of exchange

Number of Original Bill(s) 1

Total

see as attached list...

Payable at

Yangming(Japan) Co.Ltd.

By _____

As agent for the Carrier and Service Provider Yang Ming Marine Transport Corporation trading as Yang Ming

ATTACHED LIST YM IMPROVEMENT 252S Original

B/L NO : YMJAI253046979 BKG NO :I253046979

MARKS

PL8000-PL8003
PM1-PM8
PM8000
NO. OF PCS.:
MADE IN JAPAN
AICHI STEEL CORP.

LADING YMJAI253046979 AND YMJAI253047933 WERE LOADED INTO CONTAINER NO. SEGU3018419, CARGO RELEASE PROCEDURES FOR ALL INVOLVED B/LS MUST BE COMPLETED BEFORE RELEASE THE CARGO AT DESTINATION.

"THE INV.NO. IS PROVIDED BY THE SHIPPER FOR REFERENCE ONLY, AND THE CARRIER SHALL NOT BE LIABLE FOR ANY DISPUTE BETWEEN THE MERCHANTS."

CONTAINERS

TCLU7451663	20DC FCL/FCL	YMAS176941	11 BUNDLES	21192.000KGS	4.709CBM
TLLU2184921	20DC FCL/FCL	YMAS185491	11 BUNDLES	21395.000KGS	4.754CBM
YMMU1048562	20DC FCL/FCL	YMAS177123	12 BUNDLES	22094.000KGS	4.910CBM
YMMU1142270	20DC FCL/FCL	YMAS176968	11 BUNDLES	20652.000KGS	4.589CBM
YMMU1182967	20DC FCL/FCL	YMAS177030	10 BUNDLES	17338.000KGS	3.853CBM

** END OF ATTACHED LIST **

MS&AD
Mitsui Sumitomo Insurance

ORIGINAL

Mitsui Sumitomo Insurance Company,Limited

MARINE CARGO POLICY

Head Office: 9 ,Kanda-Surugadai,3Chome,Chiyoda-ku,Tokyo,101-8011,Japan

This is to certify that this Company insure under the below Open/Provisional Policy, if any, as follows:

Assured(s),etc.
TOYOTA TSUSHO CORPORATION

Open Policy No. COP-00300C

Invoice No. GH-47827

Amount insured(Valued at the same as Amount insured.)
CARGO
US$149,780.-

POLICY
No.124-3721656810

Claim,if any,payable at/in
LAEM CHABANG, THAILAND

PLEASE CONTACT THE NEAREST AGENT WHERE THE CARGO IS LOCATED IN THE WEBSITE https://www.ms-ins.com/cargo/

Conditions IN CASE THE NOTATION IN CONDITIONS IS ALL RISKS(A/R), W.A., OR F.P.A. WITHOUT DATE, THOSE SHALL BE DEEMED TO READ AS INSTITUTE CARGO CLAUSES (A), (B) OR (C) 1/1/09 RESPECTIVELY.

ALL RISKS

Local Vessel or Conveyance	From(interior port or place of loading)	
LAND CONVEYANCE	INTERIOR PLACE	
Ship or Vessel	**Voyage: at and from**	**Sailing on or about**
YM IMPROVEMENT	NAGOYA, JAPAN	OCT. 18, 2024
Voyage: to/via	**Thence to**	
LAEM CHABANG, THAI LAND	FINAL DESTINATION BY LAND CONVEYANCE	
Goods and Merchandises	**Mark(s) and Number(s) as per Invoice No. specified above.**	
70 BUNDLES OF HOT ROLLED ALLOY STEEL ROUND BARS		

SPECIAL TRANSIT CLAUSE FOR STEEL PRODUCTS TO THAILAND

(AFTER DISCHARGE 90 DAYS)

NOTWITHSTANDING ANYTHING CONTAINED HEREIN TO THE CONTRARY, IT IS UNDERSTOOD AND AGREED THAT THIS INSURANCE SHALL CONTINUE UNTIL
(1) THE GOODS HEREBY INSURED ARE DELIVERED TO THE FINAL WAREHOUSE OR PLACE OF STORAGE AT THE DESTINATION NAMED IN THE POLICY, INCLUDING THE PERIOD DURING STORAGE (EXCLUDING EARTHQUAKE RISKS,WAR & SRCC RISKS,MISSING &/OR INVENTORY LOSS) IN THAILAND OR
(2) THE EXPIRY OF 90 DAYS AFTER COMPLETION OF DISCHARGE OF THE GOODS FROM THE OVERSEA VESSEL AND/OR AIRCRAFT AT THE FINAL PORT AND/OR AIRPORT OF DISCHARGE,
WHICHEVER SHALL FIRST OCCUR.

Co-Insurance Clause
It is hereby understood and agreed that this Policy is issued by Mitsui Sumitomo Insurance Co., Ltd. on behalf of Co-Insurers who are severally and not jointly liable for their individual subscription hereon. Mitsui Sumitomo Insurance Co., Ltd. shall on behalf of Co-Insurers receive premium, make payment of claims and administer all matters relating to this Policy.

CO-INSURANCE

MITSUI SUMITOMO	56.090%
TOKIO & NICHIDO	22.420%
MS(AD)	21.020%
SOMPOJ	0.470%

Including risks of War and Strikes

Subject to the following Clauses (so far as applicable):
Following Institute Clauses issued by the International Underwriters Association of London
Institute Cargo Clauses 1/1/63, 1/1/82 or 1/1/09 specified above
Institute War Clauses (Cargo) 11/3/80
Institute Strikes Riots and Civil Commotions Clauses 1/1/63
Institute War Clauses (Cargo) 1/1/82 or 1/1/09
Institute Strikes Clauses (Cargo) 1/1/82 or 1/1/09
Institute Air Cargo Clauses (All Risks)(excluding sendings by Post) 15/6/65
Institute War Clauses (Air Cargo)(excluding sendings by Post) 11/3/80
Institute Cargo Clauses (Air)(excluding sendings by Post) 1/1/82 or 1/1/09
Institute War Clauses (Air Cargo)(excluding sendings by Post) 1/1/82 or 1/1/09
Institute Strikes Clauses (Air Cargo) 1/1/82 or 1/1/09
Institute War Clauses for the insurance of sendings by Post 11/3/80
Institute War Clauses (sendings by Post) 1/1/82 or 1/3/09
Institute Dangerous Drugs Clause (applicable with Institute Cargo Clauses 1/1/63)
Institute Replacement Clause (applicable to Machinery)
Institute Radioactive Contamination, Chemical, Biological, Bio-Chemical and Electromagnetic Weapons Exclusion Clause
Piracy and Malicious Damage Clause (applicable with Institute Cargo Clauses (B) or (C))
Label Clause (applicable to Labelled Goods)
Grounding Clause (applicable with Institute Cargo Clauses 1/1/63)
Other Insurance Clause
Under Deck or On Deck Clause
Cargo ISM Endorsement
Termination of Transit Clause (Terrorism)
Sanction Limitation and Exclusion Clause
Mail and Parcel Post Clause (applicable to sendings by Post)
Post Clause (applicable to sendings by Post)
Duty Clause (applicable when duty is separately insured)
Special Clause for Through Transport by Vessel and Aircraft
Special Clause for Institute Cargo Clauses (C) 1/1/09
Special Clause for Institute War Clauses
Special Clause for Residual Property
Benefit of Insurance Clause (applicable with Institute Cargo Clauses 1/1/82)
Marine Cyber Endorsement

Place and Date signed in
NAGOYA OCT. 16, 2024

No.of Pol.
1

AND-61 322
5061 J1-- ----

IMPORTANT

PROCEDURE IN THE EVENT OF LOSS OR DAMAGE FOR WHICH UNDERWRITERS MAY BE LIABLE

LIABILITY OF CARRIERS, BAILEES OR OTHER THIRD PARTIES

It is the duty of the Assured and their Agents, in all cases, to take such measures as may be reasonable for the purpose of averting or minimising a loss and to ensure that all rights against Carriers, Bailees or other third parties are properly preserved and exercised. In particular, the Assured or their Agents are required:-

1. To claim immediately on the Carriers, Port Authorities or other Bailees for any missing packages.
2. In no circumstances, except under written protest, to give clean receipts where goods are in doubtful condition.
3. When delivery is made by Container, to ensure that the Container and its seals are examined immediately by their responsible official.
   If the Container is delivered damaged or with seals broken or missing or with seals other than as stated in the shipping documents, to clause the delivery receipt accordingly and retain all defective or irregular seals for subsequent identification.
4. To apply immediately for survey by Carriers' or other Bailees' Representatives if any loss or damage be apparent and claim on the Carriers or other Bailees for any actual loss or damage found at such survey.
5. To give notice in writing to the Carriers or other Bailees within 3 days of delivery if the loss or damage was not apparent at the time of taking delivery.

NOTE:The Consignees or their Agents are recommended to make themselves familiar with the Regulations of the Port Authorities at the port of discharge.

DOCUMENTATION OF CLAIMS

To enable claims to be dealt with promptly, the Assured or their Agents are advised to submit all available supporting documents without delay, including when applicable :-

1. Original policy of insurance.
2. Original or certified copy of shipping invoices, together with shipping specification and/or weight notes.
3. Original or certified copy of Bill of Lading and/or other contract of carriage.
4. Survey report or other documentary evidence to show the extent of the loss or damage.
5. Landing account and weight notes at port of discharge and final destination.
6. Correspondence exchanged with the Carriers and other Parties regarding their liability for the loss or damage.

In the event of loss or damage which may involve a claim under this insurance, no claim shall be paid unless immediate notice of such loss or damage has been given to and a Survey Report obtained from this Company's Office or Agents specified in this Policy.

This insurance is subject to the goods insured being carried under deck, unless otherwise agreed.

The following wording shall be deleted and replaced with the wording (*) printed right in cases of Institute Cargo Clauses dated 1/1/63 being applied.
Institute Cargo Clauses 1/1/09 shall be applied unless otherwise specified above.

GOVERNING LAW

1) Subject to the below provisions, this insurance contract is governed by Japanese law.
2) Notwithstanding anything contained herein or attached hereto to the contrary, English law and practice shall apply to only the interpretation of policy terms, liability and settlement of any and all insurance claims.
3) For the avoidance of doubt, matters relating to the existence and validity of the insurance contract and the duty of disclosure and any remedy available in case of breach of that duty are to be addressed by reference to Japanese law, as per clause 1) above.

We, Mitsui Sumitomo Insurance Company, Limited, hereby agree, in consideration of the payment to us by or on behalf of the Assured of the premium as arranged, to insure against loss damage liability or expense to the extent and in the manner herein provided.
In Witness whereof,
I the Undersigned of Mitsui Sumitomo Insurance Company, Limited, on behalf of the said Company have subscribed My Name in the place specified as above to the policies, the issued numbers thereof being specified above, of the same tenor and date, one of which being accomplished, the others to be void, as of the date specified as above.

(*) **We it known that**
Name(s) of Assured(s), etc. as specified above
as well in his or their own Name, as for and in the Name and Names of all and every other Person or Persons to whom the same doth, may, or shall appertain, in part or in all, do make *Insurance*, and hereby cause himself or themselves and them and every of them, to be *Insured*, lost or not lost, at and from as specified above upon Goods and Merchandises as specified above in the good Ship or Vessel called the as specified above whereof is Master, for this present Voyage
or whosoever else shall go for Master in the said Vessel, or by whatsoever other Name or Names the said Vessel, or the Master thereof, is or shall be named or called:- BEGINNING the Adventure upon the said Goods and Merchandises from the loading thereof on board the said Ship, and so to continue and endure, until the said Goods and Merchandises shall have arrived at as specified above and until the same be there discharged and safely landed. And it shall be lawful for the said Vessel, in this Voyage, to proceed and sail to, and touch and stay at any Ports or Places whatsoever, (within the limits of the above Voyage) for necessary Provisions, Assistance or Repairs, without prejudice to this *Insurance*; the said Goods and Merchandises laden thereon for so much as concerns the *As-sured*, are and shall be valued at as specified above
Touching the Adventures and Perils which the said **Mitsui Sumitomo Insurance Company,Limited,** themselves are content to bear, and to take upon them in this Voyage; they are of the Seas, Men-of-War, Fire, Enemies, Pirates, Rovers, Thieves, Jettisons, Letters of Mart and Counter-Mart, Surprisals, Takings at Sea, Arrests, Restraints and Detainments of all Kings, Princes, and People, of what Nation, Condition, or Quality soever, Barratry of the Master and Mariners, and of all other Perils, Losses, and Misfortunes that have or shall come to the Hurt, Detriment, or Damage of the said Goods and Merchandises, or any part thereof;
and in case of any Loss or Misfortune, it shall be lawful for the *Assured*, his or their Factors, Servants, or Assigns, to sue, labour, and travel for, in and about the Defence, Safeguard and Recovery of the said Goods and Merchandises, or any part thereof, without prejudice to this *Insurance*; to the Charges whereof the said *Company* will contribute. It is expressly declared and agreed that no acts of the *Insurer* or *Insured* in recovering, saving, or preserving the property insured, shall be considered as a waiver or acceptance of abandonment. AND it is agreed that this Writing or Policy of *Insurance* shall be of as much Force and Virtue as the surest Writing or Policy of *Insurance* made in LONDON. And so the said **Mitsui Sumitomo Insurance Company,Limited,** are contented, and do hereby promise and bind themselves to the *Assured*, his or their Executors, Administrators, or Assigns, for the true Performance of the Premises; confessing themselves paid the Consideration due unto them for this *Insurance*, at and after the rate of **as arranged** *Per cent*;
*Corn, Fish, Salt, Fruit, Flour and Seed are warranted free from Average, unless General, or the Ship be stranded, sunk or burnt; Sugar, Tobacco, Hemp, Flax, Hides and Skins are warranted free from Average under *Five per cent;* and all other Goods are warranted free from Average under Three percent., unless General, or the Ship be stranded, sunk or burnt.
This insurance is understood and agreed to be subject to English law and usage as to liability for and settlement of any and all claims.
In Witness whereof, **I** the **Undersigned** of **Mitsui Sumitomo Insurance Company,Limited,** on behalf of the said *Company*, have subscribed **my** Name in as specified above to as specified above Policies of the same tenor and date, one of which being accomplished, the others to be void, as of the date specified above.

For Mitsui Sumitomo Insurance Company,Limited

(AUTHORIZED SIGNATORY)

124-3721656810_000000_20241018110250

PH／O

Wording of the clauses applied (other than the same printed on the front or in the attached sheet) can be seen at the Website (https://www.ms-ins.com/cargo/) or available from this Company upon request.

The original is a PDF, and the printed version is for reference.
原本はPDF、印刷したものは参考情報です。

INSPECTION CERTIFICATE 検査証明書

AICHI STEEL CORPORATION 愛知製鋼株式会社

Messrs 向先：

Material 材料：SCM20

Certificate No. 証明書番号：4-09-02555

Spec. No. 規格番号：ー

Date 作成日：2024/09/20

Size 寸法 mm	Length 長さ mm	Section 形状	Heat No. 溶解番号	Delivery Condition 納入状態	No. of Piece 本数	Netweight 重量 kgs	Bundle No. 束No.
55.00	5570	Round Bar	40499	As Rolled	174	18,047	PL0046-PL0055

Items 項目	Chemical Composition 化学成分								
	C %	Si %	Mn %	P %	S %	Cu %	Ni %	Cr %	Mo %
Spec. 規格	0.17 -0.23	0.15 -0.35	0.55 -0.90	Max. 0.030	Max. 0.030	Max. 0.30	Max. 0.25	0.85 -1.25	0.15 -0.35
Results 成績	0.22	0.26	0.79	0.015	0.014	0.09	0.06	1.09	0.15

Items 項目	
Spec. 規格	
Results 成績	

Items 項目	Grain Size 結晶粒度	Hardenability 焼入性 (HRC) 8″/16
Spec. 規格	Min. 6.0	30.0 -34.0
Results 成績	7.6	33.4

Items 項目	Non-Metallic Inclusion 非金属介在物 JIS		
	dA %	d(B+C) %	Total %
Spec. 規格	Max. 0.25	Max. 0.10	Max. 0.35
Results 成績	0.04	0.00	0.04

Items 項目	Macro Structure マクロ組織
Results 成績	Good

Type of Document 文書の種類：ISO 10474 3.1 , EN 10204 3.1 , JIS G 0415 3.1

Remarks 記事

Quality Assurance Div. 品質保証部
Manager of Hagane Quality Control Dept.
鋼品質管理室長 酒井拓哉 Sakai Takuya
T. Sakai
Tokai-City, Aichi-Pref., Japan
問合せ http://www.aichi-steel.co.jp/contact/

We hereby certify that the material described herein has been made with the rules of the contract and that it satisfies the requirement.
上記材料は規定の通り製造され、その成績は要求事項を満足していることを証明します。

The original is a PDF, and the printed version is for reference.
原本はPDF、印刷したものは参考情報です。

INSPECTION CERTIFICATE 検査証明書

AICHI STEEL CORPORATION 愛知製鋼株式会社

Messrs 向先：

Material 材料：SCM20

Certificate No. 証明書番号：4-09-02556

Spec. No. 規格番号 ー

Date 作成日：2024/09/20

Size 寸法 mm	Length 長さ mm	Section 形状	Heat No. 溶解番号	Delivery Condition 納入状態	No. of Piece 本数	Netweight 重量 kgs	Bundle No. 束No.
55.00	5570	Round Bar	40500	As Rolled	813	84,390	PL0001-PL0043

Items 項目	Chemical Composition 化学成分								
	C %	Si %	Mn %	P %	S %	Cu %	Ni %	Cr %	Mo %
Spec. 規格	0.17 -0.23	0.15 -0.35	0.55 -0.90	Max. 0.030	Max. 0.030	Max. 0.30	Max. 0.25	0.85 -1.25	0.15 -0.35
Results 成績	0.22	0.27	0.80	0.017	0.014	0.10	0.06	1.09	0.16

Items 項目														
Spec. 規格														
Results 成績														

Items 項目	Grain Size 結晶粒度	Hardenability 焼入性 (HRC) 8″/16
Spec. 規格	Min. 6.0	30.0 -34.0
Results 成績	7.7	31.7

Items 項目	Non-Metallic Inclusion 非金属介在物 JIS		
	dA %	d(B+C) %	Total %
Spec. 規格	Max. 0.25	Max. 0.10	Max. 0.35
Results 成績	0.04	0.01	0.05

Items 項目	Macro Structure マクロ組織
Results 成績	Good

Type of Document 文書の種類：ISO 10474 3.1 , EN 10204 3.1 , JIS G 0415 3.1

Remarks 記事

Quality Assurance Div. 品質保証部
Manager of Hagane Quality Control Dept.
鋼品質管理室長 酒井拓哉 Sakai Takuya
T. Sakai
Tokai-City, Aichi-Pref., Japan
問合せ http://www.aichi-steel.co.jp/contact/

We hereby certify that the material described herein has been made with the rules of the contract and that it satisfies the requirement.
上記材料は規定の通り製造され、その成績は要求事項を満足していることを証明します。

The original is a PDF, and the printed version is for reference.
原本はPDF、印刷したものは参考情報です。

INSPECTION CERTIFICATE 検査証明書

AICHI STEEL CORPORATION 愛知製鋼株式会社

Messrs 向先：	Material 材料：	Certificate No. 証明書番号：	Spec. No. 規格番号	Date 作成日：
	SCM20	4-09-02557	—	2024/09/20

Size 寸法 mm	Length 長さ mm	Section 形状	Heat No. 溶解番号	Delivery Condition 納入状態	No. of Piece 本数	Netweight 重量 kgs	Bundle No. 束No.
55.00	5570	Round Bar	40500	As Rolled	28	2,905	PL0056-PL0057

Items 項目	Chemical Composition 化学成分								
	C %	Si %	Mn %	P %	S %	Cu %	Ni %	Cr %	Mo %
Spec. 規格	0.17 -0.23	0.15 -0.35	0.55 -0.90	Max. 0.030	Max. 0.030	Max. 0.30	Max. 0.25	0.85 -1.25	0.15 -0.35
Results 成績	0.22	0.27	0.80	0.017	0.014	0.10	0.06	1.09	0.16

Items 項目														
Spec. 規格														
Results 成績														

Items 項目	Grain Size 結晶粒度	Hardenability 焼入性 (HRC) 8″/16
Spec. 規格	Min. 6.0	30.0 -34.0
Results 成績	7.7	31.7

Items 項目	Non-Metallic Inclusion 非金属介在物 JIS		
	dA %	d(B+C) %	Total %
Spec. 規格	Max. 0.25	Max. 0.10	Max. 0.35
Results 成績	0.04	0.01	0.05

Items 項目	Macro Structure マクロ組織
Results 成績	Good

Type of Document 文書の種類：ISO 10474 3.1 , EN 10204 3.1 , JIS G 0415 3.1

Remarks 記事

Quality Assurance Div. 品質保証部
Manager of Hagane Quality Control Dept.
鋼品質管理室長 酒井拓哉 Sakai Takuya
T. Sakai
Tokai-City, Aichi-Pref., Japan
問合せ http://www.aichi-steel.co.jp/contact/

We hereby certify that the material described herein has been made with the rules of the contract and that it satisfies the requirement.
上記材料は規定の通り製造され、その成績は要求事項を満足していることを証明します。

The original is a PDF, and the printed version is for reference.
原本はPDF、印刷したものは参考情報です。

INSPECTION CERTIFICATE 検査証明書

AICHI STEEL CORPORATION 愛知製鋼株式会社

Messrs 向先：	Material 材料：	Certificate No. 証明書番号：	Spec. No. 規格番号	Date 作成日：
	SCM20	4-09-02557	ー	2024/09/20

Size 寸法 mm	Length 長さ mm	Section 形状	Heat No. 溶解番号	Delivery Condition 納入状態	No. of Piece 本数	Netweight 重量 kgs	Bundle No. 束No.
55.00	5570	Round Bar	40500	As Rolled	14	1,452	PL8000

Items 項目	Chemical Composition 化学成分								
	C %	Si %	Mn %	P %	S %	Cu %	Ni %	Cr %	Mo %
Spec. 規格	0.17 -0.23	0.15 -0.35	0.55 -0.90	Max. 0.030	Max. 0.030	Max. 0.30	Max. 0.25	0.85 -1.25	0.15 -0.35
Results 成績	0.22	0.27	0.80	0.017	0.014	0.10	0.06	1.09	0.16

Items 項目														
Spec. 規格														
Results 成績														

Items 項目	Grain Size 結晶粒度	Hardenability 焼入性 (HRC) 8″/16
Spec. 規格	Min. 6.0	30.0 -34.0
Results 成績	7.7	31.7

Items 項目	Non-Metallic Inclusion 非金属介在物 JIS		
	dA %	d(B+C) %	Total %
Spec. 規格	Max. 0.25	Max. 0.10	Max. 0.35
Results 成績	0.04	0.01	0.05

Items 項目	Macro Structure マクロ組織
Results 成績	Good

Type of Document 文書の種類：ISO 10474 3.1 , EN 10204 3.1 , JIS G 0415 3.1

Remarks 記事

Quality Assurance Div. 品質保証部
Manager of Hagane Quality Control Dept.
鋼品質管理室長 酒井拓哉 Sakai Takuya
T. Sakai
Tokai-City, Aichi-Pref., Japan
問合せ http://www.aichi-steel.co.jp/contact/

We hereby certify that the material described herein has been made with the rules of the contract and that it satisfies the requirement.
上記材料は規定の通り製造され、その成績は要求事項を満足していることを証明します。

The original is a PDF, and the printed version is for reference.
原本はPDF、印刷したものは参考情報です。

INSPECTION CERTIFICATE 検査証明書

AICHI STEEL CORPORATION 愛知製鋼株式会社

Messrs 向先：	Material 材料：	Certificate No. 証明書番号：	Spec. No. 規格番号	Date 作成日：
	SCM20	4-09-02558	—	2024/09/20

Size 寸法 mm	Length 長さ mm	Section 形状	Heat No. 溶解番号	Delivery Condition 納入状態	No. of Piece 本数	Netweight 重量 kgs	Bundle No. 束No.
55.00	5570	Round Bar	40500	As Rolled	36	3,735	PL0044-PL0045

Items 項目	Chemical Composition 化学成分								
	C %	Si %	Mn %	P %	S %	Cu %	Ni %	Cr %	Mo %
Spec. 規格	0.17 -0.23	0.15 -0.35	0.55 -0.90	Max. 0.030	Max. 0.030	Max. 0.30	Max. 0.25	0.85 -1.25	0.15 -0.35
Results 成績	0.22	0.27	0.80	0.017	0.014	0.10	0.06	1.09	0.16

Items 項目														
Spec. 規格														
Results 成績														

Items 項目	Grain Size 結晶粒度	Hardenability 焼入性 (HRC) 8″/16
Spec. 規格	Min. 6.0	30.0 -34.0
Results 成績	7.7	31.7

Items 項目	Non-Metallic Inclusion 非金属介在物 JIS		
	dA %	d(B+C) %	Total %
Spec. 規格	Max. 0.25	Max. 0.10	Max. 0.35
Results 成績	0.04	0.01	0.05

Items 項目	Macro Structure マクロ組織
Results 成績	Good

Type of Document 文書の種類：ISO 10474 3.1 , EN 10204 3.1 , JIS G 0415 3.1

Remarks 記事

Quality Assurance Div. 品質保証部
Manager of Hagane Quality Control Dept.
鋼品質管理室長 酒井拓哉 Sakai Takuya
T. Sakai
Tokai-City, Aichi-Pref., Japan
問合せ http://www.aichi-steel.co.jp/contact/

We hereby certify that the material described herein has been made with the rules of the contract and that it satisfies the requirement.
上記材料は規定の通り製造され、その成績は要求事項を満足していることを証明します。

The original is a PDF, and the printed version is for reference.
原本はPDF、印刷したものは参考情報です。

INSPECTION CERTIFICATE 検査証明書

AICHI STEEL CORPORATION 愛知製鋼株式会社

Messrs 向先：	Material 材料：	Certificate No. 証明書番号：	Spec. No. 規格番号	Date 作成日：
	SCM20	4-09-02558	—	2024/09/20

Size 寸法 mm	Length 長さ mm	Section 形状	Heat No. 溶解番号	Delivery Condition 納入状態	No. of Piece 本数	Netweight 重量 kgs	Bundle No. 束No.
55.00	5570	Round Bar	40500	As Rolled	53	5,499	PL8001-PL8003

Items 項目	Chemical Composition 化学成分								
	C %	Si %	Mn %	P %	S %	Cu %	Ni %	Cr %	Mo %
Spec. 規格	0.17 -0.23	0.15 -0.35	0.55 -0.90	Max. 0.030	Max. 0.030	Max. 0.30	Max. 0.25	0.85 -1.25	0.15 -0.35
Results 成績	0.22	0.27	0.80	0.017	0.014	0.10	0.06	1.09	0.16

Items 項目														
Spec. 規格														
Results 成績														

Items 項目	Grain Size 結晶粒度	Hardenability 焼入性 (HRC) 8″/16
Spec. 規格	Min. 6.0	30.0 -34.0
Results 成績	7.7	31.7

Items 項目	Non-Metallic Inclusion 非金属介在物 JIS		
	dA %	d(B+C) %	Total %
Spec. 規格	Max. 0.25	Max. 0.10	Max. 0.35
Results 成績	0.04	0.01	0.05

Items 項目	Macro Structure マクロ組織
Results 成績	Good

Type of Document 文書の種類：ISO 10474 3.1 , EN 10204 3.1 , JIS G 0415 3.1

Remarks 記事

Quality Assurance Div. 品質保証部
Manager of Hagane Quality Control Dept.
鋼品質管理室長 酒井拓哉 Sakai Takuya
T. Sakai
Tokai-City, Aichi-Pref., Japan
問合せ http://www.aichi-steel.co.jp/contact/

We hereby certify that the material described herein has been made with the rules of the contract and that it satisfies the requirement.
上記材料は規定の通り製造され、その成績は要求事項を満足していることを証明します。

The original is a PDF, and the printed version is for reference.
原本はPDF、印刷したものは参考情報です。

INSPECTION CERTIFICATE 検査証明書

AICHI STEEL CORPORATION 愛知製鋼株式会社

Messrs 向先：	Material 材料：	Certificate No. 証明書番号：	Spec. No. 規格番号	Date 作成日：
	SCR23	4-09-03898	—	2024/09/24

Size 寸法 mm	Length 長さ mm	Section 形状	Heat No. 溶解番号	Delivery Condition 納入状態	No. of Piece 本数	Netweight 重量 kgs	Bundle No. 束No.
80.00	5650	Round Bar	40593	As Rolled	61	13,584	PM0001-PM0008

Items 項目	Chemical Composition 化学成分							
	C %	Si %	Mn %	P %	S %	Cu %	Ni %	Cr %
Spec. 規格	0.19 -0.25	0.15 -0.35	0.55 -0.90	Max. 0.030	Max. 0.030	Max. 0.30	Max. 0.25	0.85 -1.25
Results 成績	0.22	0.19	0.87	0.019	0.016	0.07	0.06	1.21

Items 項目														
Spec. 規格														
Results 成績														

Items 項目	Grain Size 結晶粒度	Hardenability 焼入性 (HRC) 8″/16
Spec. 規格	Min. 6.0	28.0 -32.0
Results 成績	7.8	29.5

Items 項目	Non-Metallic Inclusion 非金属介在物 JIS		
	dA %	d(B+C) %	Total %
Spec. 規格	Max. 0.25	Max. 0.10	Max. 0.35
Results 成績	0.05	0.00	0.05

Items 項目	Macro Structure マクロ組織
Results 成績	Good

Type of Document 文書の種類：ISO 10474 3.1 , EN 10204 3.1 , JIS G 0415 3.1

Remarks 記事

Quality Assurance Div. 品質保証部
Manager of Hagane Quality Control Dept.
鋼品質管理室長 酒井拓哉 Sakai Takuya
T. Sakai
Tokai-City, Aichi-Pref., Japan
問合せ http://www.aichi-steel.co.jp/contact/

We hereby certify that the material described herein has been made with the rules of the contract and that it satisfies the requirement.
上記材料は規定の通り製造され、その成績は要求事項を満足していることを証明します。

The original is a PDF, and the printed version is for reference.
原本はPDF、印刷したものは参考情報です。

INSPECTION CERTIFICATE 検査証明書

AICHI STEEL CORPORATION 愛知製鋼株式会社

Messrs 向先：	Material 材料：	Certificate No. 証明書番号：	Spec. No. 規格番号	Date 作成日：
	SCR23	4-09-03898	ー	2024/09/24

Size 寸法 mm	Length 長さ mm	Section 形状	Heat No. 溶解番号	Delivery Condition 納入状態	No. of Piece 本数	Netweight 重量 kgs	Bundle No. 束No.
80.00	5650	Round Bar	40593	As Rolled	7	1,563	PM8000

Items 項目	Chemical Composition 化学成分																						
	C %	Si %	Mn %	P %	S %	Cu %	Ni %	Cr %															
Spec. 規格	0.19 -0.25	0.15 -0.35	0.55 -0.90	Max. 0.030	Max. 0.030	Max. 0.30	Max. 0.25	0.85 -1.25															
Results 成績	0.22	0.19	0.87	0.019	0.016	0.07	0.06	1.21															

Items 項目															
Spec. 規格															
Results 成績															

Items 項目						Grain Size 結晶粒度	Hardenability 焼入性 (HRC) 8″/16														
Spec. 規格						Min. 6.0	28.0 -32.0														
Results 成績						7.8	29.5														

Items 項目	Non-Metallic Inclusion 非金属介在物 JIS																	
	dA %	d(B+C) %	Total %															
Spec. 規格	Max. 0.25	Max. 0.10	Max. 0.35															
Results 成績	0.05	0.00	0.05															

Items 項目	Macro Structure マクロ組織												
Results 成績	Good												

Type of Document 文書の種類：ISO 10474 3.1 , EN 10204 3.1 , JIS G 0415 3.1	
Remarks 記事	

Quality Assurance Div. 品質保証部
Manager of Hagane Quality Control Dept.
鋼品質管理室長 酒井拓哉 Sakai Takuya
T. Sakai
Tokai-City, Aichi-Pref., Japan
問合せ http://www.aichi-steel.co.jp/contact/

We hereby certify that the material described herein has been made with the rules of the contract and that it satisfies the requirement.
上記材料は規定の通り製造され、その成績は要求事項を満足していることを証明します。