TOYOTA TSUSHO CORPORATION

TO: TTTC/ATTN:MS.NICHAREE

DATE NOV. 18, 2024

INVOICE NO. GH-48002

SHIPPING ADVICE

DEAR SIRS,
PLEASE FIND ATTACHED SHIPPING DOCUMENTS AS FOLLOWS:

( ) COMMERCIAL INVOICE
( ) SEA WAY BILL
( ) PACKING LIST
( ) INSURANCE POLICY
( ) CERTIFICATE OF ORIGIN FOR EPA

WE TRUST THE INVOICED GOODS DESCRIBED HEREIN REACH YOU SAFELY AND IN GOOD CONDITION.

B/L No.:
ETA: NOV. 28, 2024
COPY TO: TTC 3032 MS.INOUE

TOYOTA TSUSHO CORPORATION

H. Yoshida

GENERAL MANAGER

INVOICE

TOYOTA TSUSHO CORPORATION
9-8,MEIEKI 4-CHOME,NAKAMURA-KU,
NAGOYA,450-8575 JAPAN

(A3032)

INVOICE NO. GH-48002

PLACE & DATE NAGOYA, JAPAN NOV. 07, 2024

OUR S/C NO. 332JT10S1 332JT11S1

BUYER'S ORDER NO. PT646/647JTC080

MARKS & NOS.
- AS PER ATTACHED SHEET -

CONSIGNEE
TOYOTA TSUSHO(THAILAND)CO.,LTD.
607 ASOKE-DINDAENG ROAD,KWAENG DINDAENG,KHET DINDAENG,
(P.O.BOX NO.494,SAMSENNAI POST OFFICE)
BANGKOK 10400,THAILAND
ATTN: MS.NICHAREE
TEL : 66-2641-7705 FAX : 66-2246-5664

FROM NAGOYA, JAPAN
TO LAEM CHABANG, THAILAND
VIA
SHIPPED ON YM INCEPTION
SAILING ON OR ABOUT NOV. 18, 2024

TERMS OF PAYMENT

T.T.REMITTANCE AT 125 DAYS AFTER THE END OF SHIPPING MONTH

DESCRIPTION	QUANTITY	UNIT PRICE	AMOUNT
HOT ROLLED ALLOY STEEL ROUND BARS		CIF LAEM CHABANG, THAILAND	
		@JPY	JPY
332JT10S1 SCR420 SIZE: 14.0MM X 4.00MTR	19.323 M/T	329,799.00	6,372,706
332JT11S1 SCR420 SIZE: 14.0MM X 4.00MTR	18.384 M/T	329,799.00	6,063,024
TOTAL :	CIF LAEM CHABANG, THAILAND	JPY	12,435,730

GRAND TOTAL :
48 CASES 37.707 M/T

TOTAL NET WEIGHT : 37,707.000 KGS
TOTAL GROSS WEIGHT : 39,627.000 KGS
TOTAL MEASUREMENT : 21.264 M3

(FOB JAPAN: JPY12,364,878)
(OCEAN FREIGHT: 28,307)
(INS.PREMIUM: 42,545)

TOYOTA TSUSHO CORPORATION
M. Yoshida
GENERAL MANAGER

- ATTACHED SHEET(S) -

TTTC-JTC
332-JT10S1
LAEM CHABANG
SPEC:SCR420
SIZE:14.00X4000
B/NO. SY3-SY6
SY8000-SY8001
SZ1-SZ6
SZ8000-SZ8007
TA8006-TA8009
MADE IN JAPAN

TTTC-JTC
332-JT11S1
LAEM CHABANG
SPEC:SCR420
SIZE:14.00X4000
B/NO. BP1-BP6
BR1-BR11
BR8000-BR8006
MADE IN JAPAN

- END OF LIST -

PACKING LIST

TOYOTA TSUSHO CORPORATION
9-8,MEIEKI 4-CHOME,NAKAMURA-KU,
NAGOYA,450-8575 JAPAN

(A3032)

INVOICE NO. GH-48002

PLACE & DATE NAGOYA, JAPAN NOV. 07, 2024

OUR S/C NO. 332JT10S1 332JT11S1

BUYER'S ORDER NO. PT646/647JTC080

MARKS & NOS.
- AS PER ATTACHED SHEET -

CONSIGNEE
TOYOTA TSUSHO(THAILAND)CO.,LTD.
607 ASOKE-DINDAENG ROAD,KWAENG DINDAENG,KHET DINDAENG,
(P.O.BOX NO.494,SAMSENNAI POST OFFICE)
BANGKOK 10400,THAILAND
ATTN: MS.NICHAREE
TEL : 66-2641-7705 FAX : 66-2246-5664

FROM NAGOYA, JAPAN
TO LAEM CHABANG, THAILAND
VIA
SHIPPED ON YM INCEPTION
SAILING ON OR ABOUT NOV. 18, 2024

TERMS OF PAYMENT

T.T.REMITTANCE AT 125 DAYS AFTER THE END OF SHIPPING MONTH

DESCRIPTION	QUANTITY	NET WEIGHT	GROSS WEIGHT	MEASUREMENT
HOT ROLLED ALLOY STEEL ROUND BARS				
- DETAILS AS PER ATTACHED SHEET -				

GRAND TOTAL :

48 CASES

37.707 M/T

NET WEIGHT	GROSS WEIGHT	MEASUREMENT
37,707.000 KGS	39,627.000 KGS	21.264 M3

TOYOTA TSUSHO CORPORATION

H. Yoshida

GENERAL MANAGER

- ATTACHED SHEET(S) -

TTTC-JTC
332-JT10S1
LAEM CHABANG
SPEC:SCR420
SIZE:14.00X4000
B/NO. SY3-SY6
SY8000-SY8001
SZ1-SZ6
SZ8000-SZ8007
TA8006-TA8009
MADE IN JAPAN

TTTC-JTC
332-JT11S1
LAEM CHABANG
SPEC:SCR420
SIZE:14.00X4000
B/NO. BP1-BP6
BR1-BR11
BR8000-BR8006
MADE IN JAPAN

- END OF LIST -

PACKING LIST

SHIPPING MARK

TTTC-JTC
332-JT10S1/11S1
LAEM CHABANG
SPEC : SCR420
SIZE : 14.00 x 4000
B/NO. SY3-6,SY8000-8001,SZ1-SZ6,SZ8000-8007,TA8006-8009,BP1-6,BR1-11,BR8000-8006
MADE IN JAPAN

B/NO.		SPEC/SIZE	N/W	G/W	PCS
SY	3	SCR420 φ14.0×4,000	806	846	166
SY	4	SCR420 φ14.0×4,000	821	861	169
SY	5	SCR420 φ14.0×4,000	826	866	170
SY	6	SCR420 φ14.0×4,000	821	861	169
SY	8000	SCR420 φ14.0×4,000	826	866	170
SY	8001	SCR420 φ14.0×4,000	821	861	169
SZ	1	SCR420 φ14.0×4,000	823	863	169
SZ	2	SCR420 φ14.0×4,000	828	868	170
SZ	3	SCR420 φ14.0×4,000	585	625	120
SZ	4	SCR420 φ14.0×4,000	585	625	120
SZ	5	SCR420 φ14.0×4,000	832	872	171
SZ	6	SCR420 φ14.0×4,000	827	867	170
SZ	8000	SCR420 φ14.0×4,000	826	866	170
SZ	8001	SCR420 φ14.0×4,000	827	867	170
SZ	8002	SCR420 φ14.0×4,000	820	860	169
SZ	8003	SCR420 φ14.0×4,000	825	865	170
SZ	8004	SCR420 φ14.0×4,000	826	866	170
SZ	8005	SCR420 φ14.0×4,000	826	866	170
SZ	8006	SCR420 φ14.0×4,000	836	876	172
SZ	8007	SCR420 φ14.0×4,000	826	866	170
TA	8006	SCR420 φ14.0×4,000	827	867	170
TA	8007	SCR420 φ14.0×4,000	827	867	170
TA	8008	SCR420 φ14.0×4,000	828	868	170
TA	8009	SCR420 φ14.0×4,000	828	868	170
BP	1	SCR420 φ14.0×4,000	824	864	170
BP	2	SCR420 φ14.0×4,000	825	865	170
BP	3	SCR420 φ14.0×4,000	825	865	170
BP	4	SCR420 φ14.0×4,000	825	865	170
BP	5	SCR420 φ14.0×4,000	824	864	170
BP	6	SCR420 φ14.0×4,000	824	864	170
BR	1	SCR420 φ14.0×4,000	455	495	94
BR	2	SCR420 φ14.0×4,000	455	495	94
BR	3	SCR420 φ14.0×4,000	451	491	93
BR	4	SCR420 φ14.0×4,000	456	496	94
BR	5	SCR420 φ14.0×4,000	844	884	174
BR	6	SCR420 φ14.0×4,000	845	885	174
BR	7	SCR420 φ14.0×4,000	825	865	170
BR	8	SCR420 φ14.0×4,000	825	865	170
BR	9	SCR420 φ14.0×4,000	825	865	170
BR	10	SCR420 φ14.0×4,000	825	865	170
BR	11	SCR420 φ14.0×4,000	824	864	170
BR	8000	SCR420 φ14.0×4,000	825	865	170
BR	8001	SCR420 φ14.0×4,000	819	859	169
BR	8002	SCR420 φ14.0×4,000	819	859	169
BR	8003	SCR420 φ14.0×4,000	840	880	173
BR	8004	SCR420 φ14.0×4,000	831	871	171
BR	8005	SCR420 φ14.0×4,000	839	879	173
BR	8006	SCR420 φ14.0×4,000	834	874	172
		TOTAL 48 CASES	37,707	39,627	7,764

CONTAINER STUFFING PLAN

ALL NIPPON CHECKERS CORPORATRION

NAME OF VESSEL : "YM INCEPTION" VOY NO. 226S

DESTNATION : LAEM CHABANG

PLACE OF PACKING : MEIKO TRANS CO.,LTD. KTC H/W. PACKER : MEIKO TRANS CO., LTD.

PACKING TIME : FROM TO FORWADER : 三協

PACKING DATE : 12TH, NOV' 2024 ~~CARRIER'S PACK~~ SHIPPER'S PACK

CONTAINER NO. GROSS WEIGHT : ~~LBS.~~ KGS.

SEAL NO. BOOKING : YANG MING MARINE TARE WEIGHT

I253048339

SHIPPER'S NAME	MARK & NUMBER	NO. OF P'KGS.	DESCRIPTION	MEASURMENT (CFT.M3)	NET WEIGHT (LBS.KGS)
TOYOTA TSUSHO	TTTC-JTC 332-JT10S1				
CORPORATION	LAEM CHABANG SPEC/SIZE:B/NO.				
S/NO. 24L1500816	MADE IN JAPAN				
	or V/M				
20' DC × 3		48 C/S	STEEL ROUND BAR	21.264 M3	39,627 KGS

LOT	CONTAINER NO.	SEAL NO.	P' KGS		N. W.		T. W.		G. W.		M3	
1	YMMU1157080	YMAS178077	18	C/S	15,413	KGS	2,260	KGS	17,673	KGS	8.271	M3
	B/NO. SZ4, 6, BP1-4, BR5-11, 8000, 8003-8006											
2	SEGU3016442	YMAS178110	18	C/S	15,317	KGS	2,100	KGS	17,417	KGS	8.219	M3
	B/NO. SY3-6, 8000-8001, SZ1-3, 5, 8000-8003, TA8006-8009											
3	SEGU2725206	YMAS178106	12	C/S	8,897	KGS	2,180	KGS	11,077	KGS	4.774	M3
	B/NO. SZ8004-8007, BP5-6, BR1-4, 8001-8002											

DOOR

LEFT

RIGHT

SIGNATURE

'24.11.12

ALL NIPPON CHECKERS CORPORATION

NAGOYA BRANCH

N-C-1

YANG MING

NON-NEGOTIABLE SEA WAYBILL

Shipper TOYOTA TSUSHO CORPORATION 9-8,MEIEKI 4-CHOME,NAKAMURA-KU, NAGOYA,450-8575 JAPAN	Booking No. I253048339 W B/L No. YMJAI253048339 Export References
Consignee TOYOTA TSUSHO (THAILAND)CO., LTD. 607 ASOKE-DINDAENG ROAD,KWAENG DINDAENG,KHET DINDAENG,(P.O.BOX NO.494,SAMSENNAI POST OFFICE) BANGKOK 10400,THAILAND ATTN: MS.NICHAREE*	Forwarding agent references Point and Country of origin of goods
Notify PartySAME AS CONSIGNEE	ALSO NOTIFY

*Precarried by	*Place of Receipt NAGOYA CY	Onward inland routing
Vessel Voy No. 226S YM INCEPTION	Port of Loading NAGOYA, JAPAN	
Port of Discharge LAEM CHABANG, THAILAND	*Place of Delivery LAEM CHABANG CY	Delivery status CY

PARTICULARS FURNISHED BY MERCHANT

MKS & NOS/CONTAINER NOS	NO OF PKGS	DESCRIPTION OF PACKAGES AND GOODS	Measurement(M) Gross Weight(KGS)
	3 CTNR	SHIPPER'S LOAD, STOWAGE AND COUNT S.T.C 48 CASES	39627.000KGS 21.264CBM
TTTC-JTC 332-JT10S1 LAEM CHABANG SPEC:SCR420 SIZE:14.00X4000 B/NO.SY3-SY6 SY8000-SY8001 SZ1-SZ6 SZ8000-SZ8007 TA8006-TA8009 MADE IN JAPAN		HOT ROLLED ALLOY STEEL ROUND BARS I/V NO.GH-48002 *TEL : 66-2641-7705 FAX : 66-2246-5664 "THE I/V NO. IS PROVIDED BY THE SHIPPER FOR REFERENCE ONLY, AND THE CARRIER SHALL NOT BE LIABLE FOR ANY	FREIGHT PREPAID LOADED ON M/V : YM INCEPTION VOY :226S AT:NAGOYA, JAPAN SHIPPED ON BOARD: 2024/11/18 CRD :2024/11/15
SEGU2725206 20DC	FCL/FCL	YMAS178106 12 CASES 8897.000KGS	4.774CBM
SEGU3016442 20DC	FCL/FCL	YMAS178110 18 CASES 15317.000KGS	8.219CBM

Declared Value $_____if Merchant enters value of Goods and pays the applicable ad valorem rate,Carrier's Package limitation shall not apply. See Clause 23 (2) & (3) hereof

JTC2446S

Place and Date of issue NAGOYA 2024/11/18

On Board Date 2024/11/18

ITEM NO	CHG	RATED AS	PER	RATE	PREPAID	COLLECT
		FREIGHT AS ARRANGED				
				Total		
				Payable at		

B/L No YMJAI253048339

RECEIVED by the Carrier from the Merchant in apparent external good order and condition (unless otherwise noted herein) the total number of Containers, or if Goods are not shipped in containers, the total number of packages or other shipping units specified in the box marked "No. of PKgs. or Containers" for Carriage subject to all the terms and conditions hereof (including the terms and conditions on the reverse hereof and the terms and conditions of the Carrier's applicable Tariff) from the place of receipt by the Carrier of Goods or the port of loading. whichever is applicable, to the port of discharge or place of delivery, whichever is applicable.
In Witness Whereof, the undersigned has signed Full set of Bill of Lading, all of the same tenor and date, one of which being accomplished, the other to stand void.

Rate of exchange

Number of Original Bill(s) 1

see as attached list...

Yangming(Japan) Co.Ltd.

By _____

As agent for the Carrier and Service Provider Yang Ming Marine Transport Corporation trading as Yang Ming

ATTACHED LIST YM INCEPTION 226S Original

B/L NO : YMJAI253048339 BKG NO :I253048339

MARKS

DISPUTE BETWEEN THE MERCHANTS."

TTTC-JTC
332-JT11S1
LAEM CHABANG
SPEC:SCR420
SIZE:14.00X4000
B/NO.BP1-BP6
BR1-BR11
BR8000-BR8006
MADE IN JAPAN

CONTAINERS

YMMU1157080	20DC FCL/FCL	YMAS178077	18 CASES	15413.000KGS	8.271CBM

** END OF ATTACHED LIST **

GH-47907, GH-48002

3060-95UX

TTTC-JTC
332-JT10S1

ﾄﾖﾀﾂｳｼｮｳ (KK) ﾄｳｷｮｳﾎﾝｼ

LAEM CHABANG

ﾌﾅｽﾞﾐｼﾞNO 2408026L08

GRADE:

ｼﾞｪｲﾃｸﾄ*ﾀｲ ｲｰｴｸｽｺﾞｰ

SIZE:

LENGTH:

ｻﾝｷｮｳ (KK)

NET WT.:

2024-08-02

GROSS WT.:

HEAT NO.:

BUNDLE NO.:

SY 1 - SY 4 4 BUNDLES

6L08 10

4 BUNDLES

ｹｲﾔｸNO 332-JT10S1

NO. OF PCS.: 662 PCS. ✓

MADE IN JAPAN

~~3,218 kg / 2P.~~

AICHI STEEL CORP.

SY1 - SY2 / GH-47907
SY3 - SY4 / GH-48002

GH-47907 , GH-48002

3060-95UX

ﾄﾖﾀﾂｳｼｮｳ (KK) ﾄｳｷｮｳﾎﾝｼ

ｼﾞｪｲﾃｸﾄ*ﾀｲ ｲｰｴｸｽｺﾞｰ

ｻﾝｷｮｳ (KK)

6L08 10

ｹｲﾔｸNO 332-JT10S1

TTTC-JTC
332-JT10S1
LAEM CHABANG
GRADE:
SIZE:
LENGTH:
NET WT.:
GROSS WT.:
HEAT NO.:
BUNDLE NO.:

ﾌﾅｽﾞﾐｼﾞNO 2408066L08

2024-08-06

SY 5 - SY 6	2 BUNDLES
SY8000 - SY8004	5 BUNDLES
	7 BUNDLES

NO. OF PCS.: 1,049 PCS.

MADE IN JAPAN
AICHI STEEL CORP.

5.096 kg/3p

SY8002 - SY8004 GH-47907

SY5 - SY6
SY8000 - SY8001) GH-48002

GH-48002

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

AICHI STEEL CORPORATION

Chemical Composition (%)												
Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	30	81	21	7	9	5	116		8		

Non-Metallic Inclusion												Decarburization (mm)	Hardness	Grain Size
Items	JIS (%)			ASTM									MAX. 88HRBW	MIN. 6.0
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0			
Results				1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		81-81	7.8

Macro-Streak-Flaw			
Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)													
Distance from Quenched End(mm)													
Spec. (HRC)													
Results.(HRC)													

Bundle No.
SY0003-SY0004

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59003	AT	MB-502	2024- 8- 2	6- 6- 802	335	1,627

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

GH-48002

INSPECTION CERTIFICATE

AICHI STEEL CORPORATION

Chemical Composition (%)												
Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	30	81	21	7	9	5	116		8		

Non-Metallic Inclusion												Decarburization (mm)	Hardness	Grain Size
Items	JIS (%)			ASTM									MAX. 88HRBW	MIN. 6.0
				A		B		C		D				
	dA	d(B+C)	d(A+B+C)	Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0			
Results				1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		81-81	7.8

Macro-Streak-Flaw				Hardenability (End Quenching Method)													
Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0	Distance from Quenched End(mm)													
Spec.	Max.	Max.	Max.	Spec. (HRC)													
Results				Results.(HRC)													

Bundle No.
SY0005-SY0006

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59003	AT	MB-502	2024- 8- 6	6- 6- 802	339	1,647

Surveyor

We hereby certify that above results are true and correct in every detail

K. Watanabe

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-48002

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	30	81	21	7	9	5	116		8		

Non-Metallic Inclusion

Items	JIS (%)			ASTM								Decarburization (mm)	Hardness	Grain Size
				A		B		C		D				
	dA	d(B+C)	d(A+B+C)	Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		81-81	7.8

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
SY8000-SY8001

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59003	AT	MB-502	2024- 8- 6	6- 6- 802	339	1,647

Surveyor

We hereby certify that above results are true and correct in every detail

K. Watanabe

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

GH-4800ℓ

INSPECTION CERTIFICATE

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	32	80	22	10	8	5	115		10		

Non-Metallic Inclusion

Items	JIS (%)			ASTM								Decarburization (mm)	Hardness	Grain Size
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		83-83	8.0

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
BR8003-BR8004

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59750	AT	MB-502	2024-10- 2	6- 7- 1391	344	1,671

Surveyor

We hereby certify that above results are true and correct in every detail

J. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

GH-4800

3060-95UX

ﾄﾖﾀﾂｳｼｮｳ (KK) ﾄｳｷｮｳﾎﾝｼ

ｼﾞｪｲﾃｸﾄ*ﾀｲ ｲｰｴｸｽｺﾞｰ

ｻﾝｷｮｳ (KK)

6L09 10

ｹｲﾔｸNO 332-JT10S1

TTTC-JTC
332-JT10S1
LAEM CHABANG
GRADE:
SIZE:
LENGTH:
NET WT.:
GROSS WT.:
HEAT NO.:
BUNDLE NO.:
SZ 1 - SZ 6 6 BUNDLES
6 BUNDLES
NO. OF PCS.: 920 PCS.
MADE IN JAPAN
AICHI STEEL CORP.

ﾌﾅｽﾞﾐｼｼﾞNO 2408026L09

2024-08-02

4,480 kg / 3p.

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-4800 2

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(0) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	30	81	21	7	9	5	116		8		

Non-Metallic Inclusion

Items	JIS (%)			ASTM								Decarburization (mm)	Hardness	Grain Size
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		80-80	7.8

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
SZ0001-SZ0002

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No	Condition	Spec. No	Date	Certificate No	Pieces	Net Weight (kg)
SCR420	14	59003	AT	MB-502	2024- 8- 2	6- 6- 803	339	1,651

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-48002

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	30	81	21	7	9	5	116		8		

Non-Metallic Inclusion

Items	JIS (%)			ASTM								Decarburization (mm)	Hardness	Grain Size
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		80-80	7.8

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
SZ0003-SZ0004

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59003	AT	MB-502	2024- 8- 2	6- 6- 803	240	1,170

We hereby certify that above results are true and correct in every detail

J. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Surveyor

Messrs. JTEKT Corporation

GH-48002

INSPECTION CERTIFICATE

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	30	81	21	7	9	5	116		8		

Non-Metallic Inclusion

Items	JIS (%)			ASTM								Decarburization (mm)	Hardness	Grain Size
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		80-80	7.8

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
SZ0005-SZ0006

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No	Condition	Spec. No	Date	Certificate No	Pieces	Net Weight (kg)
SCR420	14	59003	AT	MB-502	2024- 8- 2	6- 6- 803	341	1,659

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

GH-48002

3060-95UX

ﾄﾖﾀﾂｳｼｮｳ (KK) ﾄｳｷｮｳﾎﾝｼ

ｼﾞｪｲﾃｸﾄ*ﾀｲ ｲｰｴｸｽｺﾞｰ

ｻﾝｷｮｳ (KK)

TTTC-JTC
332-JT10S1
LAEM CHABANG

ﾌﾅｽﾞﾐｼｼﾞNO 2408056L09

GRADE:
SIZE:
LENGTH:
NET WT.:
GROSS WT.:
HEAT NO.:
BUNDLE NO.:

2024-08-05

SZ8000 - SZ8007 8 BUNDLES

6L09 10

8 BUNDLES

ｹｲﾔｸNO 332-JT10S1

NO. OF PCS.: 1,361 PCS. ✓

MADE IN JAPAN

AICHI STEEL CORP.

6.612 kg / 4P.

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-48002

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(0) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	30	81	21	7	9	5	116		8		

Non-Metallic Inclusion

Items	JIS (%)			ASTM								Decarburization (mm)	Hardness	Grain Size
				A		B		C		D				
	dA	d(B+C)	d(A+B+C)	Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		80-80	7.8

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
SZ8000-SZ8001

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59003	AT	MB-502	2024- 8- 5	6- 6- 803	340	1,653

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-48002

AICHI STEEL CORPORATION

Chemical Composition (%)												
Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	30	81	21	7	9	5	116		8		

Non-Metallic Inclusion												Decarburization (mm)	Hardness	Grain Size
Items	JIS (%)			ASTM									MAX. 88HRBW	MIN. 6.0
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0			
Results				1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		80-80	7.8

Macro-Streak-Flaw			
Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)												
Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
SZ8002-SZ8003

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59003	AT	MB-502	2024- 8- 5	6- 6- 803	339	1,645

Surveyor

We hereby certify that above results are true and correct in every detail

J. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-48002

AICHI STEEL CORPORATION

Chemical Composition (%)												
Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	30	81	21	7	9	5	116		8		

Non-Metallic Inclusion												Decarburization (mm)	Hardness	Grain Size
Items	JIS (%)			ASTM									MAX. 88HRBW	MIN. 6.0
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0			
Results				1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		80-80	7.8

Macro-Streak-Flaw				Hardenability (End Quenching Method)													
Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0	Distance from Quenched End(mm)													
Spec.	Max.	Max.	Max.	Spec. (HRC)													
Results				Results.(HRC)													

Bundle No.
SZ8004-SZ8005

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59003	AT	MB-502	2024- 8- 5	6- 6- 803	340	1,652

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

GH-48002

INSPECTION CERTIFICATE

AICHI STEEL CORPORATION

Chemical Composition (%)												
Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	30	81	21	7	9	5	116		8		

Non-Metallic Inclusion												Decarburization (mm)	Hardness	Grain Size
Items	JIS (%)			ASTM										
				A		B		C		D				
	dA	d(B+C)	d(A+B+C)	Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		80-80	7.8

Macro-Streak-Flaw				Hardenability (End Quenching Method)													
Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0	Distance from Quenched End(mm)													
Spec.	Max.	Max.	Max.	Spec. (HRC)													
Results				Results.(HRC)													

Bundle No.
SZ8006-SZ8007

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No	Condition	Spec. No	Date	Certificate No	Pieces	Net Weight (kg)
SCR420	14	59003	AT	MB-502	2024- 8- 5	6- 6- 803	342	1,662

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

GH-47907, GH-48002

3060-95UX

TTTC-JTC
332-JT10S1

ﾄﾖﾀﾂｳｼｮｳ (KK) ﾄｳｷｮｳﾎﾝｼ

LAEM CHABANG

ﾌﾅｽﾞﾐｼｼﾞNO 2408026L10

ｼﾞｪｲﾃｸﾄ*ﾀｲ ｲｰｴｸｽｺﾞｰ

GRADE:
SIZE:
LENGTH:

ｻﾝｷｮｳ (KK)

NET WT.:

2024-08-02

GROSS WT.:
HEAT NO.:
BUNDLE NO.:

TA 1 - TA 8 8 BUNDLES
TA8000 - TA8009 10 BUNDLES

6L10 10

18 BUNDLES

ｹｲﾔｸNO 332-JT10S1

NO. OF PCS.: 3,054 PCS. ✓

MADE IN JAPAN
AICHI STEEL CORP.

14,830 kg /9P.

TA1 — TA8
TA8000 — TA8005 } GH-47907
TA8006 — TA8009 GH-48002

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-48002

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(0) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	30	81	21	7	9	5	116		8		

Non-Metallic Inclusion

Items	JIS (%)			ASTM								Decarburization (mm)	Hardness	Grain Size
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		82-82	7.8

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
TA8006-TA8007

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59003	AT	MB-502	2024- 8- 2	6- 6- 800	340	1,654

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-48002

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	30	81	21	7	9	5	116		8		

Non-Metallic Inclusion

Items	JIS (%)			ASTM								Decarburization (mm)	Hardness	Grain Size
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		82-82	7.8

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
TA8008-TA8009

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59003	AT	MB-502	2024- 8- 2	6- 6- 800	340	1,656

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

GH-48002,

3060-95UX

TTTC-JTC
332-JT11S1

ﾄﾖﾀﾂｳｼｮｳ (KK) ﾄｳｷｮｳﾎﾝｼ

LAEM CHABANG

ﾌﾅｽﾞﾐｼｼﾞNO 2410027L02

ｼﾞｪｲﾃｸﾄ*ﾀｲ ｲｰｴｸｽｺﾞｰ

GRADE:
SIZE:
LENGTH:

ｻﾝｷｮｳ (KK)

NET WT.:
GROSS WT.:
HEAT NO.:

2024-10-02

BUNDLE NO.:

BP 1 - BP 11	11 BUNDLES
BP8000 - BP8004	5 BUNDLES
	16 BUNDLES

7L02 11

ｹｲﾔｸNO 332-JT11S1

NO. OF PCS.: 2,717 PCS.

MADE IN JAPAN
AICHI STEEL CORP.

13,174(kg) / 9PS.

BP1 - BP6 GH-48002

Messrs. JTEKT Corporation

GH-48002

INSPECTION CERTIFICATE

AICHI STEEL CORPORATION

Chemical Composition (%)												
Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	32	80	22	10	8	5	115		10		

Non-Metallic Inclusion												Decarburization (mm)	Hardness	Grain Size
Items	JIS (%)			ASTM									MAX. 88HRBW	MIN. 6.0
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0			
Results				0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		85-85	8.0

Macro-Streak-Flaw				Hardenability (End Quenching Method)													
Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0	Distance from Quenched End(mm)													
Spec.	Max.	Max.	Max.	Spec. (HRC)													
Results				Results.(HRC)													

Bundle No.
BP0001-BP0002

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59750	AT	MB-502	2024-10- 2	6- 7- 1388	340	1,649

Surveyor

We hereby certify that above results are true and correct in every detail

J. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-48002

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	32	80	22	10	8	5	115		10		

Non-Metallic Inclusion

Items	JIS (%)			ASTM							
	dA	d(B+C)	d(A+B+C)	A		B		C		D	
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0
Results				0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0

Decarburization (mm)	Hardness	Grain Size
	MAX. 88HRBW	MIN. 6.0
	85-85	8.0

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
BP0003-BP0004

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No	Condition	Spec. No	Date	Certificate No	Pieces	Net Weight (kg)
SCR420	14	59750	AT	MB-502	2024-10- 2	6- 7- 1388	340	1,650

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-48002

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	32	80	22	10	8	5	115		10		

Non-Metallic Inclusion

Items	JIS (%)			ASTM								Decarburization (mm)	Hardness	Grain Size
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		85-85	8.0

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
BP0005-BP0006

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59750	AT	MB-502	2024-10- 2	6- 7- 1388	340	1,648

Surveyor

We hereby certify that above results are true and correct in every detail

J. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

GH-48002

3060-95UX

TTTC-JTC
332-JT11S1

ﾄﾖﾀﾂｳｼｮｳ (KK) ﾄｳｷｮｳﾎﾝｼ

LAEM CHABANG

ﾌﾅｽﾞﾐｼｼﾞNO 2410027L04

ｼﾞｪｲﾃｸﾄ*ﾀｲ ｲｰｴｸｽｺﾞｰ

GRADE:
SIZE:
LENGTH:

ｻﾝｷｮｳ (KK)

NET WT.:

2024-10-02

GROSS WT.:
HEAT NO.:
BUNDLE NO.:

BR 1 - BR 11 11 BUNDLES
BR8000 - BR8006 7 BUNDLES

7L04 11

18 BUNDLES

ｹｲﾔｸNO 332-JT11S1

NO. OF PCS.: 2,770 PCS. ✓

MADE IN JAPAN
AICHI STEEL CORP.

13,437 kg /10p

Messrs. JTEKT Corporation

GH-48002

INSPECTION CERTIFICATE

AICHI STEEL CORPORATION

Chemical Composition (%)												
Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	32	80	22	10	8	5	115		10		

Non-Metallic Inclusion												Decarburization (mm)	Hardness	Grain Size
Items	JIS (%)			ASTM									MAX. 88HRBW	MIN. 6.0
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0			
Results				0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		82-82	8.0

Macro-Streak-Flaw				Hardenability (End Quenching Method)													
Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0	Distance from Quenched End(mm)													
Spec.	Max.	Max.	Max.	Spec. (HRC)													
Results				Results.(HRC)													

Bundle No.
BR0001-BR0002

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight
SCR420	14	59750	AT	MB-502	2024-10- 2	6- 7- 1392	188	910 (kg)

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-48002

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	32	80	22	10	8	5	115		10		

Non-Metallic Inclusion

Items	JIS (%)			ASTM								Decarburization (mm)	Hardness	Grain Size
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		83-83	8.0

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
BR0003-BR0004

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59750	AT	MB-502	2024-10- 2	6- 7- 1395	187	907

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

GH-48002

INSPECTION CERTIFICATE

AICHI STEEL CORPORATION

Chemical Composition (%)												
Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	32	80	22	10	8	5	115		10		

Non-Metallic Inclusion												Decarburization (mm)	Hardness	Grain Size
Items	JIS (%)			ASTM									MAX. 88HRBW	MIN. 6.0
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0			
Results				0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		83-83	8.0

Macro-Streak-Flaw			
Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)													
Distance from Quenched End(mm)													
Spec. (HRC)													
Results.(HRC)													

Bundle No.
BR0005-BR0006

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59750	AT	MB-502	2024-10- 2	6- 7- 1391	348	1,689

Surveyor

We hereby certify that above results are true and correct in every detail

J. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-48002

AICHI STEEL CORPORATION

Chemical Composition (%)												
Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	32	80	22	10	8	5	115		10		

Non-Metallic Inclusion												Decarburization (mm)	Hardness	Grain Size
Items	JIS (%)			ASTM									MAX. 88HRBW	MIN. 6.0
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0			
Results				0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		82-82	8.0

Macro-Streak-Flaw			
Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)												
Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
BR0007-BR0008

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59750	AT	MB-502	2024-10- 2	6- 7- 1392	340	1,650

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-48002

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(O) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	32	80	22	10	8	5	115		10		

Non-Metallic Inclusion

Items	JIS (%)			ASTM								Decarburization (mm)	Hardness	Grain Size
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		82-82	8.0

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
BR0009-BR0010

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59750	AT	MB-502	2024-10- 2	6- 7- 1392	340	1,650

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

GH-4800ェ

INSPECTION CERTIFICATE

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(0) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	32	80	22	10	8	5	115		10		

Non-Metallic Inclusion

Items	JIS (%)			ASTM								Decarburization (mm)	Hardness	Grain Size
				A		B		C		D				
	dA	d(B+C)	d(A+B+C)	Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		82-82	8.0

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
BR0011

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight
SCR420	14	59750	AT	MB-502	2024-10- 2	6- 7- 1392	170	824 (kg)

Surveyor

We hereby certify that above results are true and correct in every detail

J. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

GH-48002

INSPECTION CERTIFICATE

AICHI STEEL CORPORATION

Chemical Composition (%)												
Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(0) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	32	80	22	10	8	5	115		10		

Non-Metallic Inclusion												Decarburization (mm)	Hardness	Grain Size
Items	JIS (%)			ASTM									MAX. 88HRBW	MIN. 6.0
	dA	d(B+C)	d(A+B+C)	A		B		C		D				
				Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0			
Results				0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		82-82	8.0

Macro-Streak-Flaw				Hardenability (End Quenching Method)													
Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0	Distance from Quenched End(mm)													
Spec.	Max.	Max.	Max.	Spec. (HRC)													
Results				Results.(HRC)													

Bundle No.
BR8000

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59750	AT	MB-502	2024-10- 2	6- 7- 1392	170	825

Surveyor

We hereby certify that above results are true and correct in every detail

T. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation

Messrs. JTEKT Corporation

INSPECTION CERTIFICATE

GH-48002

AICHI STEEL CORPORATION

Chemical Composition (%)

Items	C ×100	Si ×100	Mn ×100	P ×1000	S ×1000	Cu ×100	Ni ×100	Cr ×100	Mo ×100	(0) PPM		
Spec.	18- 23	15- 35	60- 85	MAX. 25	MAX. 25	MAX. 20	MAX. 25	90- 120		MAX. 13		
Results	20	32	80	22	10	8	5	115		10		

Non-Metallic Inclusion

Items	JIS (%)			ASTM								Decarburization (mm)	Hardness	Grain Size
				A		B		C		D				
	dA	d(B+C)	d(A+B+C)	Thin	Heavy	Thin	Heavy	Thin	Heavy	Thin	Heavy			
Spec.	Max.	Max.	Max.	Max. 2.5	Max. 1.5	Max. 2.0	Max. 1.0	Max. 0.5	Max. 0.5	Max. 1.0	Max. 1.0		MAX. 88HRBW	MIN. 6.0
Results				0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0		82-82	8.0

Macro-Streak-Flaw

Length	Over 0.5 to 1.0	Over 1.0 to 2.0	Over 2.0 to 4.0
Spec.	Max.	Max.	Max.
Results			

Hardenability (End Quenching Method)

Distance from Quenched End(mm)												
Spec. (HRC)												
Results.(HRC)												

Bundle No.
BR8001-BR8002

Macro-Structure	Micro-Structure	Appearance Inspection	Dimension Inspection	Ultrasonic Inspection	Spark Test	Remarks
GOOD	GOOD	GOOD	GOOD	GOOD		

Material	Size (mm)	Charge No.	Condition	Spec. No.	Date	Certificate No.	Pieces	Net Weight (kg)
SCR420	14	59750	AT	MB-502	2024-10- 2	6- 7- 1392	338	1,638

Surveyor

We hereby certify that above results are true and correct in every detail

J. Sakai

Representative Manager of Quality Control Dept.
Aichi Steel Corporation