SE375 SYSTEM PROGRAMMING SPRING 2025-2026
Laboratory Report

May 8, 2026

Question-1: Which commands did you use and which replies did you obtain from each command. Please elaborate. (You can use screenshots of your commands.)

Answer:

ip.addr == x.x.x.x SS-7
ip.dst == x.x.x.x SS-7
ip.src == x.x.x.x SS-7

arp SS-11

tcp.port == X SS-12
udp.port == X SS-12

ip.dst == 192.168.0.15 && tcp.port == 22 SS-13

!arp && !tcp SS-14

!(udp && ip.src == 10.0.55.53) SS-15

Question-2: Which filters did you use on Wireshark and which information you could see in regards to those filters. Please give details. (You can use screenshots of your commands.)


Answer:

frame.number <= 2 SS-2
frame.len > 2048 SS-9
frame.len <2048 SS-10


PART 1

Questions

● How many packets were captured?



● Which protocol appears most frequently? TCP %51



Protocol	Percent Packets	Packets	Percent Bytes	Bytes
Frame	100.0	20558	100.0	3641134
Ethernet	100.0	20558	9.5	345680
Link Layer Discovery Protocol	0.0	3	0.0	849
Internet Protocol Version 6	19.6	4033	4.5	164632
User Datagram Protocol	17.1	3524	0.8	28192
Multicast Domain Name System	12.3	2535	2.9	106616
Link-local Multicast Name Resolution	4.3	894	0.7	25979
DHCPv6	0.5	95	0.2	8514
Internet Control Message Protocol v6	2.5	509	0.4	15500
Internet Protocol Version 4	70.4	14475	8.0	290872
User Datagram Protocol	56.5	11620	2.6	92960
Simple Service Discovery Protocol	0.2	35	0.1	4795
NetBIOS Name Service	4.2	859	1.2	45110
NetBIOS Datagram Service	0.7	142	0.3	11644
SMB (Server Message Block Protocol)	0.7	142	0.4	13420
SMB MailSlot Protocol	0.7	142	0.1	3550
Microsoft Windows Browser Protocol	0.7	142	0.0	1208
Multicast Domain Name System	37.9	7790	12.3	447356
Link-local Multicast Name Resolution	4.3	887	0.7	25777
GigE Vision Control Protocol	8.6	1771	0.4	14168
Dynamic Host Configuration Protocol	0.1	16	0.1	4926
Domain Name System	0.3	62	0.3	10197
Data	0.3	58	0.1	2320
Transmission Control Protocol	12.2	2512	1.4	52076
Transport Layer Security	2.8	574	51.0	1857902
NetBIOS Session Service	0.0	6	0.0	1371
SMB2 (Server Message Block Protocol version 2)	0.0	3	0.0	1210
SMB (Server Message Block Protocol)	0.0	1	0.0	69

● What is the difference between ASCII and HEX views?

HEX shows everything (headers, addresses, encrypted bits), whereas ASCII is only useful for reading the human-friendly parts of the packet. If the packet is encrypted, the ASCII view will just look like random dots and symbols.


● Can you identify readable text in any packet?

Yes, but it depends on the protocol.


For Example:


Filter by dns then look ascıı

izmirekonomiedutr




1)



*Ethernet 3
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
Apply a display filter ... <Ctrl-/>
No. Time Source Destination Protocol Lengtl Info
122 11:06:47,081184 10.0.55.130 255.255.255.255 GVCP 60 > DISCOVERY_CMD
123 11:06:47,081413 10.0.55.130 255.255.255.255 GVCP 60 > DISCOVERY_CMD
124 11:06:47,081413 10.0.55.108 255.255.255.255 GVCP 60 > DISCOVERY_CMD
125 11:06:47,083593 10.0.4.3 10.0.55.52 DNS 426 Standard query response 0xa6b9 A fp.msedge.net CN
126 11:06:47,085688 10.0.55.52 204.79.197.222 TCP 66 62686 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460
127 11:06:47,120741 10.0.55.106 255.255.255.255 GVCP 60 > DISCOVERY_CMD
128 11:06:47,120892 CheckPointSo_4b:81:… Broadcast ARP 60 Who has 10.0.55.95? Tell 10.0.54.251
129 11:06:47,120892 10.0.55.106 255.255.255.255 GVCP 60 > DISCOVERY_CMD
130 11:06:47,177071 10.0.55.125 255.255.255.255 GVCP 60 > DISCOVERY_CMD
131 11:06:47,189126 204.79.197.222 10.0.55.52 TCP 66 443 → 62686 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=
132 11:06:47,189262 10.0.55.52 204.79.197.222 TCP 54 62686 → 443 [ACK] Seq=1 Ack=1 Win=262144 Len=0
133 11:06:47,190034 10.0.55.52 204.79.197.222 TLSv1.2 560 Client Hello (SNI=fp.msedge.net)
134 11:06:47,226883 204.79.197.222 10.0.55.52 TCP 60 443 → 62686 [ACK] Seq=1 Ack=507 Win=4194048 Len=0
135 11:06:47,227713 204.79.197.222 10.0.55.52 TLSv1.2 204 Server Hello, Change Cipher Spec, Encrypted Hands
136 11:06:47,228035 10.0.55.52 204.79.197.222 TCP 54 62686 → 443 [ACK] Seq=507 Ack=151 Win=261888 Len=
137 11:06:47,228841 10.0.55.52 204.79.197.222 TLSv1.2 105 Change Cipher Spec, Encrypted Handshake Message
138 11:06:47,230094 10.0.55.52 204.79.197.222 TLSv1.2 141 Application Data
139 11:06:47,230248 10.0.55.52 204.79.197.222 TLSv1.2 1113 Application Data
140 11:06:47,251260 10.0.55.95 10.0.55.255 NBNS 92 Name query NB MF-WORKGROUP<1b>
141 11:06:47,265380 204.79.197.222 10.0.55.52 TCP 60 443 → 62686 [ACK] Seq=151 Ack=558 Win=4193792 Len
142 11:06:47,265380 204.79.197.222 10.0.55.52 TLSv1.2 123 Application Data
143 11:06:47,265499 10.0.55.52 204.79.197.222 TCP 54 62686 → 443 [ACK] Seq=1704 Ack=220 Win=261888 Len
144 11:06:47,265732 10.0.55.52 204.79.197.222 TLSv1.2 92 Application Data
145 11:06:47,266246 204.79.197.222 10.0.55.52 TCP 60 [TCP Dup ACK 141#1] 443 → 62686 [ACK] Seq=220 Ack
146 11:06:47,266645 204.79.197.222 10.0.55.52 TCP 60 443 → 62686 [ACK] Seq=220 Ack=645 Win=4193792 Len
147 11:06:47,266645 204.79.197.222 10.0.55.52 TLSv1.2 92 Application Data
148 11:06:47,266761 10.0.55.52 204.79.197.222 TCP 54 62686 → 443 [ACK] Seq=1742 Ack=258 Win=261632 Len
149 11:06:47,269165 204.79.197.222 10.0.55.52 TLSv1.2 247 Application Data
150 11:06:47,269165 204.79.197.222 10.0.55.52 TLSv1.2 92 Application Data
Frame 1: Packet,
Ethernet II, Src
Address Resoluti
wireshark_Ethernet 3M5QNO3.pcapng
Packets: 235 · Dropped: 0 (0.0%)
Profile: Default


*Ethernet 3
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
frame.number <= 2
No. Time Source Destination Protocol Length Info
1 0.000000 10.0.54.157 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.0.54.157
2 0.015688 CheckPointSo_4b:81:... Broadcast ARP 60 Who has 10.0.54.63? Tell 10.0.54.251
Frame 2: Packet, 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface \Device\NPF_{C22E788A-1EFB-4C90-BF69-30C0A234D4BD}, id 0
Section number: 1
Interface id: 0 (\Device\NPF_{C22E788A-1EFB-4C90-BF69-30C0A234D4BD})
Interface name: \Device\NPF_{C22E788A-1EFB-4C90-BF69-30C0A234D4BD}
Interface description: Ethernet 3
Encapsulation type: Ethernet (1)
Arrival Time: May 8, 2026 10:26:59.266248000 Türkiye Standart Saati
UTC Arrival Time: May 8, 2026 07:26:59.266248000 UTC
Epoch Arrival Time: 1778225219.266248000
wireshark_Ethernet 3VDR0O3.pcapng
Packets: 20558 · Displayed: 2 (0.0%) · Marked: 1 (0.0%) · Dropped: 0 (0.0%)
Profile: Default
Ara
TUR
10:42
8.05.2026


3


10.0.54.157 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.0.54.157
Wireshark · Packet 1 · Ethernet 3
Frame 1: Packet, 87 bytes on wire (696 bits), 87 bytes captured (696 bits) on interface \Device\NPF_{C22E788A-1EFB-4C90-BF69-30C0A234D4BD}, id 0
Ethernet II, Src: UniversalGlo_27:df:c6 (e0:4f:43:27:df:c6), Dst: IPv4mcast_fb (01:00:5e:00:00:fb)
Destination: IPv4mcast_fb (01:00:5e:00:00:fb)
.... ..0. .... = LG bit: Globally unique address (factory default)
....1 .... = IG bit: Group address (multicast/broadcast)
Source: UniversalGlo_27:df:c6 (e0:4f:43:27:df:c6)
.... ..0. .... = LG bit: Globally unique address (factory default)
....0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 10.0.54.157, Dst: 224.0.0.251
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 73
Identification: 0x63eb (25579)
000. .... = Flags: 0x0
0... .... = Reserved bit: Not set
0000 01 00 5e 00 00 fb e0 4f 43 27 df c6 08 00 45 00
0010 00 49 63 eb 00 00 ff 11 36 20 0a 00 36 9d e0 00
0020 00 fb 14 e9 14 e9 00 35 a8 f3 00 00 84 00 00 00
0030 00 01 00 00 00 00 0b 31 30 2d 30 2d 35 34 2d 31
0040 35 37 05 6c 6f 63 61 6c 00 00 01 80 01 00 00 00
0050 0a 00 04 0a 00 36 9d
Frame (frame), 87 bytes
Show packet bytes
Layout: Vertical (Stacked)
Close
Help


4


mamaa.pcapng
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
ip.addr==10.0.55.52
No. Time Source Destination Protocol Lengtl Info
18 0.106043 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
19 0.109101 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
20 0.109119 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=2921 Win=1029 Len=0
21 0.109329 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
22 0.109329 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
24 0.109352 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=5841 Win=1029 Len=0
27 0.159531 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
28 0.159590 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
29 0.159590 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
30 0.159602 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=10221 Win=1029 Len=0
31 0.167302 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
32 0.167315 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=11681 Win=1029 Len=0
33 0.167579 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
34 0.167579 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
35 0.167579 20.42.179.192 10.0.55.52 TCP 1514 443 → 58810 [ACK] Seq=14601 Ack=1 Win=49155 Len=146
36 0.167579 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
37 0.167579 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
38 0.167626 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=18981 Win=1029 Len=0
39 0.167704 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
40 0.167704 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
41 0.167713 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=21901 Win=1029 Len=0
68 0.309438 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
69 0.309438 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
70 0.309471 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=24821 Win=1029 Len=0
71 0.309729 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
72 0.309729 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
73 0.309745 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=27741 Win=1029 Len=0
81 0.359898 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
82 0.359898 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
Frame 18: Packet
Ethernet II, Src
Internet Protocol
Transmission Con
Transport Layer
0000 00 be 43 94 bf ab 00 1c 7f 4b 81 56 08 00 45 00
0010 05 dc 94 b6 40 00 6a 06 6d 47 14 2a b3 c0 0a 00
0020 37 34 01 bb e5 ba 10 c6 02 df 74 a6 7f 43 50 10
0030 c0 03 15 17 00 00 24 e1 19 0d 45 a8 f2 b8 a2 72
0040 bf 0b 19 3b 11 9e 9f 24 80 b2 8e c7 b8 42 1f ac
0050 5f 44 65 2e aa b7 66 06 58 25 37 6a ee d9 e8 54
0060 8c ab db ce e8 2d 0b 0e de 0d 6a cf 00 5d 3e d3
0070 ed 63 7a 42 5b 88 a8 47 e9 f4 59 72 09 d4 8a cc
mamaa.pcapng
Packets: 20558 · Displayed: 2595 (12.6%)
Profile: Default


5



Minitab Statistical...
crcserver.jar
MertAliMe...
SE375_Lab_....docx
pythonProj...
mamaa.pc...
wordlist.10...


6


mamaa.pcapng
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
ip.dst==10.0.55.52
No. Time Source Destination Protocol Lengtl Info
18 0.106043 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
19 0.109101 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
21 0.109329 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
22 0.109329 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
27 0.159531 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
28 0.159590 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
29 0.159590 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
31 0.167302 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
33 0.167579 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
34 0.167579 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
35 0.167579 20.42.179.192 10.0.55.52 TCP 1514 443 → 58810 [ACK] Seq=14601 Ack=1 Win=49155 Len=146
36 0.167579 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
37 0.167579 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
39 0.167704 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
40 0.167704 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
68 0.309438 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
69 0.309438 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
71 0.309729 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
72 0.309729 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
81 0.359898 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
82 0.359898 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
83 0.359898 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
85 0.367659 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
87 0.367871 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
88 0.367871 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
89 0.367871 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
90 0.367871 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
92 0.368184 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
93 0.368184 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
Frame 81: Packet
Ethernet II, Src
Internet Protocol
Transmission Con
Transport Layer
0000 00 be 43 94 bf ab 00 1c 7f 4b 81 56 08 00 45 00
0010 05 dc 94 c9 40 00 6a 06 6d 34 14 2a b3 c0 0a 00
0020 37 34 01 bb e5 ba 10 c6 6f 3b 74 a6 7f 43 50 10
0030 c0 03 26 38 00 00 a7 80 ef 3f c4 a4 7a 10 d8 ba
0040 a9 3f 41 15 da 85 b7 4c 89 07 cc 37 9f 05 70 74
0050 23 cd fb eb 92 fe e3 bd 1c b1 8f 56 91 ce 4a ae
0060 a7 73 41 56 a5 86 2c dd d5 83 64 86 ef 3c 9a 98
0070 f5 00 5d db 1c 6e 82 a7 89 42 9e 4c cd 80 51 8d
mamaa.pcapng
Packets: 20558 · Displayed: 1813 (8.8%)
Profile: Default
3. By double-clicking
4. By double-clicking
5. After you have s
Use 'File > Save As
to save packets with
6. You can later load
7. Find packets with
destination address
ip.src == x.x.x.x.
8. Through 'View' >
want to see. The def
9. Find packets long
10. Similarly, you ca
11. To find packets
For example, for AR
12. To examine all
TCP ports and simila
13. An important thi


7


mamaa.pcapng
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
ip.dst == 10.0.55.52 && ip.src== 20.42.179.192
No. Time Source Destination Protocol Lengtl Info
18 10:26:59,356603 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
19 10:26:59,359661 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
21 10:26:59,359889 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
22 10:26:59,359889 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
27 10:26:59,410091 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
28 10:26:59,410150 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
29 10:26:59,410150 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
31 10:26:59,417862 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
33 10:26:59,418139 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
34 10:26:59,418139 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
35 10:26:59,418139 20.42.179.192 10.0.55.52 TCP 1514 443 → 58810 [ACK] Seq=14601 Ack=1 Win=49155 Len=1
36 10:26:59,418139 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
37 10:26:59,418139 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
39 10:26:59,418264 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
40 10:26:59,418264 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
68 10:26:59,559998 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
69 10:26:59,559998 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
71 10:26:59,560289 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
72 10:26:59,560289 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
81 10:26:59,610458 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
82 10:26:59,610458 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
83 10:26:59,610458 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
85 10:26:59,618219 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
87 10:26:59,618431 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
88 10:26:59,618431 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
89 10:26:59,618431 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
90 10:26:59,618431 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
92 10:26:59,618744 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
93 10:26:59,618744 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
Frame 18: Packet
Ethernet II, Src
Internet Protocol
Transmission Con
Transport Layer
0000 00 be 43 94 bf ab 00 1c 7f 4b 81 56 08 00 45 00
0010 05 dc 94 b6 40 00 6a 06 6d 47 14 2a b3 c0 0a 00
0020 37 34 01 bb e5 ba 10 c6 02 df 74 a6 7f 43 50 10
0030 c0 03 15 17 00 00 24 e1 19 0d 45 a8 f2 b8 a2 72
0040 bf 0b 19 3b 11 9e 9f 24 80 b2 8e c7 b8 42 1f ac
0050 5f 44 65 2e aa b7 66 06 58 25 37 6a ee d9 e8 54
0060 8c ab db ce e8 2d 0b 0e de 0d 6a cf 00 5d 3e d3
0070 ed 63 7a 42 5b 88 a8 47 e9 f4 59 72 09 d4 8a cc
mamaa.pcapng
Packets: 20558 · Displayed: 92 (0.4%)
Profile: Default


mamaa.pcapng
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
ip.addr == 10.0.55.52
No. Time Source Destination Protocol Lengtl Info
18 10:26:59,356603 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
19 10:26:59,359661 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
20 10:26:59,359679 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=2921 Win=1029 Len=0
21 10:26:59,359889 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
22 10:26:59,359889 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
24 10:26:59,359912 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=5841 Win=1029 Len=0
27 10:26:59,410091 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
28 10:26:59,410150 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
29 10:26:59,410150 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
30 10:26:59,410162 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=10221 Win=1029 Len=0
31 10:26:59,417862 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
32 10:26:59,417875 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=11681 Win=1029 Len=0
33 10:26:59,418139 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
34 10:26:59,418139 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
35 10:26:59,418139 20.42.179.192 10.0.55.52 TCP 1514 443 → 58810 [ACK] Seq=14601 Ack=1 Win=49155 Len=1
36 10:26:59,418139 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
37 10:26:59,418139 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
38 10:26:59,418186 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=18981 Win=1029 Len=0
39 10:26:59,418264 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
40 10:26:59,418264 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
41 10:26:59,418273 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=21901 Win=1029 Len=0
68 10:26:59,559998 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
69 10:26:59,559998 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
70 10:26:59,560031 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=24821 Win=1029 Len=0
71 10:26:59,560289 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
72 10:26:59,560289 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
73 10:26:59,560305 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=27741 Win=1029 Len=0
81 10:26:59,610458 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
82 10:26:59,610458 20.42.179.192 10.0.55.52 TLSv1.2 1514 Ignored Unknown Record
Frame 18: Packet
Ethernet II, Src
Internet Protocol
Transmission Con
Transport Layer
0000 00 be 43 94 bf ab 00 1c 7f 4b 81 56 08 00 45 00
0010 05 dc 94 b6 40 00 6a 06 6d 47 14 2a b3 c0 0a 00
0020 37 34 01 bb e5 ba 10 c6 02 df 74 a6 7f 43 50 10
0030 c0 03 15 17 00 00 24 e1 19 0d 45 a8 f2 b8 a2 72
0040 bf 0b 19 3b 11 9e 9f 24 80 b2 8e c7 b8 42 1f ac
0050 5f 44 65 2e aa b7 66 06 58 25 37 6a ee d9 e8 54
0060 8c ab db ce e8 2d 0b 0e de 0d 6a cf 00 5d 3e d3
0070 ed 63 7a 42 5b 88 a8 47 e9 f4 59 72 09 d4 8a cc
mamaa.pcapng
Packets: 20558 · Displayed: 2595 (12.6%)
Profile: Default




12. To examine all the packets going through a



mamaa.pcapng
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
ip.src==10.0.55.52
No. Time Source Destination Protocol Lengtl Info
20 0.109119 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=2921 Win=1029 Len=0
24 0.109352 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=5841 Win=1029 Len=0
30 0.159602 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=10221 Win=1029 Len=0
32 0.167315 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=11681 Win=1029 Len=0
38 0.167626 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=18981 Win=1029 Len=0
41 0.167713 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=21901 Win=1029 Len=0
70 0.309471 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=24821 Win=1029 Len=0
73 0.309745 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=27741 Win=1029 Len=0
84 0.359923 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=32121 Win=1029 Len=0
86 0.367676 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=33581 Win=1029 Len=0
91 0.367889 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=39421 Win=1029 Len=0
96 0.368205 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=45261 Win=1029 Len=0
109 0.510020 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=48181 Win=1029 Len=0
112 0.510157 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=51101 Win=1029 Len=0
122 0.560248 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=55481 Win=1029 Len=0
124 0.568042 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=56941 Win=1029 Len=0
132 0.568340 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=67161 Win=1029 Len=0
134 0.568434 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=68621 Win=1029 Len=0
160 0.710990 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=74461 Win=1029 Len=0
171 0.760758 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=78841 Win=1029 Len=0
173 0.768206 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=80301 Win=1029 Len=0
182 0.769994 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=91981 Win=1029 Len=0
297 0.911232 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=97821 Win=1029 Len=0
324 0.961463 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=100290 Win=1029 Len=0
328 0.969244 10.0.55.52 20.42.179.192 TLSv1.2 1074 Application Data
361 1.172890 10.0.55.52 20.42.179.192 TLSv1.2 1105 Application Data
379 1.377597 10.0.55.52 20.42.179.192 TLSv1.2 1633 Application Data
414 1.579207 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=3651 Ack=103452 Win=1029 Len=
422 1.593874 10.0.55.52 20.42.179.192 TLSv1.2 1105 Application Data
Frame 112: Packe
Ethernet II, Src
Internet Protoco
Transmission Con
0000 00 1c 7f 4b 81 56 00 be 43 94 bf ab 08 00 45 00
0010 00 28 83 51 40 00 80 06 00 00 0a 00 37 34 14 2a
0020 b3 c0 e5 ba 01 bb 74 a6 7f 43 10 c6 ca 7b 50 10
0030 04 05 09 39 00 00
Source Address: IPv4 address
Packets: 20558 · Displayed: 782 (3.8%)
Profile: Default

ring_La... 1 / 3 100%
3. By double-clicking on a frame, you can observe the
4. By double-clicking on a frame, you can observe the
5. After you have stopped capturing packets, you v
Use 'File > Save As' for saving all capture data and
to save packets with filters applied.
6. You can later load a saved file to the Wireshark int
7. Find packets with a certain IP address using ip.ad
destination addresses, use ip.dst == x.x.x.x and t
ip.src == x.x.x.x.
8. Through 'View' > 'Time Display Format' you car
want to see. The default is set to 'Seconds since Beg
9. Find packets longer than N bytes. Example filter is
10. Similarly, you can find packets less than N bytes.
11. To find packets using only the specific protocols
For example, for ARP simply type arp to filter box.
12. To examine all the packets going through a sp
TCP ports and similarly udp.port == X for UDP.


8


mamaa.pcapng
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
ip.src==10.0.55.52
No. Time Source Destination Protocol Lengtl Info
20 10:26:59,359679 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=2921 Win=1029 Len=0
24 10:26:59,359912 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=5841 Win=1029 Len=0
30 10:26:59,410162 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=10221 Win=1029 Len=0
32 10:26:59,417875 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=11681 Win=1029 Len=0
38 10:26:59,418186 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=18981 Win=1029 Len=0
41 10:26:59,418273 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=21901 Win=1029 Len=0
70 10:26:59,560031 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=24821 Win=1029 Len=0
73 10:26:59,560305 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=27741 Win=1029 Len=0
84 10:26:59,610483 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=32121 Win=1029 Len=0
86 10:26:59,618236 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=33581 Win=1029 Len=0
91 10:26:59,618449 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=39421 Win=1029 Len=0
96 10:26:59,618765 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=45261 Win=1029 Len=0
109 10:26:59,760580 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=48181 Win=1029 Len=0
112 10:26:59,760717 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=51101 Win=1029 Len=0
122 10:26:59,810808 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=55481 Win=1029 Len=0
124 10:26:59,818602 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=56941 Win=1029 Len=0
132 10:26:59,818900 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=67161 Win=1029 Len=0
134 10:26:59,818994 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=68621 Win=1029 Len=0
160 10:26:59,961550 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=74461 Win=1029 Len=0
171 10:27:00,011318 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=78841 Win=1029 Len=0
173 10:27:00,018766 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=80301 Win=1029 Len=0
182 10:27:00,020554 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=91981 Win=1029 Len=0
297 10:27:00,161792 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=97821 Win=1029 Len=0
324 10:27:00,212023 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=1 Ack=100290 Win=1029 Len=0
328 10:27:00,219804 10.0.55.52 20.42.179.192 TLSv1.2 1074 Application Data
361 10:27:00,423450 10.0.55.52 20.42.179.192 TLSv1.2 1105 Application Data
379 10:27:00,628157 10.0.55.52 20.42.179.192 TLSv1.2 1633 Application Data
414 10:27:00,829767 10.0.55.52 20.42.179.192 TCP 54 58810 → 443 [ACK] Seq=3651 Ack=103452 Win=1029 Le
422 10:27:00,844434 10.0.55.52 20.42.179.192 TLSv1.2 1105 Application Data
Frame 112: Packe
Ethernet II, Src
Internet Protocol
Transmission Con
0000 00 1c 7f 4b 81 56 00 be 43 94 bf ab 08 00 45 00
0010 00 28 83 51 40 00 80 06 00 00 0a 00 37 34 14 2a
0020 b3 c0 e5 ba 01 bb 74 a6 7f 43 10 c6 ca 7b 50 10
0030 04 05 09 39 00 00
Source Address: IPv4 address
Packets: 20558 · Displayed: 782 (3.8%)
Profile: Default


9


mamaa.pcapng
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
frame.len > 2048
No. Time Source Destination Protocol Lengtl Info
1122 10:27:04,644952 10.0.55.52 10.0.0.30 TLSv1.2 3822 Application Data
8486 10:27:35,535965 10.0.55.52 98.95.13.143 TLSv1.2 3333 Application Data
10193 10:27:42,732635 10.0.55.52 98.95.13.143 TLSv1.2 3313 Application Data
Frame 1122: Packe
Ethernet II, Src
Internet Protocol
Transmission Cont
Transport Layer
0000 00 1c 7f 4b 81 56 00 be 43 94 bf ab 08 00 45 00
0010 00 00 ba c1 40 00 80 06 00 00 0a 00 37 34 0a 00
0020 00 1e e5 c2 10 f7 e0 88 d5 2a db fc 8b f7 50 18
0030 20 0e 4b 58 00 00 17 03 03 0e b3 00 00 00 00 00
0040 00 00 04 86 94 87 f0 c7 ae 0c ed 9d 70 4c 91 95
0050 fa f3 dc 93 67 0f 80 72 d9 37 f9 e8 95 c7 8d 2d
0060 7b cb 0e 2b 9e e6 fb 43 8b e4 1f d8 9f e1 e4 d6
0070 ab b1 63 0c d0 cf 0e fe 97 e6 dd 0f cf 3f e4 3d
mamaa.pcapng
Packets: 20558 · Displayed: 3 (0.0%)
Profile: Default


10


mamaa.pcapng
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
frame.len < 1024
No. Time Source Destination Protocol Lengtl Info
1105 10:27:04,568907 10.0.54.166 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
1106 10:27:04,570327 10.0.55.130 255.255.255.255 GVCP 60 > DISCOVERY_CMD
1107 10:27:04,598458 10.0.54.157 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
1108 10:27:04,609407 10.0.54.158 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
1109 10:27:04,617264 10.0.54.151 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
1110 10:27:04,631507 10.0.55.52 10.0.0.30 TCP 66 58818 → 4343 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
1111 10:27:04,632269 10.0.0.30 10.0.55.52 TCP 66 4343 → 58818 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len
1112 10:27:04,632339 10.0.55.52 10.0.0.30 TCP 54 58818 → 4343 [ACK] Seq=1 Ack=1 Win=2102272 Len=0
1113 10:27:04,632671 10.0.55.52 10.0.0.30 TLSv1.2 243 Client Hello (SNI=apex)
1115 10:27:04,639541 10.0.55.52 10.0.0.30 TLSv1.2 212 Client Key Exchange, Change Cipher Spec, Encrypte
1116 10:27:04,644397 10.0.0.30 10.0.55.52 TLSv1.2 105 Change Cipher Spec, Encrypted Handshake Message
1117 10:27:04,644539 10.0.0.30 10.0.55.52 TLSv1.2 123 Application Data
1118 10:27:04,644558 10.0.55.52 10.0.0.30 TCP 54 58818 → 4343 [ACK] Seq=348 Ack=1432 Win=2100736 L
1119 10:27:04,644858 10.0.55.52 10.0.0.30 TLSv1.2 141 Application Data
1120 10:27:04,644869 10.0.55.52 10.0.0.30 TLSv1.2 92 Application Data
1121 10:27:04,644885 10.0.55.52 10.0.0.30 TLSv1.2 213 Application Data
1123 10:27:04,645223 10.0.0.30 10.0.55.52 TCP 60 4343 → 58818 [ACK] Seq=1432 Ack=632 Win=2101760 L
1124 10:27:04,645240 10.0.0.30 10.0.55.52 TLSv1.2 92 Application Data
1125 10:27:04,645249 10.0.55.52 10.0.0.30 TCP 54 58818 → 4343 [ACK] Seq=4400 Ack=1470 Win=2102272
1126 10:27:04,645427 10.0.0.30 10.0.55.52 TCP 60 4343 → 58818 [ACK] Seq=1470 Ack=4400 Win=2102272
1127 10:27:04,645498 10.0.0.30 10.0.55.52 TLSv1.2 109 Application Data
1128 10:27:04,645503 10.0.55.52 10.0.0.30 TCP 54 58818 → 4343 [ACK] Seq=4400 Ack=1525 Win=2102272
1129 10:27:04,645594 10.0.0.30 10.0.55.52 TLSv1.2 96 Application Data
1130 10:27:04,659830 10.0.0.30 10.0.55.52 TLSv1.2 607 Application Data
1131 10:27:04,659849 10.0.55.52 10.0.0.30 TCP 54 58818 → 4343 [ACK] Seq=4400 Ack=2120 Win=2101504
1132 10:27:04,660200 10.0.55.52 10.0.0.30 TCP 54 58818 → 4343 [FIN, ACK] Seq=4400 Ack=2120 Win=210
1133 10:27:04,660478 10.0.0.30 10.0.55.52 TCP 60 4343 → 58818 [FIN, ACK] Seq=2120 Ack=4401 Win=210
1134 10:27:04,660494 10.0.55.52 10.0.0.30 TCP 54 58818 → 4343 [ACK] Seq=4401 Ack=2121 Win=2101504
1135 10:27:04,689507 10.0.55.106 255.255.255.255 GVCP 60 > DISCOVERY_CMD
Frame 1121: Packe
Ethernet II, Src
Internet Protocol
Transmission Cont
Transport Layer
0000 00 1c 7f 4b 81 56 00 be 43 94 bf ab 08 00 45 00
0010 00 c7 ba c0 40 00 80 06 00 00 0a 00 37 34 0a 00
0020 00 1e e5 c2 10 f7 e0 88 d4 8b db fc 8b f7 50 18
0030 20 0e 4c 0b 00 00 17 03 03 00 9a 00 00 00 00 00
0040 00 00 03 2f 37 40 99 bc 5a 01 96 34 82 bb 58 ee
0050 ac 33 65 fc 77 35 a9 18 af 3f e0 2e 28 d9 d8 6d
0060 c8 e9 0b c4 38 51 7c b8 97 5a ec 0e 0d a4 40 8b
0070 e1 09 51 ee 49 cf 1a c1 79 67 08 2a 6b 8b e7 c5
mamaa.pcapng
Packets: 20558 · Displayed: 19357 (94.2%)
Profile: Default
Lütfen ayrılmada


11


mamaa.pcapng
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
arp
No. Time Source Destination Protocol Lengtl Info
347 10:27:00,327170 CheckPointSo_4b:81:… Broadcast ARP 60 Who has 10.0.55.55? Tell 10.0.54.251
351 10:27:00,335681 HP_62:22:31 Broadcast ARP 60 Who has 10.0.55.39? Tell 10.0.55.115
357 10:27:00,379025 HP_6b:7d:f5 Broadcast ARP 60 Who has 10.0.54.22? Tell 10.0.54.173
358 10:27:00,383436 HP_6b:0d:a5 Broadcast ARP 60 Who has 10.0.54.22? Tell 10.0.54.201
359 10:27:00,399221 CheckPointSo_4b:81:… Broadcast ARP 60 Who has 10.0.54.17? Tell 10.0.54.251
362 10:27:00,429867 HP_6a:0c:62 Broadcast ARP 60 Who has 10.0.55.118? (ARP Probe)
368 10:27:00,467317 HewlettPacka_77:83:… Broadcast ARP 60 Who has 10.0.55.141? Tell 10.0.55.145
369 10:27:00,508032 Dell_94:5d:15 Broadcast ARP 60 Who has 10.0.55.59? Tell 10.0.54.81
371 10:27:00,536147 UniversalGlo_6d:43:… Broadcast ARP 60 Who has 169.254.169.254? Tell 10.0.54.41
383 10:27:00,689126 HP_6b:ad:f9 Broadcast ARP 60 Who has 10.0.54.87? Tell 10.0.54.192
385 10:27:00,702636 CheckPointSo_4b:81:… Broadcast ARP 60 Who has 10.0.54.22? Tell 10.0.54.251
406 10:27:00,803947 HP_6b:ad:f9 Broadcast ARP 60 Who has 10.0.54.22? Tell 10.0.54.192
415 10:27:00,830585 CheckPointSo_4b:81:… Broadcast ARP 60 Who has 10.0.55.129? Tell 10.0.54.251
428 10:27:00,894610 CheckPointSo_4b:81:… Broadcast ARP 60 Who has 10.0.55.8? Tell 10.0.54.251
431 10:27:00,958698 CheckPointSo_4b:81:… Broadcast ARP 60 Who has 10.0.54.134? Tell 10.0.54.251
434 10:27:01,019717 HP_6b:7d:1f Broadcast ARP 60 Who has 10.0.54.22? Tell 10.0.54.172
437 10:27:01,061380 UniversalGlo_6d:43:… Broadcast ARP 60 Who has 169.254.169.254? Tell 10.0.54.41
457 10:27:01,165522 Dell_94:5c:e2 Broadcast ARP 60 Who has 10.0.54.22? Tell 10.0.54.169
460 10:27:01,228431 Dell_94:b0:8b Broadcast ARP 60 ARP Announcement for 10.0.55.42
468 10:27:01,326365 HewlettPacka_77:83:… Broadcast ARP 60 Who has 10.0.55.141? Tell 10.0.55.145
469 10:27:01,341634 CheckPointSo_4b:81:… Broadcast ARP 60 Who has 10.0.54.63? Tell 10.0.54.251
470 10:27:01,369861 CheckPointSo_4b:81:… Broadcast ARP 60 Who has 10.0.54.189? Tell 10.0.54.251
471 10:27:01,378823 HP_6b:7d:f5 Broadcast ARP 60 Who has 10.0.54.22? Tell 10.0.54.173
474 10:27:01,439618 HP_6a:0c:62 Broadcast ARP 60 ARP Announcement for 10.0.55.118
477 10:27:01,447305 UniversalGlo_27:e7:… Broadcast ARP 60 Who has 10.0.55.12? Tell 10.0.54.142
486 10:27:01,462067 Dell_94:5d:15 Broadcast ARP 60 Who has 10.0.55.59? Tell 10.0.54.81
518 10:27:01,666884 Dell_93:78:be Broadcast ARP 60 Who has 10.0.54.22? Tell 10.0.55.70
525 10:27:01,726471 CheckPointSo_4b:81:… Broadcast ARP 60 Who has 10.0.54.22? Tell 10.0.54.251
534 10:27:01,774879 UniversalGlo_27:db:… Broadcast ARP 60 Who has 169.254.169.254? Tell 10.0.55.121
Frame 383: Packe
Ethernet II, Src
Address Resoluti
0000 ff ff ff ff ff ff 24 6a 0e 6b ad f9 08 06 00 01 ·····$j ·k····
0010 08 00 06 04 00 01 24 6a 0e 6b ad f9 0a 00 36 c0 ·····$j ·k····6·
0020 00 00 00 00 00 00 0a 00 36 57 00 00 00 00 00 00 ·····6W·····
0030 00 00 00 00 00 00 00 00 00 00 00 00 ····
Address Resolution Protocol: Protocol
Packets: 20558 · Displayed: 2047 (10.0%)
Profile: Default
3. By doubl
4. By doubl
5. After yo
Use 'File >
to save pac
6. You can
7. Find pac
destination
ip.src == x.
8. Through
want to see
9. Find pac
10. Similarl
11. To find
For exampl
12. To exa
TCP ports
13. An imp
use any Bo

12



mamaa.pcapng
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
udp.port == 53
No. Time Source Destination Protocol Lengtl Info
966 10:27:03,337071 10.0.55.52 10.0.4.3 DNS 91 Standard query 0x6e54 A osce14-en-census.trendmic
967 10:27:03,337178 10.0.55.52 10.0.4.3 DNS 91 Standard query 0x6f54 AAAA osce14-en-census.trend
968 10:27:03,338275 10.0.4.3 10.0.55.52 DNS 418 Standard query response 0x6e54 A osce14-en-census
969 10:27:03,338275 10.0.4.3 10.0.55.52 DNS 458 Standard query response 0x6f54 AAAA osce14-en-cen
970 10:27:03,338389 10.0.55.52 10.0.4.3 DNS 85 Standard query 0x7054 A e2912.dscb.akamaiedge.net
971 10:27:03,338994 10.0.4.3 10.0.55.52 DNS 322 Standard query response 0x7054 A e2912.dscb.akama
2460 10:27:12,930728 10.0.55.52 10.0.4.3 DNS 91 Standard query 0x4be0 A MF-ML102-16.izmirekonomi.
2467 10:27:12,932067 10.0.4.3 10.0.55.52 DNS 136 Standard query response 0x4be0 No such name A MF-
4026 10:27:21,096198 10.0.55.52 10.0.4.3 DNS 83 Standard query 0x1455 A ctldl.windowsupdate.com
4027 10:27:21,097354 10.0.4.3 10.0.55.52 DNS 472 Standard query response 0x1455 A ctldl.windowsupd
5202 10:27:26,376428 10.0.55.52 10.0.4.3 DNS 91 Standard query 0x7154 A osce14-en-census.trendmic
5203 10:27:26,376512 10.0.55.52 10.0.4.3 DNS 91 Standard query 0x7254 AAAA osce14-en-census.trend
5204 10:27:26,377794 10.0.4.3 10.0.55.52 DNS 418 Standard query response 0x7154 A osce14-en-census
5205 10:27:26,377794 10.0.4.3 10.0.55.52 DNS 458 Standard query response 0x7254 AAAA osce14-en-cen
5206 10:27:26,377905 10.0.55.52 10.0.4.3 DNS 85 Standard query 0x7354 A e2912.dscb.akamaiedge.net
5207 10:27:26,378706 10.0.4.3 10.0.55.52 DNS 322 Standard query response 0x7354 A e2912.dscb.akama
5524 10:27:28,339552 10.0.55.52 10.0.4.3 DNS 81 Standard query 0x008c A oneocsp.microsoft.com
5525 10:27:28,340836 10.0.4.3 10.0.55.52 DNS 387 Standard query response 0x008c A oneocsp.microsof
8289 10:27:35,110334 10.0.55.52 10.0.4.3 DNS 76 Standard query 0xc7cb A ase.autodesk.com
8290 10:27:35,111711 10.0.4.3 10.0.55.52 DNS 428 Standard query response 0xc7cb A ase.autodesk.com
8558 10:27:36,008656 10.0.55.52 10.0.4.3 DNS 88 Standard query 0xa2da A assets.delivery.autodesk.
8559 10:27:36,009677 10.0.4.3 10.0.55.52 DNS 360 Standard query response 0xa2da A assets.delivery.
9879 10:27:41,551381 10.0.55.52 10.0.4.3 DNS 91 Standard query 0x7454 A osce14-en-census.trendmic
9880 10:27:41,551416 10.0.55.52 10.0.4.3 DNS 91 Standard query 0x7554 AAAA osce14-en-census.trend
9881 10:27:41,552522 10.0.4.3 10.0.55.52 DNS 418 Standard query response 0x7454 A osce14-en-census
9882 10:27:41,552590 10.0.55.52 10.0.4.3 DNS 85 Standard query 0x7654 A e2912.dscb.akamaiedge.net
9883 10:27:41,553325 10.0.4.3 10.0.55.52 DNS 322 Standard query response 0x7654 A e2912.dscb.akama
9884 10:27:41,556654 10.0.55.52 10.0.4.3 DNS 91 Standard query 0x7754 A osce14-en-census.trendmic
9885 10:27:41,556679 10.0.4.3 10.0.55.52 DNS 91 Standard query 0x7854 AAAA osce14-en-census.trend
Frame 966: Pac
Ethernet II, S
Destination
Source: Del
0000 00 1c 7f 4b 81 56 00 be 43 94 bf ab 08 00 45 00
0010 00 4d fe 43 00 00 80 11 00 00 0a 00 37 34 0a 00
0020 04 03 db 60 00 35 00 39 4f 81 6e 54 01 00 00 01
0030 00 00 00 00 00 00 10 6f 73 63 65 31 34 2d 65 6e
0040 2d 63 65 6e 73 75 73 0a 74 72 65 6e 64 6d 69 63
0050 72 6f 03 63 6f 6d 00 00 01 00 01
-census trendmic
ro com
mamaa.pcapng
Packets: 20558 · Displayed: 62 (0.3%)
Profile: Default

13



mamaa.pcapng
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
ip.dst == 10.0.55.52&& tcp.port == 80
No. Time Source Destination Protocol Lengtl Info
4060 10:27:21,162920 199.232.214.172 10.0.55.52 TCP 66 80 → 58835 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0
4081 10:27:21,237171 199.232.214.172 10.0.55.52 TCP 60 80 → 58835 [ACK] Seq=1 Ack=289 Win=141824 Len=0
4082 10:27:21,238149 199.232.214.172 10.0.55.52 HTTP 257 HTTP/1.1 304 Not Modified
4091 10:27:21,311037 199.232.214.172 10.0.55.52 TCP 60 80 → 58835 [ACK] Seq=204 Ack=485 Win=142848 Len=0
4094 10:27:21,312419 199.232.214.172 10.0.55.52 TCP 1456 80 → 58835 [ACK] Seq=204 Ack=485 Win=142848 Len=1
4095 10:27:21,312541 199.232.214.172 10.0.55.52 TCP 1456 80 → 58835 [PSH, ACK] Seq=1606 Ack=485 Win=142848
4096 10:27:21,312541 199.232.214.172 10.0.55.52 TCP 1456 80 → 58835 [ACK] Seq=3008 Ack=485 Win=142848 Len=
4097 10:27:21,312541 199.232.214.172 10.0.55.52 TCP 1456 80 → 58835 [PSH, ACK] Seq=4410 Ack=485 Win=142848
4098 10:27:21,312541 199.232.214.172 10.0.55.52 TCP 1456 80 → 58835 [ACK] Seq=5812 Ack=485 Win=142848 Len=
4099 10:27:21,312541 199.232.214.172 10.0.55.52 HTTP 1276 HTTP/1.1 200 OK (application/vnd.ms-cab-compress
5529 10:27:28,357032 204.79.197.203 10.0.55.52 TCP 66 80 → 58846 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0
5557 10:27:28,377919 204.79.197.203 10.0.55.52 TCP 60 80 → 58846 [ACK] Seq=1 Ack=413 Win=4194048 Len=0
5558 10:27:28,381097 204.79.197.203 10.0.55.52 TCP 1514 80 → 58846 [ACK] Seq=1 Ack=413 Win=4194048 Len=14
5559 10:27:28,381285 204.79.197.203 10.0.55.52 OCSP 1325 Response
5616 10:27:28,433135 204.79.197.203 10.0.55.52 TCP 60 80 → 58846 [ACK] Seq=2732 Ack=823 Win=4193536 Len
5618 10:27:28,435657 204.79.197.203 10.0.55.52 TCP 1514 80 → 58846 [ACK] Seq=2732 Ack=823 Win=4193536 Len
5619 10:27:28,435657 204.79.197.203 10.0.55.52 OCSP 1325 Response
5651 10:27:28,508298 199.232.214.172 10.0.55.52 TCP 60 80 → 58726 [ACK] Seq=1 Ack=2 Win=281 Len=0
5652 10:27:28,508298 199.232.214.172 10.0.55.52 TCP 60 80 → 58726 [FIN, ACK] Seq=1 Ack=2 Win=281 Len=0
5663 10:27:28,652871 199.232.214.172 10.0.55.52 TCP 60 80 → 58728 [FIN, ACK] Seq=1 Ack=2 Win=279 Len=0
5685 10:27:28,925901 199.232.214.172 10.0.55.52 TCP 60 [TCP Retransmission] 80 → 58728 [FIN, ACK] Seq=1
5775 10:27:29,492683 199.232.214.172 10.0.55.52 TCP 60 [TCP Retransmission] 80 → 58728 [FIN, ACK] Seq=1
5779 10:27:29,505923 199.232.214.172 10.0.55.52 TCP 66 80 → 58848 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0
5784 10:27:29,573824 199.232.214.172 10.0.55.52 TCP 60 80 → 58848 [ACK] Seq=1 Ack=197 Win=141824 Len=0
5785 10:27:29,574736 199.232.214.172 10.0.55.52 TCP 1456 80 → 58848 [ACK] Seq=1 Ack=197 Win=141824 Len=140
5801 10:27:29,696183 199.232.214.172 10.0.55.52 TCP 1456 80 → 58848 [ACK] Seq=1403 Ack=197 Win=141824 Len=
5802 10:27:29,696183 199.232.214.172 10.0.55.52 TCP 1456 80 → 58848 [ACK] Seq=2805 Ack=197 Win=141824 Len=
5826 10:27:29,805534 199.232.214.172 10.0.55.52 TCP 1456 80 → 58848 [ACK] Seq=4207 Ack=197 Win=141824 Len=
5827 10:27:29,805776 199.232.214.172 10.0.55.52 TCP 1456 80 → 58848 [PSH, ACK] Seq=5609 Ack=197 Win=141824
Frame 4060: Pa
Ethernet II, S
Destination
.... ..0
....
Source: Che
0000 00 be 43 94 bf ab 00 1c 7f 4b 81 56 08 00 45 00
0010 00 34 00 00 40 00 3b 06 5f fb c7 e8 d6 ac 0a 00
0020 37 34 00 50 e5 d3 18 91 fe de 17 ff a1 39 80 12
0030 ff ff d8 9f 00 00 02 04 05 7e 01 01 04 02 01 03
0040 03 09
mamaa.pcapng
Packets: 20558 · Displayed: 50 (0.2%)
Profile: Default


14

Display all packets except for ARP and TCP protocols.



15


Design
Layout
References
Mailings
Review
View
Tell me what you want to do...
mamaa.pcapng
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
!(ip.src ==192.168.56.1 && udp)
No. Time Source Destination Protocol Lengtl Info
4044 10:27:21,115123 10.0.55.79 224.0.0.251 MDNS 78 Standard query 0x0000 AAAA logonetsisup.local, "Q
4045 10:27:21,115168 fe80::dd2a:2bb9:593… ff02::fb MDNS 98 Standard query 0x0000 AAAA logonetsisup.local, "Q
4046 10:27:21,115339 fe80::dd2a:2bb9:593… ff02::1:3 LLMNR 92 Standard query 0x6a44 A logonetsisup
4047 10:27:21,115442 10.0.55.79 224.0.0.252 LLMNR 72 Standard query 0x6a44 A logonetsisup
4048 10:27:21,115492 fe80::dd2a:2bb9:593… ff02::1:3 LLMNR 92 Standard query 0x5b8e AAAA logonetsisup
4049 10:27:21,115537 10.0.55.79 224.0.0.252 LLMNR 72 Standard query 0x5b8e AAAA logonetsisup
4050 10:27:21,115537 10.0.54.158 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4051 10:27:21,122711 10.0.55.48 224.0.0.251 MDNS 70 Standard query 0x0000 A wpad.local, "QM" question
4052 10:27:21,122881 fe80::bf69:b70b:7a3… ff02::fb MDNS 90 Standard query 0x0000 A wpad.local, "QM" question
4053 10:27:21,136670 10.0.54.166 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4054 10:27:21,138771 10.0.55.48 224.0.0.251 MDNS 70 Standard query 0x0000 A wpad.local, "QM" question
4055 10:27:21,138943 fe80::bf69:b70b:7a3… ff02::fb MDNS 90 Standard query 0x0000 A wpad.local, "QM" question
4056 10:27:21,144268 10.0.54.154 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4057 10:27:21,145625 10.0.54.158 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4058 10:27:21,146059 10.0.54.158 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4059 10:27:21,153230 10.0.54.166 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4060 10:27:21,162920 199.232.214.172 10.0.55.52 TCP 66 80 → 58835 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0
4061 10:27:21,162999 10.0.55.52 199.232.214.172 TCP 54 58835 → 80 [ACK] Seq=1 Ack=1 Win=262912 Len=0
4062 10:27:21,163105 10.0.54.169 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4063 10:27:21,164891 10.0.54.154 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4064 10:27:21,168684 10.0.55.52 199.232.214.172 HTTP 342 GET /msdownload/update/v3/static/trustedr/en/disa
4065 10:27:21,175089 10.0.54.157 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4066 10:27:21,180463 10.0.54.151 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4067 10:27:21,185152 10.0.54.157 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4068 10:27:21,187181 10.0.54.207 224.0.0.251 MDNS 106 Standard query 0x0000 PTR _sleep-proxy._udp.local
4069 10:27:21,190408 10.0.54.151 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4070 10:27:21,194712 10.0.54.154 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4071 10:27:21,194968 10.0.54.157 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
4072 10:27:21,196623 10.0.54.169 224.0.0.251 MDNS 87 Standard query response 0x0000 A, cache flush 10.
Frame 4059: Pa
Ethernet II, S
Destination
.... ..0
....
Source: Del
0000 01 00 5e 00 00 fb 00 be 43 94 5b f5 08 00 45 00
0010 00 49 f5 42 00 00 ff 11 a4 bf 0a 00 36 a6 e0 00
0020 00 fb 14 e9 14 e9 00 35 9e eb 00 00 84 00 00 00
0030 00 01 00 00 00 00 0b 31 30 2d 30 2d 35 34 2d 31
0040 36 36 05 6c 6f 63 61 6c 00 00 01 80 01 00 00 00
0050 0a 00 04 0a 00 36 a6
mamaa.pcapng
Packets: 20558 · Displayed: 20558 (100.0%)
Profile: Default



mamaa.pcapng
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
tcp.port == 80
No. Time Source Destination Protocol Lengtl Info
4028 10:27:21,097860 10.0.55.52 199.232.214.172 TCP 66 58835 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
4060 10:27:21,162920 199.232.214.172 10.0.55.52 TCP 66 80 → 58835 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0
4061 10:27:21,162999 10.0.55.52 199.232.214.172 TCP 54 58835 → 80 [ACK] Seq=1 Ack=1 Win=262912 Len=0
4064 10:27:21,168684 10.0.55.52 199.232.214.172 HTTP 342 GET /msdownload/update/v3/static/trustedr/en/disa
4081 10:27:21,237171 199.232.214.172 10.0.55.52 TCP 60 80 → 58835 [ACK] Seq=1 Ack=289 Win=141824 Len=0
4082 10:27:21,238149 199.232.214.172 10.0.55.52 HTTP 257 HTTP/1.1 304 Not Modified
4085 10:27:21,245760 10.0.55.52 199.232.214.172 HTTP 250 GET /msdownload/update/v3/static/trustedr/en/pinr
4091 10:27:21,311037 199.232.214.172 10.0.55.52 TCP 60 80 → 58835 [ACK] Seq=204 Ack=485 Win=142848 Len=0
4094 10:27:21,312419 199.232.214.172 10.0.55.52 TCP 1456 80 → 58835 [ACK] Seq=204 Ack=485 Win=142848 Len=1
4095 10:27:21,312541 199.232.214.172 10.0.55.52 TCP 1456 80 → 58835 [PSH, ACK] Seq=1606 Ack=485 Win=142848
4096 10:27:21,312541 199.232.214.172 10.0.55.52 TCP 1456 80 → 58835 [ACK] Seq=3008 Ack=485 Win=142848 Len=
4097 10:27:21,312541 199.232.214.172 10.0.55.52 TCP 1456 80 → 58835 [PSH, ACK] Seq=4410 Ack=485 Win=142848
4098 10:27:21,312541 199.232.214.172 10.0.55.52 TCP 1456 80 → 58835 [ACK] Seq=5812 Ack=485 Win=142848 Len=
4099 10:27:21,312541 199.232.214.172 10.0.55.52 HTTP 1276 HTTP/1.1 200 OK (application/vnd.ms-cab-compress
4100 10:27:21,312578 10.0.55.52 199.232.214.172 TCP 54 58835 → 80 [ACK] Seq=485 Ack=8436 Win=262912 Len=0
5526 10:27:28,341191 10.0.55.52 204.79.197.203 TCP 66 58846 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
5529 10:27:28,357032 204.79.197.203 10.0.55.52 TCP 66 80 → 58846 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0
5530 10:27:28,357116 10.0.55.52 204.79.197.203 TCP 54 58846 → 80 [ACK] Seq=1 Ack=1 Win=263424 Len=0
5534 10:27:28,361924 10.0.55.52 204.79.197.203 HTTP 466 GET /ocsp/MFQwUjBQME4wTDAJBgUrDgMCGgUABBR0TBEVYkl
5557 10:27:28,377919 204.79.197.203 10.0.55.52 TCP 60 80 → 58846 [ACK] Seq=1 Ack=413 Win=4194048 Len=0
5558 10:27:28,381097 204.79.197.203 10.0.55.52 TCP 1514 80 → 58846 [ACK] Seq=1 Ack=413 Win=4194048 Len=14
5559 10:27:28,381285 204.79.197.203 10.0.55.52 OCSP 1325 Response
5560 10:27:28,381305 10.0.55.52 204.79.197.203 TCP 54 58846 → 80 [ACK] Seq=413 Ack=2732 Win=263424 Len=0
5613 10:27:28,416530 10.0.55.52 204.79.197.203 HTTP 464 GET /ocsp/MFQwUjBQME4wTDAJBgUrDgMCGgUABBR0TBEVYkl
5616 10:27:28,433135 204.79.197.203 10.0.55.52 TCP 60 80 → 58846 [ACK] Seq=2732 Ack=823 Win=4193536 Len=
5618 10:27:28,435657 204.79.197.203 10.0.55.52 TCP 1514 80 → 58846 [ACK] Seq=2732 Ack=823 Win=4193536 Len=
5619 10:27:28,435657 204.79.197.203 10.0.55.52 OCSP 1325 Response
5620 10:27:28,435719 10.0.55.52 204.79.197.203 TCP 54 58846 → 80 [ACK] Seq=823 Ack=5463 Win=263424 Len=0
5621 10:27:28,439336 10.0.55.52 199.232.214.172 TCP 66 58848 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460
Frame 4028: Pa
Ethernet II, S
Destination
Source: Del
0000 00 1c 7f 4b 81 56 00 be 43 94 bf ab 08 00 45 00
0010 00 34 75 c0 40 00 80 06 00 00 0a 00 37 34 c7 e8
0020 d6 ac e5 d3 00 50 17 ff a1 38 00 00 00 00 80 02
0030 fa f0 df ef 00 00 02 04 05 b4 01 03 03 08 01 01
0040 04 02
mamaa.pcapng
Packets: 20558 · Displayed: 93 (0.5%)
Profile: Default


PART 2:

1


Source Port Number: 58824

Destination Port Number: 443





2



What is the domain name being queried?

osce14-en-census.trendmicro.com

Which device sent the request?

10.0.4.3

Which server responded?

10.0.55.52