A Comprehensive Study of Characterizing Program Execution Time

Young-Kyoon Suh yksuh@cs.arizona.edu

January 27, 2016

1 Experiment Notes

Task Length	Description	Time Length
PUT1~PUT64	A regular PUT experiment with runs of 1000	$2013-10-14 \sim 2013-10-15$
	samples (on sodb12).	
PUT128~PUT2048	A regular PUT experiment with runs of 300	$2013-12-12 \sim 2013-12-21$
	samples (on sodb12).	
PUT4096	A regular PUT experiment with a run of 300	$2014-06-23 \sim 2014-07-10$
	samples (on sodb12).	
PUT8192	A regular PUT experiment with a run of 40	$2015-04-23 \sim 2015-04-27$
	samples (on sodb12).	
PUT8192	A regular PUT experiment with a run of 260	$2015-10-31 \sim 2015-11-24$
	samples (on sodb12).	
PUT16384	A regular PUT experiment with a run of 40	$2015-04-23 \sim 2015-04-23$
	samples (on sodb12).	
PUT16384	A regular PUT experiment with a run of 260	$2015-11-25 \sim 2016-01-14$
	samples (on sodb12).	

Table 1: Notes on the PUT data used for the histograms

Task Length	Description	Time Length
PUT1	A regular PUT experiment with a run of	$2015 - 12 - 15 \sim 2015 - 12 - 15$
	20,000 samples on sodb9.	
PUT2	A Regular PUT experiment with a run of	$2015-12-15 \sim 2015-12-15$
	20,000 samples on sodb10.	
PUT4096	A dual PUT experiment with a run of 500	$2015-11-08 \sim 2015-12-25$
	samples on sodb8. Used gettimeofday() for	
	measuring the elapsed time of each half of ev-	
	ery PUT4096 (same for the following PUT2	
	and PUT64).	
PUT2	A dual PUT experiment with a run of 1,000	$2015-12-27 \sim 2015-12-27$
	samples on sodb9.	
PUT64	A dual PUT experiment with a run of 1,000	$2015-12-27 \sim 2015-12-27$
	samples on sodb10	

Table 2: Notes on the new PUT experiments

2 Summary of the EMPv4 data

	Num. of Samples	Minimum	Maximum	Average	Std. Dev.
		(msec)	(msec)	(msec)	(msec)
PUT1	1,000	999.0	1,005.0	1,002.4	0.73
PUT2	1,000	1,996.0	2,007.0	2,004.5	1.38
PUT4	1,000	4,004.0	4,012.0	4,008.6	1.64
PUT8	1,000	8,014.0	8,023.0	8,018.1	1.72
PUT16	1,000	16,029.0	16,041.0	16,034.3	1.86
PUT32	1,000	32,064.0	32,084.0	32,068.2	2.05
PUT64	1,000	64,129.0	64,145.0	64,135.0	2.27
PUT128	300	128,244.0	128,260.0	128,251.2	2.32
PUT256	300	256,494.0	256,523.0	256,502.3	3.29
PUT512	300	512,995.0	513,152.0	513,005.1	9.41
PUT1024	300	1,025,997.0	1,026,141.0	1,026,012.4	11.43
PUT2048	300	2,051,981.0	2,052,156.0	2,052,012.0	11.19
PUT4096	300	4,105,451.0	4,105,629.0	4,105,526.0	25.98
PUT8192	40 (last Apr)	8,207,870.0	8,207,967.0	8,207,918.0	21.03
PUT8192	260 (Nov)	8,210,940.0	8,211,196.0	8,211,049.0	36.60
PUT16384	40 (last Apr)	16,415,757.0	16,415,964.0	16,415,810.3	40.43
PUT16384	260 (Nov)	16,422,028	16,422,389	16,422,153.0	52.54

Table 3: PT statistics by EMPv4 (extension of Table VI in the EMP paper) $\,$




Figure 1: Std. dev. of PT over increasing task length

3 Histograms on the EMPv4 Data





Figure 2: PT Histograms of PUT1 \dots PUT8






Figure 3: PT Histograms of PUT16 \dots PUT64




Figure 4: PT Histograms of PUT128 ... PUT1024





Figure 5: PT Histograms of PUT2048 and PUT4096



(a) PT frequency on PUT8192 with 40 samples (See Table 1.) (b) PT frequency on PUT8192 with 260 samples (See Table 1.)




Figure 6: PT Histograms of PUT8192 and PUT16384

4 Histograms on the EMPv5 Data

EMPv5 removes the outliers above and below the average \pm *five* standard deviations of program times measured by EMPv4.





Figure 7: PT Histograms of PUT1 \dots PUT8






Figure 8: PT Histograms of PUT16 ... PUT64




Figure 9: PT Histograms of PUT128 ... PUT1024





Figure 10: PT Histograms of PUT2048 and PUT4096



(a) PT frequency on PUT8192 with 40 samples (See Table 1.) (b) PT frequency on PUT8192 with 260 samples (See Table 1.)




Figure 11: PT Histograms of PUT8192 and PUT16384

5 Sample Size vs. Standard Deviation of PT

Num of Camples	Std. Dev. (msec)		
Num. of Samples	PUT1	PUT2	
1,000	1.07	1.40	
2,000	1.06	1.39	
3,000	1.07	1.38	
4,000	1.07	1.37	
5,000	1.07	1.40	
6,000	1.06	1.70	
7,000	1.06	1.65	
8,000	1.07	1.62	
9,000	1.07	1.60	
10,000	1.07	1.58	
11,000	1.08	1.57	
12,000	1.08	1.56	
13,000	1.08	1.54	
14,000	1.08	1.53	
15,000	1.08	1.52	
16,000	1.08	1.51	
17,000	1.08	1.50	
18,000	1.08	1.50	
19,000	1.08	1.50	
20,000	1.08	1.49	

Table 4: Std. Dev. of PUT1 and PUT2 over increasing sample size $\,$




Figure 12: Std. dev. of PT on PUT1 and PUT2 over increasing sample size






Figure 13: Std. dev. of PT on PUT1 and PUT2 over increasing sample size

PUT2	Program Time
incr_work	2078 msecs (at the 5276th iteration)
Daemon Processes	Program Time
md0_raid1	1 msec
proc_monitor	198 msecs
rhn_check	460 msecs
Total	659 msecs

Table 5: The daemon processes captured at the hike of PUT2



(a) PT frequency on PUT1 with 20,000 samples (See Ta- (b) PT frequency on PUT1 excluding the outliers out of the ble 2.) 20,000 samples (See Table 2.)



(c) PT frequency on PUT2 with 20,000 samples (See Ta- (d) PT frequency on PUT2 excluding the outliers out of the ble 2.)

Figure 14: PT Histograms of PUT1 and PUT2 by 20,000 trials

6 Dual PUT Experiments

6.1 Scatter Plots

Dual PUT	PUT2	PUT4	PUT8	PUT16	PUT32	PUT64	PUT4096
Sample Size	1000	1000	1000	1000	1000	1000	500
Correlation Coefficients	0.3	$-0.07 \ (-0.15 \ \text{except max})$	0.8	0.3	-0.01	-0.01	-0.01

Table 6: Correlation Coefficients of Dual PUT Experiments






Figure 15: Scatter plots on dual PUT2 \sim PUT16



(a) Measured times on dual PUT32

(b) Measured times on dual PUT64 $\,$



(c) Measured times on dual PUT4096

Figure 16: Scatter plots on dual PUT32 \sim PUT4096

6.2 Program Time Comparison




Figure 17: Measured time comparison on dual PUT2 \sim PUT8





Figure 18: Measured time comparison on dual PUT16 \sim PUT64



(a) 1st half's measured times on dual PUT4096 $\,$ (b) 2nd half's measured times on dual PUT4096 $\,$

Figure 19: Measured time comparison on dual PUT4096

6.3 Successive Iterations' Dependency

Given a pair of successive iterations, we compute the correlation efficient of the pair. E.g., given dual PUT2, the first half's and second half's measured times were (999, 1001) at iteration 974 and (1002, 1004) at iteration 975. The computed correlation efficient of this pair was 1. (command: cor(c(999, 1002), c(1001, 1004))) On the other hand, the first half's and second half's measured times were (1002, 1001) at iteration 965 and (1002, 1004) at iteration 966. The correlation of efficient of this pair is -1. But the correlation efficient is 0 for the following pair: (1002, 1002) at iteration 102 and (1002, 1002) at iteration 103.




Figure 20: Iteration Dependency on dual PUT2~PUT32

7 Correlations between the Program Times of Daemon Processes and PUT

PUT	Correlation Coefficient (EMPv4)	Correlation Coefficient (EMPv5)
PUT1	-0.2	-0.2
PUT2	-0.005	-0.009
PUT4	-0.05	-0.05
PUT8	0.1	0.1
PUT16	0.1	0.1
PUT32	0.3	0.15
PUT64	0.2	0.2
PUT128	0.2	0.2
PUT256	0.4	0.4
PUT512	0.9	0.6
PUT1024	0.9	0.2
PUT2048	0.8	0.24
PUT4096	0.4	0.4
PUT8192 in Apr	0.4	0.4
PUT8192 in Nov	0.3	0.3
PUT16384 in Apr	0.4	0.8
PUT16384 in Nov	0.5	0.5

Table 7: Correlation Coefficients between Program Times of Daemon and PUT by EMPv4 and EMPv5




Figure 21: Program times between PUT1 \sim PUT4 vs. Daemon processes




Figure 22: Program times between PUT8~PUT32 vs. Daemon processes




Figure 23: Program times between PUT64 \sim PUT256 vs. Daemon processes




Figure 24: Program times between PUT512 \sim PUT2048 vs. Daemon processes




Figure 25: Program times between PUT4096 vs. Daemon processes




Figure 26: Program times between PUT8192 vs. Daemon processes




Figure 27: Program times between PUT16384 vs. Daemon processes

8 Appendix

8.1 Breakdown on Program Times of Daemon Processes

PUT256	Program Time
incr_work	256,514 msecs (at the 118th iteration)
Daemon Processes	Program Time
java	2 msecs
md0_raid1	4 msecs
jbd2/md0-8	1 msec
flush-9:0	10 msecs
proc_monitor	262 msecs
rhnsd	6 msecs
rhn_check	1,944 msecs
Total	2,229 msecs

Table 8: The daemon processes captured at the worst PT of PUT256

PUT256	Program Time
incr_work	513,152 msecs (at the 128th iteration)
Daemon Processes	Program Time
java	2 msecs
md0_raid1	51 msecs
jbd2/md0-8	27 msecs
flush-9:0	86 msecs
proc_monitor	270 msecs
rhnsd	6 msecs
rhn_check	19,820 msecs
Total	20,262 msecs

Table 9: The daemon processes captured at the worst PT of PUT512 $\,$

PUT4096	Program Time
incr_work	4,105,629 msecs (at the 284th iteration)
Daemon Processes	Program Time
events/0	1 msec
kblockd/0	1 msec
kslowd000	31,710 msecs
kslowd001	31,782 msecs
md0_raid1	82 msecs
jbd2/md0-8	21 msecs
flush-9:0	79 msecs
proc_monitor	206 msecs
rhnsd	3 msecs
ntpd	1 msec
java	2 msecs
rhn_check	21,840 msecs
Total	85,728 msecs

Table 10: The daemon processes captured at the worst PT of PUT4096

PUT8192	Program Time
incr_work	8,207,884 msecs (at the 244th iteration)
Daemon Processes	Program Time
kblockd/0	3 msecs
kslowd000	31,710 msecs
kslowd001	31,782 msecs
md0_raid1	12 msecs
jbd2/md0-8	2 msecs
proc_monitor	204 msecs
rhnsd	6 msecs
java	1 msec
rhsmcertd-worke	114 msecs
rhsmcertd-worke	114 msecs
rhn_check	708 msecs
Total	64,656 msecs

Table 11: The daemon processes captured at the worst PT of PUT8192 $\,$

Daemon Processes	Descriptions
kslowd000 (kslowd001)	A kernel threads for performing things that take a relatively long time. "Typically, when processing something, these items will spend a lot of time, blocking a thread on I/O, thus making that thread unavailable for doing other work." (http://www.mjmwired.net/kernel/Documentation/slow-work.txt)
rhn_check	An external program for check for updates,
	run by rhnsd
rhnsd	"A background daemon process that periodically polls the Red Hat Network to see if there are any queued actions available. Typically started from the initialization (init) scripts in /etc/init.d/rhnsd when its time to poll the Red Hat Network server for available updates and actions. The default interval is every 240 minutes. The minimum polling interval is 60 minutes. Any network activity is done via the rhn_check utility." (http://linuxcommand.org/man_pages/rhnsd8.html)

Table 12: Descriptions of some daemon processes