2023 NATIONAL SURVEY ON DRUG USE AND HEALTH

PUBLIC USE FILE CODEBOOK

Substance Abuse and Mental Health Services Administration
Center for Behavioral Health Statistics and Quality
Rockville, Maryland 20857

March 25, 2025

2023 NATIONAL SURVEY ON DRUG USE AND HEALTH

PUBLIC USE FILE CODEBOOK

Contract No. 75S20322C00001

Project No. 0218596

Deliverable 56

For questions about this codebook and data file, please e-mail Marlon.Daniel@samhsa.hhs.gov.

Prepared for: Substance Abuse and Mental Health Services Administration, Rockville, Maryland

Prepared by: RTI International, Research Triangle Park, North Carolina

Data File Name: puf2023_102124

October 30, 2024

Recommended Citation: Center for Behavioral Health Statistics and Quality. (2024). *2023 National Survey on Drug Use and Health Public Use File Codebook*, Substance Abuse and Mental Health Services Administration, Rockville, MD

Table of Contents

Section **Page**

Introduction i-1
1. NSDUH Overview i-1
2. Codebook Overview i-2
3. Confidentiality of Data i-3
4. Organization of the Data File i-4
5. History and Development of NSDUH i-6
6. Questionnaire Changes for the 2023 NSDUH i-8
7. Strengths and Limitations of NSDUH i-9
8. Sample Design Overview i-10
   8.1 Stratification and Selection of First-, Second-, and Third-Stage Sampling Units (Census Tracts, Census Block Groups, and Smaller Area Segments) i-11
   8.2 Selection of Dwelling Units i-13
   8.3 Selection of Individuals i-14
9. Data Collection and Response Rates i-14
10. Sample Weights i-15
11. PUF Weight Calibration i-17
12. Usable Interviews i-18
13. Logical Editing i-20
   13.1 Editing Procedures for the Nicotine Section through the Methamphetamine Section i-21
   13.2 Editing Procedure for Prescription Drug Variables i-22
   13.3 Standard Code Conventions i-23
14. Statistical Imputation i-24
   14.1 Imputation Indicators i-26
   14.2 Constraints and Consistency i-27
15. Variance Estimation of Estimated Numbers of Individuals i-28
16. Statistical Significance of Differences i-31
17. Quality Assessment of PUF Estimates and Standard Errors i-32
18. Implementing Suppression Criteria on PUF Estimates i-34

List of Tables

Table **Page**

1. Questionnaire Sections Affected by Interview Break-Offs and Imputed Variables That Use the Main Analysis Weight i-16
2. Demographic Domains for the Public Use File That Should Use the Alternative Standard Error Estimation Method for Calculating the Standard Errors of the Estimated Number of Individuals, Totals: 2023 ..... i-30
3. Past Month Marijuana Prevalence and Standard Error Ratios of the Public Use File Subsample to the Full Sample, by Seven Domains: 2023 ..... i-33
4. Past Year Heroin Prevalence and Standard Error Ratios of the Public Use File Subsample to the Full Sample, by Seven Domains: 2023 ..... i-33
5. Summary of NSDUH Suppression Rules i-34

TABLE OF CONTENTS

IDENTIFICATION 3
SAMPLE WEIGHTING AND ESTIMATION VARS 4
GEOGRAPHIC 5
COUNTY 5
SEGMENT 6
BLOCK 7
DEMOGRAPHICS 8
DEMOGRAPHICS 8
IMPUTED DEMOGRAPHICS 13
RECODED DEMOGRAPHICS 14
EDUCATION 16
RECODED EDUCATION 20
EMPLOYMENT 21
IMPUTED EMPLOYMENT 27
HOUSEHOLD COMPOSITION (ROSTER) 28
PROXY INFORMATION 30
HEALTH INSURANCE 31
IMPUTED HEALTH INSURANCE 36
RECODED HEALTH INSURANCE 38
INCOME 39
IMPUTED INCOME 40
RECODED INCOME 42
SPECIAL TOPICS 43
RECODED SPECIAL TOPICS 50
SUBSTANCE USE 51
NICOTINE 51
NICOTINE DEPENDENCE 62
IMPUTED NICOTINE DEPENDENCE 68
ALCOHOL 69
CONSUMPTION OF ALCOHOL 74
RECODED CONSUMPTION OF ALCOHOL 83
MARIJUANA 87
MARKET INFORMATION FOR MARIJUANA 95
BLUNTS 101
COCAINE 105
CRACK 108
HEROIN 111
HALLUCINOGENS 114
INHALANTS 129
METHAMPHETAMINE 138
PAIN RELIEVERS SCREENER 142
PAIN RELIEVERS 143
TRANQUILIZERS SCREENER 152
TRANQUILIZERS 153
STIMULANTS SCREENER 160
STIMULANTS 161
SEDATIVES SCREENER 169
SEDATIVES 170
IMPUTED SUBSTANCE USE 176
RECENCY OF DRUG USE 176
PAST YEAR FREQUENCY OF USE 190
PAST MONTH FREQUENCY OF USE 193
AGE/DATE OF FIRST DRUG USE 199
RECODED DRUG USE 209
OTHER SUBSTANCE TOPICS 258
SPECIAL DRUGS 258
IMPUTED SPECIAL DRUGS 271
RECODED SPECIAL DRUGS 272
SUBSTANCE USE DISORDER 274
IMPUTED SUBSTANCE USE DISORDER 358
RECODED SUBSTANCE USE DISORDER 367
PRIOR SUBSTANCE USE 371
ALCOHOL AND DRUG TREATMENT 388
IMPUTED ALCOHOL AND DRUG TREATMENT 396
RECODED ALCOHOL AND DRUG TREATMENT 400
RISK/AVAILABILITY 406
RECODED RISK/AVAILABILITY 411

SOCIAL ENVIRONMENT 413
YOUTH EXPERIENCES 416
RECODED YOUTH EXPERIENCES 433
MENTAL HEALTH 440
ADULT MENTAL HEALTH 440
IMPUTED ADULT MENTAL HEALTH 450
RECODED ADULT MENTAL HEALTH 459
ADULT DEPRESSION 464
IMPUTED ADULT DEPRESSION 483
RECODED ADULT DEPRESSION 484
ADOLESCENT DEPRESSION 487
RECODED ADOLESCENT DEPRESSION 504
MENTAL HEALTH SERVICES UTILIZATION 510
IMPUTED MENTAL HEALTH SERVICES UTILIZATION 515
RECODED MENTAL HEALTH SERVICES UTILIZATION 518
OTHER TOPICS 522
HEALTH 522
RECODED HEALTH 537
EMERGING ISSUES 538
IMPUTED EMERGING ISSUES 542
RECODED EMERGING ISSUES 544
COVID-19 548
RECODED COVID-19 552
INTERVIEW INFORMATION 554
INDEX 555

APPENDICES

APPENDIX A Drug Codes for Open-Ended Questions
APPENDIX B Consolidated Drug OTHER Specify Tables
APPENDIX C Nicotine Dependence and Substance Use Disorder
APPENDIX D Recoded Mental Health
APPENDIX E Recoded Depression Variable Documentation
APPENDIX F Sample SUDAAN®, SAS®, and Stata Code and Public Use File Estimates

Introduction

This codebook provides documentation for the 2023 National Survey on Drug Use and Health (NSDUH) public use file (PUF). NSDUH is sponsored by the Center for Behavioral Health Statistics and Quality within the Substance Abuse and Mental Health Services Administration (SAMHSA) and is conducted by RTI International, Research Triangle Park, North Carolina.[1]

Data users should especially take note of three sections: Section 3, Confidentiality of Data; Section 17, Quality Assessment of Public Use File Estimates and Standard Errors; and Section 18, Implementing Suppression Criteria on PUF Estimates. Section 3 provides specific information on procedures implemented to ensure both confidentiality and quality of data in the public use version of the NSDUH data. Section 17 cautions users on unreliable estimates, and Section 18 encourages users to apply precision-based suppression rules when producing estimates from the PUF.

1. NSDUH Overview

NSDUH is an annual survey of the civilian, noninstitutionalized population of the United States aged 12 years or older. It is the primary source of statistical information on the use of tobacco, alcohol, prescription psychotherapeutic drugs, and other substances among people in that population. The survey also includes extensive information on mental health issues, substance use disorders (SUDs), and substance use and mental health treatment.

In addition to this introductory text, a description of the 2023 survey, including more detailed information on sample issues, can be found in several 2023 NSDUH documents, which discuss methodological issues or present key findings in tabular, graphical, and report formats:

- Center for Behavioral Health Statistics and Quality. (2024). *2023 National Survey on Drug Use and Health (NSDUH): Methodological summary and definitions*. https://www.samhsa.gov/data/report/2023-methodological-summary-and-definitions
- Center for Behavioral Health Statistics and Quality. (2024). *Key substance use and mental health indicators in the United States: Results from the 2023 National Survey on Drug Use and Health* (HHS Publication No. PEP24-07-021, NSDUH Series H-59). https://www.samhsa.gov/data/report/2023-nsduh-annual-national-report
- Center for Behavioral Health Statistics and Quality. (2024). *Results from the 2023 National Survey on Drug Use and Health: Detailed tables*. https://www.samhsa.gov/data/report/2023-nsduh-detailed-tables
- Center for Behavioral Health Statistics and Quality. (forthcoming). *2023 National Survey on Drug Use and Health: Methodological resource book*. https://www.samhsa.gov/data/report/nsduh-2023-methodological-resource-book-mrb

[1] RTI International is a trade name of Research Triangle Institute. RTI and the RTI logo are U.S. registered trademarks of Research Triangle Institute.

2. Codebook Overview

This codebook is a guide to the 2023 PUF. For each variable in the 2023 PUF, it provides the variable name, a description of the variable, value codes and their meanings, and an unweighted univariate frequency distribution. Most of the variables originated directly as interview items and include information on questionnaire wording. For the subset of variables created from more than one variable, the codebook includes the source variables and recoding specifications for them. Case identification, sampling, and data collection variables are also included in the file and documented in the codebook. The variable names in this codebook are the names used in the PUF, although there are also references to the variable names used in the questionnaire instrument.

To a great extent, variable names indicate the meaning of each variable. As much as possible, variables are named consistently across survey years. When a variable does not have the same name across years, this is an indication that there may be differences in the content of the questions or specifications for creating the variable. Only variables that explicitly changed have been given new names. Even when the variable names are the same, users are advised not to make comparisons or pool data with NSDUH data from 2020 or earlier for analyses because of overall methodology changes.

The reasons for changing a variable's name are documented in comments above the specific variables and in corresponding appendix files within the codebook (if applicable). Typically, variable changes are documented the year they occur and the year following if there are comparability issues to consider. However, the most current version of the documentation may not always describe relevant changes from years before that. Therefore, analysts who are doing a multiyear trend analysis are strongly advised to examine documentation for all years of interest to identify changes that may affect their analysis of interest.[2] An analysis of trends is not recommended when the impact of questionnaire or methodological changes are confounded with true changes in the phenomenon being measured. However, if the change is considered minor and the likely impact on trend data would be minimal, then comparisons between years may still be appropriate.

Analysts are also encouraged to refer to the instrument specifications for the 2023 survey in conjunction with their review of the codebook. The specifications provide detailed information about the logic governing how respondents were routed through the questions in the interview, as well as changes to the instrument relative to the 2022 survey.[3] The 2023 specifications for in-person and web-based data collection can be found on the SAMHSA website at https://www.samhsa.gov/data/report/nsduh-2023-questionnaire.

[2] A variable crosswalk (also referred to as a "comparability chart") that identifies which NSDUH variables are comparable across study years is available on the Substance Abuse and Mental Health Data Archive (SAMHDA) web pages at https://www.samhsa.gov/data/data-we-collect/nsduh/datafiles.

[3] Center for Behavioral Health Statistics and Quality. (2021). *2022 National Survey on Drug Use and Health (NSDUH): Final in-person specifications for programming (English version)*. https://www.samhsa.gov/data/report/nsduh-2022-questionnaire

3. Confidentiality of Data

In order to minimize the risk of identifying a respondent, PUFs differ in a number of ways from the full restricted-use data. This means there are variables or responses that are not available on the PUF, and the sample size is slightly smaller. Other treatments to the data, detailed below, mean that estimates made from the PUF will not match published estimates exactly. However, the estimates can generally be considered equivalent.

To protect the confidentiality of respondents in the 2023 NSDUH, the full analytic file of 67,679 individuals was treated using a statistical disclosure limitation method called MASSC.[4,5,6] It is named after the four major steps of the process: **M**icro **A**gglomeration, optimal probabilistic **S**ubstitution, optimal probabilistic **S**ubsampling, and optimal sampling weight **C**alibration.

In the micro agglomeration step, data were partitioned into risk strata using selected key identifying variables to control for the level of treatment based on the records' risk status in the subsequent MASSC steps. Then, on a random basis, a sample of records was drawn, and variables were substituted from a similar donor record. This step, referred to as substitution, introduces uncertainty about the identity of a record in the database. This process makes it difficult for an intruder to be certain that any record corresponds to a specific individual because some of the variables used to identify the record may have come from other individuals. After that, a portion of the records was randomly removed from the file to reduce the probability of determining that any known respondent was in the PUF. This step, referred to as subsampling, introduces further uncertainty about the presence of a target record in the database. The result is that there is a very small probability of correctly identifying an individual from the file.

When substitution and subsampling were performed, the final PUF was constrained to simultaneously minimize increase in bias and decrease in precision for specific estimates of drug use prevalence across several domains. In addition, to reduce the loss in precision caused by the two procedures, the weights on the final file were recalibrated to known totals from the entire restricted-use analytic file (for details, see Section 11, Public Use File Weight Calibration). Under the MASSC framework, both disclosure risk and information loss are controlled simultaneously.

Certain variables are not available in the PUF. All directly identifying information (such as name, phone number, and address) on the file was eliminated. Census region, state, and other geographic identifiers were also removed, as well as information on whether the interview was

[4] Singh, A. C. (2002). *Method for statistical disclosure limitation* (U.S. Patent Application Pub. No. US 2004/0049517A1). RTI International. The patent was granted in June 2006 (Patent No. US7058638B2).

[5] Singh, A. C., Yu, F., & Dunteman, G. H. (2003). MASSC: A new data mask for limiting statistical information loss and disclosure. In *Proceedings of the Joint UNECE/EUROSTAT Work Session on Statistical Data Confidentiality, Luxembourg* (Working Paper No. 23, pp. 373-394). United Nations Statistical Commission and Economic Commission for Europe Conference of European Statisticians, European Commission Statistical Office of the European Communities (EUROSTAT).

[6] Singh, A., Yu, F., & Wilson, D. H. (2004, August). Measures of information loss and disclosure risk under MASSC treatment of micro-data for statistical disclosure limitation. In *Proceedings of the 2004 Joint Statistical Meetings, American Statistical Association, Section on Survey Research Methods, Toronto, Canada* (pp. 4374-4381). American Statistical Association.

administered via the web or in person. When two respondents from the same household took the survey, the information needed to link them was not included in the PUF. Starting in 2021, the variable QUARTER that indicated what period of the year the interview was administered was also excluded.

All other variables on the file were reviewed for the possibility of identifying a respondent by looking at variables alone and combined with certain others. Variables considered to have both a high potential of personal identification and a high value for analysis were treated by recoding (e.g., by combining rare categories), collapsing to make composite variables (e.g., by combining low frequency variables together), or locally suppressing values (e.g., by changing certain responses into missing values).

Further, design variables VEREP (variance estimation [pseudo] replicate within stratum) and VESTR (variance estimation [pseudo] stratum) were treated by coarsening, substitution, and scrambling. Similar to the 2014-2022 PUFs, the 2023 PUF's variance estimation stratum variable, VESTR_C, was aggregated into 50 pseudo-strata.[7]

These statistical disclosure limitation methods have been implemented in such a way that the PUF continues to be representative of civilian members of the noninstitutionalized population in the United States. The 2023 PUF contains 56,705 records.

For a quality assessment of the 2023 PUF estimates based on select measures, refer to Section 17, Quality Assessment of Public Use File Estimates and Standard Errors. Also, as detailed in Section 18, PUF users are encouraged to apply suppression rules before disseminating estimates from the PUFs to ensure that only reliable PUF estimates are used in making policy decisions.

4. Organization of the Data File

The PUF is available as an ASCII file with 2,636 variables and 56,705 observations. *Three program files are available to read the ASCII file into SAS, SPSS, or Stata. The file also is available as a SAS transport (CPORT) file, SPSS system file, Stata system file, ASCII tab-delimited file, and R data file (.RData). All data and program files are available from SAMHSA at https://www.samhsa.gov/data/data-we-collect/nsduh/datafiles.*

Variables in the codebook are organized in sections by subject matter. Beginning with the demographics section, section names that do not begin with "imputed" or "recoded" contain edited variables and correspond directly to sections of the questionnaire. Where applicable, sections containing imputation-revised and recoded variables follow the section of their corresponding edited variables. For example, the recoded education section follows the education section, and the imputed employment section follows the employment section.

Whenever imputed or recoded variables are provided, users are encouraged to use them to produce estimates rather than using raw or edited variables from the interview.

[7] The sample redesign in 2014 decreased the number of pseudo-strata. In 2013 and prior years, there were 60 pseudo-strata.

The order of the variable sections in the codebook does not correspond to the order of the questionnaire. The first portion of the codebook consists of documentation for case identification, sampling and weighting, and geographic variables. Next is documentation for demographic variables, including education, employment, health insurance, and income.

After demographic variables, the next section consists of documentation for drug sections and sections related to those drugs. For example, documentation for the consumption of alcohol section follows documentation for the alcohol section. Physical and mental health sections follow that. The final part of the codebook contains variables related to household roster and interview information.

As much as possible, the codebook shows the key source variables used in creating edited, imputed, or recoded variables. For most edited variables, the codebook indicates in parentheses the question names from the NSDUH instrument that were most relevant for creating it. This allows users to find source questions in the 2023 questionnaire as well as the context and logic that produced the variable.

Most edited variables contain missing data; see Section 13.3, Standard Code Conventions, for a description of the codes given to different types of missing data for edited variables. These codes and their associated frequencies are included in the codebook under the variable.

Imputation-revised variables are included for select demographic, drug use, SUD, substance use treatment location and type, mental health services utilization location and type, and adult mental health measures. These imputed variables are in separate sections following the edited variables. Missing values for all imputation-revised variables have been imputed using the statistical imputation procedures described in Section 14, Statistical Imputation. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or from an imputed value.

The edited and/or imputed variables are used as source variables for the recoded variables. In many cases, imputed variables were not created, and recoded variables based directly on edited variables may still have missing values. The missing data codes contained in the source variables and defined in Section 13.3, Standard Code Conventions, are recoded to the standard missing code (.) for recoded variables. Cases containing these missing codes are intended to be excluded from analysis.

Within the recoded sections of the codebook, detailed information is provided in the variable documentation about how levels of source variables are used to define recoded variables. Note that for recoded variables that include "OTHER, Specify" data or logically assigned data (as defined in Section 13.3, Standard Code Conventions), values may be listed in the documentation that do not exist for the current survey year. To aid in cross-year analyses, all possible source variable values have been retained in the documentation, even when they do not occur in the current year. For example, a recoded variable may document a "yes" using both source variable values of "1 = Yes" and "3 = Logically Assigned Yes," even if the "3" is not applicable for the current survey year. To alert users, notes have been placed at the top of

recoded sections containing variables that include source values even if they do not apply to the current survey year.

5. History and Development of NSDUH

The primary purpose of NSDUH is to measure the prevalence and correlates of substance use and mental health issues in the United States. The survey started in 1971 and was conducted periodically until 1990 when it became an annual survey. Since 1991, the target population has been the civilian, noninstitutionalized population of the United States aged 12 or older at the time of the survey. Currently, PUFs are available for surveys from 1979 onward.

Since 1971, NSDUH has undergone many changes. The most notable changes and the impacts of those changes are listed below:

- 1999
  - The survey sample switched from a national sample design to a 50-state design with an independent, multistage area probability sample for each of the 50 states and the District of Columbia.
  - The method of data collection changed from a paper questionnaire administration to computer-assisted interviewing (CAI), using a combination of computer-assisted personal interviewing (CAPI) conducted by field interviewers (FIs) and audio computer-assisted self-interviewing (ACASI).
  - Due to these changes, only limited comparisons can be made between data from the redesigned surveys starting in 1999 and onward and data obtained from surveys prior to 1999.
- 2002
  - The survey's name was changed from the National Household Survey on Drug Abuse (NHSDA) to the National Survey on Drug Use and Health (NSDUH).
  - Beginning in 2002, each NSDUH respondent was offered an incentive of $30, initially resulting in improved survey response rates.
  - New population data from the 2000 decennial census became available for use in NSDUH's sample weighting procedures.
  - The 2002 data constituted a new baseline for tracking trends in substance use and other measures. It is not considered appropriate to make comparisons of the 2002 and later years' estimates with 2001 and earlier NHSDA estimates. If comparisons such as these are made, it is recommended they be interpreted with caution.[8]
- 2015
  - The questionnaire underwent a partial redesign in 2015 to improve the quality of the NSDUH data and to address the changing needs of policymakers and researchers with regard to substance use and mental health issues. Details on these changes can be found in the 2015 codebook and other reports.

[8] Office of Applied Studies. (2003). *Results from the 2002 National Survey on Drug Use and Health: National findings* (HHS Publication No. SMA 03-3836, NSDUH Series H-22). Substance Abuse and Mental Health Services Administration.

  - The number of allowable characters in a variable name was expanded for new variables created for 2015. Specifically, the number of allowable characters was expanded from a limit of 8 characters in 2014 and prior years to limits in 2015 of up to 9 characters for edited variables, up to 11 characters for imputed variables, and up to 12 characters for recoded variables.
  - The partial questionnaire redesign in 2015 caused many estimates to break trends. For more information on the effects of questionnaire changes since 2015 on trends, see the codebook variable notes or related NSDUH reports.[9,10,11]
- 2020
  - SAMHSA suspended in-person data collection on the 2020 NSDUH on March 16, 2020, because of the coronavirus disease 2019 (COVID-19) pandemic. A small-scale data collection effort was conducted in July 2020 to assess the feasibility of safely resuming in-person data collection. To reduce the impact on NSDUH data collection, web-based interviewing became the primary mode of NSDUH data collection in Quarter 4 of 2020 (i.e., October to December). Conventional in-person data collection was carried out wherever it was considered safe to do so based on county- and state-level COVID-19 metrics.
  - The two modes of data collection yielded differences in response and nonresponse patterns, which, in turn, led to changes in various aspects of data processing, such as weighting.
  - Substance use disorder (SUD) questions were revised to be consistent with the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition (DSM-5),[12] criteria for SUD.
  - New questions were added to the survey in Quarter 4 to measure COVID-19-related metrics, such as virtual healthcare visits and the perceived impact of the COVID-19 pandemic on substance use and mental health.
  - Given the differences in data collection periods, modes, and other methodological procedures between 2020 and prior NSDUH years, comparisons of 2020 estimates with those of prior years of NSDUH are strongly discouraged.
- 2021
  - The 2021 survey continued the use of multimode data collection procedures (i.e., via the web or in person in eligible locations) that were first implemented in

[9] Center for Behavioral Health Statistics and Quality. (2016). *2015 National Survey on Drug Use and Health: Summary of the effects of the 2015 NSDUH questionnaire redesign: Implications for data users*. https://www.samhsa.gov/data/report/summary-effects-2015-nsduh-questionnaire-redesign-implications-data-users

[10] Center for Behavioral Health Statistics and Quality. (2015). *National Survey on Drug Use and Health: 2014 and 2015 redesign changes.* https://www.samhsa.gov/data/report/national-survey-drug-use-and-health-2014-and-2015-redesign-changes

[11] Center for Behavioral Health Statistics and Quality. (2016). *2015 National Survey on Drug Use and Health: Methodological summary and definitions*. https://www.samhsa.gov/data/report/2015-national-survey-drug-use-and-health-methodological-summary-and-definitions

[12] American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.).

October 2020 for the 2020 NSDUH. Multimode data collection was used for the entire 2021 NSDUH sample.
  - Methodological investigations led to the conclusion that estimates based on multimode data collection in 2021 are not comparable with estimates from 2020 or prior years.[13]

- 2022
  - Several changes were made to the race questions, including reordering the response options so that they appear in alphabetical order and moving specific ethnicities of Native Hawaiian or Other Pacific Islander into a separate question.
  - Substantial revisions were made to questionnaire sections regarding substance use treatment and mental health treatment. These changes caused corresponding estimates to break trend.

6. Questionnaire Changes for the 2023 NSDUH

The following changes were made to the 2023 NSDUH instruments relative to 2022.

- A new self-administered front-end demographics section was included.
  - Questions about sex, Hispanic origin, and race that are used to create estimates for reports and tables were moved to this new section from the core demographics section, which was interviewer administered for in-person respondents.
  - The question about respondents' sex from 2022 was revised to ask about sex assigned at birth instead of asking whether respondents were male or female.
- The substance dependence and abuse section was renamed the substance use disorder section for consistency with the questions that have been included since 2021 to estimate substance use disorder based on criteria in the DSM-5.
- The questions asking about suicidal thoughts and behavior in the youth experience and mental health sections were updated to include the new National Suicide Prevention Lifeline number and to add the option for texting the Lifeline.
- Questions that measured medication-assisted treatment (MAT) for alcohol and opioid use were removed from the emerging issues section. Since 2022, NSDUH has used MAT questions that were added to the alcohol and drug treatment section to estimate the receipt of MAT.
- The questions about sexual attraction and sexual identity were revised to be administered to all respondents rather than to only adult respondents. The question about sexual identity was additionally revised for simplicity and to be more inclusive.

7. Strengths and Limitations of NSDUH

NSDUH is the primary nationally representative source of annual estimates of drug use and mental illness among civilian members of the noninstitutionalized population in the

[13] Chapter 6 of the 2021 Methodological Summary and Definitions discusses these investigations. See https://www.samhsa.gov/data/report/2021-methodological-summary-and-definitions.

United States. The large and dispersed NSDUH sample enables not only national estimates but also state- and substate-level estimates. In addition, because up to two people could be selected into the survey from the same household, analysis is possible into the connections between parent and child behavioral health. Note, however, that the PUF does not allow either substate or pair analysis.

Most of the NSDUH questions administered in person are administered with ACASI, which is designed to provide the respondent with a highly private and confidential mode for responding to questions. This increases the level of honest reporting of illicit drug use and other sensitive or stigmatized behaviors. Web respondents are asked to be in a private location within the home and to affirm before starting that they are in a private location for a similar outcome.

Although NSDUH is useful for many purposes, it has certain limitations. First, the data are based on self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar contexts, and NSDUH procedures were designed to encourage honesty and recall, some underreporting and overreporting may take place. For instance, to aid respondent recall, the prescription drug questions in 2023 allowed respondents to report any use or misuse in the past 12 months of specific related medications (e.g., the tranquilizers Xanax®, Xanax® XR, generic alprazolam, and generic extended-release alprazolam). These self-reports capture information on the use or misuse of prescription drugs that contain a given active ingredient. However, these self-reports are not necessarily accurate for identifying the exact drugs respondents took, especially when respondents identify certain drugs by their brand names (e.g., if a respondent actually took the generic drug alprazolam but reported use or misuse of the brand name tranquilizer Xanax® because of name recognition). For this reason, the PUF includes recoded variables for subtypes of related prescription drugs (e.g., alprazolam products) but, with few exceptions, does not include variables for individual prescription drugs.

Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews in subsequent years. Each year's survey, therefore, provides an overview of the prevalence of drug use at a specific point in time rather than a view of how drug use changes over time for specific individuals. Variables about first use and recency of use are based on current memory rather than past data collection.

Third, because the target population of the survey is the civilian, noninstitutionalized population of the United States, a small proportion (less than 3 percent) of the population is excluded.[14] The subpopulations excluded are members of the active-duty military and people in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). Because of the sampling methods used, people who were homeless and living in a place without a fixed address were also excluded. If the drug use of these groups differs from that of the civilian, noninstitutionalized population, NSDUH may provide slightly inaccurate estimates of substance

[14] Information from the 2010 census suggests that the civilian, noninstitutionalized population includes at least 97 percent of the total U.S. population. See the following reference: Lofquist, D., Lugaila, T., O'Connell, M., & Feliz, S. (2012, April). *Households and families: 2010* (C2010BR-14, 2010 Census Briefs). https://www.census.gov/content/dam/Census/library/publications/2012/dec/c2010br-14.pdf

use and mental health in the total population. This may be particularly true for prevalence estimates for less commonly used drugs, such as heroin.

Fourth, due to methodological issues, NSDUH estimates from 2021 onward are not comparable or combinable with estimates from 2020 or prior years. Therefore, 2023 NSDUH estimates should not be compared with estimates prior to 2021.

8. Sample Design Overview

The 2023 NSDUH sample design is part of a multiyear, coordinated design that was developed for the 2014-2023 NSDUHs. The coordinated sample design is state-based, with an independent, multistage area probability sample within each state and the District of Columbia. States were the first level of stratification. Each state was further stratified into approximately equally populated state sampling regions (SSRs). Creation of the multistage area probability sample then involved selecting census tracts within each SSR (Stage 1), census block groups within census tracts (Stage 2), and, in many cases, a collection of census blocks within census block groups (Stage 3). Finally, dwelling units (DUs) were selected within segments (Stage 4), and (within each selected DU) up to two residents who were at least 12 years old were selected for the interview (Stage 5). The complete sample design is documented in the *2023 National Survey on Drug Use and Health (NSDUH) Methodological Resource Book, Section 2: Sample Design Report*.[15]

The coordinated design also includes a 50 percent overlap in sampled areas or segments between each 2 successive years from 2014 through 2023.[16] The overlap is intended to increase the precision of estimates in year-to-year trend analyses because of the expected positive correlation resulting from the overlapping sample between successive survey years. The 50 percent overlap of segments also significantly reduces field enumeration or listing costs because DU frames need to be constructed for only the new panel of segments each survey year. For the 2022 and 2023 surveys, an address-based sampling (ABS) frame[17] was used for a portion of the segments, which further reduced listing costs.

For the 2023 NSDUH, the hybrid field enumeration and ABS approach differed for the portion of the sample that was carried over from the 2022 NSDUH and for the portion that was new in 2023. For both portions, census block groups selected at the second stage of selection were first evaluated using a set of ABS coverage criteria. If the census block group met all coverage criteria, the ABS frame was used for the census block group.

For the 2022 overlap sample, if the census block group failed one or more coverage criteria, a smaller area (one or more census blocks) was selected, and field enumeration was used to construct the DU frame. However, for the new portion of the 2023 sample, the third stage of

[15] Center for Behavioral Health Statistics and Quality. (2024). *2023 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 2: Sample design report*. https://www.samhsa.gov/data/report/nsduh-2023-sample-design-report

[16] In segments used in 2 successive years, only addresses not sampled in the first year may be included in the second year's sample.

[17] ABS frames consist of residential addresses purchased from a licensed vendor and are based on U.S. Postal Service files.

selection (census blocks) was eliminated to reduce intracluster correlation and increase precision. Thus, for this portion of the sample, the entire census block group was field enumerated if it did not meet all ABS coverage criteria. The "segment" is the geographic area for which the DU frame is constructed, which in some segments are second-stage sampling units and in other segments are third-stage sampling units. For the remainder of this codebook, "segment" refers to both census block groups and smaller area segments if no distinction is made.

The 2014-2023 design allows for computation of estimates by state in all 50 states and the District of Columbia. The design also includes a cost-efficient sample allocation to the largest states, while providing a sufficient sample size in each of the smaller states to support small area estimation at the state and substate levels. The sample is designed to yield the following:

- 4,560 completed interviews in California;
- 3,300 completed interviews each in Florida, New York, and Texas;
- 2,400 completed interviews each in Illinois, Michigan, Ohio, and Pennsylvania;
- 1,500 completed interviews each in Georgia, New Jersey, North Carolina, and Virginia;
- 967 completed interviews in Hawaii; and
- 960 completed interviews in each of the remaining 37 states and the District of Columbia.

This adds up to a total national target sample size of 67,507. This large target sample size permits SAMHSA to report precise estimates for demographic subgroups at the national level without needing to oversample specially targeted demographics other than age groups. Because geographic identifiers like state are not on the 2023 PUF, only national analysis of data is possible.

Consistent with the 2021 and 2022 NSDUHs, the 2023 NSDUH used a combination of web and in-person data collection methods (i.e., multimode data collection). At the beginning of each calendar quarter, sample dwelling units (SDUs) were mailed an invitation to participate via the web. FIs began following up with pending SDUs several days later. Throughout each quarter, respondents had the option of participating via the web, as long as they had not already participated in person. To ensure the national target sample size was met, very large DU samples were selected and released for multimode data collection. The achieved sample size (i.e., completed interviews) for the 2023 survey was 67,679 individuals.

8.1 Stratification and Selection of First-, Second-, and Third-Stage Sampling Units (Census Tracts, Census Block Groups, and Smaller Area Segments)

Within each state, sampling strata called SSRs were formed. Based on a composite size measure, states were partitioned geographically into roughly equally sized regions by population. In other words, regions were formed such that each area within a state yielded, in expectation, roughly the same number of interviews during each data collection period. The partitioning divided the United States into a total of 750 SSRs, resulting from the following:

- 36 SSRs in California;
- 30 SSRs each in Florida, New York, and Texas;
- 24 SSRs each in Illinois, Michigan, Ohio, and Pennsylvania;
- 15 SSRs each in Georgia, New Jersey, North Carolina, and Virginia; and
- 12 SSRs each in the remaining 38 states and the District of Columbia.

The first stage of selection for the 2014-2023 NSDUHs was census tracts. This stage of selection began with the construction of an area sample frame that contained one record for each census tract in the United States. If necessary, census tracts were aggregated within SSRs until they met the minimum DU[18] requirement. In California, Florida, Georgia, Illinois, Michigan, New Jersey, New York, North Carolina, Ohio, Pennsylvania, Texas, and Virginia, this minimum size requirement was 250 DUs in urban areas and 200 DUs in rural areas.[19] In the remaining states and the District of Columbia, the minimum requirement was 150 DUs in urban areas and 100 DUs in rural areas. These census tracts[20] served as the primary sampling units (PSUs) for the coordinated 10-year sample.

Before selecting census tracts, additional implicit stratification was achieved by sorting the PSUs by a CBSA/SES[21] (core-based statistical area/socioeconomic status) indicator[22] and by the percentage of the population who are non-Hispanic White. From this well-ordered sample frame, 48 census tracts per SSR were selected with probabilities proportionate to a composite size measure and with minimum replacement.

For the second stage of selection, adjacent census block groups were collapsed as needed within selected census tracts. The block groups were required to have the same minimum number of DUs as the census tracts from which they were selected (150 or 250 in urban areas and 100 or 200 in rural areas, according to state). The resulting block groups were then sorted in the order in which they were formed, and one census block group[23] was selected per selected census tract with probability proportionate to a composite size measure.

The selection of census block groups at the second stage of selection allowed a transition to a hybrid field enumeration and ABS frame for the 2022 and 2023 NSDUHs. As noted previously, census block groups selected at the second stage of selection served as ABS

---

[18] DU counts were obtained from the 2010 decennial census data supplemented with revised population counts from Claritas (see https://www.claritas.com/).

[19] The basis for the differing minimum DU requirement in urban and rural areas is that it is more difficult to meet the requirement in rural areas, 100 DUs are sufficient to support one field test and two main study samples in the smaller states, and 200 DUs are sufficient to support three samples in the larger sample states.

[20] For the remainder of the discussion, first-stage sampling units are referred to as "census tracts" even though each first-stage sampling unit contains one or more census tracts.

[21] CBSAs include metropolitan and micropolitan statistical areas, as defined in the following reference: Office of Management and Budget. (2009, December 1). *OMB Bulletin No. 10-02: Update of statistical area definitions and guidance on their uses*. https://obamawhitehouse.archives.gov/sites/default/files/omb/assets/bulletins/b10-02.pdf

[22] The CBSA/SES indicator was defined using 2006-2010 American Community Survey (ACS) estimates, 2010 census data, and the December 2009 CBSA definition. Four categories are defined as follows: (1) CBSA/low SES, (2) CBSA/high SES, (3) non-CBSA/low SES, and (4) non-CBSA/high SES.

[23] For the remainder of the discussion, second-stage sampling units are referred to as "census block groups" even though each second-stage sampling unit contains one or more census block groups.

segments for the 2023 NSDUH. Using census block groups instead of smaller area segments reduces the clustering effect on the estimates, improving precision. For this reason, the third stage of selection was eliminated for the new portion of the 2023 sample.

For the portion of the sample that was carried over from the 2022 NSDUH, one smaller geographic area was selected within each sampled census block group for field enumeration when the census block group did not meet all ABS coverage criteria. For this third stage of sampling, each selected census block group was partitioned into small geographic areas composed of adjacent census blocks. These geographic clusters of blocks are the tertiary sampling units for the coordinated sample design. Again, to support the overlapping sample design and any special supplemental sample or field test SAMHSA might wish to conduct, smaller area segments were formed to contain a minimum of 150 or 250 DUs in urban areas and 100 or 200 DUs in rural areas, according to state. When the third stage of sampling was conducted, one smaller area segment was selected within each sampled census block group with probability proportionate to size.

The 48 selected segments in each SSR, including both census block groups and smaller area segments, were randomly assigned to a survey year and quarter of data collection within the 10 years of the coordinated design. Note that geographic identifiers like state and census blocks are not included in any NSDUH PUFs.

8.2 Selection of Dwelling Units

A sample "dwelling unit" in NSDUH refers to either a housing unit or a group quarters listing unit, such as a dormitory room or a shelter bed. The primary objective of the fourth stage of sample selection was to select the minimum number of DUs needed in each segment to meet the targeted sample sizes for all age groups. For the 2014-2023 NSDUHs, each state sample was allocated to age groups as follows:

- 25 percent for youths aged 12 to 17,
- 25 percent for young adults aged 18 to 25,
- 15 percent for adults aged 26 to 34,
- 20 percent for adults aged 35 to 49, and
- 15 percent for adults aged 50 or older.

The size measures used in selecting the area segments were coordinated with the DU and person selection process so that a nearly self-weighting sample could be achieved in each of the five age groups. Departures from the self-weighting objective occurred for several reasons, including the following: (1) advance projections on the number of DUs did not accurately reflect the current housing inventory; (2) maximum DU sample sizes were preset to allow unused addresses to be available for the next year's survey; and (3) the person selection probabilities were constrained so that no more than two individuals could be selected per DU. An iterative sample allocation process was followed to adjust for these additional constraints. In addition, the DU sample allocation in each area segment was adjusted to allow for DU eligibility, for screening nonresponse, and for person nonresponse.

In advance of the survey period, specially trained listers had visited each field enumeration segment and listed all addresses for housing units and eligible group quarters units in a prescribed order. In ABS segments, address lists were constructed from the ABS frame. Systematic sampling was used to select the allocated sample of addresses from each segment.[24]

8.3 Selection of Individuals

After DU selections were made, the DU was rostered to identify all survey-eligible people residing at the DU. An eligible member of the selected DU provided this roster information by web or in person (to an FI visiting the DU). Using this roster information, the electronic or web screening instrument automatically selected zero, one, or two individuals to be interviewed using preset state and age group sampling rates and a random number specified for the address.

Because the majority of DUs missed in either ABS or field enumeration are found on the premises of sampled DUs, the 2014-2023 NSDUHs had in place a procedure for checking for and adding missed DUs on the premises of sampled DUs. During the screening interview, FIs asked the screening respondent about other units on the property of the selected DU.[25] If missing from the original list, these DUs also were included in the sample.

9. Data Collection and Response Rates

The 2023 NSDUH data collection effort was directed by RTI staff members. All web-based data collection activities were coordinated by in-house management staff, whereas in-person data collection activities were coordinated by both in-house and remote management staff. For in-person data collection, RTI maintained a field staff of approximately 400 FIs.

A total final sample of 67,679 interviews was obtained for the 2023 survey. Strategies for ensuring the best participation rates possible resulted in a weighted screening response rate of 24.36 percent and a weighted interview response rate of 50.45 percent for the 2023 NSDUH. Of the total final sample, 36 percent of interviews were completed via the web and 64 percent were completed in person. Web-based data collection continued to yield lower response rates than in-person data collection.

Throughout the course of the study, respondent anonymity and the privacy of responses were protected by separating identifying information from survey responses. Respondents were assured their identities and responses would be handled in strict compliance with federal law. As discussed above, the questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. During in-person interviews, answers to sensitive questions were gathered using ACASI. However, the ACASI technology was not available in the web

[24] This had the effect of creating noncompact clusters (selection from a list), which differ from compact clusters in that not all units within the cluster are included in the sample. Although compact cluster designs are less costly and more stable, a noncompact cluster design was used because it provides for greater heterogeneity of dwellings within the sample. Also, social interaction (contagion) among neighboring dwellings is sometimes introduced with compact clusters. See the following reference: Kish, L. (1965). *Survey sampling*. John Wiley.

[25] The missed DU question was not asked of web screening respondents.

interview. The decision to not include ACASI as part of the web interviews was made following consultation with subject matter experts, which concluded that offering audio would result in a larger risk of breeching confidentiality (allowing others to potentially hear the questions being asked or the responses being entered) than not having audio at all.

A more detailed explanation of NSDUH's data collection procedures appears in the *2023 National Survey on Drug Use and Health (NSDUH) Methodological Resource Book, Section 8: Data Collection Final Report*.[26]

10. Sample Weights

This section describes in general how the person-level weights were produced for the full restricted-use analytic file. For details on the weight calibration specific to the 2023 PUF, see Section 11, Public Use File Weight Calibration.

The estimates yielded by NSDUH are based on sample survey data rather than on complete data for the entire population, which means the data must be weighted to obtain unbiased estimates for survey outcomes in the population represented by the 2023 NSDUH. The "final analysis weight" of the *i*th respondent, say w_i, can be interpreted as the number of sampling units in the NSDUH target population represented by the *i*th respondent. The sum of the weights over all respondents is used to estimate the size of the total target population:

$$\sum_i w_i = \text{ estimated size of the target population,}$$

where the summation is over all of the respondents in the 2023 NSDUH.

There were 16 weight components for the person-level analysis weights that reflected selection probabilities in multistages as well as adjustments for nonresponse, coverage, and extreme weights at the dwelling unit level and person level. For details on person-level weighting, see the *2023 National Survey on Drug Use and Health (NSDUH) Methodological Resource Book, Section 11: Person-Level Sampling Weight Calibration,* report, which will be available in 2025.[27]

Three modifications were made to the 2023 NSDUH weighting process to account for multimode collection. See Section 2.3.4.2 of the 2023 Methodological Summary and Definitions for details on the modifications. The first modification was to incorporate the quarter of the year into the weights to account for quarterly variation in what proportion responded via the web and in person, as well as the different demographic and geographic distributions between web and in-person modes. A second modification was the addition of educational attainment for final

[26] Center for Behavioral Health Statistics and Quality. (2024). *2023 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 8: Data collection final report*. https://www.samhsa.gov/data/report/nsduh-2023-methodological-resource-book-mrb

[27] Center for Behavioral Health Statistics and Quality. (forthcoming). *2023 National Survey on Drug Use and Health (NSDUH): Methodological resource book, Section 11, Person-level sampling weight calibration*. https://www.samhsa.gov/data/report/nsduh-2023-methodological-resource-book-mrb

poststratification, because the web respondents had a higher average level of educational attainment than the in-person respondents.

A third modification was to adjust for the unknown eligibility of DUs that were selected for web-based data collection but were nonrespondents at the screening stage. When data are collected in person, FIs can identify ineligible DUs such as vacancies, which allows the ineligible DUs to be removed from the sample before weighting. For web-based data collection, however, there is no way to know whether a lack of response is due to a vacancy or not. If a web-based DU's eligibility was unknown, its eligibility status was imputed according to the historic DU eligibility rate in the DU's state. DUs that were imputed to be ineligible were excluded from the weighting process before the screening dwelling unit nonresponse adjustment.

The number of adult web respondents who provided usable information on their substance use[28] but did not complete the mental health or later questions (i.e., "break-offs") remained a concern for the 2023 adult mental health estimates. Specifically, mental health estimates for adults could be biased[29] if the characteristics of adult respondents who broke off the interview without completing the mental health questions differed from the characteristics of respondents who completed these questions. To reduce the potential for bias, a set of break-off analysis weights was developed for analyzing unimputed outcome variables in the mental health module and subsequent modules.[30] However, due to potential disclosure risk, the break-off analysis weights are not included in the 2023 PUF. Caution should be used for analyzing the unimputed outcome variables including adults from the mental health and subsequent sections of the questionnaire when using the main PUF analysis weight (ANALWT2_C). Table 1 lists the relevant sections and imputed variables in them. These variables can be analyzed using the main PUF analysis weight without this concern.

Table 1. Questionnaire Sections Affected by Interview Break-Offs and Imputed Variables That Use the Main Analysis Weight

Questionnaire Section	Imputed Variables That Use the Main Analysis Weight[1]
Mental Health	IRDSTNRV30, IRDSTHOP30, IRDSTRST30, IRDSTCHR30, IRDSTEFF30, IRDSTNGD30, IRDSTWORST, IRDSTNRV12, IRDSTHOP12, IRDSTRST12, IRDSTCHR12, IRDSTEFF12, IRDSTNGD12, IRIMPREMEM, IRIMPCONCN, IRIMPGOUT, IRIMPGOUTM, IRIMPPEOP, IRIMPPEOPM, IRIMPSOC, IRIMPSOCM, IRIMPHHLD, IRIMPHHLDM, IRIMPRESP, IRIMPRESPM, IRIMPWORK, IRSUICTHNK, IRCOSUITHNK, IRSUIPLANYR, IRCOSUIPLNYR, IRSUITRYYR, IRCOSUITRYYR, IRSUIMEDYR, IRSUIHOSPYR
Adult Depression	IRAMDELT, IRAMDEYR, IRAMDEIMP
Adolescent Depression	None[2]
Consumption of Alcohol	None
Emerging Issues	IRKRATREC, IRSYNMRJREC, IRSYNSTMREC, IRFLVVAPREC, IRIMFREC

[28] Details about the criteria for defining a NSDUH interview as usable are provided in Section 12, Usable Interviews.

[29] Bias refers to error in estimates that does not occur at random.

[30] For details on these break-off analysis weights, see Section 6.2.2.3 in the 2021 Methodological Summary and Definitions at https://www.samhsa.gov/data/report/2021-methodological-summary-and-definitions.

Questionnaire Section	Imputed Variables That Use the Main Analysis Weight[1]
Market Information for Marijuana	None
Back-End Demographics	IRIMMBORNUS, IRIMMENTAGE
Education	None
Employment	IRWRKSTAT, IRWRKSTAT18
COVID-19	None
Household Composition (Roster)	IRHHSIZE, IRKID17, IRHH65, IRFAMSKP, IRFMLYSZ, IRKDFMLY
Proxy Information	None
Health Insurance	IRMEDICR, IRMCDCHP, IRCHMPUS, IRPRVHLT, IROTHHLT
Income	IRFAMSOC, IRFAMSSI, IRFSTAMP, IRFAMPMT, IRFAMSVC, IRWELMOS, IRPINC1, IRFINC1, IRFAMIN1, IRPRINC3, IRFMINC3, IRFMLYIN3

COVID-19 = coronavirus disease 2019.

[1] Listed are specific variables or measures that were imputed. An overall composite measure may be imputed (e.g., past year major depressive episode), but the individual source variables used to make a composite measure may not be imputed. Similarly, an overall composite measure itself may not be imputed (e.g., any mental illness, serious mental illness, poverty status), but all source variables were imputed.

[2] For youths, the break-off analysis weight is the same as the main analysis weight.

For the 2023 PUF, only the main person-level analysis weights (ANALWT2_C) are maintained on the file. The person-level analysis weights on the PUF are created from performing additional weight calibration on the main analytic weight (ANALWT2).[31]

11. PUF Weight Calibration

As noted in Section 3, Confidentiality of Data, through the substitution step in MASSC, identifying variables are changed for some respondents. Through the subsampling step, a dataset that is a subset of the original full sample of the analytic data file is produced. Thus, weight calibration is needed in which the PUF weights are calibrated to the full sample totals to reduce bias due to substitution and variance due to subsampling.

In the subsampling step, the SAS procedure SURVEYSELECT was used to select a subsample based on the selection probabilities obtained from the subsampling step for each record. The Chromy sampling method[32] was used to sequentially draw a random subsample within each stratum). For each record, SAS generated a weight adjustment, which is approximately the inverse probability of selection for that record. The original analysis weight (ANALWT2) was multiplied by this weight adjustment to get an intermediate subsample weight (ANALWTADJ). This step accounts for the different subsampling rates for the respondents and ensures that the total weight of the subsample (i.e., ANALWTADJ) is close to the total weight of the original sample (i.e., ANALWT2).

[31] Center for Behavioral Health Statistics and Quality. (forthcoming). *2023 National Survey on Drug Use and Health (NSDUH): Methodological resource book, Section 11, Person-level sampling weight calibration*. https://www.samhsa.gov/data/report/nsduh-2023-methodological-resource-book-mrb

[32] Chromy, J. R. (1979). Sequential sample selection methods. In *Proceedings of the 1979 American Statistical Association, Survey Research Methods Section, Washington, DC* (pp. 401-406). http://www.asasrms.org/Proceedings/index.html

In the calibration step, ANALWTADJ was further adjusted so that the sum of the final PUF weights (ANALWT2_C) matched the sum of ANALWT2 from the original analytic data for a select set of variables. This process (i.e., the calibration step in MASSC) is a poststratification adjustment and helps reduce bias due to substitution and variance from subsampling. The generalized exponential model (GEM) developed by Folsom and Singh[33] was used for this poststratification, and the control total used for poststratification was the final analysis weight, ANALWT2, from the full analytic dataset. Variables (both main effects and two-way interactions) used in the weight calibration in GEM were typically demographic variables. Sometimes, a few of the variables were dropped or collapsed if they had a small sample size or if the model had convergence issues. The sampling weights on the PUF were adjusted for subsampling and calibrated with respect to approximately 45 demographic domains. A list of the domains that match their respective U.S. Census Bureau population estimates can be found in Table 2 in Section 15, Variance Estimation of Estimated Numbers of Individuals, where an alternative way can be used to estimate SEs of the totals.

For each record on the PUF, the final weight after calibration was referred to as ANALWT2_C, which is the product of ANALWTADJ and the weighting adjustment factor from GEM. The sum of ANALWT2_C on the PUF is identical to the sum of ANALWT2 on the full analytic file, both overall and by values of the calibration variables in Table 2 in Section 15.

12. Usable Interviews

This section describes the requirements that were set for interviews to be retained for weighting and further analysis (i.e., "usable" data). These requirements were designed to eliminate data from interviews with unacceptable levels of item nonresponse (i.e., missing data). The final datasets would only use data from interviews with lower levels of missing data and this would reduce the amount of statistical imputation needed for any given record.

The usability criteria established for NSDUH are based on the completeness of information respondents provided about their lifetime use or nonuse of different substances. In NSDUH, respondents were asked more detailed questions about different substances only if they reported lifetime use of that substance or category of substances on an initial "gate" question. These questions are subsequently referred to as gate questions because reporting use opens the "gate" to the administration of additional questions, and the "gate" is closed if none of the related gate questions explicitly indicate use.[34] Consequently, whether a NSDUH respondent was a user or nonuser of the substances of interest could be readily determined by reviewing the respondent's answers to the gate question on lifetime use of that substance (or category of substances).

---

[33] Folsom, R. E., & Singh, A. C. (2000). The generalized exponential model for sampling weight calibration for extreme values, nonresponse, and poststratification. In *Proceedings of the 2000 Joint Statistical Meetings, American Statistical Association, Survey Research Methods Section, Indianapolis, IN* (pp. 598-603). http://www.asasrms.org/Proceedings/index.html

[34] In all substance use sections except those pertaining to hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives, the logic for asking more detailed questions about use of that drug was based on the answer to a single "yes/no" question (e.g., "Have you ever, even once, used marijuana or any cannabis product?").

For a NSDUH record to be considered usable, both of the following requirements must be met:

1. The lifetime cigarette question CG01 (i.e., "Have you ever smoked part or all of a cigarette?") had to have been answered as "yes" or "no." This requirement was set so that lifetime use or nonuse would be fully defined for at least one substance.
2. Responses to questions on at least nine (9) of the following additional substances had to contain information about use or nonuse: (a) smokeless tobacco, (b) cigars, (c) alcohol, (d) marijuana, (e) cocaine (in any form), (f) heroin, (g) hallucinogens, (h) inhalants, (i) methamphetamine, (j) prescription pain relievers, (k) prescription tranquilizers, (l) prescription stimulants (i.e., independent of methamphetamine), and (m) prescription sedatives.

Crack cocaine was not included in the usability criteria because the logic for asking about crack cocaine was dependent upon the respondent having answered the lifetime cocaine question as "yes."

Although NSDUH respondents were also asked about nicotine vaping and pipe tobacco, these measures were not included in the usability criteria. Pipe tobacco is not included because there was only one other question about pipe tobacco in addition to the lifetime pipe tobacco use question. Although the nicotine vaping questions appeared in the same section with questions on tobacco products that were included in the usability criteria, they were only moved from the emerging issues section starting in 2022. Including nicotine vaping in the criteria would have a minimal effect on the outcome for usability. Also, keeping the criteria the same as prior years made sense.[35]

The usability criterion for the items smokeless tobacco through heroin on the list above, as well as methamphetamine, was that lifetime use or nonuse must be determined from the single gate question. For hallucinogens and inhalants, which had multiple "gate questions," at least one gate question in the series for that section was required to have an answer of "yes" or "no."[36] The usability criteria for the four prescription drug categories were the following:

- Past year use of at least one specific prescription drug in a category (e.g., pain relievers) was reported.
- Lifetime use or nonuse of any prescription drug in the category was reported.

[35] For a more detailed discussion of the development of the usable criteria requirements, see the following reference: Kroutil, L., & Myers, L. (2002). Development of editing rules for CAI substance use data. In J. Gfroerer, J. Eyerman, & J. Chromy (Eds.), *Redesigning an ongoing national household survey: Methodological issues* (HHS Publication No. SMA 03-3768, pp. 85-109). Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

[36] For hallucinogens and inhalants, the logic for asking more detailed questions about use of that category of drugs was based on respondents' answers to multiple "yes/no" questions about the lifetime use or nonuse of specific drugs within that category (e.g., lifetime use or nonuse of the following specific hallucinogens: lysergic acid diethylamide (LSD); phencyclidine (PCP); peyote; mescaline; psilocybin/mushrooms; Ecstasy or "Molly" [3,4-methylenedioxymethamphetamine (MDMA)]; ketamine; dimethyltryptamine (DMT), alpha-methyltryptamine (AMT), or "Foxy"; *Salvia divinorum*; or "any other" hallucinogen).

- Past year nonuse of *all* specific prescription drugs was reported, regardless of whether lifetime use or nonuse can be determined.

The interview also included follow-up probes for respondents who initially refused to answer a gate question or an entire series of gate questions. Follow-up probes were included in the following sections that were relevant to the usability rules: cigarettes, smokeless tobacco, cigars, alcohol, marijuana, cocaine, heroin, specific hallucinogens (i.e., LSD, PCP, Ecstasy/"Molly" [MDMA]), any use of inhalants, and methamphetamine. If respondents changed their initial refusal to a response of "yes" or "no," they were considered to have provided usable data to that drug's gate question(s).

In addition, the CAI program terminated interviews during the initial demographics questions if respondents were ineligible for the survey (i.e., younger than age 12 or on active duty in the U.S. military) or if respondents did not provide their date of birth or age. Also, interviews were not able to proceed if certain initial questions, such as sex assigned at birth and state of residence, were not answered. These ineligible or incomplete interviews did not meet the usability criteria because the interviews were terminated before the respondents were asked the first cigarette use question.

13. Logical Editing

For selected key variables, response data were reviewed to identify and address inconsistent data among related variables or to replace missing data with nonmissing values. The routing logic in the CAI instrument reduced the opportunities for respondents to give inconsistent answers by skipping respondents past questions that did not apply to them. The occurrence of inconsistent data was reduced further through the use of consistency checks built into the CAI program that prompted respondents to resolve inconsistencies between related items. Nevertheless, there were some limited situations in which respondents could answer one question in a manner inconsistent with their answer to a previous question.

Logical editing was the first step in processing many of the variables on the file. This procedure used data within a respondent's record to identify and address inconsistencies among related variables within a given section of the interview (e.g., within the hallucinogens section). As part of this procedure, variables were identified that had been legitimately skipped because the condition(s) for asking the questions did not apply. As a general principle, responses from one section (e.g., hallucinogens) were not used to edit variables in another section (e.g., inhalants).[37] For this reason, data in one section may not be completely consistent with data in other sections. Subsequent discussion about editing in this section focuses on key substance use variables. Additional information about editing can be found in the *2022 National Survey on*

[37] One exception to the principle of not editing across questionnaire sections involved situations in which responses in one section governed whether respondents were asked questions in another section. For example, if respondents reported never using heroin but they received inpatient substance use treatment in the past 12 months, they were not asked questions in the alcohol and drug treatment section about receipt of inpatient treatment for use of heroin. Consequently, codes could be assigned to indicate that the respondents skipped out of the heroin treatment question because they had never used heroin.

Drug Use and Health (NSDUH) Methodological Resource Book, Section 10: Editing and Imputation Report.[38]

13.1 Editing Procedures for the Nicotine Section through the Methamphetamine Section

This section provides an overview of editing procedures for variables pertaining to substances other than prescription drugs. Procedures for prescription drugs are described separately in Section 13.2 because the questionnaire is structured differently for the prescription drug questions.

In sections of the interview for nicotine, alcohol, marijuana, cocaine (including crack cocaine), heroin, hallucinogens, inhalants, and methamphetamine, logical editing and processing of substance use variables first involved identifying whether respondents had ever used or never used the substance of interest. This included identifying situations in which respondents initially refused to answer a question about their lifetime use of a substance but then changed their answer to "yes" or "no" on follow-up. If values pertaining to lifetime use or nonuse of a given substance were changed through the editing procedures, this editing was indicated through special codes that indicated a response was logically inferred; documentation for these codes includes the phrase "LOGICALLY ASSIGNED." For example, if respondents did not report lifetime use of LSD (a specific hallucinogen) in question LS01a, but they specified lifetime use of it when asked about other hallucinogens they used, then they were logically inferred to be lifetime users of LSD.

After lifetime use or nonuse of a given substance had been determined as part of the editing procedures, edits were implemented for the variables that established when respondents last used a substance of interest. These edited recency-of-use variables were the precursors for the final, imputed measures that established the prevalence of use in the past 30 days, past 12 months, and lifetime.

The interview included follow-up probes for respondents who were lifetime users of a given substance but did not know or refused to report when they last used it. Respondents who initially did not know when they last used a substance were asked to give their "best guess" of when they last used it. Respondents who initially refused to report when they last used a substance were asked to reconsider answering the question. If respondents changed their initial answer of "don't know" or "refused" in response to these probes, the editing procedures incorporated data from these probes into the final, edited recency-of-use variables. For example, if respondents initially refused to report when they last used marijuana but then reported last using it more than 30 days ago but within the past 12 months in response to a follow-up probe, their edited recency indicated use in that period, when there was no additional information that contradicted that period (see below).

For substances other than prescription drugs, situations were identified and flagged in which there were inconsistencies between a respondent's answer to a substance's recency

[38] Center for Behavioral Health Statistics and Quality. 2022 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 10: Editing and imputation report. https://www.samhsa.gov/data/report/nsduh-2022-methodological-resource-book-mrb

question (or the answer in a follow-up probe) and other data in that section. For example, it would be inconsistent for a respondent to report last using a substance "more than 12 months ago" but also to report having first used it at the respondent's current age. In this example, the edited recency variable was set to a value of 9 (see documentation in the paragraph below), and the edited variable for the age at first use was set to the "bad data" code for missing data (see Section 13.3, Standard Code Conventions). These inconsistencies were then addressed by statistically imputing final values for the affected recency variable and the other variable(s) where the data were inconsistent with the respondent's original answer to the recency question.

If values pertaining to the period when respondents last used a substance were changed through the editing procedures, special codes were assigned to indicate these edits had been done. The documentation for these codes included the phrase "LOGICALLY ASSIGNED." For example, a code of 8 in a substance's recency-of-use variable means "Used at some point in the past 12 months LOGICALLY ASSIGNED." Specifically, if a respondent reported using a substance more than 30 days ago but within the past 12 months but other data suggested the respondent may have used the substance more recently, this code of 8 indicated that at least it could be inferred the respondent was a user in the past 12 months (and potentially more recently). Similarly, a code of 9 ("Used at some point in lifetime LOGICALLY ASSIGNED") indicated the respondent was potentially a user in any period asked about for that specific substance, including the past 30 days. Specifically, respondents were assigned a code of 9 if they initially answered "don't know" or "refused" to a substance's recency question and continued on follow-up to answer "don't know" or "refused" regarding when they last used it.

13.2 Editing Procedure for Prescription Drug Variables

Respondents first were asked a series of screening questions about *any* use of specific prescription drugs (including specific pain relievers, tranquilizers, stimulants, and sedatives) in the past 12 months (i.e., use or misuse). If they did not report past year use, they were asked about lifetime use. Respondents were asked about misuse in the past year of any of the specific prescription drugs they reported using in that period.

Consistent with the general editing principles described previously, an important component of editing the prescription drug variables involved determining whether respondents used (or misused) prescription drugs in their lifetime or in a particular period within their lifetime (e.g., within the past 12 months). If respondents reported any use of prescription drugs, the possibilities for most recent use were the following:

1. within the past 12 months,
2. more than 12 months ago (i.e., if respondents explicitly reported they used no prescription drugs within that category within the past 12 months but they reported lifetime use), and
3. at some point in the respondent's lifetime (i.e., if respondents reported lifetime use of any prescription drug in a given category but they had missing data for use in the past year of specific prescription drugs).

Because of the structure of the prescription drug questions, respondents were not asked a specific question for their most recent misuse of any prescription drug in that category. Rather,

variables for the most recent misuse of prescription pain relievers, tranquilizers, stimulants, and sedatives were created from respondents' answers to questions about the misuse of any prescription drug in the category in the past 30 days, misuse of specific prescription drugs in a given category in the past 12 months, and lifetime misuse of any prescription drug in the category. For example, if respondents reported misuse of one or more specific prescription drugs in a given category in the past 12 months and they reported they did not misuse any prescription drug in that category in the past 30 days, then it could be inferred the most recent misuse for that prescription drug category occurred more than 30 days ago but within the past 12 months.

As with other substances described in the previous section, respondents could provide "indefinite" information on when they last misused prescription drugs. For example, if respondents reported misuse of one or more specific prescription drugs in the past 12 months but they did not know or refused to report whether they misused any prescription drug in the past 30 days, it could be inferred these respondents misused prescription drugs in the past 12 months and potentially in the past 30 days. In these situations, an indefinite value for the most recent period of misuse was assigned to the variables created for the most recent misuse of pain relievers, tranquilizers, stimulants, and sedatives (e.g., "Used at some point in the past 12 months LOGICALLY ASSIGNED"), and a final, specific value was statistically imputed.

Also, respondents were logically inferred to have misused (or used) a specific prescription drug in the past 12 months if they did not report misuse of that drug in the past 12 months, but they specified misuse of that drug as "some other drug" within that category (e.g., any other prescription pain reliever) that they misused in the past 12 months. In addition, respondents were instructed not to report use or misuse of over-the-counter (OTC) drugs available without a prescription. Therefore, respondents whose reported past year misuse involved only OTC drugs were logically inferred not to have misused any prescription drug in that category in the past 12 months.

13.3 Standard Code Conventions

Generally, the following codes have consistent meanings across all variables. Exceptions are noted in the documentation for individual variables.

91 or 991 or 9991, etc.	=	NEVER USED [DRUG(s) OF INTEREST]
93 or 993 or 9993, etc.	=	USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST
94 or 994 or 9994, etc.	=	DON'T KNOW
97 or 997 or 9997, etc.	=	REFUSED
98 or 998 or 9998, etc.	=	BLANK (i.e., not answered; not asked the question)
99 or 999 or 9999, etc.	=	LEGITIMATE SKIP

The following analogous codes also were assigned as part of the logical editing process. Exceptions are noted in the documentation for specific variables.

81 or 981 or 9981, etc.	=	NEVER USED [DRUG(s) OF INTEREST] Logically assigned

83 or 983 or 9983, etc.	=	USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST Logically assigned
85 or 985 or 9985, etc.	=	BAD DATA Logically assigned (i.e., usually inconsistent with other data)
89 or 989 or 9989, etc.	=	LEGITIMATE SKIP Logically assigned

The codes of 81, 83, 85, and 89 were given values in the 80s to signify that existing values were overwritten during editing. For example, if a respondent was somehow routed into the youth experiences section but that respondent was subsequently classified as being 18 or older, any answer the respondent gave in the youth experiences section was overwritten with codes of 89 (or 989, etc.). These codes signify this adult respondent logically was not eligible to be asked the youth experiences questions.

Codes of 85 (or 985, etc.), 94 (or 994, etc.), 97 (or 997, etc.), and 98 (or 998, etc.) are codes for missing data. In particular, codes of 98 (i.e., blank) could occur in the data for the following reasons:

- The respondent broke off the interview before reaching a specific question or section.
- In situations where respondents were asked to specify something, such as the name of some other drug they had used, respondents typed only blank spaces.
- The CAI program skipped respondents past a question, but there was some uncertainty as to whether the skipped question applied or did not apply to the respondents (e.g., if subsequent questions about a drug were skipped because the respondents did not know whether they ever used that drug).

14. Statistical Imputation

Statistical imputation refers to the substitution of acceptable estimated values for missing values. These imputed values cannot be directly distinguished from nonimputed values. Using statistical imputation, missing values were replaced with nonmissing values for selected variables. These variables can be identified in the codebook by their labels, within which can be found the words "IMPUTATION REVISED" or abbreviations such as "IMP REV." In addition, most imputation-revised variables have names with the prefix "IR."[39] Associated indicator variables tell the user which values are imputed and which ones are not. These indicator variables have the words "IMPUTATION INDICATOR" or abbreviations such as "IMP IND" in their labels and are identified with the prefix "II." For some imputation-revised variables, additional imputation indicators are available, identified with the prefix "II2," giving more details about the source of the imputed or logically assigned value. In most cases, the imputation-revised variable can be traced to a specific question in the questionnaire. However, the imputation-revised variable occasionally corresponds to an edited variable derived from several questions in the questionnaire.

Imputation of missing values in the 2023 NSDUH data was accomplished using two imputation procedures developed specifically for NSDUH. The first method, predictive mean

[39] Although no missing data are possible for sex assigned at birth, the IR prefix for IRSEX is maintained for continuity with past years.

neighborhood (PMN), has been used to impute missing values in the survey since 1999 and is a combination of model-assisted and nearest neighbor hot-deck imputation methods. The second imputation method used to impute missing values, modified predictive mean neighborhood (modPMN), is so named because it includes both simplifications and modifications to the PMN methodology and is used for selected variables. The modPMN procedure uses the model-assisted imputation methodology of the PMN approach while also allowing for cycling the imputation through a set of related variables multiple times. These imputation methods offer the following features: (1) a large number of covariates can be incorporated into the imputation process, (2) the relative importance of covariates can be determined by standard modeling techniques, (3) the correlations across response variables can be accounted for by making the imputation multivariate or by performing multiple cycles, and (4) the sampling weights can be easily incorporated in the models. Details on the methods used for imputation can be found in the 2023 Editing and Imputation Report.

The following variables were imputed using PMN for 2023:

- the initial demographic variables;
- substance use variables for cigarettes, smokeless tobacco, cigars, pipe tobacco, alcohol, marijuana, marijuana ways of use, cocaine, crack, and heroin (recency of use, frequency of use, and age at first use);
- income;
- health insurance; and
- demographic variables for work status, immigrant status, and the household roster.

The following variables were imputed using modPMN for 2023:

- the drug use variables for hallucinogens, inhalants, methamphetamine, and nicotine vaping (initiation, recency of use, and frequency of use);
- the drug use variables for pain relievers, tranquilizers, stimulants, and sedatives (recency of any use, recency of misuse, frequency of misuse, past year initiation status, and age/date at first misuse among past year initiates of misuse);
- the drug use variables for fentanyl products, OxyContin®, and benzodiazepines (recency of any use and recency of misuse);
- SUD outcomes (i.e., past year disorder and disorder severity) for alcohol and drugs based on criteria from the DSM-5;
- the most recent use of the following: vaping of flavoring, kratom, synthetic marijuana, synthetic stimulants, IMF, GHB, nonprescription cough or cold medicines, and CBD or hemp products;
- past month nicotine dependence;
- adult mental health variables related to psychological distress, suicidal thoughts and behaviors, and major depressive episode;
- the location and types of alcohol or drug treatment or other services; and
- the location and types of mental health treatment or other services.

For all imputation-revised variables, the levels within the variables are limited to the valid responses in the interview itself. For levels corresponding to a valid interview response, the imputed variable matched the edited variable. Logically assigned values corresponding to valid interview responses were converted to that associated valid response in the imputation-revised variable. Remaining levels were revised through imputation. In the imputation-revised variable, these levels were replaced by imputed values corresponding to valid interview responses, consistent with any preexisting information related to that variable. Examples of levels indicating incomplete information include "bad data," "don't know," and "refused." Other examples include levels such as "misused at some point in the past 12 months," where some response values are not indicated, but others are uncertain.

14.1 Imputation Indicators

For each variable that underwent statistical imputation, associated indicator variables distinguish imputed from nonimputed values. These associated variables have names nearly identical to the imputation-revised variables, except that the IR prefix was replaced by an II or II2 prefix. In general, the imputation indicator variables with the II prefix have three levels:

1 = From interview

2 = Logically assigned

3 = Statistically imputed

These levels indicate whether the imputation-revised variable's value originated from interview responses, was logically assigned in the editing process, or was imputed. In some cases, respondents were not offered the opportunity to answer certain questions because of their responses to previous questions. For the drug use variables, if a respondent had been skipped out of a question, the response in the imputation-revised variable is coded as "never used" or is coded to indicate the respondent had not used in the relevant time period. For other variables where this occurred, the imputation-revised variable has a level with a label indicating a legitimate skip. The imputation indicators associated with these variables also have an additional level, which likewise has a label indicating a legitimate skip. Typically, this level is given as 9 (= Legitimate skip), often with an accompanying explanation for the skip.

A number of imputation indicator variables have additional information on constraints that informed the imputation process. Imputed drug recency variables have imputation constraints based on the flag-and-impute editing procedures on the recency-of-use data; details on these editing procedures are described in Section 13, Logical Editing. The types of partial information available for imputed drug recency variables are as follows:

8 = Used at some point in the past 12 months LOGICALLY ASSIGNED

9 = Used at some point in lifetime LOGICALLY ASSIGNED

14 = Used more than 12 months ago LOGICALLY ASSIGNED

19 = Used more than 30 days ago LOGICALLY ASSIGNED

29 = Used more than 30 days ago but in the past 3 years LOGICALLY ASSIGNED

39 = Used within the past 3 years LOGICALLY ASSIGNED

83 = Did not misuse within the past 12 months, lifetime misuse unknown LOGICALLY ASSIGNED

Four of these levels (14, 19, 29, and 39) apply to tobacco product use only, and the last level (83) applies to pain relievers, tranquilizers, stimulants, and sedatives only.

In the imputation indicator variables for recency of substance use, level 3 indicates statistical imputation, but no detail is given regarding any available partial information. The II2 variable breaks out the II level 3 into the following levels for nonprescription drugs:

3 = Statistically imputed data - lifetime use imputed

4 = Statistically imputed data - edited recency = 9

5 = Statistically imputed data - edited recency = 8

6 = Statistically imputed data - edited recency = 19

7 = Statistically imputed data - edited recency = 14

8 = Statistically imputed data - edited recency = 29

9 = Statistically imputed data - edited recency = 39

For the prescription drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives), the levels of the imputation indicator variables for recency of misuse also contained information on whether the recency variable associated with any use in the past year or lifetime required imputation. For these drugs, the statistically imputed cases are broken out into the following levels to account for this additional source of information:

3 = Statistically imputed data - recency of any use imputed

4 = Statistically imputed data - recency of any use known

5 = Statistically imputed data - edited recency = 9

6 = Statistically imputed data - edited recency = 8

7 = Statistically imputed data - edited recency = 83

14.2 Constraints and Consistency

The imputation of missing values was subject to numerous constraints to ensure imputed values would be consistent with preexisting, nonmissing values. For multivariate analyses, the imputation-revised variables should be used, as long as these variables all come from the same section of the interview. However, if the analysis includes the imputation-revised variables from different sections of the questionnaire or a combination of variables that undergo statistical imputation and those that do not, inconsistencies may be present in the data.

For example, the question on the most recent use of cocaine (CCLAST3) from the cocaine section of the questionnaire undergoes statistical imputation, and every attempt is made to ensure this variable is consistent with other nonmissing information from the same section of

the questionnaire, such as age at first use and frequency of use. However, it is possible for the imputation-revised cocaine recency variable (IRCOCRC) to be inconsistent with the question on the most recent use of cocaine with a needle (SD06), which does not undergo imputation, from the special drugs section of the questionnaire. Therefore, for analyses of relationships requiring imputation-revised variables from multiple sections of the interview or a combination of imputation-revised variables and variables that do not undergo imputation, simultaneous use of these variables may not be appropriate.

15. Variance Estimation of Estimated Numbers of Individuals

A prevalence rate is the proportion of the population who exhibit a characteristic of interest (such as substance use). Let $\hat{p}_d$ represent the prevalence rate of interest for domain *d*. Then $\hat{p}_d$ would be defined as the ratio

$$\hat{p}_d = \frac{\hat{Y}_d}{\hat{N}_d},$$

where $\hat{Y}_d = \sum_{i \in S} w_i \delta_i y_i$, which represents the estimated number of individuals with the characteristic of interest in domain *d*; $\hat{N}_d = \sum_{i \in S} w_i \delta_i$, which represents the estimated total number of individuals in the domain *d*; *S* represents the sample; w_i represents the analysis weight; δ_i represents an indicator variable defined as 1 if the *i*th sample unit is in domain *d* and is equal to 0 otherwise; and y_i represents an indicator variable defined as 1 if the *i*th sample unit exhibits the characteristic of interest and is equal to 0 otherwise.

The sampling error of an estimate is the error caused by the selection of a sample instead of conducting a census of the population. The sampling error may be reduced by selecting a large sample and/or by using efficient sample design and estimation strategies, such as stratification, optimal allocation, and ratio estimation. The use of probability sampling methods in NSDUH allows estimation of sampling error from the survey data. The standard errors (SEs, which are the square roots of the variances) are used to identify unreliable estimates and to test for the statistical significance of differences between estimates.

Suitable software packages, such as SUDAAN®,[40] can be used to calculate direct estimates of $\hat{Y}_d$ and $\hat{N}_d$ (and, therefore, $\hat{p}_d$) and also can be used to estimate their respective SEs. Although SEs of the estimates of means and proportions can be calculated appropriately in software (such as SUDAAN or other statistical analysis software packages) using a Taylor series linearization approach, SEs of the estimates of population totals may be underestimated in situations where the domain size is poststratified to data from the U.S. Census Bureau or American Community Survey (ACS) population estimates. See Appendix F, Exhibits F.1 to F.6, for sample code for producing estimates and SEs in SUDAAN, Stata, and SAS.

[40] RTI International. (2018). *SUDAAN® language manual, Release 11.0.3* [computer software].

When the domain size, $\hat{N}_d$, is free of sampling error because the domain size has been fixed (see below), the following formula is an alternative to using a statistical analysis software package to estimate the SE for the total number of individuals with a characteristic of interest (e.g., substance users):

$$\mathrm{SE}(\hat{Y}_d) = \hat{N}_d \mathrm{SE}(\hat{p}_d).$$

This alternative SE estimation method is theoretically correct when the domain size estimates, $\hat{N}_d$, are fixed (i.e., among those domains forced to match their respective U.S. Census Bureau or ACS population estimates through the weight calibration process). For more information on this alternative SE estimation method, see the 2023 Person-Level Sampling Weight Calibration report.[41]

In these situations, $\hat{N}_d$ is not subject to a sampling error induced by the NSDUH design. For an estimated number, $\hat{Y}_d$, where the domain $\hat{N}_d$ is not fixed (i.e., where domain size estimates are not forced to match the U.S. Census Bureau or ACS population estimates), this alternative SE estimation method still may provide a good approximation if it can be assumed that the sampling variation in $\hat{N}_d$ is negligible relative to the sampling variation in $\hat{p}_d$. This is a reasonable assumption for many NSDUH analyses.

For some subsets of domain estimates, using this alternative SE estimation method where domain sizes are not fixed yielded an underestimate of the SE of a total because $\hat{N}_d$ was subject to considerable variation. Because of this underestimation, the alternative SE estimation method was not implemented when $\hat{N}_d$ was not fixed.

A "mixed-method" approach can be used to improve the accuracy of SEs for the estimated number of individuals and to better reflect the effects of poststratification on the variance of the total estimated numbers of individuals. This approach assigns the method of SE calculation to domains (i.e., subgroups for which the estimates were calculated) within tables so that all estimates among a select set of domains with fixed $\hat{N}_d$ were calculated using the alternative SE estimation method (outside of SUDAAN or other statistical analysis software packages), with all other estimates being calculated directly in SUDAAN, regardless of what the other estimates are within the same table. The use of such SEs for the estimated number of individuals did not affect the SE estimates for the corresponding proportions because all SEs for means and proportions are calculated directly in SUDAAN or other statistical analysis software packages. Table 2 includes the domains that should utilize the alternative SE estimation method due to fixed $\hat{N}_d$ for the 2023 PUF.

[41] Center for Behavioral Health Statistics and Quality. (forthcoming). *2023 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 11: Person-level sampling weight calibration*. https://www.samhsa.gov/data/report/nsduh-2023-methodological-resource-book-mrb

Table 2. Demographic Domains for the Public Use File That Should Use the Alternative Standard Error Estimation Method for Calculating the Standard Errors of the Estimated Number of Individuals, Totals: 2023

Main Effect	Two-Way Interaction
Age Group	
12-17	
18-25	**Age Group × Sex**[1]
26-34	(e.g., Males Aged 12-17)
35+	
Collapsed Age Categories[2]	
Sex	
Male	
Female	
Race/Ethnicity	
Hispanic or Latino	
Non-Hispanic, White[3]	

Note: The alternative standard error (SE) estimation method for the estimated number of individuals (totals), $\mathrm{SE}(\hat{Y}_d) = \hat{N}_d \mathrm{SE}(\hat{p}_d)$, is applied when the domain size estimates, $\hat{N}_d$, are among those forced to match their respective U.S. Census Bureau or American Community Survey (ACS) population estimates through the weight calibration process.

Note: The alternative SE estimation method does not affect the SEs for the corresponding means and proportions. These latter SEs are calculated directly in SUDAAN®, whereas the alternative SE estimation method is computed outside of SUDAAN using the formula provided in the first note. See the following reference: RTI International. (2013). *SUDAAN® language manual, Release 11.0.3* [computer software].

Note: Domains in this table may appear to be different from those in Table 3.1 of the *2023 National Survey on Drug Use and Health (NSDUH): Methodological Summary and Definitions* because of different adjustments applied to the weights on the public use file. All weights except for the standard analysis weight (ANALWT2_C) were dropped from the public use file. See the following reference: Center for Behavioral Health Statistics and Quality. (2024). *2023 National Survey on Drug Use and Health (NSDUH): Methodological summary and definitions*. https://www.samhsa.gov/data/report/2023-methodological-summary-and-definitions

[1] Unless otherwise noted, the domains for the two-way interactions are the same as the main-effect domains (including the collapsed age categories). Two-way interactions involving age group include the main-effect and collapsed age group categories. If age groups are listed in the two-way interaction columns, then only those age groups can be collapsed to form broader age categories.

[2] Main effect age group categories shown in the table can be collapsed to form broader age group categories (e.g., 12 or older, 18 or older, 18 to 34, 12 to 25). Collapsed main effect age group categories and two-way interactions with other main effect demographic domains shown (e.g., males aged 35 or older) also use the alternative SE estimation method because the collapsed main effects will sum to the census totals for the category being defined. However, broader age groups including only a subset of the main effect age groups (e.g., 12 to 20, 21 or older), age groups finer than the main effect age groups (e.g., 12 and 13, 18 to 20), or two-way interactions of these types of collapsed age categories with other main effect domains (e.g., females aged 21 or older) should not use the alternative SE estimation method.

[3] This domain is considered a two-way interaction. Thus, any additional domains crossed with non-Hispanic White (e.g., non-Hispanic, White people aged 18 to 25) represent three-way interactions that do not use the alternative SE estimation method.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2023.

16. Statistical Significance of Differences

NSDUH data are often used to compare estimates among subdomains or across time. Customarily, the observed difference between estimates is evaluated in terms of its statistical significance. Statistical significance is based on the *p* value of the test statistic and refers to the probability that a difference as large as that observed would occur due to random variability in the estimates, assuming there were no differences in the prevalence estimates for the population groups being compared. The significance level is the chosen cutoff value for when a *p* value is considered small enough to call a difference "significant." Generally, differences are reported as significant at the 0.05 and/or 0.01 levels.

When comparing prevalence estimates, one can test the null hypothesis (no difference between prevalence estimates) against the alternative hypothesis (there is a difference in prevalence estimates) using the standard difference in proportions test expressed as

$$Z = \frac{\hat{p}_1 - \hat{p}_2}{\sqrt{\text{var}(\hat{p}_1) + \text{var}(\hat{p}_2) - 2\,\text{cov}(\hat{p}_1, \hat{p}_2)}},$$

where $\hat{p}_1$ = the first prevalence estimate, $\hat{p}_2$ = the second prevalence estimate, var ($\hat{p}_1$) = the estimated variance of first prevalence estimate, var ($\hat{p}_2$) = the estimated variance of second prevalence estimate, and cov ($\hat{p}_1$, $\hat{p}_2$) = the estimated covariance between $\hat{p}_1$ and $\hat{p}_2$. Note that the first and second prevalence estimates may take the form of prevalence estimates between years (e.g., 2022 and 2023), between subgroups within a single year (e.g., between adolescents aged 12 to 17 and young adults aged 18 to 25 in 2023), and for tests of annual averages between subgroups using pooled data (e.g., between adolescents aged 12 to 17 and young adults aged 18 to 25 using pooled data from 2022 and 2023). For more information about these types of tests, see Chapter 7 in the *2022 National Survey on Drug Use and Health (NSDUH) Methodological Resource Book, Section 13: Statistical Inference Report*.[42]

Under the null hypothesis, the test statistic, *Z* is asymptotically distributed as a normal random variable. Therefore, calculated values of *Z* can be referred to as the unit normal distribution to determine the corresponding probability level (i.e., *p* value). Because the covariance term between the two estimates is not necessarily zero, SUDAAN or other statistical analysis software packages may be used to compute estimates of *Z* along with the associated *p* values such that the covariance term is calculated by taking the sample design into account. A similar procedure and formula for *Z* is used for testing between estimated totals rather than prevalence rates. See Appendix F, Exhibit F.7, for sample code for testing significance in SUDAAN.

Statistical tests can be conducted among population subgroups within a single year (i.e., between adolescents aged 12 to 17 and young adults aged 18 to 25 in 2023). When comparing population subgroups defined by three or more levels of a categorical variable, log-linear chi-square tests of independence of the subgroup and the prevalence variables should be conducted

[42] Center for Behavioral Health Statistics and Quality. (2024). *2022 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 13: Statistical inference report.* https://www.samhsa.gov/data/report/nsduh-2022-statistical-inference-report

first to control the error level for multiple comparisons. If Shah's Wald *F* test (transformed from the standard Wald chi-square) indicates overall significant differences, then the significance of each particular pairwise comparison of interest should be tested using analytic procedures that properly account for the sample design. This two-step procedure protects against inappropriate inferences being drawn due to the number of pairwise differences tested.[43]

If a statistical analysis software package is not available to compute the significance testing, using published estimates can provide similar testing results. When comparing prevalence rates shown with standard errors, *t* tests that assume independence for the difference of proportions can be performed and usually will provide the same results as tests performed in the statistical analysis software package. However, where the *p* value is close to the predetermined level of significance, results may differ for two reasons: (1) the covariance term is included in the tests done by the statistical software package, whereas it is not included in *t* tests that assume independence; and (2) the reduced number of significant digits shown in the published estimates may cause rounding errors in the *t* tests.

Although not generated in all NSDUH publications, some publications do include sampling error in the form of 95 percent confidence intervals (CIs). CIs for NSDUH are computed using degrees of freedom and critical values of the *t*-distribution, which depends on which sample of data is being analyzed. See Appendix F, Exhibit F.8, for sample code for creating the 95 percent confidence intervals for means and totals in SUDAAN. For more information about computing CIs and degrees of freedom, see the 2022 Statistical Inference Report. If using 95 percent CIs, it is important to note that although nonoverlapping CIs indicate a significant difference at the 5 percent significance level, overlapping intervals do not necessarily imply the opposite (i.e., there is no significant difference).[44] Appendix A in the 2022 Statistical Inference Report provides guidance on which options should be specified in various software packages to correctly analyze NSDUH data. Sample code is provided to illustrate how to generate estimates (means, totals, percentages, and standard errors), perform statistical tests of differences, calculate CIs, test between overlapping domains, test for independence of two variables, and perform pairwise tests.

17. Quality Assessment of PUF Estimates and Standard Errors

A number of variables were reviewed after the completion of the disclosure avoidance process (discussed in Section 3) to determine the impact of these techniques on the bias and precision of estimates compared with those from the full file (i.e., untreated or restricted-use file). These variables included both variables for which partial records were substituted and other

[43] Other statistical methods have been used for comparisons of pairwise differences across three or more levels of a categorical variable once an overall test (such as Shah's *F*) suggests there are differences. Although a Bonferroni adjustment can be applied to every pairwise difference (i.e., and not just to the pairwise difference with the lowest *p* value, which is sometimes recommended instead of Shah's *F* as an alternative overall test), this is an overly conservative procedure. For example, if a *p* value of 0.05 is set as the criterion for statistical significance and there are three pairwise comparisons, then the Bonferroni-adjusted *p* value for statistical significance becomes .017 (i.e., 0.05 divided by 3 equals .017).

[44] Payton, M. E., Greenstone, M. H., & Schenker, N. (2003). Overlapping confidence intervals or standard error intervals: What do they mean in terms of statistical significance? *Journal of Insect Science, 3*, 34. https://doi.org/10.1673/031.003.3401. Also see the following reference for further details: Schenker, N., & Gentleman, J. F. (2001, August). On judging the significance of differences by examining the overlap between confidence intervals. *American Statistician, 55*(3), 182-186. https://doi.org/10.1198/000313001317097960

variables that were not perturbed. In addition, the change in precision in estimates was studied for 340 combinations of 34 domains and 10 response variables (e.g., the combination of past month alcohol use in the 12-17 age group). The ratio of the estimates from the PUF and the full restricted-use file was calculated for each domain and response variable combination. The average ratio over the 34 domains for the 10 response variables was within the 0.98 to 1.01 range. Similarly, to assess the decrease in precision, the SE was compared between the PUF and the full restricted-use file. Among the 10 response variables, the average increase in SEs over the 34 domains was 1 to 18 percent. The ratios between the 2023 PUF estimates and restricted-use file estimates and their corresponding SEs indicate that the 2023 NSDUH PUF provides high-quality data for producing estimates and SEs for substance use and mental health measures.

Tables 3 and 4 show the ratios of the prevalence estimates and their SEs calculated from the PUF to those calculated from the full restricted-use file for certain demographic domains not included in the calibration constraints. Table 3 shows the ratios of prevalence estimates and SEs from the PUF subsample to the full sample for past month marijuana use, a relatively high prevalence drug. Table 4 shows the same ratios for past year heroin use, a relatively low prevalence drug. The results are shown for seven demographic domains.

Table 3. Past Month Marijuana Prevalence and Standard Error Ratios of the Public Use File Subsample to the Full Sample, by Seven Domains: 2023

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic American Indian or Alaska Native	1.05	1.19
Non-Hispanic Native Hawaiian or Other Pacific Islander	1.00	0.96
Non-Hispanic Asian	1.03	0.93
Non-Hispanic Two or More Races	1.03	0.80
Household with Four Members	1.00	0.95
Household with Five Members	1.00	1.28
Household with Six or More Members	1.01	1.08

Note: Ratio = (Public use file subsample estimate/Full analytic sample estimate).
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2023.

Table 4. Past Year Heroin Prevalence and Standard Error Ratios of the Public Use File Subsample to the Full Sample, by Seven Domains: 2023

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic American Indian or Alaska Native	0.95	0.92
Non-Hispanic Native Hawaiian or Other Pacific Islander	0.97	0.97
Non-Hispanic Asian	N/A	N/A
Non-Hispanic Two or More Races	1.12	1.11
Household with Four Members	0.97	0.92
Household with Five Members	1.07	1.08
Household with Six or More Members	0.98	1.01

Note: Ratio = (Public use file subsample estimate/Full analytic sample estimate). Missing cells (signified by N/A) are due to a zero-observed prevalence rate in certain race/ethnicity domains.
Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2023.

An in-depth quality assessment of the PUFs was first conducted using the 2002-2013 PUFs. That report can be found at https://www.samhsa.gov/data/report/quality-assessment-2002-

2013-nsduh-public-use-files, and for a more recent report, refer to the quality assessment report based on the 2014-2019 PUFs found at https://www.samhsa.gov/data/report/quality-assessment-2014-2019-nsduh-public-use-files.

18. Implementing Suppression Criteria on PUF Estimates

Users of the NSDUH PUFs are cautioned against analyzing and interpreting near zero or low prevalence outcomes and estimates based on small sample sizes (like estimates in Table 4). PUF users are encouraged to implement suppression criteria such as the NSDUH suppression rules listed in Table 5 (or something similar) to suppress estimates considered to have low precision.[45]

Table 5. Summary of NSDUH Suppression Rules

Estimate	Suppress if:
Prevalence rate, $\hat{p}$, with nominal sample size, n, and design effect, $deff$ $\left(deff = \frac{n[SE(\hat{p})]^2}{\hat{p}(1-\hat{p})} \right)$	(1) The estimated prevalence rate, $\hat{p}$, is < .00005 or > .99995, or (2) $\frac{SE(\hat{p})/\hat{p}}{-\ln(\hat{p})} > .175$ when $\hat{p} \le .5$, or $\frac{SE(\hat{p})/(1-\hat{p})}{-\ln(1-\hat{p})} > .175$ when $\hat{p} > .5$, or (3) *Effective n* < 68, where $Effective\ n = \frac{n}{deff} = \frac{\hat{p}(1-\hat{p})}{[SE(\hat{p})]^2}$, or (4) $n < 100$. Note: The rounding portion of this suppression rule for prevalence rates will produce some estimates rounded at one decimal place to 0.0 or 100.0 percent but are not suppressed.
Estimated number (numerator of $\hat{p}$)	The estimated prevalence rate, $\hat{p}$, is suppressed. Note: In some instances when $\hat{p}$ is not suppressed, the estimated number may appear as a 0. This means the estimate is greater than 0 but less than 500 (estimated numbers are shown in thousands).
Means not bounded between 0 and 1 (e.g., mean age at first use), $\bar{x}$, with nominal sample size, n	(1) $RSE(\bar{x}) > .5$, or (2) $n < 10$.

deff = design effect; RSE = relative standard error; SE = standard error.

NOTE: Starting in 2020 for confidentiality protection, survey sample sizes greater than 100 were rounded to the nearest 10, and sample sizes less than 100 were not reported (i.e., are shown as "<100" in tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2023.

Information on how to define options for analyzing NSDUH PUF data along with sample SUDAAN, SAS, and Stata code for producing estimates, performing statistical tests of differences, and fitting linear or logistic regression models are provided in an appendix titled *Sample SUDAAN, SAS, and Stata Code and PUF Estimates*. Additionally, a few sample tables produced from the 2023 NSDUH PUF are included in that appendix so that users can ensure that PUF data are downloaded correctly by replicating the estimates in those tables.

[45] The suppression rules used for the 2023 NSDUH national estimates are in Section 3.2.2 of the 2023 Methodological Summary and Definitions. However, PUF users can use their own discretion to formulate appropriate suppression rules.

IDENTIFICATION

The following variable, QUESTID2, is a unique record identifier within a particular study year. The IDs may be repeated in other study years, so analysts should always consider the study year when using the QUESTID2.

QUESTID2 Len : 7 RESPONDENT IDENTIFICATION

The following variable, FILEDATE, represents the date the SAS data file was created.

FILEDATE Len : 10 CREATION DATE OF THE DATA FILE

SAMPLE WEIGHTING AND ESTIMATION VARS

ANALWT2_C	Len : 8	FIN PRSN-LEVEL SMPLE WGHT 2
VESTR_C	Len : 5	VARIANCE STRATUM
VEREP	Len : 2	VARIANCE PRIMARY SAMPLING UNIT

GEOGRAPHIC

COUNTY

The variable PDEN10 is based on 2010 Census data and the December 2009 Core Based Statistical Area classifications provided by the Office of Management and Budget (OMB).

PDEN10 Len : 1 POPULATION DENSITY 2010 - THREE LEVELS

	Freq	Pct
1 = Segment in a CBSA with 1 million or more persons	24289	42.83
2 = Segm. in a CBSA with fewer than 1 million persons	29275	51.63
3 = Segment not in a CBSA	3141	5.54

NOTE: COUTYP4 is recoded based on the 2013 Rural/Urban Continuum Codes.

COUTYP4 Len : 1 COUNTY METRO/NONMETRO STATUS (2013 3-LEVEL)

	Freq	Pct
1 = Large Metro	25718	45.35
2 = Small Metro	21737	38.33
3 = Nonmetro	9250	16.31

SEGMENT

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

Some NSDUH segments can cross more than one AIA. In order to assign a single AIA to a segment, a ‘majority’ AIA variable was created by summing the total number of dwelling units within each of the AIAs within the segment and then assigning the AIA with the most dwelling units to that segment. The resulting 'majority' AIAs were summarized to form MAIIN102. MAIIN102 is based on 2010 census data.

MAIIN102 Len : 1 MAJORITY AMER INDIAN AREA INDICATOR FOR SEGMENT

	Freq	Pct
1 = Segment in an American Indian area	912	1.61
2 = Segment not in an American Indian area	55793	98.39

BLOCK

The Census provides data for five types of American Indian areas (AIAs):

- Federally-recognized American Indian reservations (AIRs) and off-reservation trust land areas – areas that have been set aside by the U.S. for the use of American Indian tribes. The tribes have primary governmental authority over the AIRs and associated off-reservation trust lands. Federal AIRs may cross State and all other area boundaries.
- State-recognized American Indian Reservations (SAIRs) - reservations established by some State governments for tribes recognized by the State. The tribes may have governmental authority over the SAIRs. SAIRs must be defined within a single State but may cross county and other types of boundaries.
- Oklahoma tribal statistical areas (OTSAs) - areas intended to represent the former American Indian reservations that existed in Indian and Oklahoma territories prior to Oklahoma statehood in 1907. OTSAs are contained within the State of Oklahoma but may cross all other area boundaries.
- Tribal designated statistical areas (TDSAs) - areas identified and delineated for federally-recognized American Indian tribes that do not currently have an AIR or off-reservation trust land. A TDSA is intended to encompass a compact and contiguous area that contains a concentration of individuals who identify with the delineating federally-recognized American Indian tribe. TDSAs may cross State and all other area boundaries.
- State designated tribal statistical areas (SDTSAs) - areas identified and delineated for State-recognized tribes that are not federally-recognized and do not have an AIR or off-reservation trust land. SDTSAs provide State-recognized tribes without reservations statistical data for a geographic area that encompasses a substantial concentration of tribal members. SDTSAs must be defined within a single State but may cross county and other types of boundaries.

The AIAs are mutually exclusive, i.e., no AIA can overlap another AIA. In cases where more than one tribe claims jurisdiction over an area, the Census Bureau creates a joint-use area as a separate entity to define this area of dual claims.

The variable AIIND102 is based on 2010 census data and is defined by mapping the census block in which a respondent resides to the 2010 census file.

AIIND102 Len : 1 AMER INDIAN AREA INDICATOR

	Freq	Pct
1 = Census block in an American Indian area	925	1.63
2 = Census block not in an American Indian area	55780	98.37

DEMOGRAPHICS

DEMOGRAPHICS

NOTE: After a respondent has entered his/her birthdate in the first part of the questionnaire, he/she has multiple opportunities to change his/her age in response to consistency checks throughout the questionnaire. It is therefore possible for the age recorded by the respondent at the beginning of the questionnaire to be different than the age at the end of the questionnaire. The final age variable is determined using these two constituent age variables, in addition to the age calculated from the raw birthdate and the final edited interview date, the age entered in the questionnaire roster (if it exists), and the pre-interview screener age.

AGE3 Len : 2 RECODE - FINAL EDITED AGE

	Freq	Pct
1 = Respondent is 12 or 13 years old	3649	6.44
2 = Respondent is 14 or 15 years old	4067	7.17
3 = Respondent is 16 or 17 years old	3856	6.80
4 = Respondent is between 18 and 20 years old	4728	8.34
5 = Respondent is between 21 and 23 years old	5214	9.19
6 = Respondent is 24 or 25 years old	3645	6.43
7 = Respondent is between 26 and 29 years old	3884	6.85
8 = Respondent is between 30 and 34 years old	5287	9.32
9 = Respondent is between 35 and 49 years old	12355	21.79
10 = Respondent is between 50 and 64 years old	4960	8.75
11 = Respondent is 65 years old or older	5060	8.92

Have you ever been in the United States Armed Forces?

(QD09)
SERVICE Len : 2 EVER BEEN IN THE US ARMED FORCES

	Freq	Pct
1 = Yes	2302	4.06
2 = No	44669	78.77
85 = BAD DATA Logically assigned	26	0.05
89 = LEGITIMATE SKIP Logically assigned	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1	0.00
99 = LEGITIMATE SKIP	9705	17.11

Are you currently on active duty in the United States Armed Forces, are you in a Reserve component, or are you now separated or retired from the military?

(QD10)
MILSTAT Len : 2 CURRENT MILITARY STATUS

	Freq	Pct
2 = In a reserves component	150	0.26
3 = Now separated/retired from reserves/active duty	2144	3.78
85 = BAD DATA Logically assigned	26	0.05
94 = DON'T KNOW	4	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1	0.00
99 = LEGITIMATE SKIP	54375	95.89

Have you ever served on active duty in the United States Armed Forces or Reserve components? Active duty does not include training for the Reserves or National Guard, but does include activation, for example, for a national emergency or military conflict.

(QD10A)
ACTDEVER Len : 2 EVER ON ACTIVE DUTY IN US MILITARY/RESERV

	Freq	Pct
1 = Yes	1763	3.11
2 = No	536	0.95
85 = BAD DATA Logically assigned	26	0.05
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1	0.00
99 = LEGITIMATE SKIP	54375	95.89

When did you serve on active duty in the United States Armed Forces or Reserve components? Just give me the number or numbers from the card.

(QD10B1)
ACTD2001 Len : 2 SEPTEMBER 2001 OR LATER

	Freq	Pct
1 = Yes	770	1.36
2 = No (not entered)	986	1.74
85 = BAD DATA Logically assigned	26	0.05
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	8	0.01
99 = LEGITIMATE SKIP	54911	96.84

(QD10B2)
ACTD9001 Len : 2 AUG 1990 TO AUG 2001 (INCLUDING PERSIAN GULF WAR)

	Freq	Pct
1 = Yes	402	0.71
2 = No (not entered)	1354	2.39
85 = BAD DATA Logically assigned	28	0.05
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	6	0.01
99 = LEGITIMATE SKIP	54911	96.84

(QD10B3)
ACTD7590 Len : 2 MAY 1975 TO JULY 1990

	Freq	Pct
1 = Yes	412	0.73
2 = No (not entered)	1344	2.37
85 = BAD DATA Logically assigned	27	0.05
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	7	0.01
99 = LEGITIMATE SKIP	54911	96.84

(QD10B4)
ACTDVIET Len : 2 VIETNAM ERA (MARCH 1961 TO APRIL 1975)

	Freq	Pct
1 = Yes	492	0.87
2 = No (not entered)	1263	2.23
85 = BAD DATA Logically assigned	27	0.05
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	8	0.01
99 = LEGITIMATE SKIP	54911	96.84

(QD10B5, QD10B6, QD10B7, QD10B8, QD10B9)
ACTDPRIV Len : 2 ANY TIME BEFORE VIETNAM ERA (MARCH 1961)

	Freq	Pct
1 = Yes	84	0.15
2 = No (not entered)	1670	2.95
85 = BAD DATA Logically assigned	31	0.05
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	5	0.01
99 = LEGITIMATE SKIP	54911	96.84

Did you ever serve on active duty in the United States Armed Forces or Reserve components in a military combat zone or an area where you drew imminent danger pay or hostile fire pay?

(QD10C)
COMBATPY Len : 2 EVER IN COMBAT ZONE ON ACTIVE DUTY

	Freq	Pct
1 = YES	726	1.28
2 = NO	1030	1.82
85 = BAD DATA Logically assigned	26	0.05
94 = DON'T KNOW	5	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	2	0.00
99 = LEGITIMATE SKIP	54911	96.84

How many times have you been married?

(QD08)
NOMARR2 Len : 2 NUMBER OF TIMES MARRIED

	Freq	Pct
1 = One time	19380	34.18
2 = Two or more times	4920	8.68
94 = DON'T KNOW	27	0.05
97 = REFUSED	96	0.17
98 = BLANK (NO ANSWER)	1	0.00
99 = LEGITIMATE SKIP	32281	56.93

This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?

(QD12)
HEALTH Len : 2 OVERALL HEALTH

	Freq	Pct
1 = Excellent	11771	20.76
2 = Very good	20757	36.61
3 = Good	17430	30.74
4 = Fair	5814	10.25
5 = Poor	901	1.59
94 = DON'T KNOW	20	0.04
97 = REFUSED	12	0.02

How many times in the past 12 months have you moved? Please include moves from one residence to another within the same city/town as well as those from one city/town to another.

(QD13)
MOVSINPYR2 Len : 3 # TIMES MOVED PAST 12 MONTHS- RECODED

	Freq	Pct
0 = 0 times	41403	73.01
1 = One time	8377	14.77
2 = Two times	3691	6.51
3 = Three or more times	1211	2.14
985 = BAD DATA Logically assigned	84	0.15
994 = DON'T KNOW	502	0.89
997 = REFUSED	367	0.65
998 = BLANK (NO ANSWER)	1070	1.89

NOTE: Beginning in 2023, edited variables SEXATRACT2 and SEXIDENT22 replace variables SEXATRACT and SEXIDENT due to questionnaire changes in 2023.

People are different in their sexual attraction to other people. Which statement best describes your feelings?

(QD62)
SEXATRACT2 Len : 2 SEXUAL ATTRACTION

	Freq	Pct
1 = I am only attracted to opposite sex	41783	73.68
2 = I am mostly attracted to opposite sex	5147	9.08
3 = I am equally attracted to males and females	3665	6.46
4 = I am mostly attracted to same sex	1014	1.79
5 = I am only attracted to same sex	1266	2.23
6 = I am not sure	1832	3.23
85 = BAD DATA Logically assigned	156	0.28
94 = DON'T KNOW	251	0.44
97 = REFUSED	504	0.89
98 = BLANK (NO ANSWER)	1087	1.92

Which one of the following do you consider yourself to be?

(QD63)
SEXIDENT22 Len : 2 SEXUAL IDENTITY

	Freq	Pct
1 = Heterosexual, that is, straight	43842	77.32
2 = Gay or lesbian	1573	2.77
3 = Bisexual	4339	7.65
4 = I use a different term	1283	2.26
5 = I am not sure about my sexual identity	1488	2.62
6 = I do not know what this question is asking	2090	3.69
85 = BAD DATA Logically assigned	156	0.28
94 = DON'T KNOW	272	0.48
97 = REFUSED	575	1.01
98 = BLANK (NO ANSWER)	1087	1.92

How well do you speak English?

(QD55)
SPEAKENGL Len : 2 HOW WELL SPEAK ENGLISH

	Freq	Pct
1 = Very well	49114	86.61
2 = Well	4334	7.64
3 = Not well	1315	2.32
4 = Not at all	542	0.96
85 = BAD DATA Logically assigned	85	0.15
94 = DON'T KNOW	90	0.16
97 = REFUSED	137	0.24
98 = BLANK (NO ANSWER)	1088	1.92

Do you have difficulty seeing, even when wearing glasses or contact lenses?

(SEE)
LVLDIFSEE2 Len : 2 LEVEL OF DIFFICULTY SEEING EVEN WITH GLASSES

	Freq	Pct
1 = No Difficulty	40547	71.51
2 = Some difficulty	12662	22.33
3 = A lot of difficulty or cannot do at all	1941	3.42
85 = BAD DATA Logically assigned	85	0.15
94 = DON'T KNOW	186	0.33
97 = REFUSED	194	0.34
98 = BLANK (NO ANSWER)	1090	1.92

Do you have difficulty hearing, even when using hearing aids?

(HEAR)
LVLDIFHEAR2 Len : 2 LEVEL OF DIFFICULTY HEARING EVEN WITH HEARING AIDS

	Freq	Pct
1 = No Difficulty	47723	84.16
2 = Some difficulty	6372	11.24
3 = A lot of difficulty or cannot do at all	963	1.70
85 = BAD DATA Logically assigned	85	0.15
94 = DON'T KNOW	248	0.44
97 = REFUSED	221	0.39
98 = BLANK (NO ANSWER)	1093	1.93

Do you have difficulty walking or climbing steps?

(WALK)
LVLDIFWALK2 Len : 2 LEVEL OF DIFFICULTY WALKING OR CLIMBING STEPS

	Freq	Pct
1 = No Difficulty	48123	84.87
2 = Some difficulty	5662	9.99
3 = A lot of difficulty or cannot do at all	1448	2.55
85 = BAD DATA Logically assigned	85	0.15
94 = DON'T KNOW	117	0.21
97 = REFUSED	176	0.31
98 = BLANK (NO ANSWER)	1094	1.93

Do you have difficulty remembering or concentrating?

(MEM)
LVLDIFMEM2 Len : 2 LEVEL OF DIFFICULTY REMEMBERING OR CONCENTRATING

	Freq	Pct
1 = No Difficulty	34291	60.47
2 = Some difficulty	16655	29.37
3 = A lot of difficulty or cannot do at all	4266	7.52
85 = BAD DATA Logically assigned	85	0.15
94 = DON'T KNOW	125	0.22
97 = REFUSED	188	0.33
98 = BLANK (NO ANSWER)	1095	1.93

Do you have difficulty with self-care, such as washing all over or dressing?

(CARE)
LVLDIFCARE2 Len : 2 LEVEL OF DIFFICULTY WITH SELF-CARE

	Freq	Pct
1 = No Difficulty	49770	87.77
2 = Some difficulty	4380	7.72
3 = A lot of difficulty or cannot do at all	1060	1.87
85 = BAD DATA Logically assigned	85	0.15
94 = DON'T KNOW	131	0.23
97 = REFUSED	182	0.32
98 = BLANK (NO ANSWER)	1097	1.93

Using your usual language, do you have difficulty communicating, for example understanding or being understood?

(COMM)
LVLDIFCOMM2 Len : 2 LEVEL OF DIFFICULTY COMMUNICATING USING YOUR USUAL LANGUAGE

	Freq	Pct
1 = No Difficulty	47454	83.69
2 = Some difficulty	6474	11.42
3 = A lot of difficulty or cannot do at all	1252	2.21
85 = BAD DATA Logically assigned	85	0.15
94 = DON'T KNOW	155	0.27
97 = REFUSED	184	0.32
98 = BLANK (NO ANSWER)	1101	1.94

IMPUTED DEMOGRAPHICS

Missing values to QD01 were not permitted. Thus, no imputation was required for IRSEX. This variable has the prefix 'IR', which stands for 'Imputation Revised', only for the sake of consistency with data from surveys prior to 2002 in which missing data could exist.

Beginning in 2023 there were several changes to the questionnaire that impacted IRSEX. First, QD01 asked respondents to report their sex assigned at birth on their original birth certificate. Previously, respondents were asked if they were male or female. Later, they were asked to confirm in CONFGI their response to sex assigned at birth. Respondents who indicated that their original response was incorrect were asked in GICC02 to again report their sex assigned at birth. If a response to GICC02 was given, it replaced the response to QD01. Finally, beginning in 2023, these questions were self-administered for all respondents. Previously, QD01 was interviewer-administered for in-person interviews.

(CONFGI, GICC02, QD01)

IRSEX Len : 1 SEX AT BIRTH - IMPUTATION REVISED

	Freq	Pct
1 = Male	26145	46.11
2 = Female	30560	53.89

NOTE: The variable IRMARIT reflects the move of the marital status questions from self-administration in 2015 back to interviewer administration in 2016. This variable is considered to be comparable with corresponding variables in 2002 to 2014 (when this question also was interviewer-administered) but is not considered to be comparable with the marital status variable IRMARITSTAT in 2015. Analytic goals should be considered prior to pooling or comparing marital status data from 2015 with data from other years.

IRMARIT Len : 2 IMPUTATION REVISED MARITAL STATUS

	Freq	Pct
1 = Married	18316	32.30
2 = Widowed	1383	2.44
3 = Divorced or Separated	4670	8.24
4 = Never Been Married	26755	47.18
99 = LEGITIMATE SKIP Respondent is <= 14 years old	5581	9.84

IIMARIT Len : 1 IMPUTATION INDICATOR MARITAL STATUS

	Freq	Pct
1 = Marital status from questionnaire	51040	90.01
3 = Marital status statistically imputed	84	0.15
9 = LEGITIMATE SKIP Respondent is <= 14 years old	5581	9.84

IREDUHIGHST2 Len : 2 EDUCATION - RECODED IMPUTATION REVISED

	Freq	Pct
1 = Fifth grade or less grade completed	973	1.72
2 = Sixth grade completed	1903	3.36
3 = Seventh grade completed	2001	3.53
4 = Eighth grade completed	2393	4.22
5 = Ninth grade completed	2715	4.79
6 = Tenth grade completed	2661	4.69
7 = Eleventh or Twelfth grade completed, no diploma	3815	6.73
8 = High school diploma/GED	12180	21.48
9 = Some college credit, but no degree	9087	16.03
10 = Associate's degree (for example, AA, AS)	3956	6.98
11 = College graduate or higher	15021	26.49

IIEDUHIGHST2 Len : 1 EDUCATION INDICATOR - IMPUTATION INDICATOR

	Freq	Pct
1 = Education from questionnaire	56627	99.86
3 = Education statistically imputed	78	0.14

RECODED DEMOGRAPHICS

(AGE3)
CATAGE Len : 1 RC-AGE CATEGORY

	Freq	Pct
1 = 12-17 Years Old	11572	20.41
2 = 18-25 Years Old	13587	23.96
3 = 26-34 Years Old	9171	16.17
4 = 35 or Older	22375	39.46

(AGE3)
CATAG2 Len : 1 RC-AGE CATEGORY RECODE (3 LEVELS)

	Freq	Pct
1 = 12-17 Years Old	11572	20.41
2 = 18-25 Years Old	13587	23.96
3 = 26 or Older	31546	55.63

(AGE3)
CATAG3 Len : 1 RC-AGE CATEGORY RECODE (5 LEVELS)

	Freq	Pct
1 = 12-17 Years Old	11572	20.41
2 = 18-25 Years Old	13587	23.96
3 = 26-34 Years Old	9171	16.17
4 = 35-49 Years Old	12355	21.79
5 = 50 or Older	10020	17.67

(AGE3)
CATAG6 Len : 1 RC-AGE CATEGORY RECODE (6 LEVELS)

	Freq	Pct
1 = 12-17 Years Old	11572	20.41
2 = 18-25 Years Old	13587	23.96
3 = 26-34 Years Old	9171	16.17
4 = 35-49 Years Old	12355	21.79
5 = 50-64 Years Old	4960	8.75
6 = 65 or Older	5060	8.92

(AGE3)
CATAG7 Len : 1 RC-AGE CATEGORY RECODE (7 LEVELS)

	Freq	Pct
1 = 12-13 Years Old	3649	6.44
2 = 14-15 Years Old	4067	7.17
3 = 16-17 Years Old	3856	6.80
4 = 18-20 Years Old	4728	8.34
5 = 21-25 Years Old	8859	15.62
6 = 26-34 Years Old	9171	16.17
7 = 35 or Older	22375	39.46

(AGE3)
PREGAGE2 Len : 1 RC-PREGNANCY AGE CATEGORY RECODE

	Freq	Pct
1 = 15-17 Years Old	5991	10.57
2 = 18-25 Years Old	13587	23.96
3 = 26-44 Years Old	17979	31.71
4 = Otherwise (12-14, 45 or Older)	19148	33.77

(AGE3)
DRVINAGE Len : 1 RC-DUI AGE CATEGORY RECODE

	Freq	Pct
1 = 16-25 Years Old	17443	30.76
2 = 26 or Older	31546	55.63
3 = Otherwise (12-15 Years Old)	7716	13.61

(AGE3)

DRVINDETAG Len : 1 RC-DUI DETAILED AGE CATEGORY RECODE

	Freq	Pct
1 = 16-20 Years Old	8584	15.14
2 = 21-25 Years Old	8859	15.62
3 = 26 or Older	31546	55.63
4 = Otherwise (12-15 Years Old)	7716	13.61

Beginning in 2023 there were several changes to the questionnaire that impacted the source variable, IRSEX. See the note above IRSEX for more detail.

(CATAGE, IRSEX)

SEXAGE Len : 1 RC-COMBINED SEX BY AGE CATEGORY INDICATOR

	Freq	Pct
1 = Males Aged 12-17 (IRSEX=1 and CATAGE=1)	5972	10.53
2 = Females Aged 12-17 (IRSEX=2 and CATAGE=1)	5600	9.88
3 = Males Aged 18-25 (IRSEX=1 and CATAGE=2)	6359	11.21
4 = Females Aged 18-25 (IRSEX=2 and CATAGE=2)	7228	12.75
5 = Otherwise	31546	55.63

Because the reordering of the response options in alphabetical order in the 2022 NSDUH placed “American Indian or Alaska Native” as the first option, the unweighted number of non-Hispanic American Indian or Alaska Native respondents increased from prior years. Additionally, in 2023, the race and ethnicity questions in the in-person questionnaire became self-administered instead of being administered by an interviewer, which again seems to have increased the size of the unweighted “American Indian or Alaska Native” sample. Despite the weighted population size for non-Hispanic American Indian or Alaska Native people being consistent between years, caution is advised in comparing outcomes for this group over time due to the change in the unweighted number of respondents.

NEWRACE2 Len : 1 RC-RACE/HISPANICITY RECODE (7 LEVELS)

	Freq	Pct
1 = NonHisp White	31067	54.79
2 = NonHisp Black/Afr Am	6723	11.86
3 = NonHisp Native Am/AK Native	1199	2.11
4 = NonHisp Native HI/Other Pac Isl	294	0.52
5 = NonHisp Asian	2758	4.86
6 = NonHisp more than one race	2732	4.82
7 = Hispanic	11932	21.04

(IRSEX, NEWRACE2)

SEXRACE Len : 1 RC-COMBINED SEX BY RACE INDICATOR

	Freq	Pct
1 = Male, White, Not Hisp (IRSEX=1 and NEWRACE2=1)	14217	25.07
2 = Female, White, Not Hisp (IRSEX=2 and NEWRACE2=1)	16850	29.72
3 = Male, Black, Not Hisp (IRSEX=1 and NEWRACE2=2)	2979	5.25
4 = Female, Black, Not Hisp (IRSEX=2 and NEWRACE2=2)	3744	6.60
5 = Male, Hispanic (IRSEX=1 and NEWRACE2=7)	5563	9.81
6 = Female, Hispanic (IRSEX=2 and NEWRACE2=7)	6369	11.23
7 = Male or Female, Other Races (Otherwise)	6983	12.31

(IREDUHIGHST2)

EDUHIGHCAT Len : 1 RC-EDUCATION CATEGORIES

	Freq	Pct
1 = Less high school (IREDUHIGHST2=1-7 & AGE3=4-11)	5013	8.84
2 = High school grad (IREDUHIGHST2=8 & AGE3=4-11)	12074	21.29
3 = Some coll/Assoc Dg (IREDUHIGHST2=9-10 & AGE3=4-11)	13029	22.98
4 = College graduate (IREDUHIGHST2=11 & AGE3=4-11)	15017	26.48
5 = 12 to 17 year olds (AGE3=1-3)	11572	20.41

(HEALTH)

HEALTH2 Len : 1 RC-OVERALL HEALTH RECODE

	Freq	Pct
. = Unknown (Otherwise)	32	0.06
1 = Excellent (HEALTH=1)	11771	20.76
2 = Very Good (HEALTH=2)	20757	36.61
3 = Good (HEALTH=3)	17430	30.74
4 = Fair/Poor (HEALTH=4,5)	6715	11.84

EDUCATION

NOTE: EDUSCHLGO takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. EDUSCHLGO was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.

The next questions are about school. By 'school', we mean elementary school, junior high or middle school, high school, or a college or university. Please include home schooling as well. Do you go to school?

If you are on a holiday or break from school, such as spring break or summer vacation, but plan to return when the break is over, please answer yes.

(QD17, QD17A, QD17B)
EDUSCHLGO Len : 2 NOW GOING TO SCHOOL

	Freq	Pct
1 = Yes	17131	30.21
2 = No	37569	66.25
11 = Yes (EDUSKPMON = 30)	45	0.08
85 = BAD DATA Logically assigned	93	0.16
94 = DON'T KNOW	346	0.61
97 = REFUSED	413	0.73
98 = BLANK (NO ANSWER)	1108	1.95

What grade or year of school are you now attending?

What grade or year of school will you be attending when your vacation is over?

(QD18)
EDUSCHGRD2 Len : 2 WHAT GRADE IN NOW/WILL BE IN

	Freq	Pct
1 = 5th Grade or lower	54	0.10
2 = 6th Grade	524	0.92
3 = 7th Grade	1509	2.66
4 = 8th Grade	1699	3.00
5 = 9th Grade	1869	3.30
6 = 10th Grade	1819	3.21
7 = 11th Grade	1806	3.18
8 = 12th Grade	1563	2.76
9 = College or university/1st year	1552	2.74
10 = College or university/2nd Year, 3rd year	1991	3.51
11 = College or university/4th Year, 5th or higher year	1992	3.51
98 = BLANK (NO ANSWER)	2758	4.86
99 = LEGITIMATE SKIP	37569	66.25

Are you a full-time student or a part-time student?

Will you be a full-time student or a part-time student?

(QD19)
EDUFULPAR Len : 2 FULL OR PART TIME

	Freq	Pct
1 = FULL-TIME	14055	24.79
2 = PART-TIME	2461	4.34
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	360	0.63
97 = REFUSED	291	0.51
98 = BLANK (NO ANSWER)	1958	3.45
99 = LEGITIMATE SKIP	37569	66.25

During the past 30 days, that is, from [DATEFILL] up to and including today, how many whole days of school did you miss because you were sick or injured? Please do not include days you missed because you stayed home with a sick child or other family member.

(QD20)
EDUSCKMON Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SICK

	Freq	Pct
RANGE = 1 - 30	5467	9.64
0 = None	6568	11.58
85 = BAD DATA Logically assigned	11	0.02
90 = SCHOOL NOT IN SESSION	1463	2.58
94 = DON'T KNOW	498	0.88
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	2610	4.60
99 = LEGITIMATE SKIP	40030	70.59

What is your best estimate of the number of whole days of school you missed because you were sick or injured during the past 30 days?

(QD20DKRE)
EDUSCKEST Len : 2 BEST ESTIMATE # DAYS MISSED BECAUSE SICK OR INURED

	Freq	Pct
1 = 0 days	88	0.16
2 = 1 day	37	0.07
3 = 2 days	50	0.09
4 = 3 to 5 days	85	0.15
5 = 6 or more days	73	0.13
6 = School was not in session during the past 30 days	36	0.06
94 = DON'T KNOW	161	0.28
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	2621	4.62
99 = LEGITIMATE SKIP	53528	94.40

NOTE: EDUSCKCOM is a recoded variable that incorporates data from EDUSCKMON (if respondents reported a valid number of days that they missed school in QD20 or they reported that school was not in session) or EDUSCKEST (if respondents were asked question QD20DKRE because they answered QD20 as "don't know" or "refused"). If respondents reported in QD20DKRE that they missed school on "3 to 5 days" or on "6 or more days," then EDUSCKCOM was assigned the value at the midpoint in the range (i.e., 4 days or 18 days, respectively).

(QD20, QD20DKRE)
EDUSCKCOM Len : 2 RC - HOW MANY DAYS MISSED SCHOOL FROM SICK (COMBINED)

	Freq	Pct
RANGE = 0 - 30	12368	21.81
90 = SCHOOL NOT IN SESSION	1499	2.64
94 = DON'T KNOW	161	0.28
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	2621	4.62
99 = LEGITIMATE SKIP	40030	70.59

During the past 30 days, that is since [DATEFILL], how many whole days did you miss because you skipped or "cut" or just didn't want to be there? Please do not include days you missed because you stayed home with a sick child or other family member.

(QD21)
EDUSKPMON Len : 2 HOW MANY DAYS MISSED SCHOOL FROM SKIPPING

	Freq	Pct
RANGE = 1 - 30	3164	5.58
0 = None	9025	15.92
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	300	0.53
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	2611	4.60
99 = LEGITIMATE SKIP	41529	73.24

What is your best estimate of the number of whole days of school you missed because you skipped or 'cut' or just didn't want to be there during the past 30 days?

(QD21DKRE)
EDUSKPEST Len : 2 BEST ESTIMATE # DAYS MISSED BECAUSE SKIPPED OR CUT

	Freq	Pct
1 = 0 days	99	0.17
2 = 1 day	20	0.04
3 = 2 days	22	0.04
4 = 3 to 5 days	19	0.03
5 = 6 or more days	40	0.07
94 = DON'T KNOW	132	0.23
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	2622	4.62
99 = LEGITIMATE SKIP	53718	94.73

NOTE: EDUSKPCOM is a recoded variable that incorporates data from EDUSKPMON (if respondents reported a valid number of days that they missed school in QD21) or EDUSKPEST (if respondents were asked question QD21DKRE because they answered QD21 as "don't know" or "refused"). If respondents reported in QD21DKRE that they missed school on "3 to 5 days" or on "6 or more days," then EDUSKPCOM was assigned the value at the midpoint in the range (i.e., 4 days or 18 days, respectively).

(QD21, QD21DKRE)
EDUSKPCOM Len : 2 RC - HOW MANY DAYS MISSED SCHOOL FROM SKIPPING (COMBINED)

	Freq	Pct
RANGE = 0 - 30	12389	21.85
94 = DON'T KNOW	132	0.23
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	2622	4.62
99 = LEGITIMATE SKIP	41529	73.24

For this question, please consider only the family members listed below, whether or not they live with you.

- Your spouse
- Your unmarried partner
- Your mother
- Your father
- Your son or sons
- Your daughter or daughters
- Your brother or brothers
- Your sister or sisters

Please include only these family members, whether they are biological, step or adoptive. Are any of these family members currently serving in the United States military? Press F2 to see and hear a definition of "military."

(QD10D)
MILTFAMLY Len : 2 ANY IMMEDIATE FAMILY CURRENTLY IN US MILITARY

	Freq	Pct
1 = Yes	4776	8.42
2 = No	49723	87.69
85 = BAD DATA Logically assigned	137	0.24
94 = DON'T KNOW	512	0.90
97 = REFUSED	423	0.75
98 = BLANK (NO ANSWER)	1134	2.00

(QD10E1, QD10E2)
MILTSPPAR Len : 2 SPOUSE OR PARTNER IN MILITARY

	Freq	Pct
1 = Yes	1099	1.94
2 = No	2634	4.65
85 = BAD DATA Logically assigned	61	0.11
94 = DON'T KNOW	594	1.05
97 = REFUSED	376	0.66
98 = BLANK (NO ANSWER)	2218	3.91
99 = LEGITIMATE SKIP	49723	87.69

(QD10E3, QD10E4)
MILTPARNT Len : 2 FATHER OR MOTHER IN MILITARY

	Freq	Pct
1 = Yes	898	1.58
2 = No	2828	4.99
85 = BAD DATA Logically assigned	98	0.17
94 = DON'T KNOW	594	1.05
97 = REFUSED	376	0.66
98 = BLANK (NO ANSWER)	2188	3.86
99 = LEGITIMATE SKIP	49723	87.69

(QD10E5, QD10E6)
MILTCHLDR Len : 2 SON OR DAUGHTER IN MILITARY

	Freq	Pct
1 = Yes	511	0.90
2 = No	3197	5.64
85 = BAD DATA Logically assigned	110	0.19
94 = DON'T KNOW	594	1.05
97 = REFUSED	376	0.66
98 = BLANK (NO ANSWER)	2194	3.87
99 = LEGITIMATE SKIP	49723	87.69

(QD10E7, QD10E8)
MILTSIBLN Len : 2 SISTER OR BROTHER IN MILITARY

	Freq	Pct
1 = Yes	1576	2.78
2 = No	2157	3.80
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	594	1.05
97 = REFUSED	376	0.66
98 = BLANK (NO ANSWER)	2227	3.93
99 = LEGITIMATE SKIP	49723	87.69

RECODED EDUCATION

(AGE3, EDUFULPAR, EDUSCHGRD2, EDUSCHLGO)
ENRLCOLLFT2 Len : 1 RC-COLLEGE ENROLLMENT-FULL TIME

	Freq	Pct
1 = Full Time College Student Aged 18-22	2316	4.08
2 = Other Persons Aged 18-22	5503	9.70
3 = Unknwn Enrollment or not College Aged	48886	86.21

(AGE3, EDUFULPAR, EDUSCHGRD2, EDUSCHLGO)
ENRLCOLLST2 Len : 1 RC-COLLEGE ENROLLMENT

	Freq	Pct
1 = Full Time College Student Aged 18-22	2316	4.08
2 = Part Time College Student Aged 18-22	610	1.08
3 = Not Enrolled Aged 18-22	4025	7.10
4 = Other Persons Aged 18-22	868	1.53
5 = Unknwn Enrollment or not College Aged	48886	86.21

EMPLOYMENT

(WRK35WKUS, WRKDPSTWK, WRKDPSTYR, WRKEFFORT, WRKRSNJOB, WRKRSNNOT)
WRKSTATWK2 Len : 2 WORK SITUATION IN PAST WEEK - RECODE

	Freq	Pct
1 = Worked at full-time job, past week	20157	35.55
2 = Worked at part time job, past week	6667	11.76
3 = Has job or volunteer worker, did not work past wk	3056	5.39
4 = Unemployed/on layoff, looking for work	2741	4.83
5 = Disabled	1732	3.05
6 = Keeping house full-time	2075	3.66
7 = In school/training	3047	5.37
8 = Retired	4145	7.31
9 = Does not have a job, some other reason	5724	10.09
98 = BLANK (NO ANSWER)	1780	3.14
99 = LEGITIMATE SKIP	5581	9.84

The next questions are about working. Did you work at a job or business at any time last week? By last week, I mean the week beginning on Sunday, [STARTDATE] and ending on Saturday, [ENDDATE].

(QD26)
WRKDPSTWK Len : 2 WORK AT JOB LAST WEEK

	Freq	Pct
1 = Yes	26900	47.44
2 = No	22429	39.55
4 = No LOGICALLY ASSIGNED	70	0.12
85 = BAD DATA Logically assigned	74	0.13
94 = DON'T KNOW	172	0.30
97 = REFUSED	353	0.62
98 = BLANK (NO ANSWER)	1126	1.99
99 = LEGITIMATE SKIP	5581	9.84

Even though you did not work at any time last week, did you have a job or business?

(QD27)
WRKHADJOB Len : 2 DID YOU HAVE A JOB OR BUSINESS

	Freq	Pct
1 = Yes	3102	5.47
2 = No	19243	33.94
4 = No LOGICALLY ASSIGNED	70	0.12
85 = BAD DATA Logically assigned	66	0.12
94 = DON'T KNOW	41	0.07
97 = REFUSED	392	0.69
98 = BLANK (NO ANSWER)	1310	2.31
99 = LEGITIMATE SKIP	32481	57.28

How many hours did you work last week at all jobs or businesses?

(QD28)
WRKDHRSWK2 Len : 3 HOW MANY HOURS WORKED LAST WEEK

	Freq	Pct
RANGE = 1 - 60	26025	45.90
61 = 61 or more	667	1.18
985 = BAD DATA Logically assigned	8	0.01
994 = DON'T KNOW	155	0.27
997 = REFUSED	403	0.71
998 = BLANK (NO ANSWER)	1367	2.41
999 = LEGITIMATE SKIP	28080	49.52

Do you usually work 35 hours or more per week at all jobs or businesses?

(QD29)
WRK35WKUS Len : 2 USUALLY WORK 35 OR MORE HRS PER WEEK

	Freq	Pct
1 = Yes	21766	38.38
2 = No	8147	14.37
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	47	0.08
97 = REFUSED	430	0.76
98 = BLANK (NO ANSWER)	1413	2.49
99 = LEGITIMATE SKIP	24894	43.90

Which one of these reasons best describes why you did not work last week?

(QD30)
WRKRSNNOT Len : 3 REASON FOR NOT WORKING AT JOB - PAST WK

	Freq	Pct
1 = On vacation/sick/furlough/strike/maternity or family leave	932	1.64
2 = On layoff and not looking for work	80	0.14
3 = On layoff and looking for work	122	0.22
4 = Waiting to report to a new job	174	0.31
5 = Self-employed and did not have business last week	420	0.74
6 = Going to school/training	364	0.64
7 = Some other reason	951	1.68
994 = DON'T KNOW	33	0.06
997 = REFUSED	417	0.74
998 = BLANK (NO ANSWER)	1393	2.46
999 = LEGITIMATE SKIP	51819	91.38

Which one of these reasons best describes why you did not have a job or business last week?

(QD31)
WRKRSNJOB Len : 3 REASON FOR NOT HAVING A JOB - PAST WK

	Freq	Pct
1 = Looking for work	3616	6.38
2 = On layoff and not looking for work	613	1.08
3 = Keeping house or caring for children full time	2076	3.66
4 = Going to school/training	3047	5.37
5 = Retired	4146	7.31
6 = Disabled for work	1734	3.06
7 = Didn't want a job	1151	2.03
8 = Some other reason	2659	4.69
985 = BAD DATA Logically assigned	66	0.12
994 = DON'T KNOW	118	0.21
997 = REFUSED	512	0.90
998 = BLANK (NO ANSWER)	1384	2.44
999 = LEGITIMATE SKIP	35583	62.75

During the past 30 days, did you make specific efforts to find work? Include any contacts you made with anyone about a job, sending out resumes or applications, placing or answering ads. Do not include only reading job ads.

(QD32)
WRKEFFORT Len : 2 PAST 30 DAYS, MAKE EFFORT TO FIND WORK

	Freq	Pct
1 = Yes	2623	4.63
2 = No	981	1.73
94 = DON'T KNOW	7	0.01
97 = REFUSED	517	0.91
98 = BLANK (NO ANSWER)	1568	2.77
99 = LEGITIMATE SKIP	51009	89.96

Now, think about the past 12 months, from [DATEFILL] through today. Did you work at a job or business at any time during the past 12 months?

(QD33)
WRKDPSTYR Len : 2 PAST 12 MOS, WORKED AT ANY JOB

	Freq	Pct
1 = Yes	5086	8.97
2 = No	14295	25.21
85 = BAD DATA Logically assigned	66	0.12
94 = DON'T KNOW	180	0.32
97 = REFUSED	353	0.62
98 = BLANK (NO ANSWER)	1142	2.01
99 = LEGITIMATE SKIP	35583	62.75

Have you been self-employed at any time during the past 12 months?

(QD34)
WRKSELFEM Len : 2 PAST 12 MOS, SELF EMPLOYED

	Freq	Pct
1 = Yes	5370	9.47
2 = No	29179	51.46
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	420	0.74
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	74	0.13
97 = REFUSED	393	0.69
98 = BLANK (NO ANSWER)	1385	2.44
99 = LEGITIMATE SKIP	19876	35.05

How many different employers, including yourself, have you had in the past 12 months?

(QD35, QD36)
WRKNUMJOB2 Len : 2 PAST 12 MOS, HOW MANY EMPLOYERS

	Freq	Pct
1 = One	23994	42.31
2 = Two	7553	13.32
3 = Three	1938	3.42
4 = Four or more	1138	2.01
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	313	0.55
97 = REFUSED	497	0.88
98 = BLANK (NO ANSWER)	1388	2.45
99 = LEGITIMATE SKIP	19876	35.05

During the past 12 months, was there ever a time when you did not have at least one job or business?

(QD37)
WRKNJBPYR Len : 2 PAST 12 MOS, TIME WITH NO JOB

	Freq	Pct
1 = Yes	5306	9.36
2 = No	24588	43.36
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	55	0.10
97 = REFUSED	440	0.78
98 = BLANK (NO ANSWER)	1397	2.46
99 = LEGITIMATE SKIP	24911	43.93

In how many weeks during the past 12 months did you not have at least one job or business?

(QD38)
WRKNJBWKS Len : 2 HOW MANY WKS W/O JOB IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 52	4972	8.77
85 = BAD DATA Logically assigned	27	0.05
94 = DON'T KNOW	280	0.49
97 = REFUSED	475	0.84
98 = BLANK (NO ANSWER)	1452	2.56
99 = LEGITIMATE SKIP	49499	87.29

In what year did you last work at a job or business?

(QD39A)
WRKLASTYR2 Len : 4 WHAT YEAR LAST WORKED

	Freq	Pct
RANGE = 1985 - 2023	13649	24.07
1984 = 1984 or earlier	109	0.19
9985 = BAD DATA Logically assigned	98	0.17
9991 = NEVER WORKED AT A JOB OR BUSINESS	4718	8.32
9994 = DON'T KNOW	515	0.91
9997 = REFUSED	292	0.51
9998 = BLANK (NO ANSWER)	1741	3.07
9999 = LEGITIMATE SKIP	35583	62.75

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?

(QD40)
WRKSICKMO Len : 2 # DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	8588	15.15
0 = None	21011	37.05
85 = BAD DATA Logically assigned	53	0.09
94 = DON'T KNOW	255	0.45
97 = REFUSED	485	0.86
98 = BLANK (NO ANSWER)	1419	2.50
99 = LEGITIMATE SKIP	24894	43.90

During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there? Please do not include days you missed because of a planned vacation or days that you stayed home with a sick child or other family member.

(QD41)
WRKSKIPMO Len : 2 # DAYS SKIPPED WORK PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	4516	7.96
0 = None	25097	44.26
85 = BAD DATA Logically assigned	34	0.06
94 = DON'T KNOW	238	0.42
97 = REFUSED	500	0.88
98 = BLANK (NO ANSWER)	1426	2.51
99 = LEGITIMATE SKIP	24894	43.90

At your workplace, is there a written policy about employee use of alcohol or drugs?

(QD43)
WRKDRGPOL Len : 2 WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE

	Freq	Pct
1 = Yes	22253	39.24
2 = No	6794	11.98
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	861	1.52
97 = REFUSED	469	0.83
98 = BLANK (NO ANSWER)	1426	2.51
99 = LEGITIMATE SKIP	24894	43.90

Does this policy cover only alcohol, only drugs, or both alcohol and drugs?

(QD44)
WRKDRGALB Len : 2 DID POLICY COVER ALCOHOL, DRUGS, OR BOTH

	Freq	Pct
1 = Only alcohol	228	0.40
2 = Only drugs	1044	1.84
3 = Both alcohol and drugs	20725	36.55
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	242	0.43
97 = REFUSED	480	0.85
98 = BLANK (NO ANSWER)	2290	4.04
99 = LEGITIMATE SKIP	31688	55.88

At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?

(QD45)
WRKDRGEDU Len : 2 AT WORK, GIVEN EDUCATION ON DRUGS/ALC

	Freq	Pct
1 = Yes	10348	18.25
2 = No	19139	33.75
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	410	0.72
97 = REFUSED	475	0.84
98 = BLANK (NO ANSWER)	1431	2.52
99 = LEGITIMATE SKIP	24894	43.90

Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?

(QD46)
WRKDRGHLP Len : 2 ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK

	Freq	Pct
1 = Yes	14585	25.72
2 = No	13733	24.22
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	1569	2.77
97 = REFUSED	481	0.85
98 = BLANK (NO ANSWER)	1435	2.53
99 = LEGITIMATE SKIP	24894	43.90

Does your workplace ever test its employees for alcohol use?

(QD47)
WRKTSTALC Len : 2 WORKPLACE TESTS FOR ALCOHOL USAGE

	Freq	Pct
1 = Yes	6585	11.61
2 = No	22383	39.47
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	935	1.65
97 = REFUSED	465	0.82
98 = BLANK (NO ANSWER)	1435	2.53
99 = LEGITIMATE SKIP	24894	43.90

Does your workplace ever test its employees for drug use?

(QD48)
WRKTSTDRG Len : 2 WORKPLACE TESTS FOR DRUG USAGE

	Freq	Pct
1 = Yes	11530	20.33
2 = No	17540	30.93
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	836	1.47
97 = REFUSED	460	0.81
98 = BLANK (NO ANSWER)	1437	2.53
99 = LEGITIMATE SKIP	24894	43.90

Does your workplace test its employees for drug or alcohol use as part of the hiring process?

(QD49)
WRKTSTHIR Len : 2 TEST FOR DRUG/ALC AS HIRING PROCESS

	Freq	Pct
1 = Yes	9917	17.49
2 = No	1696	2.99
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	55	0.10
97 = REFUSED	457	0.81
98 = BLANK (NO ANSWER)	2301	4.06
99 = LEGITIMATE SKIP	42271	74.55

Does your workplace test its employees for drug or alcohol use on a random basis?

(QD50)
WRKTSTRDM Len : 2 TEST ON RANDOM BASIS

	Freq	Pct
1 = Yes	6351	11.20
2 = No	5070	8.94
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	242	0.43
97 = REFUSED	462	0.81
98 = BLANK (NO ANSWER)	2301	4.06
99 = LEGITIMATE SKIP	42271	74.55

According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?

(QD51)
WRKTST1ST Len : 2 WHAT HAPPENS FIRST TIME CAUGHT

	Freq	Pct
1 = Handled on indiv basis/policy does not spec what	4255	7.50
2 = Employee is fired	3981	7.02
3 = Employee is referred for treatment or counseling	1786	3.15
4 = Nothing happens	92	0.16
5 = Something else happens	511	0.90
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	1004	1.77
97 = REFUSED	492	0.87
98 = BLANK (NO ANSWER)	2305	4.06
99 = LEGITIMATE SKIP	42271	74.55

Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process?

(QD52)
WRKOKPREH Len : 2 WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE

	Freq	Pct
1 = More likely	7295	12.86
2 = Less likely	4563	8.05
3 = Would it make no difference to you	17811	31.41
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	211	0.37
97 = REFUSED	478	0.84
98 = BLANK (NO ANSWER)	1445	2.55
99 = LEGITIMATE SKIP	24894	43.90

Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis?

(QD53)
WRKOKRAND Len : 2 WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY

	Freq	Pct
1 = More likely	6076	10.72
2 = Less likely	6723	11.86
3 = Would make no difference	16861	29.73
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	214	0.38
97 = REFUSED	478	0.84
98 = BLANK (NO ANSWER)	1451	2.56
99 = LEGITIMATE SKIP	24894	43.90

IMPUTED EMPLOYMENT

The following variable, IRWRKSTAT, replaces EMPSTATY that was created from 2001 to 2014. In 2015 employment questions moved from being interviewer-administered to being self-administered through ACASI. The name changes for employment variables reflect the break in comparability.

(WRKSTATWK2)
IRWRKSTAT Len : 2 EMPLOYMENT STATUS - IMPUTATION REVISED

	Freq	Pct
1 = Employed full time	22485	39.65
2 = Employed part time	8338	14.70
3 = Unemployed	3570	6.30
4 = Other (incl. not in labor force)	16731	29.51
99 = 12-14 year olds	5581	9.84

(WRKSTATWK2)
IIWRKSTAT Len : 1 EMPLOYMENT STATUS - IMPUTATION INDICATOR

	Freq	Pct
1 = Employment status from questionnaire	49256	86.86
3 = Employment statistically imputed	1868	3.29
9 = 12-14 years old	5581	9.84

(WRKSTATWK2)
II2WRKSTAT Len : 1 EMPLOYMENT STATUS - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Employment status from questionnaire	49256	86.86
3 = Emp. statistically imputed (unrestricted)	1780	3.14
4 = Emp. stat. imp. (restr. to full-time or part-time)	88	0.16
9 = 12-14 years old	5581	9.84

IRWRKSTAT18 is a recode of IRWRKSTAT and AGE3. Respondents aged 12-17 are assigned a skip code, regardless of their answers to the employment status questions.

(AGE3, IRWRKSTAT)
IRWRKSTAT18 Len : 2 EMPLOYMENT STATUS 18+ - IMPUTATION REVISED

	Freq	Pct
1 = Employed full time	22182	39.12
2 = Employed part time	6712	11.84
3 = Unemployed	2795	4.93
4 = Other (incl. not in labor force)	13444	23.71
99 = 12-17 year olds	11572	20.41

(AGE3, IIWRKSTAT)
IIWRKSTAT18 Len : 1 EMPLOYMENT STATUS 18+ - IMPUTATION INDICATOR

	Freq	Pct
1 = Employment status from questionnaire	43421	76.57
3 = Employment statistically imputed	1712	3.02
9 = 12-17 years old	11572	20.41

(AGE3, II2WRKSTAT)
II2WRKST18 Len : 1 EMPLOYMENT STATUS 18+ - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Employment status from questionnaire	43421	76.57
3 = Emp. statistically imputed (unrestricted)	1642	2.90
4 = Emp. stat. imp. (restr. to full-time or part-time)	70	0.12
9 = 12-17 years old	11572	20.41

HOUSEHOLD COMPOSITION (ROSTER)

NOTE: Starting from 2003, the following variable, EDFAM18, replaced the variable IRFAM18 (the imputation-revised indicator for having family members in the household aged 18 or older). Prior to 2003, the edited proxy variables were created using IRFAM18. However in 2003, the procedures for creating the edited proxy variables changed due to changes in the proxy questions in the questionnaire. The new procedures required an edited form of this indicator.

EDFAM18 Len : 2 RC-EDITED INDICATOR: FAMILY IN HH 18 OR OLDER

	Freq	Pct
0 = R has other family members >=18	45718	80.62
1 = R does not have other family members >=18	9631	16.98
98 = UNKNOWN	1356	2.39

IMOTHER Len : 1 RC-MOTHER IN HH

	Freq	Pct
1 = R is 12-17, mother in hh	10465	18.46
2 = R is 12-17, no mother in hh	1027	1.81
3 = R is 12-17, don't know whether mother is in hh	80	0.14
4 = R is 18 or older	45133	79.59

IFATHER Len : 1 RC-FATHER IN HH

	Freq	Pct
1 = R is 12-17, father in hh	8086	14.26
2 = R is 12-17, no father in hh	3379	5.96
3 = R is 12-17, don't know whether father is in hh	107	0.19
4 = R is 18 or older	45133	79.59

NRCH17_2 Len : 1 RECODED # R's CHILDREN < 18 IN HOUSEHOLD

	Freq	Pct
RANGE = 0 - 2	52236	92.12
. = Missing	1587	2.80
3 = 3 or more	2882	5.08

IRHHSIZ2 Len : 1 RECODE - IMPUTATION-REVISED # PERSONS IN HH

	Freq	Pct
1 = One person in household	5903	10.41
2 = Two people in household	13938	24.58
3 = Three people in household	11851	20.90
4 = Four people in household	12440	21.94
5 = Five people in household	7028	12.39
6 = 6 or more people in household	5545	9.78

IIHHSIZ2 Len : 1 IRHHSIZ2-IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55367	97.64
3 = Statistically imputed data	1338	2.36

IRKI17_2 Len : 1 RECODE - IMPUTATION-REVISED # KIDS AGED<18 IN HH

	Freq	Pct
1 = No children under 18	27407	48.33
2 = One child under 18	11584	20.43
3 = Two children under 18	10186	17.96
4 = Three or more children under 18	7528	13.28

IIKI17_2 Len : 1 IRKI17_2-IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55200	97.35
3 = Statistically imputed data	1505	2.65

IRHH65_2 Len : 1 REC - IMPUTATION-REVISED # OF PER IN HH AGED>=65

	Freq	Pct
1 = No people 65 or older in household	47022	82.92
2 = One person 65 or older in household	6021	10.62
3 = Two or more people 65 or older in household	3662	6.46

IIHH65_2 Len : 1 IRHH65_2-IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55213	97.37
3 = Statistically imputed data	1492	2.63

PROXY INFORMATION

PRXRETRY was created starting in 2014 and indicates whether respondents younger than 18 selected another proxy if their previously selected proxy was unavailable.

(QP03A)
PRXRETRY Len : 2 SELECTED PROXY UNAVAILABLE, OTHER PROXY AVAILABLE?

	Freq	Pct
2 = No	955	1.68
94 = DON'T KNOW	123	0.22
97 = REFUSED	43	0.08
98 = BLANK (NO ANSWER)	2697	4.76
99 = LEGITIMATE SKIP	52887	93.27

(HASJOIN)
PRXYDATA Len : 2 IS PROXY ANSWERING INSURANCE/INCOME QS

	Freq	Pct
1 = Yes	14552	25.66
2 = No	85	0.15
94 = DON'T KNOW	122	0.22
97 = REFUSED	44	0.08
98 = BLANK (NO ANSWER)	1651	2.91
99 = LEGITIMATE SKIP (Respondent answering)	40251	70.98

HEALTH INSURANCE

The next questions are about [SAMPLE MEMBER POSS] health insurance coverage and the kinds and amounts of income that [SAMPLE MEMBER] and other people in your family receive.This information will help in planning health care services and finding ways to lower costs of care.

NOTE: Respondents under the age of 65 who reported that they were covered by Medicare were asked to confirm their answer.

Several government programs provide medical care or help pay medical bills.

Medicare is a health insurance program for people aged 65 and older and for certain people with disabilities. Is [SAMPLE MEMBER A] covered by Medicare?

(QHI01, QHI01V)
MEDICARE Len : 2 COVERED BY MEDICARE

	Freq	Pct
1 = Yes	6190	10.92
2 = No	48809	86.08
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	228	0.40
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	1408	2.48

NOTE: The variable CAIDCHIP was created from responses to the first question shown below for respondents who were aged 20 or older. For respondents who were aged 12 to 19, CAIDCHIP was created from responses to the two questions shown below. Respondents aged 65 or older who reported that they were covered by Medicaid were asked to confirm their answer.

Medicaid is a public assistance program that pays for medical care for people with low income and people with disabilities. The Medicaid program in [STATE FILL] is also called [MEDIFILL]. Medicaid may also be called Medical Assistance.

Is [SAMPLE MEMBER A] covered by Medicaid?

Is [SAMPLE MEMBER A] currently covered by [CHIPFILL]?

(QHI02, QHI02A, QHI02V)
CAIDCHIP Len : 2 COVERED BY MEDICAID/CHIP

	Freq	Pct
1 = Yes	15856	27.96
2 = No	38937	68.67
85 = BAD DATA Logically assigned	87	0.15
94 = DON'T KNOW	344	0.61
97 = REFUSED	68	0.12
98 = BLANK (NO ANSWER)	1413	2.49

There are certain programs that cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.

Is [SAMPLE MEMBER A] currently covered by TRICARE, or CHAMPUS, CHAMPVA, the VA, or military health care?

(QHI03)
CHAMPUS Len : 2 COV BY TRICARE, CHAMPUS, CHAMPVA, VA, MILITARY

	Freq	Pct
1 = Yes	2166	3.82
2 = No	52925	93.33
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	149	0.26
97 = REFUSED	46	0.08
98 = BLANK (NO ANSWER)	1416	2.50

Private health insurance can be obtained through work, such as through an employer, union, or professional association, by paying premiums directly to a health insurance company, or by purchasing a plan through the Health Insurance Marketplace. It includes coverage by a health maintenance organization or HMO, fee for service plans, and single service plans.

Is [SAMPLE MEMBER A] currently covered by private health insurance?

(QHI06)
PRVHLTIN Len : 2 COVERED BY PRIVATE INSURANCE

	Freq	Pct
1 = Yes	31178	54.98
2 = No	23713	41.82
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	322	0.57
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	1419	2.50

Was [SAMPLE MEMBER POSS] private health insurance obtained through work, such as through an employer, union, or professional association? It can be through any family member's employment, not just [SAMPLE MEMBER POSS] employment.

(QHI07)
GRPHLTIN Len : 2 PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION

	Freq	Pct
1 = Yes	27344	48.22
2 = No	3763	6.64
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	64	0.11
97 = REFUSED	73	0.13
98 = BLANK (NO ANSWER)	1746	3.08
99 = LEGITIMATE SKIP (PRVHLTIN = 2)	23713	41.82

Does [SAMPLE MEMBER POSS] private health insurance include coverage for treatment for any of the following conditions?

Alcohol abuse or alcoholism?

(QHI08)
HLTINALC Len : 2 PRIVATE INSURANCE COVERS TRMT FOR ALCOHOL ABUSE/ALCOHOLISM

	Freq	Pct
1 = Yes	17743	31.29
2 = No	5615	9.90
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	7800	13.76
97 = REFUSED	83	0.15
98 = BLANK (NO ANSWER)	1749	3.08
99 = LEGITIMATE SKIP (PRVHLTIN = 2)	23713	41.82

Drug abuse?

(QHI09)
HLTINDRG Len : 2 PRIVATE INSURANCE COVERS TRMT FOR DRUG ABUSE

	Freq	Pct
1 = Yes	17664	31.15
2 = No	5785	10.20
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	7706	13.59
97 = REFUSED	86	0.15
98 = BLANK (NO ANSWER)	1749	3.08
99 = LEGITIMATE SKIP (PRVHLTIN = 2)	23713	41.82

Mental or emotional problems?

(QHI10)
HLTINMNT Len : 2 PRIVATE INSURANCE COVERS TRMT FOR MENTAL/EMOTIONAL PROBLEMS

	Freq	Pct
1 = Yes	23899	42.15
2 = No	3739	6.59
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	3520	6.21
97 = REFUSED	83	0.15
98 = BLANK (NO ANSWER)	1749	3.08
99 = LEGITIMATE SKIP (PRVHLTIN = 2)	23713	41.82

Is [SAMPLE MEMBER A] currently covered by any kind of health insurance, that is, any policy or program that provides or pays for medical care?

(QHI11)
HLTINNOS Len : 2 COVERED BY HEALTH INSUR (NOT OTHERWISE SPECIFIED)

	Freq	Pct
1 = Yes	1295	2.28
2 = No	4923	8.68
94 = DON'T KNOW	26	0.05
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1410	2.49
99 = LEGITIMATE SKIP	49047	86.50

During the past 12 months, that is from [DATE FILL] through today, was there any time when [SAMPLE MEMBER] did not have any kind of health insurance or coverage?

(QHI13)
HLCNOTYR Len : 2 ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS

	Freq	Pct
1 = Yes	2418	4.26
2 = No	47323	83.45
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	94	0.17
97 = REFUSED	99	0.17
98 = BLANK (NO ANSWER)	1830	3.23
99 = LEGITIMATE SKIP	4923	8.68

During the past 12 months, that is from [DATE FILL] through today, about how many months [were you/was SAMPLE MEMBER] without any kind of health insurance or coverage?

(QHI14)
HLCNOTMO Len : 2 PAST 12 MOS, HOW MANY MOS W/O COVERAGE

	Freq	Pct
RANGE = 1 - 12	2397	4.23
94 = DON'T KNOW	15	0.03
97 = REFUSED	104	0.18
98 = BLANK (NO ANSWER)	1943	3.43
99 = LEGITIMATE SKIP	52246	92.14

About how long has it been since (SAMPLE MEMBER) last had any kind of health coverage?

(QHI15)
HLCLAST Len : 2 TIME SINCE LAST HAD HEALTH CARE COVERAGE

	Freq	Pct
1 = Within the past 6 months	1169	2.06
2 = More than 6 months ago, but within the past year	513	0.90
3 = More than 1 year ago, but within the past 3 years	821	1.45
4 = More than 3 years ago	1181	2.08
5 = Never had coverage	1123	1.98
94 = DON'T KNOW	78	0.14
97 = REFUSED	125	0.22
98 = BLANK (NO ANSWER)	1833	3.23
99 = LEGITIMATE SKIP	49862	87.93

Which of the reasons on this card is the main reason why [SAMPLE MEMBER] stopped being covered by health insurance?

(QHI17)
HLLOSRSN Len : 2 MAIN REASON STOPPED COVERED BY HEALTH INSURANCE

	Freq	Pct
1 = Pers in family w/health ins lost job/chng employer	626	1.10
2 = Lost Medicaid/Med Assist b/c new job/incr income	358	0.63
3 = Lost Medicaid/Med Assist some other reason	263	0.46
4 = Cost is too high/can't afford premiums	844	1.49
5 = Became ineligible because of age or leaving school	337	0.59
6 = Employer does not offer coverage, or not eligible	243	0.43
7 = Got divorced or separated from person w/insurance	48	0.08
8 = Death of spouse or parent	26	0.05
9 = Insurance company refused coverage	39	0.07
10 = Don't need it	236	0.42
11 = Received Medicaid/med insur only while pregnant	79	0.14
12 = Some other reason	561	0.99
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	84	0.15
97 = REFUSED	129	0.23
98 = BLANK (NO ANSWER)	1837	3.24
99 = LEGITIMATE SKIP	50985	89.91

Which of the reasons on this card describe why [SAMPLE MEMBER] never had health insurance coverage?

(QHI181)
HLNVCOST Len : 2 NEVER HAD HEALTH INSURANCE BECAUSE COST TOO HIGH

	Freq	Pct
1 = Response entered	392	0.69
6 = Response not entered	722	1.27
94 = DON'T KNOW	5	0.01
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	1905	3.36
99 = LEGITIMATE SKIP	53590	94.51

(QHI182)
HLNVOFFR Len : 2 NEVER HAD HEALTH INSURANCE BECAUSE EMPLOYER DOESN'T OFFER

	Freq	Pct
1 = Response entered	123	0.22
6 = Response not entered	991	1.75
94 = DON'T KNOW	5	0.01
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	1905	3.36
99 = LEGITIMATE SKIP	53590	94.51

(QHI183)
HLNVREF Len : 2 NEVER HAD HEALTH INSURANCE BC INS COMPANY REFUSED COVERAGE

	Freq	Pct
1 = Response entered	18	0.03
6 = Response not entered	1096	1.93
94 = DON'T KNOW	5	0.01
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	1905	3.36
99 = LEGITIMATE SKIP	53590	94.51

(QHI184)
HLNVNEED Len : 2 NEVER HAD HEALTH INSURANCE BECAUSE DON'T NEED IT

	Freq	Pct
1 = Response entered	257	0.45
6 = Response not entered	857	1.51
94 = DON'T KNOW	5	0.01
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	1905	3.36
99 = LEGITIMATE SKIP	53590	94.51

(QHI185)
HLNVSOR Len : 2 NEVER HAD HEALTH INSURANCE BECAUSE OF SOME OTHER REASON

	Freq	Pct
1 = Response entered	381	0.67
6 = Response not entered	733	1.29
94 = DON'T KNOW	5	0.01
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	1905	3.36
99 = LEGITIMATE SKIP	53590	94.51

IMPUTED HEALTH INSURANCE

(MEDICARE)
IRMEDICR Len : 1 MEDICARE - IMPUTATION REVISED

	Freq	Pct
1 = Yes, respondent does have Medicare	6377	11.25
2 = No, respondent does not have Medicare	50328	88.75

(MEDICARE)
IIMEDICR Len : 1 MEDICARE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	54999	96.99
3 = Statistically imputed data	1706	3.01

(CAIDCHIP)
IRMCDCHP Len : 1 MEDICAID/CHIP - IMPUTATION REVISED

	Freq	Pct
1 = Yes, respondent does have Medicaid/CHIP	16380	28.89
2 = No, respondent does not have Medicaid/CHIP	40325	71.11

(CAIDCHIP)
IIMCDCHP Len : 1 MEDICAID/CHIP - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	54793	96.63
3 = Statistically imputed data	1912	3.37

(CHAMPUS)
IRCHMPUS Len : 1 CHAMPUS - IMPUTATION REVISED

	Freq	Pct
1 = Yes, R has Tricare, Champus, VA, Military health	2233	3.94
2 = No, R doesn't have Tricare, Chmps, VA, Military health	54472	96.06

(CHAMPUS)
IICHMPUS Len : 1 CHAMPUS - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55091	97.15
3 = Statistically imputed data	1614	2.85

(PRVHLTIN)
IRPRVHLT Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION REVISED

	Freq	Pct
1 = Yes, R does have private health insurance	32146	56.69
2 = No, R does not have private health insurance	24559	43.31

(PRVHLTIN)
IIPRVHLT Len : 1 PRIVATE HEALTH INSURANCE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	54891	96.80
3 = Statistically imputed data	1814	3.20

A respondent is eligible for the other health insurance question if they satisfied the following conditions.

(1) Not covered by Medicare (IRMEDICR=2)
(2) Not covered by Medicaid/CHIP (IRMCDCHP=2)
(3) Not covered by Tricare, Champus, ChampVA, VA, or Military (IRCHMPUS=2)
(4) Not covered by private insurance (IRPRVHLT=2)

Otherwise, they are not eligible and IROTHHLT=99.

(ANYHLTI2, CAIDCHIP, CHAMPUS, IRCHMPUS, IRMCDCHP, IRMEDICR, IRPRVHLT, MEDICARE, PRVHLTIN)
IROTHHLT Len : 2 OTHER HEALTH INSURANCE - IMPUTATION REVISED

	Freq	Pct
1 = Yes, R is covered by other health insurance	1384	2.44
2 = No, R is not covered by other health insurance	5273	9.30
99 = LEGITIMATE SKIP	50048	88.26

(ANYHLTI2, CAIDCHIP, CHAMPUS, IRCHMPUS, IRMCDCHP, IRMEDICR, IRPRVHLT, MEDICARE, PRVHLTIN)
IIOTHHLT Len : 1 OTHER HEALTH INSURANCE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	6218	10.97
3 = Statistically imputed data	1920	3.39
9 = LEGITIMATE SKIP	48567	85.65

RECODED HEALTH INSURANCE

NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) reported that the respondent was covered by all of the following: Medicare, Medicaid, the Children's Health Insurance Program (if aged 12 to 19), military health care, and private health insurance. The variable HLCALL99 also is a created "flag" variable that indicates when respondents were reported to be covered by Medicare, Medicaid, military health care, and private health insurance. This HLCALL99 variable is comparable to HLCALLFG in 1999, when these four types of health insurance were the only types of current coverage that were asked about in the interview.

HLCALLFG Len : 2 FLAG IF EVERY FORM OF HEALTH INS REPORTED

	Freq	Pct
1 = Answered yes to all current health insurance Qs	24	0.04
98 = BLANK (NO ANSWER)	56681	99.96

HLCALL99 Len : 2 YES TO MEDICARE/MEDICAID/CHAMPUS/PRVHLTIN

	Freq	Pct
1 = Yes	24	0.04
98 = BLANK (NO ANSWER)	56681	99.96

NOTE: The following variable, ANYHLTI2, was created from the source variables MEDICARE, CAIDCHIP, CHAMPUS, PRVHLTIN, and HLTINNOS.

(CAIDCHIP, CHAMPUS, HLTINNOS, MEDICARE, PRVHLTIN)
ANYHLTI2 Len : 2 COVERED BY ANY HEALTH INSURANCE - RECODE

	Freq	Pct
1 = Yes	49862	87.93
2 = No	4923	8.68
94 = DON'T KNOW	399	0.70
97 = REFUSED	87	0.15
98 = OTHER MISSING	1434	2.53

For IRINSUR4, a respondent is classified as having any health insurance (IRINSUR4=1) if they satisfied ANY of the following conditions.

(1) Covered by Medicare (IRMEDICR=1)
(2) Covered by Medicaid/CHIP (IRMCDCHP=1)
(3) Covered by Tricare, Champus, ChampVA, VA, or Military (IRCHMPUS=1)
(4) Covered by private insurance (IRPRVHLT=1)
(5) Covered by other health insurance (IROTHHLT=1)

A respondent is classified as NOT having any health insurance (IRINSUR4=2) if they meet EVERY one of the following conditions

(1) Not covered by Medicare (IRMEDICR=2)
(2) Not covered by Medicaid/CHIP (IRMCDCHP=2)
(3) Not covered by Tricare, Champus, ChampVA, VA, or Military (IRCHMPUS=2)
(4) Not covered by private insurance (IRPRVHLT=2)
(5) Not covered by other health insurance (IROTHHLT=2)

(IRCHMPUS, IRMCDCHP, IRMEDICR, IROTHHLT, IRPRVHLT)
IRINSUR4 Len : 1 RC-OVERALL HEALTH INSURANCE - IMPUTATION REVISED

	Freq	Pct
1 = Yes, respondent is covered by health insurance	51432	90.70
2 = No, respondent is not covered by health insurance	5273	9.30

(IRCHMPUS, IRMCDCHP, IRMEDICR, IROTHHLT, IRPRVHLT)
IIINSUR4 Len : 1 RC-OVERALL HEALTH INSURANCE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	54785	96.61
3 = Statistically imputed data	1920	3.39

(IRCHMPUS, IRMEDICR, IROTHHLT)
OTHINS Len : 1 RC-HEALTH INSURANCE OTHER THAN PRIVATE, MEDICAID/CHIP

	Freq	Pct
1 = Have Oth Hlth Insur (IRMEDICR=1 or IRCHMPUS=1 or IROTHHLT=1)	9392	16.56
2 = Does not have Other Health Insurance (Otherwise)	47313	83.44

INCOME

Do you or anyone at this address have a working cell phone?

(CELL2)
CELLWRKNG Len : 2 WORKING CELL PHONE

	Freq	Pct
1 = Yes	53768	94.82
2 = No	1278	2.25
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	29	0.05
97 = REFUSED	91	0.16
98 = BLANK (NO ANSWER)	1535	2.71

Is there at least one telephone at this address that is not a cell phone?

(CELL1)
CELLNOTCL Len : 2 NOT A CELL PHONE

	Freq	Pct
1 = Yes	9399	16.58
2 = No	45667	80.53
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	36	0.06
97 = REFUSED	61	0.11
98 = BLANK (NO ANSWER)	1538	2.71

IMPUTED INCOME

IRFAMSOC Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION REVISED

	Freq	Pct
1 = Yes	10152	17.90
2 = No	46553	82.10

IIFAMSOC Len : 1 FAM RECEIVE SS OR RR PAYMENTS - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	54761	96.57
3 = Statistically imputed data	1944	3.43

IRFAMSSI Len : 1 FAM RECEIVE SSI - IMPUTATION REVISED

	Freq	Pct
1 = Yes	3941	6.95
2 = No	52764	93.05

IIFAMSSI Len : 1 FAM RECEIVE SSI - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	54731	96.52
3 = Statistically imputed data	1974	3.48

IRFSTAMP Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION REVISED

	Freq	Pct
1 = Yes	11347	20.01
2 = No	45358	79.99

IIFSTAMP Len : 1 RESP/OTH FAM MEM REC FOOD STAMPS - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	54936	96.88
3 = Statistically imputed data	1769	3.12

IRFAMPMT Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION REVISED

	Freq	Pct
1 = Yes	1226	2.16
2 = No	55479	97.84

IIFAMPMT Len : 1 FAM RECEIVE PUBLIC ASSIST - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	54750	96.55
3 = Statistically imputed data	1955	3.45

IRFAMSVC Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION REVISED

	Freq	Pct
1 = Yes	1683	2.97
2 = No	55022	97.03

IIFAMSVC Len : 1 FAM REC WELFARE/JOB PL/CHILDCARE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	54941	96.89
3 = Statistically imputed data	1764	3.11

(IRFAMPMT, IRFAMSVC)

IRWELMOS Len : 2 NO OF MONTHS ON WELFARE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 12	2525	4.45
99 = LEGITIMATE SKIP	54180	95.55

IIWELMOS Len : 1 NO OF MONTHS ON WELFARE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	2388	4.21
3 = Statistically imputed data	2095	3.69
9 = LEGITIMATE SKIP	52222	92.09

IRPINC3 Len : 2 RECODE -RESP TOT INCOME - IMPUTATION REVISED

	Freq	Pct
1 = Less than $10,000 (Including Loss)	21742	38.34
2 = $10,000 - $19,999	7740	13.65
3 = $20,000 - $29,999	5110	9.01
4 = $30,000 - $39,999	4689	8.27
5 = $40,000 - $49,999	3845	6.78
6 = $50,000 - $74,999	5592	9.86
7 = $75,000 or more	7987	14.09

IRFAMIN3 Len : 1 RECODE - TOT FAM INCOME - IMPUTATION REVISED

	Freq	Pct
1 = Less than $10,000 (Including Loss)	3886	6.85
2 = $10,000 - $19,999	5316	9.37
3 = $20,000 - $29,999	4836	8.53
4 = $30,000 - $39,999	5132	9.05
5 = $40,000 - $49,999	5430	9.58
6 = $50,000 - $74,999	8238	14.53
7 = $75,000 or more	23867	42.09

IIPINC3 Len : 1 RECODE - RESP TOT INCOME - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	53591	94.51
3 = Statistically imputed data	3114	5.49

IIFAMIN3 Len : 1 RECODE - TOT FAM INCOME - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	50884	89.73
3 = Statistically imputed data	5821	10.27

RECODED INCOME

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or imputed variables from the two preceding sections.

The following variable, GOVTPROG, was created by examination of these government assistance program variables: Supplemental Security Income (IRFAMSSI), food stamps (IRFSTAMP), cash assistance (IRFAMPMT), and non-cash assistance (IRFAMSVC).

(IRFAMPMT, IRFAMSSI, IRFAMSVC, IRFSTAMP)

GOVTPROG Len : 1 RC-PARTICIPATED IN ONE OR MORE GOVT ASSIST PROGRAMS

	Freq	Pct
1 = Yes (Any source variable=1)	13464	23.74
2 = No (All source variables=2)	43241	76.26

INCOME Len : 1 RC-TOTAL FAMILY INCOME RECODE

	Freq	Pct
1 = Less than $20,000	9202	16.23
2 = $20,000 - $49,999	15398	27.15
3 = $50,000 - $74,999	8238	14.53
4 = $75,000 or More	23867	42.09

The following variable, POVERTY3, indicates a person's family income relative to poverty thresholds. The U.S. Census Bureau assigns a poverty threshold for each combination of family size and number of children in the household. To be at 100% of the poverty threshold is equivalent to having a family income that is the same as the poverty threshold. A poverty level less than 100% indicates having a family income less than the poverty threshold and therefore defined by the Federal government as living in poverty. A poverty level greater than 100% indicates having a family income greater than the poverty threshold. The previously created variable POVERTY2, was created using the recoded version of family income that had a top-coded level of $100,000 or more. Starting in 2015, the finer income questions were revised to expand the top level to include the responses $100,000 - $149,999 and $150,000 or more. The variable POVERTY3 account for these additional income levels through the use of the finer family income variable. Despite these changes, POVERTY3 is considered comparable with POVERTY2.

POVERTY3 was created for each individual based on their poverty threshold (determined by their age, family size, the number of children in the household, and total family income). Since NSDUH only collects categorical values of family income, for each level of income, the midpoint of each range was assigned as the effective family income. The highest level of income, $150,000 or more, was assigned a value of $180,000. Prior to the questionnaire change in 2015 that expanded the top level of income categories, the highest level of income was $100,000 or more and the assigned family income was $120,000. Family income was divided by the poverty threshold and multiplied by 100 to show family income as a percentage of the federal poverty threshold. Respondents aged 18 to 22 currently living in a college dormitory (GQTYPE2='C') were set to system missing and do not have a valid value for this variable.

POVERTY3 Len : 1 RC-POVERTY LEVEL (% OF US CENSUS POVERTY THRESHOLD)

	Freq	Pct
. = Persons Aged 18-22 in a College Dorm (See comment above)	11	0.02
1 = Living in Poverty (See comment above)	11634	20.52
2 = Income Up to 2X Fed Pov Thresh (See comment above)	11295	19.92
3 = Income More Than 2X Fed Pov Thresh (See comment above)	33765	59.55

SPECIAL TOPICS

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

The next questions are about encounters with the police or the court system.

Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?

Being "booked" means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.

(SP01)
BOOKED[1] Len : 2 EVER ARRESTED AND BOOKED FOR BREAKING THE LAW

	Freq	Pct
1 = Yes	6043	10.66
2 = No	49805	87.83
3 = Yes LOGICALLY ASSIGNED	256	0.45
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	52	0.09
97 = REFUSED	101	0.18
98 = BLANK (NO ANSWER)	445	0.78

Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?

(SP02, SP03S)
NOBOOKY2[1] Len : 3 # TIMES ARRESTED AND BOOKED PAST 12 MONTHS

	Freq	Pct
0 = None	5198	9.17
1 = One time	606	1.07
2 = Two times	119	0.21
3 = Three or more times	86	0.15
985 = BAD DATA Logically assigned	4	0.01
994 = DON'T KNOW	17	0.03
997 = REFUSED	117	0.21
998 = BLANK (NO ANSWER)	753	1.33
999 = LEGITIMATE SKIP (BOOKED=2)	49805	87.83

The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.

In the past 12 months, were you arrested and booked for motor vehicle theft?

(SP03A)
BKMVTHFT[1] Len : 2 ARRSTD & BOOKED FOR MOT VEH THEFT PAST 12 MONTHS

	Freq	Pct
1 = Yes	48	0.08
2 = No	786	1.39
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	225	0.40
97 = REFUSED	104	0.18
98 = BLANK (NO ANSWER)	754	1.33
99 = LEGITIMATE SKIP	54778	96.60

In the past 12 months, were you arrested and booked for larceny or theft? Do not include motor vehicle theft.

(SP03B)
BKLARCNY[1] Len : 2 ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS

	Freq	Pct
1 = Yes	90	0.16
2 = No	737	1.30
3 = Yes LOGICALLY ASSIGNED	7	0.01
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	225	0.40
94 = DON'T KNOW	1	0.00
97 = REFUSED	103	0.18
98 = BLANK (NO ANSWER)	754	1.33
99 = LEGITIMATE SKIP	54778	96.60

In the past 12 months, were you arrested and booked for burglary or breaking and entering?

(SP03C)
BKBURGL[1] Len : 2 ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS

	Freq	Pct
1 = Yes	46	0.08
2 = No	786	1.39
3 = Yes LOGICALLY ASSIGNED	2	0.00
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	225	0.40
94 = DON'T KNOW	1	0.00
97 = REFUSED	103	0.18
98 = BLANK (NO ANSWER)	754	1.33
99 = LEGITIMATE SKIP	54778	96.60

NOTE: BKSRVIOL was created from answers to the following questions:

In the past 12 months, were you arrested and booked for aggravated assault?

In the past 12 months, were you arrested and booked for forcible rape?

In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?

(SP03D, SP03G, SP03H)
BKSRVIOL[1] Len : 2 ARRSTD & BOOKED SERIOUS VIOL OFFENSE PST 12 MOS

	Freq	Pct
1 = Yes	95	0.17
2 = No	736	1.30
3 = Yes LOGICALLY ASSIGNED	3	0.01
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	225	0.40
97 = REFUSED	103	0.18
98 = BLANK (NO ANSWER)	755	1.33
99 = LEGITIMATE SKIP	54778	96.60

In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?

(SP03E)
BKSMASLT[1] Len : 2 ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS

	Freq	Pct
1 = Yes	140	0.25
2 = No	676	1.19
3 = Yes LOGICALLY ASSIGNED	17	0.03
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	225	0.40
94 = DON'T KNOW	2	0.00
97 = REFUSED	103	0.18
98 = BLANK (NO ANSWER)	754	1.33
99 = LEGITIMATE SKIP	54778	96.60

In the past 12 months, were you arrested and booked for robbery?

(SP03F)
BKROB[1] Len : 2 ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS

	Freq	Pct
1 = Yes	38	0.07
2 = No	796	1.40
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	225	0.40
97 = REFUSED	103	0.18
98 = BLANK (NO ANSWER)	755	1.33
99 = LEGITIMATE SKIP	54778	96.60

In the past 12 months, were you arrested and booked for arson?

(SP03I)
BKARSON[1] Len : 2 ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS

	Freq	Pct
1 = Yes	12	0.02
2 = No	822	1.45
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	225	0.40
97 = REFUSED	103	0.18
98 = BLANK (NO ANSWER)	755	1.33
99 = LEGITIMATE SKIP	54778	96.60

In the past 12 months, were you arrested and booked for driving under the influence of alcohol or drugs?

(SP03J)
BKDRVINF[1] Len : 2 ARRSTD & BOOKED FOR DUI PAST 12 MONTHS

	Freq	Pct
1 = Yes	153	0.27
2 = No	673	1.19
3 = Yes LOGICALLY ASSIGNED	8	0.01
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	225	0.40
97 = REFUSED	103	0.18
98 = BLANK (NO ANSWER)	755	1.33
99 = LEGITIMATE SKIP	54778	96.60

In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?

(SP03K)
BKDRUNK[1] Len : 2 ARRSTD & BOOKED FOR DRUNKENNESS PAST 12 MONTHS

	Freq	Pct
1 = Yes	83	0.15
2 = No	747	1.32
3 = Yes LOGICALLY ASSIGNED	4	0.01
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	225	0.40
97 = REFUSED	103	0.18
98 = BLANK (NO ANSWER)	755	1.33
99 = LEGITIMATE SKIP	54778	96.60

In the past 12 months, were you arrested and booked for possession of tobacco?

(SP03L)
BKPOSTOB[1] Len : 2 ARRSTD & BOOKED FOR POSSES OF TOB PAST 12 MOS

	Freq	Pct
1 = Yes	4	0.01
2 = No	100	0.18
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	11	0.02
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	130	0.23
99 = LEGITIMATE SKIP	56443	99.54

In the past 12 months, were you arrested and booked for possession, manufacture, or sale of drugs?

(SP03M)
BKDRUG[1] Len : 2 ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS

	Freq	Pct
1 = Yes	117	0.21
2 = No	709	1.25
3 = Yes LOGICALLY ASSIGNED	8	0.01
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	225	0.40
97 = REFUSED	103	0.18
98 = BLANK (NO ANSWER)	755	1.33
99 = LEGITIMATE SKIP	54778	96.60

NOTE: BKSEXNR was created from answers to the following questions:

In the past 12 months, were you arrested and booked for prostitution or commercialized sex?

In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?

(SP03N, SP03O)
BKSEXNR[1] Len : 2 ARRSTD & BOOKED SEX OFFENSE EXCL RAPE PST 12 MOS

	Freq	Pct
1 = Yes	21	0.04
2 = No	811	1.43
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	225	0.40
94 = DON'T KNOW	1	0.00
97 = REFUSED	104	0.18
98 = BLANK (NO ANSWER)	755	1.33
99 = LEGITIMATE SKIP	54778	96.60

In the past 12 months, were you arrested and booked for fraud, possessing stolen goods, or vandalism?

(SP03P)
BKFRAUD[1] Len : 2 ARRSTD & BOOKED FOR FRAUD/STOL GOODS PAST 12 MOS

	Freq	Pct
1 = Yes	39	0.07
2 = No	782	1.38
3 = Yes LOGICALLY ASSIGNED	12	0.02
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	225	0.40
94 = DON'T KNOW	1	0.00
97 = REFUSED	103	0.18
98 = BLANK (NO ANSWER)	755	1.33
99 = LEGITIMATE SKIP	54778	96.60

NOTE: For the variable BKOTH, a code of 3 indicates that respondents did not originally answer "yes" to any of the questions about specific offenses for which they were arrested/booked in the past 12 months, including the question about "some other offense." However, these respondents subsequently specified a valid response for an offense in the past 12 months. A code of 5 in BKOTH indicates that respondents reported being arrested/booked at least once in the past 12 months but did not indicate at least one offense for which they were arrested in that period.

In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.

(SP03Q)
BKOTH[1] Len : 2 ARRSTD & BOOKED FOR SOME OTHER OFF PAST 12 MOS

	Freq	Pct
1 = Yes	189	0.33
2 = No	511	0.90
3 = Yes LOGICALLY ASSIGNED	85	0.15
5 = Offense unknown	48	0.08
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	225	0.40
97 = REFUSED	104	0.18
98 = BLANK (NO ANSWER)	755	1.33
99 = LEGITIMATE SKIP	54778	96.60

(SP03QSC, SP03RSC, SP03SSC)
BKOTHOF2[1] Len : 2 OTHER OFFENSE PAST 12 MONTHS - SPECIFY

	Freq	Pct
2 = Larceny or theft	8	0.01
3 = Burglary or breaking and entering	3	0.01
4 = Serious violent offense	4	0.01
5 = Other assault, such as simple assault or battery	22	0.04
10 = Driving under the influence of alcohol or drugs	9	0.02
11 = Drunkenness or other liquor law violation	4	0.01
13 = Possession, manufacture, or sale of drugs	9	0.02
16 = Fraud, possessing stolen goods, vandalism	12	0.02
17 = Some other offense	16	0.03
18 = Weapons law violations	26	0.05
20 = Viol of court order/probation/parole, perjury	45	0.08
21 = Disorderly conduct	15	0.03
23 = All oth offns: crimes agnst persons/prprty/society	8	0.01
24 = Traffic violations	23	0.04
27 = Trespass of real property	9	0.02
29 = Family offenses, nonviolent	7	0.01
31 = Intimidation	3	0.01
36 = Possession of drug paraphernalia	5	0.01
38 = Evading/hindering/obstructing police	17	0.03
47 = Harassment; intimidation not specified	6	0.01
85 = BAD DATA Logically assigned	67	0.12
94 = DON'T KNOW	4	0.01
97 = REFUSED	114	0.20
98 = BLANK (NO ANSWER)	755	1.33
99 = LEGITIMATE SKIP	55514	97.90

Were you on probation at any time during the past 12 months?

(SP04)
PROBATON[1] Len : 2 ON PROBATION AT ANY TIME PAST 12 MONTHS

	Freq	Pct
1 = Yes	844	1.49
2 = No	55254	97.44
85 = BAD DATA Logically assigned	7	0.01
94 = DON'T KNOW	82	0.14
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	449	0.79

Were you on parole, supervised release, or other conditional release from prison at any time during the past 12 months?

(SP05)
PAROLREL[1] Len : 2 ON PAROLE/SUPRV RELEASE PAST 12 MONTHS

	Freq	Pct
1 = Yes	357	0.63
2 = No	55772	98.35
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	53	0.09
97 = REFUSED	64	0.11
98 = BLANK (NO ANSWER)	450	0.79

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol?

(SP06A)
DRVINALCO Len : 2 DROVE UNDER INFLUENCE OF ALCOHOL PST 12 MOS

	Freq	Pct
1 = Yes	2977	5.25
2 = No	29572	52.15
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	7086	12.50
94 = DON'T KNOW	18	0.03
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	551	0.97

During the past 12 months, have you driven a vehicle while you were under the influence of marijuana?

(SP06B)
DRVINMARJ Len : 2 DROVE UNDER INFLUENCE OF MARIJUANA PST 12 MOS

	Freq	Pct
1 = Yes	2814	4.96
2 = No	11177	19.71
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	12	0.02
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	334	0.59

During the past 12 months, have you driven a vehicle while you were under the influence of [COKEFILL]?

(SP06C)
DRVINCOCN Len : 2 DROVE UNDER INFLU OF COCAINE PST 12 MOS

	Freq	Pct
1 = Yes	175	0.31
2 = No	878	1.55
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS	5368	9.47
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	100	0.18

During the past 12 months, have you driven a vehicle while you were under the influence of heroin?

(SP06D)
DRVINHERN Len : 2 DROVE UNDER INFLUENCE OF HEROIN PAST 12 MOS

	Freq	Pct
1 = Yes	52	0.09
2 = No	114	0.20
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS	885	1.56
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	78	0.14

During the past 12 months, have you driven a vehicle while you were under the influence of [LSFILL]?

(SP06E)
DRVINHALL Len : 2 DROVE UNDER INFLU OF HALLUCINOGENS PAST 12 MOS

	Freq	Pct
1 = Yes	134	0.24
2 = No	2039	3.60
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS	6620	11.67
94 = DON'T KNOW	1	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	355	0.63

During the past 12 months, have you driven a vehicle while you were under the influence of any inhalant?

(SP06F)
DRVININHL Len : 2 DROVE UNDER INFLUENCE OF INHALANTS PAST 12 MOS

	Freq	Pct
1 = Yes	21	0.04
2 = No	668	1.18
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	4394	7.75
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	312	0.55

During the past 12 months, have you driven a vehicle while you were under the influence of methamphetamine?

(SP06G)
DRVINMETH Len : 2 DROVE UNDER INFLU OF METHAMPHETAMINE PAST 12 MOS

	Freq	Pct
1 = Yes	203	0.36
2 = No	270	0.48
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS	1995	3.52
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	113	0.20

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol only?

(SP06H)
DRVINALON Len : 2 DROVE UNDER INFLUENCE OF ONLY ALCOHOL PST 12 MOS

	Freq	Pct
1 = Yes	902	1.59
2 = No	106	0.19
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	7086	12.50
98 = BLANK (NO ANSWER)	423	0.75
99 = LEGITIMATE SKIP	31723	55.94

What is the maximum legal penalty in [STATE FILL FROM FIPE4] for first offense possession of an ounce or less of marijuana for your own use?

(SP07)
MXMJPNLT[1] Len : 2 MAX PENALTY FOR 1ST MJ POSS < OUNCE IN YOUR STATE

	Freq	Pct
1 = A fine	14488	25.55
2 = Probation	5641	9.95
3 = Community service	2713	4.78
4 = Possible prison sentence	9025	15.92
5 = Mandatory prison sentence	1629	2.87
6 = No penalty	12654	22.32
85 = BAD DATA Logically assigned	107	0.19
94 = DON'T KNOW	9668	17.05
97 = REFUSED	316	0.56
98 = BLANK (NO ANSWER)	464	0.82

RECODED SPECIAL TOPICS

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Codebook section in the main introduction of the codebook.

(DRVINALCO)

DRVINALCO2 Len : 1 RC-DROVE UNDER INFLUENCE OF ALCOHOL IN PAST YEAR

	Freq	Pct
. = Unknown (Otherwise)	605	1.07
0 = No (DRVINALCO=2,91,93,99)	53123	93.68
1 = Yes (DRVINALCO=1)	2977	5.25

(DRVINMARJ)

DRVINMARJ2 Len : 1 RC-DROVE UNDER INFLUENCE OF MARIJUANA IN PAST YEAR

	Freq	Pct
. = Unknown (Otherwise)	375	0.66
0 = No (DRVINMARJ=2,91,93,99)	53516	94.38
1 = Yes (DRVINMARJ=1)	2814	4.96

The following variable, DRVINDRG, was created by examination of this driving under the influence list of selected drugs: marijuana (DRVINMARJ), cocaine or crack (DRVINCOCN), heroin (DRVINHERN), hallucinogens (DRVINHALL), inhalants (DRVININHL), and methamphetamine (DRVINMETH).

(DRVINCOCN, DRVINHALL, DRVINHERN, DRVININHL, DRVINMARJ, DRVINMETH)

DRVINDRG Len : 1 RC-DROVE UNDER INFLUENCE OF SELECTED ILL DRUGS IN PAST YR

	Freq	Pct
. = Unknown (Otherwise)	1015	1.79
0 = No (All source variables=2,91,93,99)	52685	92.91
1 = Yes (Any source variable=1)	3005	5.30

The following variable, DRVINDROTMJ, was created by examination of this driving under the influence list of selected drugs: cocaine or crack (DRVINCOCN), heroin (DRVINHERN), hallucinogens (DRVINHALL), inhalants (DRVININHL), and methamphetamine (DRVINMETH).

(DRVINCOCN, DRVINHALL, DRVINHERN, DRVININHL, DRVINMETH)

DRVINDROTMJ Len : 1 RC-DROVE UNDER INFLUENCE OF SELECTED ILL DRG OTH MRJ IN PY

	Freq	Pct
. = Unknown (Otherwise)	761	1.34
0 = No (All source variables=2,91,93,99)	55463	97.81
1 = Yes (Any source variable=1)	481	0.85

(DRVINALCO2, DRVINDRG)

DRVINALDRG Len : 1 RC-DROVE UNDER INFLUENCE OF ALC OR SELECTED ILL DRG IN PY

	Freq	Pct
. = Unknown (Otherwise)	1395	2.46
0 = No (DRVINDRG=0 and DRVINALCO2=0)	50336	88.77
1 = Yes (DRVINDRG=1 or DRVINALCO2=1)	4974	8.77

(PAROLREL)

PAROL Len : 1 RC-PAROLE/SUPERVISED RELEASE STATUS IN THE PAST YEAR

	Freq	Pct
. = Unknown Parole/Supervised Rel Status (Otherwise)	576	1.02
1 = On Parole/Supervised Release (PAROLREL=1)	357	0.63
2 = Not on Parole/Supervised Release (PAROLREL=2)	55772	98.35

(PROBATON)

PROB Len : 1 RC-PROBATION STATUS IN THE PAST YEAR

	Freq	Pct
. = Unknown Probation Status (Otherwise)	607	1.07
1 = On Probation (PROBATON=1)	844	1.49
2 = Not on Probation (PROBATON=2)	55254	97.44

SUBSTANCE USE

NICOTINE

These questions are about cigarette smoking.

Have you ever smoked part or all of a cigarette?

(CG01, CGREF1)
CIGEVER Len : 1 EVER SMOKED A CIGARETTE

	Freq	Pct
1 = Yes	24359	42.96
2 = No	32346	57.04

How old were you the first time you smoked part or all of a cigarette?

(CG04)
CIGTRY Len : 3 AGE WHEN FIRST SMOKED A CIGARETTE

	Freq	Pct
RANGE = 1 - 62	24147	42.58
985 = BAD DATA Logically assigned	106	0.19
991 = NEVER USED CIGARETTES	32346	57.04
994 = DON'T KNOW	80	0.14
997 = REFUSED	26	0.05

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

(CG04A, CG04B, CG04C)
CIGYFU Len : 4 YEAR OF FIRST CIGARETTE USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	749	1.32
9985 = BAD DATA Logically assigned	105	0.19
9989 = LEGITIMATE SKIP Logically assigned	65	0.11
9991 = NEVER USED CIGARETTES	32346	57.04
9994 = DON'T KNOW	80	0.14
9997 = REFUSED	27	0.05
9998 = BLANK (NO ANSWER)	71	0.13
9999 = LEGITIMATE SKIP	23262	41.02

In what month in [CURRENT YEAR] did you first smoke part or all of a cigarette?

In what month in [YEAR FROM CG04a or CG04b] did you first smoke part or all of a cigarette?

(CG04C, CG04D)
CIGMFU Len : 2 MONTH OF FIRST CIGARETTE USE - RECODE

	Freq	Pct
1 = January	62	0.11
2 = February	49	0.09
3 = March	41	0.07
4 = April	65	0.11
5 = May	49	0.09
6 = June	68	0.12
7 = July	63	0.11
8 = August	71	0.13
9 = September	49	0.09
10 = October	84	0.15
11 = November	57	0.10
12 = December	49	0.09
85 = BAD DATA Logically assigned	105	0.19
89 = LEGITIMATE SKIP Logically assigned	65	0.11
91 = NEVER USED CIGARETTES	32346	57.04
94 = DON'T KNOW	116	0.20
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	71	0.13
99 = LEGITIMATE SKIP	23262	41.02

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, that is, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigarette? How long has it been since you last smoked part or all of a cigarette?

(CG05, CG06, CG06DK, CG06RE)
CIGREC Len : 2 TIME SINCE LAST SMOKED CIGARETTES

	Freq	Pct
1 = Within the past 30 days	6874	12.12
2 = More than 30 days ago but within the past 12 mos	2258	3.98
3 = More than 12 months ago but within the past 3 yrs	2449	4.32
4 = More than 3 years ago	12595	22.21
8 = Used at some point in the past 12 mos LOG ASSN	4	0.01
9 = Used at some point in the lifetime LOG ASSN	6	0.01
14 = Used more than 12 months ago LOG ASSN	89	0.16
19 = Used more than 30 days ago LOG ASSN	37	0.07
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	42	0.07
39 = Used within the past 3 years LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED CIGARETTES	32346	57.04

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigarette?

(CG07)
CIG30USE Len : 2 HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	6838	12.06
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	28	0.05
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	15	0.03

What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?

(CG07DKRE)
CG30EST Len : 2 BEST EST. # DAYS SMOKED CIG PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	3	0.01
2 = 3 to 5 days	6	0.01
3 = 6 to 9 days	3	0.01
4 = 10 to 19 days	5	0.01
6 = All 30 days	11	0.02
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	4	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	15	0.03
99 = LEGITIMATE SKIP	6838	12.06

On the [CG07 days / CIGDKRE] you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?

(CG08, CG10)
CIG30AV Len : 2 AVG # CIGS SMOKED PER DAY/ON DAY SMOKED

	Freq	Pct
1 = Less than one cigarette per day	919	1.62
2 = 1 cigarette per day	955	1.68
3 = 2 to 5 cigarettes per day	1810	3.19
4 = 6 to 15 cigarettes per day (about 1/2 pack)	1740	3.07
5 = 16 to 25 cigarettes per day (about 1 pack)	1092	1.93
6 = 26 to 35 cigarettes per day (about 1 1/2 packs)	232	0.41
7 = More than 35 cigs per day (abt 2 packs or more)	106	0.19
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	9	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	19	0.03

Note: Beginning in 2022, edited variables CIGMENTH30 and CIGROLL30 replace variables CIG30MEN and CIG30ROL due to questionnaire changes and associated changes in skip logic in 2022.

Were the cigarettes you smoked most often during the past 30 days menthol?

(CGMENTH1)
CIGMENTH30 Len : 2 MENTHOL CIGARETTES SMOKED MOST OFTEN IN PAST 30 DAYS

	Freq	Pct
1 = Yes	2881	5.08
2 = No	3964	6.99
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	27	0.05
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	15	0.03

During the past 30 days, that is since [DATEFILL], have you smoked part or all of a roll-your-own tobacco cigarette?

(CG14)
CIGROLL30 Len : 2 SMOKED A ROLL-YOUR-OWN CIGARETTE IN THE PAST 30 DAYS

	Freq	Pct
1 = Yes	1250	2.20
2 = No	5615	9.90
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	9	0.02
98 = BLANK (NO ANSWER)	15	0.03

Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?

(CG15)
CIGDLYMO Len : 2 EVER SMOKED CIG EVERY DAY FOR 30 DAYS

	Freq	Pct
1 = Yes	8588	15.15
2 = No	12233	21.57
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	3523	6.21
91 = NEVER USED CIGARETTES	32346	57.04
94 = DON'T KNOW	11	0.02
97 = REFUSED	4	0.01

How old were you when you first started smoking cigarettes every day?

(CG16)
CIGAGE Len : 3 AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY

	Freq	Pct
RANGE = 1 - 62	12045	21.24
985 = BAD DATA Logically assigned	8	0.01
991 = NEVER USED CIGARETTES	32346	57.04
994 = DON'T KNOW	48	0.08
997 = REFUSED	14	0.02
998 = BLANK (NO ANSWER)	11	0.02
999 = LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY)	12233	21.57

Did you first start smoking cigarettes every day in [CURRENT YEAR 1] or [CURRENT YEAR]?

Did you first start smoking cigarettes every day in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

(CG16M1, CG16Y1, CG16Y2)
CIGDLYFU Len : 4 YEAR OF FIRST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
RANGE = 2021 - 2023	182	0.32
9985 = BAD DATA Logically assigned	10	0.02
9989 = LEGITIMATE SKIP Logically assigned	21	0.04
9991 = NEVER USED CIGARETTES	32346	57.04
9994 = DON'T KNOW	48	0.08
9997 = REFUSED	14	0.02
9998 = BLANK (NO ANSWER)	18	0.03
9999 = LEGITIMATE SKIP	24066	42.44

In what month in [CURRENT YEAR] did you first start smoking cigarettes every day?

In what month in [YEAR FROM CG16y1 or CG16y2] did you first start smoking cigarettes every day?

(CG16M1, CG16M2)
CIGDLMFU Len : 2 MONTH OF FIRST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
1 = January	22	0.04
2 = February	13	0.02
3 = March	17	0.03
4 = April	13	0.02
5 = May	22	0.04
6 = June	15	0.03
7 = July	11	0.02
8 = August	18	0.03
9 = September	10	0.02
10 = October	15	0.03
11 = November	11	0.02
12 = December	8	0.01
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	21	0.04
91 = NEVER USED CIGARETTES	32346	57.04
94 = DON'T KNOW	54	0.10
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	18	0.03
99 = LEGITIMATE SKIP	24066	42.44

Have you smoked at least 100 cigarettes in your entire life?

(CG16A)
CIG100LF Len : 2 HAVE YOU SMOKED 100 CIGS IN YOUR LIFE

	Freq	Pct
1 = Yes	10419	18.37
2 = No	10960	19.33
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	2921	5.15
91 = NEVER USED CIGARETTES	32346	57.04
94 = DON'T KNOW	56	0.10
97 = REFUSED	3	0.01

The next questions are about vaping nicotine with e-cigarettes or other vaping devices. These devices might also be called vapes, vape pens, or mods. When answering, please include any device that heats a liquid containing nicotine into a vapor.

Have you ever, even once, vaped nicotine with an e-cigarette or other vaping device?

(VPLIF, VPLIFREF)
NICVAPEVER Len : 2 EVER VAPED NICOTINE WITH E-CIGARETTE OR OTHER VAPING DEVICE

	Freq	Pct
1 = Yes	17516	30.89
2 = No	39170	69.08
94 = DON'T KNOW	11	0.02
97 = REFUSED	8	0.01

How old were you the first time you vaped nicotine with an e-cigarette or other vaping device?

(VPFT)
NICVAPAGE Len : 3 AGE WHEN FIRST VAPED NICOTINE WITH E-CIG OR VAPING DEVICE

	Freq	Pct
RANGE = 1 - 80	17119	30.19
985 = BAD DATA Logically assigned	276	0.49
991 = NEVER VAPED NICOTINE	39170	69.08
994 = DON'T KNOW	87	0.15
997 = REFUSED	34	0.06
998 = BLANK (NO ANSWER)	19	0.03

Did you first vape nicotine with an e-cigarette or other vaping device in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first vape nicotine with an e-cigarette or other vaping device in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

(VPFTYRA, VPFTYRB)
NICVAPYFU Len : 4 YEAR FIRST VAPED NICOTINE W/ E-CIG OR VAPE DEVICE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	2371	4.18
9985 = BAD DATA Logically assigned	609	1.07
9989 = LEGITIMATE SKIP Logically assn	217	0.38
9991 = NEVER VAPED NICOTINE	39170	69.08
9994 = DON'T KNOW	99	0.17
9997 = REFUSED	36	0.06
9998 = BLANK (NO ANSWER)	188	0.33
9999 = LEGITIMATE SKIP	14015	24.72

In what month in [CURRENT YEAR] did you first vape nicotine with an e-cigarette or other vaping device?

In what month in [YEAR FROM VPFTYRa or VPFTYRb] did you first vape nicotine with an e-cigarette or other vaping device?

(VPFTMOA, VPFTMOB)
NICVAPMFU Len : 2 MONTH FIRST VAPED NICOTINE W/ E-CIG OR VAPE DEVICE - RECODE

	Freq	Pct
1 = January	224	0.40
2 = February	158	0.28
3 = March	192	0.34
4 = April	176	0.31
5 = May	167	0.29
6 = June	235	0.41
7 = July	186	0.33
8 = August	191	0.34
9 = September	177	0.31
10 = October	207	0.37
11 = November	182	0.32
12 = December	121	0.21
85 = BAD DATA Logically assigned	606	1.07
89 = LEGITIMATE SKIP Logically assn	217	0.38
91 = NEVER VAPED NICOTINE	39170	69.08
94 = DON'T KNOW	246	0.43
97 = REFUSED	44	0.08
98 = BLANK (NO ANSWER)	191	0.34
99 = LEGITIMATE SKIP	14015	24.72

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, that is, from [DATEFILL] up to and including today. During the past 30 days, have you vaped nicotine with an e-cigarette or other vaping device?

How long has it been since you last vaped nicotine with an e-cigarette or other vaping device?

(VPPM, VPREC, VPRECDK, VPRECREF)
NICVAPREC Len : 2 TIME SINCE LAST VAPED NICOTINE WITH E-CIG OR VAPING DEVICE

	Freq	Pct
1 = Within the past 30 days	7205	12.71
2 = More than 30 days ago but within the past 12 mos	3055	5.39
3 = More than 12 months ago but within the past 3 yrs	2746	4.84
4 = More than 3 years ago	3789	6.68
9 = Used at some point in the lifetime LOG ASSN	7	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED	21	0.04
14 = Used more than 12 months ago LOG ASSN	183	0.32
19 = Used more than 30 days ago LOG ASSN	101	0.18
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	402	0.71
39 = Used within the past 3 years LOGICALLY ASSIGNED	7	0.01
91 = NEVER VAPED NICOTINE	39170	69.08
98 = BLANK (NO ANSWER)	19	0.03

During the past 30 days, that is since [DATEFILL], on how many days did you vape nicotine with an e-cigarette or other vaping device?

(VPPMNUM)
NICVAP30N Len : 2 # DAYS VAPED NICOTINE W/ E-CIG OR VAP DEVICE IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	7138	12.59
91 = NEVER VAPED NICOTINE	39170	69.08
93 = DID NOT VAPE NICOTINE IN THE PAST 30 DAYS	10276	18.12
94 = DON'T KNOW	53	0.09
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	54	0.10

The next questions are about your use of smokeless tobacco such as snuff, dip, chewing tobacco, or snus.

Have you ever, even once, used smokeless tobacco?

(CG25, CGREF3)
SMKLSSEVR Len : 2 EVER USED SMOKELESS TOBACCO

	Freq	Pct
1 = Yes	6556	11.56
2 = No	50128	88.40
94 = DON'T KNOW	20	0.04
97 = REFUSED	1	0.00

How old were you the first time you used smokeless tobacco?

(CG26)
SMKLSSTRY Len : 3 AGE WHEN FIRST USED SMOKELESS TOBACCO

	Freq	Pct
RANGE = 1 - 70	6473	11.42
985 = BAD DATA Logically assigned	28	0.05
991 = NEVER USED SMOKELESS TOBACCO	50128	88.40
994 = DON'T KNOW	48	0.08
997 = REFUSED	8	0.01
998 = BLANK (NO ANSWER)	20	0.04

Did you first use smokeless tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use smokeless tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use smokeless tobacco?

(CG26A, CG26B, CG26C)
SMKLSSYFU Len : 4 YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	323	0.57
9985 = BAD DATA Logically assigned	28	0.05
9989 = LEGITIMATE SKIP Logically assigned	23	0.04
9991 = NEVER USED SMOKELESS TOBACCO	50128	88.40
9994 = DON'T KNOW	48	0.08
9997 = REFUSED	8	0.01
9998 = BLANK (NO ANSWER)	41	0.07
9999 = LEGITIMATE SKIP	6106	10.77

In what month in [CURRENT YEAR] did you first use smokeless tobacco?

In what month in [YEAR FROM CG26a or CG26b] did you first use smokeless tobacco?

(CG26C, CG26D)
SMKLSSMFU Len : 2 MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
1 = January	37	0.07
2 = February	22	0.04
3 = March	29	0.05
4 = April	21	0.04
5 = May	17	0.03
6 = June	35	0.06
7 = July	22	0.04
8 = August	23	0.04
9 = September	33	0.06
10 = October	27	0.05
11 = November	24	0.04
12 = December	21	0.04
85 = BAD DATA Logically assigned	28	0.05
89 = LEGITIMATE SKIP Logically assigned	23	0.04
91 = NEVER USED "smokeless" tobacco	50128	88.40
94 = DON'T KNOW	58	0.10
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	41	0.07
99 = LEGITIMATE SKIP	6106	10.77

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days -- that is, from [DATEFILL] up to and including today. During the past 30 days, have you used smokeless tobacco, even once?

How long has it been since you last used smokeless tobacco?

(CG27, CG28, CG28DK, CG28RE)
SMKLSSREC Len : 2 TIME SINCE LAST USED SMOKELESS TOBACCO

	Freq	Pct
1 = Within the past 30 days	1303	2.30
2 = More than 30 days ago but within the past 12 mos	524	0.92
3 = More than 12 months ago but within the past 3 yrs	631	1.11
4 = More than 3 years ago	4047	7.14
8 = Used at some point in the past 12 mos LOG ASSN	1	0.00
9 = Used at some point in the lifetime LOG ASSN	2	0.00
11 = Used in the past 30 days LOGICALLY ASSIGNED	1	0.00
14 = Used more than 12 months ago LOG ASSN	20	0.04
19 = Used more than 30 days ago LOG ASSN	14	0.02
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	13	0.02
91 = NEVER USED SMOKELESS TOBACCO	50128	88.40
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	20	0.04

During the past 30 days, that is since [DATEFILL], on how many days did you use smokeless tobacco?

(CG29)
SMKLSS30N Len : 2 HOW MANY DAYS USED SMOKELESS TOBACCO PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	1289	2.27
91 = NEVER USED SMOKELESS TOBACCO	50128	88.40
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS	5249	9.26
94 = DON'T KNOW	13	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	24	0.04

What is your best estimate of the number of days you used smokeless tobacco during the past 30 days?

(CG29DKRE)
SMKLSS30E Len : 2 BEST EST. HOW MANY DAYS USED SMKLSS TOB PST 30 DYS

	Freq	Pct
1 = 1 or 2 days	7	0.01
3 = 6 to 9 days	2	0.00
4 = 10 to 19 days	2	0.00
6 = All 30 days	3	0.01
91 = NEVER USED SMOKELESS TOBACCO	50128	88.40
93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS	5249	9.26
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	24	0.04
99 = LEGITIMATE SKIP	1289	2.27

The next questions are about smoking cigars made only of tobacco, such as cigarillos, big cigars, and little cigars that look like cigarettes.

Have you ever, even once, smoked part or all of a cigar or cigarillo?

(CG34, CGREF4)
CIGAREVR Len : 2 EVER SMOKED PART OR ALL OF CIGAR

	Freq	Pct
1 = Yes	14496	25.56
2 = No	42190	74.40
94 = DON'T KNOW	17	0.03
97 = REFUSED	2	0.00

How old were you the first time you smoked part or all of a cigar or cigarillo?

(CG35)
CIGARTRY Len : 3 AGE WHEN FIRST SMOKED CIGAR

	Freq	Pct
RANGE = 1 - 72	14276	25.18
985 = BAD DATA Logically assigned	88	0.16
991 = NEVER USED CIGARS	42190	74.40
994 = DON'T KNOW	116	0.20
997 = REFUSED	18	0.03
998 = BLANK (NO ANSWER)	17	0.03

Did you first smoke part or all of a cigar or cigarillo in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar or cigarillo in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar or cigarillo?

(CG35A, CG35B, CG35C)
CIGARYFU Len : 4 YEAR OF FIRST CIGAR USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	797	1.41
9985 = BAD DATA Logically assigned	99	0.17
9989 = LEGITIMATE SKIP Logically assigned	41	0.07
9991 = NEVER USED CIGARS	42190	74.40
9994 = DON'T KNOW	120	0.21
9997 = REFUSED	18	0.03
9998 = BLANK (NO ANSWER)	63	0.11
9999 = LEGITIMATE SKIP	13377	23.59

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar or cigarillo?

In what month in [YEAR FROM CG35a or CG35b] did you first smoke part or all of a cigar or cigarillo?

(CG35C, CG35D)
CIGARMFU Len : 2 MONTH OF FIRST CIGAR USE - RECODE

	Freq	Pct
1 = January	64	0.11
2 = February	46	0.08
3 = March	55	0.10
4 = April	57	0.10
5 = May	69	0.12
6 = June	86	0.15
7 = July	79	0.14
8 = August	64	0.11
9 = September	58	0.10
10 = October	69	0.12
11 = November	60	0.11
12 = December	62	0.11
85 = BAD DATA Logically assigned	99	0.17
89 = LEGITIMATE SKIP Logically assigned	41	0.07
91 = NEVER USED CIGARS	42190	74.40
94 = DON'T KNOW	147	0.26
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	63	0.11
99 = LEGITIMATE SKIP	13377	23.59

NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, have you smoked part or all of a cigar or cigarillo?

How long has it been since you last smoked part or all of a cigar or cigarillo?

(CG36, CG37, CG37DK, CG37RE)
CIGARREC Len : 2 TIME SINCE LAST SMOKED CIGAR

	Freq	Pct
1 = Within the past 30 days	2078	3.66
2 = More than 30 days ago but within the past 12 mos	1942	3.42
3 = More than 12 months ago but within the past 3 yrs	2141	3.78
4 = More than 3 years ago	8191	14.44
8 = Used at some point in the past 12 mos LOG ASSN	4	0.01
9 = Used at some point in the lifetime LOG ASSN	5	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED	2	0.00
14 = Used more than 12 months ago LOG ASSN	59	0.10
19 = Used more than 30 days ago LOG ASSN	32	0.06
29 = Used more than 30 dys ago but in pst 3 yr LOG ASSN	42	0.07
91 = NEVER USED CIGARS	42190	74.40
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	17	0.03

During the past 30 days, that is since [DATEFILL], on how many days did you smoke part or all of a cigar or cigarillo?

(CG38)
CGR30USE Len : 2 HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	2059	3.63
91 = NEVER USED CIGARS	42190	74.40
93 = DID NOT USE CIGARS IN THE PAST 30 DAYS	12407	21.88
94 = DON'T KNOW	17	0.03
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	28	0.05

What is your best estimate of the number of days you smoked part or all of a cigar or cigarillo during the past 30 days?

(CG38DKRE)
CI30EST Len : 2 BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	4	0.01
2 = 3 to 5 days	4	0.01
3 = 6 to 9 days	2	0.00
4 = 10 to 19 days	1	0.00
5 = 20 to 29 days	1	0.00
91 = NEVER USED CIGARS	42190	74.40
93 = DID NOT USE CIGARS IN THE PAST 30 DAYS	12407	21.88
94 = DON'T KNOW	4	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	28	0.05
99 = LEGITIMATE SKIP	2059	3.63

These last questions on tobacco products are about using a pipe to smoke tobacco.

Have you ever, even onced, smoked tobacco in a pipe?

(CG42, CGREF5)
PIPEVER Len : 2 EVER SMOKED PIPE TOBACCO

	Freq	Pct
1 = Yes	4032	7.11
2 = No	52662	92.87
94 = DON'T KNOW	10	0.02
97 = REFUSED	1	0.00

During the past 30 days, that is since [DATEFILL], have you smoked tobacco in a pipe, even once?

(CG43)
PIPE30DY Len : 2 HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS

	Freq	Pct
1 = Yes	398	0.70
2 = No	3631	6.40
91 = NEVER USED PIPE TOBACCO	52662	92.87
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	10	0.02

NICOTINE DEPENDENCE

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Please think about how true each statement is of you.

After not smoking for a while, you need to smoke in order to feel less restless and irritable.

(DRCGE01)
CIGIRTBL[1] Len : 2 NEED TO SMOKE TO FEEL LESS IRRITABLE

	Freq	Pct
1 = Not at all true	1974	3.48
2 = Somewhat true	1506	2.66
3 = Moderately true	1298	2.29
4 = Very true	1215	2.14
5 = Extremely true	794	1.40
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	20	0.04
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	67	0.12

When you don't smoke for a few hours, you start to crave cigarettes.

(DRCGE02)
CIGCRAVE[1] Len : 2 START TO CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS

	Freq	Pct
1 = Not at all true	2132	3.76
2 = Somewhat true	1441	2.54
3 = Moderately true	1011	1.78
4 = Very true	1300	2.29
5 = Extremely true	920	1.62
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	7	0.01
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	67	0.12

You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control.

(DRCGE03)
CIGCRAGP[1] Len : 2 CRAVING OF CIGS LIKE STRONG FORCE CAN'T CONTROL

	Freq	Pct
1 = Not at all true	2915	5.14
2 = Somewhat true	1323	2.33
3 = Moderately true	994	1.75
4 = Very true	928	1.64
5 = Extremely true	639	1.13
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	10	0.02
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	68	0.12

You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time.

(DRCGE04)
CIGINCTL[1] Len : 2 FEEL A SENSE OF CONTROL OVER YOUR SMOKING

	Freq	Pct
1 = Not at all true	1936	3.41
2 = Somewhat true	1704	3.01
3 = Moderately true	1159	2.04
4 = Very true	970	1.71
5 = Extremely true	1017	1.79
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	17	0.03
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	71	0.13

You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them.

(DRCGE05)
CIGAVOID[1] Len : 2 TEND TO AVOID PLACES THAT DON'T ALLOW SMOKING

	Freq	Pct
1 = Not at all true	4555	8.03
2 = Somewhat true	952	1.68
3 = Moderately true	633	1.12
4 = Very true	406	0.72
5 = Extremely true	240	0.42
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	17	0.03
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	71	0.13

Do you have any friends who do not smoke cigarettes?

(DRCGE06A)
CIGFNSMK[1] Len : 2 HAVE FRIENDS WHO DO NOT SMOKE CIGARETTES

	Freq	Pct
1 = Yes	6243	11.01
2 = No	559	0.99
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	7	0.01
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	71	0.13

Think about your use of cigarettes during the past 30 days as you answer these next questions.

There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke.

(DRCGE06B)
CIGFNLKE[1] Len : 2 CHOOSE NOT TO BE AROUND FRIENDS WHO DON'T SMOKE

	Freq	Pct
1 = Not at all true	4850	8.55
2 = Somewhat true	655	1.16
3 = Moderately true	374	0.66
4 = Very true	219	0.39
5 = Extremely true	122	0.22
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	13	0.02
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	79	0.14
99 = LEGITIMATE SKIP	559	0.99

Think about your use of cigarettes during the past 30 days as you answer these next questions.

Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke.

(DRCGE07)
CIGPLANE[1] Len : 2 RATHER NOT TRAVEL BY AIRPLANE B/C NO SMOKING

	Freq	Pct
1 = Not at all true	5477	9.66
2 = Somewhat true	565	1.00
3 = Moderately true	306	0.54
4 = Very true	222	0.39
5 = Extremely true	217	0.38
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	16	0.03
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	72	0.13

You sometimes worry that you will run out of cigarettes.

(DRCGE08)
CIGRNOUT[1] Len : 2 SOMETIMES WORRY THAT YOU WILL RUN OUT OF CIGS

	Freq	Pct
1 = Not at all true	3768	6.64
2 = Somewhat true	1418	2.50
3 = Moderately true	657	1.16
4 = Very true	551	0.97
5 = Extremely true	400	0.71
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	8	0.01
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	72	0.13

You smoke cigarettes fairly regularly throughout the day.

(DRCGE09)
CIGREGDY[1] Len : 2 SMOKE CIGS FAIRLY REGULARLY THROUGHOUT THE DAY

	Freq	Pct
1 = Not at all true	2516	4.44
2 = Somewhat true	1192	2.10
3 = Moderately true	850	1.50
4 = Very true	1208	2.13
5 = Extremely true	1031	1.82
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	6	0.01
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	72	0.13

You smoke about the same amount on weekends as on weekdays.

(DRCGE10)
CIGREGWK[1] Len : 2 SMOKE SAME AMOUNT ON WEEKENDS AS ON WEEKDAYS

	Freq	Pct
1 = Not at all true	2164	3.82
2 = Somewhat true	1165	2.05
3 = Moderately true	914	1.61
4 = Very true	1435	2.53
5 = Extremely true	1110	1.96
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	14	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	72	0.13

You smoke just about the same number of cigarettes from day to day.

(DRCGE11)
CIGREGNM[1] Len : 2 SMOKE SAME NUMBER OF CIGS FROM DAY TO DAY

	Freq	Pct
1 = Not at all true	2059	3.63
2 = Somewhat true	1179	2.08
3 = Moderately true	927	1.63
4 = Very true	1493	2.63
5 = Extremely true	1127	1.99
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	15	0.03
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	74	0.13

It's hard to say how many cigarettes you smoke per day because the number often changes.

(DRCGE12)
CIGNMCHG[1] Len : 2 NUMBER OF CIGS SMOKE PER DAY OFTEN CHANGES

	Freq	Pct
1 = Not at all true	2728	4.81
2 = Somewhat true	1584	2.79
3 = Moderately true	899	1.59
4 = Very true	935	1.65
5 = Extremely true	631	1.11
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	17	0.03
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	76	0.13

It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later.

(DRCGE13)
CIGSVLHR[1] Len : 2 HAVE MANY CIGS IN HR, THEN NO CIGS TIL HRS LATER

	Freq	Pct
1 = Not at all true	3604	6.36
2 = Somewhat true	1262	2.23
3 = Moderately true	903	1.59
4 = Very true	628	1.11
5 = Extremely true	379	0.67
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	18	0.03
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	76	0.13

The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example.

(DRCGE14)
CIGINFLU[1] Len : 2 # OF CIGS SMOKE PER DAY INFLUENCED BY OTHER THINGS

	Freq	Pct
1 = Not at all true	1593	2.81
2 = Somewhat true	1418	2.50
3 = Moderately true	1293	2.28
4 = Very true	1373	2.42
5 = Extremely true	1093	1.93
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	17	0.03
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	79	0.14

Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others.

(DRCGE15)
CIGNOINF[1] Len : 2 SMOKING NOT AFFECTED BY OTHER THINGS

	Freq	Pct
1 = Not at all true	2374	4.19
2 = Somewhat true	1722	3.04
3 = Moderately true	1239	2.18
4 = Very true	892	1.57
5 = Extremely true	537	0.95
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	26	0.05
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	80	0.14

Since you started smoking, the amount you smoke has increased.

(DRCGE16)
CIGINCRS[1] Len : 2 AMOUNT OF SMOKING HAS INCR. SINCE STARTED SMOKING

	Freq	Pct
1 = Not at all true	2695	4.75
2 = Somewhat true	1390	2.45
3 = Moderately true	959	1.69
4 = Very true	979	1.73
5 = Extremely true	756	1.33
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	13	0.02
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	80	0.14

Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied.

(DRCGE17)
CIGSATIS[1] Len : 2 NEED TO SMOKE A LOT MORE TO BE SATISFIED

	Freq	Pct
1 = Not at all true	3649	6.44
2 = Somewhat true	1226	2.16
3 = Moderately true	857	1.51
4 = Very true	597	1.05
5 = Extremely true	444	0.78
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	16	0.03
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	81	0.14

Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything.

(DRCGE18)
CIGLOTMR[1] Len : 2 SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING

	Freq	Pct
1 = Not at all true	3675	6.48
2 = Somewhat true	1326	2.34
3 = Moderately true	841	1.48
4 = Very true	525	0.93
5 = Extremely true	390	0.69
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	28	0.05
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	83	0.15

How soon after you wake up do you have your first cigarette?

On the days that you smoke, how soon after you wake up do you have your first cigarette?

(DRCGE19A, DRCGE19B)

CIGWAKE[1] Len : 2 HOW SOON AFTER WAKING DO YOU HAVE YOUR FIRST CIG

	Freq	Pct
1 = Within the first 5 minutes after you wake up	1380	2.43
2 = Between 6 and 30 minutes after you wake up	1722	3.04
3 = Between 31 and 60 minutes after you wake up	1113	1.96
4 = More than 60 minutes after you wake up	2413	4.26
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS	17470	30.81
94 = DON'T KNOW	90	0.16
97 = REFUSED	82	0.14
98 = BLANK (NO ANSWER)	89	0.16

NOTE: The following dependence variables were defined based on the dependence criteria according to the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND) for respondents who smoked cigarettes in the past month (i.e., CIGMON=1). The NDSS criteria for dependence was based on 17 questions pertaining to five aspects of dependence. Based on the NDSS, a respondent was defined as having nicotine dependence, NDSSDEPND=1, if the sum of the valid responses (based on actual reporting) was greater than or equal to 46.75. The FTND measure is defined by assessing how soon after waking a respondent had their first cigarette (CIGWAKE). Based on the FTND scale, a respondent was defined as having nicotine dependence, FTNDDEPND=1, if the first cigarette was smoked within 30 minutes of waking up on the days they smoked (CIGWAKE=1 or 2) and the respondent smoked cigarettes in the past month (CIGMON=1). Based on the NDSS and the FTND, a respondent who smoked cigarettes in the past month was defined as having nicotine dependence, PMNICDEP=1, if they met either the NDSS or the FTND criteria for dependence. Specific details are provided in the Nicotine Dependence and Substance Use Disorder appendix.

(CIGAVOID, CIGCRAGP, CIGCRAVE, CIGINCRS, CIGINCTL, CIGINFLU, CIGIRTBL, CIGLOTMR, CIGMON, CIGNMCHG, CIGNOINF, CIGPLANE, CIGREGDY, CIGREGNM, CIGREGWK, CIGRNOUT, CIGSATIS, CIGSVLHR)

NDSSDEPND[1] Len : 1 NICOTINE DEPENDENCE BASED ON NDSS SCORE

	Freq	Pct
. = Unknown (Otherwise)	115	0.20
0 = No	4285	7.56
1 = Yes	2479	4.37
9 = DID NOT USE CIGARETTES IN THE PAST MONTH	49826	87.87

(CIGMON, CIGWAKE)

FTNDDEPND[1] Len : 1 NICOTINE DEPENDENCE BASED ON FTND SCALE

	Freq	Pct
. = Unknown (Otherwise)	251	0.44
0 = No	3526	6.22
1 = Yes	3102	5.47
9 = DID NOT USE CIGARETTES IN THE PAST MONTH	49826	87.87

(FTNDDEP, NDSSDEP)

PMNICDEP[1] Len : 1 NICOTINE DEPENDENCE IN PAST MONTH

	Freq	Pct
. = Unknown (Otherwise)	252	0.44
0 = No	2878	5.08
1 = Yes	3749	6.61
9 = DID NOT USE CIGARETTES IN THE PAST MONTH	49826	87.87

IMPUTED NICOTINE DEPENDENCE

NOTE: The following variable, IRPMNICDEP, is the imputation-revised version of the nicotine dependence variable (PMNICDEP) derived from the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND). Based on the NDSS and the FTND, a respondent who smoked cigarettes in the past month was defined as having nicotine dependence if they met either the NDSS or the FTND criteria for dependence. Specific details are provide in the Nicotine Dependence and Substance Use Disorder appendix.

(PMNICDEP)
IRPMNICDEP Len : 1 NICOTINE DEPENDENCE IN PAST MONTH - IMPUTATION REVISED

	Freq	Pct
0 = No	52839	93.18
1 = Yes	3866	6.82

(CIGREC, IRPMNICDEP)
IIPMNICDEP Len : 1 NICOTINE DEPENDENCE IN PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56275	99.24
2 = Logically assigned data	168	0.30
3 = Statistically imputed data	262	0.46

ALCOHOL

These questions are about drinks of alcoholic beverages. Throughout these questions, by a "drink" we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink.

(AL01, ALREF)
ALCEVER Len : 2 EVER HAD DRINK OF ALCOHOLIC BEVERAGE

	Freq	Pct
1 = Yes	40218	70.92
2 = No	16465	29.04
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	18	0.03
97 = REFUSED	3	0.01

Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink.

(AL02)
ALCTRY Len : 3 AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE

	Freq	Pct
RANGE = 1 - 76	39830	70.24
985 = BAD DATA Logically assigned	83	0.15
991 = NEVER USED ALCOHOL	16465	29.04
994 = DON'T KNOW	247	0.44
997 = REFUSED	62	0.11
998 = BLANK (NO ANSWER)	18	0.03

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have a drink of an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

(AL02A, AL02B, AL02C)
ALCYFU Len : 4 YEAR OF FIRST ALCOHOL USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	2546	4.49
9985 = BAD DATA Logically assigned	204	0.36
9989 = LEGITIMATE SKIP Logically assigned	109	0.19
9991 = NEVER USED ALCOHOL	16465	29.04
9994 = DON'T KNOW	259	0.46
9997 = REFUSED	65	0.11
9998 = BLANK (NO ANSWER)	25	0.04
9999 = LEGITIMATE SKIP	37032	65.31

In what month in [CURRENT YEAR] did you first have a drink of an alcoholic beverage?

In what month in [YEAR FROM AL02a or AL02b] did you first have a drink of an alcoholic beverage?

(AL02C, AL02D)

ALCMFU Len : 2 MONTH OF FIRST ALCOHOL USE - RECODE

	Freq	Pct
1 = January	220	0.39
2 = February	116	0.20
3 = March	165	0.29
4 = April	154	0.27
5 = May	197	0.35
6 = June	291	0.51
7 = July	298	0.53
8 = August	191	0.34
9 = September	180	0.32
10 = October	203	0.36
11 = November	188	0.33
12 = December	231	0.41
85 = BAD DATA Logically assigned	204	0.36
89 = LEGITIMATE SKIP Logically assigned	109	0.19
91 = NEVER USED ALCOHOL	16465	29.04
94 = DON'T KNOW	368	0.65
97 = REFUSED	68	0.12
98 = BLANK (NO ANSWER)	25	0.04
99 = LEGITIMATE SKIP	37032	65.31

How long has it been since you last drank an alcoholic beverage?

(ALLAST3, ALRECDK, ALRECRE)

ALCREC Len : 2 TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE

	Freq	Pct
1 = Within the past 30 days	24312	42.87
2 = More than 30 days ago but within the past 12 mos	8263	14.57
3 = More than 12 months ago	7086	12.50
8 = Used at some point in the past 12 mos LOG ASSN	342	0.60
9 = Used at some point in the lifetime LOG ASSN	205	0.36
11 = Used in the past 30 days LOGICALLY ASSIGNED	10	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	18	0.03

(TOTDRINK)

ALCYRTOT Len : 3 TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	32640	57.56
985 = BAD DATA Logically assigned	83	0.15
991 = NEVER USED ALCOHOL	16465	29.04
993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	7086	12.50
994 = DON'T KNOW	163	0.29
997 = REFUSED	45	0.08
998 = BLANK (NO ANSWER)	223	0.39

ALTOTFG Len : 2 TRIMMING INDICATOR FOR ALCYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing)	5	0.01
2 = Trimmed relative to the 30-day freq	296	0.52
98 = BLANK (NO ANSWER)	56404	99.47

ALFQFLG Len : 2 TRIMMED ALCYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	516	0.91
98 = BLANK (NO ANSWER)	56189	99.09

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.

What would be the easiest way for you to tell us how many days you drank alcoholic beverages?

(ALFRAME3)
ALBSTWAY Len : 2 EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL

	Freq	Pct
1 = Prefer to answer in days per week	11035	19.46
2 = Prefer to answer in days per month	11721	20.67
3 = Prefer to answer in days per year	9650	17.02
11 = Prefer to ans in days per wk LOG ASSN	34	0.06
12 = Prefer to ans in days per mo LOG ASSN	53	0.09
13 = Prefer to ans in days per yr LOG ASSN	262	0.46
85 = BAD DATA Logically assigned	83	0.15
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	7086	12.50
94 = DON'T KNOW	67	0.12
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	223	0.39

On how many days in the past 12 months did you drink an alcoholic beverage?

(ALYRAVE)
ALDAYPYR Len : 3 NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	9881	17.43
985 = BAD DATA Logically assigned	41	0.07
989 = LEGITIMATE SKIP Logically assigned	93	0.16
991 = NEVER USED ALCOHOL	16465	29.04
993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	7086	12.50
994 = DON'T KNOW	96	0.17
997 = REFUSED	28	0.05
998 = BLANK (NO ANSWER)	265	0.47
999 = LEGITIMATE SKIP	22750	40.12

On average, how many days did you drink an alcoholic beverage each month during the past 12 months?

(ALMONAVE)
ALDAYPMO Len : 2 # DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31	11740	20.70
85 = BAD DATA Logically assigned	19	0.03
89 = LEGITIMATE SKIP Logically assigned	34	0.06
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	7086	12.50
94 = DON'T KNOW	125	0.22
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	287	0.51
99 = LEGITIMATE SKIP	20916	36.89

On average, how many days did you drink an alcoholic beverage each week during the past 12 months?

(ALWKAVE)
ALDAYPWK Len : 2 # DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7	11019	19.43
85 = BAD DATA Logically assigned	23	0.04
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	7086	12.50
94 = DON'T KNOW	163	0.29
97 = REFUSED	45	0.08
98 = BLANK (NO ANSWER)	283	0.50
99 = LEGITIMATE SKIP	21621	38.13

Think specifically about the past 30 days, from [DATEFILL], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?

(AL06)
ALCDAYS Len : 2 # DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	24020	42.36
85 = BAD DATA Logically assigned	463	0.82
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	97	0.17
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	275	0.48

What is your best estimate of the number of days you drank alcohol during the past 30 days?

(AL06DKRE)
AL30EST Len : 2 BEST ESTIMATE # DAYS HAD ONE OR MORE DRINKS

	Freq	Pct
1 = 1 or 2 days	40	0.07
2 = 3 to 5 days	26	0.05
3 = 6 to 9 days	14	0.02
4 = 10 to 19 days	14	0.02
5 = 20 to 29 days	14	0.02
6 = All 30 days	2	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	15	0.03
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	742	1.31
99 = LEGITIMATE SKIP	24013	42.35

ALDYSFG Len : 2 REVISION INDICATOR FOR ALCDAYS

	Freq	Pct
1 = Edited for consistency with ALCYRTOT or ALCBNG30D	19	0.03
98 = BLANK (NO ANSWER)	56686	99.97

NOTE: Beginning in 2015, level 975 was updated to "AT LEAST 4 or 5 Logically assigned" to reflect the change in the threshold for binge alcohol use among female respondents from 5 or more drinks on an occasion prior to 2015 to 4 or more drinks on an occasion in 2015. See the note below for ALCBNG30D.

On the [ALC30DAY/ALCESTFL] days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

(AL07)
ALCUS30D Len : 3 USUAL # OF DRINKS PER DAY PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 60	22847	40.29
975 = AT LEAST 4 OR 5 Logically assigned	1134	2.00
985 = BAD DATA Logically assigned	211	0.37
991 = NEVER USED ALCOHOL	16465	29.04
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
994 = DON'T KNOW	93	0.16
997 = REFUSED	32	0.06
998 = BLANK (NO ANSWER)	574	1.01

NOTE: Beginning in 2015, female respondents were asked ALCBNG30D to report the number of days that they had 4 or more drinks on the same occasion in the past 30 days. As in prior years, male respondents in 2015 were asked for ALCBNG30D to report the number of days that they had 5 or more drinks on the same occasion in the past 30 days.

During the past 30 days, that is since [DATEFILL], on how many days did you have [4 or more]/[5 or more] drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.

(AL08)

ALCBNG30D Len : 2 # DAYS HAD FOUR/FIVE OR MORE DRINKS PAST 30 DYS

	Freq	Pct
RANGE = 0 - 30	23906	42.16
80 = NO OCCAS OF 4+ or 5+ DRINKS PST 30 DAYS Log assn	19	0.03
85 = BAD DATA Logically assigned	211	0.37
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	141	0.25
97 = REFUSED	40	0.07
98 = BLANK (NO ANSWER)	574	1.01

CONSUMPTION OF ALCOHOL

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

Next we return to the topic of alcohol. Remember that by a "drink", we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Earlier, the computer recorded that you drank at least one alcoholic beverage within the past 30 days, that is, since [DATEFILL].

Please think about the last time you drank any alcoholic beverage. How many drinks did you have that time?

(CA01)
CADRLAST[1] Len : 3 # OF DRINKS THE LAST TIME DRANK IN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 90	23527	41.49
985 = BAD DATA Logically assigned	10	0.02
991 = NEVER USED ALCOHOL	16465	29.04
993 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
994 = DON'T KNOW	127	0.22
997 = REFUSED	106	0.19
998 = BLANK (NO ANSWER)	1121	1.98

This last time you drank, were you alone or were you with one or more other people?

(CA02A)
CADRPEOP[1] Len : 2 ALONE OR W/ MORE THAN ONE PERSON LAST TIME DRANK

	Freq	Pct
1 = I was alone the last time I drank	207	0.37
2 = I was with one other person the last time I drank	427	0.75
3 = I was with >one other person the last time I drank	1396	2.46
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	13	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	301	0.53
99 = LEGITIMATE SKIP	22528	39.73

Where did you drink alcoholic beverages this last time you drank?

(CA02B1)
CADRCAR[1] Len : 2 I DRANK IN A CAR OR OTHER VEHICLE

	Freq	Pct
1 = Response entered	97	0.17
6 = Response not entered	1919	3.38
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	20	0.04
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	304	0.54
99 = LEGITIMATE SKIP	22528	39.73

(CA02B2)
CADRHOME[1] Len : 2 I DRANK AT MY HOME

	Freq	Pct
1 = Response entered	895	1.58
3 = Response entered LOGICALLY ASSIGNED	3	0.01
6 = Response not entered	1118	1.97
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	20	0.04
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	302	0.53
99 = LEGITIMATE SKIP	22528	39.73

(CA02B3)
CADROTHM[1] Len : 2 I DRANK AT SOMEONE ELSE'S HOME

	Freq	Pct
1 = Response entered	855	1.51
3 = Response entered LOGICALLY ASSIGNED	15	0.03
6 = Response not entered	1146	2.02
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	20	0.04
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	305	0.54
99 = LEGITIMATE SKIP	22528	39.73

(CA02B4)
CADRPUBL[1] Len : 2 I DRANK AT A PARK, ON A BEACH OR IN A PARKING LOT

	Freq	Pct
1 = Response entered	118	0.21
3 = Response entered LOGICALLY ASSIGNED	6	0.01
6 = Response not entered	1892	3.34
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	20	0.04
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	305	0.54
99 = LEGITIMATE SKIP	22528	39.73

(CA02B5)
CADRBAR[1] Len : 2 I DRANK IN A RESTAURANT, BAR OR CLUB

	Freq	Pct
1 = Response entered	163	0.29
3 = Response entered LOGICALLY ASSIGNED	6	0.01
6 = Response not entered	1847	3.26
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	20	0.04
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	305	0.54
99 = LEGITIMATE SKIP	22528	39.73

(CA02B6)
CADREVNT[1] Len : 2 I DRANK AT A CONCERT OR SPORTS GAME

	Freq	Pct
1 = Response entered	45	0.08
6 = Response not entered	1971	3.48
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	20	0.04
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	305	0.54
99 = LEGITIMATE SKIP	22528	39.73

(CA02B7)
CADRSCHL[1] Len : 2 I DRANK AT SCHOOL

	Freq	Pct
1 = Response entered	20	0.04
6 = Response not entered	1996	3.52
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	20	0.04
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	305	0.54
99 = LEGITIMATE SKIP	22528	39.73

(CA02B8)
CADROTH[1] Len : 2 I DRANK AT SOME OTHER PLACE

	Freq	Pct
1 = Response entered	180	0.32
6 = Response not entered	1836	3.24
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	20	0.04
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	305	0.54
99 = LEGITIMATE SKIP	22528	39.73

(CA02SC)
CADROTS2[1] Len : 2 OTHER PLACE YOU LAST DRANK ALCOHOL

	Freq	Pct
2 = I drank at my home	4	0.01
3 = I drank at someone else's home	17	0.03
4 = I drank at a park, on a beach, or in a parking lot	7	0.01
5 = I drank in a restaurant, bar or club	8	0.01
7 = I drank at school	1	0.00
8 = I drank at some other place	11	0.02
9 = At respondent's place of work/business	3	0.01
11 = In a boat, ship, water vessel	4	0.01
15 = Hotel/motel/resort/BB; restaurnt/bar/club not spec	14	0.02
16 = On a farm/ranch/or in barn; R's home unspec	4	0.01
17 = At a house/apt/garage; no other information	6	0.01
20 = River/lake/waterfront/harbor; park/beach unspfd	5	0.01
22 = Camping/hunting/fishing; no other information	11	0.02
23 = Street/road/alley/neighborhood	5	0.01
24 = Outside; park, beach, parkng lot, water unspcfd	10	0.02
33 = Inside a building; home/school/business unspecfd	3	0.01
35 = At a party/wedding/celebration/event; no othr info	38	0.07
70 = City/State/Country/vacation, location unspecified	7	0.01
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	5	0.01
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	326	0.57
99 = LEGITIMATE SKIP	24364	42.97

Did you pay for the last alcoholic beverage that you drank?

(CA03)
CABUYFRE[1] Len : 2 PAY FOR THE LAST ALCOHOLIC BEVERAGE THAT U DRANK

	Freq	Pct
1 = Yes	527	0.93
2 = No	1496	2.64
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	15	0.03
97 = REFUSED	20	0.04
98 = BLANK (NO ANSWER)	301	0.53
99 = LEGITIMATE SKIP	22528	39.73

Did you buy this last alcoholic beverage yourself, or did you give money to someone else to buy it for you?

(CA04)
CAGVMONY[1] Len : 2 DID YOU/SOMEONE ELSE BUY LAST ALCOHOLIC BEVERAGE

	Freq	Pct
1 = I bought it myself	223	0.39
2 = I gave money to someone else who bought it for me	291	0.51
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	3	0.01
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	340	0.60
99 = LEGITIMATE SKIP	24024	42.37

People often buy alcoholic beverages at stores, restaurants, bars, clubs, or events. Sometimes they buy alcohol from other people. Which of these statements describes the way you bought the last alcoholic beverage that you drank?

(CA05)
CABUYWHO[1] Len : 2 STATEMENT BEST DESCRIBES PURCHASE OF LAST ALCOHOL

	Freq	Pct
1 = I bought it at a store/restaurant/bar/club/event	190	0.34
2 = I bought it from another person	32	0.06
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	351	0.62
99 = LEGITIMATE SKIP	24315	42.88

At which of these places did you buy the last alcoholic beverage that you drank?

(CA05A)
CABPLACE[1] Len : 2 WHERE YOU BOUGHT LAST ALCOHOLIC BEVERAGE

	Freq	Pct
1 = I bought it at a liquor/convenience/grocery store	138	0.24
2 = I bought it at a restaurant, bar or club	49	0.09
3 = I bought it at a concert, sports or other event	3	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	352	0.62
99 = LEGITIMATE SKIP	24347	42.94

Did you buy this last alcoholic beverage from someone who was under age 21, or were they 21 or older?

(CA05B)
CABUNDAG[1] Len : 2 BUY LAST ALCOHOLIC BEVERAGE FR SOMEONE <21 OR 21+

	Freq	Pct
1 = Under age 21	6	0.01
2 = Age 21 or older	26	0.05
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	353	0.62
99 = LEGITIMATE SKIP	24505	43.21

Who bought the alcoholic beverage for you?

(CA06)
CAGVWHO[1] Len : 2 WHO BOUGHT THE ALCOHOLIC BEVERAGE FOR YOU

	Freq	Pct
1 = My parent or guardian	24	0.04
2 = Another family member who is 21 or older	33	0.06
3 = Someone not related to me who is 21 or older	173	0.31
4 = Someone under age 21	52	0.09
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	2	0.00
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	352	0.62
99 = LEGITIMATE SKIP	24247	42.76

How did you get the last alcoholic beverage that you drank?

(CA07)
CAFREWHO[1] Len : 2 HOW DID U GET THE LAST ALCOHOLIC BEVERAGE U DRANK

	Freq	Pct
1 = My parent or guardian	232	0.41
2 = Another family member who is 21 or older	250	0.44
3 = Someone not related to me who is 21 or older	379	0.67
4 = Someone under age 21	256	0.45
5 = I took it from home	133	0.23
6 = I took it from someone else's home	42	0.07
7 = I got it some other way	154	0.27
11 = My parent or guardian LOGICALLY ASSIGNED	1	0.00
13 = Non-relative who is 21 or older LOGICALLY ASSIGNED	2	0.00
14 = Someone under age 21 LOGICALLY ASSIGNED	1	0.00
15 = I took it from home LOGICALLY ASSIGNED	5	0.01
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	11	0.02
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	336	0.59
99 = LEGITIMATE SKIP	23055	40.66

(CA07SC)
CAFRESP2[1] Len : 2 OTHER WAY YOU GOT THE LAST ALCOHOLIC BEVERAGE

	Freq	Pct
1 = My parent or guardian gave it to me	1	0.00
3 = Someone not related & 21 y-o or older gave to me	2	0.00
4 = Someone under age 21 gave it to me	1	0.00
5 = I took it from home	5	0.01
7 = I got it some other way	12	0.02
9 = I bought/ordered it; not asked for ID	5	0.01
12 = I bought/ordered it; how unspecified	3	0.01
13 = Got/bought it in a store/liquor store; how unspcfd	4	0.01
16 = Got it at party/celebration; no other info	5	0.01
19 = I took/got/stole it; location unspcfd or unclear	7	0.01
21 = Given by/got from relative; age unspecified	3	0.01
22 = Given by/got fr friend/acquaint; age/how unspc	43	0.08
24 = Given by/got from person; age/relationship unspec	4	0.01
25 = Got as gift/for free; no other info	3	0.01
26 = Friend/acquaint of friend bought it; age unspec	5	0.01
31 = Just got it/had it; no other information	5	0.01
32 = From a house/home; no other information	4	0.01
33 = Found it; person's home unspecified	5	0.01
85 = BAD DATA Logically assigned	18	0.03
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	15349	27.07
94 = DON'T KNOW	12	0.02
97 = REFUSED	46	0.08
98 = BLANK (NO ANSWER)	351	0.62
99 = LEGITIMATE SKIP	24347	42.94

Think again about this last time you drank any alcoholic beverages, when you had [CA01 FILL] [drink/drinks]. Did you also use [DRUGFILL] while you were drinking or within a couple of hours of drinking?

(CA08)
CADRKDRUG[1] Len : 2 ALSO USE [DRUGFILL] WHILE YOU WERE DRINKING

	Freq	Pct
1 = Yes	3469	6.12
2 = No	3245	5.72
85 = BAD DATA Logically assigned	7	0.01
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	24200	42.68
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	25048	44.17
94 = DON'T KNOW	20	0.04
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	681	1.20

What other drug or drugs did you use while you were drinking or within a couple of hours of drinking?

(CA091)
CADRKMARJ[1] Len : 2 MARIJUANA OR CANNABIS

	Freq	Pct
1 = Response entered	418	0.74
5 = Response entered LOG ASSN (from skip pattern)	2947	5.20
6 = Response not entered	46	0.08
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	24200	42.68
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	25048	44.17
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	440	0.78
99 = LEGITIMATE SKIP	3604	6.36

(CA092)
CADRKCOCN[1] Len : 2 COCAINE OR 'CRACK'

	Freq	Pct
1 = Response entered	74	0.13
5 = Response entered LOG ASSN (from skip pattern)	19	0.03
6 = Response not entered	80	0.14
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	24200	42.68
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	25048	44.17
98 = BLANK (NO ANSWER)	56	0.10
99 = LEGITIMATE SKIP	7227	12.74

(CA093)
CADRKHERN[1] Len : 2 HEROIN

	Freq	Pct
1 = Response entered	14	0.02
5 = Response entered LOG ASSN (from skip pattern)	1	0.00
6 = Response not entered	10	0.02
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	24200	42.68
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	25048	44.17
98 = BLANK (NO ANSWER)	15	0.03
99 = LEGITIMATE SKIP	7416	13.08

(CA094)
CADRKHALL[1] Len : 2 HALLUCINOGENS

	Freq	Pct
1 = Response entered	45	0.08
5 = Response entered LOG ASSN (from skip pattern)	10	0.02
6 = Response not entered	232	0.41
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	24200	42.68
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	25048	44.17
98 = BLANK (NO ANSWER)	100	0.18
99 = LEGITIMATE SKIP	7069	12.47

(CA095)
CADRKINHL[1] Len : 2 INHALANTS

	Freq	Pct
1 = Response entered	13	0.02
5 = Response entered LOG ASSN (from skip pattern)	3	0.01
6 = Response not entered	45	0.08
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	24200	42.68
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	25048	44.17
98 = BLANK (NO ANSWER)	71	0.13
99 = LEGITIMATE SKIP	7324	12.92

(CA096)
CADRKMETH[1] Len : 2 METHAMPHETAMINE

	Freq	Pct
1 = Response entered	53	0.09
5 = Response entered LOG ASSN (from skip pattern)	14	0.02
6 = Response not entered	27	0.05
91 = NEVER USED ALCOHOL OR NEVER USED OTHER DRUGS	24200	42.68
93 = DIDNT USE ALC OR DIDNT USE DRUGS IN THE PST 30 DYS	25048	44.17
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	35	0.06
99 = LEGITIMATE SKIP	7327	12.92

NOTE: Female respondents were asked for CABINGEVR, CABINGAGE, CABINGYFU, and CABINGMFU to report about consumption of 4 or more drinks on the same occasion. Male respondents were asked for the same variables listed above to report about consumption of 5 or more drinks on the same occasion. Variables pertaining to consumption of 5 or more drinks or 4 or more drinks on the same occasion have been edited with respect to ALCUS30D and ALCBNG30D.

CABINGFLG takes into account the editing of the variables ALCUS30D and ALCBNG30D in the Alcohol questionnaire section.

CABINGFLG[1] Len : 2 ANY REPORT OF 4+ OR 5+ DRINKS FROM ALCOHOL MODULE

	Freq	Pct
0 = No report of 4+/5+ drinks or not applicable	44574	78.61
1 = Binge alcohol use on 1+ days (ALCBNG30D=1-30)	11854	20.90
11 = Report of 4+/5+ drinks in ALCUS30D	66	0.12
85 = BAD DATA Logically assigned	211	0.37

Earlier the computer recorded that you have had at least one drink of an alcoholic beverage in your lifetime. Have you ever had [4 or more]/[5 or more] drinks on the same occasion? By 'occasion,' we mean at the same time or within a couple of hours of each other.

(CA10)
CABINGEVR[1] Len : 2 EVER HAD 4/5 OR MORE DRINKS ON THE SAME OCCASION

	Freq	Pct
1 = Yes	11928	21.04
2 = No	15287	26.96
3 = Yes LOGICALLY ASSIGNED	12	0.02
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	12232	21.57
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL	16465	29.04
94 = DON'T KNOW	85	0.15
97 = REFUSED	110	0.19
98 = BLANK (NO ANSWER)	583	1.03

Earlier the computer recorded that you had [4 or more]/[5 or more] drinks on the same occasion in the past 30 days. How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

How old were you the first time you had [4 or more]/[5 or more] drinks on the same occasion?

(CA11)

CABINGAGE[1] Len : 3 AGE 1ST TIME HAD 4 OR 5 OR MORE DRINKS SAME OCCASION

	Freq	Pct
RANGE = 1 - 86	22834	40.27
985 = BAD DATA Logically assigned	480	0.85
991 = NEVER USED ALCOHOL	16465	29.04
994 = DON'T KNOW	459	0.81
997 = REFUSED	97	0.17
998 = BLANK (NO ANSWER)	1083	1.91
999 = LEGITIMATE SKIP	15287	26.96

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first have [4 or more]/[5 or more] drinks on the same occasion in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

(CA11A, CA11B, CA11C)

CABINGYFU[1] Len : 4 YEAR OF FIRST 4 OR 5 + DRINKS ON SAME OCCASION - RECODE

	Freq	Pct
RANGE = 2021 - 2023	2697	4.76
9985 = BAD DATA Logically assigned	50	0.09
9989 = LEGITIMATE SKIP Logically assigned	69	0.12
9991 = NEVER USED ALCOHOL	16465	29.04
9994 = DON'T KNOW	468	0.83
9997 = REFUSED	98	0.17
9998 = BLANK (NO ANSWER)	1560	2.75
9999 = LEGITIMATE SKIP	35298	62.25

In what month in [CURRENT YEAR] did you first have [4 or more]/[5 or more] drinks on the same occasion?

In what month in [YEAR FROM CA11a or CA11b] did you first have [4 or more]/[5 or more] drinks on the same occasion?

(CA11C, CA11D)

CABINGMFU[1] Len : 2 MONTH OF 4 OR 5+ DRINKS ON SAME OCCASION - RECODE

	Freq	Pct
1 = January	305	0.54
2 = February	165	0.29
3 = March	220	0.39
4 = April	162	0.29
5 = May	212	0.37
6 = June	245	0.43
7 = July	272	0.48
8 = August	205	0.36
9 = September	185	0.33
10 = October	204	0.36
11 = November	169	0.30
12 = December	236	0.42
85 = BAD DATA Logically assigned	75	0.13
89 = LEGITIMATE SKIP Logically assigned	69	0.12
91 = NEVER USED ALCOHOL	16465	29.04
94 = DON'T KNOW	542	0.96
97 = REFUSED	104	0.18
98 = BLANK (NO ANSWER)	1572	2.77
99 = LEGITIMATE SKIP	35298	62.25

NOTE: EIBINGAGE is an "editing indicator" for the variable CABINGAGE. The default value of EIBINGAGE is 1, when no editing has been done to CABINGAGE, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGAGE has values of 2 when values in CABINGAGE have logically been replaced with other values as part of the data editing procedures.

EIBINGAGE[1] Len : 1 EDITING INDICATOR FOR CABINGAGE

	Freq	Pct
1 = Questionnaire data (or bad data/legitimate skip)	56664	99.93
2 = Logically assigned data	41	0.07

NOTE: EIBINGYFU is an "editing indicator" for the variable CABINGYFU. The default value of EIBINGYFU is 1, when no editing has been done to CABINGYFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGYFU has values of 2 when values in CABINGYFU have logically been replaced with other values as part of the data editing procedures.

EIBINGYFU[1] Len : 1 EDITING INDICATOR FOR CABINGYFU

	Freq	Pct
1 = Questionnaire data (or bad data/legitimate skip).....	56677	99.95
2 = Logically assigned data.....	28	0.05

NOTE: EIBINGMFU is an "editing indicator" for the variable CABINGMFU. The default value of EIBINGMFU is 1, when no editing has been done to CABINGMFU, other than to replace values with "bad data" codes or to assign relevant LEGITIMATE SKIP/NEVER USED ALCOHOL codes when the question did not apply. EIBINGMFU has values of 2 when values in CABINGMFU have logically been replaced with other values as part of the data editing procedures.

EIBINGMFU[1] Len : 1 EDITING INDICATOR FOR CABINGMFU

	Freq	Pct
1 = Questionnaire data (or bad data/legitimate skip).....	56693	99.98
2 = Logically assigned data.....	12	0.02

RECODED CONSUMPTION OF ALCOHOL

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Codebook section in the main introduction of the codebook.

The following variable defines the social context of a respondent's last alcohol use, including whether they drank alone or if they were with one or more persons.

(CADRPEOP)
UADPEOP Len : 1 RC-SOCIAL CONTEXT OF MOST RECENT ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise)	333	0.59
1 = Drank Alone (CADRPEOP=1)	207	0.37
2 = Drank with One Other Person (CADRPEOP=2)	427	0.75
3 = Drank with More Than One Person (CADRPEOP=3)	1396	2.46
4 = No Past Mon Alc/Aged 21+ (CADRPEOP=89,91,93,99)	54342	95.83

NOTE: The following eight variables define the locations where respondents had their most recent alcohol use.

(CADRCAR)
UADCAR Len : 1 RC-MOST RECENT ALCOHOL USE IN A CAR

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise)	54689	96.44
1 = Yes (CADRCAR=1,3)	97	0.17
2 = No (CADRCAR=6)	1919	3.38

(CADRHOME)
UADHOME Len : 1 RC-MOST RECENT ALCOHOL USE AT HOME

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise)	54689	96.44
1 = Yes (CADRHOME=1,3)	898	1.58
2 = No (CADRHOME=6)	1118	1.97

(CADROTHM)
UADOTHM Len : 1 RC-MOST RECENT ALCOHOL USE AT SOMEONE ELSE'S HOME

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise)	54689	96.44
1 = Yes (CADROTHM=1,3)	870	1.53
2 = No (CADROTHM=6)	1146	2.02

(CADRPUBL)
UADPUBL Len : 1 RC-MOST RECENT ALCOHOL USE AT A PARK, BEACH, OR LOT

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise)	54689	96.44
1 = Yes (CADRPUBL=1,3)	124	0.22
2 = No (CADRPUBL=6)	1892	3.34

(CADRBAR)
UADBAR Len : 1 RC-MOST RECENT ALCOHOL USE AT RESTAURANT, BAR, OR CLUB

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise)	54689	96.44
1 = Yes (CADRBAR=1,3)	169	0.30
2 = No (CADRBAR=6)	1847	3.26

(CADREVNT)
UADEVNT Len : 1 RC-MOST RECENT ALCOHOL USE AT CONCERT OR SPORTS GAME

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise)	54689	96.44
1 = Yes (CADREVNT=1,3)	45	0.08
2 = No (CADREVNT=6)	1971	3.48

(CADRSCHL)
UADSCHL Len : 1 RC-MOST RECENT ALCOHOL USE AT SCHOOL

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (Otherwise)	54689	96.44
1 = Yes (CADRSCHL=1,3)	20	0.04
2 = No (CADRSCHL=6)	1996	3.52

The following variable, UADROTH, was assigned a negative response if a respondent indicated not receiving their most recent alcohol from some other place (CADROTH=6) or indicated receiving their most recent alcohol from one of the other specific locations asked about (CADROTH=1 & CADROTS2=1-7). A missing was assigned if a respondent indicated that they received their most recent alcohol from some other place (CADROTH=1) and their response to the other-specify follow-up question was invalid or unknown (CADROTS2=70, 85, 94, 97, 98) or if they were not alcohol users, or did not indicate any location for their most recent alcohol use (CADROTH=91, 93, 94, 97, 98, 99).

(CADROTH, CADROTS2)
UADROTH Len : 1 RC-MOST RECENT ALCOHOL USE AT SOME OTHER PLACE

	Freq	Pct
. = Unknown/No PM Use/Aged 21+ (See comment above)	54718	96.50
1 = Yes (CADROTH=1 and CADROTS2=8-41)	114	0.20
2 = No (See comment above)	1873	3.30

(CADROTS2)
UADOTSP2 Len : 1 RC-OTHER LOCATIONS OF MOST RECENT ALCOHOL USE

	Freq	Pct
. = Unknown (CADROTS2=70,85,94,97,98)	376	0.66
1 = Party, Wedding, or Celebration (CADROTS2=35)	38	0.07
2 = Outside; Location Not Specified (CADROTS2=24)	10	0.02
3 = Hotel, Motel, or Resort (CADROTS2=15)	14	0.02
4 = Camping, Hunting, or Fishing (CADROTS2=22)	11	0.02
7 = Other Location, Nonuser, or Aged 21+ (Otherwise)	56256	99.21

(CABUYFRE)
UADPAID Len : 1 RC-UNDERAGE DRINKER PAID FOR MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise)	340	0.60
1 = Yes (CABUYFRE=1)	527	0.93
2 = No (CABUYFRE=2)	1496	2.64
3 = No Past Mon Alc/Aged 21+ (CABUYFRE=89,91,93,99)	54342	95.83

A respondent was assigned a value of UADMONY=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but did not pay for their most recent alcohol (CAGVMONY=89, 91, 93, 99).

(CAGVMONY)
UADMONY Len : 1 RC-UNDERAGE DRINKER PURCHASED MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise)	353	0.62
1 = Bought Myself (CAGVMONY=1)	223	0.39
2 = Gave Money to Someone Else to Buy (CAGVMONY=2)	291	0.51
3 = No Pst Mon Alc/Aged 21+/No Pay (See comment above)	55838	98.47

A respondent was assigned a value of UADBWHO=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUYWHO=89, 91, 93, 99).

(CABUYWHO)
UADBWHO Len : 1 RC-HOW UNDERAGE DRINKER PURCHASED MOST RECNT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise)	354	0.62
1 = Bought at a Store/Restaurant/Etc. (CABUYWHO=1)	190	0.34
2 = Bought From Another Person (CABUYWHO=2)	32	0.06
3 = No PM Alc/Aged 21+/No Pay, Buy (See comment above)	56129	98.98

A respondent was assigned a value of UADPLACE=4 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but bought from another person, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABPLACE=89, 91, 93, 99).

(CABPLACE)

UADPLACE Len : 1 RC-WHERE UNDERAGE DRINKER PURCHSD MOST RECNT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise)	354	0.62
1 = Bought at Liquor/Grocery Store (CABPLACE=1)	138	0.24
2 = Bought at a Restaurant/Bar/Club (CABPLACE=2)	49	0.09
3 = Bought at a Concert/Sports/Event (CABPLACE=3)	3	0.01
4 = No PM Alc/21+/Prsn/No Pay, Buy (See comment above)	56161	99.04

A respondent was assigned a value of UADBUND=3 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 and bought it at a store, restaurant, bar, club, or event, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 and paid for their most recent alcohol but did not buy it themselves (CABUNDAG=89, 91, 93, 99).

(CABUNDAG)

UADBUND Len : 1 RC-AGE PERSON WHO PURCHASED ALC FOR UNDERAGE DRINKER

	Freq	Pct
. = Unknown (Otherwise)	354	0.62
1 = Under Age 21 (CABUNDAG=1)	6	0.01
2 = Aged 21 or Older (CABUNDAG=2)	26	0.05
3 = No PM Alc/21+/Plce/No Pay, Buy (See comment above)	56319	99.32

A respondent was assigned a value of UADCAG=5 if they did not use alcohol in the past month, were aged 21 or older, were past month alcohol users who were under 21 but did not pay for their most recent alcohol, or were past month alcohol users who were under 21 but bought it themselves (CAGVWHO=89, 91, 93, 99).

(CAGVWHO)

UADCAG Len : 1 RC-WHO PURCHASED UNDERAGE DRINKER MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (Otherwise)	362	0.64
1 = Parent or Guardian (CAGVWHO=1)	24	0.04
2 = Another Family Member Aged 21 or Older (CAGVWHO=2)	33	0.06
3 = Someone Not Related Aged 21 or Older (CAGVWHO=3)	173	0.31
4 = Someone Under the Age of 21 (CAGVWHO=4)	52	0.09
5 = No PM Alc/21+/No Pay/Buy Self (See comment above)	56061	98.86

The following variable, UADFWHO, was assigned missing if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFWHO=8 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89,91,93,99).

(CAFRESP2, CAFREWHO)

UADFWHO Len : 1 RC-WHO GAVE UNDERAGE DRINKER MOST RECENT ALCOHOL

	Freq	Pct
. = Unknown (See comment above)	427	0.75
1 = Parent or Guardian (CAFREWHO=1,11)	233	0.41
2 = Another Family Member, 21 or Older (CAFREWHO=2,12)	250	0.44
3 = Someone Not Related, 21 or Older (CAFREWHO=3,13)	381	0.67
4 = Someone Under the Age of 21 (CAFREWHO=4,14)	257	0.45
5 = Took From My Home (CAFREWHO=5,15)	138	0.24
6 = Took From Someone Else's Home (CAFREWHO=6,16)	42	0.07
7 = Some Other Way (CAFREWHO=7 & CAFRESP2=7-43)	108	0.19
8 = No PM Alc/Aged 21+/Pay (See comment above)	54869	96.76

The following variable, UADFRD, was assigned a negative response if a respondent indicated receiving their most recent alcohol not from a friend (CAFREWHO=1-6, 11-16) or from some other person besides a friend (CAFREWHO=7 & CAFRESP2=7, 8-21, 23-42). A missing was assigned if a respondent indicated that some other person gave them the last alcohol they drank (CAFREWHO=7) and their response to the other-specify follow-up question was unknown (CAFRESP2=70, 85, 94, 97, 98) or if they did not indicate who gave them the last alcohol they drank (CAFREWHO=85, 94, 97, 98). A respondent was assigned a value of UADFRD=3 if they did not use alcohol in the past month, were aged 21 or older, or were past month alcohol users who were under 21 but paid for it themselves (CAFREWHO=89,91,93,99).

(CAFRESP2, CAFREWHO)

UADFRD Len : 1 RC-MOST RECENT ALCOHOL FROM FRIEND, UNSPEC AGE/METHOD

	Freq	Pct
. = Unknown (See comment above)	427	0.75
1 = Got From a Friend (CAFREWHO=7 & CAFRESP2=22,43)	43	0.08
2 = Not From a Friend (See comment above)	1366	2.41
3 = No PM Alc/Aged 21+/Pay (See comment above)	54869	96.76

NOTE: The following six variables define specific drugs used at the same time or within a couple hours of the respondent's last alcohol use.

(CADRKMARJ)

CADRKMARJ2 Len : 1 RC-USED MARIJUANA WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise)	442	0.78
0 = No (CADRKMARJ=6,81,83,89,91,93,99)	52898	93.29
1 = Yes (CADRKMARJ=1,5)	3365	5.93

(CADRKCOCN)

CADRKCOCN2 Len : 1 RC-USED COCAINE WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise)	56	0.10
0 = No (CADRKCOCN=6,81,83,89,91,93,99)	56556	99.74
1 = Yes (CADRKCOCN=1,5)	93	0.16

(CADRKHERN)

CADRKHERN2 Len : 1 RC-USED HEROIN WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise)	15	0.03
0 = No (CADRKHERN=6,81,83,89,91,93,99)	56675	99.95
1 = Yes (CADRKHERN=1,5)	15	0.03

(CADRKHALL)

CADRKHALL2 Len : 1 RC-USED HALLUCINOGENS WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise)	100	0.18
0 = No (CADRKHALL=6,81,83,89,91,93,99)	56550	99.73
1 = Yes (CADRKHALL=1,5)	55	0.10

(CADRKINHL)

CADRKINHL2 Len : 1 RC-USED INHALANTS WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise)	71	0.13
0 = No (CADRKINHL=6,81,83,89,91,93,99)	56618	99.85
1 = Yes (CADRKINHL=1,5)	16	0.03

(CADRKMETH)

CADRKMETH2 Len : 1 RC-USED METHAMPHETAMINE WITH LAST ALCOHOL USE

	Freq	Pct
. = Unknown (Otherwise)	36	0.06
0 = No (CADRKMETH=6,81,83,89,91,93,99)	56602	99.82
1 = Yes (CADRKMETH=1,5)	67	0.12

MARIJUANA

The next questions are about CBD or hemp products made from hemp plants. CBD and hemp products have no or small amounts of THC and are not intended to cause a "high." They come in many forms including oils, lotions, edibles, and isolate. People sometimes use them to relieve pain, to reduce anxiety, or to help them sleep.

Have you ever, even once, used any CBD or hemp products?

(CBDLIF)
CBDHMPEVR Len : 2 EVER USED CBD OR HEMP PRODUCTS

	Freq	Pct
1 = Yes	18507	32.64
2 = No	37779	66.62
94 = DON'T KNOW	388	0.68
97 = REFUSED	31	0.05

How long has it been since you last used any form of CBD or hemp product?

(CBDLAST)
CBDHMPREC Len : 2 TIME SINCE LAST USED CBD OR HEMP PRODUCT

	Freq	Pct
1 = Within the past 30 days	5978	10.54
2 = More than 30 days ago but within the past 12 mos	4916	8.67
3 = More than 12 months ago but within the past 3 yrs	4723	8.33
4 = More than 3 years ago	2842	5.01
9 = Used at some point in the lifetime LOG ASSN	48	0.08
91 = NEVER USED CBD OR HEMP PRODUCT	37779	66.62
98 = BLANK (NO ANSWER)	419	0.74

The next questions are about marijuana and cannabis products, sometimes called pot, weed, hashish, or concentrates. Some of the ways these products can be used are smoking (such as in joints, pipes, bongs, blunts, or hookahs), vaping (using vape pens, dab pens, tabletop vaporizers, or portable vaporizers), dabbing, eating or drinking, or applying as a lotion.

Please exclude your use of CBD or hemp products when answering these questions.

Have you ever, even once, used marijuana or any cannabis product?

(MJ01, MJREF)
MJEVER Len : 2 EVER USED MARIJUANA/CANNABIS

	Freq	Pct
1 = Yes	25497	44.96
2 = No	31154	54.94
94 = DON'T KNOW	32	0.06
97 = REFUSED	22	0.04

How old were you the first time you used marijuana or any cannabis product?

(MJ02)
MJAGE Len : 3 AGE WHEN FIRST USED MARIJUANA/CANNABIS

	Freq	Pct
RANGE = 1 - 85	25339	44.69
985 = BAD DATA Logically assigned	41	0.07
991 = NEVER USED MARIJUANA	31154	54.94
994 = DON'T KNOW	93	0.16
997 = REFUSED	46	0.08
998 = BLANK (NO ANSWER)	32	0.06

Did you first use marijuana or any cannabis product in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use marijuana or any cannabis product in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use marijuana or any cannabis product?

(MJ03A, MJ03B, MJ03C)

MJYFU Len : 4 YEAR OF FIRST MARIJUANA/CANNABIS USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	1812	3.20
9985 = BAD DATA Logically assigned	139	0.25
9989 = LEGITIMATE SKIP Logically assigned	125	0.22
9991 = NEVER USED MARIJUANA	31154	54.94
9994 = DON'T KNOW	98	0.17
9997 = REFUSED	47	0.08
9998 = BLANK (NO ANSWER)	32	0.06
9999 = LEGITIMATE SKIP	23298	41.09

In what month in [CURRENT YEAR] did you first use marijuana or any cannabis product?

In what month in [YEAR FROM MJ03a or MJ03b] did you first use marijuana or any cannabis product?

(MJ03C, MJ03D)

MJMFU Len : 2 MONTH OF FIRST MARIJUANA/CANNABIS USE - RECODE

	Freq	Pct
1 = January	145	0.26
2 = February	128	0.23
3 = March	124	0.22
4 = April	139	0.25
5 = May	137	0.24
6 = June	175	0.31
7 = July	198	0.35
8 = August	129	0.23
9 = September	140	0.25
10 = October	142	0.25
11 = November	116	0.20
12 = December	134	0.24
85 = BAD DATA Logically assigned	139	0.25
89 = LEGITIMATE SKIP Logically assigned	125	0.22
91 = NEVER USED MARIJUANA	31154	54.94
94 = DON'T KNOW	189	0.33
97 = REFUSED	61	0.11
98 = BLANK (NO ANSWER)	32	0.06
99 = LEGITIMATE SKIP	23298	41.09

How long has it been since you last used marijuana or any cannabis product?

(MJLAST3, MJRECDK, MJRECRE)

MJREC Len : 2 TIME SINCE LAST USED MARIJUANA/CANNABIS

	Freq	Pct
1 = Within the past 30 days	9722	17.14
2 = More than 30 days ago but within the past 12 mos	4347	7.67
3 = More than 12 months ago	11185	19.72
8 = Used at some point in the past 12 mos LOG ASSN	116	0.20
9 = Used at some point in the lifetime LOG ASSN	123	0.22
11 = Used in the past 30 days LOGICALLY ASSIGNED	4	0.01
91 = NEVER USED MARIJUANA	31154	54.94
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	32	0.06

(TOTMJ)
MJYRTOT Len : 3 TOTAL # OF DAYS USED MARIJUANA/CANNABIS IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	13965	24.63
985 = BAD DATA Logically assigned	130	0.23
991 = NEVER USED MARIJUANA	31154	54.94
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
994 = DON'T KNOW	72	0.13
997 = REFUSED	44	0.08
998 = BLANK (NO ANSWER)	155	0.27

MRTOTFG Len : 2 TRIMMING INDICATOR FOR MJYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing)	17	0.03
2 = Trimmed relative to the 30-day freq	480	0.85
3 = Trimmed relative to estimated 30-day freq	1	0.00
98 = BLANK (NO ANSWER)	56207	99.12

MJFQFLG Len : 2 TRIMMED MJYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	425	0.75
98 = BLANK (NO ANSWER)	56280	99.25

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used marijuana or any cannabis product during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(MJFRAME3)
MRBSTWAY Len : 2 EASIEST WAY TO TELL US # DAYS USED MARIJUANA/CANNABIS

	Freq	Pct
1 = Prefer to answer in days per week	5994	10.57
2 = Prefer to answer in days per month	3240	5.71
3 = Prefer to answer in days per year	4683	8.26
11 = Prefer to ans in days per wk LOG ASSN	23	0.04
12 = Prefer to ans in days per mo LOG ASSN	21	0.04
13 = Prefer to ans in days per yr LOG ASSN	62	0.11
85 = BAD DATA Logically assigned	130	0.23
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
94 = DON'T KNOW	22	0.04
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	155	0.27

On how many days in the past 12 months did you use marijuana or any cannabis product?

(MJYRAVE)
MRDAYPYR Len : 3 # DAYS USED MARIJUANA/CANNABIS PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	4736	8.35
985 = BAD DATA Logically assigned	15	0.03
989 = LEGITIMATE SKIP Logically assigned	48	0.08
991 = NEVER USED MARIJUANA	31154	54.94
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
994 = DON'T KNOW	36	0.06
997 = REFUSED	31	0.05
998 = BLANK (NO ANSWER)	270	0.48
999 = LEGITIMATE SKIP	9230	16.28

On average, how many days did you use marijuana or any cannabis product each month during the past 12 months?

(MJMONAVE)
MRDAYPMO Len : 2 # DAYS PER MO USED MARIJUANA/CANNABIS PAST 12 MOS

	Freq	Pct
RANGE = 1 - 31	3247	5.73
85 = BAD DATA Logically assigned	37	0.07
89 = LEGITIMATE SKIP Logically assigned	23	0.04
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
94 = DON'T KNOW	44	0.08
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	249	0.44
99 = LEGITIMATE SKIP	10730	18.92

On average, how many days did you use marijuana or any cannabis product each week during the past 12 months?

(MJWKAVE)
MRDAYPWK Len : 2 # DAYS PER WEEK USED MARIJUANA/CANNABIS PAST 12 MOS

	Freq	Pct
RANGE = 1 - 7	5982	10.55
85 = BAD DATA Logically assigned	78	0.14
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
94 = DON'T KNOW	72	0.13
97 = REFUSED	43	0.08
98 = BLANK (NO ANSWER)	208	0.37
99 = LEGITIMATE SKIP	7983	14.08

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use marijuana or any cannabis product?

(MJ06)
MJDAY30A Len : 2 # DAYS USED MARIJUANA/CANNABIS PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	9660	17.04
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	15532	27.39
94 = DON'T KNOW	38	0.07
97 = REFUSED	46	0.08
98 = BLANK (NO ANSWER)	275	0.48

What is your best estimate of the number of days you used marijuana or any cannabis product during the past 30 days?

(MJ06DKRE)
MR30EST Len : 2 BEST EST. # DAYS USED MARIJUANA/CANNABIS PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	10	0.02
2 = 3 to 5 days	8	0.01
3 = 6 to 9 days	6	0.01
4 = 10 to 19 days	15	0.03
5 = 20 to 29 days	4	0.01
6 = All 30 days	7	0.01
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	15532	27.39
94 = DON'T KNOW	7	0.01
97 = REFUSED	29	0.05
98 = BLANK (NO ANSWER)	276	0.49
99 = LEGITIMATE SKIP	9657	17.03

During the past 12 months, that is, since [DATEFILL], in which of the following ways did you use marijuana or any cannabis product?

To select more than one way from the list, press the space bar between each number you type. When you have finished, press [ENTER]

(MJMODEPY1)
MJYRSMOKE Len : 2 MRJ USE - SMOKING - PAST 12 MONTHS

	Freq	Pct
1 = Yes	10918	19.25
2 = No (not entered)	3081	5.43
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER)	22	0.04
5 = Yes LOGICALLY ASSIGNED (from MJMONSMOKE)	132	0.23
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
94 = DON'T KNOW	16	0.03
97 = REFUSED	20	0.04
98 = BLANK (NO ANSWER)	177	0.31

(MJMODEPY2)
MJYRVAPE Len : 2 MRJ USE - VAPING - PAST 12 MONTHS

	Freq	Pct
1 = Yes	6017	10.61
2 = No (not entered)	7905	13.94
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER)	8	0.01
5 = Yes LOGICALLY ASSIGNED (from MJMONVAPE)	220	0.39
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
94 = DON'T KNOW	17	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	177	0.31

(MJMODEPY3)
MJYRDAB Len : 2 MRJ USE - DABBING WAXES, SHATTER, OR CONC - PAST 12 MOS

	Freq	Pct
1 = Yes	2765	4.88
2 = No (not entered)	11266	19.87
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER)	5	0.01
5 = Yes LOGICALLY ASSIGNED (from MJMONDAB)	113	0.20
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
94 = DON'T KNOW	18	0.03
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	177	0.31

(MJMODEPY4)
MJYREAT Len : 2 MRJ USE - EATING OR DRINKING - PAST 12 MONTHS

	Freq	Pct
1 = Yes	6836	12.06
2 = No (not entered)	7053	12.44
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER)	76	0.13
5 = Yes LOGICALLY ASSIGNED (from MJMONEAT)	183	0.32
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
94 = DON'T KNOW	18	0.03
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	177	0.31

(MJMODEPY5)
MJYRMOUTH Len : 2 MRJ USE - DROPS/STRIPS/LOZENGES/SPRAYS IN MOUTH - PST 12 MOS

	Freq	Pct
1 = Yes	717	1.26
2 = No (not entered)	13390	23.61
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER)	4	0.01
5 = Yes LOGICALLY ASSIGNED (from MJMONMOUTH)	37	0.07
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
94 = DON'T KNOW	18	0.03
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	177	0.31

(MJMODEPY6)
MJYRSKIN Len : 2 MRJ USE - LOTION/CREAM/PATCH TO SKIN - PAST 12 MONTHS

	Freq	Pct
1 = Yes	1106	1.95
2 = No (not entered)	13000	22.93
3 = Yes LOGICALLY ASSIGNED (from MJYROTHER)	5	0.01
5 = Yes LOGICALLY ASSIGNED (from MJMONSKIN)	37	0.07
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
94 = DON'T KNOW	18	0.03
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	177	0.31

(MJMODEPY7)
MJYRPILL Len : 2 MRJ USE - PILLS - PAST 12 MONTHS

	Freq	Pct
1 = Yes	392	0.69
2 = No (not entered)	13732	24.22
5 = Yes LOGICALLY ASSIGNED (from MJMONPILL)	24	0.04
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
94 = DON'T KNOW	18	0.03
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	177	0.31

(MJMODEPY8)
MJYROTHER Len : 2 MRJ USE - SOME OTHER WAY - PAST 12 MONTHS

	Freq	Pct
1 = Yes	280	0.49
2 = No (not entered)	13839	24.41
5 = Yes LOGICALLY ASSIGNED	29	0.05
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
94 = DON'T KNOW	18	0.03
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	177	0.31

During the past 30 days, that is, since [DATEFILL], in which of the following ways did you use marijuana or any cannabis product?

To select more than one way from the list, press the space bar between each number you type. When you have finished, press [ENTER]

(MJMODEPM1)
MJMONSMOKE Len : 2 MRJ USE - SMOKING - PAST 30 DAYS

	Freq	Pct
1 = Yes	7491	13.21
2 = No (not entered)	2188	3.86
3 = Yes LOGICALLY ASSIGNED	6	0.01
4 = No (not entered) LOGICALLY ASSIGNED	8	0.01
5 = Yes LOGICALLY ASSIGNED (from MJYRSMOKE)	12	0.02
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	15532	27.39
94 = DON'T KNOW	7	0.01
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	295	0.52

(MJMODEPM2)
MJMONVAPE Len : 2 MRJ USE - VAPING - PAST 30 DAYS

	Freq	Pct
1 = Yes	4074	7.18
2 = No (not entered)	5605	9.88
3 = Yes LOGICALLY ASSIGNED	2	0.00
4 = No (not entered) LOGICALLY ASSIGNED	12	0.02
5 = Yes LOGICALLY ASSIGNED (from MJYRVAPE)	13	0.02
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	15532	27.39
94 = DON'T KNOW	7	0.01
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	294	0.52

(MJMODEPM3)
MJMONDAB Len : 2 MRJ USE - DABBING WAXES, SHATTER, OR CONC - PAST 30 DAYS

	Freq	Pct
1 = Yes	1758	3.10
2 = No (not entered)	7927	13.98
4 = No (not entered) LOGICALLY ASSIGNED	22	0.04
5 = Yes LOGICALLY ASSIGNED (from MJYRDAB)	5	0.01
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	15532	27.39
94 = DON'T KNOW	5	0.01
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	293	0.52

(MJMODEPM4)
MJMONEAT Len : 2 MRJ USE - EATING OR DRINKING - PAST 30 DAYS

	Freq	Pct
1 = Yes	3731	6.58
2 = No (not entered)	5932	10.46
3 = Yes LOGICALLY ASSIGNED	17	0.03
4 = No (not entered) LOGICALLY ASSIGNED	17	0.03
5 = Yes LOGICALLY ASSIGNED (from MJYREAT)	14	0.02
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	15532	27.39
94 = DON'T KNOW	5	0.01
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	293	0.52

(MJMODEPM5)
MJMONMOUTH Len : 2 MRJ USE - DROPS/STRIPS/LOZENGES/SPRAYS IN MOUTH - PST 30 DAY

	Freq	Pct
1 = Yes	364	0.64
2 = No (not entered)	9321	16.44
3 = Yes LOGICALLY ASSIGNED	3	0.01
4 = No (not entered) LOGICALLY ASSIGNED	24	0.04
5 = Yes LOGICALLY ASSIGNED (from MJYRMOUTH)	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	15532	27.39
94 = DON'T KNOW	4	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	293	0.52

(MJMODEPM6)
MJMONSKIN Len : 2 MRJ USE - LOTION/CREAM/PATCH TO SKIN - PAST 30 DAYS

	Freq	Pct
1 = Yes	562	0.99
2 = No (not entered)	9121	16.09
3 = Yes LOGICALLY ASSIGNED	1	0.00
4 = No (not entered) LOGICALLY ASSIGNED	23	0.04
5 = Yes LOGICALLY ASSIGNED (from MJYRSKIN)	6	0.01
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	15532	27.39
94 = DON'T KNOW	4	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	294	0.52

(MJMODEPM7)
MJMONPILL Len : 2 MRJ USE - PILLS - PAST 30 DAYS

	Freq	Pct
1 = Yes	211	0.37
2 = No (not entered)	9477	16.71
4 = No (not entered) LOGICALLY ASSIGNED	24	0.04
5 = Yes LOGICALLY ASSIGNED (from MJYRPILL)	1	0.00
85 = BAD DATA Logically Assigned	1	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	15532	27.39
94 = DON'T KNOW	4	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	293	0.52

NOTE: Beginning in 2022, edited variables MJANYMEDYR and MJALLMEDYR replace variables MEDMJYR and MEDMJALL. Questions MJMM01 and MJMM02 were moved from the blunts section of the questionnaire to the marijuana section. This change may have affected how respondents answered these questions.

NOTE: Past year marijuana users could answer MJANYMEDYR and MJALLMEDYR as "yes," regardless of whether they were living in a State in which marijuana was approved for medical use.

Earlier, you reported using marijuana or any cannabis product in the past year. Was any of your marijuana or cannabis product use in the past 12 months recommended by a doctor or other health care professional?

(MJMM01)

MJANYMEDYR Len : 2 ANY MARIJUANA USE IN PAST 12 MONTHS RECOMMENDED BY DR

	Freq	Pct
1 = Yes	2288	4.03
2 = No	11849	20.90
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	13	0.02
97 = REFUSED	39	0.07
98 = BLANK (NO ANSWER)	177	0.31

Was all of your marijuana or cannabis use in the past 12 months recommended by a doctor or other health care professional?

(MJMM02)

MJALLMEDYR Len : 2 ALL MARIJUANA USE IN PAST 12 MONTHS RECOMMENDED BY DR

	Freq	Pct
1 = Yes	1383	2.44
2 = No	903	1.59
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS	11185	19.72
94 = DON'T KNOW	1	0.00
97 = REFUSED	40	0.07
98 = BLANK (NO ANSWER)	190	0.34
99 = LEGITIMATE SKIP	11849	20.90

NOTE: MEDMJPA2 indicates whether respondents were living in a State in which a law allowing use of marijuana for medical reasons had been passed at the time of the interview. The entire sample was classified into one of the following two categories: MEDMJPA2 was coded as 1 if the respondent was in a State where a law or initiative allowing the use of marijuana for medical reasons had been passed on or before the interview date; MEDMJPA2 was coded as 2 if (a) the respondent was in a State in which a law or initiative allowing the use of marijuana for medical reasons had not been passed at any time during the survey year; or (b) the respondent was in a State where a law or initiative allowing the use of marijuana for medical reasons had been passed during the survey year but after the interview date.

MEDMJPA2 Len : 1 STATE MEDICAL MJ LAW PASSED AT TIME OF INTERVIEW

	Freq	Pct
1 = In State where medical MJ law passed before intvw	44648	78.74
2 = Not In State where med MJ law existed at time of intw	12057	21.26

MARKET INFORMATION FOR MARIJUANA

NOTE: The Market Information for Marijuana section underwent extensive questionnaire changes for the 2022 survey. Therefore, all variables in this section were given new variable names beginning in 2022.

Now we return to the topic of marijuana and cannabis products.
Please do not include CBD or hemp products when answering these questions.

During the past 12 months, how did you get marijuana or cannabis products?

(MJE01A)
MKMBGHTYR Len : 2 PAID FOR OR BOUGHT MARIJUANA - PAST 12 MONTHS

	Freq	Pct
1 = Yes	8671	15.29
2 = No	5035	8.88
3 = Yes LOGICALLY ASSIGNED	38	0.07
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	31	0.05
97 = REFUSED	88	0.16
98 = BLANK (NO ANSWER)	501	0.88

(MJE01B)
MKMTRADEYR Len : 2 TRADED SOMETHING FOR MARIJUANA - PAST 12 MONTHS

	Freq	Pct
1 = Yes	744	1.31
2 = No	12989	22.91
3 = Yes LOGICALLY ASSIGNED	11	0.02
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	33	0.06
97 = REFUSED	85	0.15
98 = BLANK (NO ANSWER)	502	0.89

(MJE01C)
MKMFREEYR Len : 2 GOT FOR FREE OR SHARED SOMEONE ELSE'S MARIJUANA - PST 12 MOS

	Freq	Pct
1 = Yes	7620	13.44
2 = No	6097	10.75
3 = Yes LOGICALLY ASSIGNED	36	0.06
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	28	0.05
97 = REFUSED	81	0.14
98 = BLANK (NO ANSWER)	502	0.89

(MJE01D)
MKMGREWYR Len : 2 GREW OWN MARIJUANA - PAST 12 MONTHS

	Freq	Pct
1 = Yes	552	0.97
2 = No	13186	23.25
3 = Yes LOGICALLY ASSIGNED	4	0.01
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	33	0.06
97 = REFUSED	87	0.15
98 = BLANK (NO ANSWER)	502	0.89

NOTE: MKMOTHWAYYR was coded as 5 (Source unknown) if respondents used marijuana in the past 12 months, but they did not report at least one way in which they got marijuana in that period.

(MJE01E)
MKMOTHWAYYR Len : 2 GOT MARIJUANA IN SOME OTHER WAY - PAST 12 MONTHS

	Freq	Pct
1 = Yes	824	1.45
2 = No	10986	19.37
5 = Source unknown	2006	3.54
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	14	0.02
97 = REFUSED	32	0.06
98 = BLANK (NO ANSWER)	502	0.89

How long has it been since you last paid for or bought marijuana or cannabis products?

(MJE02)
MKMBGHTREC Len : 2 TIME SINCE LAST PAID FOR OR BOUGHT MARIJUANA

	Freq	Pct
1 = Within the past 30 days	4680	8.25
2 = More than 30 days ago but within the past 12 months	3950	6.97
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	25	0.04
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	659	1.16
99 = LEGITIMATE SKIP	5035	8.88

During the past 30 days, that is, since [DATEFILL], on how many days did you pay for or buy marijuana or cannabis products?

(MJE03)
MKMBGHT30N2 Len : 2 # OF DAYS PAID FOR OR BOUGHT MARIJUANA - PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 5	3756	6.62
6 = 6 or more	867	1.53
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	46	0.08
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	699	1.23
99 = LEGITIMATE SKIP	8985	15.85

MKMAMTPDCOM2 Len : 2 AMT PAID FOR LAST MRJ BOUGHT - CAT - PST 12 MOS (COMBINED)

	Freq	Pct
1 = Less than $25.00	1521	2.68
2 = $25.00 to $49.99	2477	4.37
3 = $50.00 to $99.99	2364	4.17
4 = $100.00 to $149.99	1122	1.98
5 = $150.00 to $199.99	366	0.65
6 = $200 to $299.99	462	0.81
7 = $300 to $399.99	136	0.24
8 = $400 to $499.99	43	0.08
9 = $500 or more	104	0.18
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	23	0.04
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	697	1.23
99 = LEGITIMATE SKIP	5035	8.88

The last time you bought marijuana or cannabis products, did you buy it from either a store or dispensary?

(MJE06)
MKMBGHTDISP Len : 2 BGHT LAST MARIJUANA FROM STORE OR DISPENSARY - PST 12 MOS

	Freq	Pct
1 = Yes	5783	10.20
2 = No	2842	5.01
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	23	0.04
97 = REFUSED	20	0.04
98 = BLANK (NO ANSWER)	661	1.17
99 = LEGITIMATE SKIP	5035	8.88

The last time you paid for or bought marijuana or cannabis products, how well did you know the person you got it from?

(MJE07)
MKMBGHTKNW Len : 2 HOW WELL KNOW PERSON BOUGHT LAST MRJ FROM - PST 12 MOS

	Freq	Pct
1 = Very well	1886	3.33
2 = Somewhat well	688	1.21
3 = Not at all well	276	0.49
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	17	0.03
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	664	1.17
99 = LEGITIMATE SKIP	10818	19.08

The last time you paid for or bought marijuana, what forms of marijuana or cannabis products did you buy?

(MJE05A)
MKMBGHTJNT Len : 2 LAST BOUGHT MRJ IN PRE-ROLLED JOINTS - PST 12 MOS

	Freq	Pct
1 = Yes	2293	4.04
2 = No	6345	11.19
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	11	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	665	1.17
99 = LEGITIMATE SKIP	5035	8.88

(MJE05B)
MKMBGHTLOO Len : 2 LAST BOUGHT MRJ IN LOOSE FORM - PST 12 MOS

	Freq	Pct
1 = Yes	4974	8.77
2 = No	3664	6.46
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	14	0.02
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	665	1.17
99 = LEGITIMATE SKIP	5035	8.88

(MJE05C)
MKMBGHTVAPE Len : 2 LAST BOUGHT MRJ IN VAPING CATRIDGE/OIL/PEN - PST 12 MOS

	Freq	Pct
1 = Yes	3093	5.45
2 = No	5548	9.78
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	11	0.02
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	665	1.17
99 = LEGITIMATE SKIP	5035	8.88

(MJE05D)
MKMBGHTDAB Len : 2 LAST BOUGHT MRJ IN WAXES/SHATTER/CONCENTRATE - PST 12 MOS

	Freq	Pct
1 = Yes	1082	1.91
2 = No	7554	13.32
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	12	0.02
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	665	1.17
99 = LEGITIMATE SKIP	5035	8.88

(MJE05E)
MKMBGHTEDBLE Len : 2 LAST BOUGHT MRJ IN EDIBLES FOR EAT OR DRINK - PST 12 MOS

	Freq	Pct
1 = Yes	3675	6.48
2 = No	4965	8.76
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	9	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	665	1.17
99 = LEGITIMATE SKIP	5035	8.88

(MJE05F)
MKMBGHTDRPS Len : 2 LAST BOUGHT MRJ IN DROP/STRIP/LOZENGE/SPRAY - PST 12 MOS

	Freq	Pct
1 = Yes	307	0.54
2 = No	8328	14.69
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	13	0.02
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	665	1.17
99 = LEGITIMATE SKIP	5035	8.88

(MJE05G)

MKMBGHTLTN Len : 2 LAST BOUGHT MRJ IN LOTION/CREAM/PATCH - PST 12 MOS

	Freq	Pct
1 = Yes	408	0.72
2 = No	8227	14.51
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	13	0.02
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	665	1.17
99 = LEGITIMATE SKIP	5035	8.88

(MJE05H)

MKMBGHTPILL Len : 2 LAST BOUGHT MRJ IN PILLS - PST 12 MOS

	Freq	Pct
1 = Yes	185	0.33
2 = No	8452	14.91
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	12	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	665	1.17
99 = LEGITIMATE SKIP	5035	8.88

NOTE: MKMBGHTOTH was coded as 5 (Form bought unknown) if respondents reported buying marijuana or cannabis products in the past 12 months, but they did not report at least one form of marijuana or cannabis product bought in that period.

(MJE05I)

MKMBGHTOTH Len : 2 LAST BOUGHT MRJ IN OTHER FORM - PST 12 MOS

	Freq	Pct
1 = Yes	122	0.22
2 = No	8395	14.80
5 = Form bought unknown	132	0.23
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	6	0.01
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	665	1.17
99 = LEGITIMATE SKIP	5035	8.88

MKMLOOGMCOM2 Len : 2 EST AMT OF LOOSE MRJ BGHT LAST TIME IN GRAMS-CAT (COMBINED)

	Freq	Pct
1 = At least 1 but less than 3 grams	658	1.16
2 = At least 3 but less than 5 grams	749	1.32
3 = At least 5 but less than 7 grams	166	0.29
4 = At least 7 but less than 10 grams	384	0.68
5 = At least 10 but less than 15 grams	227	0.40
6 = 15 grams or more	183	0.32
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	13	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	816	1.44
99 = LEGITIMATE SKIP	11168	19.69

The last time you bought marijuana in loose form, how many ounces did you buy?

(MJE17)
MKMLOOOUNCE Len : 2 AMT OF LOOSE MARIJUANA BOUGHT LAST TIME IN OUNCES - CAT

	Freq	Pct
1 = At least 1/8 but less than 1/4 of an ounce (an "eighth")	803	1.42
2 = At least 1/4 but less than 1/3 of an ounce (a "quarter")	429	0.76
3 = At least 1/3 but less than 1/2 of an ounce	89	0.16
4 = At least 1/2 but less than 1 ounce ("half-an-ounce")	353	0.62
5 = At least 1 but less than 2 ounces	548	0.97
6 = At least 2 but less than 3 ounces	106	0.19
7 = 3 ounces or more	78	0.14
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	13	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	816	1.44
99 = LEGITIMATE SKIP	11126	19.62

During the past 12 months, did you sell any marijuana or cannabis products?

(MJE21)
MKMSELLMRJ Len : 2 SOLD MARIJUANA IN THE PAST 12 MONTHS

	Freq	Pct
1 = Yes	404	0.71
2 = No	13347	23.54
85 = BAD DATA Logically Assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	11185	19.72
94 = DON'T KNOW	38	0.07
97 = REFUSED	64	0.11
98 = BLANK (NO ANSWER)	511	0.90

BLUNTS

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

NOTE: When respondents previously reported never using marijuana but reported lifetime use of cigars with marijuana in them (i.e., "blunts"), a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTEVER was assigned a code of 11 when respondents reported using blunts but they did not report use in the past 30 days, and they previously had reported never using marijuana.

Sometimes people take some tobacco out of a cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a cigar with marijuana in it?

(BL01)
BLNTEVER[1] Len : 2 EVER SMOKED CIGAR WITH MARIJUANA IN IT

	Freq	Pct
1 = Yes	12986	22.90
2 = No	42859	75.58
4 = No LOGICALLY ASSIGNED	26	0.05
11 = Yes (see note)	437	0.77
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	65	0.11
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	262	0.46

How old were you the first time you smoked part or all of a cigar with marijuana in it?

(BL08)
BLNTAGE[1] Len : 3 AGE WHEN FIRST SMOKED CIGAR WITH MJ IN IT

	Freq	Pct
RANGE = 1 - 78	13270	23.40
981 = NEVER USED BLUNTS Logically assigned	26	0.05
985 = BAD DATA Logically assigned	9	0.02
991 = NEVER USED BLUNTS	42859	75.58
994 = DON'T KNOW	102	0.18
997 = REFUSED	111	0.20
998 = BLANK (NO ANSWER)	328	0.58

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first smoke part or all of a cigar with marijuana in it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

(BL08A, BL08B, BL08C)
BLNTYFU[1] Len : 4 YEAR OF FIRST USE OF CIGAR WITH MJ IN IT - RECODE

	Freq	Pct
RANGE = 2021 - 2023	1057	1.86
9981 = NEVER USED BLUNTS Logically assigned	26	0.05
9985 = BAD DATA Logically assigned	16	0.03
9989 = LEGITIMATE SKIP Logically assigned	52	0.09
9991 = NEVER USED BLUNTS	42859	75.58
9994 = DON'T KNOW	105	0.19
9997 = REFUSED	112	0.20
9998 = BLANK (NO ANSWER)	341	0.60
9999 = LEGITIMATE SKIP	12137	21.40

In what month in [CURRENT YEAR] did you first smoke part or all of a cigar with marijuana in it?

In what month in [YEAR FROM BL08a or BL08b] did you first smoke part or all of a cigar with marijuana in it?

(BL08C, BL08D)

BLNTMFU[1] Len : 2 MONTH OF FIRST USE OF CIGAR W/MJ IN IT - RECODE

	Freq	Pct
1 = January	85	0.15
2 = February	72	0.13
3 = March	69	0.12
4 = April	79	0.14
5 = May	80	0.14
6 = June	107	0.19
7 = July	114	0.20
8 = August	83	0.15
9 = September	64	0.11
10 = October	105	0.19
11 = November	73	0.13
12 = December	62	0.11
81 = NEVER USED BLUNTS Logically assigned	26	0.05
85 = BAD DATA Logically assigned	16	0.03
89 = LEGITIMATE SKIP Logically assigned	52	0.09
91 = NEVER USED BLUNTS	42859	75.58
94 = DON'T KNOW	162	0.29
97 = REFUSED	115	0.20
98 = BLANK (NO ANSWER)	345	0.61
99 = LEGITIMATE SKIP	12137	21.40

NOTE: When respondents previously reported using marijuana but reported less recent use of marijuana than they reported for blunts, a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTREC was assigned a code of 12 when respondents reported last using marijuana more than 12 months ago but reported using blunts more than 30 days ago but within the past 12 months.

How long has it been since you last smoked part or all of a cigar with marijuana in it?

(BL02)

BLNTREC[1] Len : 2 TIME SINCE LAST SMOKED CIGAR WITH MJ IN IT

	Freq	Pct
1 = Within the past 30 days	2878	5.08
2 = More than 30 days ago but within the past 12 mos	2355	4.15
3 = More than 12 months ago	7961	14.04
9 = Used at some point in lifetime LOG ASSN	90	0.16
12 = More than 30 dys ago but in pst 12 mos (see note)	79	0.14
19 = More than 30 days ago LOGICALLY ASSIGNED	57	0.10
81 = NEVER USED BLUNTS Logically assigned	26	0.05
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED BLUNTS	42859	75.58
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	330	0.58

NOTE: BLRECFL2 has nonblank values when data on initiation of use from BLNTAGE, BLNTYFU, or BLNTMFU indicate more recent use of blunts than was reported in BLNTREC.

BLRECFL2[1] Len : 2 INCONSISTENCY BETW BLNTREC AND INCIDENCE DATA

	Freq	Pct
1 = Incidence data suggest more recent use	101	0.18
98 = BLANK (NO ANSWER)	56604	99.82

On how many of the past 30 days, that is, since [DATEFILL], did you smoke part or all of a cigar with marijuana in it?

(BL02A, BL03A, BL04A)

BLNT30DY[1] Len : 2 # DAYS USED CIGAR WITH MJ IN IT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	2856	5.04
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED BLUNTS	42885	75.63
93 = DID NOT USE BLUNTS IN THE PAST 30 DAYS	10452	18.43
94 = DON'T KNOW	14	0.02
97 = REFUSED	70	0.12
98 = BLANK (NO ANSWER)	426	0.75

The answer to the last question and an earlier question disagree. Which is correct?

(BL03)
BLNT30C1[1] Len : 2 BL02/MJ01 DISAGREE, WHICH IS CORRECT

	Freq	Pct
1 = I have never used marijuana or any cannabis product	26	0.05
2 = I smoked cigar w/mj in it during the past 30 days	46	0.08
85 = BAD DATA Logically assigned	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	273	0.48
99 = LEGITIMATE SKIP	56358	99.39

The answer to the last question and an earlier question disagree. Which answer is correct?

(BL04)
BLNT30C2[1] Len : 2 BL02 AND MJ RECENCY DISAGREE, WHICH IS CORRECT

	Freq	Pct
1 = I last used marijuana or any cannabis product [MJREC FILL]	57	0.10
2 = I smoked cigar w/mj in it during the past 30 days	56	0.10
98 = BLANK (NO ANSWER)	409	0.72
99 = LEGITIMATE SKIP	56183	99.08

Why did you report earlier that you had never used marijuana or any cannabis product?

(BL05)
RSNOMRJ[1] Len : 2 WHY REPORT EARLIER THAT NEVER USED MJ/CANNABIS

	Freq	Pct
1 = I didn't consider a "blunt" to be mj or any cannabis product	10	0.02
2 = I made mistake answering earlier question about mj	29	0.05
3 = Some other reason	7	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	274	0.48
99 = LEGITIMATE SKIP	56384	99.43

Why did you report earlier that you did not use marijuana or any cannabis product during the past 30 days?

(BL06)
RSNMRJMO[1] Len : 2 WHY REPRT EARLIER NOT USE MJ/CANNABIS PAST 30 DAYS

	Freq	Pct
1 = I didn't consider a "blunt" to be mj or any cannabis product	12	0.02
2 = I made mistake answering earlier question about mj	37	0.07
3 = Some other reason	6	0.01
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	409	0.72
99 = LEGITIMATE SKIP	56240	99.18

NOTE: The variable BLNTNOMJ was assigned a code of 5 if respondents were not asked this question because they reported in the TOBACCO module that they smoked cigars in the past 30 days but reported in the BLUNTS module that they did not smoke cigars with marijuana in them in the past 30 days. It could be logically inferred that all of the cigars that these respondents smoked in the past 30 days did not have marijuana in them. BLNTNOMJ was assigned codes of 14 or 24 if respondents were not asked this question and they reported in the BLUNTS module that they smoked a cigar with marijuana in it in the past 30 days. A code of 14 was assigned if respondents reported in the TOBACCO module that they had smoked cigars but not in the past 30 days. A code of 24 was assigned if respondents reported in the TOBACCO module that they had never smoked part or all of a cigar.

Earlier, you reported that you had smoked part or all of a cigar during the past 30 days. During the past 30 days, did you smoke any cigars that did not have marijuana in them?

(BL07)

BLNTNOMJ[1] Len : 2 SMOKE CIGARS WITH NO MARIJUANA PAST 30 DAYS

	Freq	Pct
1 = Yes	263	0.46
2 = No	484	0.85
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	1314	2.32
14 = USED BLUNTS PST 30 DY/DIDNT USE CIGARS PST 30 DY	863	1.52
24 = USED BLUNTS PST 30 DY/NEVER USED CIGARS	1262	2.23
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED CIGARS/BLUNTS	35735	63.02
93 = DID NOT USE CIGARS/BLUNTS IN THE PAST 30 DAYS	16227	28.62
98 = BLANK (NO ANSWER)	556	0.98

COCAINE

These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.

Have you ever, even once, used any form of cocaine?

(CC01, CCREF)
COCEVER Len : 2 EVER USED COCAINE

	Freq	Pct
1 = Yes	6494	11.45
2 = No	50182	88.50
94 = DON'T KNOW	18	0.03
97 = REFUSED	11	0.02

How old were you the first time you used cocaine, in any form?

(CC02)
COCAGE Len : 3 AGE WHEN FIRST USED COCAINE

	Freq	Pct
RANGE = 1 - 62	6463	11.40
985 = BAD DATA Logically assigned	6	0.01
991 = NEVER USED COCAINE	50182	88.50
994 = DON'T KNOW	19	0.03
997 = REFUSED	17	0.03
998 = BLANK (NO ANSWER)	18	0.03

Did you first use cocaine in any form in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use cocaine in any form in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use cocaine in any form?

(CC03A, CC03B, CC03C)
COCYFU Len : 4 YEAR OF FIRST COCAINE USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	244	0.43
9985 = BAD DATA Logically assigned	22	0.04
9989 = LEGITIMATE SKIP Logically assigned	29	0.05
9991 = NEVER USED COCAINE	50182	88.50
9994 = DON'T KNOW	21	0.04
9997 = REFUSED	17	0.03
9998 = BLANK (NO ANSWER)	18	0.03
9999 = LEGITIMATE SKIP	6172	10.88

In what month in [CURRENT YEAR] did you first use cocaine in any form?

In what month in [YEAR FROM CC03a or CC03b] did you first use cocaine?

(CC03C, CC03D)
COCMFU Len : 2 MONTH OF FIRST COCAINE USE - RECODE

	Freq	Pct
1 = January	15	0.03
2 = February	27	0.05
3 = March	23	0.04
4 = April	20	0.04
5 = May	8	0.01
6 = June	21	0.04
7 = July	20	0.04
8 = August	26	0.05
9 = September	17	0.03
10 = October	23	0.04
11 = November	16	0.03
12 = December	21	0.04
85 = BAD DATA Logically assigned	22	0.04
89 = LEGITIMATE SKIP Logically assigned	29	0.05
91 = NEVER USED COCAINE	50182	88.50
94 = DON'T KNOW	27	0.05
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	18	0.03
99 = LEGITIMATE SKIP	6172	10.88

How long has it been since you last used cocaine?

(CCLAST3, CCRECDK, CCRECRE)

COCREC Len : 2 TIME SINCE LAST USED COCAINE

	Freq	Pct
1 = Within the past 30 days	348	0.61
2 = More than 30 days ago but within the past 12 mos	686	1.21
3 = More than 12 months ago	5391	9.51
8 = Used at some point in the past 12 mos LOG ASSN	19	0.03
9 = Used at some point in the lifetime LOG ASSN	23	0.04
11 = Used in the past 30 days LOGICALLY ASSIGNED	11	0.02
12 = Used >30 days ago but within pst 12 mos LOG ASSN	16	0.03
91 = NEVER USED COCAINE	50182	88.50
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	18	0.03

(TOTCOKE)

COCYRTOT Len : 3 TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	1050	1.85
985 = BAD DATA Logically assigned	4	0.01
991 = NEVER USED COCAINE	50182	88.50
993 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
994 = DON'T KNOW	2	0.00
997 = REFUSED	14	0.02
998 = BLANK (NO ANSWER)	62	0.11

CCTOTFG Len : 2 TRIMMING INDICATOR FOR COCYRTOT

	Freq	Pct
2 = Trimmed relative to the 30-day freq	3	0.01
98 = BLANK (NO ANSWER)	56702	99.99

CCFQFLG Len : 2 TRIMMED COCYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	25	0.04
98 = BLANK (NO ANSWER)	56680	99.96

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used cocaine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(CCFRAME3)

CCBSTWAY Len : 2 EASIEST WAY TO TELL US # DAYS USED COCAINE

	Freq	Pct
1 = Prefer to answer in days per week	140	0.25
2 = Prefer to answer in days per month	191	0.34
3 = Prefer to answer in days per year	678	1.20
12 = Prefer to ans in days per mo LOG ASSN	1	0.00
13 = Prefer to ans in days per yr LOG ASSN	2	0.00
21 = Prefer to ans in days per wk (CRBSTWAY=1,11)	16	0.03
22 = Prefer to ans in days per mo (CRBSTWAY=2,12)	14	0.02
23 = Prefer to ans in days per yr (CRBSTWAY=3,13)	12	0.02
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED COCAINE	50182	88.50
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	62	0.11

On how many days in the past 12 months did you use cocaine?

(CCYRAVE)
CCDAYPYR Len : 3 # DAYS USED COCAINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	692	1.22
989 = LEGITIMATE SKIP Logically assigned	10	0.02
991 = NEVER USED COCAINE	50182	88.50
993 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
997 = REFUSED	12	0.02
998 = BLANK (NO ANSWER)	66	0.12
999 = LEGITIMATE SKIP	352	0.62

On average, how many days did you use cocaine each month during the past 12 months?

(CCMONAVE)
CCDAYPMO Len : 2 # DAYS PER MONTH USED COCAINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 25	205	0.36
85 = BAD DATA Logically assigned	2	0.00
89 = LEGITIMATE SKIP Logically assigned	8	0.01
91 = NEVER USED COCAINE	50182	88.50
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	64	0.11
99 = LEGITIMATE SKIP	840	1.48

On average, how many days did you use cocaine each week during the past 12 months?

(CCWKAVE)
CCDAYPWK Len : 2 # DAYS PER WEEK USED COCAINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	153	0.27
85 = BAD DATA Logically assigned	2	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.01
91 = NEVER USED COCAINE	50182	88.50
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	2	0.00
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	64	0.11
99 = LEGITIMATE SKIP	894	1.58

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use cocaine?

(CC06)
COCUS30A Len : 2 # DAYS USED COCAINE PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	345	0.61
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED COCAINE	50182	88.50
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	6093	10.75
94 = DON'T KNOW	2	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	59	0.10

What is your best estimate of the number of days you used cocaine during the past 30 days?

(CC06DKRE)
CC30EST Len : 2 BEST ESTIMATE # DAYS USED COCAINE PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	2	0.00
91 = NEVER USED COCAINE	50182	88.50
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	6093	10.75
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	71	0.13
99 = LEGITIMATE SKIP	345	0.61

CRACK

The next questions are about 'crack', that is cocaine in rock or chunk form, and not the other forms of cocaine.

Have you ever, even once, used 'crack'?

(CK01, CKREF)
CRKEVER Len : 2 EVER USED CRACK

	Freq	Pct
1 = Yes	1470	2.59
2 = No	5016	8.85
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED COCAINE (COCEVER=2)	50182	88.50
94 = DON'T KNOW	7	0.01
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	18	0.03

How old were you the first time you used 'crack'?

(CK02)
CRKAGE Len : 3 AGE WHEN FIRST USED CRACK

	Freq	Pct
RANGE = 8 - 60	1454	2.56
985 = BAD DATA Logically assigned	3	0.01
991 = NEVER USED CRACK	55198	97.34
994 = DON'T KNOW	10	0.02
997 = REFUSED	15	0.03
998 = BLANK (NO ANSWER)	25	0.04

Did you first use 'crack' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'crack' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'crack'?

(CK03A, CK03B, CK03C)
CRKYFU Len : 4 YEAR OF FIRST CRACK USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	24	0.04
9985 = BAD DATA Logically assigned	10	0.02
9991 = NEVER USED CRACK	55198	97.34
9994 = DON'T KNOW	10	0.02
9997 = REFUSED	15	0.03
9998 = BLANK (NO ANSWER)	27	0.05
9999 = LEGITIMATE SKIP	1421	2.51

In what month in [CURRENT YEAR] did you first use 'crack'?

In what month in [YEAR FROM CK03a or CK03b] did you first use 'crack'?

(CK03C, CK03D)
CRKMFU Len : 2 MONTH OF FIRST CRACK USE - RECODE

	Freq	Pct
1 = January	3	0.01
2 = February	1	0.00
3 = March	2	0.00
5 = May	2	0.00
6 = June	4	0.01
7 = July	2	0.00
8 = August	5	0.01
10 = October	2	0.00
11 = November	1	0.00
12 = December	2	0.00
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED CRACK	55198	97.34
94 = DON'T KNOW	10	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	27	0.05
99 = LEGITIMATE SKIP	1421	2.51

How long has it been since you last used 'crack'?

(CKLAST3, CKRECDK, CKRECRE)
CRAKREC Len : 2 TIME SINCE LAST USED CRACK

	Freq	Pct
1 = Within the past 30 days	73	0.13
2 = More than 30 days ago but within the past 12 mos	83	0.15
3 = More than 12 months ago	1302	2.30
8 = Used at some point in the past 12 mos LOG ASSN	4	0.01
9 = Used at some point in the lifetime LOG ASSN	8	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED CRACK	55198	97.34
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	25	0.04

(TOTCRACK)
CRKYRTOT Len : 3 TOTAL # DAYS USED CRACK IN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	155	0.27
985 = BAD DATA Logically assigned	4	0.01
991 = NEVER USED CRACK	55198	97.34
993 = DID NOT USE CRACK IN THE PAST 12 MOS	1302	2.30
997 = REFUSED	13	0.02
998 = BLANK (NO ANSWER)	33	0.06

CRTOTFG Len : 2 TRIMMING INDICATOR FOR CRKYRTOT

	Freq	Pct
2 = Trimmed relative to the 30-day freq	2	0.00
98 = BLANK (NO ANSWER)	56703	100.0

CRFQFLG Len : 2 TRIMMED CRKYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	6	0.01
98 = BLANK (NO ANSWER)	56699	99.99

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used 'crack' during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(CKFRAME3)
CRBSTWAY Len : 2 EASIEST WAY TO TELL US # DAYS USED CRACK

	Freq	Pct
1 = Prefer to answer in days per week	42	0.07
2 = Prefer to answer in days per month	49	0.09
3 = Prefer to answer in days per year	65	0.11
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED CRACK	55198	97.34
93 = DID NOT USE CRACK IN THE PAST 12 MOS	1302	2.30
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	33	0.06

On how many days in the past 12 months did you use 'crack'?

(CKYRAVE)
CRDAYPYR Len : 3 # DAYS USED CRACK PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	65	0.11
991 = NEVER USED CRACK	55198	97.34
993 = DID NOT USE CRACK IN THE PAST 12 MOS	1302	2.30
997 = REFUSED	12	0.02
998 = BLANK (NO ANSWER)	37	0.07
999 = LEGITIMATE SKIP	91	0.16

On average, how many days did you use 'crack' each month during the past 12 months?

(CKMONAVE)
CRDAYPMO Len : 2 # DAYS PER MONTH USED CRACK PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 25	48	0.08
91 = NEVER USED CRACK	55198	97.34
93 = DID NOT USE CRACK IN THE PAST 12 MOS	1302	2.30
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	37	0.07
99 = LEGITIMATE SKIP	107	0.19

On average, how many days did you use 'crack' each week during the past 12 months?

(CKWKAVE)
CRDAYPWK Len : 2 # DAYS PER WEEK USED CRACK PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	42	0.07
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED CRACK	55198	97.34
93 = DID NOT USE CRACK IN THE PAST 12 MOS	1302	2.30
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	33	0.06
99 = LEGITIMATE SKIP	113	0.20

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use 'crack'?

(CK06)
CRKUS30A Len : 2 # DAYS USED CRACK PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	72	0.13
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED CRACK	55198	97.34
93 = DID NOT USE CRACK IN THE PAST 30 DAYS	1385	2.44
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	36	0.06

What is your best estimate of the number of days you used 'crack' during the past 30 days?

(CK06DKRE)
CR30EST Len : 2 BEST ESTIMATE # DAYS USED CRACK PAST 30 DAYS

	Freq	Pct
91 = NEVER USED CRACK	55198	97.34
93 = DID NOT USE CRACK IN THE PAST 30 DAYS	1385	2.44
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	38	0.07
99 = LEGITIMATE SKIP	72	0.13

HEROIN

These next questions are about heroin.

Have you ever, even once, used heroin?

(HE01, HEREF)
HEREVER Len : 2 EVER USED HEROIN

	Freq	Pct
1 = Yes	1069	1.89
2 = No	55576	98.01
94 = DON'T KNOW	57	0.10
97 = REFUSED	3	0.01

How old were you the first time you used heroin?

(HE02)
HERAGE Len : 3 AGE WHEN FIRST USED HEROIN

	Freq	Pct
RANGE = 1 - 60	1058	1.87
985 = BAD DATA Logically assigned	3	0.01
991 = NEVER USED HEROIN	55576	98.01
994 = DON'T KNOW	5	0.01
997 = REFUSED	6	0.01
998 = BLANK (NO ANSWER)	57	0.10

Did you first use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use heroin?

(HE03A, HE03B, HE03C)
HERYFU Len : 4 YEAR OF FIRST HEROIN USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	27	0.05
9985 = BAD DATA Logically assigned	7	0.01
9989 = LEGITIMATE SKIP Logically assigned	2	0.00
9991 = NEVER USED HEROIN	55576	98.01
9994 = DON'T KNOW	5	0.01
9997 = REFUSED	6	0.01
9998 = BLANK (NO ANSWER)	58	0.10
9999 = LEGITIMATE SKIP	1024	1.81

In what month in [CURRENT YEAR] did you first use heroin?

In what month in [YEAR FROM HE03a or HE03b] did you first use heroin?

(HE03C, HE03D)
HERMFU Len : 2 MONTH OF FIRST HEROIN USE - RECODE

	Freq	Pct
1 = January	5	0.01
2 = February	2	0.00
3 = March	4	0.01
4 = April	1	0.00
6 = June	3	0.01
7 = July	4	0.01
8 = August	1	0.00
9 = September	2	0.00
10 = October	2	0.00
11 = November	1	0.00
85 = BAD DATA Logically assigned	7	0.01
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED HEROIN	55576	98.01
94 = DON'T KNOW	7	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	58	0.10
99 = LEGITIMATE SKIP	1024	1.81

How long has it been since you last used heroin?

(HELAST3, HERECDK, HERECRE)

HERREC Len : 2 TIME SINCE LAST USED HEROIN

	Freq	Pct
1 = Within the past 30 days	85	0.15
2 = More than 30 days ago but within the past 12 mos	54	0.10
3 = More than 12 months ago	917	1.62
8 = Used at some point in the past 12 mos LOG ASSN	7	0.01
9 = Used at some point in the lifetime LOG ASSN	6	0.01
91 = NEVER USED HEROIN	55576	98.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	57	0.10

(TOTHERO)

HERYRTOT Len : 3 TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	139	0.25
985 = BAD DATA Logically assigned	7	0.01
991 = NEVER USED HEROIN	55576	98.01
993 = DID NOT USE HEROIN IN THE PAST 12 MOS	917	1.62
997 = REFUSED	3	0.01
998 = BLANK (NO ANSWER)	63	0.11

HRTOTFG Len : 2 TRIMMING INDICATOR FOR HERYRTOT

	Freq	Pct
1 = Trimmed to 365 days (no further editing)	1	0.00
2 = Trimmed relative to the 30-day freq	5	0.01
98 = BLANK (NO ANSWER)	56699	99.99

HRFQFLG Len : 2 TRIMMED HERYRTOT IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	2	0.00
98 = BLANK (NO ANSWER)	56703	100.0

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used heroin during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(HEFRAME3)

HRBSTWAY Len : 2 EASIEST WAY TO TELL US # DAYS USED HEROIN

	Freq	Pct
1 = Prefer to answer in days per week	54	0.10
2 = Prefer to answer in days per month	30	0.05
3 = Prefer to answer in days per year	53	0.09
12 = Prefer to ans in days per mo LOG ASSN	1	0.00
13 = Prefer to ans in days per yr LOG ASSN	1	0.00
85 = BAD DATA Logically assigned	7	0.01
91 = NEVER USED HEROIN	55576	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	917	1.62
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	63	0.11

On how many days in the past 12 months did you use heroin?

(HEYRAVE)

HRDAYPYR Len : 3 # DAYS USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	54	0.10
985 = BAD DATA Logically assigned	1	0.00
989 = LEGITIMATE SKIP Logically assigned	1	0.00
991 = NEVER USED HEROIN	55576	98.01
993 = DID NOT USE HEROIN IN THE PAST 12 MOS	917	1.62
997 = REFUSED	3	0.01
998 = BLANK (NO ANSWER)	69	0.12
999 = LEGITIMATE SKIP	84	0.15

On average, how many days did you use heroin each month during the past 12 months?

(HEMONAVE)
HRDAYPMO Len : 2 # DAYS PER MONTH USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 2 - 30	31	0.05
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED HEROIN	55576	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	917	1.62
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	108	0.19

On average, how many days did you use heroin each week during the past 12 months?

(HEWKAVE)
HRDAYPWK Len : 2 # DAYS PER WEEK USED HEROIN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	54	0.10
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED HEROIN	55576	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	917	1.62
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	85	0.15

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use heroin?

(HE06)
HER30USE Len : 2 # DAYS USED HEROIN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	84	0.15
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HEROIN	55576	98.01
93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	971	1.71
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	69	0.12

What is your best estimate of the number of days you used heroin during the past 30 days?

(HE06DKRE)
HR30EST Len : 2 BEST EST. # DAYS USED HEROIN PAST 30 DAYS

	Freq	Pct
91 = NEVER USED HEROIN	55576	98.01
93 = DID NOT USE HEROIN IN THE PAST 30 DAYS	971	1.71
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	70	0.12
99 = LEGITIMATE SKIP	84	0.15

HALLUCINOGENS

The next questions are about substances called hallucinogens. These drugs often cause people to see or experience things that are not real.

A list of some common hallucinogens is shown below. These and many other substances that people use as hallucinogens are often known by street names, and we can't list them all. Please take a moment to look at the substances listed below so you know what kind of drugs the next questions are about.

LSD, also called 'acid'
PCP, also called 'angel dust' or phencyclidine
Peyote
Mescaline
Psilocybin
'Ecstasy' or 'Molly', also called MDMA
Ketamine, also called 'Special K' or 'Super K'
DMT, also called dimethyltryptamine
AMT, also called alpha-methyltryptamine
Foxy, also called 5-MeO-DIPT
Salvia divinorum

Have you ever, even once, used LSD, also called 'acid'?

(LS01A, LSREF1)
LSD Len : 2 EVER USED LSD ("ACID")

	Freq	Pct
1 = Yes	5128	9.04
2 = No	3981	7.02
3 = Yes LOGICALLY ASSIGNED	4	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
94 = DON'T KNOW	37	0.07
97 = REFUSED	5	0.01

Have you ever, even once, used PCP, also called 'angel dust' or phencyclidine?

(LS01B, LSREF2)
PCP Len : 2 EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)

	Freq	Pct
1 = Yes	755	1.33
2 = No	8363	14.75
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
94 = DON'T KNOW	33	0.06
97 = REFUSED	4	0.01

Have you ever, even once, used peyote?

(LS01C)
PEYOTE Len : 2 EVER USED PEYOTE

	Freq	Pct
1 = Yes	620	1.09
2 = No	8463	14.92
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
94 = DON'T KNOW	66	0.12
97 = REFUSED	6	0.01

Have you ever, even once, used mescaline?

(LS01D)
MESC Len : 2 EVER USED MESCALINE

	Freq	Pct
1 = Yes	764	1.35
2 = No	8304	14.64
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
94 = DON'T KNOW	81	0.14
97 = REFUSED	6	0.01

Have you ever, even once, used psilocybin, found in mushrooms?

(LS01E)
PSILCY Len : 2 EVER USED PSILOCYBIN (MUSHROOMS)

	Freq	Pct
1 = Yes	6046	10.66
2 = No	2961	5.22
3 = Yes LOGICALLY ASSIGNED	57	0.10
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
94 = DON'T KNOW	82	0.14
97 = REFUSED	9	0.02

Have you ever, even once, used 'Ecstasy' or 'Molly,' also known as MDMA?

(LS01F, LSREF3)
ECSTMOLLY Len : 2 EVER USED 'ECSTASY' OR 'MOLLY' (MDMA)

	Freq	Pct
1 = Yes	4457	7.86
2 = No	4644	8.19
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
94 = DON'T KNOW	50	0.09
97 = REFUSED	4	0.01

Have you ever, even once, used Ketamine, also called 'Special K' or 'Super K'?

(LS01I)
KETMINESK Len : 2 EVER USED KETAMINE

	Freq	Pct
1 = Yes	1052	1.86
2 = No	8029	14.16
3 = Yes LOGICALLY ASSIGNED	2	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED KETAMINE	47549	83.85
94 = DON'T KNOW	67	0.12
97 = REFUSED	5	0.01

Have you ever, even once, used any of the following:

DMT, also called dimethyltryptamine,
AMT, also called alpha-methyltryptamine, or
Foxy, also called 5-MeO-DIPT?

(LS01J)
DMTAMTFXY Len : 2 EVER USED DMT, AMT, FOXY

	Freq	Pct
1 = Yes	867	1.53
2 = No	8196	14.45
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED DMT, AMT, FOXY	47549	83.85
94 = DON'T KNOW	88	0.16
97 = REFUSED	4	0.01

Have you ever, even once, used Salvia divinorum?

(LS01K)
SALVIADIV Len : 2 EVER USED SALVIA DIVINORUM

	Freq	Pct
1 = Yes	1011	1.78
2 = No	8030	14.16
3 = Yes LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SALVIA DIVINORUM	47549	83.85
94 = DON'T KNOW	109	0.19
97 = REFUSED	4	0.01

NOTE: HALLUCOTH was assigned a code of 5 (see documentation below) when either of the following occurred: (a) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, Ecstasy, ketamine, DMT/AMT/Foxy, or Salvia divinorum but the respondent reported more recent use of any hallucinogen than was reported for these six hallucinogens; or (b) the only hallucinogens that were used in the respondent's lifetime were LSD, PCP, Ecstasy but the respondent reported earlier initiation of any hallucinogen than was reported for these three hallucinogens.

Have you ever, even once used any other hallucinogens besides the ones that have been listed?

(LS01H)
HALLUCOTH Len : 2 EVER USED OTHER HALLUCINOGEN

	Freq	Pct
1 = Yes	576	1.02
2 = No	8448	14.90
5 = Yes (specific hallucinogen unknown) LOG ASSN	44	0.08
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
94 = DON'T KNOW	81	0.14
97 = REFUSED	6	0.01

(LS01SC1)
HALLUCOT1 Len : 4 OTHER HALLUCINOGEN - SPECIFY 1

	Freq	Pct
209 = Xanax	1	0.00
301 = Dexedrine	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	6	0.01
339 = Amphetamines, otherwise unspecified	1	0.00
348 = Crystal	1	0.00
351 = Cathinone, cat, khat, Q'at	1	0.00
355 = Crystal meth, crystal methamphetamine	2	0.00
417 = Morphine	2	0.00
423 = Percocet	1	0.00
501 = Gasoline or lighter fluids	1	0.00
506 = Amyl nitrite,"poppers,"locker room odorizer,"rush"	2	0.00
507 = Halothane, ether, or other anesthetics; chloroform	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	12	0.02
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	2	0.00
520 = Old paint, paint	1	0.00
592 = Computer air duster, computer cleaner, dust-off	7	0.01
599 = Potpourri	1	0.00
601 = LSD ("acid")	42	0.07
602 = Peyote	1	0.00
603 = Mescaline	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	72	0.13
605 = PCP ("angel dust," phencyclidine)	2	0.00
606 = "Ecstasy" (MDMA), X-TC, "X"	3	0.01
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	68	0.12
609 = Jimson weed	1	0.00
610 = Crystal T	1	0.00
614 = MDA, Methylenedioxy amphetamine	7	0.01
616 = DET, Dimethyltryptamine, DMT	8	0.01
617 = Morning glory seeds, morning glory tendrils, ricea	3	0.01
618 = Acid paper, blotter (acid)	2	0.00
622 = Microdot(s), green microdot, purple microdot	1	0.00
624 = Orange sunshine, sunshine, yellow sunshine	1	0.00
625 = Window, window pane, 4-way pane, 4-way	1	0.00
639 = Nutmeg, Mace	1	0.00
648 = Designer drugs	1	0.00
650 = Datura stramonium, daytura, thorn apple	3	0.01
658 = Special K, Ketamine	2	0.00
660 = Bufotenin, toad, toad licking	2	0.00
698 = 2C-B, Bromo mescaline, Nexus	40	0.07
703 = Opium, otherwise unspecified	3	0.01
709 = Poppy	1	0.00
802 = THC, cannabinol, marinol, tetrahydrocannabinol	4	0.01
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.01
804 = Hashish	3	0.01
813 = Cigarettes, tobacco (type unspecified)	1	0.00
818 = Nicotine	1	0.00
829 = Robitussin DM <OTC>	3	0.01
843 = Cold medicine, cold tablets <OTC>	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate	6	0.01
852 = Formaldehyde, wak, whack (embalming fluid)	1	0.00
883 = Dextromethorphan hydrobromide <OTC>	13	0.02
1001 = Benadryl, Diphenhydramine <OTC>	11	0.02
3051 = Betel nut, beetlenut	1	0.00
3052 = Speed, otherwise unspecified	1	0.00
3145 = Jornay PM	1	0.00
6005 = Sassafras, sassafras tea	3	0.01
6012 = Cloud 9, cloud 13	1	0.00
6029 = DXM	14	0.02
6030 = Root	1	0.00
6043 = Diviner's sage, Salvia divinorum	1	0.00
6044 = Gel caps, gel tabs	1	0.00
6048 = Dex	1	0.00
6061 = 5-MeO-DMT	1	0.00
6062 = Madderwort, wormwood	1	0.00
6064 = Marigold buttons	1	0.00
6074 = LSA	15	0.03
6077 = San Pedro	3	0.01
6079 = Sugar cubes	1	0.00
6083 = CCC, "Triple C," C3 <OTC>	2	0.00
6087 = Ibogaine	1	0.00
6091 = Ergot, rye mold	1	0.00
6102 = Absinthe	3	0.01

6103 = Ayahuasca, Yahe	28	0.05
6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT	1	0.00
6118 = Adrenochrome	1	0.00
6122 = MMDA	1	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	13	0.02
6132 = Amanita mushrooms, fly agaric, muscimol	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	12	0.02
6141 = DPT, Dipropyltryptamine, N,N-Dipropyltryptamine	1	0.00
6143 = 2C-X	1	0.00
6170 = Moonflower/pod, otherwise unspecified	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	4	0.01
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB	1	0.00
6179 = 4-HO-HiPT, 4-Hydroxy-MiPT, 4-HO-MiPT	1	0.00
6181 = 4-HO-MET, 4-Hydroxy-N-methyl-N-ethytryptamine	1	0.00
6184 = Orange peels	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	9	0.02
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	2	0.00
6192 = 5-MeO-MiPT	1	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidide	1	0.00
6203 = NBOMe; otherwise unspecified	3	0.01
6206 = Blue Egyptian lotus, blue lotus	3	0.01
6208 = 3-MeO-PCP, 3-Methoxyphencyclidine	1	0.00
6209 = 1P-LSD	2	0.00
6229 = LSD analogue; otherwise unspecified	3	0.01
6246 = 5-Bromo-DMT, 5-Bromo-N, N-dimethyltryptamine	1	0.00
6247 = Sunflower seeds	1	0.00
6248 = b-Carboline Monoamine Oxidase	1	0.00
8011 = Herb, flower, plant; type unspecified	3	0.01
8012 = Coriciden <OTC>	2	0.00
8085 = Anti-psychotics/schizophrenic, type unspcfd	1	0.00
8100 = Kava Kava <OTC>	1	0.00
8168 = Fluoride	1	0.00
8192 = Delsym, Dextromethorphan polistirex <OTC>	1	0.00
8237 = Kratom	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	10	0.02
8301 = Bath salts/synthetic cathinone; otherwise unspcfd	2	0.00
8351 = 6-APB, Benzo Fury	1	0.00
8368 = alpha-PVP, alpha-Pyrrolidinopentiophenone	1	0.00
8394 = Magnesium chloride <OTC>	1	0.00
8446 = Edibles, not otherwise specified	1	0.00
8469 = Coleus leaves/plant	1	0.00
8545 = Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	2	0.00
8546 = Scopolamine	1	0.00
8553 = Bupropion, Wellbutrin, Zyban	1	0.00
9985 = BAD DATA Logically assigned	24	0.04
9991 = NEVER USED HALLUCINOGENS	47549	83.85
9997 = REFUSED	19	0.03
9998 = BLANK (NO ANSWER)	125	0.22
9999 = LEGITIMATE SKIP	8448	14.90

(LS01SC2)
HALLUCOT2 Len : 4 OTHER HALLUCINOGEN - SPECIFY 2

	Freq	Pct
268 = Rohypnol, Flunitrazepam, roche, roofies	1	0.00
304 = Benzedrine	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	2	0.00
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	1	0.00
601 = LSD ("acid")	7	0.01
604 = Psilocybin (mushrooms), sclerotia, shrooms	2	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	17	0.03
614 = MDA, Methylenedioxy amphetamine	1	0.00
617 = Morning glory seeds, morning glory tendrils, ricea	2	0.00
622 = Microdot(s), green microdot, purple microdot	1	0.00
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	1	0.00
639 = Nutmeg, Mace	2	0.00
650 = Datura stramonium, daytura, thorn apple	1	0.00
658 = Special K, Ketamine	1	0.00
660 = Bufotenin, toad, toad licking	3	0.01
698 = 2C-B, Bromo mescaline, Nexus	9	0.02
703 = Opium, otherwise unspecified	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
829 = Robitussin DM <OTC>	2	0.00
883 = Dextromethorphan hydrobromide <OTC>	1	0.00
900 = Not a drug	1	0.00
3051 = Betel nut, beetlenut	1	0.00
3052 = Speed, otherwise unspecified	1	0.00
4044 = Hydrocodone	1	0.00
6029 = DXM	3	0.01
6044 = Gel caps, gel tabs	1	0.00
6061 = 5-MeO-DMT	2	0.00
6074 = LSA	4	0.01
6077 = San Pedro	2	0.00
6103 = Ayahuasca, Yahe	2	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	6	0.01
6127 = Skittles	1	0.00
6132 = Amanita mushrooms, fly agaric, muscimol	3	0.01
6137 = Harmaline	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	2	0.00
6143 = 2C-X	1	0.00
6167 = 4-HO-DMT, Psilocin	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC	2	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	1	0.00
6173 = 2,5-dimethoxy-4-bromoamphetamine, DOB	1	0.00
6179 = 4-HO-HiPT, 4-Hydroxy-MiPT, 4-HO-MiPT	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	5	0.01
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
6203 = NBOMe; otherwise unspecified	4	0.01
6204 = Hallucinogen from toothpaste	1	0.00
6213 = Synthetic LSD/acid; otherwise unspecified	2	0.00
6246 = 5-Bromo-DMT, 5-Bromo-N, N-dimethyltryptamine	1	0.00
8011 = Herb, flower, plant; type unspecified	2	0.00
8058 = Cough medicine/syrup, type unspecified	1	0.00
8085 = Anti-psychotics/schizophrenic, type unspcfd	1	0.00
8100 = Kava Kava <OTC>	1	0.00
8276 = Bitter grass, Calea zacatechichi, Dream herb	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	2	0.00
8368 = alpha-PVP, alpha-Pyrrolidinopentiophenone	1	0.00
9985 = BAD DATA Logically assigned	10	0.02
9991 = NEVER USED HALLUCINOGENS	47549	83.85
9997 = REFUSED	6	0.01
9998 = BLANK (NO ANSWER)	572	1.01
9999 = LEGITIMATE SKIP	8448	14.90

(LS01SC3)

HALLUCOT3 Len : 4 OTHER HALLUCINOGEN - SPECIFY 3

	Freq	Pct
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
604 = Psilocybin (mushrooms), sclerotia, shrooms	2	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	6	0.01
627 = Hawaiian wood rose, Hawaiian Woodrow seeds	1	0.00
639 = Nutmeg, Mace	1	0.00
698 = 2C-B, Bromo mescaline, Nexus	4	0.01
829 = Robitussin DM <OTC>	1	0.00
847 = GHB, NSC, gamma hydroxybutyrate	1	0.00
1001 = Benadryl, Diphenhydramine <OTC>	1	0.00
3501 = Amphetamine/dextroamphetamine salts	1	0.00
6074 = LSA	1	0.00
6102 = Absinthe	1	0.00
6132 = Amanita mushrooms, fly agaric, muscimol	1	0.00
6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	1	0.00
6143 = 2C-X	1	0.00
6168 = 2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC	1	0.00
6171 = 4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	2	0.00
6179 = 4-HO-HiPT, 4-Hydroxy-MiPT, 4-HO-MiPT	1	0.00
6185 = 25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	2	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	1	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidide	1	0.00
6196 = Changa	1	0.00
6209 = 1P-LSD	1	0.00
6213 = Synthetic LSD/acid; otherwise unspecified	1	0.00
6217 = 25D-NBOMe	1	0.00
6225 = DCK, Deschloroketamine	1	0.00
6229 = LSD analogue; otherwise unspecified	1	0.00
8283 = Synthetic cannabinoids (eg, K2, Spice, JWH-018)	1	0.00
8368 = alpha-PVP, alpha-Pyrrolidinopentiophenone	1	0.00
9985 = BAD DATA Logically assigned	6	0.01
9991 = NEVER USED HALLUCINOGENS	47549	83.85
9997 = REFUSED	6	0.01
9998 = BLANK (NO ANSWER)	655	1.16
9999 = LEGITIMATE SKIP	8448	14.90

(LS01SC4)

HALLUCOT4 Len : 4 OTHER HALLUCINOGEN - SPECIFY 4

	Freq	Pct
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	1	0.00
601 = LSD ("acid")	1	0.00
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	4	0.01
616 = DET, Dimethyltryptamine, DMT	1	0.00
660 = Bufotenin, toad, toad licking	1	0.00
6061 = 5-MeO-DMT	1	0.00
6074 = LSA	2	0.00
6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I	2	0.00
6169 = 2,5-dimethoxy-4-chloroamphetamine, DOC	2	0.00
6186 = 3-MeO-2-Oxo-PCE, MXE, Methoxetamine	1	0.00
6188 = 25B-NBOMe, NBOMe-2C-B	1	0.00
6195 = LSZ, Lysergic acid 2,4-dimethylazetidide	1	0.00
6203 = NBOMe; otherwise unspecified	1	0.00
8058 = Cough medicine/syrup, type unspecified	1	0.00
9985 = BAD DATA Logically assigned	4	0.01
9991 = NEVER USED HALLUCINOGENS	47549	83.85
9997 = REFUSED	6	0.01
9998 = BLANK (NO ANSWER)	678	1.20
9999 = LEGITIMATE SKIP	8448	14.90

(LS01SC5)
HALLUCOT5 Len : 4 OTHER HALLUCINOGEN - SPECIFY 5

	Freq	Pct
607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	2	0.00
698 = 2C-B, Bromo mescaline, Nexus	1	0.00
6005 = Sassafras, sassafras tea	2	0.00
6029 = DXM	1	0.00
6074 = LSA	1	0.00
6137 = Harmaline	1	0.00
6189 = 25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	1	0.00
6203 = NBOMe; otherwise unspecified	1	0.00
9985 = BAD DATA Logically assigned	4	0.01
9991 = NEVER USED HALLUCINOGENS	47549	83.85
9997 = REFUSED	6	0.01
9998 = BLANK (NO ANSWER)	688	1.21
9999 = LEGITIMATE SKIP	8448	14.90

(DMTAMTFXY, ECSTMOLLY, HALLUCOTH, KETMINESK, LSD, MESC, PCP, PEYOTE, PSILCY, SALVIADIV)
HALLUCEVR Len : 2 EVER USED HALLUCINOGENS

	Freq	Pct
1 = Yes	8911	15.71
91 = NEVER USED HALLUCINOGENS	47549	83.85
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	244	0.43

How old were you the first time you used [LSFILL]?

(LS02)
HALLUCAGE Len : 3 AGE WHEN FIRST USED HALLUCINOGENS

	Freq	Pct
RANGE = 1 - 80	8788	15.50
985 = BAD DATA Logically assigned	16	0.03
991 = NEVER USED HALLUCINOGENS	47549	83.85
994 = DON'T KNOW	71	0.13
997 = REFUSED	38	0.07
998 = BLANK (NO ANSWER)	243	0.43

Did you first use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use [LSFILL]?

(LS03A, LS03B, LS03C)
HALLUCYFU Len : 4 YEAR OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	710	1.25
9985 = BAD DATA Logically assigned	48	0.08
9989 = LEGITIMATE SKIP Logically assigned	103	0.18
9991 = NEVER USED HALLUCINOGENS	47549	83.85
9994 = DON'T KNOW	75	0.13
9997 = REFUSED	40	0.07
9998 = BLANK (NO ANSWER)	248	0.44
9999 = LEGITIMATE SKIP	7932	13.99

In what month in [CURRENT YEAR] did you first use [LSFILL]?

In what month in [YEAR FROM LS03a or LS03b] did you first use [LSFILL]?

(LS03C, LS03D)

HALLUCMFU Len : 2 MONTH OF FIRST HALLUCINOGEN USE - RECODE

	Freq	Pct
1 = January	44	0.08
2 = February	42	0.07
3 = March	58	0.10
4 = April	50	0.09
5 = May	63	0.11
6 = June	71	0.13
7 = July	87	0.15
8 = August	64	0.11
9 = September	38	0.07
10 = October	57	0.10
11 = November	46	0.08
12 = December	59	0.10
85 = BAD DATA Logically assigned	48	0.08
89 = LEGITIMATE SKIP Logically assigned	103	0.18
91 = NEVER USED HALLUCINOGENS	47549	83.85
94 = DON'T KNOW	104	0.18
97 = REFUSED	42	0.07
98 = BLANK (NO ANSWER)	248	0.44
99 = LEGITIMATE SKIP	7932	13.99

How long has it been since you last used [LSFILL]?

(LSLAST, LSRECDK, LSRECRE)

HALLUCREC Len : 2 TIME SINCE LAST USED HALLUCINOGENS

	Freq	Pct
1 = Within the past 30 days	629	1.11
2 = More than 30 days ago but within the past 12 mos	1500	2.65
3 = More than 12 months ago	6616	11.67
8 = Used at some point in the past 12 mos LOG ASSN	35	0.06
9 = Used at some point in lifetime LOG ASSN	88	0.16
11 = Used in the past 30 days LOGICALLY ASSIGNED	21	0.04
12 = Used >30 days ago but within pst 12 mos LOG ASSN	18	0.03
13 = More than 12 months ago LOGICALLY ASSIGNED	4	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	243	0.43

(TOTHALL)

HALLUCYFQ Len : 3 TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS

	Freq	Pct
RANGE = 1 - 365	2132	3.76
985 = BAD DATA Logically assigned	15	0.03
991 = NEVER USED HALLUCINOGENS	47549	83.85
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
994 = DON'T KNOW	6	0.01
997 = REFUSED	2	0.00
998 = BLANK (NO ANSWER)	381	0.67

HALTOTFG Len : 2 TRIMMING INDICATOR FOR HALLUCYFQ

	Freq	Pct
2 = Trimmed relative to the 30-day freq	2	0.00
98 = BLANK (NO ANSWER)	56703	100.0

HALFQFLG Len : 2 TRIMMED HALLUCYFQ IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	76	0.13
98 = BLANK (NO ANSWER)	56629	99.87

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used [LSFILL] during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(LSFRAME3, LSFRAME4, LSFRAME5, LSFRAME6)
HALLEASWY Len : 2 EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN

	Freq	Pct
1 = Prefer to answer in days per week	152	0.27
2 = Prefer to answer in days per month	300	0.53
3 = Prefer to answer in days per year	1676	2.96
11 = Prefer to ans in days per wk LOG ASSN	2	0.00
12 = Prefer to ans in days per mo LOG ASSN	2	0.00
13 = Prefer to ans in days per yr LOG ASSN	4	0.01
85 = BAD DATA Logically assigned	15	0.03
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	381	0.67

On how many days in the past 12 months did you use [LSFILL]?

(LSYRAV2, LSYRAV3, LSYRAV4, LSYRAVE)
HALLDYSYR Len : 3 # DAYS USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	1679	2.96
985 = BAD DATA Logically assigned	13	0.02
989 = LEGITIMATE SKIP Logically assigned	4	0.01
991 = NEVER USED HALLUCINOGENS	47549	83.85
993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
994 = DON'T KNOW	4	0.01
997 = REFUSED	2	0.00
998 = BLANK (NO ANSWER)	382	0.67
999 = LEGITIMATE SKIP	452	0.80

On average, how many days did you use [LSFILL] each month during the past 12 months?

(LSMONAV2, LSMONAV3, LSMONAV4, LSMONAVE)
HALLDYPMO Len : 2 # DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30	300	0.53
85 = BAD DATA Logically assigned	3	0.01
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	6	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	393	0.69
99 = LEGITIMATE SKIP	1830	3.23

On average, how many days did you use [LSFILL] each week during the past 12 months?

(LSWKAV2, LSWKAV3, LSWKAV4, LSWKAVE)
HALLDYPWK Len : 2 # DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	154	0.27
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	6	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	394	0.69
99 = LEGITIMATE SKIP	1978	3.49

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?

(LS04, LS30, LS31, LS32)
HALLUC30N Len : 2 # DAYS USED HALLUCINOGEN PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	612	1.08
85 = BAD DATA Logically assigned	22	0.04
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	8138	14.35
94 = DON'T KNOW	3	0.01
98 = BLANK (NO ANSWER)	381	0.67

What is your best estimate of the number of days you used [LSFILL] during the past 30 days?

(LS04DKRE, LS30DKRE, LS31DKRE, LS32DKRE)
HALLUC30E Len : 2 BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS

	Freq	Pct
2 = 3 to 5 days	1	0.00
3 = 6 to 9 days	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	8138	14.35
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	402	0.71
99 = LEGITIMATE SKIP	612	1.08

Now think only about LSD. How old were you the first time you used LSD?

(LS05)
LSDAGE Len : 3 AGE WHEN FIRST USED LSD

	Freq	Pct
RANGE = 1 - 59	5054	8.91
985 = BAD DATA Logically assigned	7	0.01
991 = NEVER USED LSD	51530	90.87
994 = DON'T KNOW	46	0.08
997 = REFUSED	23	0.04
998 = BLANK (NO ANSWER)	45	0.08

Did you first use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use LSD in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use LSD?

(LS06, LS07, LS08)
LSDYFU Len : 4 YEAR OF FIRST LSD USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	204	0.36
9985 = BAD DATA Logically assigned	11	0.02
9989 = LEGITIMATE SKIP Logically assigned	11	0.02
9991 = NEVER USED LSD	51530	90.87
9994 = DON'T KNOW	48	0.08
9997 = REFUSED	23	0.04
9998 = BLANK (NO ANSWER)	48	0.08
9999 = LEGITIMATE SKIP	4830	8.52

In what month in [CURRENT YEAR] did you first use LSD?

In what month in [YEAR FROM LS06 or LS07] did you first use LSD?

(LS08, LS09)

LSDMFU Len : 2 MONTH OF FIRST LSD USE - RECODE

	Freq	Pct
1 = January	16	0.03
2 = February	14	0.02
3 = March	17	0.03
4 = April	20	0.04
5 = May	17	0.03
6 = June	20	0.04
7 = July	18	0.03
8 = August	16	0.03
9 = September	12	0.02
10 = October	15	0.03
11 = November	20	0.04
12 = December	11	0.02
85 = BAD DATA Logically assigned	11	0.02
89 = LEGITIMATE SKIP Logically assigned	11	0.02
91 = NEVER USED LSD	51530	90.87
94 = DON'T KNOW	56	0.10
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	48	0.08
99 = LEGITIMATE SKIP	4830	8.52

How long has it been since you last used LSD?

(LS10)

LSDREC Len : 2 TIME SINCE LAST USED LSD

	Freq	Pct
1 = Within the past 30 days	89	0.16
2 = More than 30 days ago but within the past 12 mos	375	0.66
3 = More than 12 months ago	4623	8.15
8 = Used at some point in the past 12 mos LOG ASSN	6	0.01
9 = Used at some point in the lifetime LOG ASSN	38	0.07
11 = Used in the past 30 days LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED LSD	51530	90.87
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	37	0.07

Now think only about PCP. How old were you the first time you used PCP?

(LS11)

PCPAGE Len : 3 AGE WHEN FIRST USED PCP

	Freq	Pct
RANGE = 3 - 45	728	1.28
985 = BAD DATA Logically assigned	1	0.00
991 = NEVER USED PCP	55912	98.60
994 = DON'T KNOW	19	0.03
997 = REFUSED	10	0.02
998 = BLANK (NO ANSWER)	35	0.06

Did you first use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use PCP in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use PCP?

(LS12, LS13, LS14)

PCPYFU Len : 4 YEAR OF FIRST PCP USE - RECODE

	Freq	Pct
RANGE = 2022 - 2023	5	0.01
9989 = LEGITIMATE SKIP Logically assigned	3	0.01
9991 = NEVER USED PCP	55912	98.60
9994 = DON'T KNOW	19	0.03
9997 = REFUSED	10	0.02
9998 = BLANK (NO ANSWER)	37	0.07
9999 = LEGITIMATE SKIP	719	1.27

In what month in [CURRENT YEAR] did you first use PCP?

In what month in [YEAR FROM LS12 or LS13] did you first use PCP?

(LS14, LS15)

PCPMFU Len : 2 MONTH OF FIRST PCP USE - RECODE

	Freq	Pct
1 = January	2	0.00
12 = December	1	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.01
91 = NEVER USED PCP	55912	98.60
94 = DON'T KNOW	21	0.04
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	37	0.07
99 = LEGITIMATE SKIP	719	1.27

How long has it been since you last used PCP?

(LS16)

PCPREC Len : 2 TIME SINCE LAST USED PCP

	Freq	Pct
1 = Within the past 30 days	8	0.01
2 = More than 30 days ago but within the past 12 mos	9	0.02
3 = More than 12 months ago	727	1.28
8 = Used at some point in the past 12 mos LOG ASSN	2	0.00
9 = Used at some point in the lifetime LOG ASSN	9	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED PCP	55912	98.60
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	33	0.06

Now think only about 'Ecstasy or 'Molly.' How old were you the first time you used 'Ecstasy' or 'Molly,' also known as MDMA?

(LS17)

ECSTMOAGE Len : 3 AGE WHEN FIRST USED ECSTASY OR MOLLY

	Freq	Pct
RANGE = 1 - 71	4417	7.79
985 = BAD DATA Logically assigned	7	0.01
991 = NEVER USED ECSTASY OR MOLLY	52193	92.04
994 = DON'T KNOW	24	0.04
997 = REFUSED	8	0.01
998 = BLANK (NO ANSWER)	56	0.10

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

(LS18, LS19, LS20)

ECSTMOYFU Len : 4 YEAR OF FIRST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	219	0.39
9985 = BAD DATA Logically assigned	16	0.03
9989 = LEGITIMATE SKIP Logically assigned	12	0.02
9991 = NEVER USED ECSTASY OR MOLLY	52193	92.04
9994 = DON'T KNOW	25	0.04
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER)	62	0.11
9999 = LEGITIMATE SKIP	4169	7.35

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

In what month in [YEAR FROM LS18 or LS19] did you first use 'Ecstasy' or 'Molly'?

(LS20, LS21)

ECSTMOMFU Len : 2 MONTH OF FIRST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
1 = January	13	0.02
2 = February	15	0.03
3 = March	20	0.04
4 = April	21	0.04
5 = May	14	0.02
6 = June	12	0.02
7 = July	27	0.05
8 = August	21	0.04
9 = September	11	0.02
10 = October	19	0.03
11 = November	19	0.03
12 = December	14	0.02
85 = BAD DATA Logically assigned	18	0.03
89 = LEGITIMATE SKIP Logically assigned	12	0.02
91 = NEVER USED ECSTASY OR MOLLY	52193	92.04
94 = DON'T KNOW	35	0.06
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	62	0.11
99 = LEGITIMATE SKIP	4169	7.35

How long has it been since you last used 'Ecstasy' or 'Molly,' also known as MDMA?

(LS22)

ECSTMOREC Len : 2 TIME SINCE LAST USED ECSTASY OR MOLLY

	Freq	Pct
1 = Within the past 30 days	111	0.20
2 = More than 30 days ago but within the past 12 mos	388	0.68
3 = More than 12 months ago	3925	6.92
8 = Used at some point in the past 12 mos LOG ASSN	7	0.01
9 = Used at some point in the lifetime LOG ASSN	25	0.04
11 = Used in the past 30 days LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ECSTASY OR MOLLY	52193	92.04
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	50	0.09

How long has it been since you last used Ketamine?

(LS33)
KETMINREC Len : 2 TIME SINCE LAST USED KETAMINE

	Freq	Pct
1 = Within the past 30 days	70	0.12
2 = More than 30 days ago but within the past 12 mos	156	0.28
3 = More than 12 months ago	817	1.44
8 = Used at some point in the past 12 mos LOG ASSN	2	0.00
9 = Used at some point in the lifetime LOG ASSN	7	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN	2	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED KETAMINE	55578	98.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	67	0.12

How long has it been since you last used DMT, AMT or Foxy?

(LS34)
DAMTFXREC Len : 2 TIME SINCE LAST USED DMT/AMT/FOXY

	Freq	Pct
1 = Within the past 30 days	33	0.06
2 = More than 30 days ago but within the past 12 mos	91	0.16
3 = More than 12 months ago	733	1.29
8 = Used at some point in the past 12 mos LOG ASSN	2	0.00
9 = Used at some point in the lifetime LOG ASSN	6	0.01
11 = Used in the past 30 days LOGICALLY ASSIGNED	1	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED DMT/AMT/FOXY	55745	98.31
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	88	0.16

How long has it been since you last used Salvia divinorum?

(LS35)
SALVIAREC Len : 2 TIME SINCE LAST USED SALVIA DIVINORUM

	Freq	Pct
1 = Within the past 30 days	8	0.01
2 = More than 30 days ago but within the past 12 mos	14	0.02
3 = More than 12 months ago	977	1.72
8 = Used at some point in the past 12 mos LOG ASSN	3	0.01
9 = Used at some point in the lifetime LOG ASSN	7	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN	3	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED SALVIA DIVINORUM	55579	98.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	109	0.19

INHALANTS

These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good.

We are not interested in times when you inhaled a substance accidentally — such as when painting, cleaning an oven, or filling a car with gasoline. The questions use the word ‘inhalant’ to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.

Amyl nitrite, 'poppers,' locker room odorizers, or 'rush'
Correction fluid, degreaser, or cleaning fluid
Gasoline or lighter fluid
Glue, shoe polish, or toluene
Halothane, ether, or other anesthetics
Lacquer thinner, or other paint solvents
Lighter gases, such as butane or propane
Nitrous oxide or 'whippits'
Felt-tip pens, felt-tip markers, or magic markers
Spray paints
Computer keyboard cleaner, also known as air duster
Other aerosol sprays

Have you ever, even once, inhaled amyl nitrite, 'poppers,' locker room odorizers, or 'rush' for kicks or to get high?

(IN01A)
AMYLNIT Len : 2 EVER INHALED AMYL NITRITE, 'POPPERS,' RUSH, ETC.

	Freq	Pct
1 = Yes	1266	2.23
2 = No	4071	7.18
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	56	0.10
97 = REFUSED	7	0.01

Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?

(IN01B)
CLEFLU Len : 2 EVER INHALED CORRECTION FLUID, DEGREASER, ETC.

	Freq	Pct
1 = Yes	323	0.57
2 = No	5027	8.87
3 = Yes LOGICALLY ASSIGNED	2	0.00
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	40	0.07
97 = REFUSED	8	0.01

Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?

(IN01C)
GAS Len : 2 EVER INHALED GASOLINE OR LIGHTER FLUID

	Freq	Pct
1 = Yes	722	1.27
2 = No	4642	8.19
3 = Yes LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	28	0.05
97 = REFUSED	7	0.01

Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?

(IN01D)
GLUE Len : 2 EVER INHALED GLUE, SHOE POLISH, OR TOLUENE

	Freq	Pct
1 = Yes	626	1.10
2 = No	4739	8.36
3 = Yes LOGICALLY ASSIGNED	2	0.00
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	26	0.05
97 = REFUSED	7	0.01

Have you ever, even once, inhaled halothane, ether, or other anesthetics for kicks or to get high?

(IN01E)
ETHER Len : 2 EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC

	Freq	Pct
1 = Yes	154	0.27
2 = No	5214	9.19
3 = Yes LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	25	0.04
97 = REFUSED	6	0.01

Have you ever, even once, inhaled lacquer thinner or other paint solvents for kicks or to get high?

(IN01F)
SOLVENT Len : 2 EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS

	Freq	Pct
1 = Yes	280	0.49
2 = No	5089	8.97
3 = Yes LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	22	0.04
97 = REFUSED	8	0.01

Have you ever, even once, inhaled lighter gases, such as butane or propane for kicks or to get high?

(IN01G)
LGAS Len : 2 EVER INHALED LIGHTER GASES (BUTANE, PROPANE)

	Freq	Pct
1 = Yes	234	0.41
2 = No	5144	9.07
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	18	0.03
97 = REFUSED	4	0.01

Have you ever, even once, inhaled nitrous oxide or 'whippits' for kicks or to get high?

(IN01H)
NITOXID Len : 2 EVER INHALED NITROUS OXIDE OR 'WHIPPITS'

	Freq	Pct
1 = Yes	2317	4.09
2 = No	3053	5.38
3 = Yes LOGICALLY ASSIGNED	4	0.01
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	17	0.03
97 = REFUSED	9	0.02

Have you ever, even once, inhaled felt-tip pens, felt-tip markers, or magic markers for kicks or to get high?

(IN01H1)
FELTMARKR Len : 2 EVER INHALED FELT-TIP PENS/MARKERS

	Freq	Pct
1 = Yes	1829	3.23
2 = No	3506	6.18
3 = Yes LOGICALLY ASSIGNED	4	0.01
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	45	0.08
97 = REFUSED	16	0.03

Have you ever, even once, inhaled spray paints for kicks or to get high?

(IN01I)
SPPAINT Len : 2 EVER INHALED SPRAY PAINTS

	Freq	Pct
1 = Yes	482	0.85
2 = No	4900	8.64
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	13	0.02
97 = REFUSED	5	0.01

Have you ever, even once, inhaled computer keyboard cleaner, also known as air duster, for kicks or to get high?

(IN01II)
AIRDUSTER Len : 2 EVER INHALED COMPUTER KEYBOARD CLEANER/AIR DUSTER

	Freq	Pct
1 = Yes	696	1.23
2 = No	4681	8.26
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	17	0.03
97 = REFUSED	6	0.01

Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?

(IN01J)
OTHAEROS Len : 2 EVER INHALED OTHER AEROSOL SPRAYS

	Freq	Pct
1 = Yes	302	0.53
2 = No	5070	8.94
3 = Yes LOGICALLY ASSIGNED	5	0.01
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	19	0.03
97 = REFUSED	4	0.01

Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?

(IN01L)
INHALOTH Len : 2 EVER USED OTHER INHALANTS

	Freq	Pct
1 = Yes	181	0.32
2 = No	5183	9.14
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	30	0.05
97 = REFUSED	6	0.01

(IN01SC1)
INHALOT1 Len : 4 OTHER INHALANT - SPECIFY 1

	Freq	Pct
339 = Amphetamines, otherwise unspecified	1	0.00
348 = Crystal	1	0.00
377 = Albuterol	6	0.01
501 = Gasoline or lighter fluids	3	0.01
503 = Other aerosol sprays	13	0.02
504 = Shoeshine liquid, glue, or toluene	3	0.01
505 = Lacquer thinner or other paint solvents	1	0.00
507 = Halothane, ether, or other anesthetics; chloroform	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	9	0.02
509 = Correction fluids, degreasers, cleaning fluids	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	19	0.03
511 = Markers, felt-tip pens, ink pens	7	0.01
512 = Incense	1	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant	11	0.02
518 = Acetone, nail polish remover	5	0.01
519 = Helium	18	0.03
520 = Old paint, paint	1	0.00
523 = Matches	1	0.00
524 = White-Out	1	0.00
526 = Nail polish	3	0.01
528 = Whipped-cream can	15	0.03
531 = Candy, powdered candy, sugar	3	0.01
539 = Scotch-Gard	1	0.00
540 = PAM	1	0.00
542 = Brasso, lens cleaner, spirits of ammonia	4	0.01
543 = Liquid oxygen, oxygen	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol	5	0.01
573 = Furniture polish	1	0.00
592 = Computer air duster, computer cleaner, dust-off	1	0.00
802 = THC, cannabinol, marinol, tetrahydrocannabinol	2	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.00
5001 = Bleach	1	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank	1	0.00
5034 = Hippie crack	1	0.00
5045 = Cleaner, not otherwise specified	1	0.00
5049 = Hand sanitizer/cleaner, contents unspecified	3	0.01
5069 = Febreze	2	0.00
5078 = Axe body spray	1	0.00
5115 = Polish, contents unspecified	1	0.00
5177 = Pepper spray	1	0.00
5180 = Xenon, xenon gas	1	0.00
6052 = Acrylic resin	1	0.00
8024 = Asthma inhaler,asthma medication,bronchial dilator	2	0.00
8379 = Dabs/dabbing/dab pen	1	0.00
8381 = Vapor/vaping/vape juice; contents/route unspecifd	3	0.01
9985 = BAD DATA Logically assigned	10	0.02
9991 = NEVER USED INHALANTS	51302	90.47
9997 = REFUSED	15	0.03
9998 = BLANK (NO ANSWER)	33	0.06
9999 = LEGITIMATE SKIP	5183	9.14

(IN01SC2)
INHALOT2 Len : 4 OTHER INHALANT - SPECIFY 2

	Freq	Pct
501 = Gasoline or lighter fluids	1	0.00
503 = Other aerosol sprays	2	0.00
504 = Shoeshine liquid, glue, or toluene	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	2	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	4	0.01
511 = Markers, felt-tip pens, ink pens	2	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant	1	0.00
518 = Acetone, nail polish remover	2	0.00
519 = Helium	2	0.00
526 = Nail polish	1	0.00
528 = Whipped-cream can	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol	2	0.00
5049 = Hand sanitizer/cleaner, contents unspecified	1	0.00
5176 = Fabuloso cleaner	1	0.00
5180 = Xenon, xenon gas	1	0.00
8111 = Silver chloride	1	0.00
9985 = BAD DATA Logically assigned	5	0.01
9991 = NEVER USED INHALANTS	51302	90.47
9997 = REFUSED	6	0.01
9998 = BLANK (NO ANSWER)	184	0.32
9999 = LEGITIMATE SKIP	5183	9.14

(IN01SC3)
INHALOT3 Len : 4 OTHER INHALANT - SPECIFY 3

	Freq	Pct
501 = Gasoline or lighter fluids	1	0.00
504 = Shoeshine liquid, glue, or toluene	1	0.00
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	1	0.00
518 = Acetone, nail polish remover	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol	1	0.00
592 = Computer air duster, computer cleaner, dust-off	1	0.00
5049 = Hand sanitizer/cleaner, contents unspecified	2	0.00
8394 = Magnesium chloride <OTC>	1	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED INHALANTS	51302	90.47
9997 = REFUSED	6	0.01
9998 = BLANK (NO ANSWER)	203	0.36
9999 = LEGITIMATE SKIP	5183	9.14

(IN01SC4)
INHALOT4 Len : 4 OTHER INHALANT - SPECIFY 4

	Freq	Pct
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	1	0.00
511 = Markers, felt-tip pens, ink pens	1	0.00
518 = Acetone, nail polish remover	1	0.00
519 = Helium	1	0.00
6222 = Jekem, Jenkem	1	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED INHALANTS	51302	90.47
9997 = REFUSED	6	0.01
9998 = BLANK (NO ANSWER)	207	0.37
9999 = LEGITIMATE SKIP	5183	9.14

(IN01SC5)
INHALOT5 Len : 4 OTHER INHALANT - SPECIFY 5

	Freq	Pct
508 = Nitrous oxide, "whippits," dentist gas	1	0.00
518 = Acetone, nail polish remover	1	0.00
9985 = BAD DATA Logically assigned	1	0.00
9991 = NEVER USED INHALANTS	51302	90.47
9997 = REFUSED	6	0.01
9998 = BLANK (NO ANSWER)	211	0.37
9999 = LEGITIMATE SKIP	5183	9.14

NOTE: INHALEVER was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, FELTMARKR, SPPAINT, AIRDUSTER, OTHAEROS, or INHALOTH. INHALEVER was coded as 91 if all of the above variables were coded as 91. Respondents who refused to answer all of the questions regarding specific inhalant use were asked in question INREF whether they ever used any type of inhalants for kicks or to get high. INHALEVER also was coded as 1 if respondents answered yes to INREF and 91 if respondents answered no to INREF.

(AIRDUSTER, AMYLNIT, CLEFLU, ETHER, FELTMARKR, GAS, GLUE, INHALOTH, INREF, LGAS, NITOXID, OTHAEROS, SOLVENT, SPPAINT)

INHALEVER Len : 2 EVER USED INHALANTS

	Freq	Pct
1 = Yes	5235	9.23
91 = NEVER USED INHALANTS	51302	90.47
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	167	0.29

How old were you the first time you used any inhalant for kicks or to get high?

(IN02)

INHALAGE Len : 3 AGE WHEN FIRST USED INHALANTS

	Freq	Pct
RANGE = 1 - 67	4897	8.64
985 = BAD DATA Logically assigned	27	0.05
991 = NEVER USED INHALANTS	51302	90.47
994 = DON'T KNOW	232	0.41
997 = REFUSED	83	0.15
998 = BLANK (NO ANSWER)	164	0.29

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

(IN03A, IN03B, IN03C)

INHALYFU Len : 4 YEAR OF FIRST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	308	0.54
9985 = BAD DATA Logically assigned	55	0.10
9989 = LEGITIMATE SKIP Logically assigned	23	0.04
9991 = NEVER USED INHALANTS	51302	90.47
9994 = DON'T KNOW	234	0.41
9997 = REFUSED	83	0.15
9998 = BLANK (NO ANSWER)	170	0.30
9999 = LEGITIMATE SKIP	4530	7.99

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

In what month in [YEAR FROM IN03a or IN03b] did you first use an inhalant of any kind for kicks or to get high?

(IN03C, IN03D)

INHALMFU Len : 2 MONTH OF FIRST INHALANT USE - RECODE

	Freq	Pct
1 = January	23	0.04
2 = February	24	0.04
3 = March	39	0.07
4 = April	34	0.06
5 = May	21	0.04
6 = June	19	0.03
7 = July	31	0.05
8 = August	17	0.03
9 = September	17	0.03
10 = October	16	0.03
11 = November	18	0.03
12 = December	19	0.03
85 = BAD DATA Logically assigned	55	0.10
89 = LEGITIMATE SKIP Logically assigned	23	0.04
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	263	0.46
97 = REFUSED	84	0.15
98 = BLANK (NO ANSWER)	170	0.30
99 = LEGITIMATE SKIP	4530	7.99

How long has it been since you last used any inhalant for kicks or to get high?

(INLAST, INRECDK, INRECRE)

INHALREC Len : 2 TIME SINCE LAST USED INHALANTS

	Freq	Pct
1 = Within the past 30 days	238	0.42
2 = More than 30 days ago but within the past 12 mos	446	0.79
3 = More than 12 months ago	4394	7.75
8 = Used at some point in the past 12 mos LOG ASSN	12	0.02
9 = Used at some point in lifetime LOG ASSN	145	0.26
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	164	0.29

(TOTINHAL)

INHALYFQ Len : 3 TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	676	1.19
985 = BAD DATA Logically assigned	9	0.02
991 = NEVER USED INHALANTS	51302	90.47
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
994 = DON'T KNOW	12	0.02
997 = REFUSED	3	0.01
998 = BLANK (NO ANSWER)	309	0.54

INHTOTFG Len : 2 TRIMMING INDICATOR FOR INHALYFQ

	Freq	Pct
2 = Trimmed relative to the 30-day freq	2	0.00
98 = BLANK (NO ANSWER)	56703	100.0

INHFQFLG Len : 2 TRIMMED INHALYFQ IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	40	0.07
98 = BLANK (NO ANSWER)	56665	99.93

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.

What would be the easiest way for you to tell us how many days you've done this?

(INFRAME3)
INHEASWY Len : 2 EASIEST WAY TO TELL US # DAYS USED INHALANTS

	Freq	Pct
1 = Prefer to answer in days per week	93	0.16
2 = Prefer to answer in days per month	141	0.25
3 = Prefer to answer in days per year	428	0.75
11 = Prefer to ans in days per wk LOG ASSN	5	0.01
12 = Prefer to ans in days per mo LOG ASSN	3	0.01
13 = Prefer to ans in days per yr LOG ASSN	11	0.02
85 = BAD DATA Logically assigned	8	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	10	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	309	0.54

On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?

(INYRAVE)
INHDYSYR Len : 3 # DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	437	0.77
985 = BAD DATA Logically assigned	2	0.00
989 = LEGITIMATE SKIP Logically assigned	6	0.01
991 = NEVER USED INHALANTS	51302	90.47
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
994 = DON'T KNOW	11	0.02
997 = REFUSED	2	0.00
998 = BLANK (NO ANSWER)	315	0.56
999 = LEGITIMATE SKIP	236	0.42

On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?

(INMONAVE)
INHDYPMO Len : 2 # DAYS PER MONTH USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 27	143	0.25
85 = BAD DATA Logically assigned	4	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	11	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	313	0.55
99 = LEGITIMATE SKIP	530	0.93

On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?

(INWKAVE)
INHDYPWK Len : 2 # DAYS PER WEEK USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	97	0.17
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	12	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	315	0.56
99 = LEGITIMATE SKIP	580	1.02

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

(IN06)
INHAL30N Len : 2 # DAYS USED INHALANT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	231	0.41
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	4840	8.54
94 = DON'T KNOW	5	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	312	0.55

What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?

(IN06DKRE)
INHAL30ES Len : 2 BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	2	0.00
2 = 3 to 5 days	3	0.01
3 = 6 to 9 days	1	0.00
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	4840	8.54
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	324	0.57
99 = LEGITIMATE SKIP	231	0.41

METHAMPHETAMINE

Methamphetamine, also known as crank, ice, crystal meth, speed, glass, and many other names, is a stimulant that usually comes in crystal or powder forms. It can be smoked, “snorted,” swallowed or injected.

Have you ever, even once, used methamphetamine?

(ME01, MEREF)
METHAMEVR Len : 2 EVER USED METHAMPHETAMINE

	Freq	Pct
1 = Yes	2508	4.42
2 = No	54120	95.44
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	73	0.13
97 = REFUSED	3	0.01

How old were you the first time you used methamphetamine?

(ME02)
METHAMAGE Len : 3 AGE 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 2 - 65	2494	4.40
985 = BAD DATA Logically assigned	6	0.01
991 = NEVER USED METHAMPHETAMINE	54120	95.44
994 = DON'T KNOW	9	0.02
997 = REFUSED	3	0.01
998 = BLANK (NO ANSWER)	73	0.13

Did you first use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use methamphetamine?

(ME03A, ME03B, ME03C)
METHAMYFU Len : 4 YEAR 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 2021 - 2023	57	0.10
9985 = BAD DATA Logically assigned	10	0.02
9989 = LEGITIMATE SKIP Logically assigned	10	0.02
9991 = NEVER USED METHAMPHETAMINE	54120	95.44
9994 = DON'T KNOW	9	0.02
9997 = REFUSED	3	0.01
9998 = BLANK (NO ANSWER)	74	0.13
9999 = LEGITIMATE SKIP	2422	4.27

In what month in [CURRENT YEAR] did you first use methamphetamine?

In what month in [YEAR FROM ME03a or ME03b] did you first use methamphetamine?

(ME03C, ME03D)

METHAMMFU Len : 2 MONTH 1ST USED METHAMPHETAMINE

	Freq	Pct
1 = January	7	0.01
2 = February	6	0.01
3 = March	4	0.01
4 = April	4	0.01
5 = May	6	0.01
6 = June	2	0.00
7 = July	5	0.01
8 = August	3	0.01
9 = September	4	0.01
10 = October	6	0.01
11 = November	6	0.01
12 = December	3	0.01
85 = BAD DATA Logically assigned	10	0.02
89 = LEGITIMATE SKIP Logically assigned	10	0.02
91 = NEVER USED METHAMPHETAMINE	54120	95.44
94 = DON'T KNOW	10	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	74	0.13
99 = LEGITIMATE SKIP	2422	4.27

How long has it been since you last used methamphetamine?

(MELAST3, MERECDK, MERECRE)

METHAMREC Len : 2 TIME SINCE LAST USED METHAMPHETAMINE

	Freq	Pct
1 = Within the past 30 days	274	0.48
2 = More than 30 days ago but within the past 12 mos	198	0.35
3 = More than 12 months ago	2012	3.55
8 = Used at some point in the past 12 mos LOG ASSN	13	0.02
9 = Used at some point in lifetime LOG ASSN	10	0.02
11 = Used in the past 30 days LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	54120	95.44
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	73	0.13

(TOTME)

METHAMYFQ Len : 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	472	0.83
985 = BAD DATA Logically assigned	11	0.02
991 = NEVER USED METHAMPHETAMINE	54120	95.44
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2012	3.55
994 = DON'T KNOW	2	0.00
997 = REFUSED	4	0.01
998 = BLANK (NO ANSWER)	84	0.15

METOTFG Len : 2 TRIMMING INDICATOR FOR METHAMYFQ

	Freq	Pct
2 = Trimmed relative to the 30-day freq	13	0.02
98 = BLANK (NO ANSWER)	56692	99.98

MEFQFLG Len : 2 TRIMMED METHAMYFQ IF R USED < 12 MOS

	Freq	Pct
1 = Trimmed to be consistent with mo/yr of 1st use	13	0.02
98 = BLANK (NO ANSWER)	56692	99.98

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used methamphetamine during the past 12 months.

What would be the easiest way for you to tell us how many days you've used it?

(MEFRAME3)
METHEASWY Len : 2 EASIEST WAY TO TELL # DAYS USED METHAMPHETAMINE

	Freq	Pct
1 = Prefer to answer in days per week	191	0.34
2 = Prefer to answer in days per month	125	0.22
3 = Prefer to answer in days per year	156	0.28
11 = Prefer to ans in days per wk LOG ASSN	1	0.00
12 = Prefer to ans in days per mo LOG ASSN	1	0.00
13 = Prefer to ans in days per yr LOG ASSN	1	0.00
85 = BAD DATA Logically assigned	11	0.02
91 = NEVER USED METHAMPHETAMINE	54120	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2012	3.55
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	84	0.15

On how many days in the past 12 months did you use methamphetamine?

(MEYRAVE)
METHDYSYR Len : 3 # DAYS USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 365	156	0.28
985 = BAD DATA Logically assigned	1	0.00
989 = LEGITIMATE SKIP Logically assigned	3	0.01
991 = NEVER USED METHAMPHETAMINE	54120	95.44
993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2012	3.55
997 = REFUSED	4	0.01
998 = BLANK (NO ANSWER)	94	0.17
999 = LEGITIMATE SKIP	315	0.56

On average, how many days did you use methamphetamine each month during the past 12 months?

(MEMONAVE)
METHDYPMO Len : 2 # DAYS PER MO USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 30	125	0.22
85 = BAD DATA Logically assigned	3	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	54120	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2012	3.55
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	92	0.16
99 = LEGITIMATE SKIP	347	0.61

On average, how many days did you use methamphetamine each week during the past 12 months?

(MEWKAVE)
METHDYPWK Len : 2 # DAYS PER WK USED METHAMPHETAMINE PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 7	191	0.34
85 = BAD DATA Logically assigned	7	0.01
91 = NEVER USED METHAMPHETAMINE	54120	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2012	3.55
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	88	0.16
99 = LEGITIMATE SKIP	281	0.50

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use methamphetamine?

(ME06)
METHAM30N Len : 2 # DAYS USED METHAMPHETAMINE PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	272	0.48
85 = BAD DATA Logically assigned	5	0.01
91 = NEVER USED METHAMPHETAMINE	54120	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	2210	3.90
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	94	0.17

What is your best estimate of the number of days you used methamphetamine during the past 30 days?

(ME06DKRE)
METHAM30E Len : 2 BEST ESTIMATE # DAYS USED METH PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	1	0.00
91 = NEVER USED METHAMPHETAMINE	54120	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	2210	3.90
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	99	0.17
99 = LEGITIMATE SKIP	272	0.48

PAIN RELIEVERS SCREENER

Please look at the names and pictures of the pain relievers shown below.

In the **past 12 months,** which, if any, of these pain relievers have you used?

(PR021)
OXCNANYYR Len : 2 ANY OXYCONTIN USE PAST 12 MOS

	Freq	Pct
1 = Yes	1399	2.47
2 = No (not entered)	1144	2.02
81 = NEVER USED PAIN RLVRS Logically assigned	198	0.35
85 = BAD DATA Logically assigned	13	0.02
91 = NEVER USED PAIN RELIEVERS	29337	51.74
93 = DID NOT USE IN THE PAST 12 MONTHS	14107	24.88
94 = DON'T KNOW	206	0.36
95 = I have not used any of these Pain Relievers in the past 12 months	10227	18.04
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	39	0.07

Have you **ever,** even once, used **any prescription pain reliever?**

Remember, do **not** report your use of "over-the-counter" pain relievers such as aspirin, Tylenol, Advil, or Aleve.

(PRLANY)
PNRANYLIF Len : 2 ANY PAIN RELIEVER USE IN LIFETIME

	Freq	Pct
1 = Yes	13926	24.56
2 = No	29535	52.09
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	12716	22.42
94 = DON'T KNOW	446	0.79
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	61	0.11

NOTE: PNRANYREC was created from responses of any use in the past 12 months for specific pain relievers and from PNRANYLIF for any lifetime use of pain relievers.

PNRANYREC Len : 2 RC - MOST RECENT ANY PAIN RELIEVER USE (RECODE)

	Freq	Pct
1 = Within the past 12 months	12716	22.42
2 = More than 12 months ago	13787	24.31
9 = Used at some point in the lifetime LOG ASSN	139	0.25
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	320	0.56
91 = NEVER USED PAIN RELIEVERS	29535	52.09
98 = BLANK (NO ANSWER)	208	0.37

The following variable for any past year use of Fentanyl Products, FENTANYYR, was assigned a positive response if a respondent indicated any past year use of Duragesic, Fentora, or generic fentanyl, or past year misuse of other pain relievers that contain fentanyl.

FENTANYYR Len : 1 RC-FENTANYL PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Missing	156	0.28
0 = No	56038	98.82
1 = Yes (See comment above)	511	0.90

PAIN RELIEVERS

The next question asks about using prescription pain relievers in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription pain reliever in any way a doctor did not direct you to use it?

(PRL01, PRL02)
PNRNMLIF Len : 2 EVER USED PAIN RELIEVER NOT DIRECTED BY DR

	Freq	Pct
1 = Yes	2837	5.00
2 = No	21882	38.59
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	1682	2.97
85 = BAD DATA Logically assigned	16	0.03
91 = NEVER USED/MISUSED PAIN RELIEVERS	29535	52.09
94 = DON'T KNOW	35	0.06
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	704	1.24

In the past 12 months, did you use OxyContin in any way a doctor did not direct you to use it?

(PRY06)
OXCNNMYR Len : 2 USED OXYCONTIN NOT DIRECTED BY DR PAST 12 MOS

	Freq	Pct
1 = Yes	209	0.37
2 = No	241	0.43
81 = NEVER MISUSED PAIN RLVRS Logically assigned	6	0.01
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS	51411	90.66
93 = DID NOT USE IN THE PAST 12 MONTHS	4685	8.26
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	138	0.24

Please think about the first time you ever used OxyContin in a way a doctor did not direct you to use it.

How old were you when you first used OxyContin in a way a doctor did not direct you to use it?

(PRY06A)
OXCNNMAGE Len : 3 AGE 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
RANGE = 10 - 72	205	0.36
981 = NEVER USED PAIN RLVRS Logically assigned	6	0.01
985 = BAD DATA Logically assigned	4	0.01
991 = NEVER USED/MISUSED PAIN RELIEVERS	51411	90.66
993 = DID NOT USE IN THE PAST 12 MONTHS	4926	8.69
994 = DON'T KNOW	2	0.00
997 = REFUSED	2	0.00
998 = BLANK (NO ANSWER)	149	0.26

Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 1] or [CURRENT YEAR]?
Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

(PRY06B, PRY06C, PRY06D)
OXCNNMYFU Len : 4 YEAR 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
RANGE = 2021 - 2023	53	0.09
9981 = NEVER USED PAIN RLVRS Logically assigned	6	0.01
9985 = BAD DATA Logically assigned	2	0.00
9989 = LEGITIMATE SKIP Logically assigned	1	0.00
9991 = NEVER USED/MISUSED PAIN RELIEVERS	51411	90.66
9993 = DID NOT USE IN THE PAST 12 MONTHS	4926	8.69
9998 = BLANK (NO ANSWER)	156	0.28
9999 = LEGITIMATE SKIP	150	0.26

Earlier, you reported that you first used OxyContin in a way a doctor did not direct you to use it when you were [FILL] years old. Based on your date of birth, you turned [FILL] in [FILL].

In what month in [FILL] did you first use OxyContin in a way a doctor did not direct you to use it?

(PRY06D)
OXCNNMMFU Len : 2 MONTH 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
1 = January	5	0.01
2 = February	7	0.01
3 = March	7	0.01
4 = April	4	0.01
5 = May	2	0.00
6 = June	1	0.00
7 = July	2	0.00
8 = August	6	0.01
9 = September	3	0.01
10 = October	3	0.01
11 = November	5	0.01
12 = December	4	0.01
81 = NEVER USED PAIN RLVRS Logically assigned	6	0.01
85 = BAD DATA Logically assigned	2	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	51411	90.66
93 = DID NOT USE IN THE PAST 12 MONTHS	4926	8.69
94 = DON'T KNOW	4	0.01
98 = BLANK (NO ANSWER)	156	0.28
99 = LEGITIMATE SKIP	150	0.26

NOTE: The variable PNRNMREC is a recoded variable that was created from PNRNMLIF, the 12-month misuse variables of specific pain relievers, and PNRLVNM30DY.

PNRNMREC Len : 2 RC - MOST RECENT PAIN RELIEVER MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days	452	0.80
2 = More than 30 days ago but within the past 12 mos	1220	2.15
3 = More than 12 months ago	2801	4.94
8 = Misused at some point in past 12 mos LOG ASSN	10	0.02
9 = Misused at some point in lifetime LOG ASSN	36	0.06
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	493	0.87
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
98 = BLANK (NO ANSWER)	276	0.49

NOTE: PNRNMINIT is "reverse coded" from the answers in PRL03. PRL03=1 (yes) was recoded to 2 in PNRNMINIT because this answer means that the respondent misused pain relievers before the past 12 months (and therefore is not a past year initiate for misuse of pain relievers). PRL03=2 (no) was recoded to 1 in PNRNMINIT because this answer means that the respondent did not misuse pain relievers before the past 12 months (and therefore is a past year initiate for misuse of pain relievers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription pain reliever in a way a doctor did not direct you to use it?

(PRL03)
PNRNMINIT Len : 2 PAST YEAR INITIATE FOR ANY PAIN RELIEVER MISUSE

	Freq	Pct
1 = Past year initiate	328	0.58
2 = Not a past year initiate	85	0.15
4 = Not past yr initiate LOG ASSN (from skip pattern)	1256	2.21
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	493	0.87
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	2801	4.94
94 = DON'T KNOW	11	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	312	0.55

NOTE: The variables PNRNMAGE, PNRNMYFU, and PNRNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of pain relievers in the 12 months prior to being interviewed (PNRNMINIT=1).

PNRNMAGE Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR PNRLV INITIATES

	Freq	Pct
RANGE = 11 - 75	246	0.43
983 = NOT A PAST YEAR INITIATE Log assn	493	0.87
991 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
993 = NOT A PAST YEAR INITIATE	4142	7.30
998 = BLANK (NO ANSWER)	407	0.72

PNRNMYFU Len : 4 RC - YR 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES

	Freq	Pct
RANGE = 2022 - 2023	244	0.43
9983 = NOT A PAST YEAR INITIATE Logically assigned	493	0.87
9991 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
9993 = NOT A PAST YEAR INITIATE	4142	7.30
9998 = BLANK (NO ANSWER)	409	0.72

PNRNMMFU Len : 2 RC - MO 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES

	Freq	Pct
1 = January	21	0.04
2 = February	22	0.04
3 = March	21	0.04
4 = April	26	0.05
5 = May	15	0.03
6 = June	14	0.02
7 = July	15	0.03
8 = August	20	0.04
9 = September	15	0.03
10 = October	26	0.05
11 = November	29	0.05
12 = December	12	0.02
83 = NOT A PAST YEAR INITIATE Logically assigned	493	0.87
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = NOT A PAST YEAR INITIATE	4142	7.30
98 = BLANK (NO ANSWER)	417	0.74

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

(PRM01)
PNRNM30D Len : 2 USED PAIN RLVR NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
1 = Yes	423	0.75
2 = No	1220	2.15
5 = Yes LOGICALLY ASSIGNED (from PR30ANYINIT=1)	29	0.05
83 = DID NOT MISUSE PAIN RELIEVERS PST 30 DYS Log assn	133	0.23
85 = BAD DATA Logically assigned	13	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	3161	5.57
94 = DON'T KNOW	5	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	302	0.53

During the past 30 days, on how many days did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL]?

(PRM02)
PNRNM30FQ Len : 2 # DAYS USED PAIN RLVR NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30	442	0.78
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	37	0.07
85 = BAD DATA Logically assigned	7	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	4477	7.90
94 = DON'T KNOW	9	0.02
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	315	0.56

What is your best estimate of the number of days you used [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] during the past 30 days?

(PRM02DKRE)
PNRNM30ES Len : 2 EST # DAYS USED PAIN RLVR NOT DIRECTED PST 30 DYS

	Freq	Pct
1 = 1 or 2 days	2	0.00
2 = 3 to 5 days	1	0.00
4 = 10 to 19 days	1	0.00
5 = 20 to 29 days	1	0.00
6 = All 30 days	1	0.00
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	4513	7.96
94 = DON'T KNOW	3	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	322	0.57
99 = LEGITIMATE SKIP	442	0.78

NOTE: Responses of "yes" in PNRNM30AL were assigned a code of 11 when respondents reported that they misused pain relievers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when PNRNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [PRNAMEFILL] in any way a doctor did not direct you to use [PRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

(PRM03)
PNRNM30AL Len : 2 USED PAIN RLVR NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
1 = Yes	107	0.19
2 = No	136	0.24
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	13	0.02
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	4501	7.94
98 = BLANK (NO ANSWER)	325	0.57
99 = LEGITIMATE SKIP	204	0.36

Which of these statements describe your use of [PRNAMEFILL] at **any** time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

(PRYWAYS1)
PNRWYNORX Len : 2 USED PAIN RLVR W/O OWN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes	927	1.63
2 = No (not entered)	621	1.10
83 = DID NOT MISUSE PAIN RELIEVERS IN PST 30 days Log assn	93	0.16
85 = BAD DATA Logically assigned	9	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3201	5.65
94 = DON'T KNOW	90	0.16
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	306	0.54

(PRYWAYS2)
PNRWYGAMT Len : 2 USED PAIN RLVR IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
1 = Yes	293	0.52
2 = No (not entered)	1255	2.21
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	30	0.05
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3264	5.76
94 = DON'T KNOW	90	0.16
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	312	0.55

(PRYWAYS3)
PNRWYOFTN Len : 2 USED PAIN RLVR MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes	252	0.44
2 = No (not entered)	1296	2.29
83 = DID NOT USE PAIN REL IN THE PAST 12 MOS logically assigned	32	0.06
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3262	5.75
94 = DON'T KNOW	90	0.16
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	314	0.55

(PRYWAYS4)
PNRWYLNGR Len : 2 USED PAIN RLVR LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes	212	0.37
2 = No (not entered)	1336	2.36
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	28	0.05
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3266	5.76
94 = DON'T KNOW	90	0.16
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	315	0.56

(PRYWAYS5)
PNRWYOTWY Len : 2 USED PAIN RLVR OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes	380	0.67
2 = No (not entered)	1168	2.06
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	45	0.08
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3249	5.73
94 = DON'T KNOW	90	0.16
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	313	0.55

Now think about the last time you used a prescription pain reliever in any way a doctor did not direct you to use it.

Which of these pain relievers did you use the last time? If you used more than one pain reliever the last time, please choose one pain reliever as your best answer.

(RPRYLAST)
PNRNMLAS1 Len : 2 LAST PAIN RLVR USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Vicodin	93	0.16
2 = Lortab	27	0.05
3 = Norco	42	0.07
4 = Zohydro ER	1	0.00
5 = Hydrocodone (generic)	269	0.47
6 = OxyContin	57	0.10
7 = Percocet	154	0.27
8 = Percodan	4	0.01
9 = Roxicodone	17	0.03
10 = Oxycodone (generic)	134	0.24
11 = Ultram	3	0.01
12 = Ultram ER	2	0.00
13 = Ultracet	3	0.01
14 = Tramadol (generic)	146	0.26
15 = Extended-release tramadol (generic)	6	0.01
16 = Tylenol with codeine 3 or 4 (NOT over-the-counter Tylenol)	330	0.58
17 = Codeine pills (generic)	19	0.03
21 = Morphine (generic)	12	0.02
22 = Extended-release morphine (generic)	6	0.01
23 = Duragesic	1	0.00
24 = Fentora	1	0.00
25 = Fentanyl (generic)	64	0.11
26 = Suboxone	44	0.08
27 = Buprenorphine (generic)	15	0.03
28 = Buprenorphine plus naloxone (generic)	7	0.01
29 = Opana	2	0.00
31 = Oxymorphone (generic)	3	0.01
32 = Extended-release oxymorphone (generic)	1	0.00
34 = Dilaudid or hydromorphone	11	0.02
35 = Exalgo or extended-release hydromorphone	2	0.00
36 = Methadone	17	0.03
37 = Some other pain reliever	168	0.30
83 = DID NOT MISUSE IN THE PST 12 MOS Logically assigned	139	0.25
85 = BAD DATA Logically assigned	16	0.03
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3155	5.56
94 = DON'T KNOW	13	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	301	0.53

Now think about the last time you used [PRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [PRLASTFILL2] the last time?

(PRYMOTV1)
PNRRSPAIN Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RLV PAIN

	Freq	Pct
1 = Yes	1180	2.08
2 = No (not entered)	424	0.75
3 = Yes LOGICALLY ASSIGNED	26	0.05
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	121	0.21
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3173	5.60
94 = DON'T KNOW	34	0.06
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	305	0.54

(PRYMOTV2)
PNRRSRELX Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO RELAX

	Freq	Pct
1 = Yes	429	0.76
2 = No (not entered)	1200	2.12
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	28	0.05
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3266	5.76
94 = DON'T KNOW	34	0.06
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	311	0.55

(PRYMOTV3)
PNRRSEXPT Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes	103	0.18
2 = No (not entered)	1527	2.69
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	9	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3285	5.79
94 = DON'T KNOW	34	0.06
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	314	0.55

(PRYMOTV4)
PNRRSHIGH Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes	322	0.57
2 = No (not entered)	1307	2.30
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	11	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3283	5.79
94 = DON'T KNOW	34	0.06
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	314	0.55

(PRYMOTV5)
PNRRSSLEP Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR SLEEP

	Freq	Pct
1 = Yes	279	0.49
2 = No (not entered)	1350	2.38
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	27	0.05
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3267	5.76
94 = DON'T KNOW	34	0.06
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	315	0.56

(PRYMOTV6)
PNRRSEMOT Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
1 = Yes	223	0.39
2 = No (not entered)	1407	2.48
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	10	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3284	5.79
94 = DON'T KNOW	34	0.06
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	315	0.56

(PRYMOTV7)
PNRRSDGFX Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes	43	0.08
2 = No (not entered)	1585	2.80
3 = Yes LOGICALLY ASSIGNED	2	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	9	0.02
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3285	5.79
94 = DON'T KNOW	34	0.06
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	315	0.56

(PRYMOTV8)
PNRRSHOOK Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes	79	0.14
2 = No (not entered)	1550	2.73
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	8	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3286	5.79
94 = DON'T KNOW	34	0.06
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	315	0.56

(PRYMOTV9)
PNRRSSOR Len : 2 USED LAST PAIN RLVR (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes	111	0.20
2 = No (not entered)	1519	2.68
83 = DID NOT MISUSE PAIN RELEIVERS IN PAST 12 mos Log assn	19	0.03
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3275	5.78
94 = DON'T KNOW	34	0.06
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	315	0.56

Please type in the other reason you used [PRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

(PRMOTOTSC)
PNRRSOTRS2 Len : 3 REASON USED LAST PAIN RLVR (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain	33	0.06
2 = To relax or relieve tension	2	0.00
4 = To feel good or get high	3	0.01
5 = To help with my sleep	1	0.00
6 = To help me with my feelings or emotions	1	0.00
7 = To increase/decrease effects of some other drug	2	0.00
8 = Because I am "hooked" or I have to have it/them	1	0.00
13 = I used it/them for some other reason	13	0.02
14 = For cold/flu/fever/sick/illness; pain not specified	14	0.02
26 = To replace another/other drug(s)/alcohol I am addicted to	9	0.02
71 = They are prescribed to me; misuse not indicated	3	0.01
983 = DID NOT USE PAIN REL IN THE PAST 12 MOS Logically assigned	11	0.02
985 = BAD DATA (logically assigned)	17	0.03
991 = NEVER USED PAIN RELIEVERS	51417	90.67
993 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3283	5.79
994 = DON'T KNOW	7	0.01
997 = REFUSED	5	0.01
998 = BLANK (no answer)	364	0.64
999 = LEGITIMATE SKIP	1519	2.68

Which was the main reason you used [PRLASTFILL2] the last time?

(RPRYMOT1)

PNRRSMAIN Len : 2 MAIN REASON USED LAST PAIN RLVR (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain	228	0.40
2 = To relax or relieve tension	65	0.11
3 = To experiment or to see what it was/they were like	17	0.03
4 = To feel good or get high	103	0.18
5 = To help with my sleep	29	0.05
6 = To help me with my feelings or emotions	39	0.07
7 = To increase or decrease the effect(s) of some other drug	4	0.01
8 = Because I am 'hooked' or I have to have it/them	35	0.06
9 = The other reason I reported	11	0.02
11 = To relieve physical pain LOGICALLY ASSIGNED	4	0.01
83 = DID NOT MISUSE PAIN RELEIVERS IN PAST 12 mos Log assn	26	0.05
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	51417	90.67
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3268	5.76
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	361	0.64
99 = LEGITIMATE SKIP	1095	1.93

NOTE: PNRNORXFG is set to 1 when respondents reported that the only way they misused pain relievers in the past year was without a prescription. These respondents also reported that the last pain reliever they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

PNRNORXFG Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST PNR

	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx	148	0.26
98 = BLANK (NO ANSWER)	56557	99.74

The following variable for past year misuse of Fentanyl Products, FENTNMYR, was assigned a positive response if a respondent indicated past year misuse of Duragesic, Fentora, generic fentanyl, or other pain relievers that contain fentanyl.

FENTNMYR Len : 1 RC-FENTANYL PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Missing	20	0.04
0 = No	56584	99.79
1 = Yes (See comment above)	101	0.18

TRANQUILIZERS SCREENER

Have you **ever,** even once, used **any prescription tranquilizer?**

(TRLANY)

TRQANYLIF Len : 2 ANY TRANQUILIZER USE IN LIFETIME

	Freq	Pct
1 = Yes	3827	6.75
2 = No	47003	82.89
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	5400	9.52
94 = DON'T KNOW	342	0.60
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	108	0.19

NOTE: TRQANYREC was created from responses of any use in the past 12 months for specific tranquilizers and from TRQANYLIF for any lifetime use of tranquilizers.

TRQANYREC Len : 2 RC - MOST RECENT ANY TRANQUILIZER USE (RECODE)

	Freq	Pct
1 = Within the past 12 months	5400	9.52
2 = More than 12 months ago	3809	6.72
9 = Used at some point in the lifetime LOG ASSN	18	0.03
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	240	0.42
91 = NEVER USED TRANQUILIZERS	47003	82.89
98 = BLANK (NO ANSWER)	235	0.41

The following variable for any past year use of Any Benzodiazepines Tranquilizers, TRBZOANYYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Tranquilizers or past year misuse of Benzodiazepine Tranquilizers that were specified as other Tranquilizers.

TRBZOANYYR Len : 1 RC - BENZODIAZEPINES TRANQUILIZERS - ANY PAST YEAR USE

	Freq	Pct
. = Missing	192	0.34
0 = No	52506	92.60
1 = Yes	4007	7.07

TRANQUILIZERS

The next question asks about using prescription tranquilizers in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription tranquilizer in any way a doctor did not direct you to use it?

(TRL01, TRL02)
TRQNMLIF Len : 2 EVER USED TRANQUILIZER NOT DIRECTED BY DR

	Freq	Pct
1 = Yes	1065	1.88
2 = No	7285	12.85
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	833	1.47
85 = BAD DATA Logically assigned	33	0.06
91 = NEVER USED/MISUSED TRANQUILIZERS	47003	82.89
94 = DON'T KNOW	16	0.03
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	462	0.81

NOTE: The variable TRQNMREC is a recoded variable that was created from TRQNMLIF, the 12-month misuse variables of specific tranquilizers, and TRANQNM30DY.

TRQNMREC Len : 2 RC - MOST RECENT TRANQUILIZER MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days	227	0.40
2 = More than 30 days ago but within the past 12 mos	601	1.06
3 = More than 12 months ago	1059	1.87
8 = Misused at some point in past 12 mos LOG ASSN	5	0.01
9 = Misused at some point in lifetime LOG ASSN	6	0.01
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	257	0.45
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
98 = BLANK (NO ANSWER)	262	0.46

NOTE: TRQNMINIT is "reverse coded" from the answers in TRL03. TRL03=1 (yes) was recoded to 2 in TRQNMINIT because this answer means that the respondent misused tranquilizers before the past 12 months (and therefore is not a past year initiate for misuse of tranquilizers). TRL03=2 (no) was recoded to 1 in TRQNMINIT because this answer means that the respondent did not misuse tranquilizers before the past 12 months (and therefore is a past year initiate for misuse of tranquilizers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription tranquilizer in a way a doctor did not direct you to use it?

(TRL03)
TRQNMINIT Len : 2 PAST YEAR INITIATE FOR ANY TRANQUILIZER MISUSE

	Freq	Pct
1 = Past year initiate	140	0.25
2 = Not a past year initiate	37	0.07
4 = Not past yr initiate LOG ASSN (from skip pattern)	654	1.15
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	257	0.45
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	1059	1.87
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	268	0.47

NOTE: The variables TRQNMAGE, TRQNMYFU, and TRQNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of tranquilizers in the 12 months prior to being interviewed (TRQNMINIT=1).

TRQNMAGE Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR TRANQ INITIATES

	Freq	Pct
RANGE = 13 - 74	132	0.23
983 = NOT A PAST YEAR INITIATE Log assn	257	0.45
991 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
993 = NOT A PAST YEAR INITIATE	1750	3.09
998 = BLANK (NO ANSWER)	278	0.49

TRQNMYFU Len : 4 RC - YR 1ST MISUSED FOR PAST YR TRANQ INITIATES

	Freq	Pct
RANGE = 2022 - 2023	131	0.23
9983 = NOT A PAST YEAR INITIATE Logically assigned	257	0.45
9991 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
9993 = NOT A PAST YEAR INITIATE	1750	3.09
9998 = BLANK (NO ANSWER)	279	0.49

TRQNMMFU Len : 2 RC - MO 1ST MISUSED FOR PAST YR TRANQ INITIATES

	Freq	Pct
1 = January	14	0.02
2 = February	11	0.02
3 = March	12	0.02
4 = April	15	0.03
5 = May	5	0.01
6 = June	13	0.02
7 = July	7	0.01
8 = August	9	0.02
9 = September	10	0.02
10 = October	10	0.02
11 = November	6	0.01
12 = December	12	0.02
83 = NOT A PAST YEAR INITIATE Logically assigned	257	0.45
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = NOT A PAST YEAR INITIATE	1750	3.09
98 = BLANK (NO ANSWER)	286	0.50

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

(TRM01)
TRQNM30D Len : 2 USED TRANQ NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
1 = Yes	212	0.37
2 = No	601	1.06
5 = Yes LOGICALLY ASSIGNED	15	0.03
83 = DID NOT MISUSE TRAN IN THE PST 30 DAYS LOG ASSN	3	0.01
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS	1313	2.32
94 = DON'T KNOW	3	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	259	0.46

During the past 30 days, on how many days did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL]?

(TRM02)
TRQNM30FQ Len : 2 # DAYS USED TRANQ NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30	225	0.40
85 = BAD DATA Logically assigned	8	0.01
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS	1917	3.38
94 = DON'T KNOW	2	0.00
98 = BLANK (NO ANSWER)	265	0.47

What is your best estimate of the number of days you used [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] during the past 30 days?

(TRM02DKRE)
TRQNM30ES Len : 2 EST # DAYS USED TRANQ NOT DIRECTED PST 30 DYS

	Freq	Pct
2 = 3 to 5 days	1	0.00
4 = 10 to 19 days	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS	1917	3.38
98 = BLANK (NO ANSWER)	273	0.48
99 = LEGITIMATE SKIP	225	0.40

NOTE: Responses of "yes" in TRQNM30AL were assigned a code of 11 when respondents reported that they misused tranquilizers with alcohol in the past 30 days but there was some question from the edited alcohol data about whether they used alcohol in the past 30 days. Analysts are encouraged to check the value of the final imputed alcohol recency IRALCRC when TRQNM30AL=11 to determine whether IRALCRC was assigned a value to indicate that the most recent use of alcohol was within the past 30 days or was more than 30 days ago but within the past 12 months.

During the past 30 days, did you use [TRNAMEFILL] in any way a doctor did not direct you to use [TRNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

(TRM03)
TRQNM30AL Len : 2 USED TRANQ NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
1 = Yes	56	0.10
2 = No	85	0.15
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 30 DAYS	1917	3.38
98 = BLANK (NO ANSWER)	272	0.48
99 = LEGITIMATE SKIP	84	0.15

Which of these statements describe your use of [TRNAMEFILL] at any time in the past 12 months?

(TRYWAYS1)
TRQWYNORX Len : 2 USED TRANQ W/O OWN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes	572	1.01
2 = No (not entered)	225	0.40
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned	7	0.01
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1314	2.32
94 = DON'T KNOW	24	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	262	0.46

(TRYWAYS2)
TRQWYGAMT Len : 2 USED TRANQ IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
1 = Yes	132	0.23
2 = No (not entered)	665	1.17
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1315	2.32
94 = DON'T KNOW	24	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	266	0.47

(TRYWAYS3)
TRQWYOFTN Len : 2 USED TRANQ MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes	98	0.17
2 = No (not entered)	699	1.23
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1316	2.32
94 = DON'T KNOW	24	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	269	0.47

(TRYWAYS4)
TRQWYLNGR Len : 2 USED TRANQ LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes	51	0.09
2 = No (not entered)	746	1.32
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1315	2.32
94 = DON'T KNOW	24	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	269	0.47

(TRYWAYS5)
TRQWYOTWY Len : 2 USED TRANQ OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes	144	0.25
2 = No (not entered)	653	1.15
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1316	2.32
94 = DON'T KNOW	24	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	268	0.47

Now think about the last time you used a prescription tranquilizer in any way a doctor did not direct you to use it.

Which of these tranquilizers did you use the last time? If you used more than one tranquilizer the last time, please choose one tranquilizer as your best answer.

(RTRYLAST)
TRQNMLAS1 Len : 2 LAST TRANQ USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Xanax	367	0.65
2 = Xanax XR	9	0.02
3 = Alprazolam (generic)	87	0.15
4 = Extended-release alprazolam (generic)	2	0.00
5 = Ativan	25	0.04
6 = Klonopin	38	0.07
7 = Lorazepam (generic)	56	0.10
8 = Clonazepam (generic)	77	0.14
9 = Valium	38	0.07
10 = Diazepam (generic)	23	0.04
11 = Cyclobenzaprine (generic), also known as Flexeril	74	0.13
12 = Soma	13	0.02
13 = Some other tranquilizer	22	0.04
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN	3	0.01
85 = BAD DATA Logically assigned	11	0.02
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1313	2.32
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	258	0.45

Now think about the last time you used [TRLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [TRLASTFILL2] the last time?

(TRYMOTIV1)
TRQRSRELX Len : 2 USED LAST TRANQ (NOT DIRECTED) TO RELAX

	Freq	Pct
1 = Yes	525	0.93
2 = No (not entered)	299	0.53
3 = Yes LOGICALLY ASSIGNED	3	0.01
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned	8	0.01
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1314	2.32
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	261	0.46

(TRYMOTIV2)
TRQRSEXPT Len : 2 USED LAST TRANQ (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes	100	0.18
2 = No (not entered)	727	1.28
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1316	2.32
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	267	0.47

(TRYMOTIV3)
TRQRSHIGH Len : 2 USED LAST TRANQ (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes	179	0.32
2 = No (not entered)	647	1.14
3 = Yes LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1316	2.32
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	268	0.47

(TRYMOTIV4)
TRQRSSLEP Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR SLEEP

	Freq	Pct
1 = Yes	337	0.59
2 = No (not entered)	489	0.86
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1315	2.32
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	269	0.47

(TRYMOTIV5)
TRQRSEMOT Len : 2 USED LAST TRANQ (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
1 = Yes	297	0.52
2 = No (not entered)	530	0.93
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1315	2.32
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	269	0.47

(TRYMOTIV6)
TRQRSDGFX Len : 2 USED LAST TRANQ (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes	52	0.09
2 = No (not entered)	774	1.36
3 = Yes LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1316	2.32
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	269	0.47

(TRYMOTIV7)
TRQRSHOOK Len : 2 USED LAST TRANQ (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes	13	0.02
2 = No (not entered)	813	1.43
3 = Yes LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1316	2.32
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	269	0.47

(TRYMOTIV8)
TRQRSSOR Len : 2 USED LAST TRANQ (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes	48	0.08
2 = No (not entered)	779	1.37
83 = DID NOT MISUSE TRAN IN THE PST 12 MOS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1315	2.32
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	269	0.47

Please type in the other reason you used [TRLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

(TRMOTOT)
TRQRSOTRS2 Len : 3 REASON USED LAST TRANQ (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain	14	0.02
2 = To relax or relieve tension	11	0.02
4 = To feel good or get high	1	0.00
5 = To help with my sleep	1	0.00
6 = To help me with my feelings or emotions	1	0.00
7 = To increase/decrease effects of some other drug	1	0.00
8 = Because I am "hooked" or I have to have it/them	1	0.00
13 = I used it/them for some other reason	9	0.02
22 = To prevent/treat anxiety/panic attacks	3	0.01
983 = DID NOT USE TRANQ IN THE PAST 12 MOS Logically assigned	1	0.00
985 = BAD DATA (logically assigned)	3	0.01
991 = NEVER USED TRANQUILIZERS	54288	95.74
993 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1315	2.32
994 = DON'T KNOW	2	0.00
997 = REFUSED	1	0.00
998 = BLANK (no answer)	274	0.48
999 = LEGITIMATE SKIP	779	1.37

Which was the main reason you used [TRLASTFILL2] the last time?

(RTRYMOT1)
TRQRSMAIN Len : 2 MAIN REASON USED LAST TRANQ (NOT DIRECTED)

	Freq	Pct
1 = To relax or relieve tension	141	0.25
2 = To experiment or to see what it was/they were like	17	0.03
3 = To feel good or get high	43	0.08
4 = To help with my sleep	65	0.11
5 = To help me with my feelings or emotions	110	0.19
6 = To increase or decrease the effect(s) of some other drug	7	0.01
7 = Because I am 'hooked' or I have to have it/them	3	0.01
8 = The other reason I reported	9	0.02
11 = To relax or relieve tension LOGICALLY ASSIGNED	5	0.01
14 = To help with my sleep LOGICALLY ASSIGNED	1	0.00
15 = To help with feelings/emotions LOGICALLY ASSIGNED	1	0.00
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED TRANQUILIZERS	54288	95.74
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MONTHS	1315	2.32
98 = BLANK (NO ANSWER)	273	0.48
99 = LEGITIMATE SKIP	425	0.75

NOTE: TRQNORXFG is set to 1 when respondents reported that the only way they misused tranquilizers in the past year was without a prescription. These respondents also reported that the last tranquilizer they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

TRQNORXFG Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST TRANQ

	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx	25	0.04
98 = BLANK (NO ANSWER)	56680	99.96

The following variable for any past year misuse of Any Benzodiazepines Tranquilizers, TRBZNMYR, was assigned a positive response if a respondent indicated any past year misuse of Benzodiazepine Tranquilizers or past year misuse of Benzodiazepine Tranquilizers that were specified as other Tranquilizers.

TRBZONMYR Len : 1 RC - BENZODIAZEPINES TRANQUILIZERS - PAST YEAR MISUSE

	Freq	Pct
. = Missing	194	0.34
0 = No	55780	98.37
1 = Yes	731	1.29

STIMULANTS SCREENER

Have you **ever,** even once, used **any prescription stimulant?**

Remember, do not include "over-the-counter" stimulants such as Dexatrim, No-Doz, Hydroxycut, or 5-Hour Energy.

(STLANY)

STMANYLIF Len : 2 ANY STIMULANT USE IN LIFETIME

	Freq	Pct
1 = Yes	2753	4.85
2 = No	48926	86.28
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	4670	8.24
94 = DON'T KNOW	204	0.36
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	136	0.24

NOTE: STMANYREC was created from responses of any use in the past 12 months for specific stimulants and from STMANYLIF for any lifetime use of stimulants.

STMANYREC Len : 2 RC - MOST RECENT ANY STIMULANT USE (RECODE)

	Freq	Pct
1 = Within the past 12 months	4670	8.24
2 = More than 12 months ago	2740	4.83
9 = Used at some point in the lifetime LOG ASSN	13	0.02
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	115	0.20
91 = NEVER USED STIMULANTS	48926	86.28
98 = BLANK (NO ANSWER)	241	0.43

STIMULANTS

The next question asks about using prescription stimulants in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription stimulant in any way a doctor did not direct you to use it?

(STL01, STL02)

STMNMLIF Len : 2 EVER USED STIMULANT NOT DIRECTED BY DR

	Freq	Pct
1 = Yes	1366	2.41
2 = No	4995	8.81
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	1027	1.81
85 = BAD DATA Logically assigned	16	0.03
91 = NEVER USED/MISUSED STIMULANTS	48926	86.28
94 = DON'T KNOW	14	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	354	0.62

NOTE: The variable STMNMREC is a recoded variable that was created from STMNMLIF, the 12-month misuse variables of specific stimulants, and STIMNM30DY.

STMNMREC Len : 2 RC - MOST RECENT STIMULANT MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days	268	0.47
2 = More than 30 days ago but within the past 12 mos	756	1.33
3 = More than 12 months ago	1365	2.41
8 = Misused at some point in past 12 mos LOG ASSN	3	0.01
9 = Misused at some point in lifetime LOG ASSN	1	0.00
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	126	0.22
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
98 = BLANK (NO ANSWER)	265	0.47

NOTE: STMNMINIT is "reverse coded" from the answers in STL03. STL03=1 (yes) was recoded to 2 in STMNMINIT because this answer means that the respondent misused stimulants before the past 12 months (and therefore is not a past year initiate for misuse of stimulants). STL03=2 (no) was recoded to 1 in STMNMINIT because this answer means that the respondent did not misuse stimulants before the past 12 months (and therefore is a past year initiate for misuse of stimulants).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription stimulant in a way a doctor did not direct you to use it?

(STL03)

STMNMINIT Len : 2 PAST YEAR INITIATE FOR ANY STIMULANT MISUSE

	Freq	Pct
1 = Past year initiate	216	0.38
2 = Not a past year initiate	51	0.09
4 = Not past yr initiate LOG ASSN (from skip pattern)	758	1.34
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	126	0.22
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	1365	2.41
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	266	0.47

NOTE: The variables STMNMAGE, STMNMYFU, and STMNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of stimulants in the 12 months prior to being interviewed (STMNMINIT=1).

STMNMAGE Len : 3 RC - AGE 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
RANGE = 12 - 56	201	0.35
983 = NOT A PAST YEAR INITIATE Log assn	126	0.22
991 = NEVER USED/MISUSED STIMULANTS	53921	95.09
993 = NOT A PAST YEAR INITIATE	2174	3.83
998 = BLANK (NO ANSWER)	283	0.50

STMNMYFU Len : 4 RC - YR 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
RANGE = 2022 - 2023	201	0.35
9983 = NOT A PAST YEAR INITIATE Logically assigned	126	0.22
9991 = NEVER USED/MISUSED STIMULANTS	53921	95.09
9993 = NOT A PAST YEAR INITIATE	2174	3.83
9998 = BLANK (NO ANSWER)	283	0.50

STMNMMFU Len : 2 RC - MONTH 1ST MISUSED FOR PAST YR STIM INITIATES

	Freq	Pct
1 = January	23	0.04
2 = February	8	0.01
3 = March	18	0.03
4 = April	17	0.03
5 = May	18	0.03
6 = June	13	0.02
7 = July	15	0.03
8 = August	13	0.02
9 = September	17	0.03
10 = October	15	0.03
11 = November	19	0.03
12 = December	13	0.02
83 = NOT A PAST YEAR INITIATE Logically assigned	126	0.22
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = NOT A PAST YEAR INITIATE	2174	3.83
98 = BLANK (NO ANSWER)	295	0.52

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

(STM01)

STMNM30D Len : 2 USED STIMULANT NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
1 = Yes	243	0.43
2 = No	756	1.33
5 = Yes LOGICALLY ASSIGNED	25	0.04
83 = DID NOT MISUSE STIM IN THE PST 30 DAYS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned	8	0.01
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS	1489	2.63
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	258	0.45

During the past 30 days, on how many days did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL]?

(STM02)

STMNM30FQ Len : 2 # DAYS USED STIMULANT NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30	267	0.47
85 = BAD DATA Logically assigned	6	0.01
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS	2247	3.96
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	263	0.46

What is your best estimate of the number of days you used [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] during the past 30 days?

(STM02DKRE)

STMNM30ES Len : 2 EST # DAYS USED STIMULANT NOT DIRECTED PST 30 DYS

	Freq	Pct
2 = 3 to 5 days	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 30 DAYS	2247	3.96
98 = BLANK (NO ANSWER)	269	0.47
99 = LEGITIMATE SKIP	267	0.47

During the past 30 days, did you use [STNAMEFILL] in any way a doctor did not direct you to use [STNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

(STM03)
STMNM30AL Len : 2 USED STIMULANT NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
1 = Yes	100	0.18
2 = No	109	0.19
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PST 30 DAYS	2247	3.96
98 = BLANK (NO ANSWER)	268	0.47
99 = LEGITIMATE SKIP	58	0.10

Which of these statements describe your use of [STNAMEFILL] at **any** time in the past 12 months?

To select more than one statement, press the space bar between the numbers. When you have finished, press [ENTER].

(STYWAYS1)
STMWYNORX Len : 2 USED STIMULANT W/O OWN RX PST 12 MONTHS

	Freq	Pct
1 = Yes	777	1.37
2 = No (not entered)	210	0.37
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned	6	0.01
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1489	2.63
94 = DON'T KNOW	26	0.05
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	260	0.46

(STYWAYS2)
STMWYGAMT Len : 2 USED STIMULANT IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
1 = Yes	143	0.25
2 = No (not entered)	844	1.49
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1490	2.63
94 = DON'T KNOW	26	0.05
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	264	0.47

(STYWAYS3)
STMWYOFTN Len : 2 USED STIMULANT MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes	94	0.17
2 = No (not entered)	893	1.57
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1490	2.63
94 = DON'T KNOW	26	0.05
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	266	0.47

(STYWAYS4)
STMWYLNGR Len : 2 USED STIMULANT LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes	48	0.08
2 = No (not entered)	939	1.66
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1490	2.63
94 = DON'T KNOW	26	0.05
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	266	0.47

(STYWAYS5)
STMWYOTWY Len : 2 USED STIMULANT OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes	156	0.28
2 = No (not entered)	831	1.47
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	1	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1490	2.63
94 = DON'T KNOW	26	0.05
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	264	0.47

At any time in the past 12 months, did you ever use a needle to inject [STNAMEFILL] ?

(STYNDL)
STMNDLYR Len : 2 USED STIMULANT WITH A NEEDLE PAST 12 MONTHS

	Freq	Pct
1 = Yes	10	0.02
2 = No	1013	1.79
83 = DID NOT MISUSE STIM IN THE PST 12M LOG ASSN	2	0.00
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1489	2.63
94 = DON'T KNOW	3	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	256	0.45

(STNDL30)
STMNDLREC Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT STIMULANT

	Freq	Pct
1 = Within the past 30 days	1	0.00
2 = More than 30 days ago but within the past 12 months	5	0.01
12 = More than 30 dys ago but in pst 12 mo (STMNMREC=2)	4	0.01
85 = BAD DATA Logically assigned	6	0.01
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1491	2.63
98 = BLANK (NO ANSWER)	264	0.47
99 = LEGITIMATE SKIP	1013	1.79

Now think about the last time you used a prescription stimulant in any way a doctor did not direct you to use it.

Which of these stimulants did you use the last time? If you used more than one stimulant the last time, please choose one stimulant as your best answer.

(RSTYLAST)
STMNMLAS1 Len : 2 LAST STIMULANT USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Adderall	594	1.05
2 = Adderall XR	142	0.25
3 = Dexedrine	2	0.00
4 = Dextroamphetamine (generic)	19	0.03
5 = Mixed amphetamine-dextroamphetamine pills (generic)	28	0.05
6 = Extend-rel amphet-dextroamp oth than Adderall XR (generic)	10	0.02
7 = Ritalin	38	0.07
8 = Ritalin LA	3	0.01
9 = Concerta	8	0.01
10 = Daytrana	1	0.00
11 = Metadate CD	1	0.00
12 = Metadate ER	1	0.00
13 = Methylphenidate (generic)	20	0.04
14 = Extended-release methylphenidate (generic)	4	0.01
15 = Focalin	3	0.01
16 = Focalin XR	4	0.01
17 = Dexmethylphenidate (generic)	3	0.01
18 = Extended-release dexmethylphenidate (generic)	2	0.00
19 = Benzphetamine	1	0.00
20 = Didrex	1	0.00
21 = Diethylpropion	2	0.00
22 = Phendimetrazine	1	0.00
23 = Phentermine	19	0.03
24 = Provigil	5	0.01
25 = Tenuate	2	0.00
26 = Vyvanse	78	0.14
27 = Some other stimulant	29	0.05
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1489	2.63
94 = DON'T KNOW	1	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	256	0.45

Now think about the last time you used [STLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [STLASTFILL2] the last time?

(STYMOTIV1)
STMRSWGHT Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO LOSE WEIGHT

	Freq	Pct
1 = Yes	89	0.16
2 = No (not entered)	923	1.63
85 = BAD DATA Logically assigned	6	0.01
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1491	2.63
94 = DON'T KNOW	12	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	260	0.46

(STYMOTIV2)
STMRSCONC Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO CONCENTRATE

	Freq	Pct
1 = Yes	558	0.98
2 = No (not entered)	452	0.80
3 = Yes LOGICALLY ASSIGNED	2	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1491	2.63
94 = DON'T KNOW	12	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	264	0.47

(STYMOTIV3)
STMRSALRT Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO BE ALERT

	Freq	Pct
1 = Yes	485	0.86
2 = No (not entered)	527	0.93
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1490	2.63
94 = DON'T KNOW	12	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	266	0.47

(STYMOTIV4)
STMRSSTDY Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO STUDY

	Freq	Pct
1 = Yes	248	0.44
2 = No (not entered)	763	1.35
3 = Yes LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1491	2.63
94 = DON'T KNOW	12	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	265	0.47

(STYMOTIV5)
STMRSEXPT Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes	121	0.21
2 = No (not entered)	888	1.57
3 = Yes LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1491	2.63
94 = DON'T KNOW	12	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	266	0.47

(STYMOTIV6)
STMRSHIGH Len : 2 USED LAST STIMULANT (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes	201	0.35
2 = No (not entered)	810	1.43
3 = Yes LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1491	2.63
94 = DON'T KNOW	12	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	265	0.47

(STYMOTIV7)
STMRSDGFX Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes	45	0.08
2 = No (not entered)	967	1.71
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1491	2.63
94 = DON'T KNOW	12	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	266	0.47

(STYMOTIV8)
STMRSHOOK Len : 2 USED LAST STIMULANT (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes	12	0.02
2 = No (not entered)	1000	1.76
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1491	2.63
94 = DON'T KNOW	12	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	266	0.47

(STYMOTIV9)
STMRSSOR Len : 2 USED LAST STIMULANT (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes	79	0.14
2 = No (not entered)	933	1.65
83 = DID NOT MISUSE STIM IN THE PST 12 MOS LOG ASSN	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1490	2.63
94 = DON'T KNOW	12	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	266	0.47

Please type in the other reason you used [STLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

(STMOTOT)
STMRSOTRS2 Len : 3 REASON USED LAST STIMULANT (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain	5	0.01
2 = To relax or relieve tension	3	0.01
3 = To experiment or to see what it's/they're like	3	0.01
4 = To feel good or get high	1	0.00
6 = To help me with my feelings or emotions	6	0.01
10 = To help me concentrate	5	0.01
12 = To help me study	1	0.00
13 = I used it/them for some other reason	21	0.04
15 = To get work/chores done, not studying	3	0.01
19 = To increase my energy level	4	0.01
20 = To try out for medical condition	5	0.01
38 = To replace another/other drug(s); otherwise unspd	6	0.01
983 = DID NOT USE STIM IN THE PAST 12 MOS Logically assigned	1	0.00
985 = BAD DATA (logically assigned)	10	0.02
991 = NEVER USED STIMULANTS	53921	95.09
993 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1490	2.63
994 = DON'T KNOW	2	0.00
997 = REFUSED	4	0.01
998 = BLANK (no answer)	281	0.50
999 = LEGITIMATE SKIP	933	1.65

Which was the main reason you used [STLASTFILL2] the last time?

(RSTYMOT1)
STMRSMAIN Len : 2 MAIN REASON USED LAST STIMULANT (NOT DIRECTED)

	Freq	Pct
1 = To help me lose weight	17	0.03
2 = To help me concentrate	170	0.30
3 = To help me be alert or stay awake	117	0.21
4 = To help me study	91	0.16
5 = To experiment or to see what it was/they were like	21	0.04
6 = To feel good or get high	65	0.11
7 = To increase or decrease the effect(s) of some other drug	7	0.01
8 = Because I am 'hooked' or I have to have it/them	5	0.01
9 = The other reason I reported	10	0.02
12 = To help me concentrate LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED/MISUSED STIMULANTS	53921	95.09
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MONTHS	1491	2.63
98 = BLANK (NO ANSWER)	281	0.50
99 = LEGITIMATE SKIP	508	0.90

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused stimulants in the past year was without a prescription. These respondents also reported that the last stimulant they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

STMNORXFG Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST STIM

	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx	11	0.02
98 = BLANK (NO ANSWER)	56694	99.98

SEDATIVES SCREENER

Have you **ever,** even once, used **any prescription sedative?**

Remember, do not include "over-the-counter" sedatives such as Sominex, Unisom, Nytol, or Benadryl.

(SVLANY)
SEDANYLIF Len : 2 ANY SEDATIVE USE IN LIFETIME

	Freq	Pct
1 = Yes	2931	5.17
2 = No	51026	89.99
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	2324	4.10
94 = DON'T KNOW	243	0.43
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	158	0.28

NOTE: SEDANYREC was created from responses of any use in the past 12 months for specific sedatives and from SEDANYLIF for any lifetime use of sedatives.

SEDANYREC Len : 2 RC - MOST RECENT ANY SEDATIVE USE (RECODE)

	Freq	Pct
1 = Within the past 12 months	2324	4.10
2 = More than 12 months ago	2910	5.13
9 = Used at some point in the lifetime LOG ASSN	21	0.04
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	155	0.27
91 = NEVER USED SEDATIVES	51026	89.99
98 = BLANK (NO ANSWER)	269	0.47

The following variable for any past year use of Any Benzodiazepines Sedatives, SVBZOANYYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Sedatives or past year misuse of Benzodiazepine Sedatives that were specified as other Sedatives.

SVBZOANYYR Len : 1 RC - BENZODIAZEPINES SEDATIVES - ANY PAST YEAR USE

	Freq	Pct
. = Missing	242	0.43
0 = No	56206	99.12
1 = Yes	257	0.45

SEDATIVES

The next question asks about using prescription sedatives in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription sedative in any way a doctor did not direct you to use it?

(SVL01, SVL02)
SEDNMLIF Len : 2 EVER USED SEDATIVE NOT DIRECTED BY DR

	Freq	Pct
1 = Yes	802	1.41
2 = No	4253	7.50
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	165	0.29
85 = BAD DATA Logically assigned	17	0.03
91 = NEVER USED/MISUSED SEDATIVES	51026	89.99
94 = DON'T KNOW	4	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	435	0.77

NOTE: The variable SEDNMREC is a recoded variable that was created from SEDNMLIF, the 12-month misuse variables of specific sedatives, and SEDTVNM30DY.

SEDNMREC Len : 2 RC - MOST RECENT SEDATIVE MISUSE (RECODE)

	Freq	Pct
1 = Within the past 30 days	42	0.07
2 = More than 30 days ago but within the past 12 mos	123	0.22
3 = More than 12 months ago	796	1.40
9 = Misused at some point in lifetime LOG ASSN	6	0.01
83 = DID NOT MISUSE PST 12 MOS (LIFETIME UNK) Log assn	177	0.31
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
98 = BLANK (NO ANSWER)	282	0.50

NOTE: SEDNMINIT is "reverse coded" from the answers in SVL03. SVL03=1 (yes) was recoded to 2 in SEDNMINIT because this answer means that the respondent misused sedatives before the past 12 months (and therefore is not a past year initiate for misuse of sedatives). SVL03=2 (no) was recoded to 1 in SEDNMINIT because this answer means that the respondent did not misuse sedatives before the past 12 months (and therefore is a past year initiate for misuse of sedatives).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription sedative in a way a doctor did not direct you to use it?

(SVL03)
SEDNMINIT Len : 2 PAST YEAR INITIATE FOR ANY SEDATIVE MISUSE

	Freq	Pct
1 = Past year initiate	46	0.08
2 = Not a past year initiate	9	0.02
4 = Not past yr initiate LOG ASSN (from skip pattern)	110	0.19
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)	177	0.31
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MOS	796	1.40
98 = BLANK (NO ANSWER)	288	0.51

NOTE: The variables SEDNMAGE, SEDNMYFU, and SEDNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of sedatives in the 12 months prior to being interviewed (SEDNMINIT=1).

SEDNMAGE Len : 3 RC - AGE AT 1ST MISUSE FOR PAST YR SED INITIATES

	Freq	Pct
RANGE = 11 - 82	40	0.07
983 = NOT A PAST YEAR INITIATE Log assn	177	0.31
991 = NEVER USED/MISUSED SEDATIVES	55279	97.49
993 = NOT A PAST YEAR INITIATE	915	1.61
998 = BLANK (NO ANSWER)	294	0.52

SEDNMYFU Len : 4 RC - YR 1ST MISUSED FOR PAST YR SED INITIATES

	Freq	Pct
RANGE = 2022 - 2023	38	0.07
9983 = NOT A PAST YEAR INITIATE Logically assigned	177	0.31
9991 = NEVER USED/MISUSED SEDATIVES	55279	97.49
9993 = NOT A PAST YEAR INITIATE	915	1.61
9998 = BLANK (NO ANSWER)	296	0.52

SEDNMMFU Len : 2 RC - MO 1ST MISUSED FOR PAST YR SED INITIATES

	Freq	Pct
1 = January	1	0.00
2 = February	5	0.01
3 = March	5	0.01
4 = April	5	0.01
5 = May	1	0.00
6 = June	6	0.01
7 = July	4	0.01
8 = August	3	0.01
9 = September	3	0.01
11 = November	2	0.00
12 = December	2	0.00
83 = NOT A PAST YEAR INITIATE Logically assigned	177	0.31
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = NOT A PAST YEAR INITIATE	915	1.61
98 = BLANK (NO ANSWER)	297	0.52

In the past 30 days, that is, from [DATEFILL] up to and including today, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

(SVM01)

SEDNM30D Len : 2 USED SEDATIVE NOT DIRECTED BY DR PAST 30 DAYS

	Freq	Pct
1 = Yes	39	0.07
2 = No	123	0.22
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	3	0.01
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	18	0.03
85 = BAD DATA Logically assigned	7	0.01
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	955	1.68
98 = BLANK (NO ANSWER)	281	0.50

During the past 30 days, on how many days did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL]?

(SVM02)

SEDNM30FQ Len : 2 # DAYS USED SEDATIVE NOT DIRECTD BY DR PST 30 DYS

	Freq	Pct
RANGE = 1 - 30	42	0.07
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	4	0.01
85 = BAD DATA Logically assigned	5	0.01
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	1092	1.93
98 = BLANK (NO ANSWER)	283	0.50

What is your best estimate of the number of days you used [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] during the past 30 days?

(SVM02DKRE)

SEDNM30ES Len : 2 EST # DAYS USED SEDATIVE NOT DIRECTED PST 30 DYS

	Freq	Pct
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	1096	1.93
98 = BLANK (NO ANSWER)	288	0.51
99 = LEGITIMATE SKIP	42	0.07

During the past 30 days, did you use [SVNAMEFILL] in any way a doctor did not direct you to use [SVNUMFILL] while you were drinking alcohol or within a couple of hours of drinking?

(SVM03)
SEDNM30AL Len : 2 USED SEDATIVE NOT DIRECTED BY DR W/ALC PST 30 DYS

	Freq	Pct
1 = Yes	9	0.02
2 = No	20	0.04
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 30 DAYS	1094	1.93
98 = BLANK (NO ANSWER)	286	0.50
99 = LEGITIMATE SKIP	13	0.02

Which of these statements describe your use of [SVNAMEFILL] at any time in the past 12 months?

(SVYWAYS1)
SEDWYNORX Len : 2 USED SEDATIVE W/O OWN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes	100	0.18
2 = No (not entered)	53	0.09
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	13	0.02
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	960	1.69
94 = DON'T KNOW	7	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	284	0.50

(SVYWAYS2)
SEDWYGAMT Len : 2 USED SEDATIVE IN GREATER AMTS THAN RX PST 12 MOS

	Freq	Pct
1 = Yes	45	0.08
2 = No (not entered)	108	0.19
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	6	0.01
85 = BAD DATA Logically assigned	5	0.01
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	967	1.71
94 = DON'T KNOW	7	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	283	0.50

(SVYWAYS3)
SEDWYOFTN Len : 2 USED SEDATIVE MORE OFTEN THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes	15	0.03
2 = No (not entered)	138	0.24
83 = DID NOT MISUSE PAST 12 MOS Logically assigned	4	0.01
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	969	1.71
94 = DON'T KNOW	7	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	286	0.50

(SVYWAYS4)
SEDWYLNGR Len : 2 USED SEDATIVE LONGER THAN RX PAST 12 MONTHS

	Freq	Pct
1 = Yes	7	0.01
2 = No (not entered)	146	0.26
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	4	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	969	1.71
94 = DON'T KNOW	7	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	287	0.51

(SVYWAYS5)
SEDWYOTWY Len : 2 USED SEDATIVE OTHER WAY NOT DIRECTED PST 12 MOS

	Freq	Pct
1 = Yes	19	0.03
2 = No (not entered)	134	0.24
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	7	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	966	1.70
94 = DON'T KNOW	7	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	287	0.51

Now think about the last time you used a prescription sedative in any way a doctor did not direct you to use it.

Which of these sedatives did you use the last time? If you used more than one sedative the last time, please choose one sedative as your best answer.

(RSVYLAST)
SEDNMLAST Len : 2 LAST SEDATIVE USED NOT DIRECTED BY DR PST 12 MOS

	Freq	Pct
1 = Ambien	54	0.10
2 = Ambien CR	2	0.00
3 = Zolpidem (generic)	35	0.06
5 = Lunesta or eszopiclone	11	0.02
6 = Sonata or zaleplon	3	0.01
8 = Restoril	1	0.00
9 = Flurazepam (generic), also known as Dalmane	2	0.00
10 = Temazepam (generic)	3	0.01
11 = Triazolam (generic)	2	0.00
12 = Butisol	1	0.00
14 = Phenobarbital (generic)	1	0.00
15 = Some other sedative	49	0.09
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	18	0.03
85 = BAD DATA Logically assigned	9	0.02
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	955	1.68
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	279	0.49

Now think about the last time you used [SVLASTFILL2] in any way a doctor did not direct you to use it/them.

What were the reasons you used [SVLASTFILL2] the last time?

(SVYMOTV1)
SEDRSRELX Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO RELAX

	Freq	Pct
1 = Yes	48	0.08
2 = No (not entered)	112	0.20
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	7	0.01
85 = BAD DATA Logically assigned	6	0.01
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	966	1.70
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	282	0.50

(SVYMOTV2)
SEDRSEXPT Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO EXPERIMENT

	Freq	Pct
1 = Yes	8	0.01
2 = No (not entered)	152	0.27
83 = DID NOT MISUSE SEDATIVES IN THE PST 30 DAYS LOG ASSN	2	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	971	1.71
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	286	0.50

(SVYMOTV3)
SEDRSHIGH Len : 2 USED LAST SEDATIVE (NOT DIRECTED) TO GET HIGH

	Freq	Pct
1 = Yes	20	0.04
2 = No (not entered)	140	0.25
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	5	0.01
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	968	1.71
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	288	0.51

(SVYMOTV4)
SEDRSSLEP Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR SLEEP

	Freq	Pct
1 = Yes	127	0.22
2 = No (not entered)	33	0.06
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	11	0.02
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	962	1.70
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	287	0.51

(SVYMOTV5)
SEDRSEMOT Len : 2 USED LAST SEDATIVE (NOT DIRECTED) FOR EMOTIONS

	Freq	Pct
1 = Yes	21	0.04
2 = No (not entered)	139	0.25
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	2	0.00
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	971	1.71
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	288	0.51

(SVYMOTV6)
SEDRSDGFX Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTH DRUG EFFECT

	Freq	Pct
1 = Yes	3	0.01
2 = No (not entered)	157	0.28
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	2	0.00
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	971	1.71
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	288	0.51

(SVYMOTV7)
SEDRSHOOK Len : 2 USED LAST SEDATIVE (NOT DIRECTED) BECAUSE HOOKED

	Freq	Pct
1 = Yes	3	0.01
2 = No (not entered)	157	0.28
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	2	0.00
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	971	1.71
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	288	0.51

(SVYMOTV8)

SEDRSSOR Len : 2 USED LAST SEDATIVE (NOT DIRECTED) OTHER REASON

	Freq	Pct
1 = Yes	8	0.01
2 = No (not entered)	152	0.27
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	4	0.01
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	969	1.71
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	288	0.51

Please type in the other reason you used [SVLASTFILL2] the last time. When you have finished typing your answer, press [ENTER] to go to the next question.

(SVMOTOT)

SEDRSOTRS2 Len : 3 REASON USED LAST SEDATIVE (NOT DIRECTED)

	Freq	Pct
1 = To relieve physical pain	3	0.01
13 = I used it/them for some other reason	3	0.01
983 = DID NOT USE SEDATIVES IN THE PAST 12 MOS Logically assigned	2	0.00
991 = NEVER USED SEDATIVES	55279	97.49
993 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	971	1.71
994 = DON'T KNOW	1	0.00
997 = REFUSED	1	0.00
998 = BLANK (no answer)	293	0.52
999 = LEGITIMATE SKIP	152	0.27

Which was the main reason you used [SVLASTFILL2] the last time?

(RSVYMOT1)

SEDRSMAIN Len : 2 MAIN REASON USED LAST SEDATIVE (NOT DIRECTED)

	Freq	Pct
1 = To relax or relieve tension	8	0.01
2 = To experiment or to see what it was/they were like	1	0.00
3 = To feel good or get high	7	0.01
4 = To help with my sleep	29	0.05
5 = To help me with my feelings or emotions	4	0.01
8 = The other reason I reported	3	0.01
83 = DID NOT MISUSE SEDATIVES IN THE PST 12 MOS LOG ASSN	2	0.00
91 = NEVER USED/MISUSED SEDATIVES	55279	97.49
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MONTHS	971	1.71
98 = BLANK (NO ANSWER)	293	0.52
99 = LEGITIMATE SKIP	108	0.19

NOTE: STMNORXFG is set to 1 when respondents reported that the only way they misused sedatives in the past year was without a prescription. These respondents also reported that the last sedative they misused was obtained through a prescription (a) from one doctor or (b) from more than one doctor.

SEDNORXFG Len : 2 ONLY PST YR MISUSE W/O RX BUT RX FOR LAST SED

	Freq	Pct
1 = Only misuse w/o Rx but reported last drug gotten with Rx	6	0.01
98 = BLANK (NO ANSWER)	56699	99.99

The following variable for past year misuse of Any Benzodiazepines Sedatives, SVBZONMYR, was assigned a positive response if a respondent indicated any past year misuse of Benzodiazepine Sedatives or past year misuse of Benzodiazepine Sedatives that were specified as other Sedatives.

SVBZONMYR Len : 1 RC - BENZODIAZEPINES SEDATIVES - PAST YEAR MISUSE

	Freq	Pct
. = Missing	221	0.39
0 = No	56474	99.59
1 = Yes	10	0.02

IMPUTED SUBSTANCE USE

RECENCY OF DRUG USE

(CIGREC)
IRCIGRC Len : 1 CIGARETTE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	6879	12.13
2 = More than 30 days ago but within the past 12 mos	2300	4.06
3 = More than 12 months ago but within the past 3 yrs	2514	4.43
4 = More than 3 years ago	12666	22.34
9 = NEVER SMOKED CIGARETTES	32346	57.04

(CIGREC)
IICIGRC Len : 1 CIGARETTE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56522	99.68
3 = Statistically imputed data	183	0.32

(CIGREC)
II2CIGRC Len : 1 CIGARETTE RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56522	99.68
4 = Statistically imputed data - edited recency = 9	6	0.01
5 = Statistically imputed data - edited recency = 8	4	0.01
6 = Statistically imputed data - edited recency = 19	37	0.07
7 = Statistically imputed data - edited recency = 14	89	0.16
8 = Statistically imputed data - edited recency = 29	42	0.07
9 = Statistically imputed data - edited recency = 39	5	0.01

(CIGARREC)
IRCGRRC Len : 1 CIGAR RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	2081	3.67
2 = More than 30 days ago but within the past 12 mos	1984	3.50
3 = More than 12 months ago but within the past 3 yrs	2196	3.87
4 = More than 3 years ago	8239	14.53
9 = NEVER SMOKED CIGARS	42205	74.43

(CIGARREC)
IICGRRC Len : 1 CIGAR RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56542	99.71
2 = Logically assigned data	2	0.00
3 = Statistically imputed data	161	0.28

(CIGARREC)
II2CGRRC Len : 1 CIGAR RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56542	99.71
2 = Logically assigned data	2	0.00
3 = Statistically imputed data - lifetime use imputed	19	0.03
4 = Statistically imputed data - edited recency = 9	5	0.01
5 = Statistically imputed data - edited recency = 8	4	0.01
6 = Statistically imputed data - edited recency = 19	32	0.06
7 = Statistically imputed data - edited recency = 14	59	0.10
8 = Statistically imputed data - edited recency = 29	42	0.07

(PIPEVER)
IRPIPLF Len : 1 LIFETIME PIPE USE - IMPUTATION REVISED

	Freq	Pct
1 = Ever used pipes	4035	7.12
9 = NEVER SMOKED PIPES	52670	92.88

(PIPEVER)
IIPIPLF Len : 1 LIFETIME PIPE USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56694	99.98
3 = Statistically imputed data	11	0.02

(PIPE30DY)
IRPIPMN Len : 1 PAST MONTH PIPE USE - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	398	0.70
2 = More than 30 days ago but within lifetime	3637	6.41
9 = NEVER SMOKED PIPES	52670	92.88

(PIPE30DY)
IIPIPMN Len : 1 PAST MONTH PIPE USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	4029	7.11
3 = Statistically imputed data	14	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	52662	92.87

(NICVAPEVER, NICVAPREC)
IRNICVAPREC Len : 1 NICOTINE VAPING RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	7231	12.75
2 = More than 30 days ago but within the past 12 mos	3313	5.84
3 = More than 12 months ago but within the past 3 years	3054	5.39
4 = More than 3 years ago	3924	6.92
9 = NEVER VAPED NICOTINE	39183	69.10

(NICVAPEVER, NICVAPREC)
IINICVAPREC Len : 1 NICOTINE VAPING RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55965	98.70
2 = Logically assigned data	21	0.04
3 = Statistically imputed data - lifetime use imputed	19	0.03
4 = Statistically imputed data - edited recency = 9	7	0.01
6 = Statistically imputed data - edited recency = 19	101	0.18
7 = Statistically imputed data - edited recency = 14	183	0.32
8 = Statistically imputed data - edited recency = 29	402	0.71
9 = Statistically imputed data - edited recency = 39	7	0.01

(SMKLSSREC)
IRSMKLSSREC Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	1306	2.30
2 = More than 30 days ago but within the past 12 mos	535	0.94
3 = More than 12 months ago but within the past 3 yrs	645	1.14
4 = More than 3 years ago	4072	7.18
9 = NEVER USED SMOKELESS TOBACCO	50147	88.43

(SMKLSSREC)
IISMKLSSREC Len : 1 SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56633	99.87
2 = Logically assigned data	1	0.00
3 = Statistically imputed data - lifetime use imputed	21	0.04
4 = Statistically imputed data - edited recency = 9	2	0.00
5 = Statistically imputed data - edited recency = 8	1	0.00
6 = Statistically imputed data - edited recency = 19	14	0.02
7 = Statistically imputed data - edited recency = 14	20	0.04
8 = Statistically imputed data - edited recency = 29	13	0.02

(ALCREC)
IRALCRC Len : 1 ALCOHOL RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	24587	43.36
2 = More than 30 days ago but within the past 12 mos	8489	14.97
3 = More than 12 months ago	7150	12.61
9 = NEVER USED ALCOHOL	16479	29.06

(ALCREC)
IIALCRC Len : 1 ALCOHOL RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56126	98.98
2 = Logically assigned data	10	0.02
3 = Statistically imputed data	569	1.00

(ALCREC)
II2ALCRC Len : 1 ALCOHOL RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56126	98.98
2 = Logically assigned data	10	0.02
3 = Statistically imputed data - lifetime use imputed	22	0.04
4 = Statistically imputed data - edited recency = 9	205	0.36
5 = Statistically imputed data - edited recency = 8	342	0.60

(CBDHMPEVR, CBDHMPREC)
IRCBDHMPREC Len : 1 CBD OR HEMP RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	6009	10.60
2 = More than 30 days ago but within the past 12 mos	4950	8.73
3 = More than 12 months ago but within the past 3 yrs	4751	8.38
4 = More than 3 years ago	2856	5.04
9 = NEVER USED CBD OR HEMP	38139	67.26

(CBDHMPEVR, CBDHMPREC)
IICBDHMPREC Len : 1 CBD OR HEMP RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56238	99.18
3 = Statistically imputed data - lifetime use imputed	419	0.74
4 = Statistically imputed data - edited recency = 9	48	0.08

(MJREC)
IRMJRC Len : 1 MARIJUANA RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	9849	17.37
2 = More than 30 days ago but within the past 12 mos	4430	7.81
3 = More than 12 months ago	11228	19.80
9 = NEVER USED MARIJUANA	31198	55.02

(MJREC)
IIMJRC Len : 1 MARIJUANA RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56408	99.48
2 = Logically assigned data	4	0.01
3 = Statistically imputed data	293	0.52

(MJREC)
II2MJRC Len : 1 MARIJUANA RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56408	99.48
2 = Logically assigned data	4	0.01
3 = Statistically imputed data - lifetime use imputed	54	0.10
4 = Statistically imputed data - edited recency = 9	123	0.22
5 = Statistically imputed data - edited recency = 8	116	0.20

(IRMJRC, MJYRSMOKE)
IRMJYRSMOKE Len : 1 MARIJUANA SMOKING PAST YEAR - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	11176	19.71
2 = Did not smoke marijuana in the past 12 months	3103	5.47
9 = Did not use marijuana in the past 12 months	42426	74.82

(IRMJRC, MJYRSMOKE)
IIMJYRSMOKE Len : 1 MARIJUANA SMOKING PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	13999	24.69
2 = Logically assigned data	154	0.27
3 = Statistically imputed data	213	0.38
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	42339	74.67

(IRMJRC, MJYRVAPE)
IRMJYRVAPE Len : 1 MARIJUANA VAPING PAST YEAR - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	6300	11.11
2 = Did not vape marijuana in the past 12 months	7979	14.07
9 = Did not use marijuana in the past 12 months	42426	74.82

(IRMJRC, MJYRVAPE)
IIMJYRVAPE Len : 1 MARIJUANA VAPING PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	13922	24.55
2 = Logically assigned data	228	0.40
3 = Statistically imputed data	216	0.38
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	42339	74.67

(IRMJRC, MJYRDAB)
IRMJYRDAB Len : 1 MARIJUANA DABBING WAXES, SHATTER, OR CONC PAST YEAR-IMP REV

	Freq	Pct
1 = Within the past 12 months	2904	5.12
2 = Did not dab marijuana in the past 12 months	11375	20.06
9 = Did not use marijuana in the past 12 months	42426	74.82

(IRMJRC, MJYRDAB)
IIMJYRDAB Len : 1 MARIJUANA DABBING WAXES, SHATTER, OR CONC PAST YEAR-IMP IND

	Freq	Pct
1 = Questionnaire data	14031	24.74
2 = Logically assigned data	118	0.21
3 = Statistically imputed data	217	0.38
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	42339	74.67

(IRMJRC, MJYREAT)
IRMJYREAT Len : 1 MARIJUANA EATING OR DRINKING PAST YEAR - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	7142	12.60
2 = Did not eat marijuana in the past 12 months	7137	12.59
9 = Did not use marijuana in the past 12 months	42426	74.82

(IRMJRC, MJYREAT)
IIMJYREAT Len : 1 MARIJUANA EATING OR DRINKING PAST YR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	13889	24.49
2 = Logically assigned data	259	0.46
3 = Statistically imputed data	218	0.38
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	42339	74.67

(IRMJRC, MJYRMOUTH)
IRMJYRMOUTH Len : 1 MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH PAST YR - IMP REV

	Freq	Pct
1 = Within the past 12 months	760	1.34
2 = Did not dissolve marijuana in mouth in the past 12 months	13519	23.84
9 = Did not use marijuana in the past 12 months	42426	74.82

(IRMJRC, MJYRMOUTH)
IIMJYRMOUTH Len : 1 MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH PAST YR - IMP IND

	Freq	Pct
1 = Questionnaire data	14107	24.88
2 = Logically assigned data	41	0.07
3 = Statistically imputed data	218	0.38
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	42339	74.67

(IRMJRC, MJYRSKIN)
IRMJYRSKIN Len : 1 MARIJUANA LOTION/CREAM/PATCH TO SKIN PAST YEAR - IMP REV

	Freq	Pct
1 = Within the past 12 months	1160	2.05
2 = Did not use marijuana lotion in the past 12 months	13119	23.14
9 = Did not use marijuana in the past 12 months	42426	74.82

(IRMJRC, MJYRSKIN)
IIMJYRSKIN Len : 1 MARIJUANA LOTION/CREAM/PATCH TO SKIN PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	14106	24.88
2 = Logically assigned data	42	0.07
3 = Statistically imputed data	218	0.38
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	42339	74.67

(IRMJRC, MJYRPILL)
IRMJYRPILL Len : 1 MARIJUANA PILLS PAST YEAR - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	418	0.74
2 = Did not take marijuana pills in the past 12 months	13861	24.44
9 = Did not use marijuana in the past 12 months	42426	74.82

(IRMJRC, MJYRPILL)
IIMJYRPILL Len : 1 MARIJUANA PILLS PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	14124	24.91
2 = Logically assigned data	24	0.04
3 = Statistically imputed data	218	0.38
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	42339	74.67

(IRMJRC, MJYROTHER)
IRMJYROTHER Len : 1 MARIJUANA OTHER WAY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	311	0.55
2 = Did not use marijuana in any other way in the past 12 months	13968	24.63
9 = Did not use marijuana in the past 12 months	42426	74.82

(IRMJRC, MJYROTHER)
IIMJYROTHER Len : 1 MARIJUANA OTHER WAY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	14119	24.90
2 = Logically assigned data	29	0.05
3 = Statistically imputed data	218	0.38
9 = LEGITIMATE SKIP - NOT A PAST YEAR MARIJUANA USER	42339	74.67

(IRMJRC, MJMONSMOKE)
IRMJMONSMOKE Len : 1 MARIJUANA SMOKING PAST MONTH - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	7630	13.46
2 = Did not smoke marijuana in the past 30 days	2219	3.91
9 = Did not use marijuana in the past 30 days	46856	82.63

(IRMJRC, MJMONSMOKE)
IIMJMONSMOKE Len : 1 MARIJUANA SMOKING PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	9679	17.07
2 = Logically assigned data	26	0.05
3 = Statistically imputed data	314	0.55
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	46686	82.33

(IRMJRC, MJMONVAPE)
IRMJMONVAPE Len : 1 MARIJUANA VAPING PAST MONTH - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	4127	7.28
2 = Did not vape marijuana in the past 30 days	5722	10.09
9 = Did not use marijuana in the past 30 days	46856	82.63

(IRMJRC, MJMONVAPE)
IIMJMONVAPE Len : 1 MARIJUANA VAPING PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	9679	17.07
2 = Logically assigned data	27	0.05
3 = Statistically imputed data	313	0.55
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	46686	82.33

(IRMJRC, MJMONDAB)
IRMJMONDAB Len : 1 MARIJUANA DABBING WAXES, SHATTER, OR CONC PAST MONTH-IMP REV

	Freq	Pct
1 = Within the past 30 days	1777	3.13
2 = Did not dab marijuana in the past 30 days	8072	14.24
9 = Did not use marijuana in the past 30 days	46856	82.63

(IRMJRC, MJMONDAB)
IIMJMONDAB Len : 1 MARIJUANA DABBING WAXES, SHATTER, OR CONC PAST MONTH-IMP IND

	Freq	Pct
1 = Questionnaire data	9685	17.08
2 = Logically assigned data	27	0.05
3 = Statistically imputed data	307	0.54
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	46686	82.33

(IRMJRC, MJMONEAT)
IRMJMONEAT Len : 1 MARIJUANA EATING OR DRINKING PAST MONTH - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	3786	6.68
2 = Did not eat marijuana in the past 30 days	6063	10.69
9 = Did not use marijuana in the past 30 days	46856	82.63

(IRMJRC, MJMONEAT)
IIMJMONEAT Len : 1 MARIJUANA EATING OR DRINKING PAST MONTH-IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	9663	17.04
2 = Logically assigned data	48	0.08
3 = Statistically imputed data	308	0.54
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	46686	82.33

(IRMJRC, MJMONMOUTH)
IRMJMONMOUTH Len : 1 MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH PAST MONTH-IMP REV

	Freq	Pct
1 = Within the past 30 days	369	0.65
2 = Did not dissolve marijuana in mouth the past 30 days	9480	16.72
9 = Did not use marijuana in the past 30 days	46856	82.63

(IRMJRC, MJMONMOUTH)
IIMJMONMOUTH Len : 1 MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH PAST MONTH-IMP IND

	Freq	Pct
1 = Questionnaire data	9685	17.08
2 = Logically assigned data	29	0.05
3 = Statistically imputed data	305	0.54
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	46686	82.33

(IRMJRC, MJMONSKIN)
IRMJMONSKIN Len : 1 MARIJUANA LOTION/CREAM/PATCH TO SKIN PAST MONTH - IMP REV

	Freq	Pct
1 = Within the past 30 days	572	1.01
2 = Did not use marijuana lotion in the past 30 days	9277	16.36
9 = Did not use marijuana in the past 30 days	46856	82.63

(IRMJRC, MJMONSKIN)
IIMJMONSKIN Len : 1 MARIJUANA LOTION/CREAM/PATCH TO SKIN PAST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	9683	17.08
2 = Logically assigned data	30	0.05
3 = Statistically imputed data	306	0.54
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	46686	82.33

(IRMJRC, MJMONPILL)
IRMJMONPILL Len : 1 MARIJUANA PILLS PAST MONTH - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	213	0.38
2 = Did not take marijuana pills in the past 30 days	9636	16.99
9 = Did not use marijuana in the past 30 days	46856	82.63

(IRMJRC, MJMONPILL)
IIMJMONPILL Len : 1 MARIJUANA PILLS PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	9688	17.08
2 = Logically assigned data	25	0.04
3 = Statistically imputed data	306	0.54
9 = LEGITIMATE SKIP - NOT A PAST MONTH MARIJUANA USER	46686	82.33

(COCREC)
IRCOCRC Len : 1 COCAINE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	369	0.65
2 = More than 30 days ago but within the past 12 mos	721	1.27
3 = More than 12 months ago	5406	9.53
9 = NEVER USED COCAINE	50209	88.54

(COCREC)
IICOCRC Len : 1 COCAINE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56607	99.83
2 = Logically assigned data	27	0.05
3 = Statistically imputed data	71	0.13

(COCREC)
II2COCRC Len : 1 COCAINE RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56607	99.83
2 = Logically assigned data	27	0.05
3 = Statistically imputed data - lifetime use imputed	29	0.05
4 = Statistically imputed data - edited recency = 9	23	0.04
5 = Statistically imputed data - edited recency = 8	19	0.03

(CRAKREC)
IRCRKRC Len : 1 CRACK RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	74	0.13
2 = More than 30 days ago but within the past 12 mos	87	0.15
3 = More than 12 months ago	1310	2.31
9 = NEVER USED CRACK	55234	97.41

(CRAKREC)
IICRKRC Len : 1 CRACK RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56656	99.91
3 = Statistically imputed data	49	0.09

(CRAKREC)
II2CRKRC Len : 1 CRACK RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56656	99.91
3 = Statistically imputed data - lifetime use imputed	37	0.07
4 = Statistically imputed data - edited recency = 9	8	0.01
5 = Statistically imputed data - edited recency = 8	4	0.01

(HERREC)
IRHERRC Len : 1 HEROIN RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	90	0.16
2 = More than 30 days ago but within the past 12 mos	57	0.10
3 = More than 12 months ago	922	1.63
9 = NEVER USED HEROIN	55636	98.11

(HERREC)
IIHERRC Len : 1 HEROIN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56632	99.87
3 = Statistically imputed data	73	0.13

(HERREC)
II2HERRC Len : 1 HEROIN RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56632	99.87
3 = Statistically imputed data - lifetime use imputed	60	0.11
4 = Statistically imputed data - edited recency = 9	6	0.01
5 = Statistically imputed data - edited recency = 8	7	0.01

(HALLUCREC)
IRHALLUCREC Len : 1 HALLUCINOGEN RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	675	1.19
2 = More than 30 days ago but within the past 12 mos	1562	2.75
3 = More than 12 months ago	6689	11.80
9 = NEVER USED HALLUCINOGENS	47779	84.26

(HALLUCREC)
IIHALLUCREC Len : 1 HALLUCINOGEN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56294	99.28
2 = Logically assigned data	43	0.08
3 = Statistically imputed data - lifetime use imputed	245	0.43
4 = Statistically imputed data - edited recency = 9	88	0.16
5 = Statistically imputed data - edited recency = 8	35	0.06

(LSDREC)
IRLSDRC Len : 1 LSD RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	93	0.16
2 = More than 30 days ago but within the past 12 mos	385	0.68
3 = More than 12 months ago	4656	8.21
9 = NEVER USED LSD	51571	90.95

(LSDREC)
IILSDRC Len : 1 LSD RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56617	99.84
2 = Logically assigned data	1	0.00
3 = Statistically imputed data	87	0.15

(LSDREC)
II2LSDRC Len : 1 LSD RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56617	99.84
2 = Logically assigned data	1	0.00
3 = Statistically imputed data - lifetime use imputed	43	0.08
4 = Statistically imputed data - edited recency = 9	38	0.07
5 = Statistically imputed data - edited recency = 8	6	0.01

(PCPREC)
IRPCPRC Len : 1 PCP RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	8	0.01
2 = More than 30 days ago but within the past 12 mos	13	0.02
3 = More than 12 months ago	736	1.30
9 = NEVER USED PCP	55948	98.67

(PCPREC)
IIPCPRC Len : 1 PCP RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56656	99.91
3 = Statistically imputed data	49	0.09

(PCPREC)
II2PCPRC Len : 1 PCP RECENCY - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56656	99.91
3 = Statistically imputed data - lifetime use imputed	38	0.07
4 = Statistically imputed data - edited recency = 9	9	0.02
5 = Statistically imputed data - edited recency = 8	2	0.00

(ECSTMOREC)
IRECSTMOREC Len : 1 ECSTASY RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	116	0.20
2 = More than 30 days ago but within the past 12 mos	399	0.70
3 = More than 12 months ago	3943	6.95
9 = NEVER USED ECSTASY	52247	92.14

(ECSTMOREC)
IIECSTMOREC Len : 1 ECSTASY RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56617	99.84
2 = Logically assigned data	1	0.00
3 = Statistically imputed data - lifetime use imputed	55	0.10
4 = Statistically imputed data - edited recency = 9	25	0.04
5 = Statistically imputed data - edited recency = 8	7	0.01

(KETMINREC)
IRKETMINREC Len : 1 KETAMINE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	72	0.13
2 = More than 30 days ago but within the past 12 mos	159	0.28
3 = More than 12 months ago	830	1.46
9 = NEVER USED KETAMINE	55644	98.13

(KETMINREC)
IIKETMINREC Len : 1 KETAMINE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56621	99.85
2 = Logically assigned data	2	0.00
3 = Statistically imputed data - lifetime use imputed	73	0.13
4 = Statistically imputed data - edited recency = 9	7	0.01
5 = Statistically imputed data - edited recency = 8	2	0.00

(DAMTFXREC)
IRDAMTFXREC Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	35	0.06
2 = More than 30 days ago but within the past 12 mos	95	0.17
3 = More than 12 months ago	739	1.30
9 = NEVER USED DMT/AMT/FOXY	55836	98.47

(DAMTFXREC)
IIDAMTFXREC Len : 1 DMT/AMT/FOXY RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56602	99.82
2 = Logically assigned data	2	0.00
3 = Statistically imputed data - lifetime use imputed	93	0.16
4 = Statistically imputed data - edited recency = 9	6	0.01
5 = Statistically imputed data - edited recency = 8	2	0.00

(SALVIAREC)
IRSALVIAREC Len : 1 SALVIA RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	10	0.02
2 = More than 30 days ago but within the past 12 mos	18	0.03
3 = More than 12 months ago	988	1.74
9 = NEVER USED SALVIA	55689	98.21

(SALVIAREC)
IISALVIAREC Len : 1 SALVIA RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56578	99.78
2 = Logically assigned data	3	0.01
3 = Statistically imputed data - lifetime use imputed	114	0.20
4 = Statistically imputed data - edited recency = 9	7	0.01
5 = Statistically imputed data - edited recency = 8	3	0.01

(INHALREC)
IRINHALREC Len : 1 INHALANT RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	255	0.45
2 = More than 30 days ago but within the past 12 mos	487	0.86
3 = More than 12 months ago	4506	7.95
9 = NEVER USED INHALANTS	51457	90.75

(INHALREC)
IIINHALREC Len : 1 INHALANT RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56380	99.43
3 = Statistically imputed data - lifetime use imputed	168	0.30
4 = Statistically imputed data - edited recency = 9	145	0.26
5 = Statistically imputed data - edited recency = 8	12	0.02

(METHAMREC)
IRMETHAMREC Len : 1 METHAMPHETAMINE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	285	0.50
2 = More than 30 days ago but within the past 12 mos	202	0.36
3 = More than 12 months ago	2026	3.57
9 = NEVER USED METHAMPHETAMINE	54192	95.57

(METHAMREC)
IIMETHAMREC Len : 1 METHAMPHETAMINE USE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56604	99.82
2 = Logically assigned data	1	0.00
3 = Statistically imputed data - lifetime use imputed	77	0.14
4 = Statistically imputed data - edited recency = 9	10	0.02
5 = Statistically imputed data - edited recency = 8	13	0.02

NOTE: The following 18 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the levels 'More than 12 months ago' and 'NEVER USED XXX' in analysis for the following variables: IRPNRANYREC, IRTRQANYREC, IRSTMANYREC, and IRSEDANYREC.

(PNRANYREC)
IRPNRANYREC Len : 1 ANY PAIN RELIEVER RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	12837	22.64
2 = More than 12 months ago	13913	24.54
9 = NEVER USED PAIN RELIEVERS	29955	52.83

(PNRANYREC)
IIPNRANYREC Len : 1 ANY PAIN RELIEVER RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56038	98.82
3 = Statistically imputed data - lifetime use imputed	528	0.93
4 = Statistically imputed data - edited recency = 9	139	0.25

(OXCNANYYR)
IROXCNANYYR Len : 1 ANY OXYCONTIN RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	1426	2.51
9 = Did not use in the past 12 months	55279	97.49

(OXCNANYYR)
IIOXCNANYYR Len : 1 ANY OXYCONTIN RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56214	99.13
2 = Logically assigned data	198	0.35
3 = Statistically imputed data - any use imputed	293	0.52

(FENTANYYR)
IRFENTANYYR Len : 1 FENTANYL PRODUCTS - ANY PAST YEAR USE - IMP REV

	Freq	Pct
0 = No	56183	99.08
1 = Yes	522	0.92

(FENTANYYR)
IIFENTANYYR Len : 1 FENTANYL PRODUCTS - ANY PAST YEAR USE - IMP IND

	Freq	Pct
1 = Questionnaire data	56294	99.28
2 = Logically assigned data	163	0.29
3 = Statistically imputed data	248	0.44

(TRQANYREC)
IRTRQANYREC Len : 1 ANY TRANQUILIZERS RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	5437	9.59
2 = More than 12 months ago	3833	6.76
9 = NEVER USED TRANQUILIZERS	47435	83.65

(TRQANYREC)
IITRQANYREC Len : 1 ANY TRANQUILIZERS RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56212	99.13
3 = Statistically imputed data - lifetime use imputed	475	0.84
4 = Statistically imputed data - edited recency = 9	18	0.03

(STMANYREC)
IRSTMANYREC Len : 1 ANY STIMULANTS RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	4703	8.29
2 = More than 12 months ago	2756	4.86
9 = NEVER USED STIMULANTS	49246	86.85

(STMANYREC)
IISTMANYREC Len : 1 ANY STIMULANTS RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56336	99.35
3 = Statistically imputed data - lifetime use imputed	356	0.63
4 = Statistically imputed data - edited recency = 9	13	0.02

(SEDANYREC)
IRSEDANYREC Len : 1 ANY SEDATIVES RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 12 months	2347	4.14
2 = More than 12 months ago	2934	5.17
9 = NEVER USED SEDATIVES	51424	90.69

(SEDANYREC)
IISEDANYREC Len : 1 ANY SEDATIVES RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56260	99.22
3 = Statistically imputed data - lifetime use imputed	424	0.75
4 = Statistically imputed data - edited recency = 9	21	0.04

(BZOANYYR)
IRBZOANYYR Len : 1 ANY BENZODIAZEPINES - PAST YEAR USE - IMPUTATION REVISED

	Freq	Pct
0 = No	52552	92.68
1 = Yes	4153	7.32

(BZOANYYR)
IIBZOANYYR Len : 1 ANY BENZODIAZEPINES - PAST YEAR USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56412	99.48
3 = Statistically imputed data	293	0.52

NOTE: The following 14 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor. Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the levels 'More than 12 months ago' and 'NEVER MISUSED XXX' in analysis for the following variables: IRPNRNMREC, IRTRQNMREC, IRSTMNMREC, and IRSEDNMREC.

(PNRNMREC)
IRPNRNMREC Len : 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	457	0.81
2 = More than 30 days ago but within the past 12 mos	1249	2.20
3 = More than 12 months ago	2846	5.02
9 = NEVER MISUSED PAIN RELIEVERS	52153	91.97

(PNRNMREC)
IIPNRNMREC Len : 1 PAIN RELIEVER MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55890	98.56
3 = Statistically imputed data - any use rec imputed	216	0.38
4 = Stat imp data - any use rec known, misuse unknown	60	0.11
5 = Statistically imputed data - edited recency = 9	36	0.06
6 = Statistically imputed data - edited recency = 8	10	0.02
7 = Stat imp data - did not misuse py, life unknown	493	0.87

(OXCNNMYR)
IROXCNNMYR Len : 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Misused in the past 12 months	213	0.38
9 = Did not misuse in the past 12 months	56492	99.62

(OXCNNMYR)
IIOXCNNMYR Len : 1 OXYCONTIN PAST YEAR MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56546	99.72
2 = Logically assigned data	6	0.01
3 = Statistically imputed data	153	0.27

(FENTNMYR)
IRFENTNMYR Len : 1 FENTANYL PRODUCTS - PAST YEAR MISUSE - IMP REV

	Freq	Pct
0 = No	56601	99.82
1 = Yes	104	0.18

(FENTNMYR)
IIFENTNMYR Len : 1 FENTANYL PRODUCTS - PAST YEAR MISUSE - IMP IND

	Freq	Pct
1 = Questionnaire data	56558	99.74
3 = Statistically imputed data	147	0.26

(TRQNMREC)
IRTRQNMREC Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	231	0.41
2 = More than 30 days ago but within the past 12 mos	610	1.08
3 = More than 12 months ago	1076	1.90
9 = NEVER MISUSED TRANQUILIZERS	54788	96.62

(TRQNMREC)
IITRQNMREC Len : 1 TRANQUILIZER MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56175	99.07
3 = Statistically imputed data - any use rec imputed	236	0.42
4 = Stat imp data - any use rec known, misuse unknown	26	0.05
5 = Statistically imputed data - edited recency = 9	6	0.01
6 = Statistically imputed data - edited recency = 8	5	0.01
7 = Stat imp data - did not misuse py, life unknown	257	0.45

(STMNMREC)
IRSTMNMREC Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	269	0.47
2 = More than 30 days ago but within the past 12 mos	762	1.34
3 = More than 12 months ago	1376	2.43
9 = NEVER MISUSED STIMULANTS	54298	95.76

(STMNMREC)
IISTMNMREC Len : 1 STIMULANT MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56310	99.30
3 = Statistically imputed data - any use rec imputed	243	0.43
4 = Stat imp data - any use rec known, misuse unknown	22	0.04
5 = Statistically imputed data - edited recency = 9	1	0.00
6 = Statistically imputed data - edited recency = 8	3	0.01
7 = Stat imp data - did not misuse py, life unknown	126	0.22

(SEDNMREC)
IRSEDNMREC Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	43	0.08
2 = More than 30 days ago but within the past 12 mos	127	0.22
3 = More than 12 months ago	805	1.42
9 = NEVER MISUSED SEDATIVES	55730	98.28

(SEDNMREC)
IISEDNMREC Len : 1 SEDATIVE MISUSE RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56240	99.18
3 = Statistically imputed data - any use rec imputed	269	0.47
4 = Stat imp data - any use rec known, misuse unknown	13	0.02
5 = Statistically imputed data - edited recency = 9	6	0.01
7 = Stat imp data - did not misuse py, life unknown	177	0.31

(BZONMYR)
IRBZONMYR Len : 1 ANY BENZODIAZEPINES - PAST YEAR MISUSE - IMPUTATION REVISED

	Freq	Pct
0 = No	55961	98.69
1 = Yes	744	1.31

(BZONMYR)
IIBZONMYR Len : 1 ANY BENZODIAZEPINES - PAST YEAR MISUSE - IMP IND

	Freq	Pct
1 = Questionnaire data	56414	99.49
3 = Statistically imputed data	291	0.51

PAST YEAR FREQUENCY OF USE

NOTE: The term "Past Year Frequency" is interchangeable with the term "12-Month Frequency".

(ALCYRTOT)
IRALCFY Len : 3 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	33076	58.33
991 = NEVER USED ALCOHOL	16479	29.06
993 = DID NOT USE ALCOHOL PAST YEAR	7150	12.61

(ALCYRTOT)
IIALCFY Len : 1 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	31828	56.13
2 = Logically assigned data	812	1.43
3 = Statistically imputed data	514	0.91
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	23551	41.53

(ALCYRTOT)
II2ALCFY Len : 1 ALCOHOL FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	31828	56.13
2 = Logically assigned data	812	1.43
3 = Statistically imputed data - lifetime use imputed	22	0.04
4 = Statistically imputed data - lifetime use known	492	0.87
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	23551	41.53

(MJYRTOT)
IRMJFY Len : 3 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	14279	25.18
991 = NEVER USED MARIJUANA	31198	55.02
993 = DID NOT USE MARIJUANA PAST YEAR	11228	19.80

(MJYRTOT)
IIMJFY Len : 1 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	13065	23.04
2 = Logically assigned data	900	1.59
3 = Statistically imputed data	401	0.71
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	42339	74.67

(MJYRTOT)
II2MJFY Len : 1 MARIJUANA FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	13065	23.04
2 = Logically assigned data	900	1.59
3 = Statistically imputed data - lifetime use imputed	54	0.10
4 = Statistically imputed data - lifetime use known	347	0.61
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	42339	74.67

(COCYRTOT)
IRCOCFY Len : 3 COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	1090	1.92
991 = NEVER USED COCAINE	50209	88.54
993 = DID NOT USE COCAINE PAST YEAR	5406	9.53

(COCYRTOT)
IICOCFY Len : 1 COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	981	1.73
2 = Logically assigned data	69	0.12
3 = Statistically imputed data	82	0.14
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	55573	98.00

(COCYRTOT)
II2COCFY Len : 1 COCAINE FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	981	1.73
2 = Logically assigned data	69	0.12
3 = Statistically imputed data - lifetime use imputed	29	0.05
4 = Statistically imputed data - lifetime use known	53	0.09
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	55573	98.00

(CRKYRTOT)
IRCRKFY Len : 3 CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	161	0.28
991 = NEVER USED CRACK	55234	97.41
993 = DID NOT USE CRACK PAST YEAR	1310	2.31

(CRKYRTOT)
IICRKFY Len : 1 CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	147	0.26
2 = Logically assigned data	8	0.01
3 = Statistically imputed data	50	0.09
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	56500	99.64

(CRKYRTOT)
II2CRKFY Len : 1 CRACK FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	147	0.26
2 = Logically assigned data	8	0.01
3 = Statistically imputed data - lifetime use imputed	37	0.07
4 = Statistically imputed data - lifetime use known	13	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	56500	99.64

(HERYRTOT)
IRHERFY Len : 3 HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	147	0.26
991 = NEVER USED HEROIN	55636	98.11
993 = DID NOT USE HEROIN PAST YEAR	922	1.63

(HERYRTOT)
IIHERFY Len : 1 HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	132	0.23
2 = Logically assigned data	7	0.01
3 = Statistically imputed data	73	0.13
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	56493	99.63

(HERYRTOT)
II2HERFY Len : 1 HEROIN FREQ PAST YEAR - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	132	0.23
2 = Logically assigned data	7	0.01
3 = Statistically imputed data - lifetime use imputed	60	0.11
4 = Statistically imputed data - lifetime use known	13	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	56493	99.63

(HALLUCYFQ)
IRHALLUCYFQ Len : 3 HALL FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	2237	3.94
991 = NEVER USED HALLUCINOGENS	47779	84.26
993 = DID NOT USE HALLUCINOGENS PAST YEAR	6689	11.80

(HALLUCYFQ)
IIHALLUCYFQ Len : 1 HALL FREQ PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	2054	3.62
2 = Logically assigned data	78	0.14
3 = Statistically imputed data - lifetime use imputed	246	0.43
4 = Statistically imputed data - lifetime use known	158	0.28
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	54169	95.53

(INHALYFQ)
IRINHALYFQ Len : 3 INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	742	1.31
991 = NEVER USED INHALANTS	51457	90.75
993 = DID NOT USE INHALANTS PAST YEAR	4506	7.95

(INHALYFQ)
IIINHALYFQ Len : 1 INHALANT FREQ PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	626	1.10
2 = Logically assigned data	50	0.09
3 = Statistically imputed data - lifetime use imputed	168	0.30
4 = Statistically imputed data - lifetime use known	165	0.29
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	55696	98.22

(METHAMYFQ)
IRMETHAMYFQ Len : 3 METH FREQUENCY PAST YEAR - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 365	487	0.86
991 = NEVER USED METHAMPHETAMINE	54192	95.57
993 = DID NOT USE METHAMPHETAMINE PAST YEAR	2026	3.57

(METHAMYFQ)
IIMETHAMYFQ Len : 1 METH FREQ PAST YEAR - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	447	0.79
2 = Logically assigned data	25	0.04
3 = Statistically imputed data - lifetime use imputed	77	0.14
4 = Statistically imputed data - lifetime use known	24	0.04
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST YEAR USER	56132	98.99

PAST MONTH FREQUENCY OF USE

NOTE: The term "Past Month Frequency" is interchangeable with the term "30-Day Frequency".

(CG30EST, CIG30USE)
IRCIGFM Len : 2 CIG FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	6879	12.13
91 = NEVER USED CIGARETTES	32346	57.04
93 = DID NOT USE CIGARETTES PAST MONTH	17480	30.83

(CG30EST, CIG30USE)
IICIGFM Len : 1 CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	6838	12.06
2 = Logically assigned data	28	0.05
3 = Statistically imputed data	23	0.04
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	49816	87.85

(CG30EST, CIG30USE)
II2CIGFM Len : 1 CIG FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	6838	12.06
2 = Logically assigned data	28	0.05
4 = Statistically imputed data - lifetime use known	23	0.04
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	49816	87.85

(CGR30USE, CI30EST)
IRCGRFM Len : 2 CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	2081	3.67
91 = NEVER USED CIGARS	42205	74.43
93 = DID NOT USE CIGARS PAST MONTH	12419	21.90

(CGR30USE, CI30EST)
IICGRFM Len : 1 CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	2059	3.63
2 = Logically assigned data	12	0.02
3 = Statistically imputed data	37	0.07
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	54597	96.28

(CGR30USE, CI30EST)
II2CGRFM Len : 1 CIGAR FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	2059	3.63
2 = Logically assigned data	12	0.02
3 = Statistically imputed data - lifetime use imputed	19	0.03
4 = Statistically imputed data - lifetime use known	18	0.03
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	54597	96.28

(SMKLSS30E, SMKLSS30N)
IRSMKLSS30N Len : 2 SMOKELESS TOBACCO FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	1306	2.30
91 = NEVER USED SMOKELESS TOBACCO	50147	88.43
93 = DID NOT USE SMOKELESS TOBACCO PAST MONTH	5252	9.26

(SMKLSS30E, SMKLSS30N)
IISMKLSS30N Len : 1 SMOKELESS TOBACCO FREQUENCY PST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1289	2.27
2 = Logically assigned data	14	0.02
3 = Statistically imputed data - lifetime use imputed	21	0.04
4 = Statistically imputed data - lifetime use known	4	0.01
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	55377	97.66

(NICVAP30N)
IRNICVAP30N Len : 2 NICOTINE VAPING FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	7231	12.75
91 = NEVER VAPED NICOTINE	39183	69.10
93 = DID NOT VAPE NICOTINE PAST MONTH	10291	18.15

(NICVAP30N)
IINICVAP30N Len : 1 NICOTINE VAPING FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	7138	12.59
2 = Logically assigned data	50	0.09
3 = Statistically imputed data - lifetime use imputed	19	0.03
4 = Statistically imputed data - lifetime use known	52	0.09
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	49446	87.20

(AL30EST, ALCDAYS)
IRALCFM Len : 2 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	24587	43.36
91 = NEVER USED ALCOHOL	16479	29.06
93 = DID NOT USE ALCOHOL PAST MONTH	15639	27.58

(AL30EST, ALCDAYS)
IIALCFM Len : 1 ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	23996	42.32
2 = Logically assigned data	129	0.23
3 = Statistically imputed data	766	1.35
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	31814	56.10

(AL30EST, ALCDAYS)
II2ALCFM Len : 1 ALCOHOL FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	23996	42.32
2 = Logically assigned data	129	0.23
3 = Statistically imputed data - lifetime use imputed	22	0.04
4 = Statistically imputed data - lifetime use known	744	1.31
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	31814	56.10

"Binge" Alcohol Frequency, IRALCBNG30D, is defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females. For this variable, "occasion" means at the same time or within a couple hours of each other. Prior to 2015, “binge” alcohol frequency was defined as the number of days in the past month on which the respondent reported drinking five or more drinks on the same occasion for everyone, regardless of sex. Therefore, IRALCBNG30D is comparable to the version of this variable created from 2002-2014, IRALCD5, among males but not overall or among females.

(ALCBNG30D)
IRALCBNG30D Len : 2 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 0 - 30	24587	43.36
91 = NEVER USED ALCOHOL	16479	29.06
93 = DID NOT USE ALCOHOL PAST MONTH	15639	27.58

(ALCBNG30D)
IIALCBNG30D Len : 1 BINGE ALCOHOL FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	23887	42.13
2 = Logically assigned data	38	0.07
3 = Statistically imputed data - recency of use imputed	579	1.02
4 = Statistically imputed data - recency of use known	387	0.68
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	31814	56.10

(MJDAY30A, MR30EST)
IRMJFM Len : 2 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	9849	17.37
91 = NEVER USED MARIJUANA	31198	55.02
93 = DID NOT USE MARIJUANA PAST MONTH	15658	27.61

(MJDAY30A, MR30EST)
IIMJFM Len : 1 MARIJUANA FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	9656	17.03
2 = Logically assigned data	51	0.09
3 = Statistically imputed data	312	0.55
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	46686	82.33

(MJDAY30A, MR30EST)
II2MJFM Len : 1 MARIJUANA FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	9656	17.03
2 = Logically assigned data	51	0.09
3 = Statistically imputed data - lifetime use imputed	54	0.10
4 = Statistically imputed data - lifetime use known	258	0.45
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	46686	82.33

(CC30EST, COCUS30A)
IRCOCFM Len : 2 COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	369	0.65
91 = NEVER USED COCAINE	50209	88.54
93 = DID NOT USE COCAINE PAST MONTH	6127	10.81

(CC30EST, COCUS30A)
IICOCFM Len : 1 COCAINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	329	0.58
2 = Logically assigned data	18	0.03
3 = Statistically imputed data	83	0.15
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	56275	99.24

(CC30EST, COCUS30A)
II2COCFM Len : 1 COCAINE FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	329	0.58
2 = Logically assigned data	18	0.03
3 = Statistically imputed data - lifetime use imputed	29	0.05
4 = Statistically imputed data - lifetime use known	54	0.10
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	56275	99.24

(CR30EST, CRKUS30A)
IRCRKFM Len : 2 CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	74	0.13
91 = NEVER USED CRACK	55234	97.41
93 = DID NOT USE CRACK PAST MONTH	1397	2.46

(CR30EST, CRKUS30A)
IICRKFM Len : 1 CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	72	0.13
3 = Statistically imputed data	50	0.09
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	56583	99.78

(CR30EST, CRKUS30A)

II2CRKFM Len : 1 CRACK FREQUENCY PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	72	0.13
3 = Statistically imputed data - lifetime use imputed	37	0.07
4 = Statistically imputed data - lifetime use known	13	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	56583	99.78

(HER30USE, HR30EST)

IRHERFM Len : 2 HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	90	0.16
91 = NEVER USED HEROIN	55636	98.11
93 = DID NOT USE HEROIN PAST MONTH	979	1.73

(HER30USE, HR30EST)

IIHERFM Len : 1 HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	84	0.15
3 = Statistically imputed data	74	0.13
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	56547	99.72

(HER30USE, HR30EST)

II2HERFM Len : 1 HEROIN FREQ PAST MONTH - DETAILED IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	84	0.15
3 = Statistically imputed data - lifetime use imputed	60	0.11
4 = Statistically imputed data - lifetime use known	14	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	56547	99.72

(HALLUC30E, HALLUC30N)

IRHALLUC30N Len : 2 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	675	1.19
91 = NEVER USED HALLUCINOGENS	47779	84.26
93 = DID NOT USE HALLUCINOGENS PAST MONTH	8251	14.55

(HALLUC30E, HALLUC30N)

IIHALLUC30N Len : 1 HALLUCINOGEN FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	612	1.08
2 = Logically assigned data	2	0.00
3 = Statistically imputed data - lifetime use imputed	245	0.43
4 = Statistically imputed data - lifetime use known	159	0.28
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	55687	98.20

(INHAL30ES, INHAL30N)

IRINHAL30N Len : 2 INHALANT FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	255	0.45
91 = NEVER USED INHALANTS	51457	90.75
93 = DID NOT USE INHALANTS PAST MONTH	4993	8.81

(INHAL30ES, INHAL30N)

IIINHAL30N Len : 1 INHALANT FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	230	0.41
2 = Logically assigned data	7	0.01
3 = Statistically imputed data - lifetime use imputed	168	0.30
4 = Statistically imputed data - lifetime use known	158	0.28
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	56142	99.01

(METHAM30E, METHAM30N)
IRMETHAM30N Len : 2 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	285	0.50
91 = NEVER USED METHAMPHETAMINE	54192	95.57
93 = DID NOT USE METHAMPHETAMINE PAST MONTH	2228	3.93

(METHAM30E, METHAM30N)
IIMETHAM30N Len : 1 METHAMPHETAMINE FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	272	0.48
2 = Logically assigned data	1	0.00
3 = Statistically imputed data - lifetime use imputed	77	0.14
4 = Statistically imputed data - lifetime use known	25	0.04
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH USER	56330	99.34

(PNRNM30ES, PNRNM30FQ)
IRPNRNM30FQ Len : 2 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	457	0.81
91 = NEVER MISUSED PAIN RELIEVERS	52153	91.97
93 = DID NOT MISUSE PAIN RELIEVERS PAST MONTH	4095	7.22

(PNRNM30ES, PNRNM30FQ)
IIPNRNM30FQ Len : 1 PAIN RELIEVERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	440	0.78
2 = Logically assigned data	8	0.01
3 = Statistically imputed data - lifetime misuse imputed	276	0.49
4 = Statistically imputed data - lifetime misuse known	50	0.09
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	55931	98.64

(TRQNM30ES, TRQNM30FQ)
IRTRQNM30FQ Len : 2 TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	231	0.41
91 = NEVER MISUSED TRANQUILIZERS	54788	96.62
93 = DID NOT MISUSE TRANQUILIZERS PAST MONTH	1686	2.97

(TRQNM30ES, TRQNM30FQ)
IITRQNM30FQ Len : 1 TRANQUILIZERS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	225	0.40
2 = Logically assigned data	2	0.00
3 = Statistically imputed data - lifetime misuse imputed	262	0.46
4 = Statistically imputed data - lifetime misuse known	11	0.02
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	56205	99.12

(STMNM30ES, STMNM30FQ)
IRSTMNM30FQ Len : 2 STIMULANTS MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	269	0.47
91 = NEVER MISUSED STIMULANTS	54298	95.76
93 = DID NOT MISUSE STIMULANTS PAST MONTH	2138	3.77

(STMNM30ES, STMNM30FQ)
IISTMNM30FQ Len : 1 STIMULANTS MISUSE FREQ PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	266	0.47
2 = Logically assigned data	2	0.00
3 = Statistically imputed data - lifetime misuse imputed	265	0.47
4 = Statistically imputed data - lifetime misuse known	4	0.01
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	56168	99.05

(SEDNM30ES, SEDNM30FQ)
IRSEDNM30FQ Len : 2 SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 30	43	0.08
91 = NEVER MISUSED SEDATIVES	55730	98.28
93 = DID NOT MISUSE SEDATIVES PAST MONTH	932	1.64

(SEDNM30ES, SEDNM30FQ)
IISEDNM30FQ Len : 1 SEDATIVES MISUSE FREQUENCY PAST MONTH - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	42	0.07
3 = Statistically imputed data - lifetime misuse imputed	282	0.50
4 = Statistically imputed data - lifetime misuse known	6	0.01
9 = LEGITIMATE SKIP - NOT A LIFETIME/PAST MONTH MISUSER	56375	99.42

AGE/DATE OF FIRST DRUG USE

(CIGTRY)
IRCIGAGE Len : 3 CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 62	24359	42.96
991 = NEVER USED	32346	57.04

(CIGTRY)
IICIGAGE Len : 1 CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	24133	42.56
2 = Logically assigned data	14	0.02
3 = Statistically imputed data	212	0.37
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	32346	57.04

(CIGYFU, IRCIGAGE)
IRCIGYFU Len : 4 CIGARETTE YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1936 - 2023	24359	42.96
9999 = NEVER USED	32346	57.04

(CIGYFU, IRCIGAGE)
IICIGYFU Len : 1 CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	747	1.32
2 = Logically assigned data	2	0.00
3 = Statistically imputed data	23610	41.64
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	32346	57.04

(CIGAGE)
IRCDUAGE Len : 3 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 62	12120	21.37
991 = NEVER USED	32346	57.04
993 = NEVER A DAILY USER	12239	21.58

(CIGAGE)
IICDUAGE Len : 1 DAILY CIGARETTE AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	12045	21.24
3 = Statistically imputed data	81	0.14
9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER	44579	78.62

(CIGDLYFU, IRCDUAGE)
IRCD2YFU Len : 4 DAILY CIGARETTE YFU - USING CIGDLYFU - IMPUTATION REVISED

	Freq	Pct
RANGE = 1941 - 2023	12120	21.37
9993 = NEVER A DAILY USER	12239	21.58
9999 = NEVER USED	32346	57.04

(CIGDLYFU, IRCDUAGE)
IICD2YFU Len : 1 DAILY CIGARETTE YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	182	0.32
3 = Statistically imputed data	11944	21.06
9 = LEGITIMATE SKIP - NOT A LIFETIME/DAILY CIG USER	44579	78.62

(CIGARTRY)
IRCGRAGE Len : 3 CIGAR AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 72	14500	25.57
991 = NEVER USED	42205	74.43

(CIGARTRY)
IICGRAGE Len : 1 CIGAR AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	14276	25.18
3 = Statistically imputed data	239	0.42
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	42190	74.40

(CIGARYFU, IRCGRAGE)
IRCGRYFU Len : 4 CIGAR YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1941 - 2023	14500	25.57
9999 = NEVER USED	42205	74.43

(CIGARYFU, IRCGRAGE)
IICGRYFU Len : 1 CIGAR YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	797	1.41
3 = Statistically imputed data	13718	24.19
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	42190	74.40

(SMKLSSTRY)
IRSMKLSSTRY Len : 3 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 70	6558	11.57
991 = NEVER USED	50147	88.43

(SMKLSSTRY)
IISMKLSSTRY Len : 1 SMOKELESS TOBACCO AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	6473	11.42
3 = Statistically imputed data	104	0.18
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	50128	88.40

(IRSMKLSSTRY, SMKLSSYFU)
IRSMKLSSYFU Len : 4 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1938 - 2023	6558	11.57
9999 = NEVER USED	50147	88.43

(IRSMKLSSTRY, SMKLSSYFU)
IISMKLSSYFU Len : 1 SMOKELESS TOBACCO YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	323	0.57
3 = Statistically imputed data	6254	11.03
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	50128	88.40

(NICVAPAGE)
IRNICVAPAGE Len : 3 NICOTINE VAPING AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 80	17522	30.90
991 = NEVER USED	39183	69.10

(NICVAPAGE)
IINICVAPAGE Len : 1 NICOTINE VAPING AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	17119	30.19
3 = Statistically imputed data	416	0.73
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	39170	69.08

(IRNICVAPAGE, NICVAPYFU)
IRNICVAPYFU Len : 4 NICOTINE VAPING YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1946 - 2023	17522	30.90
9999 = NEVER USED	39183	69.10

(IRNICVAPAGE, NICVAPYFU)
IINICVAPYFU Len : 1 NICOTINE VAPING YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	2371	4.18
3 = Statistically imputed data	15164	26.74
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	39170	69.08

(ALCTRY)
IRALCAGE Len : 3 ALCOHOL AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 76	40226	70.94
991 = NEVER USED	16479	29.06

(ALCTRY)
IIALCAGE Len : 1 ALCOHOL AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	39830	70.24
3 = Statistically imputed data	410	0.72
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	16465	29.04

(ALCYFU, IRALCAGE)
IRALCYFU Len : 4 ALCOHOL YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1939 - 2023	40226	70.94
9999 = NEVER USED	16479	29.06

(ALCYFU, IRALCAGE)
IIALCYFU Len : 1 ALCOHOL YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	2546	4.49
3 = Statistically imputed data	37694	66.47
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	16465	29.04

(MJAGE)
IRMJAGE Len : 3 MARIJUANA AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 85	25507	44.98
991 = NEVER USED	31198	55.02

(MJAGE)
IIMJAGE Len : 1 MARIJUANA AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	25339	44.69
3 = Statistically imputed data	212	0.37
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	31154	54.94

(IRMJAGE, MJYFU)
IRMJYFU Len : 4 MARIJUANA YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1953 - 2023	25507	44.98
9999 = NEVER USED	31198	55.02

(IRMJAGE, MJYFU)
IIMJYFU Len : 1 MARIJUANA YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1812	3.20
3 = Statistically imputed data	23739	41.86
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	31154	54.94

(COCAGE)
IRCOCAGE Len : 3 COCAINE AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 62	6496	11.46
991 = NEVER USED	50209	88.54

(COCAGE)
IICOCAGE Len : 1 COCAINE AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	6365	11.22
2 = Logically assigned data	98	0.17
3 = Statistically imputed data	60	0.11
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	50182	88.50

(COCYFU, IRCOCAGE)
IRCOCYFU Len : 4 COCAINE YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1963 - 2023	6496	11.46
9999 = NEVER USED	50209	88.54

(COCYFU, IRCOCAGE)
IICOCYFU Len : 1 COCAINE YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	244	0.43
3 = Statistically imputed data	6279	11.07
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	50182	88.50

(CRKAGE)
IRCRKAGE Len : 3 CRACK AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 8 - 60	1471	2.59
991 = NEVER USED	55234	97.41

(CRKAGE)
IICRKAGE Len : 1 CRACK AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1454	2.56
2 = Logically assigned data	1	0.00
3 = Statistically imputed data	52	0.09
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	55198	97.34

(CRKYFU, IRCRKAGE)
IRCRKYFU Len : 4 CRACK YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1969 - 2023	1471	2.59
9999 = NEVER USED	55234	97.41

(CRKYFU, IRCRKAGE)
IICRKYFU Len : 1 CRACK YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	24	0.04
3 = Statistically imputed data	1483	2.62
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	55198	97.34

(HERAGE)
IRHERAGE Len : 3 HEROIN AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 60	1069	1.89
991 = NEVER USED	55636	98.11

(HERAGE)
IIHERAGE Len : 1 HEROIN AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	1058	1.87
3 = Statistically imputed data	71	0.13
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	55576	98.01

(HERYFU, IRHERAGE)
IRHERYFU Len : 4 HEROIN YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1952 - 2023	1069	1.89
9999 = NEVER USED	55636	98.11

(HERYFU, IRHERAGE)
IIHERYFU Len : 1 HEROIN YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	27	0.05
3 = Statistically imputed data	1102	1.94
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	55576	98.01

(HALLUCAGE)
IRHALLUCAGE Len : 3 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 80	8926	15.74
991 = NEVER USED	47779	84.26

(HALLUCAGE)
IIHALLUCAGE Len : 1 HALLUCINOGEN AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	8647	15.25
2 = Logically assigned data	141	0.25
3 = Statistically imputed data	368	0.65
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	47549	83.85

(HALLUCYFU, IRHALLUCAGE)
IRHALLUCYFU Len : 4 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1954 - 2023	8926	15.74
9999 = NEVER USED	47779	84.26

(HALLUCYFU, IRHALLUCAGE)
IIHALLUCYFU Len : 1 HALLUCINOGEN YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	705	1.24
2 = Logically assigned data	6	0.01
3 = Statistically imputed data	8445	14.89
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	47549	83.85

(LSDAGE)
IRLSDAGE Len : 3 LSD AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 59	5134	9.05
991 = NEVER USED	51571	90.95

(LSDAGE)
IILSDAGE Len : 1 LSD AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	5054	8.91
3 = Statistically imputed data	121	0.21
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	51530	90.87

(IRLSDAGE, LSDYFU)
IRLSDYFU Len : 4 LSD YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1961 - 2023	5134	9.05
9999 = NEVER USED	51571	90.95

(IRLSDAGE, LSDYFU)
IILSDYFU Len : 1 LSD YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	204	0.36
3 = Statistically imputed data	4971	8.77
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	51530	90.87

(PCPAGE)
IRPCPAGE Len : 3 PCP AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 3 - 45	757	1.33
991 = NEVER USED	55948	98.67

(PCPAGE)
IIPCPAGE Len : 1 PCP AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	728	1.28
3 = Statistically imputed data	65	0.11
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	55912	98.60

(IRPCPAGE, PCPYFU)
IRPCPYFU Len : 4 PCP YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1961 - 2023	757	1.33
9999 = NEVER USED	55948	98.67

(IRPCPAGE, PCPYFU)
IIPCPYFU Len : 1 PCP YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	5	0.01
3 = Statistically imputed data	788	1.39
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	55912	98.60

(ECSTMOAGE)
IRECSTMOAGE Len : 3 ECSTASY AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 71	4458	7.86
991 = NEVER USED	52247	92.14

(ECSTMOAGE)
IIECSTMOAGE Len : 1 ECSTASY AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	4417	7.79
3 = Statistically imputed data	95	0.17
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	52193	92.04

(ECSTMOYFU, IRECSTMOAGE)
IRECSTMOYFU Len : 4 ECSTASY YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1966 - 2023	4458	7.86
9999 = NEVER USED	52247	92.14

(ECSTMOYFU, IRECSTMOAGE)
IIECSTMOYFU Len : 1 ECSTASY YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	219	0.39
3 = Statistically imputed data	4293	7.57
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	52193	92.04

(INHALAGE)
IRINHALAGE Len : 3 INHALANTS AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1 - 67	5248	9.25
991 = NEVER USED	51457	90.75

(INHALAGE)
IIINHALAGE Len : 1 INHALANTS AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	4897	8.64
3 = Statistically imputed data	506	0.89
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	51302	90.47

(INHALYFU, IRINHALAGE)
IRINHALYFU Len : 4 INHALANTS YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1939 - 2023	5248	9.25
9999 = NEVER USED	51457	90.75

(INHALYFU, IRINHALAGE)
IIINHALYFU Len : 1 INHALANTS YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	308	0.54
3 = Statistically imputed data	5095	8.99
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	51302	90.47

(METHAMAGE)
IRMETHAMAGE Len : 3 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2 - 65	2513	4.43
991 = NEVER USED	54192	95.57

(METHAMAGE)
IIMETHAMAGE Len : 1 METHAMPHETAMINE AGE OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	2494	4.40
3 = Statistically imputed data	91	0.16
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	54120	95.44

(IRMETHAMAGE, METHAMYFU)
IRMETHAMYFU Len : 4 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION REVISED

	Freq	Pct
RANGE = 1961 - 2023	2513	4.43
9999 = NEVER USED	54192	95.57

(IRMETHAMAGE, METHAMYFU)
IIMETHAMYFU Len : 1 METHAMPHETAMINE YEAR OF FIRST USE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	57	0.10
3 = Statistically imputed data	2528	4.46
9 = LEGITIMATE SKIP - NOT A LIFETIME USER	54120	95.44

The following eight variables pertain to past year initiation of prescription drugs. Past year initiation of prescription drugs is defined as the misuse of the drug for the first time in the 12 months prior to the date of the interview.

(PNRNMINIT)
IRPNRNMINIT Len : 2 PAST YR INITIATE PAIN RELIEVERS MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Past year initiate	337	0.59
2 = Not a past year initiate	1369	2.41
91 = NEVER MISUSED	52153	91.97
93 = NO PAST YEAR MISUSE	2846	5.02

(PNRNMINIT)
IIPNRNMINIT Len : 1 PAST YR INITIATE PAIN RELIEVER MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire Data	56380	99.43
3 = Statistically imputed - recency known	10	0.02
4 = Statistically imputed - recency imputed	315	0.56

(TRQNMINIT)
IRTRQNMINIT Len : 2 PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Past year initiate	140	0.25
2 = Not a past year initiate	701	1.24
91 = NEVER MISUSED	54788	96.62
93 = NO PAST YEAR MISUSE	1076	1.90

(TRQNMINIT)
IITRQNMINIT Len : 1 PAST YR INITIATE TRANQUILIZER MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire Data	56435	99.52
3 = Statistically imputed - recency known	1	0.00
4 = Statistically imputed - recency imputed	269	0.47

(STMNMINIT)
IRSTMNMINIT Len : 2 PAST YR INITIATE STIMULANT MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Past year initiate	216	0.38
2 = Not a past year initiate	815	1.44
91 = NEVER MISUSED	54298	95.76
93 = NO PAST YEAR MISUSE	1376	2.43

(STMNMINIT)
IISTMNMINIT Len : 1 PAST YR INITIATE STIMULANT MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire Data	56437	99.53
3 = Statistically imputed - recency known	1	0.00
4 = Statistically imputed - recency imputed	267	0.47

(SEDNMINIT)
IRSEDNMINIT Len : 2 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION REVISED

	Freq	Pct
1 = Past year initiate	48	0.08
2 = Not a past year initiate	122	0.22
91 = NEVER MISUSED	55730	98.28
93 = NO PAST YEAR MISUSE	805	1.42

(SEDNMINIT)
IISEDNMINIT Len : 1 PAST YR INITIATE SEDATIVE MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire Data	56417	99.49
4 = Statistically imputed - recency imputed	288	0.51

NOTE: The following four variables pertain to the age and date of first misuse of pain relievers. Respondents who were past year initiates (IRPNRNMINIT=1), that is respondents who misused pain relievers for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRPNRNMINIT ne 1) receive an appropriate skip code.

(PNRNMAGE, PNRNMYFU)
IRPNRNMYFU Len : 4 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2022 - 2023	337	0.59
9993 = NOT A PAST YEAR INITIATE	4215	7.43
9999 = NEVER MISUSED	52153	91.97

(PNRNMAGE, PNRNMYFU)
IIPNRNMYFU Len : 1 PAIN RELIEVER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	244	0.43
3 = Statistically imputed data - Past year initiation imputed	325	0.57
4 = Statistically imputed data - Past year initiation known	84	0.15
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	56052	98.85

(IRPNRNMYFU, PNRNMAGE)
IRPNRNMAGE Len : 3 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 11 - 78	337	0.59
993 = NOT A PAST YEAR INITIATE	4215	7.43
999 = NEVER MISUSED	52153	91.97

(IRPNRNMYFU, PNRNMAGE)
IIPNRNMAGE Len : 1 PAIN RELIEVER AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	246	0.43
3 = Statistically imputed data - Past year initiation imputed	325	0.57
4 = Statistically imputed data - Past year initiation known	82	0.14
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	56052	98.85

NOTE: The following four variables pertain to the age and date of first misuse of tranquilizers. Respondents who were past year initiates (IRTRQNMINIT=1), that is respondents who misused tranquilizers for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRTRQNMINIT ne 1) receive an appropriate skip code.

(TRQNMAGE, TRQNMYFU)
IRTRQNMYFU Len : 4 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2022 - 2023	140	0.25
9993 = NOT A PAST YEAR INITIATE	1777	3.13
9999 = NEVER MISUSED	54788	96.62

(TRQNMAGE, TRQNMYFU)
IITRQNMYFU Len : 1 TRANQUILIZER YEAR OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	131	0.23
3 = Statistically imputed data - Past year initiation imputed	270	0.48
4 = Statistically imputed data - Past year initiation known	9	0.02
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	56295	99.28

(IRTRQNMYFU, TRQNMAGE)
IRTRQNMAGE Len : 3 TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 13 - 88	140	0.25
993 = NOT A PAST YEAR INITIATE	1777	3.13
999 = NEVER MISUSED	54788	96.62

(IRTRQNMYFU, TRQNMAGE)
IITRQNMAGE Len : 1 TRANQUILIZER AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	132	0.23
3 = Statistically imputed data - Past year initiation imputed	270	0.48
4 = Statistically imputed data - Past year initiation known	8	0.01
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	56295	99.28

NOTE: The following four variables pertain to the age and date of first misuse of stimulants. Respondents who were past year initiates (IRSTMNMINIT=1), that is respondents who misused stimulants for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRSTMNMINIT ne 1) receive an appropriate skip code.

(STMNMAGE, STMNMYFU)
IRSTMNMYFU Len : 4 STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2022 - 2023	216	0.38
9993 = NOT A PAST YEAR INITIATE	2191	3.86
9999 = NEVER MISUSED	54298	95.76

(STMNMAGE, STMNMYFU)

IISTMNMYFU Len : 1 STIMULANTS YEAR OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	201	0.35
3 = Statistically imputed data - Past year initiation imputed	268	0.47
4 = Statistically imputed data - Past year initiation known	15	0.03
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	56221	99.15

(IRSTMNMYFU, STMNMAGE)

IRSTMNMAGE Len : 3 STIMULANTS AGE OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 12 - 93	216	0.38
993 = NOT A PAST YEAR INITIATE	2191	3.86
999 = NEVER MISUSED	54298	95.76

(IRSTMNMYFU, STMNMAGE)

IISTMNMAGE Len : 1 STIMULANTS AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	201	0.35
3 = Statistically imputed data - Past year initiation imputed	268	0.47
4 = Statistically imputed data - Past year initiation known	15	0.03
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	56221	99.15

NOTE: The following four variables pertain to the age and date of first misuse of sedatives. Respondents who were past year initiates (IRSEDNMINIT=1), that is respondents who misused sedatives for the first time in the 12 months prior to the date of the interview, are included in the domain. Respondents who are not past year initiates (IRSEDNMINIT ne 1) receive an appropriate skip code.

(SEDNMAGE, SEDNMYFU)

IRSEDNMYFU Len : 4 SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 2022 - 2023	48	0.08
9993 = NOT A PAST YEAR INITIATE	927	1.63
9999 = NEVER MISUSED	55730	98.28

(SEDNMAGE, SEDNMYFU)

IISEDNMYFU Len : 1 SEDATIVES YEAR OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	38	0.07
3 = Statistically imputed data - Past year initiation imputed	288	0.51
4 = Statistically imputed data - Past year initiation known	8	0.01
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	56371	99.41

(IRSEDNMYFU, SEDNMAGE)

IRSEDNMAGE Len : 3 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION REVISED

	Freq	Pct
RANGE = 11 - 93	48	0.08
993 = NOT A PAST YEAR INITIATE	927	1.63
999 = NEVER MISUSED	55730	98.28

(IRSEDNMYFU, SEDNMAGE)

IISEDNMAGE Len : 1 SEDATIVES AGE OF FIRST MISUSE - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	40	0.07
3 = Statistically imputed data - Past year initiation imputed	288	0.51
4 = Statistically imputed data - Past year initiation known	6	0.01
9 = LEGITIMATE SKIP - NOT A PAST YEAR INITIATE	56371	99.41

RECODED DRUG USE

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Codebook section in the main introduction of the codebook.

(IRCIGRC)
CIGFLAG Len : 1 RC-CIGARETTES - EVER USED

	Freq	Pct
0 = Never used (IRCIGRC = 9)	32346	57.04
1 = Ever used (IRCIGRC = 1-4)	24359	42.96

(IRCIGRC)
CIGYR Len : 1 RC-CIGARETTES - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRCIGRC = 3,4,9)	47526	83.81
1 = Used within the past year (IRCIGRC = 1,2)	9179	16.19

(IRCIGRC)
CIGMON Len : 1 RC-CIGARETTES - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRCIGRC = 2-4,9)	49826	87.87
1 = Used within the past month (IRCIGRC = 1)	6879	12.13

(IRCGRRC)
CGRFLAG Len : 1 RC-CIGARS - EVER USED

	Freq	Pct
0 = Never used (IRCGRRC = 9)	42205	74.43
1 = Ever used (IRCGRRC = 1-4)	14500	25.57

(IRCGRRC)
CGRYR Len : 1 RC-CIGARS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRCGRRC = 3,4,9)	52640	92.83
1 = Used within the past year (IRCGRRC = 1,2)	4065	7.17

(IRCGRRC)
CGRMON Len : 1 RC-CIGARS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRCGRRC = 2-4,9)	54624	96.33
1 = Used within the past month (IRCGRRC = 1)	2081	3.67

(IRPIPLF)
PIPFLAG Len : 1 RC-PIPES - EVER USED

	Freq	Pct
0 = Never Used (IRPIPLF = 9)	52670	92.88
1 = Ever Used (IRPIPLF = 1)	4035	7.12

(IRPIPMN)
PIPMON Len : 1 RC-PIPES - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRPIPMN = 2,9)	56307	99.30
1 = Used within the past month (IRPIPMN = 1)	398	0.70

(IRSMKLSSREC)
SMKLSSFLAG Len : 1 RC-SMOKELESS TOBACCO - EVER USED

	Freq	Pct
0 = Never Used (IRSMKLSSREC = 9)	50147	88.43
1 = Ever Used (IRSMKLSSREC = 1-4)	6558	11.57

(IRSMKLSSREC)
SMKLSSYR Len : 1 RC-SMOKELESS TOBACCO - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSMKLSSREC = 3,4,9)	54864	96.75
1 = Used within the past year (IRSMKLSSREC = 1,2)	1841	3.25

(IRSMKLSSREC)
SMKLSSMON Len : 1 RC-SMOKELESS TOBACCO - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRSMKLSSREC= 2-4,9)	55399	97.70
1 = Used within the past month (IRSMKLSSREC = 1)	1306	2.30

Respondents were classified as having smoked cigarettes as the only form of tobacco used in the past month (TOBCIGONL=1) if they smoked cigarettes in the past month (CIGMON=1) and did not use cigars, pipes, or smokeless tobacco in the past month (CGRMON=0 and PIPMON=0 and SMKLSSMON=0). Respondents were classified as having used both cigarettes and another tobacco product in the past month (TOBCIGONL=2) if they smoked cigarettes in the past month (CIGMON=1) and used any of cigars, pipes, or smokeless tobacco in the past month (CGRMON=1 or PIPMON=1 or SMKLSSMON=1). Respondents were classified as having used a tobacco product but not cigarettes in the past month (TOBCIGONL=3) if they did not smoke cigarettes in the past month (CIGMON=0) and used any of cigars, pipes, or smokeless tobacco in the past month (CGRMON=1 or PIPMON=1 or SMKLSSMON=1).

(CGRMON, CIGMON, PIPMON, SMKLSSMON)
TOBCIGONL Len : 1 RC-CIGARETTE/NONCIGARETTE TOBACCO ONLY - PAST MONTH USE

	Freq	Pct
1 = Smoked cigarettes as only form of tob (See comment above)	5499	9.70
2 = Used both cigarettes and other tob prod (See comment above)	1380	2.43
3 = Used tobacco product but not cigarettes (See comment above)	1994	3.52
4 = Did not use tobacco products in the past month (Otherwise)	47832	84.35

(CGRFLAG, CIGFLAG, PIPFLAG, SMKLSSFLAG)
TOBFLAG Len : 1 RC-ANY TOBACCO - EVER USED

	Freq	Pct
0 = Never Used (All source variables = 0)	29274	51.63
1 = Ever Used (Any source variable = 1)	27431	48.37

(CGRYR, CIGYR, PIPMON, SMKLSSYR)
TOBYR Len : 1 RC-ANY TOBACCO - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (All source variables = 0)	44765	78.94
1 = Used within the past year (Any source variable = 1)	11940	21.06

(CGRMON, CIGMON, PIPMON, SMKLSSMON)
TOBMON Len : 1 RC-ANY TOBACCO - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (All source variables = 0)	47832	84.35
1 = Used within the past month (Any source variable = 1)	8873	15.65

(IRNICVAPREC)
NICVAPFLAG Len : 1 RC-NICOTINE VAPING - EVER USED

	Freq	Pct
0 = Never used (IRNICVAPREC = 9)	39183	69.10
1 = Ever used (IRNICVAPREC = 1-4)	17522	30.90

(IRNICVAPREC)
NICVAPYR Len : 1 RC-NICOTINE VAPING - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRNICVAPREC = 3,4,9)	46161	81.41
1 = Used within the past year (IRNICVAPREC = 1,2)	10544	18.59

(IRNICVAPREC)
NICVAPMON Len : 1 RC-NICOTINE VAPING - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRNICVAPREC= 2-4,9)	49474	87.25
1 = Used within the past month (IRNICVAPREC = 1)	7231	12.75

(NICVAPFLAG, TOBFLAG)
TOBVNICFLAG Len : 1 RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - EVER USED

	Freq	Pct
0 = Never Used (All source variables = 0)	25232	44.50
1 = Ever Used (Any source variable = 1)	31473	55.50

(NICVAPYR, TOBYR)
TOBVNICYR Len : 1 RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (All source variables = 0)	39896	70.36
1 = Used within the past year (Any source variable = 1)	16809	29.64

(NICVAPMON, TOBMON)
TOBVNICMON Len : 1 RC-ANY TOBACCO PRODUCTS OR NICOTINE VAPING - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (All source variables = 0)	43675	77.02
1 = Used within the past month (Any source variable = 1)	13030	22.98

NOTE: Beginning in 2022, recoded variables TOBVAPONL2 and TOBCIGVAP2 replace variables TOBVAPONL and TOBCIGVAP. The new versions of the variables were created using the new nicotine vaping variables.

(NICVAPMON, TOBMON)
TOBVAPONL2 Len : 1 RC-NIC VAPING / TOBACCO PRODUCTS ONLY - PAST MONTH USE

	Freq	Pct
1 = Vaped nic but no use of tob prod (NICVAPMON=1 and TOBMON=0)	4157	7.33
2 = Vaped nicotine and used tob prod (NICVAPMON=1 and TOBMON=1)	3074	5.42
3 = Used tob prod but did not vape nic(NICVAPMON=0 and TOBMON=1)	5799	10.23
4 = Did not use tob prod or vape nic (NICVAPMON=0 and TOBMON=0)	43675	77.02

(NICVAPMON, TOBCIGONL)
TOBCIGVAP2 Len : 1 RC-NIC VAPING AND CIG/NONCIG TOBACCO COMBINATIONS-PM USE

	Freq	Pct
1 = Vaped nic & used cigs as only tob: NICVAPMON=1 & TOBCIGONL=1	1815	3.20
2 = Vaped nic, used cigs, & other tob: NICVAPMON=1 & TOBCIGONL=2	698	1.23
3 = Vaped nic & used tob but not cigs: NICVAPMON=1 & TOBCIGONL=3	561	0.99
4 = Did not both vape nic & use tob: NICVAPMON=0 or TOBCIGONL=4	53631	94.58

(IRALCRC)
ALCFLAG Len : 1 RC-ALCOHOL - EVER USED

	Freq	Pct
0 = Never used (IRALCRC = 9)	16479	29.06
1 = Ever used (IRALCRC = 1-3)	40226	70.94

(IRALCRC)
ALCYR Len : 1 RC-ALCOHOL - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRALCRC = 3,9)	23629	41.67
1 = Used within the past year (IRALCRC = 1,2)	33076	58.33

(IRALCRC)
ALCMON Len : 1 RC-ALCOHOL - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRALCRC = 2-3,9)	32118	56.64
1 = Used within the past month (IRALCRC = 1)	24587	43.36

(IRCBDHMPREC)
CBDHMPFLAG Len : 1 RC-CBD OR HEMP - EVER USED

	Freq	Pct
0 = Never used (IRCBDHMPREC = 9)	38139	67.26
1 = Ever used (IRCBDHMPREC = 1-4)	18566	32.74

(IRCBDHMPREC)
CBDHMPYR Len : 1 RC-CBD OR HEMP - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRCBDHMPREC = 3,4,9)	45746	80.67
1 = Used within the past year (IRCBDHMPREC = 1,2)	10959	19.33

(IRCBDHMPREC)
CBDHMPMON Len : 1 RC-CBD OR HEMP - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRCBDHMPREC = 2-4,9)	50696	89.40
1 = Used within the past month (IRCBDHMPREC = 1)	6009	10.60

(IRMJRC)
MRJFLAG Len : 1 RC-MARIJUANA - EVER USED

	Freq	Pct
0 = Never used (IRMJRC = 9)	31198	55.02
1 = Ever used (IRMJRC = 1-3)	25507	44.98

(IRMJRC)
MRJYR Len : 1 RC-MARIJUANA - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJRC = 3,9)	42426	74.82
1 = Used within the past year (IRMJRC = 1,2)	14279	25.18

(IRMJRC)
MRJMON Len : 1 RC-MARIJUANA - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJRC = 2-3,9)	46856	82.63
1 = Used within the past month (IRMJRC = 1)	9849	17.37

(IRMJYRSMOKE)
MJSMKYR Len : 1 RC-MARIJUANA SMOKING - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYRSMOKE = 2,9)	45529	80.29
1 = Used within the past year (IRMJYRSMOKE = 1)	11176	19.71

(IRMJYRVAPE)
MJVAPYR Len : 1 RC-MARIJUANA VAPING - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYRVAPE = 2,9)	50405	88.89
1 = Used within the past year (IRMJYRVAPE = 1)	6300	11.11

(IRMJYRDAB)
MJDABYR Len : 1 RC-MARIJUANA DABBING WAXES, SHATTER, OR CONC - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYRDAB = 2,9)	53801	94.88
1 = Used within the past year (IRMJYRDAB = 1)	2904	5.12

(IRMJYREAT)
MJEATYR Len : 1 RC-MARIJUANA EATING OR DRINKING - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYREAT = 2,9)	49563	87.40
1 = Used within the past year (IRMJYREAT = 1)	7142	12.60

(IRMJYRMOUTH)
MJMTHYR Len : 1 RC-MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYRMOUTH = 2,9)	55945	98.66
1 = Used within the past year (IRMJYRMOUTH = 1)	760	1.34

(IRMJYRSKIN)
MJSKNYR Len : 1 RC-MARIJUANA LOTION/CREAM/PATCH TO SKIN - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYRSKIN = 2,9)	55545	97.95
1 = Used within the past year (IRMJYRSKIN = 1)	1160	2.05

(IRMJYRPILL)
MJPLLYR Len : 1 RC-MARIJUANA PILLS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMJYRPILL = 2,9)	56287	99.26
1 = Used within the past year (IRMJYRPILL = 1)	418	0.74

The following variable for used marijuana some other way in the past year, MJOTHYR, was assigned a positive response if a respondent indicated using marijuana some other way in the past year (IRMJYROTHER=1) and either entered write-in responses other than responses that match existing categories or did not enter a write-in response.

A negative response was assigned if the respondent met any of these conditions:
1. Used marijuana some other way in the past year (IRMJYROTHER=1), and all the write-in variables have responses that matched existing categories.
2. Used marijuana some other way in the past year (IRMJYROTHER=1), and respondent had a mix of write-in values and blank (no answer) and at least one write-in variable had a response that matched existing categories.
3. Did not use marijuana some other way in the past year (IRMJYROTHER=2,9).

(IRMJYROTHER)
MJOTHYR Len : 1 RC-MARIJUANA USE - SOME OTHER MODE - PAST YEAR

	Freq	Pct
0 = No (See comment above)	56590	99.80
1 = Yes (See comment above)	115	0.20

(MJMTHYR, MJOTHYR, MJPLLYR, MJSKNYR)
MJCMOTHYR Len : 1 RC-COMBINED OTHER MARIJUANA MODES - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (All source variables = 0)	54709	96.48
1 = Used within the past year (Any source variable = 1)	1996	3.52

(IRMJMONSMOKE)
MJSMKMON Len : 1 RC-MARIJUANA SMOKING - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMONSMOKE = 2,9)	49075	86.54
1 = Used within the past month (IRMJMONSMOKE = 1)	7630	13.46

(IRMJMONVAPE)
MJVAPMON Len : 1 RC-MARIJUANA VAPING - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMONVAPE = 2,9)	52578	92.72
1 = Used within the past month (IRMJMONVAPE = 1)	4127	7.28

NOTE: Beginning in 2022, recoded variable MRJMONVAP2 replaces variable MRJMONVAP. The new version of the variable was created using the new marijuana vaping variables.

(MJVAPMON, MRJMON)
MRJMONVAP2 Len : 1 RC-MRJ VAPE, MRJ USE BUT NOT VAPE, OR NO MRJ USE - PAST MON

	Freq	Pct
1 = Vaped marijuana (MJVAPMON=1)	4127	7.28
2 = Used mrj but did not vape mrj (MRJMON=1 and MJVAPMON=0)	5722	10.09
3 = Did not use marijuana (MRJMON=0)	46856	82.63

(IRMJMONDAB)
MJDABMON Len : 1 RC-MARIJUANA DABBING WAXES, SHATTER, OR CONC-PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMONDAB = 2,9)	54928	96.87
1 = Used within the past month (IRMJMONDAB = 1)	1777	3.13

(IRMJMONEAT)
MJEATMON Len : 1 RC-MARIJUANA EATING OR DRINKING - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMONEAT = 2,9)	52919	93.32
1 = Used within the past month (IRMJMONEAT = 1)	3786	6.68

(IRMJMONMOUTH)
MJMTHMON Len : 1 RC-MARIJUANA DRPS/STRPS/LZNGS/SPRYS IN MOUTH-PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMONMOUTH = 2,9)	56336	99.35
1 = Used within the past month (IRMJMONMOUTH = 1)	369	0.65

(IRMJMONSKIN)
MJSKNMON Len : 1 RC-MARIJUANA LOTION/CREAM/PATCH TO SKIN - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMONSKIN = 2,9)	56133	98.99
1 = Used within the past month (IRMJMONSKIN = 1)	572	1.01

(IRMJMONPILL)
MJPLLMON Len : 1 RC-MARIJUANA PILLS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMJMONPILL = 2,9)	56492	99.62
1 = Used within the past month (IRMJMONPILL = 1)	213	0.38

(MJMTHMON, MJPLLMON, MJSKNMON)
MJCMOTHMON Len : 1 RC-COMBINED OTHER MARIJUANA MODES - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (All source variables = 0)	55713	98.25
1 = Used within the past month (Any source variable = 1)	992	1.75

(IRCOCRC)
COCFLAG Len : 1 RC-COCAINE - EVER USED

	Freq	Pct
0 = Never used (IRCOCRC = 9)	50209	88.54
1 = Ever used (IRCOCRC = 1-3)	6496	11.46

(IRCOCRC)
COCYR Len : 1 RC-COCAINE - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRCOCRC = 3,9)	55615	98.08
1 = Used within the past year (IRCOCRC = 1,2)	1090	1.92

(IRCOCRC)
COCMON Len : 1 RC-COCAINE - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRCOCRC = 2-3,9)	56336	99.35
1 = Used within the past month (IRCOCRC = 1)	369	0.65

(IRCRKRC)
CRKFLAG Len : 1 RC-"CRACK" - EVER USED

	Freq	Pct
0 = Never used (IRCRKRC = 9)	55234	97.41
1 = Ever used (IRCRKRC = 1-3)	1471	2.59

(IRCRKRC)
CRKYR Len : 1 RC-"CRACK" - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRCRKRC = 3,9)	56544	99.72
1 = Used within the past year (IRCRKRC = 1,2)	161	0.28

(IRCRKRC)
CRKMON Len : 1 RC-"CRACK" - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRCRKRC = 2-3,9)	56631	99.87
1 = Used within the past month (IRCRKRC = 1)	74	0.13

(IRHERRC)
HERFLAG Len : 1 RC-HEROIN - EVER USED

	Freq	Pct
0 = Never used (IRHERRC = 9)	55636	98.11
1 = Ever used (IRHERRC = 1-3)	1069	1.89

(IRHERRC)
HERYR Len : 1 RC-HEROIN - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRHERRC = 3,9)	56558	99.74
1 = Used within the past year (IRHERRC = 1,2)	147	0.26

(IRHERRC)
HERMON Len : 1 RC-HEROIN - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRHERRC = 2-3,9)	56615	99.84
1 = Used within the past month (IRHERRC = 1)	90	0.16

(IRHALLUCREC)
HALLUCFLAG Len : 1 RC-HALLUCINOGENS - EVER USED

	Freq	Pct
0 = Never used (IRHALLUCREC = 9)	47779	84.26
1 = Ever used (IRHALLUCREC = 1-3)	8926	15.74

(IRHALLUCREC)
HALLUCYR Len : 1 RC-HALLUCINOGENS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRHALLUCREC = 3,9)	54468	96.06
1 = Used within the past year (IRHALLUCREC = 1,2)	2237	3.94

(IRHALLUCREC)
HALLUCMON Len : 1 RC-HALLUCINOGENS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRHALLUCREC= 2-3,9)	56030	98.81
1 = Used within the past month (IRHALLUCREC = 1)	675	1.19

(IRLSDRC)
LSDFLAG Len : 1 RC-LSD - EVER USED

	Freq	Pct
0 = Never used (IRLSDRC = 9)	51571	90.95
1 = Ever used (IRLSDRC = 1-3)	5134	9.05

(IRLSDRC)
LSDYR Len : 1 RC-LSD - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRLSDRC = 3,9)	56227	99.16
1 = Used within the past year (IRLSDRC = 1,2)	478	0.84

(IRLSDRC)
LSDMON Len : 1 RC-LSD - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRLSDRC = 2-3,9)	56612	99.84
1 = Used within the past month (IRLSDRC = 1)	93	0.16

(IRPCPRC)
PCPFLAG Len : 1 RC-PCP - EVER USED

	Freq	Pct
0 = Never used (IRPCPRC = 9)	55948	98.67
1 = Ever used (IRPCPRC = 1-3)	757	1.33

(IRPCPRC)
PCPYR Len : 1 RC-PCP - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRPCPRC = 3,9)	56684	99.96
1 = Used within the past year (IRPCPRC = 1,2)	21	0.04

(IRPCPRC)
PCPMON Len : 1 RC-PCP - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRPCPRC = 2-3,9)	56697	99.99
1 = Used within the past month (IRPCPRC = 1)	8	0.01

(IRECSTMOREC)
ECSTMOFLAG Len : 1 RC-ECSTASY - EVER USED

	Freq	Pct
0 = Never used (IRECSTMOREC = 9)	52247	92.14
1 = Ever used (IRECSTMOREC = 1-3)	4458	7.86

(IRECSTMOREC)
ECSTMOYR Len : 1 RC-ECSTASY - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRECSTMOREC = 3,9)	56190	99.09
1 = Used within the past year (IRECSTMOREC = 1,2)	515	0.91

(IRECSTMOREC)
ECSTMOMON Len : 1 RC-ECSTASY - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRECSTMOREC= 2-3,9)	56589	99.80
1 = Used within the past month (IRECSTMOREC = 1)	116	0.20

(IRDAMTFXREC)
DAMTFXFLAG Len : 1 RC-DMT/AMT/FOXY - EVER USED

	Freq	Pct
0 = Never used (IRDAMTFXREC = 9)	55836	98.47
1 = Ever used (IRDAMTFXREC = 1-3)	869	1.53

(IRDAMTFXREC)
DAMTFXYR Len : 1 RC-DMT/AMT/FOXY - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRDAMTFXREC = 3,9)	56575	99.77
1 = Used within the past year (IRDAMTFXREC = 1,2)	130	0.23

(IRDAMTFXREC)
DAMTFXMON Len : 1 RC-DMT/AMT/FOXY - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRDAMTFXREC= 2-3,9)	56670	99.94
1 = Used within the past month (IRDAMTFXREC = 1)	35	0.06

(IRKETMINREC)
KETMINFLAG Len : 1 RC-KETAMINE - EVER USED

	Freq	Pct
0 = Never used (IRKETMINREC = 9)	55644	98.13
1 = Ever used (IRKETMINREC = 1-3)	1061	1.87

(IRKETMINREC)
KETMINYR Len : 1 RC-KETAMINE - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRKETMINREC = 3,9)	56474	99.59
1 = Used within the past year (IRKETMINREC = 1,2)	231	0.41

(IRKETMINREC)
KETMINMON Len : 1 RC-KETAMINE - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRKETMINREC= 2-3,9)	56633	99.87
1 = Used within the past month (IRKETMINREC = 1)	72	0.13

(IRSALVIAREC)
SALVIAFLAG Len : 1 RC-SALVIA - EVER USED

	Freq	Pct
0 = Never used (IRSALVIAREC = 9)	55689	98.21
1 = Ever used (IRSALVIAREC = 1-3)	1016	1.79

(IRSALVIAREC)
SALVIAYR Len : 1 RC-SALVIA - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSALVIAREC = 3,9)	56677	99.95
1 = Used within the past year (IRSALVIAREC = 1,2)	28	0.05

(IRSALVIAREC)
SALVIAMON Len : 1 RC-SALVIA - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRSALVIAREC= 2-3,9)	56695	99.98
1 = Used within the past month (IRSALVIAREC = 1)	10	0.02

(IRINHALREC)
INHALFLAG Len : 1 RC-INHALANTS - EVER USED

	Freq	Pct
0 = Never used (IRINHALREC = 9)	51457	90.75
1 = Ever used (IRINHALREC = 1-3)	5248	9.25

(IRINHALREC)
INHALYR Len : 1 RC-INHALANTS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRINHALREC = 3,9)	55963	98.69
1 = Used within the past year (IRINHALREC = 1,2)	742	1.31

(IRINHALREC)
INHALMON Len : 1 RC-INHALANTS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRINHALREC = 2-3,9)	56450	99.55
1 = Used within the past month (IRINHALREC = 1)	255	0.45

(IRMETHAMREC)
METHAMFLAG Len : 1 RC-METHAMPHETAMINE - EVER USED

	Freq	Pct
0 = Never used (IRMETHAMREC = 9)	54192	95.57
1 = Ever used (IRMETHAMREC = 1-3)	2513	4.43

(IRMETHAMREC)
METHAMYR Len : 1 RC-METHAMPHETAMINE - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRMETHAMREC = 3,9)	56218	99.14
1 = Used within the past year (IRMETHAMREC = 1,2)	487	0.86

(IRMETHAMREC)
METHAMMON Len : 1 RC-METHAMPHETAMINE - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRMETHAMREC= 2-3,9)	56420	99.50
1 = Used within the past month (IRMETHAMREC = 1)	285	0.50

NOTE: The following 16 variables refer to any use of prescription drugs. Any Use of prescription drugs is defined as either the use of one's own prescription medication as directed by a doctor or the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription pain relievers (ever used/ever misused) in analysis.

(IRPNRANYREC)
PNRANYFLAG Len : 1 RC-ANY PAIN RELIEVER - EVER USED

	Freq	Pct
0 = Never used (IRPNRANYREC = 9)	29955	52.83
1 = Ever used (IRPNRANYREC = 1-2)	26750	47.17

(IRPNRANYREC)
PNRANYYR Len : 1 RC-ANY PAIN RELIEVER - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRPNRANYREC = 2,9)	43868	77.36
1 = Used within the past year (IRPNRANYREC = 1)	12837	22.64

(IROXCNANYYR)
OXYCNANYYR Len : 1 RC-OXYCONTIN - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IROXCNANYYR = 9)	55279	97.49
1 = Used within the past year (IROXCNANYYR = 1)	1426	2.51

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription tranquilizers (ever used/ever misused) in analysis.

(IRTRQANYREC)
TRQANYFLAG Len : 1 RC-ANY TRANQUILIZERS - EVER USED

	Freq	Pct
0 = Never used (IRTRQANYREC = 9)	47435	83.65
1 = Ever used (IRTRQANYREC = 1-2)	9270	16.35

(IRTRQANYREC)
TRQANYYR Len : 1 RC-ANY TRANQUILIZERS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRTRQANYREC = 2,9)	51268	90.41
1 = Used within the past year (IRTRQANYREC = 1)	5437	9.59

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription stimulants (ever used/ever misused) in analysis.

(IRSTMANYREC)
STMANYFLAG Len : 1 RC-ANY STIMULANTS - EVER USED

	Freq	Pct
0 = Never used (IRSTMANYREC = 9)	49246	86.85
1 = Ever used (IRSTMANYREC = 1-2)	7459	13.15

(IRSTMANYREC)
STMANYYR Len : 1 RC-ANY STIMULANTS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSTMANYREC = 2,9)	52002	91.71
1 = Used within the past year (IRSTMANYREC = 1)	4703	8.29

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of prescription sedatives (ever used/ever misused) in analysis.

(IRSEDANYREC)
SEDANYFLAG Len : 1 RC-ANY SEDATIVES - EVER USED

	Freq	Pct
0 = Never used (IRSEDANYREC = 9)	51424	90.69
1 = Ever used (IRSEDANYREC = 1-2)	5281	9.31

(IRSEDANYREC)
SEDANYYR Len : 1 RC-ANY SEDATIVES - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSEDANYREC = 2,9)	54358	95.86
1 = Used within the past year (IRSEDANYREC = 1)	2347	4.14

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime any use of tranquilizers or sedatives in analysis.

(SEDANYFLAG, TRQANYFLAG)
TQSDANYFLG Len : 1 RC-ANY TRANQUILIZERS OR SEDATIVES - EVER USED

	Freq	Pct
0 = Never used (Otherwise)	45319	79.92
1 = Ever used (TRQANYFLAG=1 OR SEDANYFLAG=1)	11386	20.08

(SEDANYYR, TRQANYYR)
TQSDANYYR Len : 1 RC-ANY TRANQUILIZERS OR SEDATIVES - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (Otherwise)	49982	88.14
1 = Used in the past year (TRQANYYR=1 OR SEDANYYR=1)	6723	11.86

The following variable for any past year use of Any Benzodiazepines, BZOANYYR, was assigned a positive response if a respondent indicated any past year use of Benzodiazepine Tranquilizers (TRBZOANYYR=1), any past year use of Benzodiazepine Sedatives (SVBZOANYYR=1), past year misuse of Benzodiazepine Tranquilizers that were specified as other Sedatives, or past year misuse of Benzodiazepine Sedatives that were specified as other Tranquilizers. This is the base variable for past year use of any Benzodiazepines imputation, IRBZOANYYR.

(SEDANYYR, SVBZOANYYR, TRBZOANYYR, TRQANYYR)
BZOANYYR Len : 1 RC - ANY BENZODIAZEPINES - PAST YEAR USE

	Freq	Pct
. = Missing	58	0.10
0 = No	52521	92.62
1 = Yes	4126	7.28

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use or misuse of any prescription psychotherapeutics (ever used/ever misused) in analysis.

(PNRANYFLAG, SEDANYFLAG, STMANYFLAG, TRQANYFLAG)
PSYANYFLAG Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER USED

	Freq	Pct
0 = Never used (All source variables = 0)	26460	46.66
1 = Ever used (Any source variable = 1)	30245	53.34

(PNRANYYR, SEDANYYR, STMANYYR, TRQANYYR)
PSYANYYR Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR USE

	Freq	Pct
0 = Did not use within pst year (All source variables =0)	38241	67.44
1 = Used in past year (Any source variable = 1)	18464	32.56

(HERYR, PNRANYYR)
OPIANYYR Len : 1 RC-ANY OPIOIDS - PAST YEAR USE

	Freq	Pct
0 = Did not use within pst year (Otherwise)	43835	77.30
1 = Used in past year (HERYR=1 or PNRANYYR=1)	12870	22.70

(COCYR, METHAMYR, STMANYYR)
CNSANYYR Len : 1 RC-ANY CENTRAL NERVOUS SYSTEM STIMULANTS - PAST YEAR USE

	Freq	Pct
0 = Did not use within pst year (Otherwise)	51062	90.05
1 = Used in past year (STMANYYR, METHAMYR, or COCYR=1)	5643	9.95

NOTE: The following 25 variables refer to the misuse of prescription drugs. Misuse of prescription drugs is defined as use in any way not directed by a doctor, including use without a prescription of one's own medication; use in greater amounts, more often, or longer than told to take a drug; or use in any other way not directed by a doctor.

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription pain relievers (ever misused) in analysis.

(IRPNRNMREC)
PNRNMFLAG Len : 1 RC-PAIN RELIEVERS - EVER MISUSED

	Freq	Pct
0 = Never misused (IRPNRNMREC = 9)	52153	91.97
1 = Ever misused (IRPNRNMREC = 1-3)	4552	8.03

(IRPNRNMREC)
PNRNMYR Len : 1 RC-PAIN RELIEVERS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (IRPNRNMREC = 3,9)	54999	96.99
1 = Misused within the past year (IRPNRNMREC = 1,2)	1706	3.01

(IRPNRNMREC)
PNRNMMON Len : 1 RC-PAIN RELIEVERS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the pst mon (IRPNRNMREC = 2-3,9)	56248	99.19
1 = Misused within the past month (IRPNRNMREC = 1)	457	0.81

(IROXCNNMYR)
OXYCNNMYR Len : 1 RC-OXYCONTIN - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (IROXCNNMYR = 9)	56492	99.62
1 = Misused within the past year (IROXCNNMYR = 1)	213	0.38

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription tranquilizers (ever misused) in analysis.

(IRTRQNMREC)
TRQNMFLAG Len : 1 RC-TRANQUILIZERS - EVER MISUSED

	Freq	Pct
0 = Never misused (IRTRQNMREC = 9)	54788	96.62
1 = Ever misused (IRTRQNMREC = 1-3)	1917	3.38

(IRTRQNMREC)
TRQNMYR Len : 1 RC-TRANQUILIZERS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (IRTRQNMREC = 3,9)	55864	98.52
1 = Misused within the past year (IRTRQNMREC = 1,2)	841	1.48

(IRTRQNMREC)
TRQNMMON Len : 1 RC-TRANQUILIZERS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the pst mon (IRTRQNMREC = 2-3,9)	56474	99.59
1 = Misused within the past month (IRTRQNMREC = 1)	231	0.41

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription stimulants (ever misused) in analysis.

(IRSTMNMREC)
STMNMFLAG Len : 1 RC-STIMULANTS - EVER MISUSED

	Freq	Pct
0 = Never misused (IRSTMNMREC = 9)	54298	95.76
1 = Ever misused (IRSTMNMREC = 1-3)	2407	4.24

(IRSTMNMREC)
STMNMYR Len : 1 RC-STIMULANTS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (IRSTMNMREC = 3,9)	55674	98.18
1 = Misused within the past year (IRSTMNMREC = 1,2)	1031	1.82

(IRSTMNMREC)
STMNMMON Len : 1 RC-STIMULANTS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the pst mon (IRSTMNMREC = 2-3,9)	56436	99.53
1 = Misused within the past month (IRSTMNMREC = 1)	269	0.47

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of prescription sedatives (ever misused) in analysis.

(IRSEDNMREC)
SEDNMFLAG Len : 1 RC-SEDATIVES - EVER MISUSED

	Freq	Pct
0 = Never misused (IRSEDNMREC = 9)	55730	98.28
1 = Ever misused (IRSEDNMREC = 1-3)	975	1.72

(IRSEDNMREC)
SEDNMYR Len : 1 RC-SEDATIVES - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (IRSEDNMREC = 3,9)	56535	99.70
1 = Misused within the past year (IRSEDNMREC = 1,2)	170	0.30

(IRSEDNMREC)
SEDNMMON Len : 1 RC-SEDATIVES - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the pst mon (IRSEDNMREC = 2-3,9)	56662	99.92
1 = Misused within the past month (IRSEDNMREC = 1)	43	0.08

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of tranquilizers or sedatives (ever misused) in analysis.

(SEDNMFLAG, TRQNMFLAG)
TQSDNMFLAG Len : 1 RC-TRANQUILIZERS OR SEDATIVES - EVER MISUSED

	Freq	Pct
0 = Never misused (Otherwise)	54422	95.97
1 = Ever misused (TRQNMFLAG=1 or SEDNMFLAG=1)	2283	4.03

(SEDNMYR, TRQNMYR)
TQSDNMYR Len : 1 RC-TRANQUILIZERS OR SEDATIVES - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise)	55757	98.33
1 = Misused in the past year (TRQNMYR=1 or SEDNMYR=1)	948	1.67

(SEDNMMON, TRQNMMON)
TQSDNMMON Len : 1 RC-TRANQUILIZERS OR SEDATIVES - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the past month (Otherwise)	56446	99.54
1 = Misused in the past month (TRQNMMON or SEDNMMON=1)	259	0.46

The following variable for any past year misuse of Any Benzodiazepines, BZONMYR, was assigned a positive response if a respondent indicated past year misuse of Benzodiazepine Tranquilizers (TRBZONMYR=1), past year misuse of Benzodiazepine Sedatives (SVBZONMYR=1), past year misuse of Benzodiazepine Tranquilizers that were specified as other Sedatives, or past year misuse of Benzodiazepine Sedatives that were specified as other Tranquilizers. This is the base variable for past year misuse of any Benzodiazepines imputation, IRBZONMYR.

(SEDNMYR, SVBZONMYR, TRBZONMYR, TRQNMYR)
BZONMYR Len : 1 RC - ANY BENZODIAZEPINES - PAST YEAR MISUSE

	Freq	Pct
. = Missing	8	0.01
0 = No	55959	98.68
1 = Yes	738	1.30

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime misuse of any prescription psychotherapeutics (ever misused) in analysis.

(PNRNMFLAG, SEDNMFLAG, STMNMFLAG, TRQNMFLAG)
PSYCHFLAG Len : 1 RC-ANY PSYCHOTHERAPEUTICS - EVER MISUSED

	Freq	Pct
0 = Never misused (All source variables = 0)	50364	88.82
1 = Ever misused (Any source variable = 1)	6341	11.18

(PNRNMYR, SEDNMYR, STMNMYR, TRQNMYR)
PSYCHYR Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse within pst year (All source variables = 0)	53661	94.63
1 = Misused in past year (Any source variable = 1)	3044	5.37

(PNRNMMON, SEDNMMON, STMNMMON, TRQNMMON)
PSYCHMON Len : 1 RC-ANY PSYCHOTHERAPEUTICS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in past month (All source variables = 0)	55841	98.48
1 = Misused in past month (Any source variable = 1)	864	1.52

(HERYR, PNRNMYR)
OPINMYR Len : 1 RC-OPIOIDS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise)	54934	96.88
1 = Misused in the past year (HERYR=1 or PNRNMYR=1)	1771	3.12

(HERMON, PNRNMMON)
OPINMMON Len : 1 RC-OPIOIDS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the past month (Otherwise)	56184	99.08
1 = Misused in the past month (HERMON=1 or PNRNMMON=1)	521	0.92

(HERYR, PNRNMYR)
HERPNRYR Len : 1 RC-HEROIN USE AND/OR PAIN RELIEVER MISUSE - PAST YEAR

	Freq	Pct
1 = Heroin use and no pain rel misuse (HERYR=1 and PNRNMYR=0)	65	0.11
2 = Pain rel misuse and no heroin use (HERYR=0 and PNRNMYR=1)	1624	2.86
3 = Heroin use and pain rel misuse (HERYR=1 and PNRNMYR=1)	82	0.14
4 = No heroin use and no pain rel misuse (HERYR=0 and PNRNMYR=0)	54934	96.88

(COCYR, METHAMYR, STMNMYR)
CNSNMYR Len : 1 RC-CENTRAL NERVOUS SYSTEM STIMULANTS - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise)	54537	96.18
1 = Misused in the past year (STMNMYR, METHAMYR, or COCYR=1)	2168	3.82

(COCMON, METHAMMON, STMNMMON)
CNSNMMON Len : 1 RC-CENTRAL NERVOUS SYSTEM STIMULANTS - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the past month (Otherwise)	55872	98.53
1 = Misused in the past month (STMNMMON, METHAMMON, or COCMON=1)	833	1.47

(COCFLAG, HALLUCFLAG, HERFLAG, INHALFLAG, METHAMFLAG, MRJFLAG, PNRNMFLAG, SEDNMFLAG, STMNMFLAG, TRQNMFLAG)

ILLFLAG Len : 1 RC-ANY ILLICIT DRUG - EVER USED

	Freq	Pct
0 = Never used (All source variables = 0)	28690	50.60
1 = Ever used (Any source variable = 1)	28015	49.40

(COCYR, HALLUCYR, HERYR, INHALYR, METHAMYR, MRJYR, PNRNMYR, SEDNMYR, STMNMYR, TRQNMYR)

ILLYR Len : 1 RC-ANY ILLICIT DRUG - PAST YEAR USE

	Freq	Pct
0 = Did not use in past year (All source variables = 0)	40663	71.71
1 = Used in past year (Any source variable = 1)	16042	28.29

(COCMON, HALLUCMON, HERMON, INHALMON, METHAMMON, MRJMON, PNRNMMON, SEDNMMON, STMNMMON, TRQNMMON)

ILLMON Len : 1 RC-ANY ILLICIT DRUG - PAST MONTH USE

	Freq	Pct
0 = Did not use in past month (All source variables = 0)	46085	81.27
1 = Used in past month (Any source variable = 1)	10620	18.73

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use of marijuana only variable in analysis. This variable may overestimate lifetime users of only marijuana.

(COCFLAG, HALLUCFLAG, HERFLAG, INHALFLAG, METHAMFLAG, MRJFLAG, PNRNMFLAG, SEDNMFLAG, STMNMFLAG, TRQNMFLAG)

MJONLYFLAG Len : 1 RC-MARIJUANA ONLY - EVER USED

	Freq	Pct
0 = Never used MJ/has used both MJ & anothr illct drug	43840	77.31
1 = Marijuana is only (illicit) drug ever used	12865	22.69

(COCYR, HALLUCYR, HERYR, INHALYR, METHAMYR, MRJYR, PNRNMYR, SEDNMYR, STMNMYR, TRQNMYR)

MJONLYYR Len : 1 RC-MARIJUANA ONLY - PAST YEAR USE

	Freq	Pct
0 = MJ not used past yr/Used MJ & othr drug past yr	46218	81.51
1 = Marijuana is only (illicit) drug in past year	10487	18.49

(COCMON, HALLUCMON, HERMON, INHALMON, METHAMMON, MRJMON, PNRNMMON, SEDNMMON, STMNMMON, TRQNMMON)

MJONLYMON Len : 1 RC-MARIJUANA ONLY - PAST MONTH USE

	Freq	Pct
0 = MJ not used past mnth/Used MJ & othr drug past mo	48110	84.84
1 = Marijuana only (illicit) drug in past month	8595	15.16

Due to potential underreporting of lifetime prescription drug use, users are cautioned against using the lifetime use of illicit drugs other than marijuana variable in analysis. This caution does not apply to lifetime use of any illicit drug variable given it is dominated by lifetime marijuana use.

(COCFLAG, HALLUCFLAG, HERFLAG, INHALFLAG, METHAMFLAG, PSYCHFLAG)

ILLEMFLAG Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA - EVER USED

	Freq	Pct
0 = Never used drug/used only marijuana	41555	73.28
1 = Ever used an Illicit drug except for marijuana	15150	26.72

(COCYR, HALLUCYR, HERYR, INHALYR, METHAMYR, PSYCHYR)

ILLEMYR Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA - PAST YEAR

	Freq	Pct
0 = Never used drug/used only marijuana past year	51150	90.20
1 = Illicit drug except for marijuana used past year	5555	9.80

(COCMON, HALLUCMON, HERMON, INHALMON, METHAMMON, PSYCHMON)

ILLEMMON Len : 1 RC-ILLICIT DRUG OTHER THAN MARIJUANA-PAST MONTH

	Freq	Pct
0 = Never used drug/used only marijuana past month	54680	96.43
1 = Illicit drug except for marijuana used past month	2025	3.57

(IRCDUAGE)
CDUFLAG Len : 1 RC-CIGARETTES DAILY - EVER USED

	Freq	Pct
0 = Never Used/Never Used Daily (Otherwise)	44585	78.63
1 = Ever Used (IRCDUAGE=1-90)	12120	21.37

(IRCIGFM)
DCIGMON Len : 1 RC-PAST MONTH DAILY CIGARETTE USE

	Freq	Pct
0 = Did Not Use Daily in Past Mon (IRCIGFM=1-29,91,93)	53182	93.79
1 = Used Daily in the Past Month (IRCIGFM=30)	3523	6.21

(CDUFLAG, CIGMON)
CDCGMO Len : 1 RC-EVER USED CIG DAILY AND PAST MONTH CIG USE

	Freq	Pct
0 = No (Otherwise)	51308	90.48
1 = Yes (CDUFLAG=1 and CIGMON=1)	5397	9.52

(CDUFLAG, CIGMON)
CDNOCGMO Len : 1 RC-EVER USED CIG DAILY AND NO PAST MONTH CIG USE

	Freq	Pct
0 = No (Otherwise)	49982	88.14
1 = Yes (CDUFLAG=1 and CIGMON=0)	6723	11.86

"Binge" Alcohol Use, BNGDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on at least one day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other.

(IRALCBNG30D)
BNGDRKMON Len : 1 RC-BINGE ALCOHOL USE PAST 30 DAYS

	Freq	Pct
0 = Never/No "Binge" alc use (IRALCBNG30D = 0,91,93)	44488	78.46
1 = "Binge" alcohol use (IRALCBNG30D = 1-30)	12217	21.54

Heavy Alcohol Use, HVYDRKMON, is defined as drinking five or more drinks on the same occasion for males or four or more drinks on the same occasion for females on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.

(IRALCBNG30D)
HVYDRKMON Len : 1 RC-HEAVY ALCOHOL USE PAST 30 DAYS

	Freq	Pct
0 = Never/No heavy alc use (IRALCBNG30D = 0-4,91,93)	53520	94.38
1 = Heavy alcohol use (IRALCBNG30D = 5-30)	3185	5.62

(ALCFLAG, ILLFLAG, TOBFLAG)
ILTOBALCFG Len : 1 RC-ILLICIT DRUG, TOBACCO PRD, OR ALCOHOL - EVER USED

	Freq	Pct
0 = No drug, tob, or alcohol lifetime use (Otherwise)	13452	23.72
1 = Drg, tob or alc lifetime use (ILLFLAG, TOBFLAG or ALCFLAG=1)	43253	76.28

(ALCYR, ILLYR, TOBYR)
ILTOBALCYR Len : 1 RC-ILLICIT DRUG, TOBACCO PRD, OR ALCOHOL - PAST YEAR USE

	Freq	Pct
0 = No drug, tob, or alcohol past yr use (Otherwise)	19492	34.37
1 = Drug, tob, or alcohol past yr use (ILLYR, TOBYR or ALCYR=1)	37213	65.63

(ALCMON, ILLMON, TOBMON)
ILTOBALCMN Len : 1 RC-ILLICIT DRUG, TOBACCO PRD, OR ALC - PAST MONTH USE

	Freq	Pct
0 = No drug, tob, or alc past mon use (Otherwise)	26635	46.97
1 = Drug, tob, or alc past mon use (ILLMON, TOBMON or ALCMON=1)	30070	53.03

(ILTOBALCMN, NICVAPMON)
ILTOBVAPALC Len : 1 RC-TOBACCO, NICOTINE VAPING, ALCOHOL, ILLICIT DRUG - PST MON

	Freq	Pct
0 = No (ILTOBALCMN=0 and NICVAPMON=0)	25597	45.14
1 = Yes (ILTOBALCMN=1 or NICVAPMON=1)	31108	54.86

(ALCMON, ILLMON)
ILLALCMON Len : 1 RC-ILLICIT DRUG OR ALCOHOL - PAST MONTH USE

	Freq	Pct
0 = No drug or alc past mon use (Otherwise)	28728	50.66
1 = Drug or alc past mon use (ILLMON=1 or ALCMON=1)	27977	49.34

(ALCFLAG, TOBFLAG)
TOBALCFLG Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - EVER USED

	Freq	Pct
0 = No tobacco or alcohol lifetime use (Otherwise)	15044	26.53
1 = Tobacco or alcohol lifetime use (TOBFLAG=1 or ALCFLAG=1)	41661	73.47

(ALCYR, TOBYR)
TOBALCYR Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - PAST YEAR USE

	Freq	Pct
0 = No tobacco or alcohol past yr use (Otherwise)	21371	37.69
1 = Tobacco or alcohol past yr use (TOBYR=1 or ALCYR=1)	35334	62.31

(ALCMON, TOBMON)
TOBALCMN Len : 1 RC-TOBACCO PRODUCT OR ALCOHOL - PAST MONTH USE

	Freq	Pct
0 = No tob or alc past mon use (Otherwise)	28854	50.88
1 = Tob or alc past mon use (TOBMON=1 or ALCMON=1)	27851	49.12

(ALCYR, ILLYR)
ILLANDALC Len : 1 RC-ILLICIT DRUG AND ALCOHOL USE - PAST YEAR USE

	Freq	Pct
0 = No drug or alc past year use (Otherwise)	43415	76.56
1 = Drug and alc past year use (ILLYR=1 and ALCYR=1)	13290	23.44

(ALCYR, ILLYR)
ILLORALC Len : 1 RC-ILLICIT DRUG OR ALCOHOL USE - PAST YEAR USE

	Freq	Pct
0 = No drug and alc past year use (Otherwise)	20877	36.82
1 = Drug or alc past year use (ILLYR=1 or ALCYR=1)	35828	63.18

(ALCFLAG, ILLFLAG)
ILLALCFLG Len : 1 RC-ILLICIT DRUG OR ALCOHOL - EVER USED

	Freq	Pct
0 = No drug or alc lifetime use (Otherwise)	14350	25.31
1 = Drug or alc lifetime use (ILLFLAG=1 or ALCFLAG=1)	42355	74.69

NOTE: The following 15 variables pertain to the use of specific hallucinogens and inhalants. These variables were revised starting with the 2021 NSDUH so that respondents with unknown lifetime use of the indicated hallucinogen or inhalant were coded as a system missing.

(HALLUCFLAG, PEYOTE)
PEYOTEEVER Len : 1 RC-EVER USED PEYOTE

	Freq	Pct
. = Unknown (Otherwise)	9	0.02
0 = No (PEYOTE = 2,91 or HALLUCFLAG=0)	56076	98.89
1 = Yes (PEYOTE=1,3)	620	1.09

(HALLUCFLAG, MESC)
MESCEVER Len : 1 RC-EVER USED MESCALINE

	Freq	Pct
. = Unknown (Otherwise)	16	0.03
0 = No (MESC=2,91 or HALLUCFLAG=0)	55925	98.62
1 = Yes (MESC=1,3)	764	1.35

(HALLUCFLAG, PSILCY)
PSILCYEVER Len : 1 RC-EVER USED PSILOCYBIN (MUSHROOMS)

	Freq	Pct
. = Unknown (Otherwise)	13	0.02
0 = No (PSILCY=2,91 or HALLUCFLAG=0)	50589	89.21
1 = Yes (PSILCY=1,3)	6103	10.76

(AMYLNIT, INHALFLAG)
AMYLNIEVER Len : 1 RC-EVER INHALED AMYL NITRITE, "POPPERS", RUSH, ETC.

	Freq	Pct
. = Unknown (Otherwise)	27	0.05
0 = No (AMYLNIT=2,91 or INHALFLAG =0)	55412	97.72
1 = Yes (AMYLNIT=1,3)	1266	2.23

(CLEFLU, INHALFLAG)
CLEFLUEVER Len : 1 RC-EVER INHALED CORRECTION FLUID, DEGREASER, ETC.

	Freq	Pct
. = Unknown (Otherwise)	18	0.03
0 = No (CLEFLU=2,91 or INHALFLAG =0)	56362	99.40
1 = Yes (CLEFLU=1,3)	325	0.57

(GAS, INHALFLAG)
GASEVER Len : 1 RC-EVER INHALED GASOLINE OR LIGHTER FLUID

	Freq	Pct
. = Unknown (Otherwise)	13	0.02
0 = No (GAS=2,91 or INHALFLAG =0)	55969	98.70
1 = Yes (GAS=1,3)	723	1.28

(GLUE, INHALFLAG)
GLUEEVER Len : 1 RC-EVER INHALED GLUE, SHOE POLISH, OR TOLUENE

	Freq	Pct
. = Unknown (Otherwise)	9	0.02
0 = No (GLUE=2,91 or INHALFLAG =0)	56068	98.88
1 = Yes (GLUE=1,3)	628	1.11

(ETHER, INHALFLAG)
ETHEREVER Len : 1 RC-EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC

	Freq	Pct
. = Unknown (Otherwise)	12	0.02
0 = No (ETHER=2,91 or INHALFLAG =0)	56538	99.71
1 = Yes (ETHER=1,3)	155	0.27

(INHALFLAG, SOLVENT)
SOLVENEVER Len : 1 RC-EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS

	Freq	Pct
. = Unknown (Otherwise)	12	0.02
0 = No (SOLVENT=2,91 or INHALFLAG =0)	56412	99.48
1 = Yes (SOLVENT=1,3)	281	0.50

(INHALFLAG, LGAS)
LGASEVER Len : 1 RC-EVER INHALED LIGHTER GASES (BUTANE, PROPANE)

	Freq	Pct
. = Unknown (Otherwise)	8	0.01
0 = No (LGAS=2,91 or INHALFLAG =0)	56463	99.57
1 = Yes (LGAS=1,3)	234	0.41

(INHALFLAG, NITOXID)
NITOXIEVER Len : 1 RC-EVER INHALED NITROUS OXIDE OR "WHIPPITS"

	Freq	Pct
. = Unknown (Otherwise)	7	0.01
0 = No (NITOXID=2,91 or INHALFLAG =0)	54377	95.89
1 = Yes (NITOXID=1,3)	2321	4.09

(FELTMARKR, INHALFLAG)
FLTMRKEVER Len : 1 RC-EVER USED FELT-TIP PENS/MARKERS TO GET HIGH

	Freq	Pct
. = Unknown (Otherwise)	10	0.02
0 = No (FELTMARKR=2,91 or INHALFLAG =0)	54862	96.75
1 = Yes (FELTMARKR=1,3)	1833	3.23

(INHALFLAG, SPPAINT)
SPAINTEVER Len : 1 RC-EVER INHALED SPRAY PAINTS

	Freq	Pct
. = Unknown (Otherwise)	7	0.01
0 = No (SPPAINT=2,91 or INHALFLAG =0)	56216	99.14
1 = Yes (SPPAINT=1,3)	482	0.85

(AIRDUSTER, INHALFLAG)
AIRDUSEVER Len : 1 RC-EVER USED COMPUTER CLEANER/AIR DUSTER TO GET HIGH

	Freq	Pct
. = Unknown (Otherwise)	9	0.02
0 = No (AIRDUSTER=2,91 or INHALFLAG =0)	56000	98.76
1 = Yes (AIRDUSTER=1,3)	696	1.23

(INHALFLAG, OTHAEROS)
OTHAEREVER Len : 1 RC-EVER USED OTHER AEROSOL SPRAY

	Freq	Pct
. = Unknown (Otherwise)	10	0.02
0 = No (OTHAEROS=2,91 or INHALFLAG =0)	56388	99.44
1 = Yes (OTHAEROS=1,3)	307	0.54

NOTE: The following 12 variables pertain to prescription pain reliever subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific pain reliever subtype were coded as a system missing.

The following variable for any past year use of Hydrocodone Products, RXHYDCANY, was assigned a positive response if a respondent indicated any past year use of Vicodin, Lortab, Norco, Zohydro ER, generic hydrocodone, or past year misuse of other pain relievers that contain hydrocodone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Vicodin, Lortab, Norco, Zohydro ER, and generic hydrocodone.

(PNRANYYR)
RXHYDCANY Len : 1 RC-HYDROCODONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	221	0.39
0 = No (See comment above)	51198	90.29
1 = Yes (See comment above)	5286	9.32

(PNRANYYR)
RXZOHYANY Len : 1 RC-ZOHYDRO ER - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	221	0.39
0 = No	56398	99.46
1 = Yes	86	0.15

The following variable for any past year use of Oxycodone Products, RXOXCOANY, was assigned a positive response if a respondent indicated any past year use of OxyContin (OXYCNANYYR=1), Percocet, Percodan, Roxicodone, or generic oxycodone, or past year misuse of other pain relievers that contain oxycodone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of OxyContin (OXYCNANYYR=0), Percocet, Percodan, Roxicodone, and generic oxycodone.

(OXYCNANYYR, PNRANYYR)
RXOXCOANY Len : 1 RC-OXYCODONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	169	0.30
0 = No (See comment above)	52862	93.22
1 = Yes (See comment above)	3674	6.48

The following variable for any past year use of Tramadol Products, RXTRAMANY, was assigned a positive response if a respondent indicated any past year use of Ultram, Ultram ER, Ultracet, generic tramadol, or generic extended-release tramadol, or past year misuse of other pain relievers that contain tramadol. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Ultram, Ultram ER, Ultracet, generic tramadol, and generic extended-release tramadol.

(PNRANYYR)
RXTRAMANY Len : 1 RC-TRAMADOL PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	187	0.33
0 = No (See comment above)	54240	95.65
1 = Yes (See comment above)	2278	4.02

The following variable for any past year use of Codeine Products, RXCODEANY, was assigned a positive response if a respondent indicated any past year use of Codeine, Tylenol with Codeine 3 or 4, or past year misuse of other pain relievers that contain codeine. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Codeine and Tylenol with Codeine 3 or 4.

(PNRANYYR)
RXCODEANY Len : 1 RC-CODEINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	166	0.29
0 = No (See comment above)	53064	93.58
1 = Yes (See comment above)	3475	6.13

The following variable for any past year use of Morphine Products, RXMORPANY, was assigned a positive response if a respondent indicated any past year use of Avinza, Kadian, MS Contin, generic morphine, or generic extended-release morphine, or past year misuse of other pain relievers that contain morphine. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Avinza, Kadian, MS Contin, generic morphine, and generic extended-release morphine.

(PNRANYYR)
RXMORPANY Len : 1 RC-MORPHINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	183	0.32
0 = No (See comment above)	55592	98.04
1 = Yes (See comment above)	930	1.64

The following variable for any past year use of Buprenorphine Products, RXBUPRANY, was assigned a positive response if a respondent indicated any past year use of Suboxone, or generic buprenorphine, or buprenorphine plus naloxone, or past year misuse of other pain relievers that contain buprenorphine. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Suboxone, or generic buprenorphine, and buprenorphine plus naloxone.

(PNRANYYR)
RXBUPRANY Len : 1 RC-BUPRENORPHINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	150	0.26
0 = No (See comment above)	55949	98.67
1 = Yes (See comment above)	606	1.07

The following variable for any past year use of Oxymorphone Products, RXOXYMANY, was assigned a positive response if a respondent indicated any past year use of Opana, Opana ER, generic oxymorphone, or generic extended-release oxymorphone, or past year misuse of other pain relievers that contain oxymorphone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Opana, Opana ER, generic oxymorphone, and generic extended-release oxymorphone.

(PNRANYYR)
RXOXYMANY Len : 1 RC-OXYMORPHONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	154	0.27
0 = No (See comment above)	56362	99.40
1 = Yes (See comment above)	189	0.33

The following variable for any past year use of Demerol Products, RXDEMEANY, was assigned a positive response if a respondent indicated any past year use of Demerol, or past year misuse of other pain relievers that contain demerol. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Demerol.

(PNRANYYR)
RXDEMEANY Len : 1 RC-DEMEROL PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	167	0.29
0 = No (See comment above)	56454	99.56
1 = Yes (See comment above)	84	0.15

The following variable for any past year use of Hydromorphone Products, RXHYDMANY, was assigned a positive response if a respondent indicated any past year use of Dilaudid or generic hydromorphone, or Exalgo or generic extended-release hydromorphone, or past year misuse of other pain relievers that contain hydromorphone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Dilaudid or generic hydromorphone and Exalgo or generic extended-release hydromorphone.

(PNRANYYR)
RXHYDMANY Len : 1 RC-HYDROMORPHONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	167	0.29
0 = No (See comment above)	56299	99.28
1 = Yes (See comment above)	239	0.42

The following variable for any past year use of Methadone Products, RXMTDNANY, was assigned a positive response if a respondent indicated any past year use of Methadone, or past year misuse of other pain relievers that contain methadone. A negative response was assigned if a respondent was not a past year user of prescription pain relievers (PNRANYYR=0) or if a respondent indicated no past year use of Methadone.

(PNRANYYR)
RXMTDNANY Len : 1 RC-METHADONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	167	0.29
0 = No (See comment above)	56286	99.26
1 = Yes (See comment above)	252	0.44

(PNRANYYR)
OTHRPNRANY Len : 1 RC-OTHER PAIN RELIEVER- ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	107	0.19
0 = No	52339	92.30
1 = Yes	4259	7.51

NOTE: The following nine variables pertain to prescription tranquilizer subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific tranquilizer subtype were coded as a system missing.

The following variable for any past year use of Benzodiazepine Tranquilizers, RXBZOTANY, was assigned a positive response if a respondent indicated any past year use of alprazolam products (Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products, generic lorazepam), clonazepam products, generic clonazepam), diazepam products, or generic diazepam), or past year misuse of other benzodiazepine tranquilizers. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of alprazolam products (Xanax, Xanax XR, generic alprazolam, and generic extended-release alprazolam), lorazepam products (Ativan, generic lorazepam), clonazepam products (Klonopin and generic clonazepam), and diazepam products (Valium and generic diazepam).

(IRBZOANYYR, TRQANYYR)
RXBZOTANY Len : 1 RC-BENZODIAZEPINE TRANQUILIZERS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	30	0.05
0 = No (See comment above)	52668	92.88
1 = Yes (See comment above)	4007	7.07

The following variable for any past year use of Alprazolam Products, RXALPRANY, was assigned a positive response if a respondent indicated any past year use of Xanax, Xanax XR, generic alprazolam, or generic extended-release alprazolam, or past year misuse of other tranquilizers that contain alprazolam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of Xanax, Xanax XR, generic alprazolam, and generic extended-release alprazolam.

(IRBZOANYYR, TRQANYYR)
RXALPRANY Len : 1 RC-ALPRAZOLEM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	37	0.07
0 = No (See comment above)	54458	96.04
1 = Yes (See comment above)	2210	3.90

The following variable for any past year use of Lorazepam Products, RXLORAANY, was assigned a positive response if a respondent indicated any past year use of Ativan, or generic lorazepam, or past year misuse of other tranquilizers that contain lorazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of Ativan and generic lorazepam.

(IRBZOANYYR, TRQANYYR)
RXLORAANY Len : 1 RC-LORAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	40	0.07
0 = No (See comment above)	55434	97.76
1 = Yes (See comment above)	1231	2.17

The following variable for any past year use of Clonazepam Products, RXCLONANY, was assigned a positive response if a respondent indicated any past year use of Klonopin, or generic clonazepam, or past year misuse of other tranquilizers that contain clonazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of Klonopin and generic clonazepam.

(IRBZOANYYR, TRQANYYR)
RXCLONANY Len : 1 RC-CLONAZEP AM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	40	0.07
0 = No (See comment above)	55675	98.18
1 = Yes (See comment above)	990	1.75

The following variable for any past year use of Diazepam Products, RXDIAZANY, was assigned a positive response if a respondent indicated any past year use of Valium, or generic diazepam, or past year misuse of other tranquilizers that contain diazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of Valium and generic diazepam.

(IRBZOANYYR, TRQANYYR)
RXDIAZANY Len : 1 RC-DIAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	46	0.08
0 = No (See comment above)	55911	98.60
1 = Yes (See comment above)	748	1.32

The following variable for any past year use of Muscle Relaxants, RXMRLXANY, was assigned a positive response if a respondent indicated any past year use of cyclobenzaprine [also known as Flexeril], Soma, or past year misuse of other muscle relaxants. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0) or if a respondent indicated no past year use of cyclobenzaprine [also known as Flexeril] and Soma.

(TRQANYYR)
RXMRLXANY Len : 1 RC-MUSCLE RELAXANTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	55	0.10
0 = No (See comment above)	55416	97.73
1 = Yes (See comment above)	1234	2.18

The following variable for any past year use of Cyclobenzaprine Products, RXCYCLANY, was assigned a positive response if a respondent indicated any past year use of Flexeril, or past year misuse of other muscle relaxants that contain cyclobenzaprine. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0) or if a respondent indicated no past year use of Flexeril.

(TRQANYYR)
RXCYCLANY Len : 1 RC-CYCLOBENZAPRINE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	55	0.10
0 = No (See comment above)	55498	97.87
1 = Yes (See comment above)	1152	2.03

The following variable for any past year use of Carisoprodol Products, RXSOMAANY, was assigned a positive response if a respondent indicated any past year use of Soma, or past year misuse of other muscle relaxants that contain carisoprodol. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQANYYR=0) or if a respondent indicated no past year use of Soma.

(TRQANYYR)
RXSOMAANY Len : 1 RC-SOMA PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	55	0.10
0 = No (See comment above)	56541	99.71
1 = Yes (See comment above)	109	0.19

(TRQANYYR)
OTHRTRQANY Len : 1 RC-OTHER TRANQUILIZER- ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	52	0.09
0 = No	55762	98.34
1 = Yes	891	1.57

NOTE: The following six variables pertain to prescription stimulant subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific stimulant subtype were coded as a system missing.

The following variable for any past year use of Amphetamine or Methylphenidate Products, RXAMMEANY, was assigned a positive response if a respondent indicated any past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or past year misuse of other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYYR=0) or if a respondent indicated no past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate. Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

(STMANYYR)
RXAMMEANY Len : 1 RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	37	0.07
0 = No (See comment above)	52703	92.94
1 = Yes (See comment above)	3965	6.99

The following variable for any past year use of Amphetamine Products, RXAMPHANY, was assigned a positive response if a respondent indicated any past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, or generic extended-release amphetamine-dextroamphetamine combinations, or past year misuse of other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD). A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYYR=0) or if a respondent indicated no past year use of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, and generic extended-release amphetamine-dextroamphetamine combinations. Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

(STMANYYR)
RXAMPHANY Len : 1 RC-AMPHETAMINE - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	45	0.08
0 = No (See comment above)	53311	94.01
1 = Yes (See comment above)	3349	5.91

The following variable for any past year use of Methylphenidate Products, RXMTHPANY, was assigned a positive response if a respondent indicated any past year use of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or past year misuse of other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYYR=0) or if a respondent indicated no past year use of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate.

(STMANYYR)
RXMTHPANY Len : 1 RC-METHYLPHENIDATE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	66	0.12
0 = No (See comment above)	55486	97.85
1 = Yes (See comment above)	1153	2.03

The following variable for any past year use of Anorectic, benzphetamine, Tenuate, diethylpropion, phendimetrazine, or phentermine, or past year misuse of other stimulants that are prescribed for weight loss. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYYR=0) or if a respondent indicated no past year use of Didrex, benzphetamine, Tenuate, diethylpropion, phendimetrazine, and phentermine.

(STMANYYR)
RXANORANY Len : 1 RC-ANORECTIC STIMULANTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	59	0.10
0 = No (See comment above)	56154	99.03
1 = Yes (See comment above)	492	0.87

The following variable for any past year use of Provigil Products, RXPROVANY, was assigned a positive response if a respondent indicated any past year use of Provigil, or past year misuse of other stimulants that contain Provigil. A negative response was assigned if a respondent was not a past year user of prescription stimulants (STMANYYR=0) or if a respondent indicated no past year use of Provigil.

(STMANYYR)
RXPROVANY Len : 1 RC-PROVIGIL PRODUCTS- ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	49	0.09
0 = No (See comment above)	56583	99.78
1 = Yes (See comment above)	73	0.13

(STMANYYR)
OTHRSTMANY Len : 1 RC-OTHER STIMULANT - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	50	0.09
0 = No	56054	98.85
1 = Yes	601	1.06

NOTE: The following nine variables pertain to prescription sedative subtype use. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year use of the specific sedative subtype were coded as a system missing.

The following variable for any past year use of Zolpidem Products, RXZOLPANY, was assigned a positive response if a respondent indicated any past year use of Ambien, Ambien CR, generic zolpidem, or extended-release generic zolpidem, or past year misuse of other sedatives that contain zolpidem. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0) or if a respondent indicated no past year use of Ambien, Ambien CR, generic zolpidem, and extended-release generic zolpidem.

(SEDANYYR)
RXZOLPANY Len : 1 RC-ZOLPIDEM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	31	0.05
0 = No (See comment above)	55783	98.37
1 = Yes (See comment above)	891	1.57

The following variable for any past year use of Eszopiclone Products, RXESZOANY, was assigned a positive response if a respondent indicated any past year use of Lunesta or generic eszopiclone, or past year misuse of other sedatives that contain eszopiclone. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0) or if a respondent indicated no past year use of Lunesta or generic eszopiclone.

(SEDANYYR)
RXESZOANY Len : 1 RC-ESZOPICLONE PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	32	0.06
0 = No (See comment above)	56509	99.65
1 = Yes (See comment above)	164	0.29

The following variable for any past year use of Zaleplon Products, RXZALEANY, was assigned a positive response if a respondent indicated any past year use of Sonata or generic zaleplon, or past year misuse of other sedatives that contain zaleplon. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0) or if a respondent indicated no past year use of Sonata or generic zaleplon.

(SEDANYYR)
RXZALEANY Len : 1 RC-ZALEPLON PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	32	0.06
0 = No (See comment above)	56621	99.85
1 = Yes (See comment above)	52	0.09

The following variable for any past year use of Benzodiazepine Sedatives, RXBZOSANY, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane], temazepam products [Restoril, or generic temazepam], or triazolam [Halcion or generic triazolam], or past year misuse of other benzodiazepine sedatives. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of flurazepam [also known as Dalmane], temazepam products [Restoril, and generic temazepam], and triazolam [Halcion and generic triazolam].

(IRBZOANYYR, SEDANYYR)
RXBZOSANY Len : 1 RC-BENZODIAZEPINE SEDATIVES - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	10	0.02
0 = No (See comment above)	56438	99.53
1 = Yes (See comment above)	257	0.45

The following variable for any past year use of Triazolam Products, RXTRIAANY, was assigned a positive response if a respondent indicated any past year use of Halcion, or generic triazolam, or past year misuse of other sedatives that contain tirazolam. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of Halcion and generic triazolam.

(IRBZOANYYR, SEDANYYR)
RXTRIAANY Len : 1 RC-TRIAZOLAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	10	0.02
0 = No (See comment above)	56565	99.75
1 = Yes (See comment above)	130	0.23

The following variable for any past year use of Temazepam Products, RXTEMAANY, was assigned a positive response if a respondent indicated any past year use of Restoril, or generic temazepam, or past year misuse of other sedatives that contain temazepam. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of Restoril and generic temazepam.

(IRBZOANYYR, SEDANYYR)
RXTEMAANY Len : 1 RC-TEMAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	10	0.02
0 = No (See comment above)	56588	99.79
1 = Yes (See comment above)	107	0.19

The following variable for any past year use of Flurazepam, RXFLURANY, was assigned a positive response if a respondent indicated any past year use of flurazepam [also known as Dalmane], or past year misuse of other sedatives that contain flurazepam. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZOANYYR=0), or if a respondent indicated no past year use of flurazepam [also known as Dalmane].

(IRBZOANYYR, SEDANYYR)
RXFLURANY Len : 1 RC-FLURAZEPAM PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	10	0.02
0 = No (See comment above)	56662	99.92
1 = Yes (See comment above)	33	0.06

The following variable for any past year use of Barbiturates, RXBARBANY, was assigned a positive response if a respondent indicated any past year use of Butisol, Seconal, or phenobarbital, or past year misuse of other barbiturates. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDANYYR=0) or if a respondent indicated no past year use of Butisol, Seconal, and phenobarbita.

(SEDANYYR)
RXBARBANY Len : 1 RC-BARBITUATES - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	29	0.05
0 = No (See comment above)	56570	99.76
1 = Yes (See comment above)	106	0.19

(SEDANYYR)
OTHRSEDANY Len : 1 RC-OTHER SEDATIVE - ANY PAST YEAR USE

	Freq	Pct
. = Unknown (Otherwise)	29	0.05
0 = No	55443	97.77
1 = Yes	1233	2.17

NOTE: The following 12 variables pertain to prescription pain reliever subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific pain reliever subtype were coded as a system missing.

The following variable for past year misuse of Hydrocodone Products, RXHYDCMIS, was assigned a positive response if a respondent indicated past year misuse of Vicodin, Lortab, Norco, Zohydro ER, generic hydrocodone, or other pain relievers that contain hydrocodone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Vicodin, Lortab, Norco, Zohydro ER, and generic hydrocodone.

(PNRNMYR)
RXHYDCMIS Len : 1 RC-HYDROCODONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	30	0.05
0 = No (See comment above)	56036	98.82
1 = Yes (See comment above)	639	1.13

(PNRNMYR)
RXZOHYMIS Len : 1 RC-ZOHYDRO ER - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	29	0.05
0 = No	56670	99.94
1 = Yes	6	0.01

The following variable for past year misuse of Oxycodone Products, RXOXCOMIS, was assigned a positive response if a respondent indicated past year misuse of OxyContin (OXYCNNMYR=1), Percocet, Percodan, Roxicodone, generic oxycodone, or other pain relievers that contain oxycodone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of OxyContin (OXYCNNMYR=0), Percocet, Percodan, Roxicodone, and generic oxycodone.

(OXYCNNMYR, PNRNMYR)
RXOXCOMIS Len : 1 RC-OXYCODONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	30	0.05
0 = No (See comment above)	56122	98.97
1 = Yes (See comment above)	553	0.98

The following variable for past year misuse of Tramadol Products, RXTRAMMIS, was assigned a positive response if a respondent indicated past year misuse of Ultram, Ultram ER, Ultracet, generic tramadol, generic extended-release tramadol, or other pain relievers that contain tramadol. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Ultram, Ultram ER, Ultracet, generic tramadol, and generic extended-release tramadol.

(PNRNMYR)
RXTRAMMIS Len : 1 RC-TRAMADOL PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	27	0.05
0 = No (See comment above)	56436	99.53
1 = Yes (See comment above)	242	0.43

The following variable for past year misuse of Codeine Products, RXCODEMIS, was assigned a positive response if a respondent indicated past year misuse of Codeine, Tylenol with Codeine 3 or 4, or other pain relievers that contain codeine. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Codeine and Tylenol with Codeine 3 or 4.

(PNRNMYR)
RXCODEMIS Len : 1 RC-CODEINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	24	0.04
0 = No (See comment above)	56208	99.12
1 = Yes (See comment above)	473	0.83

The following variable for past year misuse of Morphine Products, RXMORPMIS, was assigned a positive response if a respondent indicated past year misuse of Avinza, Kadian, MS Contin, generic morphine, generic extended-release morphine, or other pain relievers that contain morphine. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Avinza, Kadian, MS Contin, generic morphine, and generic extended-release morphine.

(PNRNMYR)
RXMORPMIS Len : 1 RC-MORPHINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	24	0.04
0 = No (See comment above)	56611	99.83
1 = Yes (See comment above)	70	0.12

The following variable for past year misuse of Buprenorphine Products, RXBUPRMIS, was assigned a positive response if a respondent indicated past year misuse of Suboxone, generic buprenorphine, or buprenorphine plus naloxone, or other pain relievers that contain buprenorphine. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Suboxone, or generic buprenorphine, and buprenorphine plus naloxone.

(PNRNMYR)
RXBUPRMIS Len : 1 RC-BUPRENORPHINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	19	0.03
0 = No (See comment above)	56543	99.71
1 = Yes (See comment above)	143	0.25

The following variable for past year misuse of Oxymorphone Products, RXOXYMMIS, was assigned a positive response if a respondent indicated past year misuse of Opana, Opana ER, generic oxymorphone, generic extended-release oxymorphone, or other pain relievers that contain oxymorphone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Opana, Opana ER, generic oxymorphone, and generic extended-release oxymorphone.

(PNRNMYR)
RXOXYMMIS Len : 1 RC-OXYMORPHONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	23	0.04
0 = No (See comment above)	56651	99.90
1 = Yes (See comment above)	31	0.05

The following variable for past year misuse of Demerol Products, RXDEMEMIS, was assigned a positive response if a respondent indicated past year misuse of Demerol, or other pain relievers that contain demerol. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Demerol.

(PNRNMYR)
RXDEMEMIS Len : 1 RC-DEMEROL PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	23	0.04
0 = No (See comment above)	56675	99.95
1 = Yes (See comment above)	7	0.01

The following variable for past year misuse of Hydromorphone Products, RXHYDMMIS, was assigned a positive response if a respondent indicated past year misuse of Dilaudid or generic hydromorphone, Exalgo or generic extended-release hydromorphone, or other pain relievers that contain hydromorphone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Dilaudid or generic hydromorphone and Exalgo or generic extended-release hydromorphone.ble for past year misuse of Hydromorphone Products, HYDMPDPYMU, was assigned a positive response if a respondent indicated past year misuse of Dilaudid or generic hydromorphone, Exalgo or generic extended-release hydromorphone, or other pain relievers that contain hydromorphone.

(PNRNMYR)
RXHYDMMIS Len : 1 RC-HYDROMORPHONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	23	0.04
0 = No (See comment above)	56651	99.90
1 = Yes (See comment above)	31	0.05

The following variable for past year misuse of Methadone Products, RXMTDNMIS, was assigned a positive response if a respondent indicated past year misuse of Methadone, or other pain relievers that contain methadone. A negative response was assigned if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0) or if a respondent indicated no past year misuse of Methadone.

(PNRNMYR)
RXMTDNMIS Len : 1 RC-METHADONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	23	0.04
0 = No (See comment above)	56639	99.88
1 = Yes (See comment above)	43	0.08

The following variable for the past year misuse of any other pain relievers, OTHRPNRMIS, was assigned a positive response if a respondent indicated past year misuse of any other pain relievers and the respondent did not report their only misuse of any other pain relievers in their write-in responses as containing the following: hydrocodone products, oxycodone products, tramadol products, codeine products, morphine products, fentanyl products, buprenorphine products, oxymorphone products, meperidine products, hydromorphone products, methadone products, or over-the-counter products. Codes for bad data, don't know, refused, and blank are not considered valid values. OTHRPNRMIS was assigned a negative response if a respondent was not a past year misuser of prescription pain relievers (PNRNMYR=0), if a respondent did not indicate past year misuse of any other pain relievers, or a respondent indicated their only misuse of any other pain relievers in their write-in responses as containing the following: hydrocodone products, oxycodone products, tramadol products, codeine products, morphine products, fentanyl products, buprenorphine products, oxymorphone products, meperidine products, hydromorphone products, methadone products, or over-the-counter products. If a respondent had a least one valid write-in value, the respondent would still be assigned a negative response even if the remaining write-in responses are blank.

(PNRNMYR)

OTHRPNRMIS Len : 1 RC-OTHER PAIN RELIEVER PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	114	0.20
0 = No (See comment above)	56490	99.62
1 = Yes (See comment above)	101	0.18

NOTE: The following nine variables pertain to prescription tranquilizer subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific tranquilizer subtype were coded as a system missing.

The following variable for past year misuse of Benzodiazepine Tranquilizers, RXBZOTMIS, was assigned a positive response if a respondent indicated past year misuse of alprazolam products (Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products or generic lorazepam), clonazepam products, generic clonazepam), or diazepam products, generic diazepam), or other benzodiazepine tranquilizers. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of alprazolam products (Xanax and Xanax XR, generic alprazolam, generic extended-release alprazolam), lorazepam products (Ativanand generic lorazepam), clonazepam products (Klonopin and generic clonazepam), and diazepam products (Valium and generic diazepam).

(IRBZONMYR, TRQNMYR)

RXBZOTMIS Len : 1 RC-BENZODIAZEPINE TRANQUILIZERS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	6	0.01
0 = No (See comment above)	55968	98.70
1 = Yes (See comment above)	731	1.29

The following variable for past year misuse of Alprazolam Products, RXALPRMIS, was assigned a positive response if a respondent indicated past year misuse of Xanax, Xanax XR, generic alprazolam, generic extended-release alprazolam, or other tranquilizers that contain alprazolam. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of Xanax, Xanax XR, generic alprazolam, and generic extended-release alprazolam.

(IRBZONMYR, TRQNMYR)

RXALPRMIS Len : 1 RC-ALPRAZOLEM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	6	0.01
0 = No (See comment above)	56180	99.07
1 = Yes (See comment above)	519	0.92

The following variable for past year misuse of Lorazepam Products, RXLORAMIS, was assigned a positive response if a respondent indicated past year misuse of Ativan, generic lorazepam, or other tranquilizers that contain lorazepam. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of Ativan and generic lorazepam.

(IRBZONMYR, TRQNMYR)

RXLORAMIS Len : 1 RC-LORAZEPAM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	5	0.01
0 = No (See comment above)	56577	99.77
1 = Yes (See comment above)	123	0.22

The following variable for past year misuse of Clonazepam Products, RXCLONMIS, was assigned a positive response if a respondent indicated past year misuse of Klonopin, generic clonazepam, or other tranquilizers that contain clonazepam. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year misuse of Klonopin and generic clonazepam.

(IRBZONMYR, TRQNMYR)
RXCLONMIS Len : 1 RC-CLONAZEPAM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	6	0.01
0 = No (See comment above)	56532	99.69
1 = Yes (See comment above)	167	0.29

The following variable for past year misuse of Diazepam Products, RXDIAZMIS, was assigned a positive response if a respondent indicated past year misuse of Valium, generic diazepam, or other tranquilizers that contain diazepam. A negative response was assigned if a respondent was not a past year user of prescription tranquilizers (TRQNMYR=0), if a respondent was not a past year misuser of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year use of Valium and generic diazepam.

(IRBZONMYR, TRQNMYR)
RXDIAZMIS Len : 1 RC-DIAZEPAM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	5	0.01
0 = No (See comment above)	56602	99.82
1 = Yes (See comment above)	98	0.17

The following variable for past year misuse of Muscle Relaxants, RXMRLXMIS, was assigned a positive response if a respondent indicated past year misuse of cyclobenzaprine [also known as Flexeril], Soma, or other muscle relaxants. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0) or if a respondent indicated no past year misuse of cyclobenzaprine [also known as Flexeril] and Soma.

(TRQNMYR)
RXMRLXMIS Len : 1 RC-MUSCLE RELAXANTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	9	0.02
0 = No (See comment above)	56579	99.78
1 = Yes (See comment above)	117	0.21

The following variable for past year misuse of Cyclobenzaprine Products, RXCYCLMIS, was assigned a positive response if a respondent indicated past year misuse of Flexeril, or other muscle relaxants that contain cyclobenzaprine. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0) or if a respondent indicated no past year misuse of Flexeril.

(TRQNMYR)
RXCYCLMIS Len : 1 RC-CYCLOBENZAPRINE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	8	0.01
0 = No (See comment above)	56601	99.82
1 = Yes (See comment above)	96	0.17

The following variable for past year misuse of Carisoprodol Products, RXSOMAMIS, was assigned a positive response if a respondent indicated past year misuse of Soma, or other muscle relaxants that contain carisoprodol. A negative response was assigned if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0) or if a respondent indicated no past year misuse of Soma.

(TRQNMYR)
RXSOMAMIS Len : 1 RC-SOMA PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	8	0.01
0 = No (See comment above)	56673	99.94
1 = Yes (See comment above)	24	0.04

The following variable for the past year misuse of any other tranquilizers, OTHRTRQMIS, was assigned a positive response if a respondent indicated past year misuse of any other tranquilizers and the respondent did not report their only misuse of any other tranquilizers in their write-in responses as containing the following: benzodiazepine tranquilizers, muscle relaxants, or over-the-counter products. Codes for bad data, don't know, refused, and blank are not considered valid values. OTHRTRQMIS was assigned a negative response if a respondent was not a past year misuser of prescription tranquilizers (TRQNMYR=0), if a respondent did not indicate past year misuse of any other tranquilizers, or a respondent indicated their only misuse of any other pain relievers in their write-in responses as containing the following: benzodiazepine tranquilizers, muscle relaxants, or over-the-counter products. If a respondent had a least one valid write-in value, the respondent would still be assigned a negative response even if the remaining write-in responses are blank.

(TRQNMYR)

OTHRTRQMIS Len : 1 RC-OTHER TRANQUILIZER PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	13	0.02
0 = No (See comment above)	56665	99.93
1 = Yes (See comment above)	27	0.05

NOTE: The following six variables pertain to prescription stimulant subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific stimulant subtype were coded as a system missing.

The following variable for past year misuse of Amphetamine or Methylphenidate Products, RXAMMEMIS, was assigned a positive response if a respondent indicated past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, or generic extended-release dexmethylphenidate, or other amphetamine that are prescribed for attention-deficit/hyperactivity disorder (ADHD) or other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate. Amphetamine and methylphenidate products are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

(STMNMYR)

RXAMMEMIS Len : 1 RC-AMPHETAMINE OR METHYLPHENIDATE PRODS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	4	0.01
0 = No (See comment above)	55723	98.27
1 = Yes (See comment above)	978	1.72

The following variable for past year misuse of Amphetamine Products, RXAMPHMIS, was assigned a positive response if a respondent indicated past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, generic extended-release amphetamine-dextroamphetamine combinations, or other amphetamines that are prescribed for attention-deficit/hyperactivity disorder (ADHD). A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Adderall, Adderall XR, Dexedrine, Vyvanse, generic dextroamphetamine, generic amphetamine-dextroamphetamine combinations, and generic extended-release amphetamine-dextroamphetamine combinations. Amphetamines are primarily prescribed for the treatment of attention-deficit/hyperactivity disorder (ADHD). Vyvanse® is included with amphetamine products because its active ingredient (lisdexamfetamine) is metabolized to dextroamphetamine.

(STMNMYR)

RXAMPHMIS Len : 1 RC-AMPHETAMINE - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	5	0.01
0 = No (See comment above)	55786	98.38
1 = Yes (See comment above)	914	1.61

The following variable for past year misuse of Methylphenidate Products, RXMTHPMIS, was assigned a positive response if a respondent indicated past year misuse of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, generic extended-release dexmethylphenidate, or other stimulants that contain methylphenidate. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Ritalin, Ritalin LA, Concerta, Daytrana, Metadate CD, Metadate ER, Focalin, Focalin XR, generic methylphenidate, generic extended-release methylphenidate, generic dexmethylphenidate, and generic extended-release dexmethylphenidate.

(STMNMYR)
RXMTHPMIS Len : 1 RC-METHYLPHENIDATE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	10	0.02
0 = No (See comment above)	56570	99.76
1 = Yes (See comment above)	125	0.22

The following variable for past year misuse of Anorectic, benzphetamine, Tenuate, diethylpropion, phendimetrazine, phentermine, or other stimulants that are prescribed for weight loss. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Didrex, benzphetamine, Tenuate, diethylpropion, phendimetrazine, and phentermine.

(STMNMYR)
RXANORMIS Len : 1 RC-ANORECTIC STIMULANTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	8	0.01
0 = No (See comment above)	56657	99.92
1 = Yes (See comment above)	40	0.07

The following variable for past year misuse of Provigil Products, RXPROVMIS, was assigned a positive response if a respondent indicated past year misuse of Provigil, or other stimulants that contain Provigil. A negative response was assigned if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0) or if a respondent indicated no past year misuse of Provigil.

(STMNMYR)
RXPROVMIS Len : 1 RC-PROVIGIL PRODUCTS- PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	5	0.01
0 = No (See comment above)	56689	99.97
1 = Yes (See comment above)	11	0.02

The following variable for the past year misuse of any other stimulants, OTHRSTMMIS, was assigned a positive response if a respondent indicated past year misuse of any other stimulants and the respondent did not report their only misuse of any other stimulants in their write-in responses as containing the following: amphetamine or methylphenidate products, anorectic (weight-loss) stimulants, modafinil products, or over-the-counter products. Codes for bad data, don't know, refused, and blank are not considered valid values. OTHRSTMMIS was assigned a negative response if a respondent was not a past year misuser of prescription stimulants (STMNMYR=0), if a respondent did not indicate past year misuse of any other stimulants, or a respondent indicated their only misuse of any other pain relievers in their write-in responses as containing the following: amphetamine or methylphenidate products, anorectic (weight-loss) stimulants, modafinil products, or over-the-counter products. If a respondent had a least one valid write-in value, the respondent would still be assigned a negative response even if the remaining write-in responses are blank.

(STMNMYR)
OTHRSTMMIS Len : 1 RC-OTHER STIMULANT PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	18	0.03
0 = No (See comment above)	56670	99.94
1 = Yes (See comment above)	17	0.03

NOTE: The following nine variables pertain to prescription sedative subtype misuse. These variables were revised starting with the 2021 NSDUH so that respondents with unknown past year misuse of the specific sedative subtype were coded as a system missing.

The following variable for past year misuse of Zolpidem Products, RXZOLPMIS, was assigned a positive response if a respondent indicated past year misuse of Ambien, Ambien CR, generic zolpidem, extended-release generic zolpidem, or other sedatives that contain. A negative response was assigned if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0) or if a respondent indicated no past year misuse of Ambien, Ambien CR, generic zolpidem, and extended-release generic zolpidem.

(SEDNMYR)
RXZOLPMIS Len : 1 RC-ZOLPIDEM PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	2	0.00
0 = No (See comment above)	56603	99.82
1 = Yes (See comment above)	100	0.18

The following variable for past year misuse of Eszopiclone Products, RXESZOMIS, was assigned a positive response if a respondent indicated past year misuse of Lunesta or generic eszopiclone, or other sedatives that contain eszopiclone. A negative response was assigned if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0) or if a respondent indicated no past year misuse of Lunesta or generic eszopiclone.

(SEDNMYR)
RXESZOMIS Len : 1 RC-ESZOPICLONE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	2	0.00
0 = No (See comment above)	56690	99.97
1 = Yes (See comment above)	13	0.02

Note: The following variable for the past year misuse of any other sedatives, OTHRSEDMIS2, is based on the edited variable for the misuse of any other sedatives as well as the write-in data for the specific other sedatives that respondents specified that they misused in the past year. OTHRSEDMIS2 was assigned a positive response if a respondent indicated past year misuse of any other sedatives and the respondent did not report their only misuse of any other sedatives in their write-in responses as containing the following: zolpidem products, eszopiclone products, benzodiazepine sedatives, barbiturates, or over-the-counter products. OTHRSEDMIS2 was assigned a negative response if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0), if a respondent did not indicate past year misuse of any other sedatives, or a respondent indicated their only misuse of any other sedatives in their write-in responses as containing the following: zolpidem products, eszopiclone products, benzodiazepine sedatives, barbiturates, or over-the-counter products.

(SEDNMYR)
OTHRSEDMIS2 Len : 1 RC-OTHER SEDATIVE PRODUCTS - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	16	0.03
0 = No (See comment above)	56648	99.90
1 = Yes (See comment above)	41	0.07

The following variable for past year misuse of Benzodiazepine Sedatives, RXBZOSMIS, was assigned a positive response if a respondent indicated past year misuse of flurazepam [also known as Dalmane], temazepam products [Restoril or generic temazepam], or triazolam [Halcion, generic triazolam], or other benzodiazepine sedatives. A negative response was assigned if a respondent was not a past year user of prescription sedatives (SEDNMYR=0), if a respondent was not a past year user of any benzodiazepines (IRBZONMYR=0), or if a respondent indicated no past year use of flurazepam [also known as Dalmane], temazepam products [Restoril and generic temazepam], and triazolam [Halcion and generic triazolam].

(IRBZONMYR, SEDNMYR)
RXBZOSMIS Len : 1 RC-BENZODIAZEPINE SEDATIVES - PAST YEAR MISUSE

	Freq	Pct
0 = No (See comment above)	56695	99.98
1 = Yes (See comment above)	10	0.02

The following variable for past year misuse of Barbiturates, RXBARBMIS, was assigned a positive response if a respondent indicated past year misuse of Butisol, Seconal, phenobarbital, or other specific write-in barbiturates. A negative response was assigned if a respondent was not a past year misuser of prescription sedatives (SEDNMYR=0) or if a respondent indicated no past year misuse of Butisol, Seconal, and phenobarbital.

(SEDNMYR)
RXBARBMIS Len : 1 RC-BARBITURATES - PAST YEAR MISUSE

	Freq	Pct
. = Unknown (Otherwise)	1	0.00
0 = No (See comment above)	56700	99.99
1 = Yes (See comment above)	4	0.01

(IRALCFY)
ALCYDAYS Len : 1 RC-# OF DAYS USED ALCOHOL IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRALCFY=1-11)	8071	14.23
2 = 12-49 Days (IRALCFY=12-49)	9398	16.57
3 = 50-99 Days (IRALCFY=50-99)	5118	9.03
4 = 100-299 Days (IRALCFY=100-299)	8885	15.67
5 = 300-365 Days (IRALCFY=300-365)	1604	2.83
6 = Non User or No Past Year Use (IRALCFY=991,993)	23629	41.67

(IRMJFY)
MRJYDAYS Len : 1 RC-# OF DAYS USED MARIJUANA IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRMJFY=1-11)	3607	6.36
2 = 12-49 Days (IRMJFY=12-49)	2350	4.14
3 = 50-99 Days (IRMJFY=50-99)	1262	2.23
4 = 100-299 Days (IRMJFY=100-299)	3462	6.11
5 = 300-365 Days (IRMJFY=300-365)	3598	6.35
6 = Non User or No Past Year Use (IRMJFY=991,993)	42426	74.82

(IRCOCFY)
COCYDAYS Len : 1 RC-# OF DAYS USED COCAINE IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRCOCFY=1-11)	620	1.09
2 = 12-49 Days (IRCOCFY=12-49)	208	0.37
3 = 50-99 Days (IRCOCFY=50-99)	112	0.20
4 = 100-299 Days (IRCOCFY=100-299)	126	0.22
5 = 300-365 Days (IRCOCFY=300-365)	24	0.04
6 = Non User or No Past Year Use (IRCOCFY=991,993)	55615	98.08

(IRCRKFY)
CRKYDAYS Len : 1 RC-# OF DAYS USED CRACK IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRCRKFY=1-11)	43	0.08
2 = 12-49 Days (IRCRKFY=12-49)	38	0.07
3 = 50-99 Days (IRCRKFY=50-99)	29	0.05
4 = 100-299 Days (IRCRKFY=100-299)	36	0.06
5 = 300-365 Days (IRCRKFY=300-365)	15	0.03
6 = Non User or No Past Year Use (IRCRKFY=991,993)	56544	99.72

(IRHERFY)
HERYDAYS Len : 1 RC-# OF DAYS USED HEROIN IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRHERFY=1-11)	34	0.06
2 = 12-49 Days (IRHERFY=12-49)	22	0.04
3 = 50-99 Days (IRHERFY=50-99)	19	0.03
4 = 100-299 Days (IRHERFY=100-299)	31	0.05
5 = 300-365 Days (IRHERFY=300-365)	41	0.07
6 = Non User or No Past Year Use (IRHERFY=991,993)	56558	99.74

(IRHALLUCYFQ)
HALLNDAYYR Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRHALLUCYFQ=1-11)	1696	2.99
2 = 12-49 Days (IRHALLUCYFQ=12-49)	333	0.59
3 = 50-99 Days (IRHALLUCYFQ=50-99)	118	0.21
4 = 100-299 Days (IRHALLUCYFQ=100-299)	81	0.14
5 = 300-365 Days (IRHALLUCYFQ=300-365)	9	0.02
6 = Non User or No Past Year Use (IRHALLUCYFQ=991,993)	54468	96.06

(IRINHALYFQ)
INHNDAYYR Len : 1 RC-# OF DAYS USED INHALANTS IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRINHALYFQ=1-11)	446	0.79
2 = 12-49 Days (IRINHALYFQ=12-49)	146	0.26
3 = 50-99 Days (IRINHALYFQ=50-99)	76	0.13
4 = 100-299 Days (IRINHALYFQ=100-299)	63	0.11
5 = 300-365 Days (IRINHALYFQ=300-365)	11	0.02
6 = Non User or No Past Year Use (IRINHALYFQ=991,993)	55963	98.69

(IRMETHAMYFQ)
METHNDAYYR Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST YEAR

	Freq	Pct
1 = 1-11 Days (IRMETHAMYFQ=1-11)	70	0.12
2 = 12-49 Days (IRMETHAMYFQ=12-49)	80	0.14
3 = 50-99 Days (IRMETHAMYFQ=50-99)	51	0.09
4 = 100-299 Days (IRMETHAMYFQ=100-299)	172	0.30
5 = 300-365 Days (IRMETHAMYFQ=300-365)	114	0.20
6 = Non User or No Past Year Use (IRMETHAMYFQ=991,993)	56218	99.14

(IRCIGFM)
CIGMDAYS Len : 1 RC-# OF DAYS USED CIGARETTES IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCIGFM=1-2)	1117	1.97
2 = 3-5 Days (IRCIGFM=3-5)	678	1.20
3 = 6-19 Days (IRCIGFM=6-19)	924	1.63
4 = 20-29 Days (IRCIGFM=20-29)	637	1.12
5 = 30 Days (IRCIGFM=30)	3523	6.21
6 = Non User or No Past Month Use (IRCIGFM=91,93)	49826	87.87

(IRCGRFM)
CGRMDAYS Len : 1 RC-# OF DAYS USED CIGARS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCGRFM=1-2)	843	1.49
2 = 3-5 Days (IRCGRFM=3-5)	410	0.72
3 = 6-19 Days (IRCGRFM=6-19)	370	0.65
4 = 20-30 Days (IRCGRFM=20-30)	458	0.81
5 = Non User or No Past Month Use (IRCGRFM=91,93)	54624	96.33

(IRSMKLSS30N)
SMKLSMDAYS Len : 1 RC-# OF DAYS USED SMOKELESS TOBACCO IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRSMKLSS30N=1-2)	224	0.40
2 = 3-5 Days (IRSMKLSS30N=3-5)	172	0.30
3 = 6-19 Days (IRSMKLSS30N=6-19)	227	0.40
4 = 20-30 Days (IRSMKLSS30N=20-30)	683	1.20
5 = Non User or No Past Month Use (IRSMKLSS30N=91,93)	55399	97.70

(IRNICVAP30N)
NICVPMDAYS Len : 1 RC-# OF DAYS VAPED NICOTINE IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRNICVAP30N=1-2)	1090	1.92
2 = 3-5 Days (IRNICVAP30N=3-5)	819	1.44
3 = 6-19 Days (IRNICVAP30N=6-19)	1372	2.42
4 = 20-30 Days (IRNICVAP30N=20-30)	3950	6.97
5 = Non User or No Past Month Use (IRNICVAP30N=91,93)	49474	87.25

(IRALCFM)
ALCMDAYS Len : 1 RC-# OF DAYS USED ALCOHOL IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRALCFM=1-2)	7689	13.56
2 = 3-5 Days (IRALCFM=3-5)	6814	12.02
3 = 6-19 Days (IRALCFM=6-19)	6954	12.26
4 = 20-30 Days (IRALCFM=20-30)	3130	5.52
5 = Non User or No Past Month Use (IRALCFM=91,93)	32118	56.64

(IRMJFM)
MRJMDAYS Len : 1 RC-# OF DAYS USED MARIJUANA IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRMJFM=1-2)	1853	3.27
2 = 3-5 Days (IRMJFM=3-5)	1361	2.40
3 = 6-19 Days (IRMJFM=6-19)	1935	3.41
4 = 20-30 Days (IRMJFM=20-30)	4700	8.29
5 = Non User or No Past Month Use (IRMJFM=91,93)	46856	82.63

(IRCOCFM)
COCMDAYS Len : 1 RC-# OF DAYS USED COCAINE IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCOCFM=1-2)	193	0.34
2 = 3-5 Days (IRCOCFM=3-5)	68	0.12
3 = 6-19 Days (IRCOCFM=6-19)	65	0.11
4 = 20-30 Days (IRCOCFM=20-30)	43	0.08
5 = Non User or No Past Month Use (IRCOCFM=91,93)	56336	99.35

(IRCRKFM)
CRKMDAYS Len : 1 RC-# OF DAYS USED CRACK IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRCRKFM=1-2)	22	0.04
2 = 3-5 Days (IRCRKFM=3-5)	12	0.02
3 = 6-19 Days (IRCRKFM=6-19)	16	0.03
4 = 20-30 Days (IRCRKFM=20-30)	24	0.04
5 = Non User or No Past Month Use (IRCRKFM=91,93)	56631	99.87

(IRHERFM)
HERMDAYS Len : 1 RC-# OF DAYS USED HEROIN IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRHERFM=1-2)	11	0.02
2 = 3-5 Days (IRHERFM=3-5)	13	0.02
3 = 6-19 Days (IRHERFM=6-19)	17	0.03
4 = 20-30 Days (IRHERFM=20-30)	49	0.09
5 = Non User or No Past Month Use (IRHERFM=91,93)	56615	99.84

(IRHALLUC30N)
HALLNDAYPM Len : 1 RC-# OF DAYS USED HALLUCINOGENS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRHALLUC30N=1-2)	484	0.85
2 = 3-5 Days (IRHALLUC30N=3-5)	114	0.20
3 = 6-19 Days (IRHALLUC30N=6-19)	63	0.11
4 = 20-30 Days (IRHALLUC30N=20-30)	14	0.02
5 = Non User or No Past Month Use (IRHALLUC30N=91,93)	56030	98.81

(IRINHAL30N)
INHNDAYPM Len : 1 RC-# OF DAYS USED INHALANTS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRINHAL30N=1-2)	145	0.26
2 = 3-5 Days (IRINHAL30N=3-5)	62	0.11
3 = 6-19 Days (IRINHAL30N=6-19)	39	0.07
4 = 20-30 Days (IRINHAL30N=20-30)	9	0.02
5 = Non User or No Past Month Use (IRINHAL30N=91,93)	56450	99.55

(IRMETHAM30N)
METHNDAYPM Len : 1 RC-# OF DAYS USED METHAMPHETAMINE IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRMETHAM30N=1-2)	35	0.06
2 = 3-5 Days (IRMETHAM30N=3-5)	32	0.06
3 = 6-19 Days (IRMETHAM30N=6-19)	55	0.10
4 = 20-30 Days (IRMETHAM30N=20-30)	163	0.29
5 = Non User or No Past Month Use (IRMETHAM30N=91,93)	56420	99.50

(IRPNRNM30FQ)
PNRNDAYPM Len : 1 RC-# OF DAYS MISUSED PAIN RELIEVERS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRPNRNM30FQ=1-2)	178	0.31
2 = 3-5 Days (IRPNRNM30FQ=3-5)	100	0.18
3 = 6-19 Days (IRPNRNM30FQ=6-19)	105	0.19
4 = 20-30 Days (IRPNRNM30FQ=20-30)	74	0.13
5 = Non User or No Past Month Misuse (IRPNRNM30FQ=91,93)	56248	99.19

(IRTRQNM30FQ)
TRQNDAYPM Len : 1 RC-# OF DAYS MISUSED TRANQUILIZERS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRTRQNM30FQ=1-2)	96	0.17
2 = 3-5 Days (IRTRQNM30FQ=3-5)	66	0.12
3 = 6-19 Days (IRTRQNM30FQ=6-19)	50	0.09
4 = 20-30 Days (IRTRQNM30FQ=20-30)	19	0.03
5 = Non User or No Past Month Misuse (IRTRQNM30FQ=91,93)	56474	99.59

(IRSTMNM30FQ)
STMNDAYPM Len : 1 RC-# OF DAYS MISUSED STIMULANTS IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRSTMNM30FQ=1-2)	139	0.25
2 = 3-5 Days (IRSTMNM30FQ=3-5)	68	0.12
3 = 6-19 Days (IRSTMNM30FQ=6-19)	47	0.08
4 = 20-30 Days (IRSTMNM30FQ=20-30)	15	0.03
5 = Non User or No Past Month Misuse (IRSTMNM30FQ=91,93)	56436	99.53

(IRSEDNM30FQ)
SEDNDAYPM Len : 1 RC-# OF DAYS MISUSED SEDATIVES IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRSEDNM30FQ=1-2)	23	0.04
2 = 3-5 Days (IRSEDNM30FQ=3-5)	11	0.02
3 = 6-19 Days (IRSEDNM30FQ=6-19)	7	0.01
4 = 20-30 Days (IRSEDNM30FQ=20-30)	2	0.00
5 = Non User or No Past Month Misuse (IRSEDNM30FQ=91,93)	56662	99.92

(IRALCBNG30D)
BNGDRMDAYS Len : 1 RC-# OF DAYS BINGE USED ALCOHOL IN PAST MONTH

	Freq	Pct
1 = 1-2 Days (IRALCBNG30D=1-2)	6827	12.04
2 = 3-5 Days (IRALCBNG30D=3-5)	3107	5.48
3 = 6-19 Days (IRALCBNG30D=6-19)	1736	3.06
4 = 20-30 Days (IRALCBNG30D=20-30)	547	0.96
5 = Non User or No Past Month Use (IRALCBNG30D=91,93)	44488	78.46

(CIG30AV, IRCIGFM)
CIGPDAY Len : 1 RC-# OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS

	Freq	Pct
1 = Fewer Than 6 (CIG30AV=1,2,3 and IRCIGFM=30)	858	1.51
2 = 6-15 (CIG30AV=4 and IRCIGFM=30)	1419	2.50
3 = 16-25 (CIG30AV=5 and IRCIGFM=30)	963	1.70
4 = 26 or More (CIG30AV=6,7 and IRCIGFM=30)	279	0.49
5 = Not Reported (CIG30AV=85,94,97,98 and IRCIGFM=30)	4	0.01
6 = No Daily Use (CIG30AV=91,93 or IRCIGFM=1-29,91,93)	53182	93.79

(CIGPDAY)
CIG1PACK Len : 1 RC-SMKED 1+ PCK OF CIGS PER DAY AMNG DLY SMKERS (1/0)

	Freq	Pct
. = No daily use/not reported (CIGPDAY=5,6)	53186	93.79
0 = Smoked <1 pack per day (CIGPDAY=1,2)	2277	4.02
1 = Smoked 1+ pack per day (CIGPDAY=3,4)	1242	2.19

The following variable, CIGAVGD, was defined as the midpoint of the range the respondent reported as the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIG30AV).

(CIG30AV)
CIGAVGD Len : 4 RC-AVG NUMBER OF CIGARETTES SMOKED PER DAY

	Freq	Pct
. = Not Used/Unknown (Otherwise)	49851	87.91
0.5 = Less than 1 cigarette (CIG30AV=1)	919	1.62
1 = 1 cigarette (CIG30AV=2)	955	1.68
3.5 = 2 to 5 cigarettes (CIG30AV=3)	1810	3.19
10.5 = 6 to 15 cigarettes (CIG30AV=4)	1740	3.07
20.5 = 16 to 25 cigarettes (CIG30AV=5)	1092	1.93
30.5 = 26 to 35 cigarettes (CIG30AV=6)	232	0.41
50 = More than 35 cigarettes (CIG30AV=7)	106	0.19

The following variable, CIGAVGM, was defined as the product of the number of days a user smoked cigarettes in the past month (IRCIGFM) and the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIGAVGD).

(CIGAVGD, IRCIGFM)
CIGAVGM Len : 6 RC-NUMBER OF CIGARETTES SMOKED PER USER IN PAST MONTH

	Freq	Pct
RANGE = 0.5 - 1500	6854	12.09
. = Not Used/Unknown (CIGAVGD=. or IRCIGFM=91,93)	49851	87.91

The following variable, ALCNUMDKPM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (ALCUS30D). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month (IRALCFM=91, 93 or ALCUS30D=991, 993) or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (ALCUS30D=985, 994, 997, 998) or logically assigned to 5 or more (ALCUS30D=975).

(ALCUS30D, IRALCFM)
ALCNUMDKPM Len : 4 RC-NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH

	Freq	Pct
RANGE = 1 - 1800	22847	40.29
. = Not Used/Unknown (See comment above)	33858	59.71

(IRCIGAGE)
FUCIG18 Len : 1 RC-FIRST USED CIGARETTES PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRCIGAGE<18)	15772	27.81
2 = No (IRCIGAGE>=18)	40933	72.19

(IRCIGAGE)
FUCIG21 Len : 1 RC-FIRST USED CIGARETTES PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRCIGAGE<21)	21728	38.32
2 = No (IRCIGAGE>=21)	34977	61.68

(IRCDUAGE)
FUCD218 Len : 1 RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRCDUAGE<18)	5654	9.97
2 = No (IRCDUAGE>=18)	51051	90.03

(IRCDUAGE)
FUCD221 Len : 1 RC-FIRST USED CIGARETTES DAILY PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRCDUAGE<21)	9711	17.13
2 = No (IRCDUAGE>=21)	46994	82.87

(IRCGRAGE)
FUCGR18 Len : 1 RC-FIRST USED CIGARS PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRCGRAGE<18)	4281	7.55
2 = No (IRCGRAGE>=18)	52424	92.45

(IRCGRAGE)
FUCGR21 Len : 1 RC-FIRST USED CIGARS PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRCGRAGE<21)	8966	15.81
2 = No (IRCGRAGE>=21)	47739	84.19

(IRSMKLSSTRY)
FUSMKLSS18 Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRSMKLSSTRY<18)	3234	5.70
2 = No (IRSMKLSSTRY>=18)	53471	94.30

(IRSMKLSSTRY)
FUSMKLSS21 Len : 1 RC-FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRSMKLSSTRY<21)	4962	8.75
2 = No (IRSMKLSSTRY>=21)	51743	91.25

(IRNICVAPAGE)
FUNICVAP18 Len : 1 RC-FIRST VAPED NICOTINE PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRNICVAPAGE<18)	6257	11.03
2 = No (IRNICVAPAGE>=18)	50448	88.97

(IRNICVAPAGE)
FUNICVAP21 Len : 1 RC-FIRST VAPED NICOTINE PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRNICVAPAGE<21)	9510	16.77
2 = No (IRNICVAPAGE>=21)	47195	83.23

(IRALCAGE)
FUALC18 Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRALCAGE<18)	22572	39.81
2 = No (IRALCAGE>=18)	34133	60.19

(IRALCAGE)
FUALC21 Len : 1 RC-FIRST USED ALCOHOL PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRALCAGE<21)	32368	57.08
2 = No (IRALCAGE>=21)	24337	42.92

(IRMJAGE)
FUMJ18 Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRMJAGE<18)	14369	25.34
2 = No (IRMJAGE>=18)	42336	74.66

(IRMJAGE)
FUMJ21 Len : 1 RC-FIRST USED MARIJUANA PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRMJAGE<21)	20463	36.09
2 = No (IRMJAGE>=21)	36242	63.91

(IRCOCAGE)
FUCOC18 Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRCOCAGE<18)	1406	2.48
2 = No (IRCOCAGE>=18)	55299	97.52

(IRCOCAGE)
FUCOC21 Len : 1 RC-FIRST USED COCAINE PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRCOCAGE<21)	3410	6.01
2 = No (IRCOCAGE>=21)	53295	93.99

(IRCRKAGE)
FUCRK18 Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRCRKAGE<18)	262	0.46
2 = No (IRCRKAGE>=18)	56443	99.54

(IRCRKAGE)
FUCRK21 Len : 1 RC-FIRST USED CRACK PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRCRKAGE<21)	591	1.04
2 = No (IRCRKAGE>=21)	56114	98.96

(IRHERAGE)
FUHER18 Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRHERAGE<18)	187	0.33
2 = No (IRHERAGE>=18)	56518	99.67

(IRHERAGE)
FUHER21 Len : 1 RC-FIRST USED HEROIN PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRHERAGE<21)	411	0.72
2 = No (IRHERAGE>=21)	56294	99.28

(IRHALLUCAGE)
FUHALLUC18 Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRHALLUCAGE<18)	3071	5.42
2 = No (IRHALLUCAGE>=18)	53634	94.58

(IRHALLUCAGE)
FUHALLUC21 Len : 1 RC-FIRST USED HALLUCINOGENS PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRHALLUCAGE<21)	5891	10.39
2 = No (IRHALLUCAGE>=21)	50814	89.61

(IRLSDAGE)
FULSD18 Len : 1 RC-FIRST USED LSD PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRLSDAGE<18)	1886	3.33
2 = No (IRLSDAGE>=18)	54819	96.67

(IRLSDAGE)
FULSD21 Len : 1 RC-FIRST USED LSD PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRLSDAGE<21)	3562	6.28
2 = No (IRLSDAGE>=21)	53143	93.72

(IRPCPAGE)
FUPCP18 Len : 1 RC-FIRST USED PCP PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRPCPAGE<18)	321	0.57
2 = No (IRPCPAGE>=18)	56384	99.43

(IRPCPAGE)
FUPCP21 Len : 1 RC-FIRST USED PCP PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRPCPAGE<21)	524	0.92
2 = No (IRPCPAGE>=21)	56181	99.08

(IRECSTMOAGE)
FUECSTMO18 Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRECSTMOAGE<18)	1010	1.78
2 = No (IRECSTMOAGE>=18)	55695	98.22

(IRECSTMOAGE)
FUECSTMO21 Len : 1 RC-FIRST USED ECSTASY PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRECSTMOAGE<21)	2408	4.25
2 = No (IRECSTMOAGE>=21)	54297	95.75

(IRINHALAGE)
FUINHAL18 Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRINHALAGE<18)	3266	5.76
2 = No (IRINHALAGE>=18)	53439	94.24

(IRINHALAGE)
FUINHAL21 Len : 1 RC-FIRST USED INHALANTS PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRINHALAGE<21)	4221	7.44
2 = No (IRINHALAGE>=21)	52484	92.56

(IRMETHAMAGE)
FUMETHAM18 Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRMETHAMAGE<18)	702	1.24
2 = No (IRMETHAMAGE>=18)	56003	98.76

(IRMETHAMAGE)
FUMETHAM21 Len : 1 RC-FIRST USED METHAMPHETAMINE PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRMETHAMAGE<21)	1288	2.27
2 = No (IRMETHAMAGE>=21)	55417	97.73

(IRPNRNMAGE)
FUPNRNM18 Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRPNRNMAGE<18)	113	0.20
2 = No (IRPNRNMAGE>=18)	56592	99.80

(IRPNRNMAGE)
FUPNRNM21 Len : 1 RC-FIRST MISUSED PAIN RELIEVERS PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRPNRNMAGE<21)	146	0.26
2 = No (IRPNRNMAGE>=21)	56559	99.74

(IRTRQNMAGE)
FUTRQNM18 Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRTRQNMAGE<18)	27	0.05
2 = No (IRTRQNMAGE>=18)	56678	99.95

(IRTRQNMAGE)
FUTRQNM21 Len : 1 RC-FIRST MISUSED TRANQUILIZERS PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRTRQNMAGE<21)	42	0.07
2 = No (IRTRQNMAGE>=21)	56663	99.93

(IRSTMNMAGE)
FUSTMNM18 Len : 1 RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRSTMNMAGE<18)	52	0.09
2 = No (IRSTMNMAGE>=18)	56653	99.91

(IRSTMNMAGE)
FUSTMNM21 Len : 1 RC-FIRST MISUSED STIMULANTS PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRSTMNMAGE<21)	90	0.16
2 = No (IRSTMNMAGE>=21)	56615	99.84

(IRSEDNMAGE)
FUSEDNM18 Len : 1 RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 18

	Freq	Pct
1 = Yes (IRSEDNMAGE<18)	17	0.03
2 = No (IRSEDNMAGE>=18)	56688	99.97

(IRSEDNMAGE)
FUSEDNM21 Len : 1 RC-FIRST MISUSED SEDATIVES PRIOR TO AGE 21

	Freq	Pct
1 = Yes (IRSEDNMAGE<21)	19	0.03
2 = No (IRSEDNMAGE>=21)	56686	99.97

The following main reason for misusing pain relievers, PNRMAINRSN, is defined based on answers to questions about respondents' reasons for misusing pain relievers for their last misuse. Respondents could report more than one reason for misusing pain relievers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in PNRRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to relieve physical pain (PNRRSMAIN=1,11), reported only one reason which was to relieve physical pain (PNRRSMAIN=99 and PNRRSPAIN=1), or reported some other reason as their only reason but specified that this other reason was to relieve physical pain (PNRRSMAIN=99 and PNRRSPAIN=3).
2. Main reason is to relax or relieve tension (PNRRSMAIN=2,12), reported only one reason which was to relax or relieve tension (PNRRSMAIN=99 and PNRRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (PNRRSMAIN=99 and PNRRSRELX=3).
3. Main reason is to experiment or see what it's like (PNRRSMAIN=3,13), reported only one reason which was to experiment or see what it's like (PNRRSMAIN=99 and PNRRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (PNRRSMAIN=99 and PNRRSEXPT=3).
4. Main reason is to feel good or get high (PNRRSMAIN=4,14), reported only one reason which was to feel good or get high (PNRRSMAIN=99 and PNRRHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (PNRRSMAIN=99 and PNRRSHIGH=3).
5. Main reason is to help with sleep (PNRRSMAIN=5,15), reported only one reason which was to help with sleep (PNRRSMAIN=99 and PNRRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (PNRRSMAIN=99 and PNRRSSLEP=3).
6. Main reason is to help with feelings or emotions (PNRRSMAIN=6,16), reported only one reason which was to help with feelings or emotions (PNRRSMAIN=99 and PNRRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (PNRRSMAIN=99 and PNRRSEMOT=3).
7. Main reason is to increase/decrease effects of other drugs (PNRRSMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (PNRRSMAIN=99 and PNRRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (PNRRSMAIN=99 and PNRRSDGFX=3).
8. Main reason is because hooked or have to have drug (PNRRSMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (PNRRSMAIN=99 and PNRRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (PNRRSMAIN=99 and PNRRSHOOK=3).
9. Main reason is some other reason (PNRRSMAIN=9), or reported only one reason which was a valid other reason listed for pain relievers other than those defined above based on the write in data (PNRRSMAIN=99 and PNRRSSOR=1 and PNRRSOTRS2=9-71). Values of 1-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for pain relievers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (PNRRSMAIN=85,94,98) or reported only one reason and the other pain reliever reason was not a valid reason (PNRRSMAIN=99 and PNRRSSOR=1 and PNRRSOTRS2=985,994,997).

(PNRRSDGFX, PNRRSEMOT, PNRRSEXPT, PNRRSHIGH, PNRRSHOOK, PNRRSMAIN, PNRRSOTRS2, PNRRSPAIN, PNRRSRELX, PNRRSSLEP, PNRRSSOR)

PNRMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING PAIN RELIEVERS LAST EPISODE

	Freq	Pct
. = Unknown (See comment above)	389	0.69
1 = Relieve physical pain (see comment above)	1040	1.83
2 = Relax or relieve tension (see comment above)	125	0.22
3 = Experiment/see what like (see comment above)	40	0.07
4 = Feel good/get high (see comment above)	173	0.31
5 = Help with sleep (see comment above)	67	0.12
6 = Help with feelings or emotions (see comment above)	61	0.11
7 = Inc/dec effects oth drg (see comment above)	14	0.02
8 = Hooked or have to have drug (see comment above)	50	0.09
9 = Some other reason (see comment above)	35	0.06
10 = Did not misuse in pst 12 mos (PNRRSMAIN=83,91,93)	54711	96.48

The following main reason for misusing tranquilizers, TRQMAINRSN, is defined based on answers to questions about respondents' reasons for misusing tranquilizers for their last misuse. Respondents could report more than one reason for misusing tranquilizers the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in TRQRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (TRQRSMAIN=1,11), reported only one reason which was to relax or relieve tension (TRQRSMAIN=99 and TRQRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (TRQRSMAIN=99 and TRQRSRELX=3).
2. Main reason is to experiment or see what it's like (TRQRSMAIN=2,12), reported only one reason which was to experiment or see what it's like (TRQRSMAIN=99 and TRQRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (TRQRSMAIN=99 and TRQRSEXPT=3).
3. Main reason is to feel good or get high (TRQRSMAIN=3,13), reported only one reason which was to feel good or get high (TRQRSMAIN=99 and TRQRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (TRQRSMAIN=99 and TRQRSHIGH=3).
4. Main reason is to help with sleep (TRQRSMAIN=4,14), reported only one reason which was to help with sleep (TRQRSMAIN=99 and TRQRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (TRQRSMAIN=99 and TRQRSSLEP=3).
5. Main reason is to help with feelings or emotions (TRQRSMAIN=5,15), reported only one reason which was to help with feelings or emotions (TRQRSMAIN=99 and TRQRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (TRQRSMAIN=99 and TRQRSEMOT=3).
6. Main reason is to increase/decrease effects of other drugs (TRQRSMAIN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (TRQRSMAIN=99 and TRQRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (TRQRSMAIN=99 and TRQRSDGFX=3).
7. Main reason is because hooked or have to have drug (TRQRSMAIN=7,17), reported only one reason which was because they were hooked or had to have the drug (TRQRSMAIN=99 and TRQRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (TRQRSMAIN=99 and TRQRSHOOK=3).
8. Main reason is some other reason (TRQRSMAIN=8), or reported only one reason which was a valid other reason listed for tranquilizer other than those defined above based on the write in data (TRQRSMAIN=99 and TRQRSSOR=1 and TRQRSOTRS2=1, 9-72). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for tranquilizers but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (TRQRSMAIN=85,94,98) or reported only one reason and the other tranquilizer reason was not a valid reason (TRQRSMAIN=99 and TRQRSSOR=1 and TRQRSOTRS2=985,994,997).

(TRQRSDGFX, TRQRSEMOT, TRQRSEXPT, TRQRSHIGH, TRQRSHOOK, TRQRSMAIN, TRQRSOTRS2, TRQRSRELX, TRQRSSLEP, TRQRSSOR)

TRQMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING TRANQUILIZERS LAST EPISODE

	Freq	Pct
. = Unknown (see comment above)	280	0.49
1 = Relax or relieve tension (see comment above)	334	0.59
2 = Experiment/see what like (see comment above)	47	0.08
3 = Feel good/get high (see comment above)	84	0.15
4 = Help with sleep (see comment above)	154	0.27
5 = Help with feelings or emotions (see comment above)	161	0.28
6 = Inc/dec effects oth drg (see comment above)	12	0.02
7 = Hooked or have to have drug (see comment above)	4	0.01
8 = Some other reason (see comment above)	25	0.04
9 = Did not misuse in pst 12 mos (TRQRSMAIN=83,91,93)	55604	98.06

The following main reason for misusing stimulants, STMMAINRSN, is defined based on answers to questions about respondents' reasons for misusing stimulants for their last misuse. Respondents could report more than one reason for misusing stimulants the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-18 in STMRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the eight categories below.

1. Main reason is to help lose weight (STMRSMAIN=1,11), reported only one reason which was to help lose weight (STMRSMAIN=99 and STMRSWGHT=1), or reported some other reason as their only reason but specified that this other reason was to help lose weight (STMRSMAIN=99 and STMRSWGHT=3).
2. Main reason is to help concentrate (STMRSMAIN=2,12), reported only one reason which was to help concentrate (STMRSMAIN=99 and STMRSCONC=1), or reported some other reason as their only reason but specified that this other reason was to help concentrate (STMRSMAIN=99 and STMRSCONC=3).
3. Main reason is to help be alert or stay awake (STMRSMAIN=3,13), reported only one reason which was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=1), or reported some other reason as their only reason but specified that this other reason was to help be alert or stay awake (STMRSMAIN=99 and STMRSALRT=3).
4. Main reason is to help study (STMRSMAIN=4,14), reported only one reason which was to help study (STMRSMAIN=99 and STMRSSTDY=1), or reported some other reason as their only reason but specified that this other reason was to help study (STMRSMAIN=99 and STMRSSTDY=3).
5. Main reason is to experiment or see what it's like (STMRSMAIN=5,15), reported only one reason which was to experiment or see what it's like (STMRSMAIN=99 and STMRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (STMRSMAIN=99 and STMRSEXPT=3).
6. Main reason is to feel good or get high (STMRSMAIN=6,16), reported only one reason which was to feel good or get high (STMRSMAIN=99 and STMRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (STMRSMAIN=99 and STMRSHIGH=3).
7. Main reason is to increase/decrease effects of other drugs (STMRSMAIN=7,17), reported only one reason which was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (STMRSMAIN=99 and STMRSDGFX=3).
8. Main reason is because hooked or have to have the drug (STMRSMAIN=8,18), reported only one reason which was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (STMRSMAIN=99 and STMRSHOOK=3).
9. Main reason is some other reason (STMRSMAIN=9), or reported only one reason which was a valid other reason listed for stimulant other than those defined above based on the write in data (STMRSMAIN=99 and STMRSSOR=1 and STMRSOTRS2=1,2,6,14-35). Values of 3,4, and 7-12 that are in the specific other reason level are write in responses that do not correspond to reasons listed for stimulants but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (STMRSMAIN=85,94,98) or reported only one reason and the other reason was not a valid reason (STMRSMAIN=99 and STMRSSOR=1 and STMRSOTRS2 = 985,994,997).

(STMRSALRT, STMRSCONC, STMRSDGFX, STMRSEXPT, STMRSHIGH, STMRSHOOK, STMRSMAIN, STMRSOTRS2, STMRSSOR, STMRSSTDY, STMRSWGHT)

STMMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING STIMULANTS LAST EPISODE

	Freq	Pct
. = Unknown (see comment above)	295	0.52
1 = Help lose weight (see comment above)	43	0.08
2 = Help concentrate (see comment above)	328	0.58
3 = Help be alert or stay awake (see comment above)	244	0.43
4 = Help study (see comment above)	129	0.23
5 = Experiment/see what like (see comment above)	67	0.12
6 = Feel good/get high (see comment above)	129	0.23
7 = Inc/dec effects oth drg (see comment above)	10	0.02
8 = Hooked or have to have drug (see comment above)	7	0.01
9 = Some other reason (see comment above)	41	0.07
10 = Did not misuse in pst 12 mos (STMRSMAIN=83,91,93)	55412	97.72

The following main reason for misusing sedatives, SEDMAINRSN, is defined based on answers to questions about respondents' reasons for misusing sedatives for their last misuse. Respondents could report more than one reason for misusing sedatives the last time. If they reported more than one reason, then they were asked to report the main reason. If data existed for the main reason question, then that response was considered to be their main reason. If respondents reported only one reason for their last misuse, then that logically was the main reason (i.e., these respondents were not asked the question for their main reason). If respondents reported that some other reason was their main reason for their last misuse, then their response was logically assigned from the write in data. In the documentation below, values of 11-17 in SEDRSMAIN reflect situations where respondents reported more than one reason for their last misuse, their "other" reason for their last misuse was their main reason for their last misuse, but the other reason was the reason specified as one of the seven categories below.

1. Main reason is to relax or relieve tension (SEDRSMAIN=1,11), reported only one reason which was to relax or relieve tension (SEDRSMAIN=99 and SEDRSRELX=1), or reported some other reason as their only reason but specified that this other reason was to relax or relieve tension (SEDRSMAIN=99 and SEDRSRELX=3).
2. Main reason is to experiment or see what it's like (SEDRSMAIN=2,12), reported only one reason which was to experiment or see what it's like (SEDRSMAIN=99 and SEDRSEXPT=1), or reported some other reason as their only reason but specified that this other reason was to experiment or see what it's like (SEDRSMAIN=99 and SEDRSEXPT=3).
3. Main reason is to feel good or get high (SEDRSMAIN=3,13), reported only one reason which was to feel good or get high (SEDRSMAIN=99 and SEDRSHIGH=1), or reported some other reason as their only reason but specified that this other reason was to feel good or get high (SEDRSMAIN=99 and SEDRSHIGH=3).
4. Main reason is to help with sleep (SEDRSMAIN=4,14), reported only one reason which was to help with sleep (SEDRSMAIN=99 and SEDRSSLEP=1), or reported some other reason as their only reason but specified that this other reason was to help with sleep (SEDRSMAIN=99 and SEDRSSLEP=3).
5. Main reason is to help with feelings or emotions (SEDRSMAIN=5,15), reported only one reason which was to help with feelings or emotions (SEDRSMAIN=99 and SEDRSEMOT=1), or reported some other reason as their only reason but specified that this other reason was to help with feelings or emotions (SEDRSMAIN=99 and SEDRSEMOT=3).
6. Main reason is to increase/decrease effects of other drugs (SEDRSMAIN=6,16), reported only one reason which was to increase/decrease the effects of other drugs (SEDRSMAIN=99 and SEDRSDGFX=1), or reported some other reason as their only reason but specified that this other reason was to increase/decrease the effects of other drugs (SEDRSMAIN=99 and SEDRSDGFX=3).
7. Main reason is because hooked or have to have the drug (SEDRSMAIN=7,17), reported only one reason which was because they were hooked or had to have the drug (SEDRSMAIN=99 and SEDRSHOOK=1), or reported some other reason as their only reason but specified that this other reason was because they were hooked or had to have the drug (SEDRSMAIN=99 and SEDRSHOOK=3).
8. Main reason is some other reason (SEDRSMAIN=8), or reported only one reason which was a valid other reason listed for sedative other than those defined above based on the write in data (SEDRSMAIN=99 and SEDRSSOR=1 and SEDRSOTRS2=1, 9-33). Values of 2-8 that are in the specific other reason level are write in responses that do not correspond to reasons listed for sedatives but are considered valid reasons so are not excluded.

(System Missing): Main reason is unknown (SEDRSMAIN=85,94,98) or reported only one reason and the other reason was not a valid reason (SEDRSMAIN=99 and SEDRSSOR=1 and SEDRSOTRS2=985,994,997).

(SEDRSDGFX, SEDRSEMOT, SEDRSEXPT, SEDRSHIGH, SEDRSHOOK, SEDRSMAIN, SEDRSOTRS2, SEDRSRELX, SEDRSSLEP, SEDRSSOR)

SEDMAINRSN Len : 1 RC-MAIN REASON FOR MISUSING SEDATIVES LAST EPISODE

	Freq	Pct
. = Unknown (see comment above)	294	0.52
1 = Relax or relieve tension (see comment above)	19	0.03
2 = Experiment/see what like (see comment above)	5	0.01
3 = Feel good/get high (see comment above)	11	0.02
4 = Help with sleep (see comment above)	111	0.20
5 = Help with feelings or emotions (see comment above)	6	0.01
7 = Hooked or have to have drug (see comment above)	1	0.00
8 = Some other reason (see comment above)	6	0.01
9 = Did not misuse in pst 12 mos (SEDRSMAIN=83,91,93)	56252	99.20

NOTE: The following four variables pertain to the source of a respondent's most recent misuse of prescription pain relievers (SRCPNRNM2), prescription tranquilizers (SRCTRQNM2), prescription stimulants (SRCSTMNM2), and prescription sedatives (SRCSEDNM2) within the past year.

For each variable there are eight mutually exclusive categories for specific sources, and a missing category for respondents with no past year misuse or unknown responses to the source questions. The categories for the specific sources take into account responses from a single question asking about a single, most recent source of misuse among respondents who misused in the past year.

Based on the following conditions, a respondent was classified in one of the following nine categories (including System Missing) for the source of most recent prescription drug misuse in the past year for the variables, SRCPNRNM2, SRCTRQNM2, SRCSTMNM2, and SRCSEDNM2:

1. Got From One Doctor
2. Got From More Than One Doctor
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy
4. Got From Friend or Relative for Free
5. Bought from Friend or Relative
6. Took from Friend or Relative without Asking
7. Bought from Drug Dealer or Other Stranger
8. Got Some Other Way

(System Missing) No Past Year Misuse/Unknown/Invalid Source

SRCPNRNM2 Len : 2 RC-SOURCE OF PAIN RELIEVERS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	55146	97.25
1 = Got From One Doctor	626	1.10
2 = Got From More Than One Doctor	34	0.06
3 = Stole from Dr Office, Clinic, Hospital, or Pharmacy	11	0.02
4 = Got From Friend or Relative for Free	463	0.82
5 = Bought from Friend or Relative	132	0.23
6 = Took from Friend or Relative without Asking	71	0.13
7 = Bought from Drug Dealer or Other Stranger	143	0.25
8 = Got Some Other Way	79	0.14

SRCTRQNM2 Len : 2 RC-SOURCE OF TRANQUILIZERS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	55898	98.58
1 = Got From One Doctor	187	0.33
2 = Got From More Than One Doctor	14	0.02
4 = Got From Friend or Relative for Free	377	0.66
5 = Bought from Friend or Relative	90	0.16
6 = Took from Friend or Relative without Asking	28	0.05
7 = Bought from Drug Dealer or Other Stranger	80	0.14
8 = Got Some Other Way	31	0.05

SRCSTMNM2 Len : 2 RC-SOURCE OF STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	55713	98.25
1 = Got From One Doctor	175	0.31
2 = Got From More Than One Doctor	10	0.02
4 = Got From Friend or Relative for Free	525	0.93
5 = Bought from Friend or Relative	131	0.23
6 = Took from Friend or Relative without Asking	44	0.08
7 = Bought from Drug Dealer or Other Stranger	66	0.12
8 = Got Some Other Way	41	0.07

SRCSEDNM2 Len : 2 RC-SOURCE OF SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No Past Year Misuse/Unknown/Invalid Source	56551	99.73
1 = Got From One Doctor	54	0.10
2 = Got From More Than One Doctor	5	0.01
4 = Got From Friend or Relative for Free	73	0.13
5 = Bought from Friend or Relative	5	0.01
6 = Took from Friend or Relative without Asking	7	0.01
7 = Bought from Drug Dealer or Other Stranger	7	0.01
8 = Got Some Other Way	3	0.01

NOTE: A respondent who misused prescription drugs in the past year was administered a question regarding the source of the drug during their most recent use. If they indicated that their most recent source was a 'friend or relative for free' from either of these questions, then a respondent was administered a follow-up question that asked the source the friend/relative had obtained the drug from. The following four variables pertain to the source from which a respondent's friend or relative obtained the drug for prescription pain relievers (SRCFRPNRNM), prescription tranquilizers (SRCFRTRQNM), prescription stimulants (SRCFRSTMNM), and prescription sedatives (SRCFRSEDNM) within the past year.

For each of the following four variables, there are eight mutually exclusive categories for specific sources that the friend/relative obtained the drug from and a missing category for respondents who did not indicate using the drug in the past year (or lifetime) or a respondent that indicated in one of the previous questions that they had obtained the drug for most recent use from a valid source other than a friend or relative for free and respondents with unknown or invalid values.

Based on the following conditions, a respondent was classified in one of the following nine categories (including System Missing) for the source of most recent prescription drug use in the past year for the variables, SRCFRPNRNM, SRCFRTRQNM, SRCFRSTMNM, and SRCFRSEDNM:

1. Got Prescription(s) from One Doctor (XXXGOTLAS=4 and XXXFFGOT=1, 11)
2. Got Prescription(s) from More Than One Doctor (XXXGOTLAS=4 and XXXFFGOT=2, 12)
3. Stole from Dr Office, Clinic, Hospital, or Pharmacy(XXXGOTLAS=4 and XXXFFGOT=3, 13)
4. Got From Friend or Relative for Free (XXXGOTLAS=4 and XXXFFGOT=4, 14)
5. Bought from Friend or Relative (XXXGOTLAS=4 and XXXFFGOT=5, 15)
6. Took from Friend or Relative without Asking (XXXGOTLAS=4 and XXXFFGOT=6, 16)
7. Bought from Drug Dealer or Other Stranger (XXXGOTLAS=4 and XXXFFGOT=7, 17)
8. Got Some Other Way (XXXGOTLAS=4 and XXXFFGOT=8 and XXXFFGTSP=valid "other" response, levels 9-38, 71)

(System Missing): No Past Year Misuse or Valid Source of Most Recent Misuse Not from Friend or Relative for Free /Unknown/Invalid Source (XXXGOTLAS not=4 or [XXXGOTLAS=4 and XXXFFGOT=94, 97, 98)] or [XXXGOTLAS=4 and XXXFFGOT=8 and XXXFFGTSP=70, 72-75, 85, 94, 97, 98])

SRCFRPNRNM Len : 1 RC-SOURCE OF FRIEND/RELATIVE PAIN RELIEVERS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	56269	99.23
1 = Got Prescription(s) from One Doctor	337	0.59
2 = Got Prescription(s) from More Than One Doctor	10	0.02
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	1	0.00
4 = Got from Friend or Relative for Free	27	0.05
5 = Bought from Friend or Relative	22	0.04
6 = Took from Friend or Relative without Asking	4	0.01
7 = Bought from Drug Dealer or Other Stranger	25	0.04
8 = Got Some Other Way	10	0.02

SRCFRTRQNM Len : 1 RC-SOURCE OF FRIEND/RELATIVE TRANQUILIZERS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	56348	99.37
1 = Got Prescription(s) from One Doctor	274	0.48
2 = Got Prescription(s) from More Than One Doctor	9	0.02
3 = Stole from Dr Office, Clinic, Hospital,or Pharmacy	1	0.00
4 = Got from Friend or Relative for Free	21	0.04
5 = Bought from Friend or Relative	20	0.04
6 = Took from Friend or Relative without Asking	3	0.01
7 = Bought from Drug Dealer or Other Stranger	23	0.04
8 = Got Some Other Way	6	0.01

SRCFRSTMNM Len : 1 RC-SOURCE OF FRIEND/RELATIVE STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	56208	99.12
1 = Got Prescription(s) from One Doctor	404	0.71
2 = Got Prescription(s) from More Than One Doctor	17	0.03
4 = Got from Friend or Relative for Free	34	0.06
5 = Bought from Friend or Relative	30	0.05
6 = Took from Friend or Relative without Asking	1	0.00
7 = Bought from Drug Dealer or Other Stranger	7	0.01
8 = Got Some Other Way	4	0.01

SRCFRSEDNM Len : 1 RC-SOURCE OF FRIEND/RELATIVE SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invalid Source	56632	99.87
1 = Got Prescription(s) from One Doctor	67	0.12
2 = Got Prescription(s) from More Than One Doctor	1	0.00
4 = Got from Friend or Relative for Free	1	0.00
5 = Bought from Friend or Relative	1	0.00
6 = Took from Friend or Relative without Asking	2	0.00
8 = Got Some Other Way	1	0.00

NOTE: The following four variables show collapsed levels for the source of friend or relative's most recent misuse of prescription pain relievers (SRCCLFRPNR), prescription tranquilizers (SRCCLFRTRQ), prescription stimulants (SRCCLFRSTM), and prescription sedatives (SRCCLFRSED) within the past year.

(SRCFRPNRNM)

SRCCLFRPNR Len : 1 RC-COLLAPSED SOURCE OF FRND/REL PAIN RLVRS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	56269	99.23
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRPNRNM=1,2,3)	348	0.61
2 = Got From Friend/Relative (SRCFRPNRNM=4,5,6)	53	0.09
3 = Got From Another Source (SRCFRPNRNM=7,8)	35	0.06

(SRCFRTRQNM)

SRCCLFRTRQ Len : 1 RC-COLLAPSED SOURCE OF FRND/REL TRANQLZRS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	56348	99.37
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRTRQNM=1,2,3)	284	0.50
2 = Got From Friend/Relative (SRCFRTRQNM=4,5,6)	44	0.08
3 = Got From Another Source (SRCFRTRQNM=7,8)	29	0.05

(SRCFRSTMNM)

SRCCLFRSTM Len : 1 RC-COLLAPSED SOURCE OF FRND/REL STIMULANTS FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	56208	99.12
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSTMNM=1,2,3)	421	0.74
2 = Got From Friend/Relative (SRCFRSTMNM=4,5,6)	65	0.11
3 = Got From Another Source (SRCFRSTMNM=7,8)	11	0.02

(SRCFRSEDNM)

SRCCLFRSED Len : 1 RC-COLLAPSED SOURCE OF FRND/REL SEDATIVES FOR LAST MISUSE

	Freq	Pct
. = No PY Misuse/Not from Fr,Rel/Unknwn/Invld (Otherwise)	56632	99.87
1 = Got Frm Dr/Stle Frm Hlth Cr Prv (SRCFRSEDNM=1,2,3)	68	0.12
2 = Got From Friend/Relative (SRCFRSEDNM=4,5,6)	4	0.01
3 = Got From Another Source (SRCFRSEDNM=7,8)	1	0.00

OTHER SUBSTANCE TOPICS

SPECIAL DRUGS

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

The last questions were about prescription drugs. The next question is about non-prescription cough or cold medicines, also known as over the counter medicines. Have you ever, even once, taken a non-prescription cough or cold medicine just to get high?

(SD01)
COLDMEDS[1] Len : 2 TAKEN A NONPRESCRIPTION COUGH MED TO GET HIGH

	Freq	Pct
1 = Yes	2142	3.78
2 = No	54321	95.80
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	50	0.09
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	158	0.28

How long has it been since you last took one of these cough or cold medicines to get high?

(SD02)
COLDREC[1] Len : 2 TIME SINCE LAST USED COUGH/COLD MED

	Freq	Pct
1 = Within the past 30 days	173	0.31
2 = More than 30 days ago but within the past 12 mos	386	0.68
3 = More than 12 months ago	1536	2.71
9 = At some point in the lifetime LOG ASSN	47	0.08
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED COUGH/COLD MED	54321	95.80
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	208	0.37

(SD02SC1)
COLDYR1[1] Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 1

	Freq	Pct
122.0 = Over-the-counter sleep aid; not specified <OTC>	1	0.00
130.0 = Phenergan, Promethazine	7	0.01
136.0 = Dimetapp, no other information <OTC>	1	0.00
171.0 = NyQuil, no other information <OTC>	122	0.22
171.5 = ZzzQuil <OTC>	1	0.00
176.0 = Melatonin <OTC>	1	0.00
180.0 = Tylenol P.M. <OTC>	2	0.00
415.0 = Codeine	5	0.01
418.0 = Methadone, Dolophine	1	0.00
425.0 = Advil, no other information <OTC>	5	0.01
430.0 = Aspirin, Ecotrin, Empirin <OTC>	2	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	21	0.04
442.0 = Ibuprofen	5	0.01
450.0 = Acetaminophen, incl. non-Tylenol brands <OTC>	3	0.01
499.0 = Aleve <OTC>	1	0.00
829.0 = Robitussin, no other information <OTC>	23	0.04
829.1 = Robitussin DM <OTC>	2	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>	15	0.03
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	6	0.01
883.0 = Dextromethorphan Hydrobromide <OTC>	6	0.01
900.0 = Not a drug	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	11	0.02
1017.0 = Ibuprofen PM; otherwise unspecified <OTC>	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	26	0.05
3047.0 = Sudafed, no other information <OTC>	5	0.01
4044.0 = Hydrocodone	2	0.00
4046.0 = Oxycodone	1	0.00
4114.0 = Phenergan w/Codeine, Promethazine w/Codeine	4	0.01
6029.0 = DXM <OTC>	2	0.00
6083.0 = CCC, "Triple C," C3 <OTC>	1	0.00
8009.0 = Allergy pills/antihistamine; type unspfd <OTC>	2	0.00
8010.0 = Zyrtec, Cetirizine <OTC>	1	0.00
8012.1 = Coricidin Cough and Cold <OTC>	1	0.00
8012.4 = Coricidin HBP Cough & Cold <OTC>	1	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>	2	0.00
8025.1 = Alavert D, Claritin D <OTC>	2	0.00
8032.0 = Prilosec <OTC>	1	0.00
8042.1 = Alka-Seltzer Plus Cold, no other information <OTC>	1	0.00
8042.4 = Alka-Seltzer Plus; no other information	1	0.00
8056.0 = Vicks, no other information <OTC>	6	0.01
8056.5 = Vicks cough medication, no other info <OTC>	1	0.00
8056.8 = Vicks cold medication, no other information <OTC>	1	0.00
8065.0 = Tylenol Cold medication, no other info <OTC>	2	0.00
8070.0 = Advil Cold and Sinus <OTC>	2	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	13	0.02
8149.0 = Desenfriol <OTC>	1	0.00
8169.0 = TheraFlu <OTC>	9	0.02
8192.0 = Delsym <OTC>	11	0.02
8200.0 = Tylenol Cold and Flu medication,no othr info <OTC>	3	0.01
8202.0 = Tussin, no other information	3	0.01
8202.6 = Tussin DM, no other information <OTC>	2	0.00
8204.0 = Flu medication, no other information <OTC>	2	0.00
8205.0 = Mucinex, no other information <OTC>	25	0.04
8205.1 = Mucinex DM <OTC>	4	0.01
8208.0 = Robo, robo tripping	1	0.00
8249.0 = XL-3	3	0.01
8258.0 = Tukol <OTC>	1	0.00
8271.0 = Benzonatate	1	0.00
8284.0 = Xyzal; no other information <OTC>	1	0.00
8286.0 = Promethazine VC	1	0.00
8291.0 = Ambroxol	1	0.00
8304.0 = Tylenol Severe medication; no other information	1	0.00
8307.0 = Cold-EEZE <OTC>	1	0.00
8308.0 = Magnesium <OTC>	1	0.00
8309.0 = Zorritone <OTC>	1	0.00
8310.0 = Arinac	1	0.00
8311.0 = Bronquilan <OTC>	1	0.00
8312.0 = Arnuity Ellipta	1	0.00
8314.0 = Fexofenadine	2	0.00
9985.0 = BAD DATA Logically assigned	92	0.16
9991.0 = NEVER USED COUGH/COLD MED	54321	95.80
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1536	2.71

9994.0 = DON'T KNOW	54	0.10
9997.0 = REFUSED	45	0.08
9998.0 = BLANK (NO ANSWER)	258	0.45

(SD02SC2)

COLDYR2[1] Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 2

	Freq	Pct
122.0 = Over-the-counter sleep aid; not specified <OTC>	1	0.00
136.0 = Dimetapp, no other information <OTC>	1	0.00
171.0 = NyQuil, no other information <OTC>	20	0.04
171.5 = ZzzQuil <OTC>	1	0.00
415.0 = Codeine	1	0.00
425.0 = Advil, no other information <OTC>	2	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	11	0.02
442.0 = Ibuprofen	1	0.00
829.0 = Robitussin, no other information <OTC>	6	0.01
840.0 = Cough med, generic/unspec, contents unspec <OTC>	9	0.02
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	2	0.00
883.0 = Dextromethorphan Hydrobromide <OTC>	1	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	1	0.00
1014.0 = Advil PM <OTC>	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	17	0.03
3047.0 = Sudafed, no other information <OTC>	2	0.00
3047.1 = Sudafed PE <OTC>	1	0.00
4076.0 = OTC Pain reliever; not otherwise specified <OTC>	1	0.00
8010.0 = Zyrtec, Cetirizine <OTC>	2	0.00
8012.0 = Coriciden, no other information <OTC>	1	0.00
8025.0 = Alavert, Claritin, Loratadine, no other info <OTC>	2	0.00
8035.0 = Prednisone	1	0.00
8042.0 = Alka Seltzer, no other information <OTC>	1	0.00
8042.1 = Alka-Seltzer Plus Cold, no other information <OTC>	2	0.00
8042.4 = Alka-Seltzer Plus; no other information	1	0.00
8056.0 = Vicks, no other information <OTC>	1	0.00
8056.5 = Vicks cough medication, no other info <OTC>	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	2	0.00
8169.0 = TheraFlu <OTC>	4	0.01
8200.0 = Tylenol Cold and Flu medication,no othr info <OTC>	1	0.00
8204.0 = Flu medication, no other information <OTC>	2	0.00
8205.0 = Mucinex, no other information <OTC>	8	0.01
8205.1 = Mucinex DM <OTC>	1	0.00
9985.0 = BAD DATA Logically assigned	55	0.10
9991.0 = NEVER USED COUGH/COLD MED	54321	95.80
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1536	2.71
9994.0 = DON'T KNOW	4	0.01
9997.0 = REFUSED	34	0.06
9998.0 = BLANK (NO ANSWER)	646	1.14

(SD02SC3)
COLDYR3[1] Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 3

	Freq	Pct
171.0 = NyQuil, no other information <OTC>	8	0.01
422.0 = Motrin, no other information <OTC>	1	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	2	0.00
442.0 = Ibuprofen	3	0.01
801.0 = OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.00
821.0 = Amoxicillin, Ampicillin	1	0.00
829.0 = Robitussin, no other information <OTC>	1	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>	2	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	2	0.00
1001.0 = Benadryl, Diphenhydramine, no other info <OTC>	1	0.00
3017.0 = Dayquil medication, no other information <OTC>	2	0.00
3047.0 = Sudafed, no other information <OTC>	2	0.00
3104.0 = Phenylephrine	1	0.00
6029.0 = DXM <OTC>	1	0.00
8056.0 = Vicks, no other information <OTC>	3	0.01
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	3	0.01
8146.0 = Tabcin <OTC>	1	0.00
8192.0 = Delsym <OTC>	1	0.00
8200.0 = Tylenol Cold and Flu medication,no othr info <OTC>	1	0.00
8202.0 = Tussin, no other information	1	0.00
8204.0 = Flu medication, no other information <OTC>	1	0.00
8205.0 = Mucinex, no other information <OTC>	2	0.00
8205.1 = Mucinex DM <OTC>	1	0.00
8211.0 = Halls drops/lozenges, no other info <OTC>	1	0.00
8249.0 = XL-3	1	0.00
9985.0 = BAD DATA Logically assigned	33	0.06
9991.0 = NEVER USED COUGH/COLD MED	54321	95.80
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1536	2.71
9994.0 = DON'T KNOW	2	0.00
9997.0 = REFUSED	34	0.06
9998.0 = BLANK (NO ANSWER)	735	1.30

(SD02SC4)
COLDYR4[1] Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 4

	Freq	Pct
171.0 = NyQuil, no other information <OTC>	3	0.01
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	1	0.00
442.0 = Ibuprofen	2	0.00
801.0 = OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.00
829.0 = Robitussin, no other information <OTC>	2	0.00
840.0 = Cough med, generic/unspec, contents unspec <OTC>	2	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	2	0.00
8056.0 = Vicks, no other information <OTC>	1	0.00
8110.0 = Over-the-counter drug/pills; type unspecified<OTC>	1	0.00
8146.0 = Tabcin <OTC>	1	0.00
8204.0 = Flu medication, no other information <OTC>	1	0.00
8205.0 = Mucinex, no other information <OTC>	2	0.00
8216.2 = Advil Cold and Flu <OTC>	1	0.00
9985.0 = BAD DATA Logically assigned	20	0.04
9991.0 = NEVER USED COUGH/COLD MED	54321	95.80
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1536	2.71
9997.0 = REFUSED	34	0.06
9998.0 = BLANK (NO ANSWER)	774	1.36

(SD02SC5)
COLDYR5[1] Len : 6 OTHER COUGH/COLD MED USED PAST 12 MOS - SPECIFY 5

	Freq	Pct
171.0 = NyQuil, no other information <OTC>	2	0.00
435.0 = Tylenol/Children's Tylenol; otherwise unspcfd<OTC>	1	0.00
843.0 = Cold medicine/tabs, brand unspfd or generic <OTC>	1	0.00
8204.0 = Flu medication, no other information <OTC>	1	0.00
8205.1 = Mucinex DM <OTC>	1	0.00
9985.0 = BAD DATA Logically assigned	12	0.02
9991.0 = NEVER USED COUGH/COLD MED	54321	95.80
9993.0 = DID NOT USE COUGH/COLD MED IN THE PAST 12 MOS	1536	2.71
9994.0 = DON'T KNOW	2	0.00
9997.0 = REFUSED	33	0.06
9998.0 = BLANK (NO ANSWER)	795	1.40

NOTE: OTCFLAG is a "flag" variable that has a value of 1 when respondents reported use of an over-the-counter (OTC) cold medication to get high in the past year, but the only drugs that they specified were prescription- type ones. OTCFLAG has a value of 2 when respondents reported use of OTC cold medications to get high but their "OTHER, Specify" variables COLDYR1 through COLDYR5 all had codes of "bad data" or "blank."

OTCFLAG[1] Len : 2 INCONSISTENCY FLAG FOR REPORT OF OTC COLD MEDS

	Freq	Pct
1 = Specified use only of prescrip-type drugs, past yr	25	0.04
2 = Bad data or blank in COLDYR1-COLDYR5	80	0.14
98 = BLANK (OTHERWISE)	56600	99.81

The next question is about GHB, also called "G," "Georgia Home Boy," "Grievous Bodily Harm," "Liquid G," or gamma hydroxybutyrate. Have you ever, even once, used GHB?

(SD03)
GHB[1] Len : 2 EVER USED GHB

	Freq	Pct
1 = Yes	293	0.52
2 = No	56112	98.95
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	97	0.17
97 = REFUSED	38	0.07
98 = BLANK (NO ANSWER)	164	0.29

How long has it been since you last used GHB?

(SD04)
GHBREC[1] Len : 2 TIME SINCE LAST USED GHB

	Freq	Pct
1 = Within the past 30 days	23	0.04
2 = More than 30 days ago but within the past 12 mos	23	0.04
3 = More than 12 months ago	244	0.43
9 = At some point in the lifetime LOG ASSN	3	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED GHB	56112	98.95
97 = REFUSED	38	0.07
98 = BLANK (NO ANSWER)	261	0.46

The next questions are about the different ways that certain drugs can be used.

Have you ever, even once, used a needle to inject cocaine?

(SD05)
COCNEEDL[1] Len : 2 EVER USED NEEDLE TO INJECT COCAINE

	Freq	Pct
1 = Yes	362	0.64
2 = No	6103	10.76
3 = Yes LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED COCAINE	50181	88.49
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	43	0.08

How long has it been since you last used a needle to inject cocaine?

(SD06)
CONDLREC[1] Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT COCAINE

	Freq	Pct
1 = Within the past 30 days	9	0.02
2 = More than 30 days ago but within the past 12 mos	16	0.03
3 = More than 12 months ago	336	0.59
9 = At some point in the lifetime LOG ASSN	1	0.00
12 = Used >30 days ago but within pst 12 mos LOG ASSN	1	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = USED COCAINE BUT NEVER WITH A NEEDLE	6103	10.76
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	43	0.08

Have you ever, even once, smoked heroin?

(HEOTSMK, SD07)
HERSMOKE[1] Len : 2 EVER SMOKED HEROIN

	Freq	Pct
1 = Yes	538	0.95
2 = No	506	0.89
3 = Yes LOGICALLY ASSIGNED	17	0.03
91 = NEVER USED HEROIN	55574	98.01
94 = DON'T KNOW	2	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	63	0.11

How long has it been since you last smoked heroin?

(SD08, SDHEUSE6)
HRSMKREC[1] Len : 2 TIME SINCE LAST SMOKED HEROIN

	Freq	Pct
1 = Within the past 30 days	33	0.06
2 = More than 30 days ago but within the past 12 mos	25	0.04
3 = More than 12 months ago	497	0.88
91 = NEVER USED HEROIN	55574	98.01
93 = USED HEROIN BUT NEVER SMOKED IT	506	0.89
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	65	0.11

Have you ever, even once, sniffed or "snorted" heroin powder through your nose?

(HEOTSNF, SD09)
HERSNIFF[1] Len : 2 EVER SNIFFED HEROIN

	Freq	Pct
1 = Yes	737	1.30
2 = No	306	0.54
3 = Yes LOGICALLY ASSIGNED	20	0.04
91 = NEVER USED HEROIN	55574	98.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	63	0.11

How long has it been since you last sniffed or "snorted" heroin powder through your nose?

(SD10, SDHEUSE7)
HRSNFREC[1] Len : 2 TIME SINCE LAST SNIFFED HEROIN

	Freq	Pct
1 = Within the past 30 days	48	0.08
2 = More than 30 days ago but within the past 12 mos	44	0.08
3 = More than 12 months ago	663	1.17
9 = At some point in the lifetime LOG ASSN	2	0.00
91 = NEVER USED HEROIN	55574	98.01
93 = USED HEROIN BUT NEVER SNIFFED IT	306	0.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	63	0.11

Have you ever, even once, used a needle to inject heroin?

(HEOTNDL, SD11)
HERNEEDL[1] Len : 2 EVER USED NEEDLE TO INJECT HEROIN

	Freq	Pct
1 = Yes	519	0.92
2 = No	540	0.95
3 = Yes LOGICALLY ASSIGNED	7	0.01
91 = NEVER USED HEROIN	55574	98.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	61	0.11

Earlier the computer recorded that you had used heroin. In what way have you used heroin?

(SDHEUSE)
HEOTSMK[1] Len : 2 HOW USED HEROIN: SMOKED IT

	Freq	Pct
1 = Response entered	17	0.03
6 = Response not entered	42	0.07
91 = NEVER USED HEROIN	55574	98.01
94 = DON'T KNOW	2	0.00
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	63	0.11
99 = LEGITIMATE SKIP	1000	1.76

(SDHEUSE)
HEOTSNF[1] Len : 2 HOW USED HEROIN: SNIFFED IT

	Freq	Pct
1 = Response entered	19	0.03
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	39	0.07
91 = NEVER USED HEROIN	55574	98.01
94 = DON'T KNOW	2	0.00
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	63	0.11
99 = LEGITIMATE SKIP	1000	1.76

(SDHEUSE)
HEOTNDL[1] Len : 2 HOW USED HEROIN: INJECTED IT WITH A NEEDLE

	Freq	Pct
1 = Response entered	4	0.01
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	54	0.10
91 = NEVER USED HEROIN	55574	98.01
94 = DON'T KNOW	2	0.00
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	63	0.11
99 = LEGITIMATE SKIP	1000	1.76

(SDHEUSE)
HEOTOTH[1] Len : 2 HOW USED HEROIN: SOME OTHER WAY

	Freq	Pct
1 = Response entered	24	0.04
6 = Response not entered	35	0.06
91 = NEVER USED HEROIN	55574	98.01
94 = DON'T KNOW	2	0.00
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	63	0.11
99 = LEGITIMATE SKIP	1000	1.76

(SDHUSESC)
HEOTSP[1] Len : 2 HOW USED HEROIN: SPECIFY

	Freq	Pct
2 = You sniffed or "snorted" heroin powder	1	0.00
3 = You injected heroin with a needle	1	0.00
5 = You took it orally/by mouth/in pill form	11	0.02
10 = You combined it w/Ecstasy (no othr drug mentioned)	2	0.00
16 = You sniffed/snorted/huffed it; pwdr/liquid unspfd	1	0.00
23 = You took it rectally	1	0.00
24 = Acknowledged use; how unspecified	1	0.00
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED HEROIN	55574	98.01
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	1035	1.83

How long has it been since you last used a needle to inject heroin?

(SD12)
HRNDLREC[1] Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT HEROIN

	Freq	Pct
1 = Within the past 30 days	39	0.07
2 = More than 30 days ago but within the past 12 mos	31	0.05
3 = More than 12 months ago	452	0.80
11 = Within the past 30 days LOGICALLY ASSIGNED	1	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED HEROIN	55574	98.01
93 = USED HEROIN BUT NEVER WITH A NEEDLE	540	0.95
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	61	0.11

Have you ever, even once, used a needle to inject Methamphetamine?

(SD13)
METHNEEDL[1] Len : 2 EVER USED NEEDLE TO INJECT METHAMPHETAMINE

	Freq	Pct
1 = Yes	510	0.90
2 = No	1981	3.49
3 = Yes LOGICALLY ASSIGNED	4	0.01
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	87	0.15

How long has it been since you last used a needle to inject Methamphetamine?

(SD14)
METHNDLRC[1] Len : 2 TIME SINCE LAST USED NEEDLE TO INJECT METH

	Freq	Pct
1 = Within the past 30 days	67	0.12
2 = More than 30 days ago but within the past 12 mos	56	0.10
3 = More than 12 months ago	386	0.68
13 = More than 12 months ago LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = USED METHAMPH BUT NEVER WITH A NEEDLE	1981	3.49
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	88	0.16

Have you ever, even once, used a needle to inject any other drug/any drug that was not prescribed for you?

(SD15)
OTDGNEDL[1] Len : 2 EVER USED NEEDLE TO INJECT ANY OTHER DRUG

	Freq	Pct
1 = Yes	331	0.58
2 = No	56148	99.02
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	29	0.05
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	168	0.30

(SD15SC1)
OTDGNDLA[1] Len : 4 OTHER DRUG INJECTED - SPECIFY 1

	Freq	Pct
109 = Seconal	2	0.00
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
201 = Valium	3	0.01
209 = Xanax	4	0.01
318 = Ritalin	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	33	0.06
332 = Ephedrine	1	0.00
339 = Amphetamines, otherwise unspecified	1	0.00
344 = Bennies	1	0.00
394 = Debs	1	0.00
407 = Demerol	1	0.00
408 = Dilaudid, Hydromorphone	25	0.04
417 = Morphine	17	0.03
418 = Methadone	3	0.01
420 = OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	5	0.01
423 = Percocet	7	0.01
434 = Vicodin	1	0.00
465 = Fentanyl	6	0.01
606 = "Ecstasy" (MDMA), X-TC, "X"	5	0.01
658 = Special K, Ketamine	12	0.02
701 = OTHER Opiates, NOT OTHERWISE SPECIFIED	3	0.01
702 = Heroin	25	0.04
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	9	0.02
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
805 = Cocaine, coca, cocaina, coke, perico	11	0.02
806 = Crack, rock	5	0.01
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
824 = Steroids	2	0.00
848 = Liquid vitamin, vitamin pills <OTC>	1	0.00
3023 = Adderall	5	0.01
3052 = Speed, otherwise unspecified	1	0.00
3111 = Vyvanse	1	0.00
4046 = Oxycodone	17	0.03
4047 = Roxicet	1	0.00
4056 = Cataflam, Diclofenac, Voltaren	1	0.00
4065 = Roxicodone	1	0.00
4067 = OxyContin	23	0.04
4109 = Suboxone	10	0.02
4119 = Buprenorphine	2	0.00
4120 = Opana	7	0.01
4150 = Subutex	1	0.00
4502 = Norco	1	0.00
4505 = Oxycodone product, unspecified	8	0.01
6005 = Sassafras, sassafras tea	1	0.00
6114 = Molly, not otherwise specified	3	0.01
8007 = Gabapentin, Neurontin	2	0.00
8067 = Testosterone	11	0.02
8083 = Testosterone cypronate	1	0.00
8088 = Dianabol	1	0.00
8114 = Lidocaine	1	0.00
8129 = Equipoise, Equipose	2	0.00
8188 = Anadrol	1	0.00
8212 = Finaplix Gold, Trembolona QV75, Trenbolone	1	0.00
8301 = Bath salts/synthetic cathinone; otherwise unspcfd	1	0.00
8394 = Magnesium chloride <OTC>	1	0.00
8466 = Iloperidone, Fanapt	1	0.00
8481 = Ozempic, Semaglutide injection	1	0.00
8482 = Bremelanotide, PT-141	1	0.00
8553 = Bupropion, Wellbutrin, Zyban	1	0.00
9985 = BAD DATA Logically assigned	14	0.02
9994 = DON'T KNOW	16	0.03
9997 = REFUSED	32	0.06
9998 = BLANK (NO ANSWER)	197	0.35
9999 = LEGITIMATE SKIP	56148	99.02

(SD15SC2)
OTDGNDLB[1] Len : 4 OTHER DRUG INJECTED - SPECIFY 2

	Freq	Pct
209 = Xanax	2	0.00
278 = Benzodiazepines	2	0.00
318 = Ritalin	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	12	0.02
339 = Amphetamines, otherwise unspecified	1	0.00
408 = Dilaudid, Hydromorphone	10	0.02
417 = Morphine	14	0.02
418 = Methadone	1	0.00
420 = OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	1	0.00
423 = Percocet	4	0.01
434 = Vicodin	1	0.00
465 = Fentanyl	2	0.00
616 = DET, Dimethyltryptamine, DMT	1	0.00
702 = Heroin	9	0.02
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	6	0.01
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.00
805 = Cocaine, coca, cocaina, coke, perico	9	0.02
806 = Crack, rock	1	0.00
824 = Steroids	3	0.01
2003 = Zanies, zannies, zans, zany bars	1	0.00
3023 = Adderall	3	0.01
4046 = Oxycodone	9	0.02
4065 = Roxicodone	3	0.01
4067 = OxyContin	10	0.02
4109 = Suboxone	6	0.01
4120 = Opana	2	0.00
4150 = Subutex	1	0.00
4501 = Lortab	1	0.00
4505 = Oxycodone product, unspecified	3	0.01
6114 = Molly, not otherwise specified	1	0.00
8067 = Testosterone	3	0.01
8072 = Deca-Durabolin, Nandrolone decanoate	1	0.00
8342 = Nalone, Naloxone, Narcan	1	0.00
8452 = Victoza	1	0.00
8476 = Bupivacaine, Marcaine	1	0.00
9985 = BAD DATA Logically assigned	8	0.01
9994 = DON'T KNOW	5	0.01
9997 = REFUSED	31	0.05
9998 = BLANK (NO ANSWER)	384	0.68
9999 = LEGITIMATE SKIP	56148	99.02

(SD15SC3)
OTDGNDLC[1] Len : 4 OTHER DRUG INJECTED - SPECIFY 3

	Freq	Pct
120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.00
209 = Xanax	2	0.00
318 = Ritalin	2	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	4	0.01
407 = Demerol	1	0.00
408 = Dilaudid, Hydromorphone	5	0.01
417 = Morphine	5	0.01
418 = Methadone	1	0.00
423 = Percocet	2	0.00
465 = Fentanyl	1	0.00
702 = Heroin	4	0.01
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	7	0.01
805 = Cocaine, coca, cocaina, coke, perico	5	0.01
807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.00
3023 = Adderall	2	0.00
3111 = Vyvanse	1	0.00
4046 = Oxycodone	3	0.01
4065 = Roxicodone	1	0.00
4067 = OxyContin	3	0.01
4109 = Suboxone	1	0.00
4505 = Oxycodone product, unspecified	1	0.00
6114 = Molly, not otherwise specified	1	0.00
8245 = Human growth hormone (HGH)	1	0.00
8477 = Betamethasone	1	0.00
9985 = BAD DATA Logically assigned	2	0.00
9994 = DON'T KNOW	2	0.00
9997 = REFUSED	28	0.05
9998 = BLANK (NO ANSWER)	469	0.83
9999 = LEGITIMATE SKIP	56148	99.02

(SD15SC4)
OTDGNDLD[1] Len : 4 OTHER DRUG INJECTED - SPECIFY 4

	Freq	Pct
157 = Barbiturates	1	0.00
278 = Benzodiazepines	1	0.00
318 = Ritalin	1	0.00
322 = Methamphetamine ("ice" or "crank"), Meth	3	0.01
408 = Dilaudid, Hydromorphone	3	0.01
417 = Morphine	1	0.00
465 = Fentanyl	2	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	1	0.00
805 = Cocaine, coca, cocaina, coke, perico	1	0.00
806 = Crack, rock	1	0.00
3023 = Adderall	1	0.00
4065 = Roxicodone	1	0.00
4120 = Opana	1	0.00
6114 = Molly, not otherwise specified	1	0.00
8224 = Oxytocin, Pitocin, Syntocinon	1	0.00
8478 = Hyaluronic acid	1	0.00
9985 = BAD DATA Logically assigned	4	0.01
9994 = DON'T KNOW	2	0.00
9997 = REFUSED	28	0.05
9998 = BLANK (NO ANSWER)	502	0.89
9999 = LEGITIMATE SKIP	56148	99.02

(SD15SC5)
OTDGNDLE[1] Len : 4 OTHER DRUG INJECTED - SPECIFY 5

	Freq	Pct
246 = Klonopin	2	0.00
408 = Dilaudid, Hydromorphone	1	0.00
417 = Morphine	1	0.00
423 = Percocet	1	0.00
434 = Vicodin	1	0.00
702 = Heroin	1	0.00
801 = OTHER Drugs, NOT OTHERWISE SPECIFIED	2	0.00
4046 = Oxycodone	1	0.00
4109 = Suboxone	1	0.00
4120 = Opana	1	0.00
9985 = BAD DATA Logically assigned	1	0.00
9994 = DON'T KNOW	1	0.00
9997 = REFUSED	28	0.05
9998 = BLANK (NO ANSWER)	515	0.91
9999 = LEGITIMATE SKIP	56148	99.02

How long has it been since you last used a needle to inject [any other drug / any drug] that was not prescribed for you?

(SD16)
OTDGNDLRC[1] Len : 2 TIME SINCE LAST USED A NEEDLE TO INJECT OTHER DRUG

	Freq	Pct
1 = Within the past 30 days	33	0.06
2 = More than 30 days ago but within the past 12 months	19	0.03
3 = More than 12 months ago	273	0.48
9 = At some point in the lifetime LOG ASSN	3	0.01
11 = Within the past 30 days LOGICALLY ASSIGNED	2	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ANY (OTHER) DRUG	56148	99.02
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	197	0.35

Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?

(SD17)
GNNDREUS[1] Len : 2 LAST TIME REUSED NEEDLE USED BEFORE

	Freq	Pct
1 = Yes	349	0.62
2 = No	534	0.94
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	2	0.00
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	200	0.35
99 = LEGITIMATE SKIP	55589	98.03

The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?

(SD18)
GNNDLSH1[1] Len : 2 LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE

	Freq	Pct
1 = Yes	150	0.26
2 = No	732	1.29
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	3	0.01
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	200	0.35
99 = LEGITIMATE SKIP	55589	98.03

The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?

(SD19)
GNNDCLEN[1] Len : 2 USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE

	Freq	Pct
1 = Yes	193	0.34
2 = No	692	1.22
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	1	0.00
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	200	0.35
99 = LEGITIMATE SKIP	55589	98.03

The last time you used a needle for injecting drugs, did someone else use the needle after you?

(SD20)
GNNDLSH2[1] Len : 2 SOMEONE ELSE USED LAST NEEDLE AFTER YOU

	Freq	Pct
1 = Yes	163	0.29
2 = No	714	1.26
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	8	0.01
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	201	0.35
99 = LEGITIMATE SKIP	55589	98.03

NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNDGET2 incorporates these "OTHER, Specify" data.

The last time you used a needle for injecting drugs, how did you get the needle?

(SD21, SD21SC)
GNNDGET2[1] Len : 2 HOW DID YOU GET THE NEEDLE LAST TIME

	Freq	Pct
1 = Bought the needle from a pharmacy	447	0.79
2 = Got the needle from a needle exchange	102	0.18
3 = Bought the needle on the street	75	0.13
4 = Got the needle in a shooting gallery	5	0.01
5 = Got the needle some other way	33	0.06
41 = Given by/stole frm friend/acquaint of frnd/nonrel	126	0.22
42 = Given by, stolen from a relative	13	0.02
43 = Given by, stolen from someone, relation unspecifd	27	0.05
44 = From drug dealer/came with drugs	3	0.01
46 = Given by, stolen frm med facility/professionl/lab	9	0.02
47 = Given by, stolen from work	5	0.01
49 = Bought, given, stolen from place/location unspecfd	8	0.01
54 = Shared needle with friends/other acquaintances	6	0.01
59 = Bought it online/on the Internet	12	0.02
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	11	0.02
97 = REFUSED	30	0.05
98 = BLANK (NO ANSWER)	201	0.35
99 = LEGITIMATE SKIP	55589	98.03

IMPUTED SPECIAL DRUGS

(COLDMEDS, OTCFLAG)
IRNPCOLDREC Len : 1 NONPRESCRIPTION COUGH OR COLD MEDS RECENCY - IMPUTATION REV

	Freq	Pct
1 = Within the past 30 days	143	0.25
2 = More than 30 days ago but within the past 12 mos	327	0.58
3 = More than 12 months ago	1584	2.79
9 = Never used nonprescription cough and cold medicines	54651	96.38

(COLDMEDS, OTCFLAG)
IINPCOLDREC Len : 1 NONPRESCRIPTION COUGH OR COLD MEDS RECENCY - IMPUTATION IND

	Freq	Pct
1 = Questionnaire data	56311	99.31
3 = Statistically imputed data	347	0.61
4 = Statistically imputed data - edited recency = 9	47	0.08

(GHBREC)
IRGHBREC Len : 1 GHB RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	23	0.04
2 = More than 30 days ago but within the past 12 mos	23	0.04
3 = More than 12 months ago	249	0.44
9 = NEVER USED GHB	56410	99.48

(GHBREC)
IIGHBREC Len : 1 GHB RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	56402	99.47
3 = Statistically imputed data	300	0.53
4 = Statistically imputed data - edited recency = 9	3	0.01

RECODED SPECIAL DRUGS

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from three of the preceding sections: Recoded Drug Use, Special Drugs, and Imputed Special Drugs.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Codebook section in the main introduction of the codebook.

(CONDLREC, HRNDLREC, METHNDLRC, OTDGNDLRC)
ANYNDLREC Len : 2 RC-MOST RECENT USE OF ANY DRUG WITH A NEEDLE

	Freq	Pct
1 = Within the past 30 days	102	0.18
2 = More than 30 days ago but within the past 12 mos	73	0.13
3 = More than 12 months ago	699	1.23
9 = At some point in the lifetime LOG ASSN	7	0.01
13 = More than 12 months ago LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED ANY DRUG WITH A NEEDLE	55586	98.03
97 = REFUSED	40	0.07
98 = MISSING (BUT NOT REFUSED)	196	0.35

(CONDLREC, HRNDLREC, METHNDLRC)
CHMNDLREC Len : 2 RC-MOST RECENT USE OF COC/HER/METH WITH A NEEDLE

	Freq	Pct
1 = Within the past 30 days	90	0.16
2 = More than 30 days ago but within the past 12 mos	67	0.12
3 = More than 12 months ago	658	1.16
9 = At some point in the lifetime LOG ASSN	1	0.00
13 = More than 12 months ago LOGICALLY ASSIGNED	6	0.01
91 = NEVER USED COC/HER/STM WITH A NEEDLE	55708	98.24
97 = REFUSED	15	0.03
98 = MISSING (BUT NOT REFUSED)	160	0.28

NOTE: The following ten recoded variables pertain to specific needle and heroin use. The ever used a needle to inject drugs recode was revised starting with the 2022 NSDUH to include data from the new questions in the Emerging Issues section about the use of a needle to inject illegally made fentanyl. Thus, ANYNEDFLAG (ever used a needle to inject heroin, cocaine, methamphetamine, illegally made fentanyl, or some other drug) in the Recoded Emerging Issues section replaces ANYNEDEVER (ever used a needle to inject heroin, cocaine, methamphetamine, or some other drug) that appeared in the Recoded Special Drugs section in 2021. A past year version of the any needle use recode which includes illegally made fentanyl needle use, ANYNEDYR, also appears in the Recoded Emerging Issues section starting with the 2022 NSDUH.

(HERFLAG, HERNEEDL)
HERNEDEVER Len : 1 RC-EVER USED A NEEDLE TO INJECT HEROIN

	Freq	Pct
. = Unknown (Otherwise)	5	0.01
0 = No (HERNEEDL=2,91 or (HERNEEDL^=1,3 & HERFLAG=0))	56174	99.06
1 = Yes (HERNEEDL=1,3)	526	0.93

(COCFLAG, COCNEEDL)
COCNEDEVER Len : 1 RC-EVER USED A NEEDLE TO INJECT COCAINE

	Freq	Pct
. = Unknown (Otherwise)	29	0.05
0 = No (COCNEEDL=2,91 or (COCNEEDL^=1,3 & COCFLAG=0))	56311	99.31
1 = Yes (COCNEEDL=1,3)	365	0.64

(METHAMFLAG, METHNEEDL)
MTHNEDEVER Len : 1 RC-EVER USED NEEDLE TO INJECT METHAMPHETAMINE

	Freq	Pct
. = Unknown (Otherwise)	19	0.03
0 = No (METHNEEDL=2,91 or (METHNEEDL^=1,3 & METHAMFLAG=0))	56172	99.06
1 = Yes (METHNEEDL=1,3)	514	0.91

(HERFLAG, HERSMOKE)
HERSMOEVER Len : 1 RC-EVER SMOKED HEROIN

	Freq	Pct
. = Unknown (Otherwise)	8	0.01
0 = No (HERSMOKE=2,91 or HERFLAG=0)	56142	99.01
1 = Yes (HERSMOKE=1,3)	555	0.98

(HERFLAG, HERSNIFF)
HERSNIEVER Len : 1 RC-EVER SNIFFED HEROIN

	Freq	Pct
. = Unknown (Otherwise)	6	0.01
0 = No (HERSNIFF =2,91 or HERFLAG=0)	55942	98.65
1 = Yes (HERSNIFF=1,3)	757	1.33

(IRNPCOLDREC)
NPCOLDFLAG Len : 1 RC-NONPRESCRIPTION COUGH OR COLD MEDS - EVER USED

	Freq	Pct
0 = Never used (IRNPCOLDREC = 9)	54651	96.38
1 = Ever used (IRNPCOLDREC = 1-3)	2054	3.62

(IRNPCOLDREC)
NPCOLDYR Len : 1 RC-NONPRESCRIPTION COUGH OR COLD MEDS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRNPCOLDREC = 3,9)	56235	99.17
1 = Used within the past year (IRNPCOLDREC = 1,2)	470	0.83

(IRNPCOLDREC)
NPCOLDMON Len : 1 RC-NONPRESCRIPTION COUGH OR COLD MEDS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRNPCOLDREC= 2-3,9)	56562	99.75
1 = Used within the past month (IRNPCOLDREC = 1)	143	0.25

(IRGHBREC)
GHBFLAG Len : 1 RC-GHB - EVER USED

	Freq	Pct
0 = Never used (IRGHBREC = 9)	56410	99.48
1 = Ever used (IRGHBREC = 1-3)	295	0.52

(IRGHBREC)
GHBYR Len : 1 RC-GHB - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRGHBREC = 3,9)	56659	99.92
1 = Used within the past year (IRGHBREC = 1,2)	46	0.08

(IRGHBREC)
GHBMON Len : 1 RC-GHB - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRGHBREC= 2-3,9)	56682	99.96
1 = Used within the past month (IRGHBREC = 1)	23	0.04

SUBSTANCE USE DISORDER

Think about your use of alcohol during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time drinking alcohol, feeling its effects, or getting over the effects of drinking?

(DPALFEEL)
UDALTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF ALCOHOL PST 12MOS

	Freq	Pct
1 = Yes	3741	6.60
2 = No	23453	41.36
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	35	0.06
97 = REFUSED	30	0.05
98 = BLANK (NO ANSWER)	429	0.76

During the past 12 months, did you spend a great deal of your time getting or trying to get alcohol?

(DPALGET)
UDALTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING ALC IN PST 12 MOS

	Freq	Pct
1 = Yes	170	0.30
2 = No	23314	41.11
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	10	0.02
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	430	0.76
99 = LEGITIMATE SKIP	3741	6.60

During the past 12 months, were there many times when you ended up drinking alcohol in larger amounts or for a longer time than you meant to?

(DPALLRGR)
UDALLRGAMTS Len : 2 DRANK ALC LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12MOS

	Freq	Pct
1 = Yes	4736	8.35
2 = No	22478	39.64
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	15	0.03
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	432	0.76

During the past 12 months, were there times when you wanted to drink alcohol so badly that you couldn't think of anything else?

(DPALBDLY)
UDALWANTBAD Len : 2 WANTED TO USE ALCOHOL SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes	1266	2.23
2 = No	25950	45.76
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	10	0.02
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	438	0.77

During the past 12 months, were there times when you had a strong urge to drink alcohol?

(DPALURGE)
UDALSTRURGE Len : 2 STRONG URGE TO DRINK ALCOHOL IN PST 12 MOS

	Freq	Pct
1 = Yes	4678	8.25
2 = No	21270	37.51
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	10	0.02
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	440	0.78
99 = LEGITIMATE SKIP	1266	2.23

Do you need to drink a lot more alcohol than you used to in order to get the feeling you want?

(DPALMORE)
UDALNEEDMOR Len : 2 NEEDED A LOT MORE ALCOHOL TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes	2020	3.56
2 = No	25180	44.41
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	21	0.04
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	440	0.78

Does drinking the same amount of alcohol have much less effect on you than it used to?

(DPALLESS)
UDALLESSEFF Len : 2 SAME AMT ALCOHOL HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes	2121	3.74
2 = No	22952	40.48
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	120	0.21
97 = REFUSED	32	0.06
98 = BLANK (NO ANSWER)	443	0.78
99 = LEGITIMATE SKIP	2020	3.56

During the past 12 months, did you try to cut down or try to stop drinking alcohol?

(DPALSTOP)
UDALTRYSTOP Len : 2 TRY TO CUT DOWN/STOP ALCOHOL USE IN PAST 12 MOS

	Freq	Pct
1 = Yes	8516	15.02
2 = No	18625	32.85
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	55	0.10
97 = REFUSED	47	0.08
98 = BLANK (NO ANSWER)	445	0.78

Some people who drink alcohol try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop drinking alcohol?

(DPALCANT)
UDALNOTSTOP Len : 2 UNABLE TO CUT/STOP ALC USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	1711	3.02
2 = No	6784	11.96
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	13	0.02
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	500	0.88
99 = LEGITIMATE SKIP	18625	32.85

In the past 12 months, did you often wish that you could cut down or stop drinking alcohol?

(DPALWISH)
UDALWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP ALCOHOL USE PAST 12 MOS

	Freq	Pct
1 = Yes	627	1.11
2 = No	17996	31.74
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	48	0.08
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	447	0.79
99 = LEGITIMATE SKIP	8516	15.02

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by drinking alcohol?

(DPALPHYS)
UDALHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY ALC PST 12 MOS

	Freq	Pct
1 = Yes	971	1.71
2 = No	26196	46.20
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	40	0.07
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	446	0.79

Did you continue to drink alcohol even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPALPCNT)
UDALHLTHCTD Len : 2 CONTD TO USE ALCOHOL DESPITE ALCOHOL CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes	601	1.06
2 = No	367	0.65
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	1	0.00
97 = REFUSED	37	0.07
98 = BLANK (NO ANSWER)	487	0.86
99 = LEGITIMATE SKIP	26196	46.20

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by drinking alcohol?

(DPALMNTL)
UDALMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY ALCOHOL PAST 12 MOS

	Freq	Pct
1 = Yes	1430	2.52
2 = No	25139	44.33
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	41	0.07
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	446	0.79
99 = LEGITIMATE SKIP	601	1.06

Did you continue to drink alcohol even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPALMCNT)
UDALMNTLCTD Len : 2 CONTD ALCOHOL USE DESPITE ALC CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	893	1.57
2 = No	534	0.94
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	1	0.00
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	488	0.86
99 = LEGITIMATE SKIP	25740	45.39

A blackout is lack of memory. That is, you were awake, but you have no recall of the things you did or that were done to you.

During the past 12 months, did you repeatedly have blackouts while drinking or after drinking alcohol?

(DPALBLCK)
UDALBLCKOUT Len : 2 REPEATED BLACKOUTS WHILE OR AFTER DRINKING ALC PAST 12 MOS

	Freq	Pct
1 = Yes	893	1.57
2 = No	24795	43.73
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	26	0.05
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	449	0.79
99 = LEGITIMATE SKIP	1494	2.63

Did you continue to drink alcohol even though drinking gave you repeated blackouts?

(DPALBCNT)
UDALBLCKCTD Len : 2 CONTINUE DRINKING ALCOHOL EVEN AFTER BLACKOUTS

	Freq	Pct
1 = Yes	636	1.12
2 = No	257	0.45
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	476	0.84
99 = LEGITIMATE SKIP	26289	46.36

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your alcohol use?

(DPALACTV)
UDALSTOPACT Len : 2 LESS ACTIVITIES B/C OF ALCOHOL USE PAST 12 MOS

	Freq	Pct
1 = Yes	1050	1.85
2 = No	26126	46.07
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	24	0.04
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	453	0.80

Sometimes people who drink alcohol have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your alcohol use?

(DPALSERI)
UDALWORKPRB Len : 2 ALCOHOL CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes	591	1.04
2 = No	26585	46.88
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	23	0.04
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	456	0.80

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your alcohol use?

(DPALARGU)
UDALFMLYPRB Len : 2 ALCOHOL CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	1354	2.39
2 = No	25827	45.55
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	21	0.04
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	458	0.81

Did you continue to drink alcohol even though it often caused arguments or problems with family or friends?

(DPALACNT)
UDALFMLYCTD Len : 2 CONTD ALCOHOL USE DESPITE ALC CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	990	1.75
2 = No	364	0.64
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	480	0.85
99 = LEGITIMATE SKIP	25827	45.55

During the past 12 months, did you repeatedly get into situations where drinking alcohol increased your chances of getting physically hurt?

(DPALHURT)
UDALGETHURT Len : 2 ALCOHOL USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes	975	1.72
2 = No	26197	46.20
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	23	0.04
97 = REFUSED	32	0.06
98 = BLANK (NO ANSWER)	461	0.81

People may experience withdrawal symptoms when they drink less or stop drinking alcohol. Withdrawal symptoms are stronger and last longer than a hangover.

During the past 12 months, did you have the following withdrawal symptoms after you drank less or stopped drinking alcohol for a while?

Sweating or feeling that your heart was beating fast

(DPALWD_1)
UDALWDSWEAT Len : 2 SWEATING/RAPID HEARTBEAT - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	1143	2.02
2 = No	25977	45.81
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	45	0.08
97 = REFUSED	52	0.09
98 = BLANK (NO ANSWER)	471	0.83

Having your hands tremble

(DPALWD_2)
UDALWDTRMBL Len : 2 HANDS TREMBLE - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	987	1.74
2 = No	26150	46.12
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	36	0.06
97 = REFUSED	44	0.08
98 = BLANK (NO ANSWER)	471	0.83

Having trouble sleeping

(DPALWD_3)
UDALWDSLEEP Len : 2 TROUBLE SLEEPING - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	2008	3.54
2 = No	25126	44.31
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	42	0.07
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	471	0.83

Vomiting or having an upset stomach

(DPALWD_4)
UDALWDVOMIT Len : 2 VOMITING/UPSET STOMACH - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	1578	2.78
2 = No	25567	45.09
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	31	0.05
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	471	0.83

Seeing, hearing, or feeling things that weren't really there

(DPALWD_5)
UDALWDHALUC Len : 2 SEE/HEAR/FEEL THINGS - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	451	0.80
2 = No	26686	47.06
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	37	0.07
97 = REFUSED	43	0.08
98 = BLANK (NO ANSWER)	471	0.83

Feeling like you couldn't sit still

(DPALWD_6)
UDALWDSITST Len : 2 COULD NOT SIT STILL - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	1044	1.84
2 = No	26097	46.02
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	33	0.06
97 = REFUSED	43	0.08
98 = BLANK (NO ANSWER)	471	0.83

Feeling anxious

(DPALWD_7)
UDALWDFLANX Len : 2 FEELING ANXIOUS - ALC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	2160	3.81
2 = No	24980	44.05
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	38	0.07
97 = REFUSED	39	0.07
98 = BLANK (NO ANSWER)	471	0.83

During the past 12 months, did you use alcohol or another drug to get over or avoid having alcohol withdrawal symptoms?

(DPALOVER)
UDALAVOIDWD Len : 2 USE ALC/DRG TO GET OVER/AVOID ALC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	670	1.18
2 = No	26510	46.75
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	11	0.02
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	472	0.83

Which of the following did you use to get over or avoid having alcohol withdrawal symptoms during the past 12 months?

Alcohol

(DPALUSE_1)
UDALAVWALCO Len : 2 USED ALCOHOL TO GET OVER/AVOID ALC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	506	0.89
2 = No	161	0.28
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	1	0.00
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	484	0.85
99 = LEGITIMATE SKIP	26510	46.75

Prescription sedatives, tranquilizers, sleeping pills, or downers

(DPALUSE_2)
UDALAVWSVTR Len : 2 USED SED/TRQ/SLP PILLS/DWNRS TO AVOID ALC WDRWAL PST 12 MOS

	Freq	Pct
1 = Yes	116	0.20
2 = No	551	0.97
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	2	0.00
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	484	0.85
99 = LEGITIMATE SKIP	26510	46.75

Something else

(DPALUSE_3)
UDALAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD ALC WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes	311	0.55
2 = No	354	0.62
83 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS Log assn	99	0.17
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL PST 12 MOS OR USED <6 DAYS	12452	21.96
94 = DON'T KNOW	2	0.00
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	484	0.85
99 = LEGITIMATE SKIP	26510	46.75

Think about your use of marijuana or any cannabis product during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using marijuana or any cannabis product, feeling its effects, or getting over the effects of marijuana or any cannabis product?

(DPMJFEEL)
UDMJTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF MJ PST 12 MOS

	Freq	Pct
1 = Yes	4670	8.24
2 = No	6609	11.66
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	22	0.04
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	257	0.45

During the past 12 months, did you spend a great deal of your time getting or trying to get marijuana or any cannabis product?

(DPMJGET)
UDMJTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING MJ IN PST 12 MOS

	Freq	Pct
1 = Yes	128	0.23
2 = No	6496	11.46
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	6	0.01
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	259	0.46
99 = LEGITIMATE SKIP	4670	8.24

During the past 12 months, were there many times when you ended up using marijuana or any cannabis product in larger amounts or for a longer time than you meant to?

(DPMJLRGR)
UDMJLRGAMTS Len : 2 USED MJ LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes	2531	4.46
2 = No	8758	15.44
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	10	0.02
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	258	0.45

During the past 12 months, were there times when you wanted to use marijuana or any cannabis product so badly that you couldn't think of anything else?

(DPMJBDLY)
UDMJWANTBAD Len : 2 WANTED TO USE MARIJUANA SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes	1594	2.81
2 = No	9695	17.10
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	11	0.02
97 = REFUSED	32	0.06
98 = BLANK (NO ANSWER)	260	0.46

During the past 12 months, were there times when you had a strong urge to use marijuana or any cannabis product?

(DPMJURGE)
UDMJSTRURGE Len : 2 STRONG URGE TO USE MARIJUANA IN PAST 12 MOS

	Freq	Pct
1 = Yes	2948	5.20
2 = No	6750	11.90
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	5	0.01
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	263	0.46
99 = LEGITIMATE SKIP	1594	2.81

Do you need to use a lot more marijuana or any cannabis product than you used to in order to get the feeling you want?

(DPMJMORE)
UDMJNEEDMOR Len : 2 NEEDED A LOT MORE MARIJUANA TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes	2294	4.05
2 = No	8993	15.86
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	9	0.02
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	262	0.46

Does using the same amount of marijuana or any cannabis product have much less effect on you than it used to?

(DPMJLESS)
UDMJLESSEFF Len : 2 SAME AMT MARIJUANA HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes	1023	1.80
2 = No	7948	14.02
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	29	0.05
97 = REFUSED	32	0.06
98 = BLANK (NO ANSWER)	268	0.47
99 = LEGITIMATE SKIP	2294	4.05

During the past 12 months, did you try to cut down or try to stop using marijuana or any cannabis product?

(DPMJSTOP)
UDMJTRYSTOP Len : 2 TRY TO CUT DOWN/STOP MARIJUANA USE IN PAST 12 MOS

	Freq	Pct
1 = Yes	3655	6.45
2 = No	7619	13.44
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	13	0.02
97 = REFUSED	39	0.07
98 = BLANK (NO ANSWER)	266	0.47

Some people who use marijuana or any cannabis product try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using marijuana or any cannabis product?

(DPMJCANT)
UDMJNOTSTOP Len : 2 UNABLE TO CUT/STOP MJ USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	1190	2.10
2 = No	2459	4.34
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	5	0.01
97 = REFUSED	40	0.07
98 = BLANK (NO ANSWER)	279	0.49
99 = LEGITIMATE SKIP	7619	13.44

In the past 12 months, did you often wish that you could cut down or stop using marijuana or any cannabis product?

(DPMJWISH)
UDMJWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP MJ USE PAST 12 MOS

	Freq	Pct
1 = Yes	380	0.67
2 = No	7240	12.77
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	9	0.02
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	269	0.47
99 = LEGITIMATE SKIP	3655	6.45

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using marijuana or any cannabis product?

(DPMJPHYS)
UDMJHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY MJ PST 12 MOS

	Freq	Pct
1 = Yes	523	0.92
2 = No	10746	18.95
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	21	0.04
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	268	0.47

Did you continue to use marijuana or any cannabis product even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPMJPCNT)
UDMJHLTHCTD Len : 2 CONTD TO USE MARIJUANA DESPITE MJ CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes	365	0.64
2 = No	157	0.28
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	290	0.51
99 = LEGITIMATE SKIP	10746	18.95

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using marijuana or any cannabis product?

(DPMJMNTL)
UDMJMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY MJ PAST 12 MOS

	Freq	Pct
1 = Yes	581	1.02
2 = No	10329	18.22
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	14	0.02
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	272	0.48
99 = LEGITIMATE SKIP	365	0.64

Did you continue to use marijuana or any cannabis product even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPMJMCNT)
UDMJMNTLCTD Len : 2 CONTD MARIJUANA USE DESPITE MJ CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	382	0.67
2 = No	199	0.35
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	286	0.50
99 = LEGITIMATE SKIP	10694	18.86

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of marijuana or any cannabis product?

(DPMJACTV)
UDMJSTOPACT Len : 2 LESS ACTIVITIES B/C OF MARIJUANA USE PAST 12 MOS

	Freq	Pct
1 = Yes	837	1.48
2 = No	10441	18.41
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	9	0.02
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	270	0.48

Sometimes people who use marijuana or any cannabis product have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of marijuana or any cannabis product?

(DPMJSERI)
UDMJWORKPRB Len : 2 MARIJUANA CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes	514	0.91
2 = No	10763	18.98
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	10	0.02
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	272	0.48

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of marijuana or any cannabis product?

(DPMJARGU)
UDMJFMLYPRB Len : 2 MARIJUANA CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	544	0.96
2 = No	10730	18.92
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	11	0.02
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	272	0.48

Did you continue to use marijuana or any cannabis product even though it often caused arguments or problems with family or friends?

(DPMJACNT)
UDMJFMLYCTD Len : 2 CONTD MARIJUANA USE DESPITE MJ CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	439	0.77
2 = No	104	0.18
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	283	0.50
99 = LEGITIMATE SKIP	10730	18.92

During the past 12 months, did you repeatedly get into situations where using marijuana or any cannabis product increased your chances of getting physically hurt?

(DPMJHURT)
UDMJGETHURT Len : 2 MARIJUANA USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes	245	0.43
2 = No	11035	19.46
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	8	0.01
97 = REFUSED	32	0.06
98 = BLANK (NO ANSWER)	272	0.48

People may experience withdrawal symptoms when they use less or stop using marijuana or any cannabis product.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using marijuana or any cannabis product for a while?

Feeling irritable or angry

(DPMJWD1)
UDMJWDANGRY Len : 2 FEELING IRRITABLE OR ANGRY-MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	2121	3.74
2 = No	9148	16.13
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	15	0.03
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	274	0.48

Feeling anxious or nervous

(DPMJWD2)
UDMJWDFLANX Len : 2 FEELING ANXIOUS/NERVOUS - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	2424	4.27
2 = No	8846	15.60
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	16	0.03
97 = REFUSED	32	0.06
98 = BLANK (NO ANSWER)	274	0.48

Having trouble sleeping

(DPMJWD3)
UDMJWDSLEEP Len : 2 HAVING TROUBLE SLEEPING - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	2712	4.78
2 = No	8559	15.09
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	12	0.02
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	274	0.48

Losing your appetite or losing weight without trying to

(DPMJWD4)
UDMJWDAPPET Len : 2 LOSING APPETITE OR WEIGHT - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	1775	3.13
2 = No	9495	16.74
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	14	0.02
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	274	0.48

Feeling like you couldn’t sit still

(DPMJWD5)
UDMJWDSITST Len : 2 COULDN'T SIT STILL - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	1317	2.32
2 = No	9954	17.55
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	14	0.02
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	274	0.48

Feeling depressed

(DPMJWD6)
UDMJWDDEPRS Len : 2 FEELING DEPRESSED - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	1826	3.22
2 = No	9440	16.65
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	20	0.04
97 = REFUSED	32	0.06
98 = BLANK (NO ANSWER)	274	0.48

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using marijuana or any cannabis product for a while?

Stomach ache

(DPMJWD7)
UDMJWDSTMCH Len : 2 STOMACH ACHE - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	794	1.40
2 = No	10479	18.48
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	11	0.02
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	274	0.48

Shaking or tremors

(DPMJWD8)
UDMJWDSHAKE Len : 2 SHAKING OR TREMORS - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	403	0.71
2 = No	10874	19.18
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	6	0.01
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	274	0.48

Sweating

(DPMJWD9)
UDMJWDSWEAT Len : 2 SWEATING - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	636	1.12
2 = No	10639	18.76
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	7	0.01
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	274	0.48

Fever

(DPMJWD10)
UDMJWDFEVER Len : 2 FEVER - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	213	0.38
2 = No	11061	19.51
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	8	0.01
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	274	0.48

Chills

(DPMJWD11)
UDMJWDCHILL Len : 2 CHILLS - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	430	0.76
2 = No	10839	19.11
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	12	0.02
97 = REFUSED	37	0.07
98 = BLANK (NO ANSWER)	274	0.48

Headache

(DPMJWD12)
UDMJWDHEDAC Len : 2 HEADACHE - MJ WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	1194	2.11
2 = No	10081	17.78
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	7	0.01
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	274	0.48

During the past 12 months, did you use marijuana, any cannabis product, or another drug to get over or avoid having marijuana or any cannabis product withdrawal symptoms?

(DPMJOVER)
UDMJAVOIDWD Len : 2 USE MJ/DRG TO GET OVER/AVOID MJ WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	717	1.26
2 = No	10560	18.62
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	9	0.02
97 = REFUSED	32	0.06
98 = BLANK (NO ANSWER)	274	0.48

Which of the following did you use to get over or avoid having marijuana or any cannabis product withdrawal symptoms during the past 12 months?

Marijuana or any cannabis product

(DPMJUSE_1)
UDMJAVWMARJ Len : 2 USED MARIJUANA TO GET OVER/AVOID MJ WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	619	1.09
2 = No	93	0.16
3 = Yes LOGICALLY ASSIGNED	1	0.00
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	2	0.00
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	283	0.50
99 = LEGITIMATE SKIP	10560	18.62

Something else

(DPMJUSE_2)
UDMJAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD MJ WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes	176	0.31
2 = No	534	0.94
83 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS Log assn	53	0.09
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
93 = DID NOT USE MARIJUANA PAST 12 MOS OR USED <6 DAYS	13904	24.52
94 = DON'T KNOW	3	0.01
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	283	0.50
99 = LEGITIMATE SKIP	10560	18.62

Think about your use of cocaine, including the form of cocaine called ‘crack,’ during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using cocaine, feeling its effects, or getting over the effects of cocaine?

(DPCCFEEL)
UDCCTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF COCAINE PST 12MOS

	Freq	Pct
1 = Yes	124	0.22
2 = No	936	1.65
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	59	0.10

During the past 12 months, did you spend a great deal of your time getting or trying to get cocaine?

(DPCCGET)
UDCCTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING COCAINE PST 12 MOS

	Freq	Pct
1 = Yes	9	0.02
2 = No	927	1.63
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	60	0.11
99 = LEGITIMATE SKIP	124	0.22

During the past 12 months, were there many times when you ended up using cocaine in larger amounts or for a longer time than you meant to?

(DPCCLRGR)
UDCCLRGAMTS Len : 2 USED COC LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes	217	0.38
2 = No	842	1.48
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	60	0.11

During the past 12 months, were there times when you wanted to use cocaine so badly that you couldn't think of anything else?

(DPCCBDLY)
UDCCWANTBAD Len : 2 WANTED TO USE COCAINE SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes	124	0.22
2 = No	934	1.65
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	2	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	60	0.11

During the past 12 months, were there times when you had a strong urge to use cocaine?

(DPCCURGE)
UDCCSTRURGE Len : 2 STRONG URGE TO USE COCAINE IN PAST 12 MOS

	Freq	Pct
1 = Yes	131	0.23
2 = No	805	1.42
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	61	0.11
99 = LEGITIMATE SKIP	124	0.22

Do you need to use a lot more cocaine than you used to in order to get the feeling you want?

(DPCCMORE)
UDCCNEEDMOR Len : 2 NEEDED A LOT MORE COCAINE TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes	110	0.19
2 = No	950	1.68
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	60	0.11

Does using the same amount of cocaine have much less effect on you than it used to?

(DPCCLESS)
UDCCLESSEFF Len : 2 SAME AMT COCAINE HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes	56	0.10
2 = No	890	1.57
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	4	0.01
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	61	0.11
99 = LEGITIMATE SKIP	110	0.19

During the past 12 months, did you try to cut down or try to stop using cocaine?

(DPCCSTOP)
UDCCTRYSTOP Len : 2 TRY TO CUT DOWN/STOP COCAINE USE IN PAST 12 MOS

	Freq	Pct
1 = Yes	318	0.56
2 = No	741	1.31
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	60	0.11

Some people who use cocaine try to cut down or stop but find they can’t. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using cocaine?

(DPCCCANT)
UDCCNOTSTOP Len : 2 UNABLE TO CUT/STOP COCAINE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	98	0.17
2 = No	219	0.39
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	1	0.00
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	60	0.11
99 = LEGITIMATE SKIP	741	1.31

In the past 12 months, did you often wish that you could cut down or stop using cocaine?

(DPCCWISH)
UDCCWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP COCAINE USE PAST 12 MOS

	Freq	Pct
1 = Yes	35	0.06
2 = No	706	1.25
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	61	0.11
99 = LEGITIMATE SKIP	318	0.56

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using cocaine?

(DPCCPHYS)
UDCCHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY COC PST 12 MOS

	Freq	Pct
1 = Yes	67	0.12
2 = No	992	1.75
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	60	0.11

Did you continue to use cocaine even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPCCPCNT)
UDCCHLTHCTD Len : 2 CONTD TO USE COCAINE DESPITE COCAINE CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes	48	0.08
2 = No	19	0.03
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	61	0.11
99 = LEGITIMATE SKIP	992	1.75

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using cocaine?

(DPCCMNTL)
UDCCMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY COCAINE PAST 12 MOS

	Freq	Pct
1 = Yes	81	0.14
2 = No	930	1.64
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	61	0.11
99 = LEGITIMATE SKIP	48	0.08

Did you continue to use cocaine even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPCCMCNT)
UDCCMNTLCTD Len : 2 CONTD COCAINE USE DESPITE COC CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	55	0.10
2 = No	26	0.05
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	62	0.11
99 = LEGITIMATE SKIP	978	1.72

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of cocaine?

(DPCCACTV)
UDCCSTOPACT Len : 2 LESS ACTIVITIES B/C OF COCAINE USE PAST 12 MOS

	Freq	Pct
1 = Yes	114	0.20
2 = No	943	1.66
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	2	0.00
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	60	0.11

Sometimes people who use cocaine have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of cocaine?

(DPCCSERI)
UDCCWORKPRB Len : 2 COCAINE CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes	81	0.14
2 = No	977	1.72
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	1	0.00
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	60	0.11

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of cocaine?

(DPCCARGU)
UDCCFMLYPRB Len : 2 COCAINE CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	115	0.20
2 = No	944	1.66
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	60	0.11

Did you continue to use cocaine even though it often caused arguments or problems with family or friends?

(DPCCACNT)
UDCCFMLYCTD Len : 2 CONTD COCAINE USE DESPITE COC CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	90	0.16
2 = No	25	0.04
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	60	0.11
99 = LEGITIMATE SKIP	944	1.66

During the past 12 months, did you repeatedly get into situations where using cocaine increased your chances of getting physically hurt?

(DPCCHURT)
UDCCGETHURT Len : 2 COCAINE USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes	83	0.15
2 = No	976	1.72
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	60	0.11

People may experience withdrawal symptoms when they use less or stop using cocaine.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using cocaine for a while?

(DPCCBLUE)
UDCCWDFLBLU Len : 2 FELT BLUE OR DOWN AFTER USING LESS OR STOPPING COCAINE

	Freq	Pct
1 = Yes	157	0.28
2 = No	902	1.59
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	60	0.11

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using cocaine for a while?

Feeling tired or exhausted

(DPCCWD_1)
UDCCWDTIRED Len : 2 FEELING TIRED/EXHAUSTED - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	124	0.22
2 = No	32	0.06
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	1	0.00
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	60	0.11
99 = LEGITIMATE SKIP	902	1.59

Having bad dreams

(DPCCWD_2)
UDCCWDDREAM Len : 2 HAVING BAD DREAMS - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	76	0.13
2 = No	80	0.14
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	1	0.00
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	60	0.11
99 = LEGITIMATE SKIP	902	1.59

Having trouble sleeping or sleeping more than you normally do

(DPCCWD_3)
UDCCWDSLEEP Len : 2 TROUBLE/MORE SLEEPING - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	110	0.19
2 = No	47	0.08
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	60	0.11
99 = LEGITIMATE SKIP	902	1.59

Feeling hungry more often

(DPCCWD_4)
UDCCWDHNGRY Len : 2 FEELING HUNGRY - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	74	0.13
2 = No	82	0.14
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	60	0.11
99 = LEGITIMATE SKIP	902	1.59

Feeling either very slowed down or like you couldn't sit still

(DPCCWD_5)
UDCCWDSITST Len : 2 SLOWED DOWN/RESTLESS - COC WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	99	0.17
2 = No	58	0.10
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	60	0.11
99 = LEGITIMATE SKIP	902	1.59

During the past 12 months, did you use cocaine or another drug to get over or avoid having cocaine withdrawal symptoms?

(DPCCOVER)
UDCCAVOIDWD Len : 2 USE COC/OTH DRUG TO GET OVER/AVOID COC WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes	70	0.12
2 = No	990	1.75
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	60	0.11

Which of the following did you use to get over or avoid having cocaine withdrawal symptoms during the past 12 months?

Cocaine

(DPCCUSE_1)
UDCCAVWCOCN Len : 2 USED COCAINE TO GET OVER/AVOID COC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	40	0.07
2 = No	29	0.05
3 = Yes LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	60	0.11
99 = LEGITIMATE SKIP	990	1.75

Methamphetamine

(DPCCUSE_2)
UDCCAVWMETH Len : 2 USED METH TO GET OVER/AVOID COC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	14	0.02
2 = No	56	0.10
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	60	0.11
99 = LEGITIMATE SKIP	990	1.75

Prescription stimulants or uppers

(DPCCUSE_3)
UDCCAVWSTIM Len : 2 USED STM TO GET OVER/AVOID COC WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	16	0.03
2 = No	54	0.10
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	60	0.11
99 = LEGITIMATE SKIP	990	1.75

Something else

(DPCCUSE_4)
UDCCAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD COC WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes	43	0.08
2 = No	26	0.05
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED COCAINE	50181	88.49
93 = DID NOT USE COCAINE IN THE PAST 12 MOS	5391	9.51
94 = DON'T KNOW	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	60	0.11
99 = LEGITIMATE SKIP	990	1.75

Think about your use of heroin during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using heroin, feeling its effects, or getting over the effects of heroin?

(DPHEFEEL)
UDHETIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF HEROIN PST 12 MOS

	Freq	Pct
1 = Yes	85	0.15
2 = No	83	0.15
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

During the past 12 months, did you spend a great deal of your time getting or trying to get heroin?

(DPHEGET)
UDHETIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING HEROIN PST 12 MOS

	Freq	Pct
1 = Yes	3	0.01
2 = No	80	0.14
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	85	0.15

During the past 12 months, were there many times when you ended up using heroin in larger amounts or for a longer time than you meant to?

(DPHELRGR)
UDHELRGAMTS Len : 2 USED HER LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes	77	0.14
2 = No	91	0.16
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

During the past 12 months, were there times when you wanted to use heroin so badly that you couldn't think of anything else?

(DPHEBDLY)
UDHEWANTBAD Len : 2 WANTED TO USE HEROIN SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes	85	0.15
2 = No	83	0.15
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

During the past 12 months, were there times when you had a strong urge to use heroin?

(DPHEURGE)
UDHESTRURGE Len : 2 STRONG URGE TO USE HEROIN IN PAST 12 MOS

	Freq	Pct
1 = Yes	21	0.04
2 = No	62	0.11
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	85	0.15

Do you need to use a lot more heroin than you used to in order to get the feeling you want?

(DPHEMORE)
UDHENEEDMOR Len : 2 NEEDED A LOT MORE HEROIN TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes	74	0.13
2 = No	95	0.17
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	67	0.12

Does using the same amount of heroin have much less effect on you than it used to?

(DPHELESS)
UDHELESSEFF Len : 2 SAME AMT HEROIN HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes	17	0.03
2 = No	78	0.14
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	74	0.13

During the past 12 months, did you try to cut down or try to stop using heroin?

(DPHESTOP)
UDHETRYSTOP Len : 2 TRY TO CUT DOWN/STOP HEROIN USE IN PAST 12 MOS

	Freq	Pct
1 = Yes	114	0.20
2 = No	55	0.10
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	67	0.12

Some people who use heroin try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using heroin?

(DPHECANT)
UDHENOTSTOP Len : 2 UNABLE TO CUT/STOP HEROIN USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	79	0.14
2 = No	35	0.06
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	55	0.10

In the past 12 months, did you often wish that you could cut down or stop using heroin?

(DPHEWISH)
UDHEWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP HEROIN USE PAST 12 MOS

	Freq	Pct
1 = Yes	5	0.01
2 = No	50	0.09
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	114	0.20

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using heroin?

(DPHEPHYS)
UDHEHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY HEROIN PST 12MOS

	Freq	Pct
1 = Yes	52	0.09
2 = No	117	0.21
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	67	0.12

Did you continue to use heroin even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPHEPCNT)
UDHEHLTHCTD Len : 2 CONTD TO USE HEROIN DESPITE HEROIN CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes	46	0.08
2 = No	6	0.01
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	117	0.21

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using heroin?

(DPHEMNTL)
UDHEMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY HEROIN PAST 12 MOS

	Freq	Pct
1 = Yes	18	0.03
2 = No	105	0.19
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	46	0.08

Did you continue to use heroin even though it was causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPHEMCNT)
UDHEMNTLCTD Len : 2 CONTD HEROIN USE DESPITE HEROIN CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	16	0.03
2 = No	2	0.00
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	151	0.27

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of heroin?

(DPHEACTV)
UDHESTOPACT Len : 2 LESS ACTIVITIES B/C OF HEROIN USE PAST 12 MOS

	Freq	Pct
1 = Yes	75	0.13
2 = No	93	0.16
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	67	0.12

Sometimes people who use heroin have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of heroin?

(DPHESERI)
UDHEWORKPRB Len : 2 HEROIN CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes	66	0.12
2 = No	102	0.18
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of heroin?

(DPHEARGU)
UDHEFMLYPRB Len : 2 HEROIN CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	73	0.13
2 = No	95	0.17
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

Did you continue to use heroin even though it often caused arguments or problems with family or friends?

(DPHEACNT)
UDHEFMLYCTD Len : 2 CONTD HEROIN DESPITE HEROIN CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	70	0.12
2 = No	3	0.01
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	95	0.17

During the past 12 months, did you repeatedly get into situations where using heroin increased your chances of getting physically hurt?

(DPHEHURT)
UDHEGETHURT Len : 2 HEROIN INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes	63	0.11
2 = No	105	0.19
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

People may experience withdrawal symptoms when they use less or stop using heroin.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using heroin for a while?

Feeling kind of blue or down

(DPHEWD_1)
UDHEWDFLBLU Len : 2 FEELING BLUE/DOWN - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	100	0.18
2 = No	67	0.12
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	67	0.12

Vomiting or feeling nauseous

(DPHEWD_2)
UDHEWDVOMIT Len : 2 VOMITING/NAUSEOUS - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	82	0.14
2 = No	86	0.15
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

Having cramps or muscle aches

(DPHEWD_3)
UDHEWDCRAMP Len : 2 HAVING MUSCLE CRAMPS/ACHES-HER WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	102	0.18
2 = No	66	0.12
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

Having teary eyes or a runny nose

(DPHEWD_4)
UDHEWDRUNNY Len : 2 TEARY EYES/RUNNY NOSE - HER WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	101	0.18
2 = No	67	0.12
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin

(DPHEWD_5)
UDHEWDSWEAT Len : 2 SWEATY/LRG PUPILS/HAIR STNDING UP-HER W/DRWAL SYM PST 12 MOS

	Freq	Pct
1 = Yes	100	0.18
2 = No	68	0.12
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

Having diarrhea

(DPHEWD_6)
UDHEWDDIARR Len : 2 HAVING DIARRHEA - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	87	0.15
2 = No	81	0.14
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

Yawning

(DPHEWD_7)
UDHEWDYAWNS Len : 2 YAWNING - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	100	0.18
2 = No	68	0.12
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

Having a fever

(DPHEWD_8)
UDHEWDFEVER Len : 2 HAVING FEVER - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	63	0.11
2 = No	105	0.19
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

Having trouble sleeping

(DPHEWD_9)
UDHEWDSLEEP Len : 2 HAVING TRBL SLEEPING - HEROIN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	103	0.18
2 = No	65	0.11
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

During the past 12 months, did you use heroin or another drug to get over or avoid having heroin withdrawal symptoms?

(DPHEOVER)
UDHEAVOIDWD Len : 2 USE HEROIN TO GET OVER/AVOID HEROIN WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	98	0.17
2 = No	70	0.12
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	67	0.12

Which of the following did you use to get over or avoid having heroin withdrawal symptoms during the past 12 months?

Heroin

(DPHEUSE_1)
UDHEAVWHERN Len : 2 USED HEROIN TO GET OVER/AVOID HER WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	81	0.14
2 = No	15	0.03
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	70	0.12

Prescription pain relievers

(DPHEUSE_2)
UDHEAVWPNRL Len : 2 USED PN RLVR TO GET OVER/AVOID HER WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	49	0.09
2 = No	35	0.06
3 = Yes LOGICALLY ASSIGNED	12	0.02
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	70	0.12

Something else

(DPHEUSE_3)
UDHEAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD HER WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes	61	0.11
2 = No	36	0.06
91 = NEVER USED HEROIN	55574	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MOS	892	1.57
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	70	0.12

Think about your use of hallucinogens, such as LSD, 'acid,' PCP, 'Ecstasy' or 'Molly,' psilocybin or mushrooms, mescaline, or peyote, during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using hallucinogens, feeling their effects, or getting over the effects of hallucinogens?

(DPHAFEEL)
UDHATIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF HAL PST 12 MOS

	Freq	Pct
1 = Yes	67	0.12
2 = No	2113	3.73
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	349	0.62

During the past 12 months, did you spend a great deal of your time getting or trying to get hallucinogens?

(DPHAGET)
UDHATIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING HAL IN PST 12 MOS

	Freq	Pct
1 = Yes	17	0.03
2 = No	2096	3.70
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	350	0.62
99 = LEGITIMATE SKIP	67	0.12

During the past 12 months, were there many times when you ended up using hallucinogens in larger amounts or for a longer time than you meant to?

(DPHALRGR)
UDHALRGAMTS Len : 2 USED HAL LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes	80	0.14
2 = No	2100	3.70
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	349	0.62

During the past 12 months, were there times when you wanted to use hallucinogens so badly that you couldn't think of anything else?

(DPHABDLY)
UDHAWANTBAD Len : 2 WANTED TO USE HALLUC SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes	46	0.08
2 = No	2133	3.76
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	3	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	349	0.62

During the past 12 months, were there times when you had a strong urge to use hallucinogens?

(DPHAURGE)
UDHASTRURGE Len : 2 STRONG URGE TO USE HALLUC IN PAST 12 MOS

	Freq	Pct
1 = Yes	176	0.31
2 = No	1957	3.45
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	351	0.62
99 = LEGITIMATE SKIP	46	0.08

Do you need to use a lot more hallucinogens than you used to in order to get the feeling you want?

(DPHAMORE)
UDHANEEDMOR Len : 2 NEEDED A LOT MORE HALLUC TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes	54	0.10
2 = No	2123	3.74
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	4	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	350	0.62

Does using the same amount of hallucinogens have much less effect on you than it used to?

(DPHALESS)
UDHALESSEFF Len : 2 SAME AMT HALLUC HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes	55	0.10
2 = No	2063	3.64
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	8	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	351	0.62
99 = LEGITIMATE SKIP	54	0.10

During the past 12 months, did you try to cut down or try to stop using hallucinogens?

(DPHASTOP)
UDHATRYSTOP Len : 2 TRY TO CUT DOWN/STOP HALLUC USE IN PAST 12 MOS

	Freq	Pct
1 = Yes	200	0.35
2 = No	1972	3.48
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	5	0.01
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	350	0.62

Some people who use hallucinogens try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using hallucinogens?

(DPHACANT)
UDHANOTSTOP Len : 2 UNABLE TO CUT/STOP HALLUC MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	20	0.04
2 = No	180	0.32
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	357	0.63
99 = LEGITIMATE SKIP	1972	3.48

In the past 12 months, did you often wish that you could cut down or stop using hallucinogens?

(DPHAWISH)
UDHAWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP HALLUC PAST 12 MOS

	Freq	Pct
1 = Yes	17	0.03
2 = No	1959	3.45
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	3	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	350	0.62
99 = LEGITIMATE SKIP	200	0.35

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using hallucinogens?

(DPHAPHYS)
UDHAHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY HAL PST 12 MOS

	Freq	Pct
1 = Yes	29	0.05
2 = No	2147	3.79
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	4	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	350	0.62

Did you continue to use hallucinogens even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPHAPCNT)
UDHAHLTHCTD Len : 2 CONTD TO USE HALLUC DESPITE HALLUC CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes	14	0.02
2 = No	15	0.03
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	356	0.63
99 = LEGITIMATE SKIP	2147	3.79

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using hallucinogens?

(DPHAMNTL)
UDHAMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY HALLUC PAST 12 MOS

	Freq	Pct
1 = Yes	52	0.09
2 = No	2111	3.72
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	3	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	350	0.62
99 = LEGITIMATE SKIP	14	0.02

Did you continue to use hallucinogens even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPHAMCNT)
UDHAMNTLCTD Len : 2 CONTD HALLUC USE DESPITE HAL CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	19	0.03
2 = No	33	0.06
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	355	0.63
99 = LEGITIMATE SKIP	2125	3.75

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of hallucinogens?

(DPHAACTV)
UDHASTOPACT Len : 2 LESS ACTIVITIES B/C OF HALLUC USE PAST 12 MOS

	Freq	Pct
1 = Yes	41	0.07
2 = No	2137	3.77
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	3	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	350	0.62

Sometimes people who use hallucinogens have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of hallucinogens?

(DPHASERI)
UDHAWORKPRB Len : 2 HALLUC CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes	29	0.05
2 = No	2147	3.79
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	3	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	350	0.62

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of hallucinogens?

(DPHAARGU)
UDHAFMLYPRB Len : 2 HALLUC CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	26	0.05
2 = No	2151	3.79
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	2	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	350	0.62

Did you continue to use hallucinogens even though they often caused arguments or problems with family or friends?

(DPHAACNT)
UDHAFMLYCTD Len : 2 CONTD HALLUC USE DESPITE HAL CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	17	0.03
2 = No	9	0.02
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	354	0.62
99 = LEGITIMATE SKIP	2151	3.79

During the past 12 months, did you repeatedly get into situations where using hallucinogens increased your chances of getting physically hurt?

(DPHAHURT)
UDHAGETHURT Len : 2 HALLUC USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes	31	0.05
2 = No	2146	3.78
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED HALLUCINOGENS	47549	83.85
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS	6620	11.67
94 = DON'T KNOW	2	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	350	0.62

Think about your use of inhalants, such as amyl nitrite, 'poppers,' nitrous oxide, gasoline or lighter fluids, glue, spray paints, or correction fluids, during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using inhalants, feeling their effects, or getting over the effects of inhalants?

(DPINFEEL)
UDINTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF INH PST 12 MOS

	Freq	Pct
1 = Yes	32	0.06
2 = No	656	1.16
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	4	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	311	0.55

During the past 12 months, did you spend a great deal of your time getting or trying to get inhalants?

(DPINGET)
UDINTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING INH IN PST 12 MOS

	Freq	Pct
1 = Yes	2	0.00
2 = No	656	1.16
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	312	0.55
99 = LEGITIMATE SKIP	32	0.06

During the past 12 months, were there many times when you ended up using inhalants in larger amounts or for a longer time than you meant to?

(DPINLRGR)
UDINLRGAMTS Len : 2 USED INH LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes	44	0.08
2 = No	646	1.14
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	311	0.55

During the past 12 months, were there times when you wanted to use inhalants so badly that you couldn't think of anything else?

(DPINBDLY)
UDINWANTBAD Len : 2 WANTED TO USE INHALANTS SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes	30	0.05
2 = No	661	1.17
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	311	0.55

During the past 12 months, were there times when you had a strong urge to use inhalants?

(DPINURGE)
UDINSTRURGE Len : 2 STRONG URGE TO USE INHALANTS IN PAST 12 MOS

	Freq	Pct
1 = Yes	52	0.09
2 = No	607	1.07
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	311	0.55
99 = LEGITIMATE SKIP	30	0.05

Do you need to use a lot more inhalants than you used to in order to get the feeling you want?

(DPINMORE)
UDINNEEDMOR Len : 2 NEEDED A LOT MORE INHALANTS TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes	27	0.05
2 = No	658	1.16
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	6	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	311	0.55

Does using the same amount of inhalants have much less effect on you than it used to?

(DPINLESS)
UDINLESSEFF Len : 2 SAME AMT INHALANTS HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes	27	0.05
2 = No	619	1.09
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	17	0.03
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	311	0.55
99 = LEGITIMATE SKIP	27	0.05

During the past 12 months, did you try to cut down or try to stop using inhalants?

(DPINSTOP)
UDINTRYSTOP Len : 2 TRY TO CUT DOWN/STOP INHALANT USE IN PAST 12 MOS

	Freq	Pct
1 = Yes	144	0.25
2 = No	533	0.94
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	10	0.02
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	311	0.55

Some people who use inhalants try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using inhalants?

(DPINCANT)
UDINNOTSTOP Len : 2 UNABLE TO CUT/STOP INH USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	28	0.05
2 = No	113	0.20
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	2	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	324	0.57
99 = LEGITIMATE SKIP	533	0.94

In the past 12 months, did you often wish that you could cut down or stop using inhalants?

(DPINWISH)
UDINWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP INH USE PAST 12 MOS

	Freq	Pct
1 = Yes	18	0.03
2 = No	515	0.91
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	10	0.02
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	311	0.55
99 = LEGITIMATE SKIP	144	0.25

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using inhalants?

(DPINPHYS)
UDINHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS

	Freq	Pct
1 = Yes	16	0.03
2 = No	668	1.18
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	6	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	311	0.55

Did you continue to use inhalants even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPINPCNT)
UDINHLTHCTD Len : 2 CONTD TO USE INHALANTS DESPITE INH CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes	10	0.02
2 = No	6	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	320	0.56
99 = LEGITIMATE SKIP	668	1.18

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using inhalants?

(DPINMNTL)
UDINMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY INH PAST 12 MOS

	Freq	Pct
1 = Yes	11	0.02
2 = No	662	1.17
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	7	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	311	0.55
99 = LEGITIMATE SKIP	10	0.02

Did you continue to use inhalants even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPINMCNT)
UDINMNTLCTD Len : 2 CONTD INH USE DESPITE INH CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	4	0.01
2 = No	7	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	321	0.57
99 = LEGITIMATE SKIP	672	1.19

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of inhalants?

(DPINACTV)
UDINSTOPACT Len : 2 LESS ACTIVITIES B/C OF INHALANT USE PAST 12 MOS

	Freq	Pct
1 = Yes	17	0.03
2 = No	669	1.18
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	5	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	311	0.55

Sometimes people who use inhalants have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of inhalants?

(DPINSERI)
UDINWORKPRB Len : 2 INHALANTS CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes	20	0.04
2 = No	668	1.18
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	4	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	311	0.55

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of inhalants?

(DPINARGU)
UDINFMLYPRB Len : 2 INHALANTS CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	22	0.04
2 = No	663	1.17
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	6	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	311	0.55

Did you continue to use inhalants even though they often caused arguments or problems with family or friends?

(DPINACNT)
UDINFMLYCTD Len : 2 CONTD INHALANT USE DESPITE INH CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	14	0.02
2 = No	8	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	320	0.56
99 = LEGITIMATE SKIP	663	1.17

During the past 12 months, did you repeatedly get into situations where using inhalants increased your chances of getting physically hurt?

(DPINHURT)
UDINGETHURT Len : 2 INHALANT USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes	19	0.03
2 = No	667	1.18
85 = BAD DATA LOGICALLY ASSIGNED	3	0.01
91 = NEVER USED INHALANTS	51302	90.47
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4394	7.75
94 = DON'T KNOW	5	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	311	0.55

Think about your use of methamphetamine during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using methamphetamine, feeling its effects, or getting over the effects of methamphetamine?

(DPMEFEEL)
UDMETIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF METH PST 12 MOS

	Freq	Pct
1 = Yes	237	0.42
2 = No	241	0.43
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	94	0.17

During the past 12 months, did you spend a great deal of your time getting or trying to get methamphetamine?

(DPMEGET)
UDMETIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING METH IN PST 12 MOS

	Freq	Pct
1 = Yes	7	0.01
2 = No	232	0.41
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
94 = DON'T KNOW	2	0.00
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	94	0.17
99 = LEGITIMATE SKIP	237	0.42

During the past 12 months, were there many times when you ended up using methamphetamine in larger amounts or for a longer time than you meant to?

(DPMELRGR)
UDMELRGAMTS Len : 2 USED METH LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MO

	Freq	Pct
1 = Yes	213	0.38
2 = No	263	0.46
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
94 = DON'T KNOW	1	0.00
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	94	0.17

During the past 12 months, were there times when you wanted to use methamphetamine so badly that you couldn't think of anything else?

(DPMEBDLY)
UDMEWANTBAD Len : 2 WANTED TO USE METH SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes	173	0.31
2 = No	304	0.54
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
94 = DON'T KNOW	1	0.00
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	94	0.17

During the past 12 months, were there times when you had a strong urge to use methamphetamine?

(DPMEURGE)
UDMESTRURGE Len : 2 STRONG URGE TO USE METH IN PAST 12 MOS

	Freq	Pct
1 = Yes	95	0.17
2 = No	209	0.37
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	95	0.17
99 = LEGITIMATE SKIP	173	0.31

Do you need to use a lot more methamphetamine than you used to in order to get the feeling you want?

(DPMEMORE)
UDMENEEDMOR Len : 2 NEEDED A LOT MORE METH TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes	178	0.31
2 = No	299	0.53
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	95	0.17

Does using the same amount of methamphetamine have much less effect on you than it used to?

(DPMELESS)
UDMELESSEFF Len : 2 SAME AMT METH HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes	45	0.08
2 = No	253	0.45
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
94 = DON'T KNOW	1	0.00
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	95	0.17
99 = LEGITIMATE SKIP	178	0.31

During the past 12 months, did you try to cut down or try to stop using methamphetamine?

(DPMESTOP)
UDMETRYSTOP Len : 2 TRY TO CUT DOWN/STOP METH USE IN PAST 12 MOS

	Freq	Pct
1 = Yes	236	0.42
2 = No	242	0.43
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	95	0.17

Some people who use methamphetamine try to cut down or stop but find they can’t. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using methamphetamine?

(DPMECANT)
UDMENOTSTOP Len : 2 UNABLE TO CUT/STOP METH MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	129	0.23
2 = No	107	0.19
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	95	0.17
99 = LEGITIMATE SKIP	242	0.43

In the past 12 months, did you often wish that you could cut down or stop using methamphetamine?

(DPMEWISH)
UDMEWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP METH USE PAST 12 MOS

	Freq	Pct
1 = Yes	47	0.08
2 = No	194	0.34
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
94 = DON'T KNOW	1	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	96	0.17
99 = LEGITIMATE SKIP	236	0.42

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using methamphetamine?

(DPMEPHYS)
UDMEHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY METH PST 12 MOS

	Freq	Pct
1 = Yes	114	0.20
2 = No	364	0.64
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	95	0.17

Did you continue to use methamphetamine even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPMEPCNT)
UDMEHLTHCTD Len : 2 CONTD TO USE METH DESPITE METH CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes	99	0.17
2 = No	15	0.03
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	96	0.17
99 = LEGITIMATE SKIP	364	0.64

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using methamphetamine?

(DPMEMNTL)
UDMEMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY METH PAST 12 MOS

	Freq	Pct
1 = Yes	92	0.16
2 = No	287	0.51
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	95	0.17
99 = LEGITIMATE SKIP	99	0.17

Did you continue to use methamphetamine even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPMEMCNT)
UDMEMNTLCTD Len : 2 CONTD METH USE DESPITE METH CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	59	0.10
2 = No	33	0.06
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	96	0.17
99 = LEGITIMATE SKIP	386	0.68

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of methamphetamine?

(DPMEACTV)
UDMESTOPACT Len : 2 LESS ACTIVITIES B/C OF METH USE PAST 12 MOS

	Freq	Pct
1 = Yes	199	0.35
2 = No	279	0.49
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	95	0.17

Sometimes people who use methamphetamine have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of methamphetamine?

(DPMESERI)
UDMEWORKPRB Len : 2 METH CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes	153	0.27
2 = No	324	0.57
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	96	0.17

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of methamphetamine?

(DPMEARGU)
UDMEFMLYPRB Len : 2 METH CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	178	0.31
2 = No	299	0.53
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	96	0.17

Did you continue to use methamphetamine even though it often caused arguments or problems with family or friends?

(DPMEACNT)
UDMEFMLYCTD Len : 2 CONTD METH USE DESPITE METH CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	160	0.28
2 = No	18	0.03
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	97	0.17
99 = LEGITIMATE SKIP	299	0.53

During the past 12 months, did you repeatedly get into situations where using methamphetamine increased your chances of getting physically hurt?

(DPMEHURT)
UDMEGETHURT Len : 2 METH INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes	116	0.20
2 = No	361	0.64
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	96	0.17

People may experience withdrawal symptoms when they use less or stop using methamphetamine.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using methamphetamine for a while?

(DPMEBLUE)
UDMEWDFLBLU Len : 2 FELT BLUE OR DOWN AFTER USING LESS OR STOPPING METH

	Freq	Pct
1 = Yes	207	0.37
2 = No	270	0.48
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	96	0.17

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using methamphetamine for a while?

Feeling tired or exhausted

(DPMEWD_1)
UDMEWDTIRED Len : 2 FEELING TIRED/EXHAUSTED - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	196	0.35
2 = No	11	0.02
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	97	0.17
99 = LEGITIMATE SKIP	270	0.48

Having bad dreams

(DPMEWD_2)
UDMEWDDREAM Len : 2 HAVING BAD DREAMS - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	112	0.20
2 = No	95	0.17
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	97	0.17
99 = LEGITIMATE SKIP	270	0.48

Having trouble sleeping or sleeping more than you normally do

(DPMEWD_3)
UDMEWDSLEEP Len : 2 TROUBLE/MORE SLEEP - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	181	0.32
2 = No	26	0.05
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	97	0.17
99 = LEGITIMATE SKIP	270	0.48

Feeling hungry more often

(DPMEWD_4)
UDMEWDHNGRY Len : 2 FEELING HUNGRY - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	142	0.25
2 = No	65	0.11
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	97	0.17
99 = LEGITIMATE SKIP	270	0.48

Feeling either very slowed down or like you couldn’t sit still

(DPMEWD_5)
UDMEWDSITST Len : 2 FEELING SLOWED DOWN/RESTLESS -MTH W/DRAWL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	169	0.30
2 = No	38	0.07
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	97	0.17
99 = LEGITIMATE SKIP	270	0.48

During the past 12 months, did you use methamphetamine or another drug to get over or avoid having methamphetamine withdrawal symptoms?

(DPMEOVER)
UDMEAVOIDWD Len : 2 USE METH TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	149	0.26
2 = No	328	0.58
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	96	0.17

Which of the following did you use to get over or avoid having methamphetamine withdrawal symptoms during the past 12 months?

Methamphetamine

(DPMEUSE_1)
UDMEAVWMETH Len : 2 USED METH TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	119	0.21
2 = No	30	0.05
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	97	0.17
99 = LEGITIMATE SKIP	328	0.58

Cocaine or crack

(DPMEUSE_2)
UDMEAVWCOCN Len : 2 USED COC/CRK TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	30	0.05
2 = No	119	0.21
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	97	0.17
99 = LEGITIMATE SKIP	328	0.58

Prescription stimulants or uppers

(DPMEUSE_3)
UDMEAVWSTIM Len : 2 USED STM TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	39	0.07
2 = No	110	0.19
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	97	0.17
99 = LEGITIMATE SKIP	328	0.58

Something else

(DPMEUSE_4)
UDMEAVWOTHR Len : 2 USED SOMTHING ELSE TO GET OVR/AVD METH WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes	65	0.11
2 = No	84	0.15
91 = NEVER USED METHAMPHETAMINE	54119	95.44
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2007	3.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	97	0.17
99 = LEGITIMATE SKIP	328	0.58

Think about your use of prescription pain relievers during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription pain relievers, feeling their effects, or getting over the effects of any prescription pain relievers?

(DPPRFEEL)
UDPRTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF PN RLVR PST 12 MO

	Freq	Pct
1 = Yes	782	1.38
2 = No	11732	20.69
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	54	0.10
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	445	0.78

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription pain relievers?

(DPPRGET)
UDPRTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING PR IN PST 12 MOS

	Freq	Pct
1 = Yes	87	0.15
2 = No	11677	20.59
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	17	0.03
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	26	0.05
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	455	0.80
99 = LEGITIMATE SKIP	782	1.38

During the past 12 months, were there many times when you ended up using any prescription pain relievers in larger amounts or for a longer time than you meant to?

(DPPRLRGR)
UDPRLRGAMTS Len : 2 USED PR LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes	379	0.67
2 = No	12164	21.45
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	29	0.05
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	446	0.79

During the past 12 months, were there times when you wanted to use any prescription pain relievers so badly that you couldn't think of anything else?

(DPPRBDLY)
UDPRWANTBAD Len : 2 WANTED TO USE PN RLVR SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes	390	0.69
2 = No	12158	21.44
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	22	0.04
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	447	0.79

During the past 12 months, were there times when you had a strong urge to use any prescription pain relievers?

(DPPRURGE)
UDPRSTRURGE Len : 2 STRONG URGE TO USE PN RLVR IN PAST 12 MOS

	Freq	Pct
1 = Yes	546	0.96
2 = No	11614	20.48
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	17	0.03
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	20	0.04
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	457	0.81
99 = LEGITIMATE SKIP	390	0.69

Do you need to use a lot more of any prescription pain relievers than you used to in order to get the feeling you want?

(DPPRMORE)
UDPRNEEDMOR Len : 2 NEEDED A LOT MORE PN RLVR TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes	355	0.63
2 = No	12182	21.48
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	36	0.06
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	447	0.79

Does using the same amount of any prescription pain relievers have much less effect on you than it used to?

(DPPRLESS)
UDPRLESSEFF Len : 2 SAME AMT PN RLVR HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes	451	0.80
2 = No	11659	20.56
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	18	0.03
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	104	0.18
97 = REFUSED	20	0.04
98 = BLANK (NO ANSWER)	456	0.80
99 = LEGITIMATE SKIP	355	0.63

During the past 12 months, did you try to cut down or try to stop using any prescription pain relievers?

(DPPRSTOP)
UDPRTRYSTOP Len : 2 TRY TO CUT DOWN/STOP PN RLVR IN PAST 12 MOS

	Freq	Pct
1 = Yes	2004	3.53
2 = No	10423	18.38
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	116	0.20
97 = REFUSED	46	0.08
98 = BLANK (NO ANSWER)	447	0.79

Some people who use prescription pain relievers try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription pain relievers?

(DPPRCANT)
UDPRNOTSTOP Len : 2 UNABLE TO CUT/STOP PN RLVR MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	354	0.62
2 = No	1640	2.89
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	8	0.01
97 = REFUSED	48	0.08
98 = BLANK (NO ANSWER)	582	1.03
99 = LEGITIMATE SKIP	10423	18.38

In the past 12 months, did you often wish that you could cut down or stop using any prescription pain relievers?

(DPPRWISH)
UDPRWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP PN RLVR PAST 12 MOS

	Freq	Pct
1 = Yes	448	0.79
2 = No	9970	17.58
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	19	0.03
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	109	0.19
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	458	0.81
99 = LEGITIMATE SKIP	2004	3.53

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription pain reliever?

(DPPRPHYS)
UDPRHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY PR PST 12 MOS

	Freq	Pct
1 = Yes	228	0.40
2 = No	12278	21.65
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	43	0.08
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	451	0.80

Did you continue to use any prescription pain relievers even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPPRPCNT)
UDPRHLTHCTD Len : 2 CONTD TO USE PN RLVR DESPITE PN RLVR CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes	110	0.19
2 = No	117	0.21
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	514	0.91
99 = LEGITIMATE SKIP	12278	21.65

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription pain reliever?

(DPPRMNTL)
UDPRMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY PN RLVR PAST 12 MOS

	Freq	Pct
1 = Yes	155	0.27
2 = No	12239	21.58
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	19	0.03
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	48	0.08
97 = REFUSED	32	0.06
98 = BLANK (NO ANSWER)	460	0.81
99 = LEGITIMATE SKIP	110	0.19

Did you continue to use any prescription pain relievers even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPPRMCNT)
UDPRMNTLCTD Len : 2 CONTD PN RLVR USE DESPITE PR CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	79	0.14
2 = No	76	0.13
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
97 = REFUSED	32	0.06
98 = BLANK (NO ANSWER)	527	0.93
99 = LEGITIMATE SKIP	12349	21.78

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription pain relievers?

(DPPRACTV)
UDPRSTOPACT Len : 2 LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS

	Freq	Pct
1 = Yes	343	0.60
2 = No	12177	21.47
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	42	0.07
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	455	0.80

Sometimes people who use prescription pain relievers have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription pain relievers?

(DPPRSERI)
UDPRWORKPRB Len : 2 PN RLVR CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes	244	0.43
2 = No	12280	21.66
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	33	0.06
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	455	0.80

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription pain reliever?

(DPPRARGU)
UDPRFMLYPRB Len : 2 PN RLVR CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	233	0.41
2 = No	12296	21.68
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	28	0.05
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	456	0.80

Did you continue to use any prescription pain relievers even though they often caused arguments or problems with family or friends?

(DPPRACNT)
UDPRFMLYCTD Len : 2 CONTD PN RLVR USE DESPITE PR CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	150	0.26
2 = No	81	0.14
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	503	0.89
99 = LEGITIMATE SKIP	12296	21.68

During the past 12 months, did you repeatedly get into situations where using a prescription pain reliever increased your chances of getting physically hurt?

(DPPRHURT)
UDPRGETHURT Len : 2 PN RLVR INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes	145	0.26
2 = No	12384	21.84
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	27	0.05
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	456	0.80

People may experience withdrawal symptoms when they use less or stop using prescription pain relievers.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription pain relievers for a while?

Feeling kind of blue or down

(DPPRWD_1)
UDPRWDFLBLU Len : 2 FEELING BLUE/DOWN - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	719	1.27
2 = No	11719	20.67
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	93	0.16
97 = REFUSED	47	0.08
98 = BLANK (NO ANSWER)	458	0.81

Vomiting or feeling nauseous

(DPPRWD_2)
UDPRWDVOMIT Len : 2 VOMITING/NAUSEOUS - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	547	0.96
2 = No	11914	21.01
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	71	0.13
97 = REFUSED	44	0.08
98 = BLANK (NO ANSWER)	460	0.81

Having cramps or muscle aches

(DPPRWD_3)
UDPRWDCRAMP Len : 2 MUSCLE CRAMPS/ACHES - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	865	1.53
2 = No	11597	20.45
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	73	0.13
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	460	0.81

Having teary eyes or a runny nose

(DPPRWD_4)
UDPRWDRUNNY Len : 2 TEARY EYES/RUNNY NOSE - PR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	664	1.17
2 = No	11800	20.81
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	73	0.13
97 = REFUSED	39	0.07
98 = BLANK (NO ANSWER)	460	0.81

Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin

(DPPRWD_5)
UDPRWDSWEAT Len : 2 SWEATY/LRG PUPILS/HAIR STNDING UP-PR W/DRAWL SYMP PST 12 MOS

	Freq	Pct
1 = Yes	485	0.86
2 = No	11981	21.13
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	70	0.12
97 = REFUSED	40	0.07
98 = BLANK (NO ANSWER)	460	0.81

Having diarrhea

(DPPRWD_6)
UDPRWDDIARR Len : 2 HAVING DIARRHEA - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	607	1.07
2 = No	11862	20.92
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	66	0.12
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	460	0.81

Yawning

(DPPRWD_7)
UDPRWDYAWNS Len : 2 YAWNING - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	979	1.73
2 = No	11484	20.25
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	72	0.13
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	460	0.81

Having a fever

(DPPRWD_8)
UDPRWDFEVER Len : 2 HAVING FEVER - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	358	0.63
2 = No	12112	21.36
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	66	0.12
97 = REFUSED	40	0.07
98 = BLANK (NO ANSWER)	460	0.81

Having trouble sleeping

(DPPRWD_9)
UDPRWDSLEEP Len : 2 HAVING TRBL SLEEPING - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	1095	1.93
2 = No	11374	20.06
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	69	0.12
97 = REFUSED	38	0.07
98 = BLANK (NO ANSWER)	460	0.81

During the past 12 months, did you use any prescription pain relievers or other drugs to get over or avoid having prescription pain reliever withdrawal symptoms?

(DPPROVER)
UDPRAVOIDWD Len : 2 USE PN RLVR TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	289	0.51
2 = No	12229	21.57
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	27	0.05
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	35	0.06
97 = REFUSED	22	0.04
98 = BLANK (NO ANSWER)	461	0.81

Which of the following did you use to get over or avoid having prescription pain reliever withdrawal symptoms during the past 12 months?

Prescription pain relievers

(DPPRUSE_1)
UDPRAVWPNRL Len : 2 USED PN RLVR TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	191	0.34
2 = No	80	0.14
3 = Yes LOGICALLY ASSIGNED	13	0.02
13 = Yes LOG ASSN (not applicable to criterion 11b)	3	0.01
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	9	0.02
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	1	0.00
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	514	0.91
99 = LEGITIMATE SKIP	12229	21.57

Heroin

(DPPRUSE_2)
UDPRAVWHERN Len : 2 USED HEROIN TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	40	0.07
2 = No	247	0.44
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	9	0.02
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	514	0.91
99 = LEGITIMATE SKIP	12229	21.57

Something else

(DPPRUSE_3)
UDPRAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD PR WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes	128	0.23
2 = No	156	0.28
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	320	0.56
85 = BAD DATA LOGICALLY ASSIGNED	9	0.02
91 = NEVER USED PAIN RELIEVERS	29535	52.09
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	13787	24.31
94 = DON'T KNOW	3	0.01
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	514	0.91
99 = LEGITIMATE SKIP	12229	21.57

Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription tranquilizers, feeling their effects, or getting over the effects of any prescription tranquilizers?

(DPTRFEEL)
UDTRTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF TRN PST 12 MOS

	Freq	Pct
1 = Yes	258	0.45
2 = No	5057	8.92
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	18	0.03
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	267	0.47

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription tranquilizers?

(DPTRGET)
UDTRTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING TRN IN PST 12 MOS

	Freq	Pct
1 = Yes	24	0.04
2 = No	5041	8.89
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	32	0.06
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	9	0.02
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	277	0.49
99 = LEGITIMATE SKIP	258	0.45

During the past 12 months, were there many times when you ended up using any prescription tranquilizers in larger amounts or for a longer time than you meant to?

(DPTRLRGR)
UDTRLRGAMTS Len : 2 USED TRN LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes	148	0.26
2 = No	5176	9.13
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	8	0.01
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	267	0.47

During the past 12 months, were there times when you wanted to use any prescription tranquilizers so badly that you couldn't think of anything else?

(DPTRBDLY)
UDTRWANTBAD Len : 2 WANTED TO USE TRN SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes	135	0.24
2 = No	5186	9.15
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	268	0.47

During the past 12 months, were there times when you had a strong urge to use any prescription tranquilizers?

(DPTRURGE)
UDTRSTRURGE Len : 2 STRONG URGE TO USE TRN IN PAST 12 MOS

	Freq	Pct
1 = Yes	263	0.46
2 = No	4925	8.69
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	32	0.06
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	8	0.01
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	278	0.49
99 = LEGITIMATE SKIP	135	0.24

Do you need to use a lot more of any prescription tranquilizers than you used to in order to get the feeling you want?

(DPTRMORE)
UDTRNEEDMOR Len : 2 NEEDED A LOT MORE TRN TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes	134	0.24
2 = No	5185	9.14
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	12	0.02
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	268	0.47

Does using the same amount of any prescription tranquilizers have much less effect on you than it used to?

(DPTRLESS)
UDTRLESSEFF Len : 2 SAME AMT TRN HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes	152	0.27
2 = No	5014	8.84
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	34	0.06
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	32	0.06
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	276	0.49
99 = LEGITIMATE SKIP	134	0.24

During the past 12 months, did you try to cut down or try to stop using any prescription tranquilizers?

(DPTRSTOP)
UDTRTRYSTOP Len : 2 TRY TO CUT DOWN/STOP TRN USE IN PAST 12 MOS

	Freq	Pct
1 = Yes	596	1.05
2 = No	4703	8.29
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	24	0.04
97 = REFUSED	20	0.04
98 = BLANK (NO ANSWER)	268	0.47

Some people who use prescription tranquilizers try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription tranquilizers?

(DPTRCANT)
UDTRNOTSTOP Len : 2 UNABLE TO CUT/STOP TRN MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	117	0.21
2 = No	475	0.84
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	4	0.01
97 = REFUSED	20	0.04
98 = BLANK (NO ANSWER)	326	0.57
99 = LEGITIMATE SKIP	4703	8.29

In the past 12 months, did you often wish that you could cut down or stop using any prescription tranquilizers?

(DPTRWISH)
UDTRWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP TRN PAST 12 MOS

	Freq	Pct
1 = Yes	190	0.34
2 = No	4518	7.97
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	34	0.06
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	20	0.04
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	276	0.49
99 = LEGITIMATE SKIP	596	1.05

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription tranquilizer?

(DPTRPHYS)
UDTRHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY TRN PST 12 MO

	Freq	Pct
1 = Yes	77	0.14
2 = No	5235	9.23
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	20	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	268	0.47

Did you continue to use any prescription tranquilizers even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPTRPCNT)
UDTRHLTHCTD Len : 2 CONTD TO USE TRN DESPITE TRN CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes	44	0.08
2 = No	33	0.06
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	6	0.01
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	324	0.57
99 = LEGITIMATE SKIP	5235	9.23

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription tranquilizer?

(DPTRMNTL)
UDTRMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY TRN PAST 12 MOS

	Freq	Pct
1 = Yes	87	0.15
2 = No	5182	9.14
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	36	0.06
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	17	0.03
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	274	0.48
99 = LEGITIMATE SKIP	44	0.08

Did you continue to use any prescription tranquilizers even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPTRMCNT)
UDTRMNTLCTD Len : 2 CONTD TRN DESPITE TRN CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	39	0.07
2 = No	46	0.08
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	2	0.00
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	327	0.58
99 = LEGITIMATE SKIP	5226	9.22

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription tranquilizers?

(DPTRACTV)
UDTRSTOPACT Len : 2 LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS

	Freq	Pct
1 = Yes	127	0.22
2 = No	5189	9.15
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	16	0.03
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	268	0.47

Sometimes people who use prescription tranquilizers have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription tranquilizers?

(DPTRSERI)
UDTRWORKPRB Len : 2 TRN CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes	99	0.17
2 = No	5223	9.21
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	10	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	268	0.47

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription tranquilizer?

(DPTRARGU)
UDTRFMLYPRB Len : 2 TRN CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	84	0.15
2 = No	5235	9.23
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	12	0.02
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	268	0.47

Did you continue to use any prescription tranquilizers even though they often caused arguments or problems with family or friends?

(DPTRACNT)
UDTRFMLYCTD Len : 2 CONTD TRN USE DESPITE TRN CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	57	0.10
2 = No	27	0.05
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	314	0.55
99 = LEGITIMATE SKIP	5235	9.23

During the past 12 months, did you repeatedly get into situations where using a prescription tranquilizer increased your chances of getting physically hurt?

(DPTRHURT)
UDTRGETHURT Len : 2 TRN USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes	70	0.12
2 = No	5247	9.25
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	13	0.02
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	269	0.47

People may experience withdrawal symptoms when they use less or stop using prescription tranquilizers.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription tranquilizers for a while?

Sweating or feeling that your heart was beating fast

(DPTRWD_1)
UDTRWDSWEAT Len : 2 SWEATY/FAST HEARTBEAT - TRN WITHDRAWAL SYMPTOM PST 12 MO

	Freq	Pct
1 = Yes	257	0.45
2 = No	5045	8.90
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	19	0.03
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	271	0.48

Having your hands tremble

(DPTRWD_2)
UDTRWDTRMBL Len : 2 HANDS TREMBLE -TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	239	0.42
2 = No	5066	8.93
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	17	0.03
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	271	0.48

Having trouble sleeping

(DPTRWD_3)
UDTRWDSLEEP Len : 2 TROUBLE SLEEPING - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	539	0.95
2 = No	4770	8.41
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	13	0.02
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	271	0.48

Vomiting or having an upset stomach

(DPTRWD_4)
UDTRWDVOMIT Len : 2 VOMITING/UPSET STOMACH - TRN WITHDRAWAL SYMPTOM PST 12 MO

	Freq	Pct
1 = Yes	202	0.36
2 = No	5107	9.01
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	14	0.02
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	271	0.48

Seeing, hearing, or feeling things that weren't really there

(DPTRWD_5)
UDTRWDHALUC Len : 2 SEE/HEAR/FEEL THINGS - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	141	0.25
2 = No	5168	9.11
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	14	0.02
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	271	0.48

Feeling like you couldn't sit still

(DPTRWD_6)
UDTRWDSITST Len : 2 COULDN'T SIT STILL - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	295	0.52
2 = No	5011	8.84
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	18	0.03
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	271	0.48

Feeling anxious

(DPTRWD_7)
UDTRWDFLANX Len : 2 FEELING ANXIOUS - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	583	1.03
2 = No	4727	8.34
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	15	0.03
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	271	0.48

During the past 12 months, did you use any prescription tranquilizers or other drugs to get over or avoid having prescription tranquilizer withdrawal symptoms?

(DPTROVER)
UDTRAVOIDWD Len : 2 USE TRN TO GET OVER/AVOID TRN WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	84	0.15
2 = No	5239	9.24
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	42	0.07
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
94 = DON'T KNOW	7	0.01
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	271	0.48

Which of the following did you use to get over or avoid having prescription tranquilizer withdrawal symptoms during the past 12 months?

Prescription tranquilizers, sedatives, downers, or sleeping pills

(DPTRUSE_1)
UDTRAVWSVTR Len : 2 USED TRN/SED TO GET OVER/AVOID TRN WITHDRWL IN PST 12 MOS

	Freq	Pct
1 = Yes	58	0.10
2 = No	25	0.04
13 = Yes LOG ASSN (not applicable to criterion 11b)	1	0.00
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	312	0.55
99 = LEGITIMATE SKIP	5239	9.24

Alcohol

(DPTRUSE_2)
UDTRAVWALCO Len : 2 USED ALC TO GET OVER/AVOID TRN WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	23	0.04
2 = No	60	0.11
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	312	0.55
99 = LEGITIMATE SKIP	5239	9.24

Something else

(DPTRUSE_3)
UDTRAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD TRN WTHDRWAL PST 12 MOS

	Freq	Pct
1 = Yes	38	0.07
2 = No	44	0.08
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	240	0.42
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED TRANQUILIZERS	47003	82.89
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	3809	6.72
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	312	0.55
99 = LEGITIMATE SKIP	5239	9.24

Think about your use of prescription stimulants during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription stimulants, feeling their effects, or getting over the effects of any prescription stimulants?

(DPSTFEEL)
UDSTTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF STM PST 12 MOS

	Freq	Pct
1 = Yes	702	1.24
2 = No	3869	6.82
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	25	0.04
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	35	0.06
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	283	0.50

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription stimulants?

(DPSTGET)
UDSTTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING STM IN PST 12 MOS

	Freq	Pct
1 = Yes	59	0.10
2 = No	3837	6.77
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	19	0.03
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	11	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	289	0.51
99 = LEGITIMATE SKIP	702	1.24

During the past 12 months, were there many times when you ended up using any prescription stimulants in larger amounts or for a longer time than you meant to?

(DPSTLRGR)
UDSTLRGAMTS Len : 2 USE STM LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes	151	0.27
2 = No	4446	7.84
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	25	0.04
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	11	0.02
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	283	0.50

During the past 12 months, were there times when you wanted to use any prescription stimulants so badly that you couldn't think of anything else?

(DPSTBDLY)
UDSTWANTBAD Len : 2 WANTED TO USE STM SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes	125	0.22
2 = No	4472	7.89
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	25	0.04
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	10	0.02
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	283	0.50

During the past 12 months, were there times when you had a strong urge to use any prescription stimulants?

(DPSTURGE)
UDSTSTRURGE Len : 2 STRONG URGE TO USE STM IN PAST 12 MOS

	Freq	Pct
1 = Yes	205	0.36
2 = No	4263	7.52
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	19	0.03
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	13	0.02
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	289	0.51
99 = LEGITIMATE SKIP	125	0.22

Do you need to use a lot more of any prescription stimulants than you used to in order to get the feeling you want?

(DPSTMORE)
UDSTNEEDMOR Len : 2 NEEDED A LOT MORE STM TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes	158	0.28
2 = No	4436	7.82
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	25	0.04
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	12	0.02
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	283	0.50

Does using the same amount of any prescription stimulants have much less effect on you than it used to?

(DPSTLESS)
UDSTLESSEFF Len : 2 SAME AMT STM HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes	260	0.46
2 = No	4137	7.30
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	19	0.03
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	50	0.09
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	289	0.51
99 = LEGITIMATE SKIP	158	0.28

During the past 12 months, did you try to cut down or try to stop using any prescription stimulants?

(DPSTSTOP)
UDSTTRYSTOP Len : 2 TRY TO CUT DOWN/STOP STM USE IN PAST 12 MOS

	Freq	Pct
1 = Yes	579	1.02
2 = No	3989	7.03
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	25	0.04
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	37	0.07
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	283	0.50

Some people who use prescription stimulants try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription stimulants?

(DPSTCANT)
UDSTNOTSTOP Len : 2 UNABLE TO CUT/STOP STM USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	92	0.16
2 = No	485	0.86
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	6	0.01
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	1	0.00
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	339	0.60
99 = LEGITIMATE SKIP	3989	7.03

In the past 12 months, did you often wish that you could cut down or stop using any prescription stimulants?

(DPSTWISH)
UDSTWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP STM USE PAST 12 MOS

	Freq	Pct
1 = Yes	174	0.31
2 = No	3818	6.73
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	19	0.03
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	35	0.06
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	289	0.51
99 = LEGITIMATE SKIP	579	1.02

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription stimulant?

(DPSTPHYS)
UDSTHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS

	Freq	Pct
1 = Yes	141	0.25
2 = No	4447	7.84
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	25	0.04
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	20	0.04
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	283	0.50

Did you continue to use any prescription stimulants even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPSTPCNT)
UDSTHLTHCTD Len : 2 CONTD TO USE STM DESPITE STM CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes	71	0.13
2 = No	69	0.12
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	1	0.00
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	323	0.57
99 = LEGITIMATE SKIP	4447	7.84

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription stimulant?

(DPSTMNTL)
UDSTMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY STM PAST 12 MOS

	Freq	Pct
1 = Yes	194	0.34
2 = No	4317	7.61
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	20	0.04
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	26	0.05
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	288	0.51
99 = LEGITIMATE SKIP	71	0.13

Did you continue to use any prescription stimulants even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPSTMCNT)
UDSTMNTLCTD Len : 2 CONTD STM USE DESPITE STM CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	98	0.17
2 = No	95	0.17
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	2	0.00
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	332	0.59
99 = LEGITIMATE SKIP	4388	7.74

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription stimulants?

(DPSTACTV)
UDSTSTOPACT Len : 2 LESS ACTIVITIES B/C OF STM USE PAST 12 MOS

	Freq	Pct
1 = Yes	129	0.23
2 = No	4463	7.87
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	25	0.04
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	16	0.03
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	284	0.50

Sometimes people who use prescription stimulants have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription stimulants?

(DPSTSERI)
UDSTWORKPRB Len : 2 STM CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes	88	0.16
2 = No	4502	7.94
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	25	0.04
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	18	0.03
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	284	0.50

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription stimulant?

(DPSTARGU)
UDSTFMLYPRB Len : 2 STM CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	138	0.24
2 = No	4450	7.85
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	25	0.04
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	21	0.04
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	284	0.50

Did you continue to use any prescription stimulants even though they often caused arguments or problems with family or friends?

(DPSTACNT)
UDSTFMLYCTD Len : 2 CONTD STM DESPITE STM CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	93	0.16
2 = No	43	0.08
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	7	0.01
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	1	0.00
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	323	0.57
99 = LEGITIMATE SKIP	4450	7.85

During the past 12 months, did you repeatedly get into situations where using a prescription stimulant increased your chances of getting physically hurt?

(DPSTHURT)
UDSTGETHURT Len : 2 STM INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes	58	0.10
2 = No	4528	7.99
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	25	0.04
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	22	0.04
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	284	0.50

People may experience withdrawal symptoms when they use less or stop using prescription stimulants.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using any prescription stimulants for a while?

(DPSTBLUE)
UDSTWDFLBLU Len : 2 FELT BLUE OR DOWN AFTER USING LESS OR STOPPING STM

	Freq	Pct
1 = Yes	419	0.74
2 = No	4160	7.34
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	25	0.04
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	26	0.05
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	285	0.50

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using prescription stimulants for a while?

Feeling tired or exhausted

(DPSTWD_1)
UDSTWDTIRED Len : 2 FEELING TIRED/EXHAUSTED - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	356	0.63
2 = No	62	0.11
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	7	0.01
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	1	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	329	0.58
99 = LEGITIMATE SKIP	4160	7.34

Having bad dreams

(DPSTWD_2)
UDSTWDDREAM Len : 2 HAVING BAD DREAMS - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	128	0.23
2 = No	286	0.50
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	7	0.01
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	4	0.01
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	329	0.58
99 = LEGITIMATE SKIP	4160	7.34

Having trouble sleeping or sleeping more than you normally do

(DPSTWD_3)
UDSTWDSLEEP Len : 2 TROUBLE/MORE SLEEPING - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	294	0.52
2 = No	123	0.22
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	7	0.01
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	2	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	329	0.58
99 = LEGITIMATE SKIP	4160	7.34

Feeling hungry more often

(DPSTWD_4)
UDSTWDHNGRY Len : 2 FEELING HUNGRY - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	230	0.41
2 = No	187	0.33
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	7	0.01
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	2	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	329	0.58
99 = LEGITIMATE SKIP	4160	7.34

Feeling either very slowed down or like you couldn’t sit still

(DPSTWD_5)
UDSTWDSITST Len : 2 FEELING SLOWED DOWN/ - STM W/DRAWL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	307	0.54
2 = No	109	0.19
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	7	0.01
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	3	0.01
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	329	0.58
99 = LEGITIMATE SKIP	4160	7.34

During the past 12 months, did you use any prescription stimulants or other drugs to get over or avoid having prescription stimulant withdrawal symptoms?

(DPSTOVER)
UDSTAVOIDWD Len : 2 USE STM TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	91	0.16
2 = No	4490	7.92
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	25	0.04
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	23	0.04
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	285	0.50

Which of the following did you use to get over or avoid having prescription stimulant withdrawal symptoms during the past 12 months?

Prescription stimulants or uppers

(DPSTUSE_1)
UDSTAVWSTIM Len : 2 USED STM TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	55	0.10
2 = No	34	0.06
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	7	0.01
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	1	0.00
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	326	0.57
99 = LEGITIMATE SKIP	4490	7.92

Cocaine or crack

(DPSTUSE_2)
UDSTAVWCOCN Len : 2 USED COC/CRK TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	12	0.02
2 = No	78	0.14
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	7	0.01
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	326	0.57
99 = LEGITIMATE SKIP	4490	7.92

Methamphetamine

(DPSTUSE_3)
UDSTAVWMETH Len : 2 USED METH TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	21	0.04
2 = No	68	0.12
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	7	0.01
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	1	0.00
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	326	0.57
99 = LEGITIMATE SKIP	4490	7.92

Something else

(DPSTUSE_4)
UDSTAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD STM WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes	37	0.07
2 = No	52	0.09
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	115	0.20
85 = BAD DATA LOGICALLY ASSIGNED	7	0.01
91 = NEVER USED STIMULANTS	48926	86.28
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	2740	4.83
94 = DON'T KNOW	1	0.00
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	326	0.57
99 = LEGITIMATE SKIP	4490	7.92

Think about your use of prescription sedatives during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription sedatives, feeling their effects, or getting over the effects of any prescription sedatives?

(DPSVFEEL)
UDSVTIMEUSE Len : 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF SED PST 12 MOS

	Freq	Pct
1 = Yes	126	0.22
2 = No	2149	3.79
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	16	0.03
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	293	0.52

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription sedatives?

(DPSVGET)
UDSVTIMEGET Len : 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING SED IN PST 12 MOS

	Freq	Pct
1 = Yes	18	0.03
2 = No	2136	3.77
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	18	0.03
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	11	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	301	0.53
99 = LEGITIMATE SKIP	126	0.22

During the past 12 months, were there many times when you ended up using any prescription sedatives in larger amounts or for a longer time than you meant to?

(DPSVLRGR)
UDSVLRGAMTS Len : 2 USED SED LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes	61	0.11
2 = No	2217	3.91
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	10	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	294	0.52

During the past 12 months, were there times when you wanted to use any prescription sedatives so badly that you couldn't think of anything else?

(DPSVBDLY)
UDSVWANTBAD Len : 2 WANTED TO USE SED SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes	40	0.07
2 = No	2237	3.94
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	10	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	294	0.52

During the past 12 months, were there times when you had a strong urge to use any prescription sedatives?

(DPSVURGE)
UDSVSTRURGE Len : 2 STRONG URGE TO USE SED IN PAST 12 MOS

	Freq	Pct
1 = Yes	75	0.13
2 = No	2164	3.82
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	18	0.03
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	7	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	302	0.53
99 = LEGITIMATE SKIP	40	0.07

Do you need to use a lot more of any prescription sedatives than you used to in order to get the feeling you want?

(DPSVMORE)
UDSVNEEDMOR Len : 2 NEEDED A LOT MORE SED TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes	55	0.10
2 = No	2222	3.92
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	11	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	294	0.52

Does using the same amount of any prescription sedatives have much less effect on you than it used to?

(DPSVLESS)
UDSVLESSEFF Len : 2 SAME AMT SED HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes	93	0.16
2 = No	2119	3.74
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	18	0.03
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	20	0.04
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	302	0.53
99 = LEGITIMATE SKIP	55	0.10

During the past 12 months, did you try to cut down or try to stop using any prescription sedatives?

(DPSVSTOP)
UDSVTRYSTOP Len : 2 TRY TO CUT DOWN/STOP SED USE IN PAST 12 MOS

	Freq	Pct
1 = Yes	259	0.46
2 = No	2005	3.54
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	21	0.04
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	295	0.52

Some people who use prescription sedatives try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription sedatives?

(DPSVCANT)
UDSVNOTSTOP Len : 2 UNABLE TO CUT/STOP SED MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	61	0.11
2 = No	197	0.35
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	9	0.02
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	1	0.00
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	333	0.59
99 = LEGITIMATE SKIP	2005	3.54

In the past 12 months, did you often wish that you could cut down or stop using any prescription sedatives?

(DPSVWISH)
UDSVWSHSTOP Len : 2 OFTEN WISH CUT DOWN OR STOP SED USE PAST 12 MOS

	Freq	Pct
1 = Yes	122	0.22
2 = No	1883	3.32
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	17	0.03
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	17	0.03
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	304	0.54
99 = LEGITIMATE SKIP	259	0.46

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription sedative?

(DPSVPHYS)
UDSVHLTHPRB Len : 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY SED PST 12 MO

	Freq	Pct
1 = Yes	37	0.07
2 = No	2232	3.94
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	15	0.03
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	295	0.52

Did you continue to use any prescription sedatives even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPSVPCNT)
UDSVHLTHCTD Len : 2 CONTD TO USE SED DESPITE SED CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes	19	0.03
2 = No	18	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	328	0.58
99 = LEGITIMATE SKIP	2232	3.94

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription sedative?

(DPSVMNTL)
UDSVMNTLPRB Len : 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY SED PAST 12 MOS

	Freq	Pct
1 = Yes	40	0.07
2 = No	2214	3.90
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	18	0.03
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	11	0.02
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	303	0.53
99 = LEGITIMATE SKIP	19	0.03

Did you continue to use any prescription sedatives even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPSVMCNT)
UDSVMNTLCTD Len : 2 CONTD SED USE DESPITE SED CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	16	0.03
2 = No	23	0.04
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	1	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	332	0.59
99 = LEGITIMATE SKIP	2233	3.94

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription sedatives?

(DPSVACTV)
UDSVSTOPACT Len : 2 LESS ACTIVITIES B/C OF SED USE PAST 12 MOS

	Freq	Pct
1 = Yes	57	0.10
2 = No	2218	3.91
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	8	0.01
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	295	0.52

Sometimes people who use prescription sedatives have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription sedatives?

(DPSVSERI)
UDSVWORKPRB Len : 2 SED CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes	47	0.08
2 = No	2227	3.93
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	9	0.02
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	295	0.52

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription sedative?

(DPSVARGU)
UDSVFMLYPRB Len : 2 SED CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	40	0.07
2 = No	2234	3.94
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	10	0.02
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	295	0.52

Did you continue to use any prescription sedatives even though they often caused arguments or problems with family or friends?

(DPSVACNT)
UDSVFMLYCTD Len : 2 CONTD SED DESPITE SED CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	32	0.06
2 = No	8	0.01
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	323	0.57
99 = LEGITIMATE SKIP	2234	3.94

During the past 12 months, did you repeatedly get into situations where using a prescription sedative increased your chances of getting physically hurt?

(DPSVHURT)
UDSVGETHURT Len : 2 SED INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes	31	0.05
2 = No	2244	3.96
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	10	0.02
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	295	0.52

People may experience withdrawal symptoms when they use less or stop using prescription sedatives.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription sedatives for a while?

Sweating or feeling that your heart was beating fast

(DPSVWD_1)
UDSVWDSWEAT Len : 2 SWEATY/FAST HEARTBEAT - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	88	0.16
2 = No	2170	3.83
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	18	0.03
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	298	0.53

Having your hands tremble

(DPSVWD_2)
UDSVWDTRMBL Len : 2 HANDS TREMBLE - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	75	0.13
2 = No	2183	3.85
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	18	0.03
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	298	0.53

Having trouble sleeping

(DPSVWD_3)
UDSVWDSLEEP Len : 2 TROUBLE SLEEPING - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	340	0.60
2 = No	1922	3.39
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	14	0.02
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	298	0.53

Vomiting or having an upset stomach

(DPSVWD_4)
UDSVWDVOMIT Len : 2 VOMITING/UPSET STOMACH - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	59	0.10
2 = No	2200	3.88
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	18	0.03
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	298	0.53

Seeing, hearing, or feeling things that weren't really there

(DPSVWD_5)
UDSVWDHALUC Len : 2 SEE/HEAR/FEEL THINGS - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	71	0.13
2 = No	2190	3.86
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	16	0.03
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	298	0.53

Feeling like you couldn't sit still

(DPSVWD_6)
UDSVWDSITST Len : 2 COULDN'T SIT STILL - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	126	0.22
2 = No	2136	3.77
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	16	0.03
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	298	0.53

Feeling anxious

(DPSVWD_7)
UDSVWDFLANX Len : 2 FEELING ANXIOUS - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	230	0.41
2 = No	2033	3.59
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	13	0.02
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	298	0.53

During the past 12 months, did you use any prescription sedatives or other drugs to get over or avoid having prescription sedative withdrawal symptoms?

(DPSVOVER)
UDSVAVOIDWD Len : 2 USE SED TO GET OVER/AVOID SED WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	41	0.07
2 = No	2233	3.94
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	26	0.05
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
94 = DON'T KNOW	9	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	298	0.53

Which of the following did you use to get over or avoid having prescription sedative withdrawal symptoms during the past 12 months?

Prescription sedatives, tranquilizers, sleeping pills, or downers

(DPSVUSE_1)
UDSVAVWSVTR Len : 2 USED SED/TR TO GET OVER/AVOID SED WITHDRWL IN PST 12 MOS

	Freq	Pct
1 = Yes	26	0.05
2 = No	14	0.02
13 = Yes LOG ASSN (not applicable to criterion 11b)	1	0.00
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	6	0.01
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	327	0.58
99 = LEGITIMATE SKIP	2233	3.94

Alcohol

(DPSVUSE_2)
UDSVAVWALCO Len : 2 USED ALC TO GET OVER/AVOID SED WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes	18	0.03
2 = No	23	0.04
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	6	0.01
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	327	0.58
99 = LEGITIMATE SKIP	2233	3.94

Something else

(DPSVUSE_3)

UDSVAVWOTHR Len : 2 USED SOMETHING ELSE TO GET OVR/AVD SED WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes	20	0.04
2 = No	21	0.04
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	155	0.27
85 = BAD DATA LOGICALLY ASSIGNED	6	0.01
91 = NEVER USED SEDATIVES	51026	89.99
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	2910	5.13
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	327	0.58
99 = LEGITIMATE SKIP	2233	3.94

The next set of variables are substance use disorder (SUD) measures for alcohol and drugs and are based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition. Drugs include marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, and the use of prescription psychotherapeutic drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives). These variables include missing values, while the imputation-revised versions of these variables in which missing values are replaced with valid response categories are described in the "Imputed Substance Use Disorder" section.The construction of all SUD variables is described in more detail in the Nicotine Dependence and Substance Use Disorder appendix.

NOTE: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

(ALCYR, UDALAVWALCO, UDALAVWOTHR, UDALAVWSVTR, UDALBLCKCTD, UDALFMLYCTD, UDALFMLYPRB, UDALGETHURT, UDALHLTHCTD, UDALLESSEFF, UDALLRGAMTS, UDALMNTLCTD, UDALNEEDMOR, UDALNOTSTOP, UDALSTOPACT, UDALSTRURGE, UDALTIMEGET, UDALTIMEUSE, UDALWANTBAD, UDALWDFLANX, UDALWDHALUC, UDALWDSITST, UDALWDSLEEP, UDALWDSWEAT, UDALWDTRMBL, UDALWDVOMIT, UDALWORKPRB, UDALWSHSTOP)

PYUD5ALC Len : 2 ALCOHOL USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	539	0.95
0 = No	21007	37.05
1 = Yes	6065	10.70
91 = NEVER USED ALCOHOL	16479	29.06
93 = DID NOT USE ALCHOHOL PAST 12 MONTHS OR USED <6 DAYS	12615	22.25

NOTE: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

(MRJYR, UDMJAVWMARJ, UDMJAVWOTHR, UDMJFMLYCTD, UDMJFMLYPRB, UDMJGETHURT, UDMJHLTHCTD, UDMJLESSEFF, UDMJLRGAMTS, UDMJMNTLCTD, UDMJNEEDMOR, UDMJNOTSTOP, UDMJSTOPACT, UDMJSTRURGE, UDMJTIMEGET, UDMJTIMEUSE, UDMJWANTBAD, UDMJWDANGRY, UDMJWDAPPET, UDMJWDCHILL, UDMJWDDEPRS", UDMJWDFEVER, UDMJWDFLANX, UDMJWDHEDAC, UDMJWDSHAKE, UDMJWDSITST, UDMJWDSLEEP, UDMJWDSTMCH, UDMJWDSWEAT, UDMJWORKPRB, UDMJWSHSTOP)

PYUD5MRJ Len : 2 MARIJUANA USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	250	0.44
0 = No	6280	11.07
1 = Yes	4977	8.78
91 = NEVER USED MARIJUANA	31198	55.02
93 = DID NOT USE MARIJUANA PAST 12 MONTHS OR USED <6 DAYS	14000	24.69

NOTE: Respondents who reported lifetime but not past year use of cocaine, but were past year users of cocaine according to the variable CONDLREC, were asked the questions on cocaine use disorder. Because the editing and imputation procedures for cocaine recency do not incorporate CONDLREC, it is possible for a respondent to be a lifetime but not a past year user of cocaine according to IRCOCRC, but to be classified as having past year substance use disorder of cocaine. The few respondents who were lifetime but not past year users of cocaine according to IRCOCRC but were missing for CONDLREC were considered past year nonusers.

(COCYR, CONDLREC, UDCCAVWCOCN, UDCCAVWMETH, UDCCAVWOTHR, UDCCAVWSTIM, UDCCFMLYCTD, UDCCFMLYPRB, UDCCGETHURT, UDCCHLTHCTD, UDCCLESSEFF, UDCCLRGAMTS, UDCCMNTLCTD, UDCCNEEDMOR, UDCCNOTSTOP, UDCCSTOPACT, UDCCSTRURGE, UDCCTIMEGET, UDCCTIMEUSE, UDCCWANTBAD, UDCCWDDREAM, UDCCWDFLBLU, UDCCWDHNGRY, UDCCWDSITST, UDCCWDSLEEP, UDCCWDTIRED, UDCCWORKPRB, UDCCWSHSTOP)

PYUD5COC Len : 2 COCAINE USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	32	0.06
0 = No	793	1.40
1 = Yes	265	0.47
91 = NEVER USED COCAINE	50208	88.54
93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS	5407	9.54

NOTE: Respondents who reported lifetime but not past year use of heroin, but were past year users of heroin according to the variables HRNDLREC, HRSMKREC, or HRSNFREC were asked the questions on heroin use disorder. Because the editing and imputation procedures for heroin recency do not incorporate HRNDLREC, HRSMKREC, or HRSNFREC, it is possible for a respondent to be a lifetime but not a past year user of heroin according to IRHERRC, but to be classified as having past year substance use disorder of heroin. The few respondents who were lifetime but not past year users of heroin according to IRHERRC but were missing for HRNDLREC, HRSMKREC, or HRSNFREC were considered past year nonusers.

(HERYR, HRNDLREC, HRSMKREC, HRSNFREC, UDHEAVWHERN, UDHEAVWOTHR, UDHEAVWPNRL, UDHEFMLYCTD, UDHEFMLYPRB, UDHEGETHURT, UDHEHLTHCTD, UDHELESSEFF, UDHELRGAMTS, UDHEMNTLCTD, UDHENEEDMOR, UDHENOTSTOP, UDHESTOPACT, UDHESTRURGE, UDHETIMEGET, UDHETIMEUSE, UDHEWANTBAD, UDHEWDCRAMP, UDHEWDDIARR, UDHEWDFEVER, UDHEWDFLBLU, UDHEWDRUNNY, UDHEWDSLEEP, UDHEWDSWEAT, UDHEWDVOMIT, UDHEWDYAWNS, UDHEWORKPRB, UDHEWSHSTOP)

PYUD5HER Len : 2 HEROIN USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	4	0.01
0 = No	54	0.10
1 = Yes	115	0.20
91 = NEVER USED HEROIN	55634	98.11
93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS	898	1.58

(HALLUCYR, UDHAFMLYCTD, UDHAFMLYPRB, UDHAGETHURT, UDHAHLTHCTD, UDHALESSEFF, UDHALRGAMTS, UDHAMNTLCTD, UDHANEEDMOR, UDHANOTSTOP, UDHASTOPACT, UDHASTRURGE, UDHATIMEGET, UDHATIMEUSE, UDHAWANTBAD, UDHAWORKPRB, UDHAWSHSTOP)

PYUD5HAL Len : 2 HALLUCINOGEN USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	65	0.11
0 = No	2033	3.59
1 = Yes	139	0.25
91 = NEVER USED HALLUCINOGENS	47779	84.26
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS	6689	11.80

(INHALYR, UDINFMLYCTD, UDINFMLYPRB, UDINGETHURT, UDINHLTHCTD, UDINLESSEFF, UDINLRGAMTS, UDINMNTLCTD, UDINNEEDMOR, UDINNOTSTOP, UDINSTOPACT, UDINSTRURGE, UDINTIMEGET, UDINTIMEUSE, UDINWANTBAD, UDINWORKPRB, UDINWSHSTOP)

PYUD5INH Len : 2 INHALANT USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	65	0.11
0 = No	608	1.07
1 = Yes	69	0.12
91 = NEVER USED INHALANTS	51457	90.75
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	4506	7.95

NOTE: Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine use disorder. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not a past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year substance use disorder of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

(METHAMYR, METHNDLRC, UDMEAVWCOCN, UDMEAVWMETH, UDMEAVWOTHR, UDMEAVWSTIM, UDMEFMLYCTD, UDMEFMLYPRB, UDMEGETHURT, UDMEHLTHCTD, UDMELESSEFF, UDMELRGAMTS, UDMEMNTLCTD, UDMENEEDMOR, UDMENOTSTOP, UDMESTOPACT, UDMESTRURGE, UDMETIMEGET, UDMETIMEUSE, UDMEWANTBAD, UDMEWDDREAM, UDMEWDFLBLU, UDMEWDHNGRY, UDMEWDSITST, UDMEWDSLEEP, UDMEWDTIRED, UDMEWORKPRB, UDMEWSHSTOP)

PYUD5MTH Len : 2 METHAMPHETAMINE USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	18	0.03
0 = No	165	0.29
1 = Yes	310	0.55
91 = NEVER USED METHAMPHETAMINE	54191	95.57
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS	2021	3.56

NOTE: EDUD5PNRMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

(PNRNMYR, UDPRAVWHERN, UDPRAVWOTHR, UDPRAVWPNRL, UDPRFMLYCTD, UDPRFMLYPRB, UDPRGETHURT, UDPRHLTHCTD, UDPRLESSEFF, UDPRLRGAMTS, UDPRMNTLCTD, UDPRNEEDMOR, UDPRNOTSTOP, UDPRSTOPACT, UDPRSTRURGE, UDPRTIMEGET, UDPRTIMEUSE, UDPRWANTBAD, UDPRWDCRAMP, UDPRWDDIARR, UDPRWDFEVER, UDPRWDFLBLU, UDPRWDRUNNY, UDPRWDSLEEP, UDPRWDSWEAT, UDPRWDVOMIT, UDPRWDYAWNS, UDPRWORKPRB, UDPRWSHSTOP)

EDUD5PNRMIS Len : 2 PAIN RELIEVER USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed	79	0.14
0 = No	1217	2.15
1 = Yes	410	0.72
91 = NEVER MISUSED PAIN RELIEVERS	52153	91.97
93 = DID NOT MISUSE PAIN RELIEVER IN THE PAST 12 MOS	2846	5.02

NOTE: EDUD5PNRUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

(PNRANYYR, PNRNMYR, UDPRFMLYCTD, UDPRFMLYPRB, UDPRGETHURT, UDPRHLTHCTD, UDPRLRGAMTS, UDPRMNTLCTD, UDPRNOTSTOP, UDPRSTOPACT, UDPRSTRURGE, UDPRTIMEGET, UDPRTIMEUSE, UDPRWANTBAD, UDPRWORKPRB, UDPRWSHSTOP)

EDUD5PNRUNM Len : 2 PAIN RELIEVER USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed	308	0.54
0 = No	10329	18.22
1 = Yes	494	0.87
91 = NEVER USED PAIN RELIEVERS	29955	52.83
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON	15619	27.54

NOTE: EDUD5TRQMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers.

(TRQNMYR, UDTRAVWALCO, UDTRAVWOTHR, UDTRAVWSVTR, UDTRFMLYCTD, UDTRFMLYPRB, UDTRGETHURT, UDTRHLTHCTD, UDTRLESSEFF, UDTRLRGAMTS, UDTRMNTLCTD, UDTRNEEDMOR, UDTRNOTSTOP, UDTRSTOPACT, UDTRSTRURGE, UDTRTIMEGET, UDTRTIMEUSE, UDTRWANTBAD, UDTRWDFLANX, UDTRWDHALUC, UDTRWDSITST, UDTRWDSLEEP, UDTRWDSWEAT, UDTRWDTRMBL, UDTRWDVOMIT, UDTRWORKPRB, UDTRWSHSTOP)

EDUD5TRQMIS Len : 2 TRANQUILIZER USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed	22	0.04
0 = No	656	1.16
1 = Yes	163	0.29
91 = NEVER MISUSED TRANQUILIZERS	54788	96.62
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS	1076	1.90

NOTE: EDUD5TRQUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription tranquilizers.

(TRQANYYR, TRQNMYR, UDTRFMLYCTD, UDTRFMLYPRB, UDTRGETHURT, UDTRHLTHCTD, UDTRLRGAMTS, UDTRMNTLCTD, UDTRNOTSTOP, UDTRSTOPACT, UDTRSTRURGE, UDTRTIMEGET, UDTRTIMEUSE, UDTRWANTBAD, UDTRWORKPRB, UDTRWSHSTOP)

EDUD5TRQUNM Len : 2 TRANQUILIZER USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed	110	0.19
0 = No	4312	7.60
1 = Yes	174	0.31
91 = NEVER USED TRANQUILIZERS	47435	83.65
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON	4674	8.24

NOTE: EDUD5STMMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription stimulants.

(STMNMYR, UDSTAVWCOCN, UDSTAVWMETH, UDSTAVWOTHR, UDSTAVWSTIM, UDSTFMLYCTD, UDSTFMLYPRB, UDSTGETHURT, UDSTHLTHCTD, UDSTLESSEFF, UDSTLRGAMTS, UDSTMNTLCTD, UDSTNEEDMOR, UDSTNOTSTOP, UDSTSTOPACT, UDSTSTRURGE, UDSTTIMEGET, UDSTTIMEUSE, UDSTWANTBAD, UDSTWDDREAM, UDSTWDFLBLU, UDSTWDHNGRY, UDSTWDSITST, UDSTWDSLEEP, UDSTWDTIRED, UDSTWORKPRB, UDSTWSHSTOP)

EDUD5STMMIS Len : 2 STIMULANT USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed	19	0.03
0 = No	826	1.46
1 = Yes	186	0.33
91 = NEVER MISUSED STIMULANTS	54298	95.76
93 = DID NOT MISUSE STIMULANTS IN THE PAST 12 MOS	1376	2.43

NOTE: EDUD5STMUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription stimulants.

(STMANYYR, STMNMYR, UDSTFMLYCTD, UDSTFMLYPRB, UDSTGETHURT, UDSTHLTHCTD, UDSTLRGAMTS, UDSTMNTLCTD, UDSTNOTSTOP, UDSTSTOPACT, UDSTSTRURGE, UDSTTIMEGET, UDSTTIMEUSE, UDSTWANTBAD, UDSTWORKPRB, UDSTWSHSTOP)

EDUD5STMUNM Len : 2 STIMULANT USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed	121	0.21
0 = No	3278	5.78
1 = Yes	273	0.48
91 = NEVER USED STIMULANTS	49246	86.85
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON	3787	6.68

NOTE: EDUD5SEDMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription sedatives.

(SEDNMYR, UDSVAVWALCO, UDSVAVWOTHR, UDSVAVWSVTR, UDSVFMLYCTD, UDSVFMLYPRB, UDSVGETHURT, UDSVHLTHCTD, UDSVLESSEFF, UDSVLRGAMTS, UDSVMNTLCTD, UDSVNEEDMOR, UDSVNOTSTOP, UDSVSTOPACT, UDSVSTRURGE, UDSVTIMEGET, UDSVTIMEUSE, UDSVWANTBAD, UDSVWDFLANX, UDSVWDHALUC, UDSVWDSITST, UDSVWDSLEEP, UDSVWDSWEAT, UDSVWDTRMBL, UDSVWDVOMIT, UDSVWORKPRB, UDSVWSHSTOP)

EDUD5SEDMIS Len : 2 SEDATIVE USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed	4	0.01
0 = No	134	0.24
1 = Yes	32	0.06
91 = NEVER MISUSED SEDATIVES	55730	98.28
93 = DID NOT MISUSE SEDATIVES IN THE PAST 12 MOS	805	1.42

NOTE: EDUD5SEDUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription sedatives.

(SEDANYYR, SEDNMYR, UDSVFMLYCTD, UDSVFMLYPRB, UDSVGETHURT, UDSVHLTHCTD, UDSVLRGAMTS, UDSVMNTLCTD, UDSVNOTSTOP, UDSVSTOPACT, UDSVSTRURGE, UDSVTIMEGET, UDSVTIMEUSE, UDSVWANTBAD, UDSVWORKPRB, UDSVWSHSTOP)

EDUD5SEDUNM Len : 2 SEDATIVE USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed	80	0.14
0 = No	1981	3.49
1 = Yes	116	0.20
91 = NEVER USED SEDATIVES	51424	90.69
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON	3104	5.47

IMPUTED SUBSTANCE USE DISORDER

The next set of variables are imputation-revised substance use disorder measures for alcohol and drugs and are based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition. Drugs include marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, and the use of prescription psychotherapeutic drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives). The construction of all SUD variables is described in more detail in the Nicotine Dependence and Substance Use Disorder appendix.

NOTE: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

(PYUD5ALC)
IRPYUD5ALC Len : 1 ALCOHOL USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No	50513	89.08
1 = Yes	6192	10.92

(PYUD5ALC)
IIPYUD5ALC Len : 1 ALCOHOL USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	27072	47.74
3 = Statistically imputed data	539	0.95
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	29094	51.31

NOTE: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

(PYUD5MRJ)
IRPYUD5MRJ Len : 1 MARIJUANA USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No	51614	91.02
1 = Yes	5091	8.98

(PYUD5MRJ)
IIPYUD5MRJ Len : 1 MARIJUANA USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	11257	19.85
3 = Statistically imputed data	250	0.44
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	45198	79.71

NOTE: Respondents who reported lifetime but not past year use of cocaine, but were past year users of cocaine according to the variable CONDLREC, were asked the questions on cocaine use disorder. Because the editing and imputation procedures for cocaine recency do not incorporate CONDLREC, it is possible for a respondent to be a lifetime but not a past year user of cocaine according to IRCOCRC, but to be classified as having past year substance use disorder of cocaine. The few respondents who were lifetime but not past year users of cocaine according to IRCOCRC but were missing for CONDLREC were considered past year nonusers.

(PYUD5COC)
IRPYUD5COC Len : 1 COCAINE USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No	56433	99.52
1 = Yes	272	0.48

(PYUD5COC)
IIPYUD5COC Len : 1 COCAINE USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	1058	1.87
3 = Statistically imputed data	32	0.06
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	55615	98.08

NOTE: Respondents who reported lifetime but not past year use of heroin, but were past year users of heroin according to the variables HRNDLREC, HRSMKREC, or HRSNFREC were asked the questions on heroin use disorder. Because the editing and imputation procedures for heroin recency do not incorporate HRNDLREC, HRSMKREC, or HRSNFREC, it is possible for a respondent to be a lifetime but not a past year user of heroin according to IRHERRC, but to be classified as having past year substance use disorder of heroin. The few respondents who were lifetime but not past year users of heroin according to IRHERRC but were missing for HRNDLREC, HRSMKREC, or HRSNFREC were considered past year nonusers.

(PYUD5HER)
IRPYUD5HER Len : 1 HEROIN USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No	56587	99.79
1 = Yes	118	0.21

(PYUD5HER)
IIPYUD5HER Len : 1 HEROIN USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	169	0.30
3 = Statistically imputed data	4	0.01
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	56532	99.69

(PYUD5HAL)
IRPYUD5HAL Len : 1 HALLUCINOGEN USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No	56561	99.75
1 = Yes	144	0.25

(PYUD5HAL)
IIPYUD5HAL Len : 1 HALLUCINOGEN USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	2172	3.83
3 = Statistically imputed data	65	0.11
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	54468	96.06

(PYUD5INH)
IRPYUD5INH Len : 1 INHALANT USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No	56625	99.86
1 = Yes	80	0.14

(PYUD5INH)
IIPYUD5INH Len : 1 INHALANT USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	677	1.19
3 = Statistically imputed data	65	0.11
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	55963	98.69

NOTE: Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine use disorder. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not a past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year substance use disorder of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

(PYUD5MTH)
IRPYUD5MTH Len : 1 METHAMPHETAMINE USE DISORDER IN THE PAST YEAR - IMP REV

	Freq	Pct
0 = No	56382	99.43
1 = Yes	323	0.57

(PYUD5MTH)
IIPYUD5MTH Len : 1 METHAMPHETAMINE USE DISORDER IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	475	0.84
3 = Statistically imputed data	18	0.03
9 = LEGITIMATE SKIP-NOT A LIFETIME/PAST YEAR USER	56212	99.13

NOTE: IRUD5PNRMIS and IIUD5PNRMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

(EDUD5PNRMIS)
IRUD5PNRMIS Len : 1 PAIN RELIEVER USE DISORDER, PY MISUERS - IMP REV

	Freq	Pct
0 = No	56273	99.24
1 = Yes	432	0.76

(EDUD5PNRMIS)
IIUD5PNRMIS Len : 1 PAIN RELIEVER USE DISORDER, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	1627	2.87
3 = Statistically imputed data	79	0.14
9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR	54999	96.99

NOTE: IRUD5PNRUNM and IIUD5PNRUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

(EDUD5PNRUNM)
IRUD5PNRUNM Len : 1 PAIN RELIEVER USE DISORD, PY USERS BUT NOT MISUSERS-IMP REV

	Freq	Pct
0 = No	56174	99.06
1 = Yes	531	0.94

(EDUD5PNRUNM)
IIUD5PNRUNM Len : 1 PAIN RELIEVER USE DISORD, PY USERS BUT NOT MISUSERS-IMP IND

	Freq	Pct
1 = Questionnaire data	10823	19.09
3 = Statistically imputed data	308	0.54
9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR	45574	80.37

NOTE: IRUD5TRQMIS and IIUD5TRQMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers.

(EDUD5TRQMIS)
IRUD5TRQMIS Len : 1 TRANQUILIZER USE DISORDER, PY MISUSERS - IMP REV

	Freq	Pct
0 = No	56535	99.70
1 = Yes	170	0.30

(EDUD5TRQMIS)
IIUD5TRQMIS Len : 1 TRANQUILIZER USE DISORDER, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	819	1.44
3 = Statistically imputed data	22	0.04
9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR	55864	98.52

NOTE: IRUD5TRQUNM and IIUD5TRQUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription tranquilizers.

(EDUD5TRQUNM)
IRUD5TRQUNM Len : 1 TRANQUILIZER USE DISORDER, PY USERS BUT NOT MISUSERS-IMP REV

	Freq	Pct
0 = No	56520	99.67
1 = Yes	185	0.33

(EDUD5TRQUNM)
IIUD5TRQUNM Len : 1 TRANQUILIZER USE DISORDER, PY USERS BUT NOT MISUSERS-IMP IND

	Freq	Pct
1 = Questionnaire data	4486	7.91
3 = Statistically imputed data	110	0.19
9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR	52109	91.89

NOTE: IRUD5STMMIS and IIUD5STMMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription stimulants.

(EDUD5STMMIS)
IRUD5STMMIS Len : 1 STIMULANT USE DISORDER, PY MISUSERS - IMP REV

	Freq	Pct
0 = No	56514	99.66
1 = Yes	191	0.34

(EDUD5STMMIS)
IIUD5STMMIS Len : 1 STIMULANT USE DISORDER, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	1012	1.78
3 = Statistically imputed data	19	0.03
9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR	55674	98.18

NOTE: IRUD5STMUNM and IIUD5STMUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription stimulants.

(EDUD5STMUNM)
IRUD5STMUNM Len : 1 STIMULANT USE DISORDER, PY USERS BUT NOT MISUSERS - IMP REV

	Freq	Pct
0 = No	56418	99.49
1 = Yes	287	0.51

(EDUD5STMUNM)
IIUD5STMUNM Len : 1 STIMULANT USE DISORDER, PY USERS BUT NOT MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	3551	6.26
3 = Statistically imputed data	121	0.21
9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR	53033	93.52

NOTE: IRUD5SEDMIS and IIUD5SEDMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription sedatives.

(EDUD5SEDMIS)
IRUD5SEDMIS Len : 1 SEDATIVE USE DISORDER, PY MISUSERS - IMP REV

	Freq	Pct
0 = No	56672	99.94
1 = Yes	33	0.06

(EDUD5SEDMIS)
IIUD5SEDMIS Len : 1 SEDATIVE USE DISORDER, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	166	0.29
3 = Statistically imputed data	4	0.01
9 = LEGITIMATE SKIP-DID NOT MISUSE IN PAST YEAR	56535	99.70

NOTE: IRUD5SEDUNM and IIUD5SEDUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription sedatives.

(EDUD5SEDUNM)
IRUD5SEDUNM Len : 1 SEDATIVE USE DISORDER, PY USERS BUT NOT MISUSERS - IMP REV

	Freq	Pct
0 = No	56584	99.79
1 = Yes	121	0.21

(EDUD5SEDUNM)

IIUD5SEDUNM Len : 1 SEDATIVE USE DISORDER, PY USERS BUT NOT MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	2097	3.70
3 = Statistically imputed data	80	0.14
9 = LEGIT SKIP-NOT A PAST YR USER OR MISUSED IN PAST YR	54528	96.16

The next set of variables are imputation-revised measures of substance use disorder severity for alcohol and drugs and are based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition. The severity of an SUD according to DSM-5 criteria is determined by the number of individual criteria recorded as positive for a particular substance. Respondents were classified as having an SUD of mild severity if they met two or three SUD criteria for that substance, an SUD of moderate severity if they met four or five SUD criteria for that substance, and a severe SUD if they met six or more SUD criteria for that substance. The construction of all SUD variables is described in more detail in the Nicotine Dependence and Substance Use Disorder appendix.

NOTE: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

(IRPYUD5ALC)

IRPYSEV5ALC Len : 1 ALCOHOL USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	3556	6.27
2 = Moderate disorder	1340	2.36
3 = Severe disorder	1296	2.29
9 = NO PAST YEAR USE DISORDER	50513	89.08

IIPYSEV5ALC Len : 1 ALCOHOL USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	6016	10.61
3 = Statistically imputed data	588	1.04
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	50101	88.35

NOTE: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

(IRPYUD5MRJ)

IRPYSEV5MRJ Len : 1 MARIJUANA USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	2581	4.55
2 = Moderate disorder	1440	2.54
3 = Severe disorder	1070	1.89
9 = NO PAST YEAR USE DISORDER	51614	91.02

IIPYSEV5MRJ Len : 1 MARIJUANA USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	4935	8.70
3 = Statistically imputed data	292	0.51
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	51478	90.78

NOTE: Respondents who reported lifetime but not past year use of cocaine, but were past year users of cocaine according to the variable CONDLREC, were asked the questions on cocaine use disorder. Because the editing and imputation procedures for cocaine recency do not incorporate CONDLREC, it is possible for a respondent to be a lifetime but not a past year user of cocaine according to IRCOCRC, but to be classified as having past year substance use disorder of cocaine. The few respondents who were lifetime but not past year users of cocaine according to IRCOCRC but were missing for CONDLREC were considered past year nonusers.

(IRPYUD5COC)

IRPYSEV5COC Len : 1 COCAINE USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	105	0.19
2 = Moderate disorder	65	0.11
3 = Severe disorder	102	0.18
9 = NO PAST YEAR USE DISORDER	56433	99.52

IIPYSEV5COC Len : 1 COCAINE USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	263	0.46
3 = Statistically imputed data	34	0.06
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	56408	99.48

NOTE: Respondents who reported lifetime but not past year use of heroin, but were past year users of heroin according to the variables HRNDLREC, HRSMKREC, or HRSNFREC were asked the questions on heroin use disorder. Because the editing and imputation procedures for heroin recency do not incorporate HRNDLREC, HRSMKREC, or HRSNFREC, it is possible for a respondent to be a lifetime but not a past year user of heroin according to IRHERRC, but to be classified as having past year substance use disorder of heroin. The few respondents who were lifetime but not past year users of heroin according to IRHERRC but were missing for HRNDLREC, HRSMKREC, or HRSNFREC were considered past year nonusers.

(IRPYUD5HER)

IRPYSEV5HER Len : 1 HEROIN USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	21	0.04
2 = Moderate disorder	12	0.02
3 = Severe disorder	85	0.15
9 = NO PAST YEAR USE DISORDER	56587	99.79

IIPYSEV5HER Len : 1 HEROIN USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	114	0.20
3 = Statistically imputed data	5	0.01
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	56586	99.79

(IRPYUD5HAL)

IRPYSEV5HAL Len : 1 HALLUCINOGEN USE DISORDER SEVERITY IN THE PAST YR - IMP REV

	Freq	Pct
1 = Mild disorder	105	0.19
2 = Moderate disorder	24	0.04
3 = Severe disorder	15	0.03
9 = NO PAST YEAR USE DISORDER	56561	99.75

IIPYSEV5HAL Len : 1 HALLUCINOGEN USE DISORDER SEVERITY IN THE PAST YR - IMP IND

	Freq	Pct
1 = Questionnaire data	138	0.24
3 = Statistically imputed data	66	0.12
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	56501	99.64

(IRPYUD5INH)

IRPYSEV5INH Len : 1 INHALANT USE DISORDER SEVERITY IN THE PAST YEAR - IMP REV

	Freq	Pct
1 = Mild disorder	50	0.09
2 = Moderate disorder	12	0.02
3 = Severe disorder	18	0.03
9 = NO PAST YEAR USE DISORDER	56625	99.86

IIPYSEV5INH Len : 1 INHALANT USE DISORDER SEVERITY IN THE PAST YEAR - IMP IND

	Freq	Pct
1 = Questionnaire data	66	0.12
3 = Statistically imputed data	68	0.12
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	56571	99.76

NOTE: Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine use disorder. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not a past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year substance use disorder of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

(IRPYUD5MTH)
IRPYSEV5MTH Len : 1 METHAMPHETAMINE USE DISORDER SEVERITY IN PAST YR - IMP REV

	Freq	Pct
1 = Mild disorder	70	0.12
2 = Moderate disorder	60	0.11
3 = Severe disorder	193	0.34
9 = NO PAST YEAR USE DISORDER	56382	99.43

IIPYSEV5MTH Len : 1 METHAMPHETAMINE USE DISORDER SEVERITY IN PAST YR - IMP IND

	Freq	Pct
1 = Questionnaire data	309	0.54
3 = Statistically imputed data	19	0.03
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	56377	99.42

NOTE: IRSEVPNRMIS and IISEVPNRMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

(IRUD5PNRMIS)
IRSEVPNRMIS Len : 1 PAIN RELIEVER USE DISORDER SEVERITY, PY MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	199	0.35
2 = Moderate disorder	83	0.15
3 = Severe disorder	150	0.26
9 = Legitimate Skip	56273	99.24

IISEVPNRMIS Len : 1 PAIN RELIEVER USE DISORDER SEVERITY, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	404	0.71
3 = Statistically imputed data	85	0.15
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	56216	99.14

NOTE: IRSEVPNRUNM and IISEVPNRUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

(IRUD5PNRUNM)
IRSEVPNRUNM Len : 1 PAIN RELIEVER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP REV

	Freq	Pct
1 = Mild disorder	430	0.76
2 = Moderate disorder	72	0.13
3 = Severe disorder	29	0.05
9 = Legitimate Skip	56174	99.06

IISEVPNRUNM Len : 1 PAIN RELIEVER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP IND

	Freq	Pct
1 = Questionnaire data	487	0.86
3 = Statistically imputed data	315	0.56
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	55903	98.59

NOTE: IRSEVTRQMIS and IISEVTRQMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers.

(IRUD5TRQMIS)
IRSEVTRQMIS Len : 1 TRANQUILIZER USE DISORDER SEVERITY, PY MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	67	0.12
2 = Moderate disorder	46	0.08
3 = Severe disorder	57	0.10
9 = Legitimate Skip	56535	99.70

IISEVTRQMIS Len : 1 TRANQUILIZER USE DISORDER SEVERITY, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	159	0.28
3 = Statistically imputed data	26	0.05
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	56520	99.67

NOTE: IRSEVTRQUNM and IISEVTRQUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription tranquilizers.

(IRUD5TRQUNM)
IRSEVTRQUNM Len : 1 TRANQUILIZER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP REV

	Freq	Pct
1 = Mild disorder	139	0.25
2 = Moderate disorder	29	0.05
3 = Severe disorder	17	0.03
9 = Legitimate Skip	56520	99.67

IISEVTRQUNM Len : 1 TRANQUILIZER USE DIS SEV, PY USERS BUT NOT MISUSERS-IMP IND

	Freq	Pct
1 = Questionnaire data	172	0.30
3 = Statistically imputed data	112	0.20
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	56421	99.50

NOTE: IRSEVSTMMIS and IISEVSTMMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription stimulants.

(IRUD5STMMIS)
IRSEVSTMMIS Len : 1 STIMULANT USE DISORDER SEVERITY, PY MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	91	0.16
2 = Moderate disorder	41	0.07
3 = Severe disorder	59	0.10
9 = Legitimate Skip	56514	99.66

IISEVSTMMIS Len : 1 STIMULANT USE DISORDER SEVERITY, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	182	0.32
3 = Statistically imputed data	23	0.04
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	56500	99.64

NOTE: IRSEVSTMUNM and IISEVSTMUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription stimulants.

(IRUD5STMUNM)
IRSEVSTMUNM Len : 1 STIMULANT USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	232	0.41
2 = Moderate disorder	41	0.07
3 = Severe disorder	14	0.02
9 = Legitimate Skip	56418	99.49

IISEVSTMUNM Len : 1 STIMULANT USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	269	0.47
3 = Statistically imputed data	125	0.22
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	56311	99.31

NOTE: IRSEVSEDMIS and IISEVSEDMIS were created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription sedatives.

(IRUD5SEDMIS)

IRSEVSEDMIS Len : 1 SEDATIVE USE DISORDER SEVERITY, PY MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	16	0.03
2 = Moderate disorder	8	0.01
3 = Severe disorder	9	0.02
9 = Legitimate Skip	56672	99.94

IISEVSEDMIS Len : 1 SEDATIVE USE DISORDER SEVERITY, PY MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	32	0.06
3 = Statistically imputed data	4	0.01
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	56669	99.94

NOTE: IRSEVSEDUNM and IISEVSEDUNM were created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription sedatives.

(IRUD5SEDUNM)

IRSEVSEDUNM Len : 1 SEDATIVE USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP REV

	Freq	Pct
1 = Mild disorder	86	0.15
2 = Moderate disorder	23	0.04
3 = Severe disorder	12	0.02
9 = Legitimate Skip	56584	99.79

IISEVSEDUNM Len : 1 SEDATIVE USE DIS SEV, PY USERS BUT NOT MISUSERS - IMP IND

	Freq	Pct
1 = Questionnaire data	114	0.20
3 = Statistically imputed data	82	0.14
9 = LEGITIMATE SKIP - NO PAST YEAR USE DISORDER	56509	99.65

RECODED SUBSTANCE USE DISORDER

NOTE: UD5TRQSDANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription tranquilizers or sedatives.

(UDYR5SEDANY, UDYR5TRQANY)
UD5TRQSDANY Len : 1 RC-TRANQUILIZER OR SEDATIVE USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0)	56259	99.21
1 = Yes (any source variable = 1)	446	0.79

NOTE: UD5PSYANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(UDYR5PNRANY, UDYR5SEDANY, UDYR5STMANY, UDYR5TRQANY)
UD5PSYANY Len : 1 RC-PSYCHOTHERAPEUTIC USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0)	55103	97.17
1 = Yes (any source variable = 1)	1602	2.83

NOTE: UD5OPIANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription pain relievers.

(IRPYUD5HER, UDYR5PNRANY)
UD5OPIANY Len : 1 RC-OPIOID USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0)	55672	98.18
1 = Yes (any source variable = 1)	1033	1.82

NOTE: UD5HRPNRANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription pain relievers.

(IRPYUD5HER, UDYR5PNRANY)
UD5HRPNRANY Len : 1 RC-HEROIN/PAIN RELIEVER USE DISORDER - PAST YEAR USERS

	Freq	Pct
1 = PST YR HEROIN USE DIS (IRPYUD5HER=1 and UDYR5PNRANY=0)	70	0.12
2 = PST YR PNR USE DIS (IRPYUD5HER=0 and UDYR5PNRANY=1)	915	1.61
3 = PST YR HER & PNR USE DIS (IRPYUD5HER=1 and UDYR5PNRANY=1)	48	0.08
4 = NO PST YR HER OR PNR UD (IRPYUD5HER=0 and UDYR5PNRANY=0)	55672	98.18

NOTE: UD5CNSANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription stimulants.

(IRPYUD5COC, IRPYUD5MTH, UDYR5STMANY)
UD5CNSANY Len : 1 RC-CNS STIMULANT USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0)	55726	98.27
1 = Yes (any source variable = 1)	979	1.73

NOTE: UD5ILLANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5COC, IRPYUD5HAL, IRPYUD5HER, IRPYUD5INH, IRPYUD5MRJ, IRPYUD5MTH, UDYR5PNRANY, UDYR5SEDANY, UDYR5STMANY, UDYR5TRQANY)
UD5ILLANY Len : 1 RC-DRUG USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0)	50125	88.40
1 = Yes (any source variable = 1)	6580	11.60

NOTE: UD5IEMANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5COC, IRPYUD5HAL, IRPYUD5HER, IRPYUD5INH, IRPYUD5MTH, UDYR5PNRANY, UDYR5SEDANY, UDYR5STMANY, UDYR5TRQANY)

UD5IEMANY Len : 1 RC-DRUG OTHER THAN MRJ USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0)	54559	96.22
1 = Yes (any source variable = 1)	2146	3.78

NOTE: UD5ILALANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5ALC, UD5ILLANY)

UD5ILALANY Len : 1 RC-DRUG OR ALCOHOL USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (all source variables = 0)	45873	80.90
1 = Yes (any source variable = 1)	10832	19.10

NOTE: UD5ILAALANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5ALC, UD5ILLANY)

UD5ILAALANY Len : 1 RC-DRUG AND ALCOHOL USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (IRPYUD5ALC=0 or UD5ILLANY=0)	54765	96.58
1 = Yes (IRPYUD5ALC=1 and UD5ILLANY=1)	1940	3.42

NOTE: UD5ILNALANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5ALC, UD5ILLANY)

UD5ILNALANY Len : 1 RC-DRUG USE DISORDER, NO ALC USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (IRPYUD5ALC=1 or UD5ILLANY=0)	52065	91.82
1 = Yes (IRPYUD5ALC=0 and UD5ILLANY=1)	4640	8.18

NOTE: UD5ALNILANY was created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRPYUD5ALC, UD5ILLANY)

UD5ALNILANY Len : 1 RC-ALC USE DISORDER, NO DRUG USE DISORDER - PAST YEAR USERS

	Freq	Pct
0 = No (IRPYUD5ALC=0 or UD5ILLANY=1)	52453	92.50
1 = Yes (IRPYUD5ALC=1 and UD5ILLANY=0)	4252	7.50

NOTE: The following variables UDYR5PNRANY, UDYR5SEDANY, UDYR5STMANY, UDYR5TRQANY, SEVYRPNRANY, SEVYRTRQANY, SEVYRSTMANY, and SEVYRSEDANY were created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs.

(IRUD5PNRMIS, IRUD5PNRUNM)

UDYR5PNRANY Len : 1 RC-PAIN RELIEVER USE DISORDER, PY USERS

	Freq	Pct
0 = No (all source variables = 0)	55742	98.30
1 = Yes (any source variable = 1)	963	1.70

(IRUD5SEDMIS, IRUD5SEDUNM)

UDYR5SEDANY Len : 1 RC-SEDATIVE USE DISORDER, PY USERS

	Freq	Pct
0 = No (all source variables = 0)	56551	99.73
1 = Yes (any source variable = 1)	154	0.27

(IRUD5STMMIS, IRUD5STMUNM)
UDYR5STMANY Len : 1 RC-STIMULANT USE DISORDER, PY USERS

	Freq	Pct
0 = No (all source variables = 0)	56227	99.16
1 = Yes (any source variable = 1)	478	0.84

(IRUD5TRQMIS, IRUD5TRQUNM)
UDYR5TRQANY Len : 1 RC-TRANQUILIZER USE DISORDER, PY USERS

	Freq	Pct
0 = No (all source variables = 0)	56350	99.37
1 = Yes (any source variable = 1)	355	0.63

(IRSEVPNRMIS, IRSEVPNRUNM)
SEVYRPNRANY Len : 1 RC-PAIN RELIEVER USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder	629	1.11
2 = Moderate disorder	155	0.27
3 = Severe disorder	179	0.32
9 = Legitimate Skip	55742	98.30

(IRSEVTRQMIS, IRSEVTRQUNM)
SEVYRTRQANY Len : 1 RC-TRANQUILIZER USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder	206	0.36
2 = Moderate disorder	75	0.13
3 = Severe disorder	74	0.13
9 = Legitimate Skip	56350	99.37

(IRSEVSTMMIS, IRSEVSTMUNM)
SEVYRSTMANY Len : 1 RC-STIMULANT USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder	323	0.57
2 = Moderate disorder	82	0.14
3 = Severe disorder	73	0.13
9 = Legitimate Skip	56227	99.16

(IRSEVSEDMIS, IRSEVSEDUNM)
SEVYRSEDANY Len : 1 RC-SEDATIVE USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder	102	0.18
2 = Moderate disorder	31	0.05
3 = Severe disorder	21	0.04
9 = Legitimate Skip	56551	99.73

NOTE: The following six substance use disorder (SUD) severity recoded variables were created using the DSM-5 based SUD variables that include use disorder data from all past year users of prescription drugs. These SUD severity recoded variables are defined as the maximum disorder severity level across multiple substances (each of the source variables represent a substance). When any of the source variables indicated a disorder (mild, moderate, or severe), these recoded variables are assigned the maximum severity level.

(SEVYRSEDANY, SEVYRTRQANY)
SVYRTQSDANY Len : 1 RC-TRANQUILIZER OR SEDATIVE USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above)	265	0.47
2 = Moderate disorder (See comment above)	94	0.17
3 = Severe disorder (See comment above)	87	0.15
4 = No Past Year Use Disorder (all source variables=9)	56259	99.21

(SEVYRPNRANY, SEVYRSEDANY, SEVYRSTMANY, SEVYRTRQANY)
SVYRPSYANY Len : 1 RC-PSYCHOTHERAPUETIC USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDANY)	1054	1.86
2 = Moderate disorder (See comment above SVYRTQSDANY)	277	0.49
3 = Severe disorder (See comment above SVYRTQSDANY)	271	0.48
4 = No Past Year Use Disorder (all source variables=9)	55103	97.17

(IRPYSEV5HER, SEVYRPNRANY)
SVYROPIANY Len : 1 RC-OPIOID USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDANY)	629	1.11
2 = Moderate disorder (See comment above SVYRTQSDANY)	164	0.29
3 = Severe disorder (See comment above SVYRTQSDANY)	240	0.42
4 = No Past Year Use Disorder (all source variables=9)	55672	98.18

(IRPYSEV5COC, IRPYSEV5MTH, SEVYRSTMANY)
SVYRCNSANY Len : 1 RC-CNS STIMULANT USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDANY)	458	0.81
2 = Moderate disorder (See comment above SVYRTQSDANY)	180	0.32
3 = Severe disorder (See comment above SVYRTQSDANY)	341	0.60
4 = No Past Year Use Disorder (all source variables=9)	55726	98.27

(IRPYSEV5COC, IRPYSEV5HAL, IRPYSEV5HER, IRPYSEV5INH, IRPYSEV5MRJ, IRPYSEV5MTH, SEVYRPNRANY, SEVYRSEDANY, SEVYRSTMANY, SEVYRTRQANY)
SVYRDUDANY Len : 1 RC-DRUG USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDANY)	3404	6.00
2 = Moderate disorder (See comment above SVYRTQSDANY)	1651	2.91
3 = Severe disorder (See comment above SVYRTQSDANY)	1525	2.69
4 = No Past Year Use Disorder (all source variables=9)	50125	88.40

(IRPYSEV5ALC, IRPYSEV5COC, IRPYSEV5HAL, IRPYSEV5HER, IRPYSEV5INH, IRPYSEV5MRJ, IRPYSEV5MTH, SEVYRPNRANY, SEVYRSEDANY, SEVYRSTMANY, SEVYRTRQANY)
SVYRSUDANY Len : 1 RC-SUBSTANCE USE DISORDER SEVERITY, PY USERS

	Freq	Pct
1 = Mild disorder (See comment above SVYRTQSDANY)	5718	10.08
2 = Moderate disorder (See comment above SVYRTQSDANY)	2571	4.53
3 = Severe disorder (See comment above SVYRTQSDANY)	2543	4.48
4 = No Past Year Use Disorder (all source variables=9)	45873	80.90

PRIOR SUBSTANCE USE

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

NOTE: The variables MRJYRBFR and MRJAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use marijuana or any cannabis product, even once?

(LU01)
MRJYRBFR[1] Len : 2 USE MJ/CANNABIS EVEN ONCE YR BEFORE LAST

	Freq	Pct
1 = Yes	12254	21.61
2 = No	12791	22.56
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED MARIJUANA	31154	54.94
94 = DON'T KNOW	137	0.24
97 = REFUSED	68	0.12
98 = BLANK (NO ANSWER)	299	0.53

The computer recorded that you last used marijuana or any cannabis product [MJREC FILL]. How old were you the last time you used marijuana or any cannabis product?

(LU02)
MRJAGLST[1] Len : 3 HOW OLD WERE YOU THE LAST TIME USED MARIJUANA/CANNABIS

	Freq	Pct
RANGE = 1 - 84	14908	26.29
985 = BAD DATA Logically assigned	312	0.55
989 = LEGITIMATE SKIP Logically assigned	4	0.01
991 = NEVER USED MARIJUANA	31154	54.94
994 = DON'T KNOW	246	0.43
997 = REFUSED	84	0.15
998 = BLANK (NO ANSWER)	275	0.48
999 = LEGITIMATE SKIP	9722	17.14

Did you last use marijuana or any cannabis prodcut in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use marijuana or any cannabis product in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use marijuana or cannabis product?

(LU02A, LU02B, LU02C)
MRJYLU[1] Len : 4 YEAR OF LAST MARIJUANA/CANNABIS USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	5060	8.92
9985 = BAD DATA Logically assigned	84	0.15
9989 = LEGITIMATE SKIP Logically assigned	189	0.33
9991 = NEVER USED MARIJUANA	31154	54.94
9994 = DON'T KNOW	256	0.45
9997 = REFUSED	89	0.16
9998 = BLANK (NO ANSWER)	587	1.04
9999 = LEGITIMATE SKIP	19286	34.01

In what month in [CURRENT YEAR] did you last use marijuana or any cannabis product?

In what month in [YEAR FROM LU02a or LU02b] did you last use marijuana or any cannabis product?

(LU02C, LU02D)
MRJMLU[1] Len : 2 MONTH OF LAST MARIJUANA/CANNABIS USE - RECODE

	Freq	Pct
1 = January	435	0.77
2 = February	373	0.66
3 = March	388	0.68
4 = April	366	0.65
5 = May	350	0.62
6 = June	454	0.80
7 = July	482	0.85
8 = August	398	0.70
9 = September	344	0.61
10 = October	384	0.68
11 = November	337	0.59
12 = December	479	0.84
85 = BAD DATA Logically assigned	131	0.23
89 = LEGITIMATE SKIP Logically assigned	189	0.33
91 = NEVER USED MARIJUANA	31154	54.94
94 = DON'T KNOW	462	0.81
97 = REFUSED	102	0.18
98 = BLANK (NO ANSWER)	591	1.04
99 = LEGITIMATE SKIP	19286	34.01

Earlier the computer recorded that you last smoked part or all of a cigarette [CG06]. How old were you the last time you smoked part or all of a cigarette?

(LU03)
CIGAGLST[1] Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGARETTE

	Freq	Pct
RANGE = 1 - 89	16535	29.16
985 = BAD DATA Logically assigned	437	0.77
991 = NEVER USED CIGARETTES	32346	57.04
994 = DON'T KNOW	269	0.47
997 = REFUSED	58	0.10
998 = BLANK (NO ANSWER)	186	0.33
999 = LEGITIMATE SKIP	6874	12.12

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigarette in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

(LU03A, LU03B, LU03C)
CIGYLU[1] Len : 4 YEAR OF LAST CIGARETTE USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	2691	4.75
9985 = BAD DATA Logically assigned	55	0.10
9989 = LEGITIMATE SKIP Logically assigned	82	0.14
9991 = NEVER USED CIGARETTES	32346	57.04
9994 = DON'T KNOW	277	0.49
9997 = REFUSED	60	0.11
9998 = BLANK (NO ANSWER)	641	1.13
9999 = LEGITIMATE SKIP	20553	36.25

In what month in [CURRENT YEAR] did you last smoke part or all of a cigarette?

In what month in [YEAR FROM LU03a or LU03b] did you last smoke part or all of a cigarette?

(LU03C, LU03D)

CIGMLU[1] Len : 2 MONTH OF LAST CIGARETTE USE - RECODE

	Freq	Pct
1 = January	253	0.45
2 = February	169	0.30
3 = March	209	0.37
4 = April	166	0.29
5 = May	179	0.32
6 = June	215	0.38
7 = July	258	0.45
8 = August	198	0.35
9 = September	222	0.39
10 = October	209	0.37
11 = November	203	0.36
12 = December	239	0.42
85 = BAD DATA Logically assigned	110	0.19
89 = LEGITIMATE SKIP Logically assigned	82	0.14
91 = NEVER USED CIGARETTES	32346	57.04
94 = DON'T KNOW	380	0.67
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	651	1.15
99 = LEGITIMATE SKIP	20553	36.25

Earlier the computer also recorded that there was a period in your life when you smoked cigarettes every day for at least 30 days. How old were you when you last smoked cigarettes daily?

(LU04)

CIGDLLST[1] Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGS DAILY

	Freq	Pct
RANGE = 2 - 89	8179	14.42
985 = BAD DATA Logically assigned	156	0.28
991 = NEVER USED CIGARETTES	32346	57.04
994 = DON'T KNOW	119	0.21
997 = REFUSED	30	0.05
998 = BLANK (NO ANSWER)	119	0.21
999 = LEGITIMATE SKIP	15756	27.79

Did you last smoke cigarettes daily in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke cigarettes daily in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

(LU04A, LU04B, LU04C)

CIGDLYLU[1] Len : 4 YEAR OF LAST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
RANGE = 2021 - 2023	1271	2.24
9985 = BAD DATA Logically assigned	30	0.05
9989 = LEGITIMATE SKIP Logically assigned	32	0.06
9991 = NEVER USED CIGARETTES	32346	57.04
9994 = DON'T KNOW	122	0.22
9997 = REFUSED	31	0.05
9998 = BLANK (NO ANSWER)	271	0.48
9999 = LEGITIMATE SKIP	22602	39.86

In what month in [CURRENT YEAR] did you last smoke cigarettes daily?

In what month in [YEAR FROM LU04a or LU04b] did you last smoke cigarettes daily?

(LU04C, LU04D)
CIGDLMLU[1] Len : 2 MONTH OF LAST CIGARETTE USE EVERY DAY - RECODE

	Freq	Pct
1 = January	127	0.22
2 = February	88	0.16
3 = March	89	0.16
4 = April	74	0.13
5 = May	84	0.15
6 = June	110	0.19
7 = July	131	0.23
8 = August	104	0.18
9 = September	95	0.17
10 = October	107	0.19
11 = November	89	0.16
12 = December	146	0.26
85 = BAD DATA Logically assigned	39	0.07
89 = LEGITIMATE SKIP Logically assigned	32	0.06
91 = NEVER USED CIGARETTES	32346	57.04
94 = DON'T KNOW	137	0.24
97 = REFUSED	32	0.06
98 = BLANK (NO ANSWER)	273	0.48
99 = LEGITIMATE SKIP	22602	39.86

The computer recorded that you last used smokeless tobacco [CGSNREC FILL]. How old were you the last time you used smokeless tobacco?

(LU05)
SMKAGLAST[1] Len : 3 HOW OLD WERE YOU LAST THE TIME USED SMOKELESS TOB

	Freq	Pct
RANGE = 1 - 79	4677	8.25
985 = BAD DATA Logically assigned	360	0.63
989 = LEGITIMATE SKIP Logically assigned	1	0.00
991 = NEVER USED SMOKELESS TOBACCO	50128	88.40
994 = DON'T KNOW	122	0.22
997 = REFUSED	28	0.05
998 = BLANK (NO ANSWER)	86	0.15
999 = LEGITIMATE SKIP	1303	2.30

Did you last use smokeless tobacco in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use smokeless tobacco in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use smokeless tobacco?

(LU05A, LU05B, LU05C)
SMKYRLAST[1] Len : 4 YEAR OF LAST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	710	1.25
9985 = BAD DATA Logically assigned	18	0.03
9989 = LEGITIMATE SKIP Logically assigned	27	0.05
9991 = NEVER USED SMOKELESS TOBACCO	50128	88.40
9994 = DON'T KNOW	124	0.22
9997 = REFUSED	28	0.05
9998 = BLANK (NO ANSWER)	444	0.78
9999 = LEGITIMATE SKIP	5226	9.22

In what month in [CURRENT YEAR] did you last use smokeless tobacco?

In what month in [YEAR FROM LU05a or LU05b] did you last use smokeless tobacco?

(LU05C, LU05D)
SMKMOLAST[1] Len : 2 MONTH OF LAST SMOKELESS TOBACCO USE - RECODE

	Freq	Pct
1 = January	70	0.12
2 = February	47	0.08
3 = March	45	0.08
4 = April	36	0.06
5 = May	51	0.09
6 = June	57	0.10
7 = July	64	0.11
8 = August	60	0.11
9 = September	60	0.11
10 = October	63	0.11
11 = November	49	0.09
12 = December	64	0.11
85 = BAD DATA Logically assigned	31	0.05
89 = LEGITIMATE SKIP Logically assigned	27	0.05
91 = NEVER USED SMOKELESS TOBACCO	50128	88.40
94 = DON'T KNOW	149	0.26
97 = REFUSED	28	0.05
98 = BLANK (NO ANSWER)	450	0.79
99 = LEGITIMATE SKIP	5226	9.22

The computer recorded that you last smoked part or all of a cigar or cigarillo [CG37REC FILL]. How old were you the last time you smoked part or all of a cigar or cigarillo?

(LU07)
CGRAGLST[1] Len : 3 HOW OLD WERE YOU THE LAST TIME SMOKED CIGAR/CIGARILLO

	Freq	Pct
RANGE = 1 - 84	11263	19.86
985 = BAD DATA Logically assigned	697	1.23
989 = LEGITIMATE SKIP Logically assigned	2	0.00
991 = NEVER USED CIGARS	42190	74.40
994 = DON'T KNOW	297	0.52
997 = REFUSED	34	0.06
998 = BLANK (NO ANSWER)	144	0.25
999 = LEGITIMATE SKIP	2078	3.66

Did you last smoke part or all of a cigar or cigarillo in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last smoke part or all of a cigar or cigarillo in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar or cigarillo?

(LU07A, LU07B, LU07C)
CIGARYLU[1] Len : 4 YEAR OF LAST CIGAR/CIGARILLO USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	2463	4.34
9985 = BAD DATA Logically assigned	49	0.09
9989 = LEGITIMATE SKIP Logically assigned	68	0.12
9991 = NEVER USED CIGARS	42190	74.40
9994 = DON'T KNOW	304	0.54
9997 = REFUSED	35	0.06
9998 = BLANK (NO ANSWER)	831	1.47
9999 = LEGITIMATE SKIP	10765	18.98

In what month in [CURRENT YEAR] did you last smoke part or all of a cigar or cigarillo?

In what month in [YEAR FROM LU07a or LU07b] did you last smoke part or all of a cigar or cigarillo?

(LU07C, LU07D)

CIGARMLU[1] Len : 2 MONTH OF LAST CIGAR/CIGARILLO USE - RECODE

	Freq	Pct
1 = January	194	0.34
2 = February	144	0.25
3 = March	153	0.27
4 = April	160	0.28
5 = May	173	0.31
6 = June	211	0.37
7 = July	240	0.42
8 = August	243	0.43
9 = September	177	0.31
10 = October	223	0.39
11 = November	187	0.33
12 = December	200	0.35
85 = BAD DATA Logically assigned	90	0.16
89 = LEGITIMATE SKIP Logically assigned	68	0.12
91 = NEVER USED CIGARS	42190	74.40
94 = DON'T KNOW	403	0.71
97 = REFUSED	40	0.07
98 = BLANK (NO ANSWER)	844	1.49
99 = LEGITIMATE SKIP	10765	18.98

The computer recorded that you last drank an alcoholic beverage [ALCREC FILL]. How old were you the last time you drank an alcoholic beverage?

(LU08)

ALCAGLST[1] Len : 3 HOW OLD WERE YOU LAST TIME DRANK ALCOHOL BEVERAGE

	Freq	Pct
RANGE = 2 - 98	14921	26.31
985 = BAD DATA Logically assigned	176	0.31
989 = LEGITIMATE SKIP Logically assigned	9	0.02
991 = NEVER USED ALCOHOL	16465	29.04
994 = DON'T KNOW	250	0.44
997 = REFUSED	60	0.11
998 = BLANK (NO ANSWER)	511	0.90
999 = LEGITIMATE SKIP	24313	42.88

Did you last drink an alcoholic beverage in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last drink an alcoholic beverage in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

(LU08A, LU08B, LU08C)

ALCYLU[1] Len : 4 YEAR OF LAST ALCOHOL USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	9184	16.20
9985 = BAD DATA Logically assigned	148	0.26
9989 = LEGITIMATE SKIP Logically assigned	157	0.28
9991 = NEVER USED ALCOHOL	16465	29.04
9994 = DON'T KNOW	265	0.47
9997 = REFUSED	63	0.11
9998 = BLANK (NO ANSWER)	709	1.25
9999 = LEGITIMATE SKIP	29714	52.40

In what month in [CURRENT YEAR] did you last drink an alcoholic beverage?

In what month in [YEAR FROM LU08a or LU08b] did you last drink an alcoholic beverage?

(LU08C, LU08D)
ALCMLU[1] Len : 2 MONTH OF LAST ALCOHOL USE - RECODE

	Freq	Pct
1 = January	1037	1.83
2 = February	637	1.12
3 = March	648	1.14
4 = April	543	0.96
5 = May	654	1.15
6 = June	722	1.27
7 = July	991	1.75
8 = August	660	1.16
9 = September	613	1.08
10 = October	606	1.07
11 = November	569	1.00
12 = December	1215	2.14
85 = BAD DATA Logically assigned	196	0.35
89 = LEGITIMATE SKIP Logically assigned	157	0.28
91 = NEVER USED ALCOHOL	16465	29.04
94 = DON'T KNOW	489	0.86
97 = REFUSED	72	0.13
98 = BLANK (NO ANSWER)	717	1.26
99 = LEGITIMATE SKIP	29714	52.40

The computer recorded that you last used cocaine [CCREC FILL]. How old were you the last time you used cocaine?

(LU09)
COCAGLST[1] Len : 3 HOW OLD WERE YOU THE LAST TIME USED COCAINE

	Freq	Pct
RANGE = 1 - 72	5549	9.79
985 = BAD DATA Logically assigned	358	0.63
989 = LEGITIMATE SKIP Logically assigned	11	0.02
991 = NEVER USED COCAINE	50182	88.50
994 = DON'T KNOW	97	0.17
997 = REFUSED	47	0.08
998 = BLANK (NO ANSWER)	113	0.20
999 = LEGITIMATE SKIP	348	0.61

Did you last use cocaine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use cocaine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use cocaine?

(LU09A, LU09B, LU09C)
COCYLU[1] Len : 4 YEAR OF LAST COCAINE USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	894	1.58
9985 = BAD DATA Logically assigned	14	0.02
9989 = LEGITIMATE SKIP Logically assigned	44	0.08
9991 = NEVER USED COCAINE	50182	88.50
9994 = DON'T KNOW	103	0.18
9997 = REFUSED	49	0.09
9998 = BLANK (NO ANSWER)	480	0.85
9999 = LEGITIMATE SKIP	4939	8.71

In what month in [CURRENT YEAR] did you last use cocaine?

In what month in [YEAR FROM LU09a or LU09b] did you last use cocaine?

(LU09C, LU09D)
COCMLU[1] Len : 2 MONTH OF LAST COCAINE USE - RECODE

	Freq	Pct
1 = January	79	0.14
2 = February	60	0.11
3 = March	86	0.15
4 = April	56	0.10
5 = May	69	0.12
6 = June	78	0.14
7 = July	70	0.12
8 = August	85	0.15
9 = September	60	0.11
10 = October	74	0.13
11 = November	59	0.10
12 = December	71	0.13
85 = BAD DATA Logically assigned	27	0.05
89 = LEGITIMATE SKIP Logically assigned	44	0.08
91 = NEVER USED COCAINE	50182	88.50
94 = DON'T KNOW	133	0.23
97 = REFUSED	52	0.09
98 = BLANK (NO ANSWER)	481	0.85
99 = LEGITIMATE SKIP	4939	8.71

The computer recorded that you last used "crack" [CKREC FILL]. How old were you the last time you used "crack?"

(LU10)
CRKAGLST[1] Len : 3 HOW OLD WERE YOU THE LAST TIME USED CRACK

	Freq	Pct
RANGE = 1 - 68	1159	2.04
985 = BAD DATA Logically assigned	169	0.30
991 = NEVER USED CRACK	55198	97.34
994 = DON'T KNOW	31	0.05
997 = REFUSED	24	0.04
998 = BLANK (NO ANSWER)	51	0.09
999 = LEGITIMATE SKIP	73	0.13

Did you last use "crack" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "crack" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "crack"?

(LU10A, LU10B, LU10C)
CRKYLU[1] Len : 4 YEAR OF LAST CRACK USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	119	0.21
9985 = BAD DATA Logically assigned	6	0.01
9989 = LEGITIMATE SKIP Logically assigned	4	0.01
9991 = NEVER USED CRACK	55198	97.34
9994 = DON'T KNOW	31	0.05
9997 = REFUSED	25	0.04
9998 = BLANK (NO ANSWER)	217	0.38
9999 = LEGITIMATE SKIP	1105	1.95

In what month in [CURRENT YEAR] did you last use "crack"?

In what month in [YEAR FROM LU10a or LU10b] did you last use "crack"?

(LU10C, LU10D)
CRKMLU[1] Len : 2 MONTH OF LAST CRACK USE - RECODE

	Freq	Pct
1 = January	11	0.02
2 = February	8	0.01
3 = March	10	0.02
4 = April	7	0.01
5 = May	3	0.01
6 = June	14	0.02
7 = July	12	0.02
8 = August	8	0.01
9 = September	6	0.01
10 = October	12	0.02
11 = November	8	0.01
12 = December	13	0.02
85 = BAD DATA Logically assigned	9	0.02
89 = LEGITIMATE SKIP Logically assigned	4	0.01
91 = NEVER USED CRACK	55198	97.34
94 = DON'T KNOW	35	0.06
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	217	0.38
99 = LEGITIMATE SKIP	1105	1.95

The computer recorded that you last used heroin [HEREC FILL]. How old were you the last time you used heroin?

(LU11)
HERAGLST[1] Len : 3 HOW OLD WERE YOU THE LAST TIME USED HEROIN

	Freq	Pct
RANGE = 1 - 68	843	1.49
985 = BAD DATA Logically assigned	97	0.17
991 = NEVER USED HEROIN	55576	98.01
994 = DON'T KNOW	20	0.04
997 = REFUSED	9	0.02
998 = BLANK (NO ANSWER)	75	0.13
999 = LEGITIMATE SKIP	85	0.15

Did you last use heroin in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use heroin in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use heroin?

(LU11A, LU11B, LU11C)
HERYLU[1] Len : 4 YEAR OF LAST HEROIN USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	96	0.17
9985 = BAD DATA Logically assigned	4	0.01
9989 = LEGITIMATE SKIP Logically assigned	5	0.01
9991 = NEVER USED HEROIN	55576	98.01
9994 = DON'T KNOW	20	0.04
9997 = REFUSED	9	0.02
9998 = BLANK (NO ANSWER)	171	0.30
9999 = LEGITIMATE SKIP	824	1.45

In what month in [CURRENT YEAR] did you last use heroin?

In what month in [YEAR FROM LU11a or LU11b] did you last use heroin?

(LU11C, LU11D)
HERMLU[1] Len : 2 MONTH OF LAST HEROIN USE - RECODE

	Freq	Pct
1 = January	10	0.02
2 = February	7	0.01
3 = March	8	0.01
4 = April	7	0.01
5 = May	4	0.01
6 = June	8	0.01
7 = July	6	0.01
8 = August	8	0.01
9 = September	8	0.01
10 = October	12	0.02
11 = November	6	0.01
12 = December	8	0.01
85 = BAD DATA Logically assigned	5	0.01
89 = LEGITIMATE SKIP Logically assigned	5	0.01
91 = NEVER USED HEROIN	55576	98.01
94 = DON'T KNOW	23	0.04
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	171	0.30
99 = LEGITIMATE SKIP	824	1.45

The computer recorded that you last used [LSFILL] [HALLREC FILL]. How old were you the last time you used [LSFILL]?

(LU12)
HALLAGLST[1] Len : 3 HOW OLD WERE YOU THE LAST TIME USED HALLUCINOGEN

	Freq	Pct
RANGE = 1 - 80	7545	13.31
985 = BAD DATA Logically assigned	390	0.69
989 = LEGITIMATE SKIP Logically assigned	16	0.03
991 = NEVER USED HALLUCINOGENS	47549	83.85
994 = DON'T KNOW	144	0.25
997 = REFUSED	39	0.07
998 = BLANK (NO ANSWER)	388	0.68
999 = LEGITIMATE SKIP	634	1.12

Did you last use [LSFILL] in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use [LSFILL] in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use [LSFILL]?

(LU12A, LU12B, LU12C)
HALLYRLST[1] Len : 4 YEAR OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	1782	3.14
9985 = BAD DATA Logically assigned	30	0.05
9989 = LEGITIMATE SKIP Logically assigned	61	0.11
9991 = NEVER USED HALLUCINOGENS	47549	83.85
9994 = DON'T KNOW	151	0.27
9997 = REFUSED	39	0.07
9998 = BLANK (NO ANSWER)	846	1.49
9999 = LEGITIMATE SKIP	6247	11.02

In what month in [CURRENT YEAR] did you last use [LSFILL]?

In what month in [YEAR FROM LU12a or LU12b] did you last use [LSFILL]?

(LU12C, LU12D)
HALLMOLST[1] Len : 2 MONTH OF LAST HALLUCINOGEN USE - RECODE

	Freq	Pct
1 = January	141	0.25
2 = February	114	0.20
3 = March	136	0.24
4 = April	115	0.20
5 = May	123	0.22
6 = June	162	0.29
7 = July	180	0.32
8 = August	164	0.29
9 = September	125	0.22
10 = October	139	0.25
11 = November	106	0.19
12 = December	139	0.25
85 = BAD DATA Logically assigned	81	0.14
89 = LEGITIMATE SKIP Logically assigned	61	0.11
91 = NEVER USED HALLUCINOGENS	47549	83.85
94 = DON'T KNOW	227	0.40
97 = REFUSED	45	0.08
98 = BLANK (NO ANSWER)	851	1.50
99 = LEGITIMATE SKIP	6247	11.02

The computer recorded that you last used LSD [LSDREC FILL]. How old were you the last time you used LSD?

(LU13)
LSDAGLST[1] Len : 3 HOW OLD WERE YOU THE LAST TIME USED LSD

	Freq	Pct
RANGE = 1 - 73	4563	8.05
985 = BAD DATA Logically assigned	206	0.36
989 = LEGITIMATE SKIP Logically assigned	1	0.00
991 = NEVER USED LSD	51530	90.87
994 = DON'T KNOW	66	0.12
997 = REFUSED	25	0.04
998 = BLANK (NO ANSWER)	225	0.40
999 = LEGITIMATE SKIP	89	0.16

Did you last use LSD in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use LSD in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use LSD?

(LU13A, LU13B, LU13C)
LSDYLU[1] Len : 4 YEAR OF LAST LSD USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	541	0.95
9985 = BAD DATA Logically assigned	7	0.01
9989 = LEGITIMATE SKIP Logically assigned	27	0.05
9991 = NEVER USED LSD	51530	90.87
9994 = DON'T KNOW	68	0.12
9997 = REFUSED	25	0.04
9998 = BLANK (NO ANSWER)	431	0.76
9999 = LEGITIMATE SKIP	4076	7.19

In what month in [CURRENT YEAR] did you last use LSD?

In what month in [YEAR FROM LU13a or LU13b] did you last use LSD?

(LU13C, LU13D)
LSDMLU[1] Len : 2 MONTH OF LAST LSD USE - RECODE

	Freq	Pct
1 = January	34	0.06
2 = February	33	0.06
3 = March	51	0.09
4 = April	40	0.07
5 = May	32	0.06
6 = June	56	0.10
7 = July	42	0.07
8 = August	56	0.10
9 = September	35	0.06
10 = October	40	0.07
11 = November	36	0.06
12 = December	40	0.07
85 = BAD DATA Logically assigned	17	0.03
89 = LEGITIMATE SKIP Logically assigned	27	0.05
91 = NEVER USED LSD	51530	90.87
94 = DON'T KNOW	93	0.16
97 = REFUSED	25	0.04
98 = BLANK (NO ANSWER)	442	0.78
99 = LEGITIMATE SKIP	4076	7.19

The computer recorded that you last used PCP [PCPREC FILL]. How old were you the last time you used PCP?

(LU14)
PCPAGLST[1] Len : 3 HOW OLD WERE YOU THE LAST TIME USED PCP

	Freq	Pct
RANGE = 1 - 63	609	1.07
985 = BAD DATA Logically assigned	83	0.15
991 = NEVER USED PCP	55912	98.60
994 = DON'T KNOW	17	0.03
997 = REFUSED	8	0.01
998 = BLANK (NO ANSWER)	68	0.12
999 = LEGITIMATE SKIP	8	0.01

Did you last use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use PCP in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use PCP?

(LU14A, LU14B, LU14C)
PCPYLU[1] Len : 4 YEAR OF LAST PCP USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	12	0.02
9985 = BAD DATA Logically assigned	1	0.00
9989 = LEGITIMATE SKIP Logically assigned	1	0.00
9991 = NEVER USED PCP	55912	98.60
9994 = DON'T KNOW	17	0.03
9997 = REFUSED	8	0.01
9998 = BLANK (NO ANSWER)	152	0.27
9999 = LEGITIMATE SKIP	602	1.06

In what month in [CURRENT YEAR] did you last use PCP?

In what month in [YEAR FROM LU14a or LU14b] did you last use PCP?

(LU14C, LU14D)
PCPMLU[1] Len : 2 MONTH OF LAST PCP USE - RECODE

	Freq	Pct
1 = January	2	0.00
4 = April	1	0.00
5 = May	1	0.00
6 = June	1	0.00
7 = July	1	0.00
9 = September	1	0.00
11 = November	1	0.00
12 = December	1	0.00
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED PCP	55912	98.60
94 = DON'T KNOW	19	0.03
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	153	0.27
99 = LEGITIMATE SKIP	602	1.06

The computer recorded that you last used "Ecstasy" or "Molly" also known as MDMA [ECSTREC FILL]. How old were you the last time you used "Ecstasy" or "Molly" ?

(LU15)
ECSTMOAGL[1] Len : 3 HOW OLD WERE YOU THE LAST TIME USED ECSTASY/MOLLY

	Freq	Pct
RANGE = 11 - 75	3863	6.81
985 = BAD DATA Logically assigned	236	0.42
991 = NEVER USED ECSTASY	52193	92.04
994 = DON'T KNOW	64	0.11
997 = REFUSED	20	0.04
998 = BLANK (NO ANSWER)	217	0.38
999 = LEGITIMATE SKIP	112	0.20

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use "Ecstasy" or "Molly" in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

(LU15A, LU15B, LU15C)
ECSTMOYLU[1] Len : 4 YEAR OF LAST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	518	0.91
9985 = BAD DATA Logically assigned	12	0.02
9989 = LEGITIMATE SKIP Logically assigned	17	0.03
9991 = NEVER USED ECSTASY OR MOLLY	52193	92.04
9994 = DON'T KNOW	68	0.12
9997 = REFUSED	19	0.03
9998 = BLANK (NO ANSWER)	456	0.80
9999 = LEGITIMATE SKIP	3422	6.03

In what month in [CURRENT YEAR] did you last use "Ecstasy" or "Molly"?

In what month in [YEAR FROM LU15a or LU15b] did you last use "Ecstasy" or "Molly"?

(LU15C, LU15D)
ECSTMOMLU[1] Len : 2 MONTH OF LAST ECSTASY OR MOLLY USE - RECODE

	Freq	Pct
1 = January	45	0.08
2 = February	30	0.05
3 = March	46	0.08
4 = April	37	0.07
5 = May	41	0.07
6 = June	38	0.07
7 = July	52	0.09
8 = August	51	0.09
9 = September	37	0.07
10 = October	42	0.07
11 = November	30	0.05
12 = December	37	0.07
85 = BAD DATA Logically assigned	22	0.04
89 = LEGITIMATE SKIP Logically assigned	17	0.03
91 = NEVER USED ECSTASY OR MOLLY	52193	92.04
94 = DON'T KNOW	80	0.14
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	464	0.82
99 = LEGITIMATE SKIP	3422	6.03

The computer recorded that you last used any inhalants for kicks or to get high [INREC FILL]. How old were you the last time you used any inhalants for kicks or to get high?

(LU16)
INHLAGLST[1] Len : 3 HOW OLD WERE YOU THE LAST TIME USED INHALANTS

	Freq	Pct
RANGE = 1 - 71	4143	7.31
985 = BAD DATA Logically assigned	376	0.66
991 = NEVER USED INHALANTS	51302	90.47
994 = DON'T KNOW	254	0.45
997 = REFUSED	61	0.11
998 = BLANK (NO ANSWER)	331	0.58
999 = LEGITIMATE SKIP	238	0.42

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use an inhalant for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

(LU16A, LU16B, LU16C)
INHLYRLST[1] Len : 4 YEAR OF LAST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	611	1.08
9985 = BAD DATA Logically assigned	22	0.04
9989 = LEGITIMATE SKIP Logically assigned	19	0.03
9991 = NEVER USED INHALANTS	51302	90.47
9994 = DON'T KNOW	257	0.45
9997 = REFUSED	60	0.11
9998 = BLANK (NO ANSWER)	705	1.24
9999 = LEGITIMATE SKIP	3729	6.58

In what month in [CURRENT YEAR] did you last use an inhalant for kicks or to get high?

In what month in [YEAR FROM LU16a or LU16b] did you last use an inhalant for kicks or to get high?

(LU16C, LU16D)
INHLMOLST[1] Len : 2 MONTH OF LAST INHALANT USE - RECODE

	Freq	Pct
1 = January	47	0.08
2 = February	44	0.08
3 = March	48	0.08
4 = April	47	0.08
5 = May	42	0.07
6 = June	48	0.08
7 = July	46	0.08
8 = August	43	0.08
9 = September	46	0.08
10 = October	54	0.10
11 = November	38	0.07
12 = December	38	0.07
85 = BAD DATA Logically assigned	38	0.07
89 = LEGITIMATE SKIP Logically assigned	19	0.03
91 = NEVER USED INHALANTS	51302	90.47
94 = DON'T KNOW	303	0.53
97 = REFUSED	62	0.11
98 = BLANK (NO ANSWER)	711	1.25
99 = LEGITIMATE SKIP	3729	6.58

The computer recorded that you last used methamphetamine [MEREC FILL]. How old were you the last time you used methamphetamine?

(LU17)
METHAGLST[1] Len : 3 HOW OLD WERE YOU THE LAST TIME USED METH

	Freq	Pct
RANGE = 6 - 73	1995	3.52
985 = BAD DATA Logically assigned	140	0.25
989 = LEGITIMATE SKIP Logically assigned	1	0.00
991 = NEVER USED METHAMPHETAMINE	54120	95.44
994 = DON'T KNOW	37	0.07
997 = REFUSED	16	0.03
998 = BLANK (NO ANSWER)	122	0.22
999 = LEGITIMATE SKIP	274	0.48

Did you last use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you last use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you last use methamphetamine?

(LU17A, LU17B, LU17C)
METHYRLST[1] Len : 4 YEAR OF LAST METHAMPHETAMINE USE - RECODE

	Freq	Pct
RANGE = 2021 - 2023	274	0.48
9985 = BAD DATA Logically assigned	9	0.02
9989 = LEGITIMATE SKIP Logically assigned	14	0.02
9991 = NEVER USED METHAMPHETAMINE	54120	95.44
9994 = DON'T KNOW	37	0.07
9997 = REFUSED	17	0.03
9998 = BLANK (NO ANSWER)	261	0.46
9999 = LEGITIMATE SKIP	1973	3.48

In what month in [CURRENT YEAR] did you last use methamphetamine?

In what month in [YEAR FROM LU17a or LU17b] did you last use methamphetamine?

(LU17C, LU17D)
METHMOLST[1] Len : 2 MONTH OF LAST METH USE - RECODE

	Freq	Pct
1 = January	32	0.06
2 = February	34	0.06
3 = March	17	0.03
4 = April	18	0.03
5 = May	26	0.05
6 = June	19	0.03
7 = July	24	0.04
8 = August	18	0.03
9 = September	15	0.03
10 = October	12	0.02
11 = November	13	0.02
12 = December	34	0.06
85 = BAD DATA Logically assigned	13	0.02
89 = LEGITIMATE SKIP Logically assigned	14	0.02
91 = NEVER USED METHAMPHETAMINE	54120	95.44
94 = DON'T KNOW	44	0.08
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	262	0.46
99 = LEGITIMATE SKIP	1973	3.48

NOTE: Respondents were assigned legitimate skip codes of 99 or 89 in CIGYRBFR if they reported in the core TOBACCO module that they last smoked a cigarette more than 3 years ago. Logically, these respondents would not have smoked a cigarette in the past 12 to 24 months. In addition, CIGYRBFR was not edited with respect to CIGAGLST or CIGDLLST. Therefore, inconsistencies could exist between CIGYRBFR and these other variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you smoke part or all of a cigarette, even once?

(LU37)
CIGYRBFR[1] Len : 2 SMOKE ALL OR PART OF CIGARETTE IN YR BEFORE LAST

	Freq	Pct
1 = Yes	8086	14.26
2 = No	3246	5.72
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED CIGARETTES	32346	57.04
94 = DON'T KNOW	110	0.19
97 = REFUSED	60	0.11
98 = BLANK (NO ANSWER)	261	0.46
99 = LEGITIMATE SKIP	12595	22.21

NOTE: The variables ALCYRBFR and ALCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL].] During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you have a drink of any type of alcoholic beverage, even once?

(LU38)
ALCYRBFR[1] Len : 2 HAVE ALCOHOLIC BEVERAGE IN YEAR BEFORE LAST

	Freq	Pct
1 = Yes	29245	51.57
2 = No	10227	18.04
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL	16465	29.04
94 = DON'T KNOW	218	0.38
97 = REFUSED	107	0.19
98 = BLANK (NO ANSWER)	440	0.78

NOTE: The variables COCYRBFR and COCAGLST were not edited with respect to one another. Therefore, inconsistencies could exist between these two variables.

Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use any form of cocaine, even once?

(LU39)

COCYRBFR[1] Len : 2 HAVE ANY FORM OF COCAINE IN YEAR BEFORE LAST

	Freq	Pct
1 = Yes	1170	2.06
2 = No	5186	9.15
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED COCAINE	50182	88.50
94 = DON'T KNOW	16	0.03
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	116	0.20

ALCOHOL AND DRUG TREATMENT

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

When you received the following help in the past 12 months, was it for your alcohol use only, your drug use only, or for both your alcohol and drug use?

Support groups

(TXSBHELA)
SUTSUPPADB[1] Len : 2 SUBSTANCE TYPE (ALC/DRGS/BOTH) PRTCPTD IN SUPP GRP FOR

	Freq	Pct
1 = For alcohol use only	407	0.72
2 = For drug use only	292	0.51
3 = For both alcohol and drug use	290	0.51
4 = For alcohol use only LOGICALLY ASSIGNED	41	0.07
5 = For drug use only LOGICALLY ASSIGNED	48	0.08
85 = BAD DATA Logically Assigned	4	0.01
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	10	0.02
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	1225	2.16
99 = LEGITIMATE SKIP	44175	77.90

For which of the following substances did you receive outpatient treatment in the past 12 months?

Alcohol?

(TXSBSUOA)
SUTOUTALC[1] Len : 2 RCVD OUTPATIENT TREATMENT FOR ALCOHOL USE - PST 12 MOS

	Freq	Pct
1 = Yes	480	0.85
2 = No	1174	2.07
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify)	1	0.00
7 = Yes LOGICALLY ASSIGNED	91	0.16
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use)	1	0.00
85 = BAD DATA Logically assigned	5	0.01
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
93 = USED DRUGS BUT NOT ALCOHOL	5715	10.08
94 = DON'T KNOW	4	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1167	2.06
99 = LEGITIMATE SKIP	37864	66.77

Marijuana or cannabis products?

(TXSBSUOB)
SUTOUTMRJ[1] Len : 2 RCVD OUTPATIENT TREATMENT FOR MARIJUANA USE - PST 12 MOS

	Freq	Pct
1 = Yes	277	0.49
2 = No	1215	2.14
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify)	2	0.00
7 = Yes LOGICALLY ASSIGNED	23	0.04
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use)	1	0.00
85 = BAD DATA Logically assigned	4	0.01
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
93 = USED ALCOHOL OR DRUGS BUT NOT MARIJUANA	20415	36.00
94 = DON'T KNOW	2	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	951	1.68
99 = LEGITIMATE SKIP	23612	41.64

Inhalants such as [INFILL2]?

(TXSBSUOC)
SUTOUTINHL[1] Len : 2 RCVD OUTPATIENT TREATMENT FOR INHALANT USE - PST 12 MOS

	Freq	Pct
1 = Yes	31	0.05
2 = No	483	0.85
7 = Yes LOGICALLY ASSIGNED	23	0.04
85 = BAD DATA Logically assigned	6	0.01
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
93 = USED ALCOHOL OR DRUGS BUT NOT INHALANTS	40622	71.64
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	676	1.19
99 = LEGITIMATE SKIP	4660	8.22

Hallucinogens such as [HALLFILL2]?

(TXSBSUOD)
SUTOUTHALL[1] Len : 2 RCVD OUTPATIENT TREATMENT FOR HALLUCINOGEN USE - PST 12 MOS

	Freq	Pct
1 = Yes	43	0.08
2 = No	786	1.39
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify)	1	0.00
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use)	1	0.00
85 = BAD DATA Logically assigned	5	0.01
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
93 = USED ALCOHOL OR DRUGS BUT NOT HALLUCINOGENS	36902	65.08
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	747	1.32
99 = LEGITIMATE SKIP	8018	14.14

Cocaine or "crack"?

(TXSBSUOE)
SUTOUTCOC[1] Len : 2 RCVD OUTPATIENT TREATMENT FOR COCAINE USE - PST 12 MOS

	Freq	Pct
1 = Yes	89	0.16
2 = No	650	1.15
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify)	1	0.00
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use)	2	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
93 = USED ALCOHOL OR DRUGS BUT NOT COCAINE	39429	69.53
94 = DON'T KNOW	2	0.00
98 = BLANK (NO ANSWER)	688	1.21
99 = LEGITIMATE SKIP	5641	9.95

Heroin?

(TXSBSUOF)
SUTOUTHER[1] Len : 2 RCVD OUTPATIENT TREATMENT FOR HEROIN USE - PST 12 MOS

	Freq	Pct
1 = Yes	172	0.30
2 = No	156	0.28
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
93 = USED ALCOHOL OR DRUGS BUT NOT HEROIN	44848	79.09
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	598	1.05
99 = LEGITIMATE SKIP	726	1.28

Methamphetamine?

(TXSBSUOG)
SUTOUTMETH[1] Len : 2 RCVD OUTPATIENT TREATMENT FOR METHAMPHETAMINE USE-PST 12 MOS

	Freq	Pct
1 = Yes	172	0.30
2 = No	285	0.50
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify)	1	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
93 = USED ALCOHOL OR DRUGS BUT NOT METHAMPHETAMINE	43383	76.51
94 = DON'T KNOW	3	0.01
98 = BLANK (NO ANSWER)	632	1.11
99 = LEGITIMATE SKIP	2026	3.57

Prescription pain relievers?

(TXSBSUOH)
SUTOUTPNR[1] Len : 2 RCVD OUTPATIENT TREATMENT FOR PAIN RELIEVER USE - PST 12 MOS

	Freq	Pct
1 = Yes	284	0.50
2 = No	1067	1.88
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify)	7	0.01
7 = Yes LOGICALLY ASSIGNED	67	0.12
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use)	2	0.00
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
93 = = USED ALCOHOL OR DRUGS BUT NOT PAIN RELIEVERS	19063	33.62
94 = DON'T KNOW	3	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1008	1.78
99 = LEGITIMATE SKIP	24987	44.06

Prescription stimulants?

(TXSBSUOI)
SUTOUTSTM[1] Len : 2 RCVD OUTPATIENT TREATMENT FOR STIMULANT USE - PST 12 MOS

	Freq	Pct
1 = Yes	102	0.18
2 = No	571	1.01
7 = Yes LOGICALLY ASSIGNED	21	0.04
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
93 = USED ALCOHOL OR DRUGS BUT NOT STIMULANTS	38281	67.51
94 = DON'T KNOW	3	0.01
98 = BLANK (NO ANSWER)	794	1.40
99 = LEGITIMATE SKIP	6722	11.85

Prescription tranquilizers?

(TXSBSUOJ)
SUTOUTTRQ[1] Len : 2 RCVD OUTPATIENT TREATMENT FOR TRANQUILIZER USE - PST 12 MOS

	Freq	Pct
1 = Yes	84	0.15
2 = No	689	1.22
3 = Yes LOGICALLY ASSIGNED (from OTHER, Specify)	2	0.00
7 = Yes LOGICALLY ASSIGNED	6	0.01
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use)	2	0.00
85 = BAD DATA Logically assigned	10	0.02
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
93 = USED ALCOHOL OR DRUGS BUT NOT TRANQUILIZERS	36408	64.21
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	791	1.39
99 = LEGITIMATE SKIP	8510	15.01

Prescription sedatives?

(TXSBSUOK)
SUTOUTSED[1] Len : 2 RCVD OUTPATIENT TREATMENT FOR SEDATIVE USE - PST 12 MOS

	Freq	Pct
1 = Yes	51	0.09
2 = No	463	0.82
7 = Yes LOGICALLY ASSIGNED	5	0.01
13 = Yes LOG ASSN (from OTHER, Specify but no lifetime use)	1	0.00
85 = BAD DATA Logically assigned	11	0.02
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
93 = USED ALCOHOL OR DRUGS BUT NOT SEDATIVES	40391	71.23
94 = DON'T KNOW	3	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	796	1.40
99 = LEGITIMATE SKIP	4782	8.43

Some other drug?

(TXSBSUOL)
SUTOUTODG[1] Len : 2 RCVD OUTPATIENT TREATMENT FOR OTHER DRUG USE - PST 12 MOS

	Freq	Pct
1 = Yes	111	0.20
2 = No	1291	2.28
17 = Received treatment for unspecified drug	81	0.14
19 = Substance not specified	627	1.11
85 = BAD DATA Logically assigned	9	0.02
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	4	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1292	2.28
99 = LEGITIMATE SKIP	43086	75.98

When you received the following treatment services in the past 12 months, was it for your alcohol use only, your drug use only, or both your alcohol and drug use?

Professional treatment over the phone, or through video

(TXSBSRVA)
SUTPHVIADB[1] Len : 2 SUBSTANCE TYPE (ALC/DRGS/BOTH) RCVD PHONE/VIDEO SRVCS FOR

	Freq	Pct
1 = For alcohol use only	246	0.43
2 = For drug use only	326	0.57
3 = For both alcohol and drug use	140	0.25
4 = For alcohol use only LOGICALLY ASSIGNED	13	0.02
5 = For drug use only LOGICALLY ASSIGNED	69	0.12
85 = BAD DATA Logically assigned	5	0.01
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	9	0.02
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	1247	2.20
99 = LEGITIMATE SKIP	44439	78.37

Peer support specialist or recovery coach

(TXSBSRVD)
SUTPEERADB[1] Len : 2 SUB TYPE (ALC/DRG/BOTH) RCVD HELP FROM PEER SUPP SPCLST FOR

	Freq	Pct
1 = For alcohol use only	132	0.23
2 = For drug use only	187	0.33
3 = For both alcohol and drug use	99	0.17
4 = For alcohol use only LOGICALLY ASSIGNED	7	0.01
5 = For drug use only LOGICALLY ASSIGNED	35	0.06
85 = BAD DATA Logically assigned	5	0.01
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1265	2.23
99 = LEGITIMATE SKIP	44770	78.95

There may be many reasons you did not get treatments during the past 12 months.

For each statement, please mark whether or not it was one of the reasons why you did not get [additional] professional counseling, medication, or other treatment for your alcohol or drug use.

You thought it would cost too much.

(TXSBNOA)
SUTUNCOST[1] Len : 2 UNMET SUB TRMT NEED: TREATMENT COST TOO MUCH

	Freq	Pct
1 = Yes	222	0.39
2 = No	282	0.50
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	5	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You did not have health insurance coverage for alcohol or drug use treatment.

(TXSBNOB)
SUTUNINSCV[1] Len : 2 UNMET SUB TRMT NEED: NO HEALTH INSURANCE COVERAGE FOR TRMT

	Freq	Pct
1 = Yes	156	0.28
2 = No	326	0.57
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	27	0.05
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

Your health insurance would not pay enough of the costs for treatment.

(TXSBNOC)
SUTUNENFCV[1] Len : 2 UNMET SUB TRMT NEED: HEALTH INSURANCE DID NOT COVER ENOUGH

	Freq	Pct
1 = Yes	132	0.23
2 = No	325	0.57
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	51	0.09
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You did not know how or where to get treatment.

(TXSBNOD)
SUTUNWHER[1] Len : 2 UNMET SUB TRMT NEED: DID NOT KNOW HOW/WHERE TO GET TREATMENT

	Freq	Pct
1 = Yes	231	0.41
2 = No	276	0.49
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	2	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You could not find a treatment program or health care professional you wanted to go to.

(TXSBNOE)
SUTUNNOFND[1] Len : 2 UNMET SUB TRMT NEED: COULD NOT FIND PREFERRED PROVIDER

	Freq	Pct
1 = Yes	166	0.29
2 = No	324	0.57
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	16	0.03
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

There were no openings in the treatment program or with the health care professional you wanted to go to.

(TXSBNOF)
SUTUNNOOPN[1] Len : 2 UNMET SUB TRMT NEED: NO OPENINGS WITH PREFERRED PROVIDER

	Freq	Pct
1 = Yes	64	0.11
2 = No	419	0.74
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	23	0.04
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You had problems with things like transportation, childcare, or getting appointments at times that worked for you.

(TXSBNOG)
SUTUNPROBS[1] Len : 2 UNMET SUB TRMT NEED: PROB W/TRANS, CHILD CARE, APPT TIMES

	Freq	Pct
1 = Yes	118	0.21
2 = No	383	0.68
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	5	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You didn’t have enough time for treatment.

(TXSBNOH)
SUTUNTIME[1] Len : 2 UNMET SUB TRMT NEED: NOT ENOUGH TIME FOR TREATMENT

	Freq	Pct
1 = Yes	213	0.38
2 = No	282	0.50
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	11	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You were worried that your information would not be kept private.

(TXSBNOI)
SUTUNPRIV[1] Len : 2 UNMET SUB TRMT NEED: WORRIED THAT INFO NOT KEPT PRIVATE

	Freq	Pct
1 = Yes	186	0.33
2 = No	314	0.55
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	7	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You were worried about what people would think or say if you got treatment.

(TXSBNOJ)
SUTUNPTHNK[1] Len : 2 UNMET SUB TRMT NEED: WORRIED WHAT PEOPLE WOULD THINK OR SAY

	Freq	Pct
1 = Yes	229	0.40
2 = No	279	0.49
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	1	0.00
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You thought that if people knew you were in treatment bad things would happen, like losing your job, home, or children.

(TXSBNOK)
SUTUNCONSQ[1] Len : 2 UNMET SUB TRMT NEED: WORRIED LOSS OF JOB, HOME, CHLDRN, ETC

	Freq	Pct
1 = Yes	161	0.28
2 = No	337	0.59
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	8	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You were not ready to start treatment.

(TXSBNOL)
SUTUNSTART[1] Len : 2 UNMET SUB TRMT NEED: NOT READY TO START TREATMENT

	Freq	Pct
1 = Yes	311	0.55
2 = No	182	0.32
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	15	0.03
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You were not ready to stop or cut back using alcohol or drugs.

(TXSBNOM)
SUTUNQUIT[1] Len : 2 UNMET SUB TRMT NEED: NOT RDY TO STOP/CUT BCK ON ALC/DRUG USE

	Freq	Pct
1 = Yes	281	0.50
2 = No	218	0.38
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	8	0.01
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You thought you should have been able to handle your alcohol or drug use on your own.

(TXSBNON)
SUTUNHNDL[1] Len : 2 UNMET SUB TRMT NEED: THGHT COULD HANDLE ALC/DRUG USE ON OWN

	Freq	Pct
1 = Yes	370	0.65
2 = No	135	0.24
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	3	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You thought your family, friends, or religious group wouldn't like it if you got treatment.

(TXSBNOO)
SUTUNFFLKE[1] Len : 2 UNMET SUB TRMT NEED: FAMILY/FRIENDS/RELIG GROUP WOULDNT LIKE

	Freq	Pct
1 = Yes	96	0.17
2 = No	404	0.71
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	6	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You thought you would be forced to stay in rehab or treatment against your will.

(TXSBNOP)
SUTUNFORCE[1] Len : 2 UNMET SUB TRMT NEED: WORRIED ABOUT BEING FORCED AGAINST WILL

	Freq	Pct
1 = Yes	125	0.22
2 = No	374	0.66
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	9	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You didn't think treatment would help you.

(TXSBNOQ)
SUTUNNOHLP[1] Len : 2 UNMET SUB TRMT NEED: DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
1 = Yes	157	0.28
2 = No	338	0.60
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	14	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

You thought no one would care if you got better.

(TXSBNOR)
SUTUNCARE[1] Len : 2 UNMET SUB TRMT NEED: NO ONE WOULD CARE IF YOU GOT BETTER

	Freq	Pct
1 = Yes	120	0.21
2 = No	378	0.67
91 = NEVER USED ALCOHOL OR DRUGS	10201	17.99
94 = DON'T KNOW	6	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	1271	2.24
99 = LEGITIMATE SKIP	44721	78.87

IMPUTED ALCOHOL AND DRUG TREATMENT

IRSUTSUPPGRP Len : 1 PARTICIPATED IN SUPPORT GRP FOR SUBSTANCE USE - PY - IMP REV

	Freq	Pct
0 = No	55582	98.02
1 = Yes	1123	1.98

IISUTSUPPGRP Len : 1 PARTICIPATED IN SUPPORT GRP FOR SUBSTANCE USE - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45277	79.85
2 = Logically assigned data	3	0.01
3 = Statistically imputed data	707	1.25
9 = LEGITIMATE SKIP	10718	18.90

IRSUTERED Len : 1 SEEN IN EMERGENCY ROOM/DEPT FOR SUBSTANCE USE - PY - IMP REV

	Freq	Pct
0 = No	56259	99.21
1 = Yes	446	0.79

IISUTERED Len : 1 SEEN IN EMERGENCY ROOM/DEPT FOR SUBSTANCE USE - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45320	79.92
2 = Logically assigned data	2	0.00
3 = Statistically imputed data	665	1.17
9 = LEGITIMATE SKIP	10718	18.90

IRSUTINHOSP Len : 1 RCVD SUB TRMT AT HOSPITAL AS INPATIENT - PY - IMP REV

	Freq	Pct
0 = No	56236	99.17
1 = Yes	469	0.83

IISUTINHOSP Len : 1 RCVD SUB TRMT AT HOSPITAL AS INPATIENT - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45208	79.72
2 = Logically assigned data	13	0.02
3 = Statistically imputed data	766	1.35
9 = LEGITIMATE SKIP	10718	18.90

IRSUTINRHAB Len : 1 RCVD SUB TRMT AT RSDNTL SUB REHAB/TRMT CTR - PY - IMP REV

	Freq	Pct
0 = No	56339	99.35
1 = Yes	366	0.65

IISUTINRHAB Len : 1 RCVD SUB TRMT AT RSDNTL SUB REHAB/TRMT CTR - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45229	79.76
3 = Statistically imputed data	758	1.34
9 = LEGITIMATE SKIP	10718	18.90

IRSUTINRSMH Len : 1 RCVD SUB TRMT AT RSDNTL MNTL HLTH TRMT CTR - PY - IMP REV

	Freq	Pct
0 = No	56321	99.32
1 = Yes	384	0.68

IISUTINRSMH Len : 1 RCVD SUB TRMT AT RSDNTL MNTL HLTH TRMT CTR - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45232	79.77
3 = Statistically imputed data	755	1.33
9 = LEGITIMATE SKIP	10718	18.90

IRSUTINOPL Len : 1 RCVD SUB TRMT AT OTHER PLACE AS INPATIENT - PY - IMP REV

	Freq	Pct
0 = No	56442	99.54
1 = Yes	263	0.46

IISUTINOPL Len : 1 RCVD SUB TRMT AT OTHER PLACE AS INPATIENT - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45231	79.77
3 = Statistically imputed data	756	1.33
9 = LEGITIMATE SKIP	10718	18.90

IRSUTOUTRHAB Len : 1 RCVD SUB TRMT AT OUTPTNT SUB REHAB/TRMT CTR - PY - IMP REV

	Freq	Pct
0 = No	56187	99.09
1 = Yes	518	0.91

IISUTOUTRHAB Len : 1 RCVD SUB TRMT AT OUTPTNT SUB REHAB/TRMT CTR - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45235	79.77
2 = Logically assigned data	2	0.00
3 = Statistically imputed data	750	1.32
9 = LEGITIMATE SKIP	10718	18.90

IRSUTOUTMHCR Len : 1 RCVD SUB TRMT AT OUTPTNT MNTL HLTH TRMT CTR - PY - IMP REV

	Freq	Pct
0 = No	56069	98.88
1 = Yes	636	1.12

IISUTOUTMHCR Len : 1 RCVD SUB TRMT AT OUTPTNT MNTL HLTH TRMT CTR - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45230	79.76
3 = Statistically imputed data	757	1.33
9 = LEGITIMATE SKIP	10718	18.90

IRSUTOUTTHRP Len : 1 RCVD SUB TRMT AT THERAPIST OFFICE - PY - IMP REV

	Freq	Pct
0 = No	55502	97.88
1 = Yes	1203	2.12

IISUTOUTTHRP Len : 1 RCVD SUB TRMT AT THERAPIST OFFICE - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45235	79.77
3 = Statistically imputed data	752	1.33
9 = LEGITIMATE SKIP	10718	18.90

IRSUTOUTDOC Len : 1 RCVD SUB TRMT AT GENERAL MEDICAL OFFICE - PY - IMP REV

	Freq	Pct
0 = No	55614	98.08
1 = Yes	1091	1.92

IISUTOUTDOC Len : 1 RCVD SUB TRMT AT GENERAL MEDICAL OFFICE - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45232	79.77
2 = Logically assigned data	1	0.00
3 = Statistically imputed data	754	1.33
9 = LEGITIMATE SKIP	10718	18.90

IRSUTOUTHOSP Len : 1 RCVD SUB TRMT AT HOSPITAL AS OUTPATIENT - PY - IMP REV

	Freq	Pct
0 = No	56329	99.34
1 = Yes	376	0.66

IISUTOUTHOSP Len : 1 RCVD SUB TRMT AT HOSPITAL AS OUTPATIENT - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45217	79.74
2 = Logically assigned data	4	0.01
3 = Statistically imputed data	766	1.35
9 = LEGITIMATE SKIP	10718	18.90

IRSUTOUTSCHL Len : 1 RCVD SUB TRMT AT SCHOOL HEALTH/COUNSELING - PY - IMP REV

	Freq	Pct
0 = No	56266	99.23
1 = Yes	439	0.77

IISUTOUTSCHL Len : 1 RCVD SUB TRMT AT SCHOOL HEALTH/COUNSELING - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45230	79.76
2 = Logically assigned data	2	0.00
3 = Statistically imputed data	755	1.33
9 = LEGITIMATE SKIP	10718	18.90

IRSUTOUTOPL Len : 1 RCVD SUB TRMT AT OTHER PLACE AS OUTPATIENT - PY - IMP REV

	Freq	Pct
0 = No	56468	99.58
1 = Yes	237	0.42

IISUTOUTOPL Len : 1 RCVD SUB TRMT AT OTHER PLACE AS OUTPATIENT - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45216	79.74
2 = Logically assigned data	2	0.00
3 = Statistically imputed data	769	1.36
9 = LEGITIMATE SKIP	10718	18.90

IRSUTRXALC Len : 1 USED RX MED TO HELP CUT BACK OR STOP ALCOHOL USE - IMP REV

	Freq	Pct
0 = No	56476	99.60
1 = Yes	229	0.40

IISUTRXALC Len : 1 USED RX MED TO HELP CUT BACK OR STOP ALCOHOL USE - IMP IND

	Freq	Pct
1 = Questionnaire data	39626	69.88
3 = Statistically imputed data	600	1.06
9 = LEGITIMATE SKIP	16479	29.06

IRSUTRXDRG Len : 1 USED RX MED TO HELP CUT BACK/STOP HER/PNR USE - IMP REV

	Freq	Pct
0 = No	56263	99.22
1 = Yes	442	0.78

IISUTRXDRG Len : 1 USED RX MED TO HELP CUT BACK/STOP HER/PNR USE - IMP IND

	Freq	Pct
1 = Questionnaire data	26389	46.54
2 = Logically assigned data	1	0.00
3 = Statistically imputed data	514	0.91
9 = LEGITIMATE SKIP	29801	52.55

IRSUTPHVID Len : 1 RCVD PHONE/VIDEO SVCS FOR SUB USE - PY - IMP REV

	Freq	Pct
0 = No	55869	98.53
1 = Yes	836	1.47

IISUTPHVID Len : 1 RCVD PHONE/VIDEO SVCS FOR SUB USE - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	45252	79.80
2 = Logically assigned data	1	0.00
3 = Statistically imputed data	734	1.29
9 = LEGITIMATE SKIP	10718	18.90

IRSUTDETOX Len : 1 RCVD DETOX SRVCS FOR SUB USE WITHDRAWAL SYMPT - PY - IMP REV

	Freq	Pct
0 = No	56448	99.55
1 = Yes	257	0.45

IISUTDETOX Len : 1 RCVD DETOX SRVCS FOR SUB USE WITHDRAWAL SYMPT - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	36586	64.52
2 = Logically assigned data	3	0.01
3 = Statistically imputed data	861	1.52
9 = LEGITIMATE SKIP	19255	33.96

IRSUTPEERSPC Len : 1 RCVD SUB USE HELP FM PEER SUPP SPCLST/RCVY COACH-PY-IMP REV

	Freq	Pct
0 = No	56228	99.16
1 = Yes	477	0.84

IISUTPEERSPC Len : 1 RCVD SUB USE HELP FM PEER SUPP SPCLST/RCVY COACH-PY-IMP IND

	Freq	Pct
1 = Questionnaire data	45234	79.77
3 = Statistically imputed data	753	1.33
9 = LEGITIMATE SKIP	10718	18.90

RECODED ALCOHOL AND DRUG TREATMENT

(IRSUTINHOSP, IRSUTINRHAB, IRSUTINRSMH)
SUTINPPY Len : 1 RC-RCVD SUB USE TREATMENT AS AN INPATIENT - PAST YEAR

	Freq	Pct
0 = No	55870	98.53
1 = Yes	835	1.47

(IRSUTOUTDOC, IRSUTOUTHOSP, IRSUTOUTMHCR, IRSUTOUTRHAB, IRSUTOUTSCHL, IRSUTOUTTHRP)
SUTOUTPPY Len : 1 RC-RCVD SUB USE TREATMENT AS AN OUTPATIENT - PAST YEAR

	Freq	Pct
0 = No (All source variables=0)	54546	96.19
1 = Yes (Any source variable=1)	2159	3.81

(IRSUTOUTHOSP, IRSUTOUTMHCR, IRSUTOUTRHAB, IRSUTOUTSCH, IRSUTOUTTHRP)
SUTOUTNDOC Len : 1 RC-RCVD SUB TRMT AS AN OUTPATIENT OTHER THAN GEN MED-PY

	Freq	Pct
0 = No (All source variables=0)	54867	96.76
1 = Yes (Any source variable=1)	1838	3.24

NOTE: This section includes recodes for the receipt of treatment as an outpatient for the following substances: alcohol (ALC), marijuana (MRJ), cocaine (COC), heroin (HER), hallucinogens (HAL), inhalants (INH), methamphetamine (MTH), pain relievers (PNR), stimulants (STM), tranquilizers (TRQ), sedatives (SED), tranquilizers or sedatives (TQSD), psychotherapeutics (PSY), opioids (OPI), central nervous system stimulants (CNS), drugs (DRG), alcohol and drugs (DRAL), and substance unspecified (UNSP).

Because respondents can specify more than one drug for which they received treatment, there is a different variable for every drug (SUTOUTXXXPY). XXX in the variable name refers to the drug abbreviations in parentheses provided above. Because there is a relatively large number of respondents that did not indicate a substance for which they received outpatient treatment (respondents either answered no to or had missing data for all the substances they were asked about), it is important to consider the substance unspecified numbers (SUTOUTUNSPPY) when analyzing any of the specific substances or aggregate substance categories.

(SUTOUTALC, SUTOUTPPY)
SUTOUTALCPY Len : 1 RC- RCVD SUB USE TRMT AS AN OUTPATIENT FOR ALCOHOL USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	56136	99.00
1 = Yes (SUTOUTPPY=1 and SUTOUTALC=1,3,5,7,13,15)	569	1.00

(SUTOUTMRJ, SUTOUTPPY)
SUTOUTMRJPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR MARIJUANA USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	56403	99.47
1 = Yes (SUTOUTPPY=1 and SUTOUTMRJ=1,3,5,7,13,15)	302	0.53

(SUTOUTCOC, SUTOUTPPY)
SUTOUTCOCPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR COCAINE USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	56613	99.84
1 = Yes (SUTOUTPPY=1 and SUTOUTCOC=1,3,5,7,13,15)	92	0.16

(SUTOUTHER, SUTOUTPPY)
SUTOUTHERPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR HEROIN USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	56535	99.70
1 = Yes (SUTOUTPPY=1 and SUTOUTHER=1,3,5,7,13,15)	170	0.30

(SUTOUTHALL, SUTOUTPPY)
SUTOUTHALPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR HALLUC USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	56660	99.92
1 = Yes (SUTOUTPPY=1 and SUTOUTHALL=1,3,5,7,13,15)	45	0.08

(SUTOUTINHL, SUTOUTPPY)
SUTOUTINHPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR INHALANT USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	56651	99.90
1 = Yes (SUTOUTPPY=1 and SUTOUTINHL=1,3,5,7,13,15)	54	0.10

(SUTOUTMETH, SUTOUTPPY)
SUTOUTMTHPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR METHAM USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	56532	99.69
1 = Yes (SUTOUTPPY=1 and SUTOUTMETH=1,3,5,7,13,15)	173	0.31

(SUTOUTPNR, SUTOUTPPY)
SUTOUTPNRPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR PAIN REL USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	56348	99.37
1 = Yes (SUTOUTPPY=1 and SUTOUTPNR=1,3,5,7,13,15)	357	0.63

(SUTOUTPPY, SUTOUTSTM)
SUTOUTSTMPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR STIM USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	56582	99.78
1 = Yes (SUOUTNPPY=1 and SUTOUTSTM=1,3,5,7,13,15)	123	0.22

(SUTOUTPPY, SUTOUTTRQ)
SUTOUTTRQPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR TRANQ USE - PY

	Freq	Pct
0 = No/unspecified (Otherwise)	56611	99.83
1 = Yes (SUTOUTPPY=1 and SUTOUTTRQ=1,3,5,7,13,15)	94	0.17

(SUTOUTPPY, SUTOUTSED)
SUTOUTSEDPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR SEDATIVE USE-PY

	Freq	Pct
0 = No/unspecified (Otherwise)	56648	99.90
1 = Yes (SUTOUTPPY=1 and SUTOUTSED=1,3,5,7,13,15)	57	0.10

(SUTOUTSEDPY, SUTOUTTRQPY)
SUTOUTTQSDPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR TRQ OR SED USE-PY

	Freq	Pct
0 = No/unspecified (SUTOUTSEDPY=0 and SUTOUTTRQPY=0)	56582	99.78
1 = Yes (SUTOUTSEDPY=1 or SUTOUTTRQPY=1)	123	0.22

(SUTOUTPNRPY, SUTOUTSEDPY, SUTOUTSTMPY, SUTOUTTRQPY)
SUTOUTPSYPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR PSYCHO USE - PY

	Freq	Pct
0 = No/unspecified (All source variables=0)	56194	99.10
1 = Yes (Any source variable=1)	511	0.90

(SUTOUTHERPY, SUTOUTPNRPY)
SUTOUTOPIPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR OPIOID USE - PY

	Freq	Pct
0 = No/unspecified (SUTOUTHERPY=0 and SUTOUTPNRPY=0)	56257	99.21
1 = Yes (SUTOUTHERPY=1 or SUTOUTPNRPY=1)	448	0.79

(SUTOUTCOCPY, SUTOUTMTHPY, SUTOUTSTMPY)
SUTOUTCNSPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR CNS USE - PY

	Freq	Pct
0 = No/unspecified (All source variables=0)	56375	99.42
1 = Yes (Any source variable=1)	330	0.58

(SUTOUTCOCPY, SUTOUTHALPY, SUTOUTHERPY, SUTOUTINHPY, SUTOUTMRJPY, SUTOUTMTHPY, SUTOUTPNRPY, SUTOUTSEDPY, SUTOUTSTMPY, SUTOUTTRQPY)
SUTOUTDRGPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR DRUG USE - PY

	Freq	Pct
0 = No/unspecified (All source variables=0)	55740	98.30
1 = Yes (Any source variable=1)	965	1.70

(SUTOUTALCPY, SUTOUTDRGPY)
SUTOUTDRALPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT FOR DRUGS AND ALC - PY

	Freq	Pct
0 = No/unspecified (SUTOUTALCPY=0 or SUTOUTDRGPY=0)	56529	99.69
1 = Yes (SUTOUTALCPY=1 and SUTOUTDRGPY=1)	176	0.31

(SUTOUTALCPY, SUTOUTDRGPY, SUTOUTPPY)
SUTOUTUNSPPY Len : 1 RC-RCVD SUB USE TRMT AS AN OUTPATIENT - SUB UNSPECIFIED - PY

	Freq	Pct
0 = No (Otherwise)	55906	98.59
1 = Yes (SUTOUTPPY=1 and (SUTOUTALCPY=0 and SUTOUTDRGPY=0)	799	1.41

The following variable for receipt of phone or video services for drug use in the past year, SUTPHVIDRG, was assigned a positive response if a respondent met either of these conditions:

1. Received phone or video services in the past year (IRSUTPHVID=1) and that service was for drug use only OR drug and alcohol use (SUTPHVIADB=2,3,5).
2. Received phone or video services in the past year (IRSUTPHVID=1) and had used drugs but not alcohol in their lifetime [(ILLFLAG=1 or PSYANYFLAG=1) and ALCFLAG=0].

(ALCFLAG, ILLFLAG, IRSUTPHVID, PSYANYFLAG, SUTPHVIADB)
SUTPHVIDRG Len : 1 RC-RCVD PHONE/VIDEO SERVICES FOR DRUG USE - PAST YEAR

	Freq	Pct
. = Unknown (Otherwise)	38	0.07
0 = No(IRSUTPHVID=0 or SUTPHVIADB=1,4 or (ILLFLAG&PSYANYFLAG=0))	56128	98.98
1 = Yes (See comment above)	539	0.95

The following variable for receipt of phone or video services for alcohol use in the past year, SUTPHVIALC, was assigned a positive response if a respondent met either of these conditions:

1. Received phone or video services in the past year (IRSUTPHVID=1) and that service was for alcohol use only OR drug and alcohol use (SUTPHVIADB=1,3,4).
2. Received phone or video services in the past year (IRSUTPHVID=1) and had used alcohol but not drugs in their lifetime [(ILLFLAG=0 and PSYANYFLAG=0) and ALCFLAG=1].

(ALCFLAG, ILLFLAG, IRSUTPHVID, PSYANYFLAG, SUTPHVIADB)
SUTPHVIALC Len : 1 RC-RCVD PHONE/VIDEO SERVICES FOR ALCOHOL USE - PAST YEAR

	Freq	Pct
. = Unknown (Otherwise)	38	0.07
0 = No (IRSUTPHVID=0 or SUTPHVIADB=2,5 or ALCFLAG=0)	56268	99.23
1 = Yes (See comment above)	399	0.70

(IRSUTPHVID, IRSUTRXALC, IRSUTRXDRG, SUTINPPY, SUTOUTPPY)
SUTRTPY Len : 1 RC-RCVD SUBSTANCE USE TREATMENT - PAST YEAR

	Freq	Pct
0 = No (All source variables=0)	53838	94.94
1 = Yes (Any source variable=1)	2867	5.06

The following variable for receipt of substance use treatment for drug use in the past year, SUTRTDRGPY, was assigned a positive response if a respondent indicated receiving substance use treatment (SUTRTPY=1) and that treatment was for drug use [SUTOUTDRGPY=1, inpatient treatment for drug use, SUTPHVIDRG=1, IRSUTRXDRG=1, prison or jail for drug use or (prison or jail for subsance use and (ILLFLAG=1 or PSYANYFLAG=1) and ALCFLAG=0))].

(ALCFLAG, ILLFLAG, IRSUTRXDRG, PSYANYFLAG, SUTOUTDRGPY, SUTPHVIDRG, SUTRTPY)
SUTRTDRGPY Len : 1 RC-RCVD SUB USE TREATMENT FOR DRUG USE - PAST YEAR

	Freq	Pct
0 = No/unspecified (Otherwise)	55254	97.44
1 = Yes (See comment above)	1451	2.56

The following variable for receipt of substance use treatment for alcohol use in the past year, SUTRTALCPY, was assigned a positive response if a respondent indicated receiving substance use treatment (SUTRTPY=1) and that treatment was for alcohol use [SUTOUTALCPY=1, inpatient treatment for alcohol use, SUTPHVIALC=1, IRSUTRXALC=1, prison or jail for alcohol use, or (prison or jail for substance use and ALCFLAG=1 and ILLFLAG=0 and PSYANYFLAG=0)].

(ALCFLAG, ILLFLAG, IRSUTRXALC, PSYANYFLAG, SUTOUTALCPY, SUTPHVIALC, SUTRTPY)
SUTRTALCPY Len : 1 RC-RCVD SUB USE TREATMENT FOR ALCOHOL USE - PAST YEAR

	Freq	Pct
0 = No/unspecified (Otherwise)	55743	98.30
1 = Yes (See comment above)	962	1.70

(SUTRTALCPY, SUTRTDRGPY)
SUTRTDRALPY Len : 1 RC-RCVD SUB USE TREATMENT FOR DRUG AND ALCOHOL USE - PST YR

	Freq	Pct
0 = No/unspecified (SUTRTALCPY=0 or SUTRTDRGPY=0)	56328	99.34
1 = Yes (SUTRTALCPY=1 and SUTRTDRGPY=1)	377	0.66

(SUTRTALCPY, SUTRTDRGPY, SUTRTPY)
SUTRTUNSPPY Len : 1 RC-RCVD SUB USE TREATMENT - SUB UNSPECIFIED - PAST YEAR

	Freq	Pct
0 = No (Otherwise)	55874	98.53
1 = Yes (SUTRTPY=1 and (SUTRTALCPY=0 and SUTRTDRGPY=0)	831	1.47

(IRSUTDETOX, IRSUTERED, IRSUTPEERSPC, IRSUTSUPPGRP, SUTRTPY)
SUTRTOTHPY Len : 1 RC-RCVD SUB USE TREATMENT OR OTHER SERVICES - PAST YEAR

	Freq	Pct
0 = No (All source variables=0)	53293	93.98
1 = Yes (Any source variable=1)	3412	6.02

(SUTRTPY, UD5ILALANY)
SUTNEEDPY Len : 1 RC-CLASSIFIED AS NEEDING SUBSTANCE USE TREATMENT - PAST YEAR

	Freq	Pct
0 = No (SUTRTPY=0 and UD5ILALANY=0)	44578	78.61
1 = Yes (SUTRTPY=1 or UD5ILALANY=1)	12127	21.39

The following variable for sought or thought should get substance use treatment but did not receive substance use treatment in the past year, SUTSKTHPY, was assigned a positive response if a respondent met either of these conditions:

1. Did not receive substance use treatment (SUTRTPY=0) and sought treatment.
2. Did not receive substance use treatment (SUTRTPY=0), did not indicate they sought treatment, but thought they should get treatment.

A negative response was assigned if a respondent did not receive substance use treatment (SUTRTPY=0), did not seek treatment, and did not think they should get treatment. Additionally, a negative response was assigned if respondent never used alcohol or drugs (ALCFLAG=0, ILLFLAG=0, and PSYANYFLAG=0).

(ALCFLAG, ILLFLAG, PSYANYFLAG, SUTRTPY)
SUTSKTHPY Len : 1 RC-SOUGHT OR THGHT SHLD GET SUB USE TRT, DIDNT RCV TRT - PY

	Freq	Pct
. = Unknown/received sub use treatment (Otherwise)	3561	6.28
1 = Sought or thght shld get trt, not recvd (See comment above)	512	0.90
2 = Didnt seek or thnk shld get trt, not rcvd(See comment above)	52632	92.82

NOTE: The following 18 variables describe reasons the respondent did not receive substance use treatment. These variables are defined for respondents who did not receive substance use treatment in the past year and who either sought treatment or did not indicate they sought treatment but thought they should get treatment in the past year.

(SUTSKTHPY, SUTUNCOST)
SUNTCOST Len : 1 RC-UNMET PY SUB USE TRT NEED: THOUGHT COST TOO MUCH

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56201	99.11
0 = No (SUTSKTHPY=1 and SUTUNCOST=2)	282	0.50
1 = Yes (SUTSKTHPY=1 and SUTUNCOST=1)	222	0.39

(SUTSKTHPY, SUTUNINSCV)
SUNTINSCV Len : 1 RC-UNMET PY SUB USE TRT NEED: NO HEALTH INSUR COVERAGE

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56223	99.15
0 = No (SUTSKTHPY=1 and SUTUNINSCV=2)	326	0.57
1 = Yes (SUTSKTHPY=1 and SUTUNINSCV=1)	156	0.28

(SUTSKTHPY, SUTUNENFCV)
SUNTENCV Len : 1 RC-UNMET PY SUB USE TRT NEED: HLTH INSUR DIDNT COVER ENOUGH

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56248	99.19
0 = No (SUTSKTHPY=1 and SUTUNENFCV=2)	325	0.57
1 = Yes (SUTSKTHPY=1 and SUTUNENFCV=1)	132	0.23

(SUTSKTHPY, SUTUNWHER)
SUNTWHER Len : 1 RC-UNMET PY SUB USE TRT NEED: DIDNT KNOW WHERE TO GET TRT

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56198	99.11
0 = No (SUTSKTHPY=1 and SUTUNWHER=2)	276	0.49
1 = Yes (SUTSKTHPY=1 and SUTUNWHER=1)	231	0.41

(SUTSKTHPY, SUTUNNOFND)
SUNTNOFND Len : 1 RC-UNMET PY SUB USE TRT NEED: COULDNT FIND PREFERRED PROVIDR

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56215	99.14
0 = No (SUTSKTHPY=1 and SUTUNNOFND=2)	324	0.57
1 = Yes (SUTSKTHPY=1 and SUTUNNOFND=1)	166	0.29

(SUTSKTHPY, SUTUNNOOPN)
SUNTNOOPN Len : 1 RC-UNMET PY SUB USE TRT NEED: NO OPENING W/ PREFERRED PROVID

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56222	99.15
0 = No (SUTSKTHPY=1 and SUTUNNOOPN=2)	419	0.74
1 = Yes (SUTSKTHPY=1 and SUTUNNOOPN=1)	64	0.11

(SUTSKTHPY, SUTUNPROBS)
SUNTPROBS Len : 1 RC-UNMET PY SUB USE TRT NEED: PROB W/TRAN, CHLDCARE, APPT TM

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56204	99.12
0 = No (SUTSKTHPY=1 and SUTUNPROBS=2)	383	0.68
1 = Yes (SUTSKTHPY=1 and SUTUNPROBS=1)	118	0.21

(SUTSKTHPY, SUTUNTIME)
SUNTTIME Len : 1 RC-UNMET PY SUB USE TRT NEED: NOT ENOUGH TIME FOR TRT

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56210	99.13
0 = No (SUTSKTHPY=1 and SUTUNTIME=2)	282	0.50
1 = Yes (SUTSKTHPY=1 and SUTUNTIME=1)	213	0.38

(SUTSKTHPY, SUTUNPRIV)
SUNTPRIV Len : 1 RC-UNMET PY SUB USE TRT NEED: WORRIED INFO NOT KEPT PRIVATE

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56205	99.12
0 = No (SUTSKTHPY=1 and SUTUNPRIV=2)	314	0.55
1 = Yes (SUTSKTHPY=1 and SUTUNPRIV=1)	186	0.33

(SUTSKTHPY, SUTUNPTHNK)
SUNTPTHNK Len : 1 RC-UNMET PY SUB USE TRT NEED: WORRIED WHAT PEOPLE THNK/SAY

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56197	99.10
0 = No (SUTSKTHPY=1 and SUTUNPTHNK=2)	279	0.49
1 = Yes (SUTSKTHPY=1 and SUTUNPTHNK=1)	229	0.40

(SUTSKTHPY, SUTUNCONSQ)
SUNTCONSQ Len : 1 RC-UNMET PY SUB USE TRT NEED: THGHT WOULD LOSE JOB/HOME/CHLD

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56207	99.12
0 = No (SUTSKTHPY=1 and SUTUNCONSQ=2)	337	0.59
1 = Yes (SUTSKTHPY=1 and SUTUNCONSQ=1)	161	0.28

(SUTSKTHPY, SUTUNSTART)
SUNTSTART Len : 1 RC-UNMET PY SUB USE TRT NEED: NOT READY TO START TRT

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56212	99.13
0 = No (SUTSKTHPY=1 and SUTUNSTART=2)	182	0.32
1 = Yes (SUTSKTHPY=1 and SUTUNSTART=1)	311	0.55

(SUTSKTHPY, SUTUNQUIT)
SUNTQUIT Len : 1 RC-UNMET PY SUB USE TRT NEED: NOT RDY TO STOP/CUT SUB USE

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56206	99.12
0 = No (SUTSKTHPY=1 and SUTUNQUIT=2)	218	0.38
1 = Yes (SUTSKTHPY=1 and SUTUNQUIT=1)	281	0.50

(SUTSKTHPY, SUTUNHNDL)
SUNTHNDL Len : 1 RC-UNMET PY SUB USE TRT NEED: THOUGHT COULD HANDLE ON OWN

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56200	99.11
0 = No (SUTSKTHPY=1 and SUTUNHNDL=2)	135	0.24
1 = Yes (SUTSKTHPY=1 and SUTUNHNDL=1)	370	0.65

(SUTSKTHPY, SUTUNFFLKE)
SUNTFFLKE Len : 1 RC-UNMET PY SUB USE TRT NEED: FAM/FRIENDS/RELIG WOULDNT LIKE

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56205	99.12
0 = No (SUTSKTHPY=1 and SUTUNFFLKE=2)	404	0.71
1 = Yes (SUTSKTHPY=1 and SUTUNFFLKE=1)	96	0.17

(SUTSKTHPY, SUTUNFORCE)
SUNTFORCE Len : 1 RC-UNMET PY SUB USE TRT NEED: AFRAID TO BE FORCD AGNST WILL

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56206	99.12
0 = No (SUTSKTHPY=1 and SUTUNFORCE=2)	374	0.66
1 = Yes (SUTSKTHPY=1 and SUTUNFORCE=1)	125	0.22

(SUTSKTHPY, SUTUNNOHLP)
SUNTNOHLP Len : 1 RC-UNMET PY SUB USE TRT NEED: DIDN'T THINK TRT WOULD HELP

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56210	99.13
0 = No (SUTSKTHPY=1 and SUTUNNOHLP=2)	338	0.60
1 = Yes (SUTSKTHPY=1 and SUTUNNOHLP=1)	157	0.28

(SUTSKTHPY, SUTUNCARE)
SUNTCARE Len : 1 RC-UNMET PY SUB USE TRT NEED: NO ONE CARE IF YOU GOT BETTER

	Freq	Pct
. = Unknwn/Rcvd trt/no sought&no thght shld get trt (Otherwise)	56207	99.12
0 = No (SUTSKTHPY=1 and SUTUNCARE=2)	378	0.67
1 = Yes (SUTSKTHPY=1 and SUTUNCARE=1)	120	0.21

RISK/AVAILABILITY

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.

Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.

If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.

How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?

(RK01A)
RSKCIGPKD[1] Len : 2 RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY

	Freq	Pct
1 = No risk	3009	5.31
2 = Slight risk	3964	6.99
3 = Moderate risk	12616	22.25
4 = Great risk	36351	64.11
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	492	0.87
97 = REFUSED	84	0.15
98 = BLANK (NO ANSWER)	187	0.33

How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?

(RK01B)
RSKMRJMON[1] Len : 2 RISK SMOKING MARIJUANA ONCE A MONTH

	Freq	Pct
1 = No risk	15901	28.04
2 = Slight risk	19228	33.91
3 = Moderate risk	10757	18.97
4 = Great risk	9881	17.43
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	667	1.18
97 = REFUSED	76	0.13
98 = BLANK (NO ANSWER)	193	0.34

How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?

(RK01C)
RSKMRJWK[1] Len : 2 RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK

	Freq	Pct
1 = No risk	12735	22.46
2 = Slight risk	17167	30.27
3 = Moderate risk	13234	23.34
4 = Great risk	12624	22.26
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	666	1.17
97 = REFUSED	82	0.14
98 = BLANK (NO ANSWER)	195	0.34

How much do people risk harming themselves physically and in other ways when they try LSD once or twice?

(RK01D)
RSKLSDTRY[1] Len : 2 RISK TRYING LSD ONCE OR TWICE

	Freq	Pct
1 = No risk	3923	6.92
2 = Slight risk	11096	19.57
3 = Moderate risk	13071	23.05
4 = Great risk	26731	47.14
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	1590	2.80
97 = REFUSED	94	0.17
98 = BLANK (NO ANSWER)	198	0.35

How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?

(RK01E)
RSKLSDWK[1] Len : 2 RISK USING LSD ONCE OR TWICE A WEEK

	Freq	Pct
1 = No risk	1808	3.19
2 = Slight risk	4222	7.45
3 = Moderate risk	12311	21.71
4 = Great risk	36487	64.35
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	1587	2.80
97 = REFUSED	87	0.15
98 = BLANK (NO ANSWER)	201	0.35

How much do people risk harming themselves physically and in other ways when they try heroin once or twice?

(RK01F)
RSKHERTRY[1] Len : 2 RISK TRYING HEROIN ONCE OR TWICE

	Freq	Pct
1 = No risk	1477	2.60
2 = Slight risk	3460	6.10
3 = Moderate risk	8240	14.53
4 = Great risk	42300	74.60
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	947	1.67
97 = REFUSED	73	0.13
98 = BLANK (NO ANSWER)	206	0.36

How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?

(RK01G)
RSKHERWK[1] Len : 2 RISK USING HEROIN ONCE OR TWICE A WEEK

	Freq	Pct
1 = No risk	1146	2.02
2 = Slight risk	963	1.70
3 = Moderate risk	4025	7.10
4 = Great risk	49368	87.06
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	919	1.62
97 = REFUSED	75	0.13
98 = BLANK (NO ANSWER)	207	0.37

How much do people risk harming themselves physically and in other ways when they use cocaine once a month?

(RK01H)
RSKCOCMON[1] Len : 2 RISK USING COCAINE ONCE A MONTH

	Freq	Pct
1 = No risk	1767	3.12
2 = Slight risk	6836	12.06
3 = Moderate risk	13013	22.95
4 = Great risk	33953	59.88
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	845	1.49
97 = REFUSED	78	0.14
98 = BLANK (NO ANSWER)	211	0.37

How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?

(RK01I)
RSKCOCWK[1] Len : 2 RISK USING COCAINE ONCE OR TWICE A WEEK

	Freq	Pct
1 = No risk	1201	2.12
2 = Slight risk	1899	3.35
3 = Moderate risk	7560	13.33
4 = Great risk	44947	79.26
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	811	1.43
97 = REFUSED	73	0.13
98 = BLANK (NO ANSWER)	212	0.37

How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?

(RK01J)
RSKBNGDLY[1] Len : 2 RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY

	Freq	Pct
1 = No risk	1385	2.44
2 = Slight risk	3937	6.94
3 = Moderate risk	12927	22.80
4 = Great risk	37679	66.45
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	482	0.85
97 = REFUSED	79	0.14
98 = BLANK (NO ANSWER)	214	0.38

How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

(RK01K)
RSKBNGWK[1] Len : 2 RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK

	Freq	Pct
1 = No risk	2124	3.75
2 = Slight risk	9225	16.27
3 = Moderate risk	20100	35.45
4 = Great risk	24441	43.10
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	522	0.92
97 = REFUSED	71	0.13
98 = BLANK (NO ANSWER)	220	0.39

The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.

How difficult or easy would it be for you to get some marijuana, if you wanted some?

(RK02A)
DIFGETMRJ[1] Len : 2 HOW DIFFICULT TO GET MARIJUANA

	Freq	Pct
1 = Probably impossible	7817	13.79
2 = Very difficult	4940	8.71
3 = Fairly difficult	6140	10.83
4 = Fairly easy	13980	24.65
5 = Very easy	22450	39.59
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	949	1.67
97 = REFUSED	193	0.34
98 = BLANK (NO ANSWER)	233	0.41

How difficult or easy would it be for you to get some LSD, if you wanted some?

(RK02B)
DIFGETLSD[1] Len : 2 HOW DIFFICULT TO GET LSD

	Freq	Pct
1 = Probably impossible	21266	37.50
2 = Very difficult	13854	24.43
3 = Fairly difficult	11360	20.03
4 = Fairly easy	5664	9.99
5 = Very easy	2160	3.81
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	1969	3.47
97 = REFUSED	191	0.34
98 = BLANK (NO ANSWER)	238	0.42

How difficult or easy would it be for you to get some cocaine, if you wanted some?

(RK02C)
DIFGETCOC[1] Len : 2 HOW DIFFICULT TO GET COCAINE

	Freq	Pct
1 = Probably impossible	21171	37.34
2 = Very difficult	13456	23.73
3 = Fairly difficult	9622	16.97
4 = Fairly easy	6991	12.33
5 = Very easy	3432	6.05
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	1604	2.83
97 = REFUSED	185	0.33
98 = BLANK (NO ANSWER)	241	0.43

How difficult or easy would it be for you to get some 'crack', if you wanted some?

(RK02D)
DIFGETCRK[1] Len : 2 HOW DIFFICULT TO GET "CRACK"

	Freq	Pct
1 = Probably impossible	24200	42.68
2 = Very difficult	14475	25.53
3 = Fairly difficult	8159	14.39
4 = Fairly easy	4910	8.66
5 = Very easy	2835	5.00
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	1692	2.98
97 = REFUSED	189	0.33
98 = BLANK (NO ANSWER)	242	0.43

How difficult or easy would it be for you to get some heroin, if you wanted some?

(RK02E)
DIFGETHER[1] Len : 2 HOW DIFFICULT TO GET HEROIN

	Freq	Pct
1 = Probably impossible	25739	45.39
2 = Very difficult	14453	25.49
3 = Fairly difficult	7484	13.20
4 = Fairly easy	4256	7.51
5 = Very easy	2622	4.62
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	1713	3.02
97 = REFUSED	192	0.34
98 = BLANK (NO ANSWER)	243	0.43

In the past 30 days, has anyone approached you to sell you an illegal drug?

(RK03)
APPDRGMON[1] Len : 2 APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS

	Freq	Pct
1 = Yes	2985	5.26
2 = No	53372	94.12
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	52	0.09
97 = REFUSED	49	0.09
98 = BLANK (NO ANSWER)	244	0.43

How often do you get a real kick out of doing things that are a little dangerous?

(RK04A)
RSKYFQDGR[1] Len : 2 GET A REAL KICK OUT OF DOING DANGEROUS THINGS

	Freq	Pct
1 = Never	27347	48.23
2 = Seldom	16854	29.72
3 = Sometimes	9988	17.61
4 = Always	1734	3.06
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	412	0.73
97 = REFUSED	117	0.21
98 = BLANK (NO ANSWER)	250	0.44

How often do you like to test yourself by doing something a little risky?

(RK04B)
RSKYFQTES[1] Len : 2 LIKE TO TEST YOURSELF BY DOING RISKY THINGS

	Freq	Pct
1 = Never	28030	49.43
2 = Seldom	18792	33.14
3 = Sometimes	8179	14.42
4 = Always	1141	2.01
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	219	0.39
97 = REFUSED	88	0.16
98 = BLANK (NO ANSWER)	253	0.45

How often do you wear a seatbelt when you ride in the front passenger seat of a car?

(RK04C)
RKFQPBLT[1] Len : 2 WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR

	Freq	Pct
1 = Never	2084	3.68
2 = Seldom	1560	2.75
3 = Sometimes	4283	7.55
4 = Always	48421	85.39
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	51	0.09
97 = REFUSED	45	0.08
98 = BLANK (NO ANSWER)	258	0.45

How often do you wear a seatbelt when you drive a car?

(RK04D)
RKFQDBLT[1] Len : 2 WEAR A SEATBELT WHEN YOU DRIVE A CAR

	Freq	Pct
1 = Never	1487	2.62
2 = Seldom	917	1.62
3 = Sometimes	2362	4.17
4 = Always	40637	71.66
5 = I don't drive	10947	19.31
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	46	0.08
97 = REFUSED	45	0.08
98 = BLANK (NO ANSWER)	261	0.46

RECODED RISK/AVAILABILITY

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

(RSKCIGPKD)
GRSKCIGPKD Len : 1 RC-GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY

	Freq	Pct
. = Unknown (Otherwise)	765	1.35
0 = Otherwise (RSKCIGPKD=1,2,3)	19589	34.55
1 = Great Risk (RSKCIGPKD=4)	36351	64.11

(RSKMRJMON)
GRSKMRJMON Len : 1 RC-GREAT RISK: USE MARIJUANA ONCE A MONTH

	Freq	Pct
. = Unknown (Otherwise)	938	1.65
0 = Otherwise (RSKMRJMON=1,2,3)	45886	80.92
1 = Great Risk (RSKMRJMON=4)	9881	17.43

(RSKMRJWK)
GRSKMRJWK Len : 1 RC-GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK

	Freq	Pct
. = Unknown (Otherwise)	945	1.67
0 = Otherwise (RSKMRJWK=1,2,3)	43136	76.07
1 = Great Risk (RSKMRJWK=4)	12624	22.26

(RSKCOCMON)
GRSKCOCMON Len : 1 RC-GREAT RISK: USE COCAINE ONCE A MONTH

	Freq	Pct
. = Unknown (Otherwise)	1136	2.00
0 = Otherwise (RSKCOCMON=1,2,3)	21616	38.12
1 = Great Risk (RSKCOCMON=4)	33953	59.88

(RSKCOCWK)
GRSKCOCWK Len : 1 RC-GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK

	Freq	Pct
. = Unknown (Otherwise)	1098	1.94
0 = Otherwise (RSKCOCWK=1,2,3)	10660	18.80
1 = Great Risk (RSKCOCWK=4)	44947	79.26

(RSKHERTRY)
GRSKHERTRY Len : 1 RC-GREAT RISK: TRYING HEROIN ONCE OR TWICE

	Freq	Pct
. = Unknown (Otherwise)	1228	2.17
0 = Otherwise (RSKHERTRY=1,2,3)	13177	23.24
1 = Great Risk (RSKHERTRY=4)	42300	74.60

(RSKHERWK)
GRSKHERWK Len : 1 RC-GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK

	Freq	Pct
. = Unknown (Otherwise)	1203	2.12
0 = Otherwise (RSKHERWK=1,2,3)	6134	10.82
1 = Great Risk (RSKHERWK=4)	49368	87.06

(RSKLSDTRY)
GRSKLSDTRY Len : 1 RC-GREAT RISK: TRYING LSD ONCE OR TWICE

	Freq	Pct
. = Unknown (Otherwise)	1884	3.32
0 = Otherwise (RSKLSDTRY=1,2,3)	28090	49.54
1 = Great Risk (RSKLSDTRY=4)	26731	47.14

(RSKLSDWK)
GRSKLSDWK Len : 1 RC-GREAT RISK: USE LSD 1-2 TIMES PER WEEK

	Freq	Pct
. = Unknown (Otherwise)	1877	3.31
0 = Otherwise (RSKLSDWK=1,2,3)	18341	32.34
1 = Great Risk (RSKLSDWK=4)	36487	64.35

(RSKBNGDLY)
GRSKBNGDLY Len : 1 RC-GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY

	Freq	Pct
. = Unknown (Otherwise)	777	1.37
0 = Otherwise (RSKBNGDLY=1,2,3)	18249	32.18
1 = Great Risk (RSKBNGDLY=4)	37679	66.45

(RSKBNGWK)
GRSKBNGWK Len : 1 RC-GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK

	Freq	Pct
. = Unknown (Otherwise)	815	1.44
0 = Otherwise (RSKBNGWK=1,2,3)	31449	55.46
1 = Great Risk (RSKBNGWK=4)	24441	43.10

(DIFGETMRJ)
DIFOBTMRJ Len : 1 RC-MARIJUANA FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise)	1378	2.43
0 = Otherwise (DIFGETMRJ=1,2,3)	18897	33.33
1 = Fairly or Very Easy (DIFGETMRJ=4,5)	36430	64.24

(DIFGETCOC)
DIFOBTCOC Len : 1 RC-COCAINE FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise)	2033	3.59
0 = Otherwise (DIFGETCOC=1,2,3)	44249	78.03
1 = Fairly or Very Easy (DIFGETCOC=4,5)	10423	18.38

(DIFGETCRK)
DIFOBTCRK Len : 1 RC-CRACK FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise)	2126	3.75
0 = Otherwise (DIFGETCRK=1,2,3)	46834	82.59
1 = Fairly or Very Easy (DIFGETCRK=4,5)	7745	13.66

(DIFGETHER)
DIFOBTHER Len : 1 RC-HEROIN FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise)	2151	3.79
0 = Otherwise (DIFGETHER=1,2,3)	47676	84.08
1 = Fairly or Very Easy (DIFGETHER=4,5)	6878	12.13

(DIFGETLSD)
DIFOBTLSD Len : 1 RC-LSD FAIRLY OR VERY EASY TO OBTAIN

	Freq	Pct
. = Unknown (Otherwise)	2401	4.23
0 = Otherwise (DIFGETLSD=1,2,3)	46480	81.97
1 = Fairly or Very Easy (DIFGETLSD=4,5)	7824	13.80

(APPDRGMON)
APPDRGMON2 Len : 1 RC-APPROACHED BY SOMEONE SELLING DRUGS

	Freq	Pct
. = Unknown (Otherwise)	348	0.61
0 = No (APPDRGMON=2)	53372	94.12
1 = Yes (APPDRGMON=1,3)	2985	5.26

SOCIAL ENVIRONMENT

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

The next questions are about things you might or might not have done recently.

During the past 12 months, how many times have you sold illegal drugs?

(SEN12A)
SNYSELL[1] Len : 2 SOLD ILLEGAL DRUGS

	Freq	Pct
1 = 0 times	43376	76.49
2 = 1 or 2 times	528	0.93
3 = 3 to 5 times	105	0.19
4 = 6 to 9 times	50	0.09
5 = 10 or more times	151	0.27
85 = BAD DATA Logically assigned	29	0.05
94 = DON'T KNOW	49	0.09
97 = REFUSED	109	0.19
98 = BLANK (NO ANSWER)	736	1.30
99 = LEGITIMATE SKIP	11572	20.41

During the past 12 months, how many times have you stolen or tried to steal anything worth more than $50?

(SEN12B)
SNYSTOLE[1] Len : 2 STOLEN/TRIED TO STEAL ANYTHING WORTH > $50

	Freq	Pct
1 = 0 times	43607	76.90
2 = 1 or 2 times	438	0.77
3 = 3 to 5 times	69	0.12
4 = 6 to 9 times	30	0.05
5 = 10 or more times	73	0.13
85 = BAD DATA Logically assigned	29	0.05
94 = DON'T KNOW	50	0.09
97 = REFUSED	101	0.18
98 = BLANK (NO ANSWER)	736	1.30
99 = LEGITIMATE SKIP	11572	20.41

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

(SEN12C)
SNYATTAK[1] Len : 2 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM

	Freq	Pct
1 = 0 times	43760	77.17
2 = 1 or 2 times	386	0.68
3 = 3 to 5 times	42	0.07
4 = 6 to 9 times	8	0.01
5 = 10 or more times	22	0.04
85 = BAD DATA Logically assigned	29	0.05
94 = DON'T KNOW	49	0.09
97 = REFUSED	100	0.18
98 = BLANK (NO ANSWER)	737	1.30
99 = LEGITIMATE SKIP	11572	20.41

How do you feel about adults trying marijuana or any cannabis product once or twice?

(SEN13B)
SNFAMJEV[1] Len : 2 HOW YOU FEEL: ADLTS TRYING MJ/CANNABIS

	Freq	Pct
1 = Neither approve nor disapprove	33127	58.42
2 = Somewhat disapprove	4320	7.62
3 = Strongly disapprove	6377	11.25
85 = BAD DATA Logically assigned	29	0.05
94 = DON'T KNOW	282	0.50
97 = REFUSED	259	0.46
98 = BLANK (NO ANSWER)	739	1.30
99 = LEGITIMATE SKIP	11572	20.41

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

(SENRELAT)
SNRLGSVC[1] Len : 2 PAST 12 MOS, HOW MANY RELIG. SERVICES

	Freq	Pct
1 = 0 times	25340	44.69
2 = 1 to 2 times	4484	7.91
3 = 3 to 5 times	3176	5.60
4 = 6 to 24 times	3684	6.50
5 = 25 to 52 times	3760	6.63
6 = More than 52 times	3577	6.31
85 = BAD DATA Logically assigned	29	0.05
94 = DON'T KNOW	140	0.25
97 = REFUSED	198	0.35
98 = BLANK (NO ANSWER)	745	1.31
99 = LEGITIMATE SKIP	11572	20.41

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

(SENREBE1)
SNRLGIMP[1] Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT

	Freq	Pct
1 = Strongly Disagree	10508	18.53
2 = Disagree	7393	13.04
3 = Agree	13868	24.46
4 = Strongly Agree	11838	20.88
85 = BAD DATA Logically assigned	29	0.05
94 = DON'T KNOW	374	0.66
97 = REFUSED	368	0.65
98 = BLANK (NO ANSWER)	755	1.33
99 = LEGITIMATE SKIP	11572	20.41

Your religious beliefs influence how you make decisions in your life.

(SENREBE2)
SNRLDCSN[1] Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS

	Freq	Pct
1 = Strongly Disagree	11023	19.44
2 = Disagree	8328	14.69
3 = Agree	13943	24.59
4 = Strongly Agree	10391	18.32
85 = BAD DATA Logically assigned	29	0.05
94 = DON'T KNOW	323	0.57
97 = REFUSED	341	0.60
98 = BLANK (NO ANSWER)	755	1.33
99 = LEGITIMATE SKIP	11572	20.41

It is important that your friends share your religious beliefs.

(SENREBE3)
SNRLFRND[1] Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS

	Freq	Pct
1 = Strongly Disagree	16556	29.20
2 = Disagree	16359	28.85
3 = Agree	7678	13.54
4 = Strongly Agree	3047	5.37
85 = BAD DATA Logically assigned	29	0.05
94 = DON'T KNOW	359	0.63
97 = REFUSED	345	0.61
98 = BLANK (NO ANSWER)	760	1.34
99 = LEGITIMATE SKIP	11572	20.41

YOUTH EXPERIENCES

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

The next questions are about school. By "school," we mean elementary school, junior high or middle school, high school, or a college or university. Please include home schooling as well.

Have you attended any type of school at any time during the past 12 months?

(YE09)
YEATNDYR[1] Len : 2 ATTENDED ANY TYPE OF SCHOOL PAST 12 MONTHS

	Freq	Pct
1 = Yes	10478	18.48
2 = No	952	1.68
85 = BAD DATA Logically assigned	26	0.05
94 = DON'T KNOW	69	0.12
97 = REFUSED	30	0.05
98 = BLANK (NO ANSWER)	17	0.03
99 = LEGITIMATE SKIP	45133	79.59

Some parents decide to educate their children at home rather than send them to school. Have you been home-schooled at any time during the past 12 months?

(YE09A)
YEHMSLYR[1] Len : 2 HOME SCHOOLED AT ANY TIME DURING THE PAST 12 MOS

	Freq	Pct
1 = Yes	100	0.18
2 = No	887	1.56
85 = BAD DATA Logically assigned	25	0.04
94 = DON'T KNOW	37	0.07
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	19	0.03
99 = LEGITIMATE SKIP	55611	98.07

Which of the statements below best describes how you felt overall about going to school during the past 12 months?

(YE10)
YESCHFLT[1] Len : 2 HOW YOU FELT OVERALL ABT GOING TO SCHL PAST 12 MOS

	Freq	Pct
1 = You liked going to school a lot	2211	3.90
2 = You kind of liked going to school	5280	9.31
3 = You didn't like going to school very much	2258	3.98
4 = You hated going to school	812	1.43
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	7	0.01
97 = REFUSED	35	0.06
98 = BLANK (NO ANSWER)	114	0.20
99 = LEGITIMATE SKIP	45987	81.10

During the past 12 months, how often did you feel that the school work you were assigned to do was meaningful and important?

(YE11)
YESCHWRK[1] Len : 2 HOW OFTEN FELT SCHL WORK MEANINGFUL PST 12 MOS

	Freq	Pct
1 = Always	1774	3.13
2 = Sometimes	5396	9.52
3 = Seldom	2377	4.19
4 = Never	988	1.74
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	34	0.06
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	114	0.20
99 = LEGITIMATE SKIP	45987	81.10

How important do you think the things you have learned in school during the past 12 months are going to be to you later in life?

(YE12)
YESCHIMP[1] Len : 2 HOW IMPT THINGS LEARNED PST 12 MOS ARE GOING TO BE

	Freq	Pct
1 = Very important	2244	3.96
2 = Somewhat important	5173	9.12
3 = Somewhat unimportant	2303	4.06
4 = Very unimportant	827	1.46
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	25	0.04
97 = REFUSED	31	0.05
98 = BLANK (NO ANSWER)	114	0.20
99 = LEGITIMATE SKIP	45987	81.10

How interesting do you think most of your courses at school during the past 12 months have been?

(YE13)
YESCHINT[1] Len : 2 HOW INTERESTING ARE COURSES AT SCHL PAST 12 MONTHS

	Freq	Pct
1 = Very interesting	1955	3.45
2 = Somewhat interesting	5104	9.00
3 = Somewhat boring	2393	4.22
4 = Very boring	1090	1.92
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	28	0.05
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	114	0.20
99 = LEGITIMATE SKIP	45987	81.10

During the past 12 months, how often did your teachers at school let you know when you were doing a good job with you school work?

(YE14)
YETCGJOB[1] Len : 2 HOW OFTEN TCHR SAY DOING A GOOD JOB PAST 12 MONTHS

	Freq	Pct
1 = Always	2934	5.17
2 = Sometimes	4882	8.61
3 = Seldom	1884	3.32
4 = Never	829	1.46
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	38	0.07
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	114	0.20
99 = LEGITIMATE SKIP	45987	81.10

What were your grades for the last semester or grading period you completed?

(YE15)
YELSTGRD[1] Len : 2 GRADES FOR LAST SEMESTER/GRADING PERIOD COMPLETED

	Freq	Pct
1 = An "A+", "A" or "A-minus" average	4115	7.26
2 = A "B+", "B" or "B-minus" average	3601	6.35
3 = A "C+", "C" or "C-minus" average	1561	2.75
4 = A "D" or less than a "D" average	574	1.01
5 = My school does not give these grades	521	0.92
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	164	0.29
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	114	0.20
99 = LEGITIMATE SKIP	45987	81.10

Note: Beginning in 2022, edited variables YECIGFRNDOF2 and YECIGNEXTYR2 replace variables CIGOFSRM and CIGWILYR. Questions CG02 and CG03 were moved from the Nicotine (formerly Tobacco) section to the Youth Experiences section in 2022.

If one of your best friends offered you a cigarette, would you smoke it?

(CG02)
YECIGFRNDOF2[1] Len : 2 IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIGARETTE

	Freq	Pct
1 = Yes	408	0.72
2 = No	10173	17.94
85 = BAD DATA Logically assigned	19	0.03
94 = DON'T KNOW	34	0.06
97 = REFUSED	24	0.04
98 = BLANK (NO ANSWER)	17	0.03
99 = LEGITIMATE SKIP	46030	81.17

At any time during the next 12 months do you think you will smoke a cigarette?

(CG03)
YECIGNEXTYR2[1] Len : 2 DO YOU THINK YOU'LL SMOKE A CIGARETTE IN NEXT 12 MONTHS

	Freq	Pct
1 = Yes	172	0.30
2 = No	10419	18.37
85 = BAD DATA Logically assigned	19	0.03
94 = DON'T KNOW	30	0.05
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	17	0.03
99 = LEGITIMATE SKIP	46030	81.17

How many of the students in your grade at school would you say smoke cigarettes?

Please think about the school you would be attending if you were not home-schooled, as you answer these next questions.

How many of the students in your grade at school would you say smoke cigarettes?

(YE16A)
YESTSCIG[1] Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE SMOKE CIGARETTES

	Freq	Pct
1 = None of them	3276	5.78
2 = A few of them	5585	9.85
3 = Most of them	1175	2.07
4 = All of them	158	0.28
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	374	0.66
97 = REFUSED	34	0.06
98 = BLANK (NO ANSWER)	115	0.20
99 = LEGITIMATE SKIP	45987	81.10

How many of the students in your grade at school would you say use marijuana or any cannabis product?

(YE16B)
YESTSMJ[1] Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE USE MJ/CANNABIS

	Freq	Pct
1 = None of them	3050	5.38
2 = A few of them	4313	7.61
3 = Most of them	2509	4.42
4 = All of them	254	0.45
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	439	0.77
97 = REFUSED	37	0.07
98 = BLANK (NO ANSWER)	115	0.20
99 = LEGITIMATE SKIP	45987	81.10

How many of the students in your grade at school would you say drink alcoholic beverages?

(YE16C)
YESTSALC[1] Len : 2 HOW MANY SDNTS YOU KNOW IN GRADE DRINK ALCOHOL

	Freq	Pct
1 = None of them	3036	5.35
2 = A few of them	4394	7.75
3 = Most of them	2453	4.33
4 = All of them	234	0.41
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	446	0.79
97 = REFUSED	38	0.07
98 = BLANK (NO ANSWER)	116	0.20
99 = LEGITIMATE SKIP	45987	81.10

How many of the students in your grade at school would you say get drunk at least once a week?

(YE16D)
YESTSDNK[1] Len : 2 HOW MANY SDNTS YOU KNOW GET DRUNK WEEKLY

	Freq	Pct
1 = None of them	4987	8.79
2 = A few of them	4039	7.12
3 = Most of them	878	1.55
4 = All of them	120	0.21
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	541	0.95
97 = REFUSED	36	0.06
98 = BLANK (NO ANSWER)	116	0.20
99 = LEGITIMATE SKIP	45987	81.10

The next questions ask about your parents. By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians who live in your household.

During the past 12 months, how often did your parents check on whether you had done your homework?

(YE06A)
YEPCHKHW[1] Len : 2 PRNTS CHECK IF YOU'VE DONE HOMEWORK PST 12 MOS

	Freq	Pct
1 = Always	4911	8.66
2 = Sometimes	3409	6.01
3 = Seldom	1209	2.13
4 = Never	964	1.70
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	49	0.09
97 = REFUSED	59	0.10
98 = BLANK (NO ANSWER)	116	0.20
99 = LEGITIMATE SKIP	45987	81.10

During the past 12 months, how often did your parents provide help with your homework when you needed it?

(YE06B)
YEPHLPHW[1] Len : 2 PRNTS HELPED YOU W/HOMEWORK PAST 12 MONTHS

	Freq	Pct
1 = Always	5723	10.09
2 = Sometimes	2438	4.30
3 = Seldom	1016	1.79
4 = Never	1306	2.30
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	50	0.09
97 = REFUSED	68	0.12
98 = BLANK (NO ANSWER)	116	0.20
99 = LEGITIMATE SKIP	45987	81.10

During the past 12 months, how often did your parents make you do chores around the house?

(YE06C)
YEPCHORE[1] Len : 2 PRNTS MADE YOU DO WORK/CHORES PAST 12 MONTHS

	Freq	Pct
1 = Always	5046	8.90
2 = Sometimes	4854	8.56
3 = Seldom	1001	1.77
4 = Never	520	0.92
85 = BAD DATA Logically assigned	26	0.05
94 = DON'T KNOW	61	0.11
97 = REFUSED	44	0.08
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, how often did your parents limit the amount of time you watched TV?

(YE06D)
YEPLMTTV[1] Len : 2 PRNTS LIMITED YOUR AMT OF TV TIME PST 12 MOS

	Freq	Pct
1 = Always	1219	2.15
2 = Sometimes	2775	4.89
3 = Seldom	2069	3.65
4 = Never	5332	9.40
85 = BAD DATA Logically assigned	26	0.05
94 = DON'T KNOW	85	0.15
97 = REFUSED	46	0.08
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, how often did your parents limit the amount of time you went out with friends on school nights?

(YE06E)
YEPLMTSN[1] Len : 2 PRNTS LIMITED YOUR TIME OUT W/FRNDS PST 12 MOS

	Freq	Pct
1 = Always	3057	5.39
2 = Sometimes	2896	5.11
3 = Seldom	1853	3.27
4 = Never	2505	4.42
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	217	0.38
97 = REFUSED	73	0.13
98 = BLANK (NO ANSWER)	116	0.20
99 = LEGITIMATE SKIP	45987	81.10

During the past 12 months, how often did your parents let you know when you'd done a good job?

(YE06F)
YEPGDJOB[1] Len : 2 PRNTS LET YOU KNOW DONE A GOOD JOB PST 12 MOS

	Freq	Pct
1 = Always	5524	9.74
2 = Sometimes	3835	6.76
3 = Seldom	1381	2.44
4 = Never	658	1.16
85 = BAD DATA Logically assigned	27	0.05
94 = DON'T KNOW	81	0.14
97 = REFUSED	46	0.08
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, how often did your parents tell you they were proud of you for something you had done?

(YE06G)
YEPPROUD[1] Len : 2 TELL YOU THEY'RE PROUD OF SOMETHING YOU'D DONE

	Freq	Pct
1 = Always	5558	9.80
2 = Sometimes	3581	6.32
3 = Seldom	1458	2.57
4 = Never	788	1.39
85 = BAD DATA Logically assigned	27	0.05
94 = DON'T KNOW	89	0.16
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, how many times have you argued or had a fight with at least one of your parents?

(YE18A)
YEYARGUP[1] Len : 2 ARGUED/HAD A FIGHT WITH AT LEAST ONE OF YOUR PRNTS

	Freq	Pct
1 = 0 times	2449	4.32
2 = 1 or 2 times	3189	5.62
3 = 3 to 5 times	2296	4.05
4 = 6 to 9 times	1206	2.13
5 = 10 or more times	2130	3.76
85 = BAD DATA Logically assigned	27	0.05
94 = DON'T KNOW	160	0.28
97 = REFUSED	95	0.17
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, how many times have you gotten into a serious fight at school or work?

(YE18B)
YEYFGTSW[1] Len : 2 GOTTEN INTO A SERIOUS FIGHT AT SCHOOL/WORK

	Freq	Pct
1 = 0 times	9432	16.63
2 = 1 or 2 times	1538	2.71
3 = 3 to 5 times	284	0.50
4 = 6 to 9 times	79	0.14
5 = 10 or more times	64	0.11
85 = BAD DATA Logically assigned	27	0.05
94 = DON'T KNOW	73	0.13
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?

(YE18C)
YEYFGTGP[1] Len : 2 TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP

	Freq	Pct
1 = 0 times	10159	17.92
2 = 1 or 2 times	960	1.69
3 = 3 to 5 times	167	0.29
4 = 6 to 9 times	64	0.11
5 = 10 or more times	47	0.08
85 = BAD DATA Logically assigned	27	0.05
94 = DON'T KNOW	75	0.13
97 = REFUSED	53	0.09
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, how many times have you carried a handgun?

(YE18D)
YEYHGUN[1] Len : 2 CARRIED A HANDGUN

	Freq	Pct
1 = 0 times	10793	19.03
2 = 1 or 2 times	397	0.70
3 = 3 to 5 times	121	0.21
4 = 6 to 9 times	50	0.09
5 = 10 or more times	59	0.10
85 = BAD DATA Logically assigned	27	0.05
94 = DON'T KNOW	56	0.10
97 = REFUSED	49	0.09
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, how many times have you sold illegal drugs?

(YE18E)
YEYSELL[1] Len : 2 SOLD ILLEGAL DRUGS

	Freq	Pct
1 = 0 times	11250	19.84
2 = 1 or 2 times	103	0.18
3 = 3 to 5 times	26	0.05
4 = 6 to 9 times	26	0.05
5 = 10 or more times	39	0.07
85 = BAD DATA Logically assigned	27	0.05
94 = DON'T KNOW	36	0.06
97 = REFUSED	45	0.08
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, how many times have you stolen or tried to steal anything worth more than $50?

(YE18F)
YEYSTOLE[1] Len : 2 STOLEN/TRIED TO STEAL ANYTHING WORTH >$50

	Freq	Pct
1 = 0 times	10931	19.28
2 = 1 or 2 times	339	0.60
3 = 3 to 5 times	78	0.14
4 = 6 to 9 times	46	0.08
5 = 10 or more times	35	0.06
85 = BAD DATA Logically assigned	27	0.05
94 = DON'T KNOW	46	0.08
97 = REFUSED	50	0.09
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?

(YE18G)
YEYATTAK[1] Len : 2 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM

	Freq	Pct
1 = 0 times	10753	18.96
2 = 1 or 2 times	521	0.92
3 = 3 to 5 times	88	0.16
4 = 6 to 9 times	38	0.07
5 = 10 or more times	27	0.05
85 = BAD DATA Logically assigned	27	0.05
94 = DON'T KNOW	47	0.08
97 = REFUSED	51	0.09
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

How do you think your parents would feel about you smoking one or more packs of cigarettes per day?

(YE07A)
YEPPKCIG[1] Len : 2 HOW PRNTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY

	Freq	Pct
1 = Neither approve nor disapprove	571	1.01
2 = Somewhat disapprove	333	0.59
3 = Strongly disapprove	10448	18.43
85 = BAD DATA Logically assigned	27	0.05
94 = DON'T KNOW	119	0.21
97 = REFUSED	54	0.10
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

How do you think your parents would feel about you trying marijuana or any cannabis product once or twice?

(YE07B)
YEPMJEVR[1] Len : 2 HOW PRNTS WLD FEEL: YOU TRYING MJ/CANNABIS

	Freq	Pct
1 = Neither Approve or Disapprove	930	1.64
2 = Somewhat Disapprove	1267	2.23
3 = Strongly Disapprove	9143	16.12
85 = BAD DATA Logically assigned	27	0.05
94 = DON'T KNOW	124	0.22
97 = REFUSED	61	0.11
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

How do you think your parents would feel about you using marijuana or any cannabis product once a month or more?

(YE07B1)
YEPMJMO[1] Len : 2 HOW PRNTS WLD FEEL: YOU USING MJ/CANNABIS MONTHLY

	Freq	Pct
1 = Neither Approve or Disapprove	827	1.46
2 = Somewhat Disapprove	1060	1.87
3 = Strongly Disapprove	9454	16.67
85 = BAD DATA Logically assigned	27	0.05
94 = DON'T KNOW	129	0.23
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?

(YE07C)
YEPALDLY[1] Len : 2 HOW PRNTS WLD FEEL: YOU DRINKING ALC DAILY

	Freq	Pct
1 = Neither Approve or Disapprove	495	0.87
2 = Somewhat Disapprove	687	1.21
3 = Strongly Disapprove	10170	17.93
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	117	0.21
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

How do you feel about someone your age smoking one or more packs of cigarettes a day?

(YE19A)
YEGPKCIG[1] Len : 2 HOW YOU FEEL S/ONE YOUR AGE SMOKG 1+ PK CIGS/DY

	Freq	Pct
1 = Neither approve nor disapprove	992	1.75
2 = Somewhat disapprove	1065	1.88
3 = Strongly disapprove	9294	16.39
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	118	0.21
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

How do you feel about someone your age trying marijuana or any cannabis product once or twice?

(YE19B)
YEGMJEVR[1] Len : 2 HOW YOU FEEL S/ONE YOUR AGE TRYING MJ/CANNABIS

	Freq	Pct
1 = Neither approve nor disapprove	2541	4.48
2 = Somewhat disapprove	1751	3.09
3 = Strongly disapprove	7064	12.46
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	115	0.20
97 = REFUSED	53	0.09
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

How do you feel about someone your age using marijuana once a month or more?

(YE19B1)
YEGMJMO[1] Len : 2 HOW YOU FEEL S/ONE YOUR AGE USING MJ/CANNABIS MONTHLY

	Freq	Pct
1 = Neither approve nor disapprove	2507	4.42
2 = Somewhat disapprove	1684	2.97
3 = Strongly disapprove	7159	12.62
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	118	0.21
97 = REFUSED	56	0.10
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

(YE19C)
YEGALDLY[1] Len : 2 HOW YOU FEEL S/ONE YOUR AGE DRINKING ALC DLY

	Freq	Pct
1 = Neither approve nor disapprove	1317	2.32
2 = Somewhat disapprove	1479	2.61
3 = Strongly disapprove	8557	15.09
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	113	0.20
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

How do you think your close friends would feel about you smoking one or more packs of cigarettes a day?

(YE20A)
YEFPKCIG[1] Len : 2 HOW YOU FEEL FRIENDS SMOKING 1+ PACK CIGS/DAY

	Freq	Pct
1 = Neither approve nor disapprove	1100	1.94
2 = Somewhat disapprove	1596	2.81
3 = Strongly disapprove	8604	15.17
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	166	0.29
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

How do you think your close friends would feel about you trying marijuana or any cannabis product once or twice?

(YE20B)
YEFMJEVR[1] Len : 2 HOW YOU FEEL FRIENDS USING MJ 1X/MO

	Freq	Pct
1 = Neither approve nor disapprove	2527	4.46
2 = Somewhat disapprove	1907	3.36
3 = Strongly disapprove	6857	12.09
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	177	0.31
97 = REFUSED	56	0.10
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

How do you think your close friends would feel about you using marijuana or any cannabis product once a month or more?

(YE20B1)
YEFMJMO[1] Len : 2 HOW YOU FEEL FRIENDS USING MJ MONTHLY

	Freq	Pct
1 = Neither approve nor disapprove	2420	4.27
2 = Somewhat disapprove	1803	3.18
3 = Strongly disapprove	7067	12.46
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	179	0.32
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

How do you think your close friends would feel about you having one or two drinks of an alcoholic beverage nearly every day?

(YE20C)
YEFALDLY[1] Len : 2 HOW YOU FEEL FRIENDS DRINKING ALC DAILY

	Freq	Pct
1 = Neither approve nor disapprove	1341	2.36
2 = Somewhat disapprove	1743	3.07
3 = Strongly disapprove	8214	14.49
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	172	0.30
97 = REFUSED	54	0.10
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

NOTE: In the variables YETLKPAR, YETLKBGF, YETLKOTA and YETLKSOP, codes of 11 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.

If you wanted to talk to someone about a serious problem, which of the following people would you turn to?

(YE221)
YETLKNON[1] Len : 2 THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS

	Freq	Pct
1 = Response entered	766	1.35
6 = Response not entered	10320	18.20
11 = Response entered (& other responses entered)	217	0.38
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	134	0.24
97 = REFUSED	87	0.15
98 = BLANK (NO ANSWER)	45	0.08
99 = LEGITIMATE SKIP	45133	79.59

(YE222)
YETLKPAR[1] Len : 2 MY MOTHER/FATHER/GUARDIAN

	Freq	Pct
1 = Response entered	7786	13.73
6 = Response not entered	3426	6.04
11 = Response entered (YETLKNON=11)	91	0.16
85 = BAD DATA Logically assigned	25	0.04
94 = DON'T KNOW	134	0.24
97 = REFUSED	87	0.15
98 = BLANK (NO ANSWER)	23	0.04
99 = LEGITIMATE SKIP	45133	79.59

(YE223)
YETLKBGF[1] Len : 2 MY BOYFRIEND/GIRLFRIEND

	Freq	Pct
1 = Response entered	2518	4.44
6 = Response not entered	8718	15.37
11 = Response entered (YETLKNON=11)	67	0.12
94 = DON'T KNOW	134	0.24
97 = REFUSED	87	0.15
98 = BLANK (NO ANSWER)	48	0.08
99 = LEGITIMATE SKIP	45133	79.59

(YE224)
YETLKOTA[1] Len : 2 SOME OTHER ADULT

	Freq	Pct
1 = Response entered	2581	4.55
6 = Response not entered	8678	15.30
11 = Response entered (YETLKNON=11)	44	0.08
94 = DON'T KNOW	134	0.24
97 = REFUSED	87	0.15
98 = BLANK (NO ANSWER)	48	0.08
99 = LEGITIMATE SKIP	45133	79.59

(YE225)
YETLKSOP[1] Len : 2 SOME OTHER PERSON

	Freq	Pct
1 = Response entered	3796	6.69
6 = Response not entered	7414	13.07
11 = Response entered (YETLKNON=11)	93	0.16
94 = DON'T KNOW	134	0.24
97 = REFUSED	87	0.15
98 = BLANK (NO ANSWER)	48	0.08
99 = LEGITIMATE SKIP	45133	79.59

Now think about the past 12 months, that is, from [DATEFILL] through today. During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians -- whether or not they live with you.

(YE08)
YEPRTDNG[1] Len : 2 HAVE YOU TALKED W/PARENT(S) ABT DANGER OF TOB/ALC

	Freq	Pct
1 = Yes	5862	10.34
2 = No	5375	9.48
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	220	0.39
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?

(YE23B)
YEPRBSLV[1] Len : 2 PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR

	Freq	Pct
1 = Yes	2081	3.67
2 = No	9071	16.00
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	317	0.56
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?

(YE23C)
YEVIOPRV[1] Len : 2 VIOLENCE PREVENTION PROGRAMS

	Freq	Pct
1 = Yes	892	1.57
2 = No	10413	18.36
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	161	0.28
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	20	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?

(YE23G)
YEDGPRGP[1] Len : 2 ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL

	Freq	Pct
1 = Yes	820	1.45
2 = No	10528	18.57
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	116	0.20
97 = REFUSED	59	0.10
98 = BLANK (NO ANSWER)	21	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months have you participated in a program or meeting to help you deal with drug or alcohol use by you or another member of your family, such as Alcoholics Anonymous, Alateen, or individual or group counseling?

(YE23J)
YESLFHLP[1] Len : 2 AA/ALATEEN/INDIVIDUAL OR GROUP COUNSELING

	Freq	Pct
1 = Yes	244	0.43
2 = No	11086	19.55
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	137	0.24
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months have you participated in pregnancy or sexually transmitted disease prevention programs?

(YE23O)
YEPRGSTD[1] Len : 2 PREGNANCY OR SEXUALLY TRANSMITTED DISEASE PGMS

	Freq	Pct
1 = Yes	411	0.72
2 = No	10947	19.31
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	105	0.19
97 = REFUSED	59	0.10
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, in how many different kinds of school-based activities, such as team sports, cheerleading, choir, band, student government, or clubs, have you participated?

(YE23P)
YESCHACT[1] Len : 2 # OF SCHOOL-BASED ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	2390	4.21
1 = One	2929	5.17
2 = Two	3083	5.44
3 = 3 or more	2961	5.22
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	107	0.19
97 = REFUSED	52	0.09
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, in how many different kinds of community-based activities, such as volunteer activities, sports, clubs, or groups have you participated?

(YE23Q)
YECOMACT[1] Len : 2 # OF COMM.-BASED ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	3452	6.09
1 = One	2999	5.29
2 = Two	2495	4.40
3 = 3 or more	2360	4.16
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	161	0.28
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, in how many different kinds of church or faith-based activities, such as clubs, youth groups, Saturday or Sunday school, prayer groups, youth trips, service or volunteer activities have you participated?

(YE23R)
YEFAIACT[1] Len : 2 # OF FAITH-BASED ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	5849	10.31
1 = One	2213	3.90
2 = Two	1328	2.34
3 = 3 or more	1889	3.33
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	180	0.32
97 = REFUSED	63	0.11
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, in how many different kinds of other activities, such as dance lessons, piano lessons, karate lessons, or horseback riding lessons, have you participated?

(YE23S)
YEOTHACT[1] Len : 2 # OF OTHER ACT. PARTIC. IN PAST 12 MONTHS

	Freq	Pct
0 = None	7363	12.98
1 = One	2089	3.68
2 = Two	986	1.74
3 = 3 or more	902	1.59
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	123	0.22
97 = REFUSED	59	0.10
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months have you had a special class about drugs or alcohol in school?

(YE24A)
YEDECLAS[1] Len : 2 A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL

	Freq	Pct
1 = Yes	3880	6.84
2 = No	6524	11.51
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	145	0.26
97 = REFUSED	49	0.09
98 = BLANK (NO ANSWER)	118	0.21
99 = LEGITIMATE SKIP	45987	81.10

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?

(YE24B)
YEDERGLR[1] Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS

	Freq	Pct
1 = Yes	5953	10.50
2 = No	4434	7.82
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	153	0.27
97 = REFUSED	58	0.10
98 = BLANK (NO ANSWER)	118	0.21
99 = LEGITIMATE SKIP	45987	81.10

During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?

(YE24C)
YEDESPCL[1] Len : 2 FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS

	Freq	Pct
1 = Yes	3302	5.82
2 = No	7052	12.44
85 = BAD DATA Logically assigned	2	0.00
94 = DON'T KNOW	189	0.33
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	118	0.21
99 = LEGITIMATE SKIP	45987	81.10

During the past 12 months have you seen or heard any alcohol or drug prevention messages from sources outside school such as posters, pamphlets, radio, or TV?

(YE25)
YEPVNTYR[1] Len : 2 SEEN/HEARD ALC/DRG PREV MESSAGES FRM SOURC OUT SC

	Freq	Pct
1 = Yes	6970	12.29
2 = No	4284	7.55
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	214	0.38
97 = REFUSED	54	0.10
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.

(YERELATT)
YERLGSVC[1] Len : 2 PAST 12 MOS, HOW MANY RELIG. SERVICES

	Freq	Pct
1 = 0 times	5464	9.64
2 = 1 to 2 times	1678	2.96
3 = 3 to 5 times	844	1.49
4 = 6 to 24 times	982	1.73
5 = 25 to 52 times	907	1.60
6 = More than 52 times	1259	2.22
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	312	0.55
97 = REFUSED	76	0.13
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.

Your religious beliefs are a very important part of your life.

(YEREBEL1)
YERLGIMP[1] Len : 2 MY RELIGIOUS BELIEFS ARE VERY IMPORTANT

	Freq	Pct
1 = Strongly Disagree	2134	3.76
2 = Disagree	2099	3.70
3 = Agree	4137	7.30
4 = Strongly Agree	2718	4.79
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	333	0.59
97 = REFUSED	101	0.18
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

Your religious beliefs influence how you make decisions in your life.

(YEREBEL2)
YERLDCSN[1] Len : 2 MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS

	Freq	Pct
1 = Strongly Disagree	2467	4.35
2 = Disagree	2589	4.57
3 = Agree	3914	6.90
4 = Strongly Agree	2145	3.78
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	307	0.54
97 = REFUSED	100	0.18
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

It is important that your friends share your religious beliefs.

(YEREBEL3)
YERLFRND[1] Len : 2 IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS

	Freq	Pct
1 = Strongly Disagree	3990	7.04
2 = Disagree	4072	7.18
3 = Agree	2175	3.84
4 = Strongly Agree	845	1.49
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	343	0.60
97 = REFUSED	97	0.17
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

Note: Beginning in 2022, questions YSUI01, YCOV9, YSUI02, YCOV10, YSUI03, YCOV11, YSUI04, and YSUI05 were moved from the youth mental health service utilization section to the youth experiences section.

The next few questions are about thoughts of suicide. You can answer “I’m not sure” or “I don’t want to answer” to any question.

At any time in the past 12 months, that is from [DATEFILL] up to and including today, did you seriously think about trying to kill yourself?

(YSUI01)
YUSUITHK[1] Len : 2 YOUTH SERIOUSLY THINK ABOUT KILLING SELF PST 12 MOS

	Freq	Pct
1 = Yes	1471	2.59
2 = No	8248	14.55
3 = I'm not sure	847	1.49
4 = I don't want to answer	774	1.36
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	70	0.12
97 = REFUSED	112	0.20
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

Was this because of the COVID-19 pandemic?

(YCOV9)
YUCOSUITHK[1] Len : 2 YOUTH SERIOUSLY THINK ABOUT KILLING SELF DUE TO COVID-19

	Freq	Pct
1 = Yes	164	0.29
2 = No	1288	2.27
85 = BAD DATA Logically assigned	3	0.01
94 = DON'T KNOW	19	0.03
98 = BLANK (NO ANSWER)	1850	3.26
99 = LEGITIMATE SKIP	53381	94.14

During the past 12 months, did you make any plans to kill yourself?

(YSUI02)
YUSUIPLN[1] Len : 2 YOUTH MAKE PLANS TO KILL YOURSELF PST 12 MOS

	Freq	Pct
1 = Yes	715	1.26
2 = No	9589	16.91
3 = I'm not sure	403	0.71
4 = I don't want to answer	654	1.15
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	60	0.11
97 = REFUSED	101	0.18
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

Was this because of the COVID-19 pandemic?

(YCOV10)
YUCOSUIPLN[1] Len : 2 YOUTH MAKE PLAN TO KILL YOURSELF DUE TO COVID-19

	Freq	Pct
1 = Yes	54	0.10
2 = No	651	1.15
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	8	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1265	2.23
99 = LEGITIMATE SKIP	54722	96.50

RECODED YOUTH EXPERIENCES

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

(YESCHFLT)
SCHFELT Len : 1 RC-HOW YTH FELT: ABOUT GOING TO SCHOOL IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	46144	81.38
1 = Liked A Lot/Kind of Liked (YESCHFLT=1,2)	7491	13.21
2 = Didn't Like Very Much/Hated (YESCHFLT=3,4)	3070	5.41

(YETCGJOB)
TCHGJOB Len : 1 RC-TEACHER LET YTH KNOW DOING GOOD JOB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	46176	81.43
1 = Always/Sometimes (YETCGJOB=1,2)	7816	13.78
2 = Seldom/Never (YETCGJOB=3,4)	2713	4.78

(YELSTGRD)
AVGGRADE Len : 1 RC-GRADE AVERAGE FOR LAST GRADING PERIOD COMPLETED

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	46854	82.63
1 = D or Lower (YELSTGRD=4)	574	1.01
2 = A, B, or C (YELSTGRD=1,2,3)	9277	16.36

(YESTSCIG)
STNDSCIG Len : 1 RC-STUDENTS IN YTH GRADE SMOKE CIGARETTES

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	46511	82.02
1 = Most/All (YESTSCIG=3,4)	1333	2.35
2 = None/Few (YESTSCIG=1,2)	8861	15.63

(YESTSMJ)
STNDSMJ Len : 1 RC-STUDENTS IN YTH GRADE USE MARIJUANA

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	46579	82.14
1 = Most/All (YESTSMJ=3,4)	2763	4.87
2 = None/Few (YESTSMJ=1,2)	7363	12.98

(YESTSALC)
STNDALC Len : 1 RC-STUDENTS IN YTH GRADE DRINK ALCOHOLIC BEVERAGES

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	46588	82.16
1 = Most/All (YESTSALC=3,4)	2687	4.74
2 = None/Few (YESTSALC=1,2)	7430	13.10

(YESTSDNK)
STNDDNK Len : 1 RC-STUDENTS IN YTH GRADE GET DRUNK ONCE/WEEK

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	46681	82.32
1 = Most/All (YESTSDNK=3,4)	998	1.76
2 = None/Few (YESTSDNK=1,2)	9026	15.92

(YEPCHKHW)
PARCHKHW Len : 1 RC-PARENTS CHECK IF HOMEWORK DONE IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	46212	81.50
1 = Always/Sometimes (YEPCHKHW=1,2)	8320	14.67
2 = Seldom/Never (YEPCHKHW=3,4)	2173	3.83

(YEPHLPHW)
PARHLPHW Len : 1 RC-PARENTS HELP WITH HOMEWORK IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	46222	81.51
1 = Always/Sometimes (YEPHLPHW=1,2)	8161	14.39
2 = Seldom/Never (YEPHLPHW=3,4)	2322	4.09

(YEPCHORE)
PRCHORE2 Len : 1 RC-PARENTS MAKE YTH DO CHORES AROUND HOUSE IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45284	79.86
1 = Always/Sometimes (YEPCHORE=1,2)	9900	17.46
2 = Seldom/Never (YEPCHORE=3,4)	1521	2.68

(YEPLMTTV)
PRLMTTV2 Len : 1 RC-PARENTS LIMIT AMOUNT OF TV IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45310	79.90
1 = Always/Sometimes (YEPLMTTV=1,2)	3994	7.04
2 = Seldom/Never (YEPLMTTV=3,4)	7401	13.05

(YEPLMTSN)
PARLMTSN Len : 1 RC-PARENTS LIMIT TIME OUT ON SCHOOL NIGHT IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	46394	81.82
1 = Always/Sometimes (YEPLMTSN=1,2)	5953	10.50
2 = Seldom/Never (YEPLMTSN=3,4)	4358	7.69

(YEPGDJOB)
PRGDJOB2 Len : 1 RC-PARENTS TELL YTH HAD DONE GOOD JOB IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45307	79.90
1 = Always/Sometimes (YEPGDJOB=1,2)	9359	16.50
2 = Seldom/Never (YEPGDJOB=3,4)	2039	3.60

(YEPPROUD)
PRPROUD2 Len : 1 RC-PARENTS TELL YTH PROUD OF THINGS DONE IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45320	79.92
1 = Always/Sometimes (YEPPROUD=1,2)	9139	16.12
2 = Seldom/Never (YEPPROUD=3,4)	2246	3.96

(YEYARGUP)
ARGUPAR Len : 1 RC-TIMES ARGUED/HAD A FIGHT WITH ONE PARENT IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45435	80.13
1 = 9 or Fewer (YEYARGUP=1,2,3,4)	9140	16.12
2 = 10 or More (YEYARGUP=5)	2130	3.76

(YEYFGTSW)
YOFIGHT2 Len : 1 RC-YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45308	79.90
1 = One or More Times (YEYFGTSW=2,3,4,5)	1965	3.47
2 = None (YEYFGTSW=1)	9432	16.63

(YEYFGTGP)
YOGRPFT2 Len : 1 RC-YOUTH FOUGHT WITH GROUP VS OTHER GROUP

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45308	79.90
1 = One or More Times (YEYFGTGP=2,3,4,5)	1238	2.18
2 = None (YEYFGTGP=1)	10159	17.92

(YEYHGUN)
YOHGUN2 Len : 1 RC-YOUTH CARRIED A HANDGUN

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45285	79.86
1 = One or More Times (YEYHGUN=2,3,4,5)	627	1.11
2 = None (YEYHGUN=1)	10793	19.03

(YEYSELL)
YOSELL2 Len : 1 RC-YOUTH SOLD ILLEGAL DRUGS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45261	79.82
1 = One or More Times (YEYSELL=2,3,4,5)	194	0.34
2 = None (YEYSELL=1)	11250	19.84

(YEYSTOLE)
YOSTOLE2 Len : 1 RC-YOUTH STOLE/TRIED TO STEAL ITEM >$50

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45276	79.84
1 = One or More Times (YEYSTOLE=2,3,4,5)	498	0.88
2 = None (YEYSTOLE=1)	10931	19.28

(YEYATTAK)
YOATTAK2 Len : 1 RC-YOUTH ATTACKED WITH INTENT TO SERIOUSLY HARM

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45278	79.85
1 = One or More Times (YEYATTAK=2,3,4,5)	674	1.19
2 = None (YEYATTAK=1)	10753	18.96

(YEPPKCIG)
PRPKCIG2 Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH SMOKE PACK CIG/DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45353	79.98
1 = Strongly Disapprove (YEPPKCIG=3)	10448	18.43
2 = Somewhat Disapprove or Neither (YEPPKCIG=1,2)	904	1.59

(YEPMJEVR)
PRMJEVR2 Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH TRY MARIJUANA

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45365	80.00
1 = Strongly Disapprove (YEPMJEVR=3)	9143	16.12
2 = Somewhat Disapprove or Neither (YEPMJEVR=1,2)	2197	3.87

(YEPMJMO)
PRMJMO Len : 1 RC-YTH THINK: PARENTS FEEL ABT YTH USE MARIJUANA MNTHLY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45364	80.00
1 = Strongly Disapprove (YEPMJMO=3)	9454	16.67
2 = Somewhat Disapprove or Neither (YEPMJMO=1,2)	1887	3.33

(YEPALDLY)
PRALDLY2 Len : 1 RC-YTH THINK: PARNTS FEEL ABT YTH DRK 1-2 ALC BEV/DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45353	79.98
1 = Strongly Disapprove (YEPALDLY=3)	10170	17.93
2 = Somewhat Disapprove or Neither (YEPALDLY=1,2)	1182	2.08

(YEGPKCIG)
YFLPKCG2 Len : 1 RC-HOW YTH FEELS: PEERS SMOKE PACK/DAY CIG

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45354	79.98
1 = Strongly/Somewhat Disapprove (YEGPKCIG=2,3)	10359	18.27
2 = Neither Approve Nor Disapprove (YEGPKCIG=1)	992	1.75

(YEGMJEVR)
YFLTMRJ2 Len : 1 RC-HOW YTH FEELS: PEERS TRY MARIJUANA

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45349	79.97
1 = Strongly/Somewhat Disapprove (YEGMJEVR=2,3)	8815	15.55
2 = Neither Approve Nor Disapprove (YEGMJEVR=1)	2541	4.48

(YEGMJMO)
YFLMJMO Len : 1 RC-HOW YTH FEELS: PEERS USING MARIJUANA MONTHLY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45355	79.98
1 = Strongly/Somewhat Disapprove (YEGMJMO=2,3)	8843	15.59
2 = Neither Approve Nor Disapprove (YEGMJMO=1)	2507	4.42

(YEGALDLY)
YFLADLY2 Len : 1 RC-HOW YTH FEELS: PEERS DRNK 1-2 ALC BEV/DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45352	79.98
1 = Strongly/Somewhat Disapprove (YEGALDLY=2,3)	10036	17.70
2 = Neither Approve Nor Disapprove (YEGALDLY=1)	1317	2.32

(YEFPKCIG)
FRDPCIG2 Len : 1 RC-YTH THINK: CLSE FRND FEEL ABT YTH SMK 1+ PAC DAILY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45405	80.07
1 = Strongly/Somewhat Disapprove (YEFPKCIG=2,3)	10200	17.99
2 = Neither Approve Nor Disapprove (YEFPKCIG=1)	1100	1.94

(YEFMJEVR)
FRDMEVR2 Len : 1 RC-YTH THINK: CLOSE FRNDS FEEL ABT YTH TRY MARIJUANA

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45414	80.09
1 = Strongly/Somewhat Disapprove (YEFMJEVR=2,3)	8764	15.46
2 = Neither Approve Nor Disapprove (YEFMJEVR=1)	2527	4.46

(YEFMJMO)
FRDMJMON Len : 1 RC-YTH THINK: CLSE FRNDS FEEL ABT YTH USE MARIJUANA MON

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45415	80.09
1 = Strongly/Somewhat Disapprove (YEFMJMO=2,3)	8870	15.64
2 = Neither Approve Nor Disapprove (YEFMJMO=1)	2420	4.27

(YEFALDLY)
FRDADLY2 Len : 1 RC-YTH THINK: CLSE FRND FEEL ABT YTH HAVE 1-2 ALC/DAY

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45407	80.08
1 = Strongly/Somewhat Disapprove (YEFALDLY=2,3)	9957	17.56
2 = Neither Approve Nor Disapprove (YEFALDLY=1)	1341	2.36

The following variable, TALKPROB, was created from the variables containing information on who youths would talk with about serious problems: No one (YETLKNON), parent/guardian (YETLKPAR), boyfriend/girlfriend (YETLKBGF), other adults (YETLKOTA), or some other person (YETLKSOP). Youths who did not report a positive response to at least one of the source variables (no source variables=1), or youths who reported both being able to talk with no one (YETLKNON=11) and being able to talk to someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=11), or respondents over the age of 17 (all source variables=99) were coded as system missing.

(YETLKBGF, YETLKNON, YETLKOTA, YETLKPAR, YETLKSOP)
TALKPROB Len : 1 RC-WHO YTH TALKS WITH ABOUT SERIOUS PROBLEMS

	Freq	Pct
. = Otherwise (See comment above)	45619	80.45
1 = No One (YETLKNON=1)	766	1.35
2 = Someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=1)	10320	18.20

(YEPRTDNG)
PRTALK3 Len : 1 RC-TALKED WITH PARENT ABOUT DANGER TOB/ALC/DRG

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45468	80.18
1 = Yes (YEPRTDNG=1)	5862	10.34
2 = No (YEPRTDNG=2)	5375	9.48

(YEPRBSLV)
PRBSOLV2 Len : 1 RC-PARTICIPATED IN PRBSLV/COMMSKILL/SELFESTEEM GROUP

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45553	80.33
1 = Yes (YEPRBSLV=1)	2081	3.67
2 = No (YEPRBSLV=2)	9071	16.00

(YEVIOPRV)
PREVIOL2 Len : 1 RC-PARTICIPATED IN VIOLENCE PREVENTION PROGRAM

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45400	80.06
1 = Yes (YEVIOPRV=1)	892	1.57
2 = No (YEVIOPRV=2)	10413	18.36

(YEDGPRGP)
PRVDRGO2 Len : 1 RC-PARTICIPATED IN SUBSTANCE PREV PROGRAM OUTSIDE SCHOOL

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45357	79.99
1 = Yes (YEDGPRGP=1)	820	1.45
2 = No (YEDGPRGP=2)	10528	18.57

(YESLFHLP)
GRPCNSL2 Len : 1 RC-PARTICIPATED IN PROGRAM TO HELP SUBSTANCE USE

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45375	80.02
1 = Yes (YESLFHLP=1)	244	0.43
2 = No (YESLFHLP=2)	11086	19.55

(YEPRGSTD)
PREGPGM2 Len : 1 RC-PARTICIPATED IN PREG/STD PREVENTION PROGRAM

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45347	79.97
1 = Yes (YEPRGSTD=1)	411	0.72
2 = No (YEPRGSTD=2)	10947	19.31

The following variable, YTHACT2, was created by counting the number of positive responses reported over the following four youth activity questions: School-based (YESCHACT), community-based (YECOMACT), church or faith-based (YEFAIACT), or other activities (YEOTHACT). Youth respondents who reported participation in two or more activities were included in the "Two or more activities" category regardless of how many other activity questions were answered. Youth respondents who did not answer two or more of the four youth activity questions with a "yes" or "no" response were coded as system missing. To be included in the "None or one activity" category, a youth respondent must have answered two or more of the activity questions and reported they participated in either zero or one activity.

(YECOMACT, YEFAIACT, YEOTHACT, YESCHACT)
YTHACT2 Len : 1 RC-YTH PARTICIPATED IN YOUTH ACTIVITIES

	Freq	Pct
. = Otherwise/Aged 18+ (See comment above)	45317	79.92
1 = None or one activity (See comment above)	2281	4.02
2 = Two or more activities (See comment above)	9107	16.06

(YEPVNTYR)
DRPRVME3 Len : 1 RC-YTH SEEN ALC OR DRUG PREVENTION MESSAGE OUTSIDE SCHOOL

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45451	80.15
1 = Yes (YEPVNTYR=1)	6970	12.29
2 = No (YEPVNTYR=2)	4284	7.55

(YEDECLAS, YEDERGLR, YEDESPCL)

ANYEDUC3 Len : 1 RC-YTH HAD ANY DRUG OR ALCOHOL EDUCATION IN SCHOOL

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	46299	81.65
1 = Yes (YEDECLAS=1 or YEDERGLR=1 or YEDESPCL=1)	6963	12.28
2 = No (YEDECLAS=2 & YEDERGLR=2 & YEDESPCL=2)	3443	6.07

(YERLGSVC)

RLGATTD Len : 1 RC-NUMBER TIMES ATTEND RELIGIOUS SERVICES IN PST YR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45571	80.37
1 = 25 or More (YERLGSVC=5,6)	2166	3.82
2 = Less than 25 (YERLGSVC=1,2,3,4)	8968	15.82

(YERLGIMP)

RLGIMPT Len : 1 RC-RELIGIOUS BELIEFS VERY IMPORTANT IN LIFE

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45617	80.45
1 = Agree/Strongly Agree (YERLGIMP=3,4)	6855	12.09
2 = Strongly Disagree/Disagree (YERLGIMP=1,2)	4233	7.46

(YERLDCSN)

RLGDCSN Len : 1 RC-RELIGIOUS BELIEFS INFLUENCE LIFE DECISIONS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45590	80.40
1 = Agree/Strongly Agree (YERLDCSN=3,4)	6059	10.69
2 = Strongly Disagree/Disagree (YERLDCSN=1,2)	5056	8.92

(YERLFRND)

RLGFRND Len : 1 RC-IMPORTANT FOR FRIENDS TO SHARE RELIGIOUS BELIEFS

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45623	80.46
1 = Agree/Strongly Agree (YERLFRND=3,4)	3020	5.33
2 = Strongly Disagree/Disagree (YERLFRND=1,2)	8062	14.22

NOTE: The following four variables present youth suicide information based on responses to the youth suicidal ideation screen.

(YUSUITHK)

YUSUITHKYR Len : 1 RC-YOUTH SERIOUSLY THOUGHT ABOUT KILLING SELF PAST YEAR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45183	79.68
1 = Yes (YUSUITHK=1)	1471	2.59
2 = No (YUSUITHK=2)	8248	14.55
3 = I'm not sure/Don't know (YUSUITHK=3,94)	917	1.62
4 = I don't want to answer/Refused (YUSUITHK=4,97)	886	1.56

(YUCOSUITHK)

YUCOSUITHK2 Len : 1 RC-YTH SERIOUSLY THOUGHT ABOUT KILLING SELF DUE COVID PY

	Freq	Pct
. = Unknown/Aged 18+/No Suicide Thoughts (Otherwise)	55253	97.44
0 = No (YUCOSUITHK=2)	1288	2.27
1 = Yes (YUCOSUITHK=1)	164	0.29

(YUSUIPLN)

YUSUIPLNYR Len : 1 RC-YOUTH MADE PLANS TO KILL SELF IN PAST YEAR

	Freq	Pct
. = Unknown/Aged 18+ (Otherwise)	45183	79.68
1 = Yes (YUSUIPLN=1)	715	1.26
2 = No (YUSUIPLN=2)	9589	16.91
3 = I'm not sure/Don't know (YUSUIPLN=3,94)	463	0.82
4 = I don't want to answer/Refused (YUSUIPLN=4,97)	755	1.33

(YUCOSUIPLN)

YUCOSUIPLN2 Len : 1 RC-YTH MADE PLANS TO KILL SELF DUE TO COVID-19 PAST YEAR

	Freq	Pct
. = Unknown/Aged 18+/No Suicide Plans (Otherwise)	56000	98.76
0 = No (YUCOSUIPLN=2)	651	1.15
1 = Yes (YUCOSUIPLN=1)	54	0.10

MENTAL HEALTH

ADULT MENTAL HEALTH

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

These questions ask how you have been feeling during the past 30 days.

During the past 30 days, how often did you feel nervous?

(NERVE30)
DSTNRV30[1] Len : 2 HOW OFTEN FELT NERVOUS PAST 30 DAYS

	Freq	Pct
1 = All of the time	1828	3.22
2 = Most of the time	3468	6.12
3 = Some of the time	10507	18.53
4 = A little of the time	13876	24.47
5 = None of the time	14394	25.38
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	114	0.20
97 = REFUSED	146	0.26
98 = BLANK (NO ANSWER)	790	1.39
99 = LEGITIMATE SKIP	11572	20.41

During the past 30 days, how often did you feel hopeless?

(HOPE30)
DSTHOP30[1] Len : 2 HOW OFTEN FELT HOPELESS PAST 30 DAYS

	Freq	Pct
1 = All of the time	1072	1.89
2 = Most of the time	1807	3.19
3 = Some of the time	5118	9.03
4 = A little of the time	8813	15.54
5 = None of the time	27243	48.04
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	111	0.20
97 = REFUSED	168	0.30
98 = BLANK (NO ANSWER)	791	1.39
99 = LEGITIMATE SKIP	11572	20.41

During the past 30 days, how often did you feel restless or fidgety?

(FIDG30)
DSTRST30[1] Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY PST 30 DYS

	Freq	Pct
1 = All of the time	1743	3.07
2 = Most of the time	3123	5.51
3 = Some of the time	7984	14.08
4 = A little of the time	11180	19.72
5 = None of the time	20026	35.32
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	127	0.22
97 = REFUSED	147	0.26
98 = BLANK (NO ANSWER)	793	1.40
99 = LEGITIMATE SKIP	11572	20.41

During the past 30 days, how often did you feel so sad or depressed that nothing could cheer you up?

(NOCHR30)
DSTCHR30[1] Len : 2 HOW OFTEN FELT SAD NOTHING COULD CHEER YOU UP

	Freq	Pct
1 = All of the time	992	1.75
2 = Most of the time	1823	3.21
3 = Some of the time	5019	8.85
4 = A little of the time	8842	15.59
5 = None of the time	27397	48.31
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	92	0.16
97 = REFUSED	158	0.28
98 = BLANK (NO ANSWER)	800	1.41
99 = LEGITIMATE SKIP	11572	20.41

During the past 30 days, how often did you feel that everything was an effort?

(EFFORT30)
DSTEFF30[1] Len : 2 HOW OFT FELT EVERYTHING EFFORT PST 30 DYS

	Freq	Pct
1 = All of the time	2433	4.29
2 = Most of the time	3657	6.45
3 = Some of the time	7278	12.83
4 = A little of the time	10928	19.27
5 = None of the time	19665	34.68
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	192	0.34
97 = REFUSED	169	0.30
98 = BLANK (NO ANSWER)	801	1.41
99 = LEGITIMATE SKIP	11572	20.41

During the past 30 days, how often did you feel down on yourself, no good or worthless?

(DOWN30)
DSTNGD30[1] Len : 2 HOW OFT FELT DOWN/WTHLSS/NO GOOD PST 30 DYS

	Freq	Pct
1 = All of the time	1340	2.36
2 = Most of the time	2272	4.01
3 = Some of the time	5200	9.17
4 = A little of the time	8905	15.70
5 = None of the time	26323	46.42
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	107	0.19
97 = REFUSED	173	0.31
98 = BLANK (NO ANSWER)	803	1.42
99 = LEGITIMATE SKIP	11572	20.41

The last questions asked about how you have been feeling during the past 30 days. Now think about the past 12 months. Was there a month in the past 12 months when you felt more depressed, anxious, or emotionally stressed than you felt during the past 30 days?

(WORST30)
DSTWORST[1] Len : 2 MON IN PST 12 MOS FELT WORSE THAN PST 30 DYS

	Freq	Pct
1 = Yes	15094	26.62
2 = No	28874	50.92
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	175	0.31
97 = REFUSED	171	0.30
98 = BLANK (NO ANSWER)	809	1.43
99 = LEGITIMATE SKIP	11572	20.41

Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed.

During that month, how often did you feel nervous?

(DSNERV1)

DSTNRV12[1] Len : 2 HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS

	Freq	Pct
1 = All of the time	2455	4.33
2 = Most of the time	4319	7.62
3 = Some of the time	4901	8.64
4 = A little of the time	2689	4.74
5 = None of the time	711	1.25
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	16	0.03
97 = REFUSED	173	0.31
98 = BLANK (NO ANSWER)	986	1.74
99 = LEGITIMATE SKIP	40446	71.33

During that same month when you were at your worst emotionally...

how often did you feel hopeless?

(DSHOPE)

DSTHOP12[1] Len : 2 HOW OFTEN FELT HOPELESS IN WORST MONTH

	Freq	Pct
1 = All of the time	2073	3.66
2 = Most of the time	3149	5.55
3 = Some of the time	3949	6.96
4 = A little of the time	3028	5.34
5 = None of the time	2880	5.08
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	8	0.01
97 = REFUSED	177	0.31
98 = BLANK (NO ANSWER)	986	1.74
99 = LEGITIMATE SKIP	40446	71.33

During that same month when you were at your worst emotionally...

how often did you feel restless or fidgety?

(DSFIDG)

DSTRST12[1] Len : 2 HOW OFTEN FELT RESTLESS IN WORST MONTH

	Freq	Pct
1 = All of the time	1980	3.49
2 = Most of the time	2957	5.21
3 = Some of the time	4285	7.56
4 = A little of the time	3530	6.23
5 = None of the time	2319	4.09
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	15	0.03
97 = REFUSED	176	0.31
98 = BLANK (NO ANSWER)	988	1.74
99 = LEGITIMATE SKIP	40446	71.33

During that same month when you were at your worst emotionally...

how often did you feel so sad or depressed that nothing could cheer you up?

(DSNOCHR)
DSTCHR12[1] Len : 2 HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH

	Freq	Pct
1 = All of the time	2069	3.65
2 = Most of the time	3059	5.39
3 = Some of the time	3820	6.74
4 = A little of the time	3246	5.72
5 = None of the time	2882	5.08
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	8	0.01
97 = REFUSED	177	0.31
98 = BLANK (NO ANSWER)	989	1.74
99 = LEGITIMATE SKIP	40446	71.33

During that same month when you were at your worst emotionally...

how often did you feel that everything was an effort?

(DSEFFORT)
DSTEFF12[1] Len : 2 HOW OFT FELT EVERYTHING AN EFFORT IN WORST MON

	Freq	Pct
1 = All of the time	3001	5.29
2 = Most of the time	3542	6.25
3 = Some of the time	3818	6.73
4 = A little of the time	3021	5.33
5 = None of the time	1682	2.97
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	20	0.04
97 = REFUSED	176	0.31
98 = BLANK (NO ANSWER)	990	1.75
99 = LEGITIMATE SKIP	40446	71.33

During that same month when you were at your worst emotionally...

how often did you feel down on yourself, no good, or worthless?

(DSDOWN)
DSTNGD12[1] Len : 2 HOW OFTEN FELT NO GOOD IN WORST MONTH

	Freq	Pct
1 = All of the time	2298	4.05
2 = Most of the time	2925	5.16
3 = Some of the time	3474	6.13
4 = A little of the time	3066	5.41
5 = None of the time	3311	5.84
85 = BAD DATA Logically assigned	9	0.02
94 = DON'T KNOW	7	0.01
97 = REFUSED	179	0.32
98 = BLANK (NO ANSWER)	990	1.75
99 = LEGITIMATE SKIP	40446	71.33

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have remembering to do things you needed to do?

(LIREMEM)
IMPREMEM[1] Len : 2 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS

	Freq	Pct
1 = No difficulty	15472	27.29
2 = Mild difficulty	11563	20.39
3 = Moderate difficulty	5513	9.72
4 = Severe difficulty	1893	3.34
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	93	0.16
97 = REFUSED	47	0.08
98 = BLANK (NO ANSWER)	50	0.09
99 = LEGITIMATE SKIP	22063	38.91

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have concentrating on doing something important when other things were going on around you?

(LICONCEN)
IMPCONCN[1] Len : 2 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS

	Freq	Pct
1 = No difficulty	13360	23.56
2 = Mild difficulty	12042	21.24
3 = Moderate difficulty	6432	11.34
4 = Severe difficulty	2609	4.60
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	76	0.13
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	57	0.10
99 = LEGITIMATE SKIP	22063	38.91

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have going out of the house and getting around on your own?

(LIGOOUT1)
IMPGOUT[1] Len : 2 DIFFICULTY GOING OUT ONE MO IN PST 12 MO

	Freq	Pct
1 = No difficulty	20125	35.49
2 = Mild difficulty	6792	11.98
3 = Moderate difficulty	4369	7.70
4 = Severe difficulty	2008	3.54
5 = You didn't leave the house on your own	1145	2.02
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	67	0.12
97 = REFUSED	65	0.11
98 = BLANK (NO ANSWER)	60	0.11
99 = LEGITIMATE SKIP	22063	38.91

Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?

(LIGOOUT2)
IMPGOUTM[1] Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE

	Freq	Pct
1 = Yes	761	1.34
2 = No	378	0.67
94 = DON'T KNOW	4	0.01
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	138	0.24
99 = LEGITIMATE SKIP	55357	97.62

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have dealing with people you did not know well?

(LISTRAN1)
IMPPEOP[1] Len : 2 DIFFICULTY DEALING W STRANGERS ONE MO IN PST 12 M

	Freq	Pct
1 = No difficulty	17153	30.25
2 = Mild difficulty	8480	14.95
3 = Moderate difficulty	4957	8.74
4 = Severe difficulty	2402	4.24
5 = You didn't deal with people you did not know well	1424	2.51
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	83	0.15
97 = REFUSED	66	0.12
98 = BLANK (NO ANSWER)	66	0.12
99 = LEGITIMATE SKIP	22063	38.91

Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?

(LISTRAN2)
IMPPEOPM[1] Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM DEALING W STRAGR

	Freq	Pct
1 = Yes	714	1.26
2 = No	700	1.23
94 = DON'T KNOW	8	0.01
97 = REFUSED	68	0.12
98 = BLANK (NO ANSWER)	160	0.28
99 = LEGITIMATE SKIP	55055	97.09

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have participating in social activities, like visiting friends or going to parties?

(LISOC1)
IMPSOC[1] Len : 2 DIFFICULTY PARTICIPATE IN SOCIAL ACT 1 MO /12 MO

	Freq	Pct
1 = No difficulty	16281	28.71
2 = Mild difficulty	8098	14.28
3 = Moderate difficulty	5115	9.02
4 = Severe difficulty	2814	4.96
5 = You didn't participate in social activities	2116	3.73
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	74	0.13
97 = REFUSED	66	0.12
98 = BLANK (NO ANSWER)	67	0.12
99 = LEGITIMATE SKIP	22063	38.91

Did problems with your emotions, nerves, or mental health keep you from participating in social activities?

(LISOC2)
IMPSOCM[1] Len : 2 EMOTIONAL PROBS KEEP YOU FROM PART IN SOCIAL

	Freq	Pct
1 = Yes	1253	2.21
2 = No	856	1.51
94 = DON'T KNOW	5	0.01
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	153	0.27
99 = LEGITIMATE SKIP	54371	95.88

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of household responsibilities?

(LIHHRES1)
IMPHHLD[1] Len : 2 DIFFICULTY HOUSE RESPONS ONE MO IN PST 12 MO

	Freq	Pct
1 = No difficulty	16234	28.63
2 = Mild difficulty	9003	15.88
3 = Moderate difficulty	5542	9.77
4 = Severe difficulty	3089	5.45
5 = You didn't take care of household responsibilities	564	0.99
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	63	0.11
97 = REFUSED	67	0.12
98 = BLANK (NO ANSWER)	69	0.12
99 = LEGITIMATE SKIP	22063	38.91

Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?

(LIHHRES2)
IMPHHLDM[1] Len : 2 EMOTIONL PROBS MAKE KEEP YOU FRM TAKING CARE HOUS

	Freq	Pct
1 = Yes	401	0.71
2 = No	162	0.29
97 = REFUSED	68	0.12
98 = BLANK (NO ANSWER)	143	0.25
99 = LEGITIMATE SKIP	55931	98.64

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have taking care of your daily responsibilities at work or school?

(LIWKRES1)
IMPRESP[1] Len : 2 DIFFICULTY WORK RESPONS ONE MO IN PST 12 MO

	Freq	Pct
1 = No difficulty	17303	30.51
2 = Mild difficulty	8358	14.74
3 = Moderate difficulty	4386	7.73
4 = Severe difficulty	2144	3.78
5 = You didn't work or go to school	2213	3.90
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	75	0.13
97 = REFUSED	81	0.14
98 = BLANK (NO ANSWER)	71	0.13
99 = LEGITIMATE SKIP	22063	38.91

Did problems with your emotions, nerves, or mental health keep you from working or going to school?

(LIWKRES2)
IMPRESPM[1] Len : 2 DID EMOTIONAL PROBS KEEP YOU FROM WORK/SCHOOL

	Freq	Pct
1 = Yes	522	0.92
2 = No	1668	2.94
94 = DON'T KNOW	11	0.02
97 = REFUSED	93	0.16
98 = BLANK (NO ANSWER)	157	0.28
99 = LEGITIMATE SKIP	54254	95.68

During that one month when your emotions, nerves or mental health interfered most with your daily activities...

how much difficulty did you have getting your daily work done as quickly as needed?

(LIWKQUIC)
IMPWORK[1] Len : 2 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MO

	Freq	Pct
1 = No difficulty	15654	27.61
2 = Mild difficulty	9882	17.43
3 = Moderate difficulty	4732	8.34
4 = Severe difficulty	1942	3.42
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	63	0.11
97 = REFUSED	69	0.12
98 = BLANK (NO ANSWER)	76	0.13
99 = LEGITIMATE SKIP	24276	42.81

You mentioned having difficulty with or being unable to do such things as [FILL].

During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.

(IMWEEK1)
IMPWEEKS[1] Len : 2 NUM WEEKS HAVE DIFFICULTIES BECAUSE OF MENTL HLTH

	Freq	Pct
RANGE = 1 - 52	25548	45.05
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	668	1.18
97 = REFUSED	166	0.29
98 = BLANK (NO ANSWER)	194	0.34
99 = LEGITIMATE SKIP	30128	53.13

During that/those [IMWEEK1FILL] week/weeks did you have these kinds of difficulties every day, most days, or only one or two days a week?

(IMDAYS)
IMPDYFRQ[1] Len : 2 HOW MANY DAYS IN WEEK DID YOU HAVE DIFFICULTIES

	Freq	Pct
1 = Every day	1784	3.15
2 = Most days	9282	16.37
3 = Only one or two days a week	14412	25.42
85 = BAD DATA Logically assigned	1	0.00
94 = DON'T KNOW	59	0.10
97 = REFUSED	176	0.31
98 = BLANK (NO ANSWER)	863	1.52
99 = LEGITIMATE SKIP	30128	53.13

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your emotions, nerves or mental health?

You can use any number between 0 and 365 to answer.

(LIAD68)
IMPYDAYS[1] Len : 3 HOW MANY DAY IN PAST YR YOU WERE UNABLE TO WORK

	Freq	Pct
RANGE = 0 - 365	25839	45.57
985 = BAD DATA Logically assigned	1	0.00
994 = DON'T KNOW	408	0.72
997 = REFUSED	132	0.23
998 = BLANK (NO ANSWER)	197	0.35
999 = LEGITIMATE SKIP	30128	53.13

The next few questions are about thoughts of suicide. At any time in the past 12 months, that is from [DATEFILL] up to and including today, did you seriously think about trying to kill yourself?

(SUI01)
SUICTHNK[1] Len : 2 SERIOUSLY THINK ABOUT KILLING SELF PST 12 MOS

	Freq	Pct
1 = Yes	3162	5.58
2 = No	40756	71.87
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	95	0.17
97 = REFUSED	223	0.39
98 = BLANK (NO ANSWER)	886	1.56
99 = LEGITIMATE SKIP	11572	20.41

Was this because of the COVID-19 pandemic?

(COV9)
COSUITHNK Len : 2 ADULT THINK ABOUT KILLING YOURSELF DUE TO COVID-19

	Freq	Pct
1 = Yes	337	0.59
2 = No	2808	4.95
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	14	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1205	2.13
99 = LEGITIMATE SKIP	52328	92.28

During the past 12 months, did you make any plans to kill yourself?

(SUI02)
SUIPLANYR[1] Len : 2 ADULT MAKE PLANS TO KILL SELF PST 12 MOS

	Freq	Pct
1 = Yes	1030	1.82
2 = No	42959	75.76
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	64	0.11
97 = REFUSED	181	0.32
98 = BLANK (NO ANSWER)	888	1.57
99 = LEGITIMATE SKIP	11572	20.41

Was this because of the COVID-19 pandemic?

(COV10)
COSUIPLNYR Len : 2 ADULT MAKE PLAN TO KILL YOURSELF DUE TO COVID-19

	Freq	Pct
1 = Yes	101	0.18
2 = No	923	1.63
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	5	0.01
98 = BLANK (NO ANSWER)	1135	2.00
99 = LEGITIMATE SKIP	54531	96.17

NOTE: The following variable, KSSLR6MONED, is a score with values ranging from 0 to 24 indicating the level of psychological distress over the past 30 days (past month). This variable is based on data collected from a series of six questions known as the K6, asking adult respondents how frequently they experienced symptoms of psychological distress during the past 30 days. These questions include the following symptoms of distress: feeling nervous (DSTNRV30), feeling hopeless (DSTHOP30), feeling restless or fidgety (DSTRST30), feeling so sad or depressed that nothing could cheer you up (DSTCHR30), feeling that everything was an effort (DSTEFF30), and feeling down on yourself, no good, or worthless (DSTNGD30). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6MONED. Specific details about this variable are provided in the Recoded Mental Health Appendix.

(DSTCHR30, DSTEFF30, DSTHOP30, DSTNGD30, DSTNRV30, DSTRST30)
KSSLR6MONED Len : 2 K6 TOTAL SCORE IN PAST MONTH

	Freq	Pct
RANGE = 0 - 24	43818	77.27
. = Aged 12-17 or missing	12887	22.73

NOTE: The following variable, KSSLR6YRED, is a score with values ranging from 0 to 24 indicating the level of psychological distress during the worst month of the past year, that was not the past 30 days. This variable is only defined for respondents who reported that there was a month in the past 12 months when he/she was more depressed, anxious, or emotionally stressed than during the past 30 days (DSTWORST=1). This score variable is based on a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during their worst month in the past year (only if the worst month was not the past 30 days). These questions are from the K6 and include the following symptoms of distress: feeling nervous (DSTNRV12), feeling hopeless (DSTHOP12), feeling restless or fidgety (DSTRST12), feeling so sad or depressed that nothing could cheer them up (DSTCHR12), feeling that everything was an effort (DSTEFF12), and feeling down on themselves, no good, or worthless (DSTNGD12). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6YRED. For respondents who indicated that they did not have a month in the past year worse than the past 30 days, KSSLR6YRED was set to missing. Specific details about this variable are provided in the Recoded Mental Health Appendix.

(DSTCHR12, DSTEFF12, DSTHOP12, DSTNGD12, DSTNRV12, DSTRST12, DSTWORST)

KSSLR6YRED Len : 2 K6 TOTAL SCORE IN PAST YEAR

	Freq	Pct
RANGE = 0 - 24	15024	26.50
. = Aged 12-17, missing, or DSTWORST in (2,85,94,97,98)	41681	73.50

NOTE: The following two variables, WHODASSCED and WHODASDAED, are score variables that indicate the level of impairment for respondents. These variables are based on data collected from a series of thirteen questions asking respondents how much difficulty they experienced in doing eight daily activities in the one month in the past year when they were at their worst emotionally. These questions, drawn from the World Health Organization Disability Assessment Schedule (WHODAS), comprise an abbreviated scale which is used to capture information on impairment (see the Recoded Mental Health Appendix for more information). Respondents who had indicated during the administration of any of the K6 items that they had experienced at least one of the K6 symptoms (defined in the note above variables KSSLR6MONED and KSSLR6YRED) at least "a little of the time" (i.e., KSSLR6MONED greater than 0 or KSSLR6YRED greater than 0) were asked about remembering to do things they needed to do (IMPREMEM), concentrating on doing something important when other things were going on around them (IMPCONCN), going out of the house and getting around on their own (IMPGOUT, IMPGOUTM), dealing with people they did not know well (IMPPEOP, IMPPEOPM), participating in social activities (IMPSOC, IMPSOCM), taking care of household responsibilities (IMPHHLD, IMPHHLDM), taking care of daily responsibilities at work or school (IMPRESP, IMPRESPM), and getting daily work done as quickly as needed (IMPWORK, IMPRESPM). Respondents who reported that they did not engage in an activity were asked a follow-up question to determine if they did not do so because of emotions, nerves, or mental health.

For the WHODAS total score, WHODASSCED, a value of 3 was assigned for each of the daily activities that a respondent indicated having "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. A value of 2 was assigned for each of the daily activities that a respondent indicated having "moderate" difficulty performing, and a value of 1 was assigned for "mild" difficulty. For activities that had a follow-up question, a response of "yes" was assigned a value of 3 as having "severe difficulty." A value of 0 was assigned for all other non-missing responses for each activity. These assigned values were summed to calculate a total score for WHODASSCED which ranges from 0 to 24. WHODASSCED was set equal to 0 for respondents with KSSLR6MAX=0.

For the alternative WHODAS total score, WHODASDAED, a value of 1 was assigned for each of the daily activities that a respondent indicated having "moderate" or "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. For activities that had a follow-up question, a response of "yes" was assigned a value of a 1 as having "moderate or severe difficulty." A value of 0 was assigned for all other non-missing responses for each activity. These assigned values were summed to calculate a total score for WHODASDAED which ranges from 0 to 8. WHODASDAED was set equal to 0 for respondents with KSSLR6MAX=0.

Specific details about these variables are provided in the Recoded Mental Health Appendix.

(IMPCONCN, IMPGOUT, IMPGOUTM, IMPHHLD, IMPHHLDM, IMPPEOP, IMPPEOPM, IMPREMEM, IMPRESP, IMPRESPM, IMPSOC, IMPSOCM, IMPWORK, KSSLR6MAX)

WHODASSCED Len : 2 WHODAS TOTAL SCORE

	Freq	Pct
RANGE = 0 - 24	43857	77.34
. = Aged 12-17 or missing	12848	22.66

(IMPCONCN, IMPGOUT, IMPGOUTM, IMPHHLD, IMPHHLDM, IMPPEOP, IMPPEOPM, IMPREMEM, IMPRESP, IMPRESPM, IMPSOC, IMPSOCM, IMPWORK, KSSLR6MAX)

WHODASDAED Len : 2 ALTERNATIVE WHODAS SCORE

	Freq	Pct
RANGE = 0 - 8	43857	77.34
. = Aged 12-17 or missing	12848	22.66

IMPUTED ADULT MENTAL HEALTH

(DSTNRV30)
IRDSTNRV30 Len : 2 HOW OFTEN FELT NERVOUS PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time	1872	3.30
2 = Most of the time	3545	6.25
3 = Some of the time	10747	18.95
4 = A little of the time	14208	25.06
5 = None of the time	14761	26.03
99 = LEGITIMATE SKIP	11572	20.41

(DSTNRV30)
IIDSTNRV30 Len : 1 HOW OFTEN FELT NERVOUS PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data	44073	77.72
3 = Statistically imputed data	1060	1.87
9 = LEGITIMATE SKIP	11572	20.41

(DSTHOP30)
IRDSTHOP30 Len : 2 HOW OFTEN FELT HOPELESS PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time	1090	1.92
2 = Most of the time	1854	3.27
3 = Some of the time	5229	9.22
4 = A little of the time	9046	15.95
5 = None of the time	27914	49.23
99 = LEGITIMATE SKIP	11572	20.41

(DSTHOP30)
IIDSTHOP30 Len : 1 HOW OFTEN FELT HOPELESS PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data	44053	77.69
3 = Statistically imputed data	1080	1.90
9 = LEGITIMATE SKIP	11572	20.41

(DSTRST30)
IRDSTRST30 Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time	1775	3.13
2 = Most of the time	3202	5.65
3 = Some of the time	8202	14.46
4 = A little of the time	11436	20.17
5 = None of the time	20518	36.18
99 = LEGITIMATE SKIP	11572	20.41

(DSTRST30)
IIDSTRST30 Len : 1 HOW OFTEN FELT RESTLESS/FIDGETY PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data	44056	77.69
3 = Statistically imputed data	1077	1.90
9 = LEGITIMATE SKIP	11572	20.41

(DSTCHR30)
IRDSTCHR30 Len : 2 HOW OFTEN FELT COULDN'T BE CHEERED UP PST 30 DYS - IMP REV

	Freq	Pct
1 = All of the time	1012	1.78
2 = Most of the time	1865	3.29
3 = Some of the time	5135	9.06
4 = A little of the time	9053	15.97
5 = None of the time	28068	49.50
99 = LEGITIMATE SKIP	11572	20.41

(DSTCHR30)
IIDSTCHR30 Len : 1 HOW OFTEN FELT COULDN'T BE CHEERED UP PST 30 DYS - IMP IND

	Freq	Pct
1 = Questionnaire data	44073	77.72
3 = Statistically imputed data	1060	1.87
9 = LEGITIMATE SKIP	11572	20.41

(DSTEFF30)
IRDSTEFF30 Len : 2 HOW OFTEN FELT EVERYTHING EFFORT PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time	2486	4.38
2 = Most of the time	3762	6.63
3 = Some of the time	7459	13.15
4 = A little of the time	11208	19.77
5 = None of the time	20218	35.65
99 = LEGITIMATE SKIP	11572	20.41

(DSTEFF30)
IIDSTEFF30 Len : 1 HOW OFTEN FELT EVERYTHING EFFORT PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data	43961	77.53
3 = Statistically imputed data	1172	2.07
9 = LEGITIMATE SKIP	11572	20.41

(DSTNGD30)
IRDSTNGD30 Len : 2 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD PAST 30 DAYS - IMP REV

	Freq	Pct
1 = All of the time	1367	2.41
2 = Most of the time	2328	4.11
3 = Some of the time	5321	9.38
4 = A little of the time	9134	16.11
5 = None of the time	26983	47.58
99 = LEGITIMATE SKIP	11572	20.41

(DSTNGD30)
IIDSTNGD30 Len : 1 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data	44040	77.67
3 = Statistically imputed data	1093	1.93
9 = LEGITIMATE SKIP	11572	20.41

(DSTWORST)
IRDSTWORST Len : 2 MONTH IN PAST 12 MOS FELT WORSE THAN PAST 30 DAYS - IMP REV

	Freq	Pct
1 = Yes	15475	27.29
2 = No	29658	52.30
99 = LEGITIMATE SKIP	11572	20.41

(DSTWORST)
IIDSTWORST Len : 1 MONTH IN PAST 12 MOS FELT WORSE THAN PAST 30 DAYS - IMP IND

	Freq	Pct
1 = Questionnaire data	43968	77.54
3 = Statistically imputed data	1165	2.05
9 = LEGITIMATE SKIP	11572	20.41

(DSTNRV12)
IRDSTNRV12 Len : 2 HOW OFTEN FELT NERVOUS WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time	2515	4.44
2 = Most of the time	4418	7.79
3 = Some of the time	5029	8.87
4 = A little of the time	2781	4.90
5 = None of the time	732	1.29
99 = LEGITIMATE SKIP	41230	72.71

(DSTNRV12)
IIDSTNRV12 Len : 1 HOW OFTEN FELT NERVOUS WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	15075	26.58
3 = Statistically imputed data	400	0.71
9 = LEGITIMATE SKIP	41230	72.71

(DSTHOP12)
IRDSTHOP12 Len : 2 HOW OFTEN FELT HOPELESS WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time	2119	3.74
2 = Most of the time	3216	5.67
3 = Some of the time	4061	7.16
4 = A little of the time	3110	5.48
5 = None of the time	2969	5.24
99 = LEGITIMATE SKIP	41230	72.71

(DSTHOP12)
IIDSTHOP12 Len : 1 HOW OFTEN FELT HOPELESS WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	15079	26.59
3 = Statistically imputed data	396	0.70
9 = LEGITIMATE SKIP	41230	72.71

(DSTRST12)
IRDSTRST12 Len : 2 HOW OFTEN FELT RESTLESS/FIDGETY WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time	2028	3.58
2 = Most of the time	3020	5.33
3 = Some of the time	4379	7.72
4 = A little of the time	3649	6.44
5 = None of the time	2399	4.23
99 = LEGITIMATE SKIP	41230	72.71

(DSTRST12)
IIDSTRST12 Len : 1 HOW OFTEN FELT RESTLESS/FIDGETY WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	15071	26.58
3 = Statistically imputed data	404	0.71
9 = LEGITIMATE SKIP	41230	72.71

(DSTCHR12)
IRDSTCHR12 Len : 2 HOW OFTEN FELT COULDN'T BE CHEERED UP WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time	2116	3.73
2 = Most of the time	3132	5.52
3 = Some of the time	3918	6.91
4 = A little of the time	3338	5.89
5 = None of the time	2971	5.24
99 = LEGITIMATE SKIP	41230	72.71

(DSTCHR12)
IIDSTCHR12 Len : 1 HOW OFTEN FELT COULDN'T BE CHEERED UP WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	15076	26.59
3 = Statistically imputed data	399	0.70
9 = LEGITIMATE SKIP	41230	72.71

(DSTEFF12)
IRDSTEFF12 Len : 2 HOW OFTEN FELT EVERYTHING EFFORT WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time	3075	5.42
2 = Most of the time	3633	6.41
3 = Some of the time	3917	6.91
4 = A little of the time	3105	5.48
5 = None of the time	1745	3.08
99 = LEGITIMATE SKIP	41230	72.71

(DSTEFF12)
IIDSTEFF12 Len : 1 HOW OFTEN FELT EVERYTHING EFFORT WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	15064	26.57
3 = Statistically imputed data	411	0.72
9 = LEGITIMATE SKIP	41230	72.71

(DSTNGD12)
IRDSTNGD12 Len : 2 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD WRST MONTH - IMP REV

	Freq	Pct
1 = All of the time	2347	4.14
2 = Most of the time	3005	5.30
3 = Some of the time	3558	6.27
4 = A little of the time	3159	5.57
5 = None of the time	3406	6.01
99 = LEGITIMATE SKIP	41230	72.71

(DSTNGD12)
IIDSTNGD12 Len : 1 HOW OFTEN FELT DOWN/WTHLSS/NO GOOD WRST MONTH - IMP IND

	Freq	Pct
1 = Questionnaire data	15074	26.58
3 = Statistically imputed data	401	0.71
9 = LEGITIMATE SKIP	41230	72.71

(IMPREMEM)
IRIMPREMEM Len : 2 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	15935	28.10
2 = Mild difficulty	11906	21.00
3 = Moderate difficulty	5680	10.02
4 = Severe difficulty	1946	3.43
99 = LEGITIMATE SKIP	21238	37.45

(IMPREMEM)
IIIMPREMEM Len : 1 DIFFICULTY REMEMBERING ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	34441	60.74
3 = Statistically imputed data	1026	1.81
9 = LEGITIMATE SKIP	21238	37.45

(IMPCONCN)
IRIMPCONCN Len : 2 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	13769	24.28
2 = Mild difficulty	12394	21.86
3 = Moderate difficulty	6625	11.68
4 = Severe difficulty	2679	4.72
99 = LEGITIMATE SKIP	21238	37.45

(IMPCONCN)
IIIMPCONCN Len : 1 DIFFICULTY CONCENTRATING ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	34443	60.74
3 = Statistically imputed data	1024	1.81
9 = LEGITIMATE SKIP	21238	37.45

(IMPGOUT)
IRIMPGOUT Len : 2 DIFFICULTY GOING OUT ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	20700	36.50
2 = Mild difficulty	7015	12.37
3 = Moderate difficulty	4505	7.94
4 = Severe difficulty	2059	3.63
5 = You didn't leave the house on your own	1188	2.10
99 = LEGITIMATE SKIP	21238	37.45

(IMPGOUT)
IIIMPGOUT Len : 1 DIFFICULTY GOING OUT ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	34439	60.73
3 = Statistically imputed data	1028	1.81
9 = LEGITIMATE SKIP	21238	37.45

(IMPGOUTM)
IRIMPGOUTM Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE - IMP REV

	Freq	Pct
1 = Yes	791	1.39
2 = No	397	0.70
99 = LEGITIMATE SKIP	55517	97.90

(IMPGOUTM)
IIIMPGOUTM Len : 1 EMOTIONAL PROBLEMS KEEP YOU FROM LEAVING HOUSE - IMP IND

	Freq	Pct
1 = Questionnaire data	34433	60.72
3 = Statistically imputed data	1034	1.82
9 = LEGITIMATE SKIP	21238	37.45

(IMPPEOP)
IRIMPPEOP Len : 2 DIFFICULTY DEALING W STRNGERS ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	17664	31.15
2 = Mild difficulty	8752	15.43
3 = Moderate difficulty	5115	9.02
4 = Severe difficulty	2467	4.35
5 = You didn't deal with people you did not know well	1469	2.59
99 = LEGITIMATE SKIP	21238	37.45

(IMPPEOP)
IIIMPPEOP Len : 1 DIFFICULTY DEALING W STRNGERS ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	34416	60.69
3 = Statistically imputed data	1051	1.85
9 = LEGITIMATE SKIP	21238	37.45

(IMPPEOPM)
IRIMPPEOPM Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM DEALING W STRNGRS - IMP REV

	Freq	Pct
1 = Yes	738	1.30
2 = No	731	1.29
99 = LEGITIMATE SKIP	55236	97.41

(IMPPEOPM)
IIIMPPEOPM Len : 1 EMOTIONAL PRBLMS KEEP YOU FROM DEALING W STRNGRS - IMP IND

	Freq	Pct
1 = Questionnaire data	34406	60.68
3 = Statistically imputed data	1061	1.87
9 = LEGITIMATE SKIP	21238	37.45

(IMPSOC)
IRIMPSOC Len : 2 DIFFICULTY PART IN SOCIAL ACT ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	16773	29.58
2 = Mild difficulty	8338	14.70
3 = Moderate difficulty	5269	9.29
4 = Severe difficulty	2893	5.10
5 = You didn't participate in social activities	2194	3.87
99 = LEGITIMATE SKIP	21238	37.45

(IMPSOC)
IIIMPSOC Len : 1 DIFFICULTY PART IN SOCIAL ACT ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	34424	60.71
3 = Statistically imputed data	1043	1.84
9 = LEGITIMATE SKIP	21238	37.45

(IMPSOCM)
IRIMPSOCM Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM SOCIAL ACT - IMP REV

	Freq	Pct
1 = Yes	1297	2.29
2 = No	897	1.58
99 = LEGITIMATE SKIP	54511	96.13

(IMPSOCM)
IIIMPSOCM Len : 1 EMOTIONAL PROBLEMS KEEP YOU FROM SOCIAL ACT - IMP IND

	Freq	Pct
1 = Questionnaire data	34417	60.69
3 = Statistically imputed data	1050	1.85
9 = LEGITIMATE SKIP	21238	37.45

(IMPHHLD)
IRIMPHHLD Len : 2 DIFFICULTY HHLD RESPONS ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	16728	29.50
2 = Mild difficulty	9270	16.35
3 = Moderate difficulty	5704	10.06
4 = Severe difficulty	3186	5.62
5 = You didn't take care of household responsibilities	579	1.02
99 = LEGITIMATE SKIP	21238	37.45

(IMPHHLD)
IIIMPHHLD Len : 1 DIFFICULTY HHLD RESPONS ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	34432	60.72
3 = Statistically imputed data	1035	1.83
9 = LEGITIMATE SKIP	21238	37.45

(IMPHHLDM)
IRIMPHHLDM Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM HHLD RESP - IMP REV

	Freq	Pct
1 = Yes	409	0.72
2 = No	170	0.30
99 = LEGITIMATE SKIP	56126	98.98

(IMPHHLDM)
IIIMPHHLDM Len : 1 EMOTIONAL PROBLEMS KEEP YOU FROM HHLD RESP - IMP IND

	Freq	Pct
1 = Questionnaire data	34431	60.72
3 = Statistically imputed data	1036	1.83
9 = LEGITIMATE SKIP	21238	37.45

(IMPRESP)
IRIMPRESP Len : 2 DIFFICULTY WORK RESPONS ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	17822	31.43
2 = Mild difficulty	8628	15.22
3 = Moderate difficulty	4518	7.97
4 = Severe difficulty	2218	3.91
5 = You didn't work or go to school	2281	4.02
99 = LEGITIMATE SKIP	21238	37.45

(IMPRESP)
IIIMPRESP Len : 1 DIFFICULTY WORK RESPONS ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	34404	60.67
3 = Statistically imputed data	1063	1.87
9 = LEGITIMATE SKIP	21238	37.45

(IMPRESPM)
IRIMPRESPM Len : 2 EMOTIONAL PROBLEMS KEEP YOU FROM WORK OR SCHOOL - IMP REV

	Freq	Pct
1 = Yes	546	0.96
2 = No	1735	3.06
99 = LEGITIMATE SKIP	54424	95.98

(IMPRESPM)
IIIMPRESPM Len : 1 EMOTIONAL PROBLEMS KEEP YOU FROM WORK OR SCHOOL - IMP IND

	Freq	Pct
1 = Questionnaire data	34381	60.63
3 = Statistically imputed data	1086	1.92
9 = LEGITIMATE SKIP	21238	37.45

(IMPWORK)
IRIMPWORK Len : 2 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MOS - IMP REV

	Freq	Pct
1 = No difficulty	16124	28.43
2 = Mild difficulty	10201	17.99
3 = Moderate difficulty	4861	8.57
4 = Severe difficulty	2000	3.53
99 = LEGITIMATE SKIP	23519	41.48

(IMPWORK)
IIIMPWORK Len : 1 DIFFICULTY DOING DAILY WORK ONE MO IN PST 12 MOS - IMP IND

	Freq	Pct
1 = Questionnaire data	34423	60.71
3 = Statistically imputed data	1044	1.84
9 = LEGITIMATE SKIP	21238	37.45

(SUICTHNK)
IRSUICTHNK Len : 1 ADULT SERIOUSLY THOUGHT ABOUT KILLING SELF PST YR - IMP REV

	Freq	Pct
. = Aged 12-17	11572	20.41
0 = No	41895	73.88
1 = Yes	3238	5.71

(SUICTHNK)
IISUICTHNK Len : 1 ADULT SERIOUSLY THOUGHT ABOUT KILLING SELF PST YR - IMP IND

	Freq	Pct
1 = Questionnaire data	43918	77.45
3 = Statistically imputed data	1215	2.14
9 = LEGITIMATE SKIP	11572	20.41

(COSUITHNK)
IRCOSUITHNK Len : 1 ADULT THOUGHT OF KILLING SELF DUE TO COVID-19 PY - IMP REV

	Freq	Pct
. = Aged 12-17	11572	20.41
0 = No	2893	5.10
1 = Yes	345	0.61
9 = LEGITIMATE SKIP	41895	73.88

(COSUITHNK)
IICOSUITHNK Len : 1 ADULT THOUGHT OF KILLING SELF DUE TO COVID-19 PY - IMP IND

	Freq	Pct
1 = Questionnaire data	3145	5.55
3 = Statistically imputed data	1232	2.17
9 = LEGITIMATE SKIP	52328	92.28

(SUIPLANYR)
IRSUIPLANYR Len : 1 ADULT MADE PLANS TO KILL SELF IN PST YR - IMP REV

	Freq	Pct
. = Aged 12-17	11572	20.41
0 = No	44086	77.75
1 = Yes	1047	1.85

(SUIPLANYR)
IISUIPLANYR Len : 1 ADULT MADE PLANS TO KILL SELF IN PST YR - IMP IND

	Freq	Pct
1 = Questionnaire data	43989	77.58
3 = Statistically imputed data	1144	2.02
9 = LEGITIMATE SKIP	11572	20.41

(COSUIPLNYR)
IRCOSUIPLNYR Len : 1 ADULT MADE PLANS TO KILL SELF DUE TO COVID-19 PY - IMP REV

	Freq	Pct
. = Aged 12-17	11572	20.41
0 = No	944	1.66
1 = Yes	103	0.18
9 = LEGITIMATE SKIP	44086	77.75

(COSUIPLNYR)
IICOSUIPLNYR Len : 1 ADULT MADE PLANS TO SELF DUE TO COVID-19 PY - IMP IND

	Freq	Pct
1 = Questionnaire data	1024	1.81
3 = Statistically imputed data	1150	2.03
9 = LEGITIMATE SKIP	54531	96.17

IRSUITRYYR Len : 1 ADULT ATTEMPTED TO KILL SELF IN PST YR - IMP REV

	Freq	Pct
. = Aged 12-17	11572	20.41
0 = No	44664	78.77
1 = Yes	469	0.83

IISUITRYYR Len : 1 ADULT ATTEMPTED TO KILL SELF IN PST YR - IMP IND

	Freq	Pct
1 = Questionnaire data	44006	77.61
3 = Statistically imputed data	1127	1.99
9 = LEGITIMATE SKIP	11572	20.41

IRCOSUITRYYR Len : 1 ADULT ATTEMPTED TO KILL SELF DUE TO COVID-19 PY - IMP REV

	Freq	Pct
. = Aged 12-17	11572	20.41
0 = No	400	0.71
1 = Yes	69	0.12
9 = LEGITIMATE SKIP	44664	78.77

IICOSUITRYYR Len : 1 ADULT ATTEMPTED TO KILL SELF DUE TO COVID-19 PY - IMP IND

	Freq	Pct
1 = Questionnaire data	455	0.80
3 = Statistically imputed data	1131	1.99
9 = LEGITIMATE SKIP	55119	97.20

RECODED ADULT MENTAL HEALTH

NOTE: The following variable, KSSLR6MON, is a score with values ranging from 0 to 24 indicating the level of psychological distress over the past 30 days (past month). This variable is based on imputed data collected from a series of six questions known as the K6, asking adult respondents how frequently they experienced symptoms of psychological distress during the past 30 days. These questions include the following symptoms of distress: feeling nervous (IRDSTNRV30), feeling hopeless (IRDSTHOP30), feeling restless or fidgety (IRDSTRST30), feeling so sad or depressed that nothing could cheer you up (IRDSTCHR30), feeling that everything was an effort (IRDSTEFF30), and feeling down on yourself, no good, or worthless (IRDSTNGD30). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6MON. Specific details about this variable are provided in the Recoded Mental Health Appendix.

(IRDSTCHR30, IRDSTEFF30, IRDSTHOP30, IRDSTNGD30, IRDSTNRV30, IRDSTRST30)
KSSLR6MON Len : 2 RC-K6 TOTAL SCORE IN PAST MONTH

	Freq	Pct
RANGE = 0 - 24	45133	79.59
. = Aged 12-17	11572	20.41

(KSSLR6MON)
SPDPSTMON Len : 1 RC-PAST MONTH SERIOUS PSCYHOLOGICAL DISTRESS INDICATOR

	Freq	Pct
. = Aged 12-17	11572	20.41
0 = No (KSSLR6MON<13)	40117	70.75
1 = Yes (KSSLR6MON>=13)	5016	8.85

NOTE: The following variable, KSSLR6YR, is a score with values ranging from 0 to 24 indicating the level of psychological distress during the worst month of the past year, that was not the past 30 days. This variable is only defined for respondents who reported that there was a month in the past 12 months when he/she was more depressed, anxious, or emotionally stressed than during the past 30 days (IRDSTWORST=1). This score variable is based on imputation-revised values for a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during their worst month in the past year (only if the worst month was not the past 30 days). These questions are from the K6 and include the following symptoms of distress: feeling nervous (IRDSTNRV12), feeling hopeless (IRDSTHOP12), feeling restless or fidgety (IRDSTRST12), feeling so sad or depressed that nothing could cheer them up (IRDSTCHR12), feeling that everything was an effort (IRDSTEFF12), and feeling down on themselves, no good, or worthless (IRDSTNGD12). For each of the six items listed above, responses of "all of the time" were coded 4, "most of the time" were coded 3, "some of the time" were coded 2, "a little of the time" were coded 1, and "none of the time" were coded 0. These assigned values were summed across the six items to calculate a total score for KSSLR6YR. For respondents who indicated that they did not have a month in the past year worse than the past 30 days, KSSLR6YR was set to missing. Specific details about this variable are provided in the Recoded Mental Health Appendix.

(IRDSTCHR12, IRDSTEFF12, IRDSTHOP12, IRDSTNGD12, IRDSTNRV12, IRDSTRST12, IRDSTWORST)
KSSLR6YR Len : 2 RC-K6 TOTAL SCORE IN PAST YEAR

	Freq	Pct
RANGE = 0 - 24	15475	27.29
. = Aged 12-17 or IRDSTWORST=2	41230	72.71

NOTE: The following variable, KSSLR6MAX, is defined to be the higher K6 score between the past month K6 total score (KSSLR6MON) variable, and the K6 total score in the worst month of the past year if the worst month was not the past 30 days (KSSLR6YR) variable.

(KSSLR6MON, KSSLR6YR)
KSSLR6MAX Len : 2 RC-WORST K6 TOTAL SCORE IN PAST YEAR

	Freq	Pct
RANGE = 0 - 24	45133	79.59
. = Aged 12-17	11572	20.41

(KSSLR6MAX)
SPDPSTYR Len : 1 RC-PAST YEAR SERIOUS PSCYHOLOGICAL DISTRESS INDICATOR

	Freq	Pct
. = Aged 12-17	11572	20.41
0 = No (KSSLR6MAX<13)	36305	64.02
1 = Yes (KSSLR6MAX>=13)	8828	15.57

NOTE: The following variable, AKSSLR6WRST, is an alternative version of the original worst K6 total score in the past year (KSSLR6MAX) with values ranging from 0 to 17 rather than 0 to 24. This alternative total score was calculated by assigning a value of 0 when KSSLR6MAX had a value from 0 to 7 and assigning a value of 1 to 17 when KSSLR6MAX had a corresponding value from 8 to 24. This alternative version was used in the regression model to determine SMI because SMI prevalence was typically extremely low for respondents with worst K6 total scores less than 8. Specific details about this variable are provided in the Recoded Mental Health Appendix.

(KSSLR6MAX)
AKSSLR6WRST Len : 2 RC-ALTERNATIVE WORST K6 TOTAL SCORE

	Freq	Pct
RANGE = 0 - 17	45133	79.59
. = Aged 12-17	11572	20.41

NOTE: The following two variables, WHODASTOTSC and WHODASDASC, are score variables that indicate the level of impairment for respondents. These variables are based on imputation-revised data collected from a series of thirteen questions asking respondents how much difficulty they experienced in doing eight daily activities in the one month in the past year when they were at their worst emotionally (defined in the note above variables WHODASSCED and WHODASDAED).

For the original WHODAS total score, WHODASTOTSC, a value of 3 was assigned for each of the daily activities that a respondent indicated having "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. A value of 2 was assigned for each of the daily activities that a respondent indicated having "moderate" difficulty performing, and a value of 1 was assigned for "mild" difficulty. For activities that had a follow-up question, a response of "yes" was assigned a value of 3 as having "severe difficulty." A value of 0 was assigned for all other responses (or imputed values) for each activity. These assigned values were summed to calculate a total score for WHODASTOTSC which ranges from 0 to 24. WHODASTOTSC was set equal to 0 for respondents with KSSLR6MAX=0.

For the alternative WHODAS total score, WHODASDASC, a value of 1 was assigned for each of the daily activities that a respondent indicated having "moderate" or "severe" difficulty performing, or if the respondent indicated not performing the activity due to problems with emotions, nerves, or mental health. For activities that had a follow-up question, a response of "yes" was assigned a value of a 1 as having "moderate or severe difficulty." A value of 0 was assigned for all other responses (or imputed values) for each activity. These assigned values were summed to calculate a total score for WHODASDASC which ranges from 0 to 8. WHODASDASC was set equal to 0 for respondents with KSSLR6MAX=0. The alternative version of the WHODAS total score (WHODASDASC) was used in the regression model to determine SMI.

Specific details about these variables are provided in the Recoded Mental Health Appendix.

(IRIMPCONCN, IRIMPGOUT, IRIMPGOUTM, IRIMPHHLD, IRIMPHHLDM, IRIMPPEOP, IRIMPPEOPM, IRIMPREMEM, IRIMPRESP, IRIMPRESPM, IRIMPSOC, IRIMPSOCM, IRIMPWORK, KSSLR6MAX)
WHODASTOTSC Len : 2 RC-WHODAS TOTAL SCORE

	Freq	Pct
RANGE = 0 - 24	45133	79.59
. = Aged 12-17	11572	20.41

(IRIMPCONCN, IRIMPGOUT, IRIMPGOUTM, IRIMPHHLD, IRIMPHHLDM, IRIMPPEOP, IRIMPPEOPM, IRIMPREMEM, IRIMPRESP, IRIMPRESPM, IRIMPSOC, IRIMPSOCM, IRIMPWORK, KSSLR6MAX)
WHODASDASC Len : 2 RC-ALTERNATIVE WHODAS SCORE

	Freq	Pct
RANGE = 0 - 8	45133	79.59
. = Aged 12-17	11572	20.41

NOTE: The following eight mental illness variables are based on the 2012 mental illness prediction model. Starting with the 2021 NSDUH, the inputs to the 2012 mental illness prediction model were statistically imputed. Specific details about these variables and the prediction models are provided in the Recoded Mental Health Appendix.

The following variable, SMIPPPY, is a predicted probability that a respondent has Serious Mental Illness (SMI) estimated using the 2012 logistic regression model. SMIPPPY was used to determine these levels of mental illness: Serious (SMI), Serious or Moderate (SMMI), and Any (AMI). The categories of Moderate (MMI) and Mild (LMI) were determined by subtraction.

(AKSSLR6WRST, IRAMDEYR, IRSUICTHNK, WHODASDASC)
SMIPPPY Len : 12 RC-IMP PREDICTED SERIOUS MENTAL ILLNESS PROB PY

	Freq	Pct
RANGE = 0.0025409721 - 0.9291205406	45133	79.59
. = Aged 12-17 (AGE3<4)	11572	20.41

NOTE: The following six variables (SMIPY, AMIPY, SMMIPY, MMIPY, LMIPY, and LMMIPY) are not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor are they recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of these variables can be found in the Recoded Mental Health Appendix.

The following variable, SMIPY, is a Serious Mental Illness (SMI) indicator for respondents based on the 2012 predicted probability of SMI (SMIPPPY). If SMIPPPY is greater than or equal to a specified cutoff point (0.260573529) then SMIPY=1, and if SMIPPPY is less than the cutoff point then SMIPY=0. Specific details about this variable can be found in the Recoded Mental Health Appendix.

(SMIPPPY)
SMIPY Len : 1 RC-IMP SMI IND (1/0) BASED ON PREDICTED SMI PROB PY

	Freq	Pct
. = Aged 12-17 (AGE3<4)	11572	20.41
0 = No Past Year SMI (See comment above)	41618	73.39
1 = Past Year SMI (See comment above)	3515	6.20

The following variable, AMIPY, is an indicator for Any Mental Illness (AMI) based on the 2012 predicted probability of SMI (SMIPPPY). If SMIPPPY is greater than or equal to a specified cutoff point (0.0192519810) then AMIPY=1, and if SMIPPPY is less than the cutoff point then AMIPY=0. AMI is defined as having Serious, Moderate, or Mild Mental Illness. Specific details about this variable can be found in the Recoded Mental Health Appendix.

(SMIPPPY)
AMIPY Len : 1 RC-IMP AMI IND (1/0) BASED ON PREDICTED SMI PROB PY

	Freq	Pct
. = Aged 12-17 (AGE3<4)	11572	20.41
0 = No Past Yr Any Mental Illness (See comment above)	32479	57.28
1 = Past Year Any Mental Illness (See comment above)	12654	22.32

The following variable, SMMIPY, is an indicator for Serious or Moderate Mental Illness (SMMI) based on the 2012 predicted probability of SMI (SMIPPPY). If SMIPPPY is greater than or equal to a specified cutoff point (0.077686285365) then SMMIPY=1, and if SMIPPPY is less than the cutoff point then SMMIPY=0. Specific details about this variable can be found in the Recoded Mental Health Appendix.

(SMIPPPY)
SMMIPY Len : 1 RC-IMP SMMI IND (1/0) BASED ON PREDICTED SMI PROB PY

	Freq	Pct
. = Aged 12-17 (AGE3<4)	11572	20.41
0 = No Past Year SMMI (See comment above)	38160	67.30
1 = Past Year SMMI (See comment above)	6973	12.30

The following variable, MMIPY, is an indicator for Moderate Mental Illness (MMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

(SMIPY, SMMIPY)
MMIPY Len : 1 RC-IMP MOD MI IND (1/0) BASED ON PRED SMI PROB PY

	Freq	Pct
. = Aged 12-17 (AGE3<4)	11572	20.41
0 = No Past Year MMI (Otherwise)	41675	73.49
1 = Past Year MMI (SMMIPY=1 and SMIPY=0)	3458	6.10

The following variable, LMIPY, is an indicator for Mild (Low) Mental Illness (LMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable can be found in the Recoded Mental Health Appendix.

(AMIPY, SMMIPY)
LMIPY Len : 1 RC-IMP MILD MI IND (1/0) BASED ON PRED SMI PROB PY

	Freq	Pct
. = Aged 12-17 (AGE3<4)	11572	20.41
0 = No Past Year LMI (Otherwise)	39452	69.57
1 = Past Year LMI (AMIPY=1 and SMMIPY=0)	5681	10.02

The following variable, LMMIPY, is an indicator for Mild (Low) Mental Illness (LMI) or Moderate Mental Illness (MMI). This indicator is derived from mental illness variables based on the 2012 model. Specific details about this variable are provided in the Recoded Mental Health Appendix. This mental illness variable is referred to as any mental illness (AMI) excluding serious mental illness (SMI).

(LMIPY, MMIPY)
LMMIPY Len : 1 RC-IMP LMMI IND (1/0) BASED ON PREDICTED SMI PROB PY

	Freq	Pct
. = Aged 12-17 (AGE3<4)	11572	20.41
0 = No Past Year LMMI (Otherwise)	35994	63.48
1 = Past Year LMMI (LMIPY=1 or MMIPY=1)	9139	16.12

The following variable, MICATPY, is a categorical mental illness indicator. This indicator is derived from mental illness variables based on the 2012 model. MICATPY is not recommended to be used when analyzing variables for past year suicidal thoughts, past year MDE, K6, or the WHODAS, nor is it recommended to be used when analyzing other variables closely linked with these variables (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, lifetime MDE, SPD, or components used in the K6 or WHODAS scales). Specific details about the creation and use of this variable can be found in the Recoded Mental Health Appendix.

(LMIPY, MMIPY, SMIPY)
MICATPY Len : 1 RC-IMP CATEGORICAL MI INDICATOR PY

	Freq	Pct
. = Aged 12-17 (AGE3<4)	11572	20.41
0 = No Past Year MI (SMIPY & LMIPY & MMIPY=0)	32479	57.28
1 = Past Year Mild Mental Illness (LMIPY=1)	5681	10.02
2 = Past Year Moderate Mental Illness (MMIPY=1)	3458	6.10
3 = Past Year Serious Mental Illness (SMIPY=1)	3515	6.20

NOTE: SMISUD5ANY, AMISUD5ANY, and LMMISUD5ANY are recodes that combine mental illness measures based on the 2012 predicted probability of SMI (SMIPPPY) with substance use disorder (SUD) in the past year. Starting with the 2021 NSDUH, the inputs to the 2012 mental illness prediction model were statistically imputed. Specific information about the DSM-5 use disorder criteria used in these recoded variables can be found in the Nicotine Dependence and Substance Use Disorder Appendix.

(SMIPY, UD5ILALANY)
SMISUD5ANY Len : 1 RC-IMP SMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - ANY

	Freq	Pct
. = Aged 12-17 (SMIPY=.)	11572	20.41
1 = Yes (SMIPY=1 and UD5ILALANY=1)	1734	3.06
2 = No (SMIPY=0 or UD5ILALANY=0)	43399	76.53

(AMIPY, UD5ILALANY)
AMISUD5ANY Len : 1 RC-IMP AMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - ANY

	Freq	Pct
. = Aged 12-17 (AMIPY=.)	11572	20.41
1 = Yes (AMIPY=1 and UD5ILALANY=1)	4745	8.37
2 = No (AMIPY=0 or UD5ILALANY =0)	40388	71.22

(LMMIPY, UD5ILALANY)
LMMISUD5ANY Len : 1 RC-IMP LMMI AND SUB USE DISORDER - PAST YEAR-DSM-5 - ANY

	Freq	Pct
. = Aged 12-17 (LMMIPY=.)	11572	20.41
0 = No (LMMIPY=0 or UD5ILALANY =0)	42122	74.28
1 = Yes (LMMIPY=1 and UD5ILALANY =1)	3011	5.31

NOTE: The following four variables are recodes that combine mental illness measures based on the 2012 revised predicted probability of SMI (SMIPPPY) with substance use disorder (SUD) in the past year. SMIRSUD5ANY, SMISUD5ANYO, AMIRSUD5ANY, and AMISUD5ANYO were created using the DSM-5 based SUD estimates. Specific information about the DSM-5 use disorder criteria used in these recoded variables can be found in the Nicotine Dependence and Substance Use Disorder Appendix. These recodes replace variables SMIORSUD5, SMISUD5ONL, AMIORSUD5, and AMISUD5ONL, and were used starting with the 2021 NSDUH National Report appendix tables.

(SMIPY, UD5ILALANY)
SMIRSUD5ANY Len : 1 RC-IMP SMI OR SUB USE DISORDER - PAST YEAR-DSM-5 - ANY

	Freq	Pct
. = Aged 12-17 (SMIPY=.)	11572	20.41
1 = Yes (SMIPY=1 or UD5ILALANY=1)	11467	20.22
2 = No (SMIPY=0 and UD5ILALANY=0)	33666	59.37

(SMIPY, UD5ILALANY)
SMISUD5ANYO Len : 1 RC-ONLY IMP SMI, ONLY SUD, BOTH, OR NEITHER - PY-DSM-5-ANY

	Freq	Pct
. = Aged 12-17 (SMIPY=.)	11572	20.41
1 = SUD only, no SMI (SMIPY=0 and UD5ILALANY=1)	7952	14.02
2 = SMI only, no SUD (SMIPY=1 and UD5ILALANY=0)	1781	3.14
3 = SUD and SMI (SMIPY=1 and UD5ILALANY=1)	1734	3.06
4 = Neither SUD or SMI (SMIPY=0 and UD5ILALANY=0)	33666	59.37

(AMIPY, UD5ILALANY)
AMIRSUD5ANY Len : 1 RC-IMP AMI OR SUB USE DISORDER - PAST YEAR-DSM-5 - ANY

	Freq	Pct
. = Aged 12-17 (AMIPY=.)	11572	20.41
1 = Yes (AMIPY=1 or UD5ILALANY=1)	17595	31.03
2 = No (AMIPY=0 and UD5ILALANY=0)	27538	48.56

(AMIPY, UD5ILALANY)
AMISUD5ANYO Len : 1 RC-ONLY IMP AMI, ONLY SUD, BOTH, OR NEITHER - PY-DSM-5-ANY

	Freq	Pct
. = Aged 12-17 (AMIPY=.)	11572	20.41
1 = SUD only, no AMI (AMIPY=0 and UD5ILALANY=1)	4941	8.71
2 = AMI only, no SUD (AMIPY=1 and UD5ILALANY=0)	7909	13.95
3 = SUD and AMI (AMIPY=1 and UD5ILALANY=1)	4745	8.37
4 = Neither SUD or AMI (AMIPY=0 and UD5ILALANY=0)	27538	48.56

(IRSUICTHNK, IRSUIPLANYR, IRSUITRYYR)
ADSUITPAYR Len : 1 RC-ADULT THOUGHT ABOUT, PLANNED, OR ATTEMPTED SUICIDE - PY

	Freq	Pct
. = Aged 12-17 (Otherwise)	11572	20.41
1 = One or More (IRSUICTHNK=1 or IRSUIPLANYR=1 or IRSUITRYYR=1)	3308	5.83
2 = None (IRSUICTHNK=0 and IRSUIPLANYR=0 and IRSUITRYYR=0)	41825	73.76

(IRSUICTHNK, IRSUIPLANYR, IRSUITRYYR)
ADSUITPACOM Len : 1 RC-ADULT PY SUICIDE THOUGHTS/PLANS/ATTEMPTS COMBINATIONS

	Freq	Pct
. = Aged 12-17	11572	20.41
1 = Thoughts only (IRSUICTHNK=1 & IRSUIPLANYR=0 & IRSUITRYYR=0)	2160	3.81
2 = Plans only (IRSUICTHNK=0 & IRSUIPLANYR=1 & IRSUITRYYR=0)	42	0.07
3 = Attempts only (IRSUICTHNK=0 & IRSUIPLANYR=0 & IRSUITRYYR=1)	20	0.04
4 = Thghts/Plans only (IRSUICTHNK, IRSUIPLANYR=1 & IRSUITRYYR=0)	637	1.12
5 = Thghts/Atmpt only (IRSUICTHNK, IRSUITRYYR=1 & IRSUIPLANYR=0)	81	0.14
6 = Plns/Attmpts only (IRSUICTHNK=0 & IRSUIPLANYR, IRSUITRYYR=1)	8	0.01
7 = Thghts/Plns/Attmpts (IRSUICTHNK, IRSUIPLANYR, IRSUITRYYR=1)	360	0.63
8 = No suicide behaviors (IRSUICTHNK, IRSUIPLANYR, IRSUITRYYR=0)	41825	73.76

ADULT DEPRESSION

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty or depressed?

(ASC21)
ADDPREV[1] Len : 2 SEVERAL DAYS OR LNGR WHEN FELT SAD/EMPTY/DPRSD

	Freq	Pct
1 = Yes	15281	26.95
2 = No	28683	50.58
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	86	0.15
97 = REFUSED	178	0.31
98 = BLANK (NO ANSWER)	894	1.58
99 = LEGITIMATE SKIP	11572	20.41

Have you ever had a period of time lasting several days or longer when most of the day you were very discouraged about how things were going in your life?

(ASC22)
ADDSCEV[1] Len : 2 SEVERAL DAYS OR LNGR FELT DISCOURAGED ABT LIFE

	Freq	Pct
1 = Yes	2736	4.82
2 = No	25957	45.78
94 = DON'T KNOW	72	0.13
97 = REFUSED	179	0.32
98 = BLANK (NO ANSWER)	908	1.60
99 = LEGITIMATE SKIP	26853	47.36

Have you ever had a period of time lasting several days or longer when you lost interest in most things you usually enjoy like work, hobbies, and personal relationships?

(ASC23)
ADLOSEV[1] Len : 2 EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS

	Freq	Pct
1 = Yes	1060	1.87
2 = No	24899	43.91
94 = DON'T KNOW	76	0.13
97 = REFUSED	168	0.30
98 = BLANK (NO ANSWER)	913	1.61
99 = LEGITIMATE SKIP	29589	52.18

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

(AD01)
ADDPDISC[1] Len : 2 FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
1 = Yes	14215	25.07
2 = No	1052	1.86
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	8	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1098	1.94
99 = LEGITIMATE SKIP	40315	71.10

During the times when you felt sad, empty, or depressed, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

(AD01A, AD01B)

ADDPLSIN[1] Len : 2 EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
1 = Yes	13218	23.31
2 = No	2047	3.61
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	9	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	1098	1.94
99 = LEGITIMATE SKIP	40315	71.10

During times when you felt discouraged about how things were going in your life, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?

(AD02)

ADDSLSIN[1] Len : 2 EVER LOSE INT IN THNGS WHEN FEELING DISCOURGAGED

	Freq	Pct
1 = Yes	1559	2.75
2 = No	1174	2.07
94 = DON'T KNOW	2	0.00
98 = BLANK (NO ANSWER)	1130	1.99
99 = LEGITIMATE SKIP	52840	93.18

Did you ever have a period of time like this that lasted most of the day nearly every day for two weeks or longer?

(AD09)

ADLSI2WK[1] Len : 2 PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	Freq	Pct
1 = Yes	213	0.38
2 = No	844	1.49
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1157	2.04
99 = LEGITIMATE SKIP	54488	96.09

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, nearly every day, for two weeks or longer?

(AD12)

ADDPR2WK[1] Len : 2 TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	Freq	Pct
1 = Yes	12199	21.51
2 = No	5767	10.17
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	35	0.06
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	1121	1.98
99 = LEGITIMATE SKIP	37559	66.24

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

(AD16)

ADWRHRS[1] Len : 2 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	Freq	Pct
1 = Less than 1 hour	588	1.04
2 = At least 1 hour but no more than 3 hours	2222	3.92
3 = At least 3 hours but no more than 5 hours	2993	5.28
4 = 5 hours or more	6508	11.48
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	88	0.16
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	1201	2.12
99 = LEGITIMATE SKIP	43082	75.98

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how severe was your emotional distress during those times?

(AD17)
ADWRDST[1] Len : 2 HOW SEVERE WAS EMOTIONAL DISTRESS DURING 2 WKS

	Freq	Pct
1 = Mild	952	1.68
2 = Moderate	4543	8.01
3 = Severe	4251	7.50
4 = Very Severe	2036	3.59
94 = DON'T KNOW	29	0.05
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	1215	2.14
99 = LEGITIMATE SKIP	43670	77.01

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that nothing could cheer you up?

(AD18)
ADWRCHR[1] Len : 2 EMOT DISTRSS SO SEVERE NOTHING COULD CHEER YOU UP

	Freq	Pct
1 = Often	3673	6.48
2 = Sometimes	5788	10.21
3 = Rarely	1844	3.25
4 = Never	475	0.84
94 = DON'T KNOW	27	0.05
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	1215	2.14
99 = LEGITIMATE SKIP	43670	77.01

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, was your emotional distress so severe that you could not carry out your daily activities?

(AD19)
ADWRIMP[1] Len : 2 EMOT DISTRSS SO SEVERE COULD NT DO DLY ACTIVITIES

	Freq	Pct
1 = Often	2475	4.36
2 = Sometimes	5099	8.99
3 = Rarely	2787	4.91
4 = Never	1412	2.49
94 = DON'T KNOW	28	0.05
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	1218	2.15
99 = LEGITIMATE SKIP	43670	77.01

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

(AD21)
ADDPPROB[1] Len : 2 EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER

	Freq	Pct
1 = Yes	9989	17.62
2 = No	1649	2.91
94 = DON'T KNOW	19	0.03
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	1218	2.15
99 = LEGITIMATE SKIP	43815	77.27

Think again about these other problems we just mentioned. They include things like changes in

- sleep
- appetite
- energy
- the ability to concentrate and remember
- feelings of low self-worth

Please think of a time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

Is there one particular time like this that stands out in your mind as the worst one you ever had?

(AD22)
ADWRPROB[1] Len : 2 ONE PARTICULAR TIME THAT IS THE WORST ONE EVER

	Freq	Pct
1 = Yes	6658	11.74
2 = No	3276	5.78
94 = DON'T KNOW	43	0.08
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	1255	2.21
99 = LEGITIMATE SKIP	45464	80.18

How old were you when that worst period of time started?

Then think of the most recent time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.

How old were you when that time started?

(AD22A, AD22C)
ADWRAGE[1] Len : 3 AGE WHEN WORST PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 98	9797	17.28
985 = BAD DATA Logically assigned	10	0.02
994 = DON'T KNOW	160	0.28
997 = REFUSED	17	0.03
998 = BLANK (NO ANSWER)	1257	2.22
999 = LEGITIMATE SKIP	45464	80.18

In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.

In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.

During that time, did you feel sad, empty, or depressed most of the day nearly every day?

(AD24A)
ADWRDEPR[1] Len : 2 WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY

	Freq	Pct
1 = Yes	8349	14.72
2 = No	1586	2.80
94 = DON'T KNOW	31	0.05
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	1262	2.23
99 = LEGITIMATE SKIP	45464	80.18

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

(AD24C)
ADWRDISC[1] Len : 2 WHEN PRBLMS WORST FELT DISCRGED ABT LIFE EVERYDAY

	Freq	Pct
1 = Yes	8408	14.83
2 = No	1532	2.70
94 = DON'T KNOW	26	0.05
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	1263	2.23
99 = LEGITIMATE SKIP	45464	80.18

During that [TIMEFILL] period of time, did you lose interest in almost all things like work and hobbies and things you like to do for fun?

(AD24E)
ADWRLSIN[1] Len : 2 WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS

	Freq	Pct
1 = Yes	8287	14.61
2 = No	1669	2.94
94 = DON'T KNOW	13	0.02
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	1264	2.23
99 = LEGITIMATE SKIP	45464	80.18

During that [TIMEFILL] period of time, did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented?

(AD24F)
ADWRPLSR[1] Len : 2 WHEN PRBLMS WORST LOSE PLSURE IN GOOD THINGS

	Freq	Pct
1 = Yes	7308	12.89
2 = No	2626	4.63
94 = DON'T KNOW	31	0.05
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	1267	2.23
99 = LEGITIMATE SKIP	45464	80.18

The next questions are about changes in appetite and weight.

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a much smaller appetite than usual nearly every day during that time?

(AD26A)
ADWRELES[1] Len : 2 WHEN PRBLMS WORST HAVE SMALLER APPETITE EVERY DAY

	Freq	Pct
1 = Yes	5916	10.43
2 = No	3493	6.16
94 = DON'T KNOW	43	0.08
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1288	2.27
99 = LEGITIMATE SKIP	45962	81.05

Did you have a much larger appetite than usual nearly every day?

(AD26B)
ADWREMOR[1] Len : 2 WHEN PRBLMS WORST HAVE LARGER APPETITE EVERY DAY

	Freq	Pct
1 = Yes	1775	3.13
2 = No	1727	3.05
94 = DON'T KNOW	33	0.06
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1288	2.27
99 = LEGITIMATE SKIP	51878	91.49

Did you gain weight without trying to during that [TIMEFILL] period of time?

(AD26C)
ADWRGAIN[1] Len : 2 WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING

	Freq	Pct
1 = Yes	1931	3.41
2 = No	1567	2.76
94 = DON'T KNOW	37	0.07
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1288	2.27
99 = LEGITIMATE SKIP	51878	91.49

Did you gain weight without trying to because you were growing?

(AD26C1)
ADWRGROW[1] Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING

	Freq	Pct
1 = Yes	158	0.28
2 = No	626	1.10
94 = DON'T KNOW	5	0.01
98 = BLANK (NO ANSWER)	1340	2.36
99 = LEGITIMATE SKIP	54576	96.25

Did you gain weight without trying to because you were pregnant?

(AD26C2)
ADWRPREG[1] Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC PRGN

	Freq	Pct
1 = Yes	48	0.08
2 = No	1145	2.02
98 = BLANK (NO ANSWER)	784	1.38
99 = LEGITIMATE SKIP	54728	96.51

How many pounds did you gain? Please enter your answer as a whole number.

(AD26D)
ADWRGNL2[1] Len : 3 WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING

	Freq	Pct
RANGE = 0 - 20	872	1.54
21 = 21 to 25 pounds	89	0.16
22 = 26 to 30 pounds	215	0.38
23 = 31 to 35 pounds	39	0.07
24 = 36 to 40 pounds	112	0.20
25 = 41 to 45 pounds	19	0.03
26 = 46 to 50 pounds	128	0.23
27 = 51 or more pounds	207	0.37
994 = DON'T KNOW	38	0.07
997 = REFUSED	6	0.01
998 = BLANK (NO ANSWER)	1329	2.34
999 = LEGITIMATE SKIP	53651	94.61

Did you lose weight without trying to?

(AD26E)
ADWRLOSE[1] Len : 2 WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING

	Freq	Pct
1 = Yes	4392	7.75
2 = No	3031	5.35
94 = DON'T KNOW	98	0.17
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1292	2.28
99 = LEGITIMATE SKIP	47889	84.45

Did you lose weight without trying to because you were sick or on a diet?

(AD26E1)
ADWRDIET[1] Len : 2 WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT

	Freq	Pct
1 = Yes	875	1.54
2 = No	3512	6.19
94 = DON'T KNOW	5	0.01
98 = BLANK (NO ANSWER)	1393	2.46
99 = LEGITIMATE SKIP	50920	89.80

How many pounds did you lose?

Please enter your answer as a whole number.

(AD26F)
ADWRLSL2[1] Len : 3 WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING

	Freq	Pct
RANGE = 0 - 20	2560	4.51
21 = 21 to 25 pounds	189	0.33
22 = 26 to 30 pounds	256	0.45
23 = 31 to 35 pounds	49	0.09
24 = 36 to 40 pounds	105	0.19
25 = 41 to 45 pounds	23	0.04
26 = 46 to 50 pounds	84	0.15
27 = 51 or more pounds	120	0.21
994 = DON'T KNOW	130	0.23
997 = REFUSED	1	0.00
998 = BLANK (NO ANSWER)	1393	2.46
999 = LEGITIMATE SKIP	51795	91.34

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [TIMEFILL] period of time?

(AD26G)
ADWRSLEP[1] Len : 2 WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY

	Freq	Pct
1 = Yes	7545	13.31
2 = No	1876	3.31
94 = DON'T KNOW	32	0.06
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1288	2.27
99 = LEGITIMATE SKIP	45962	81.05

During that [TIMEFILL] period of time, did you sleep a lot more than usual nearly every night?

(AD26H)
ADWRSMOR[1] Len : 2 WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL

	Freq	Pct
1 = Yes	1131	1.99
2 = No	756	1.33
94 = DON'T KNOW	22	0.04
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1288	2.27
99 = LEGITIMATE SKIP	53507	94.36

During that [TIMEFILL] period of time, did you feel tired or low in energy nearly every day, even when you had not been working very hard?

(AD26J)
ADWRENRG[1] Len : 2 WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY

	Freq	Pct
1 = Yes	8826	15.56
2 = No	609	1.07
94 = DON'T KNOW	16	0.03
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1290	2.27
99 = LEGITIMATE SKIP	45962	81.05

Did you talk or move more slowly than is normal for you nearly every day?

(AD26L)
ADWRSLOW[1] Len : 2 WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL

	Freq	Pct
1 = Yes	5151	9.08
2 = No	4218	7.44
94 = DON'T KNOW	82	0.14
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1290	2.27
99 = LEGITIMATE SKIP	45962	81.05

Did anyone else notice that you were talking or moving slowly?

(AD26M)
ADWRSLNO[1] Len : 2 WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL

	Freq	Pct
1 = Yes	3221	5.68
2 = No	1885	3.32
94 = DON'T KNOW	44	0.08
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1374	2.42
99 = LEGITIMATE SKIP	50180	88.49

Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still?

(AD26N)
ADWRJITT[1] Len : 2 WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY

	Freq	Pct
1 = Yes	1082	1.91
2 = No	3191	5.63
94 = DON'T KNOW	27	0.05
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1290	2.27
99 = LEGITIMATE SKIP	51113	90.14

Did anyone else notice that you were restless?

(AD26O)
ADWRJINO[1] Len : 2 WHEN PRBLMS WORST PEOP NOTICE YOU WERE RSTLSS

	Freq	Pct
1 = Yes	699	1.23
2 = No	369	0.65
94 = DON'T KNOW	13	0.02
98 = BLANK (NO ANSWER)	1320	2.33
99 = LEGITIMATE SKIP	54304	95.77

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that [TIMEFILL] time, did your thoughts come much more slowly than usual or seem confused nearly every day?

(AD26P)
ADWRTHOT[1] Len : 2 WHEN PRBLMS WORST THGHTS SLOWER/MORE CONFUSING

	Freq	Pct
1 = Yes	5131	9.05
2 = No	4231	7.46
94 = DON'T KNOW	74	0.13
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	1298	2.29
99 = LEGITIMATE SKIP	45962	81.05

Did you have a lot more trouble concentrating than usual nearly every day?

(AD26R)
ADWRCONC[1] Len : 2 WHEN PRBLMS WORST HAVE TROUBLE CONCENTRATING

	Freq	Pct
1 = Yes	7251	12.79
2 = No	2144	3.78
94 = DON'T KNOW	43	0.08
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1300	2.29
99 = LEGITIMATE SKIP	45962	81.05

Were you unable to make decisions about things you ordinarily have no trouble deciding about?

(AD26S)
ADWRDCSN[1] Len : 2 WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS

	Freq	Pct
1 = Yes	5706	10.06
2 = No	3667	6.47
94 = DON'T KNOW	62	0.11
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	1301	2.29
99 = LEGITIMATE SKIP	45962	81.05

Did you feel that you were not as good as other people nearly every day?

(AD26U)
ADWRNOGD[1] Len : 2 WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE

	Freq	Pct
1 = Yes	7493	13.21
2 = No	1915	3.38
94 = DON'T KNOW	24	0.04
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	1302	2.30
99 = LEGITIMATE SKIP	45962	81.05

Did you feel totally worthless nearly every day?

(AD26V)
ADWRWRTH[1] Len : 2 WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY

	Freq	Pct
1 = Yes	5875	10.36
2 = No	1608	2.84
94 = DON'T KNOW	8	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1336	2.36
99 = LEGITIMATE SKIP	47877	84.43

(D_MDEA1)
AD_MDEA1[1] Len : 2 SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED

	Freq	Pct
1 = Has symptom	8956	15.79
2 = Does not have symptom	991	1.75
94 = DON'T KNOW	23	0.04
97 = REFUSED	9	0.02
98 = OTHER MISSING/NOT APPLICABLE	35154	61.99
99 = LEGITIMATE SKIP	11572	20.41

(D_MDEA2)
AD_MDEA2[1] Len : 2 LOST INTEREST OR PLEASURE IN MOST THINGS

	Freq	Pct
1 = Has symptom	8754	15.44
2 = Does not have symptom	1202	2.12
94 = DON'T KNOW	12	0.02
97 = REFUSED	8	0.01
98 = OTHER MISSING/NOT APPLICABLE	35157	62.00
99 = LEGITIMATE SKIP	11572	20.41

(D_MDEA3)
AD_MDEA3[1] Len : 2 CHANGES IN APPETITE OR WT

	Freq	Pct
1 = Has symptom	8090	14.27
2 = Does not have symptom	1292	2.28
94 = DON'T KNOW	68	0.12
97 = REFUSED	5	0.01
98 = OTHER MISSING/NOT APPLICABLE	35678	62.92
99 = LEGITIMATE SKIP	11572	20.41

(D_MDEA4)
AD_MDEA4[1] Len : 2 SLEEP PROBLEMS

	Freq	Pct
1 = Has symptom	8676	15.30
2 = Does not have symptom	744	1.31
94 = DON'T KNOW	33	0.06
97 = REFUSED	2	0.00
98 = OTHER MISSING/NOT APPLICABLE	35678	62.92
99 = LEGITIMATE SKIP	11572	20.41

(D_MDEA5)
AD_MDEA5[1] Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC

	Freq	Pct
1 = Has symptom	3920	6.91
2 = Does not have symptom	5474	9.65
94 = DON'T KNOW	57	0.10
97 = REFUSED	1	0.00
98 = OTHER MISSING/NOT APPLICABLE	35681	62.92
99 = LEGITIMATE SKIP	11572	20.41

(D_MDEA6)
AD_MDEA6[1] Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	8826	15.56
2 = Does not have symptom	609	1.07
94 = DON'T KNOW	16	0.03
97 = REFUSED	2	0.00
98 = OTHER MISSING/NOT APPLICABLE	35680	62.92
99 = LEGITIMATE SKIP	11572	20.41

(D_MDEA7)
AD_MDEA7[1] Len : 2 FELT WORTHLESS NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	5875	10.36
2 = Does not have symptom	3556	6.27
94 = DON'T KNOW	8	0.01
97 = REFUSED	1	0.00
98 = OTHER MISSING/NOT APPLICABLE	35693	62.95
99 = LEGITIMATE SKIP	11572	20.41

(D_MDEA8)
AD_MDEA8[1] Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS

	Freq	Pct
1 = Has symptom	7886	13.91
2 = Does not have symptom	1510	2.66
94 = DON'T KNOW	42	0.07
97 = REFUSED	6	0.01
98 = OTHER MISSING/NOT APPLICABLE	35689	62.94
99 = LEGITIMATE SKIP	11572	20.41

(DSMMDEA2)
ADSMMDEA[1] Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9

	Freq	Pct
1 = Has 5 or more symptoms	8777	15.48
2 = Has less than 5 symptoms	1164	2.05
94 = SUM OF SYMPTOMS AND DON'T KNOW >=5	33	0.06
97 = SUM OF SYMPTOMS AND REFUSED >=5	5	0.01
98 = OTHER MISSING/NOT APPLICABLE	35154	61.99
99 = LEGITIMATE SKIP	11572	20.41

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] and these other problems interfere with your work, your social life, or your personal relationships?

(AD28)
ADPBINTF[1] Len : 2 WHEN PRBLMS WORST INTERFERE WITH WORK/ PRSNL LIFE

	Freq	Pct
1 = Not at all	209	0.37
2 = A little	1045	1.84
3 = Some	2615	4.61
4 = A lot	3091	5.45
5 = Extremely	1966	3.47
94 = DON'T KNOW	11	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1340	2.36
99 = LEGITIMATE SKIP	46424	81.87

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities because of these problems with your mood?

(AD28A)
ADPBDLYA[1] Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
1 = Often	2743	4.84
2 = Sometimes	4057	7.15
3 = Rarely	1492	2.63
4 = Never	431	0.76
94 = DON'T KNOW	5	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	1340	2.36
99 = LEGITIMATE SKIP	46633	82.24

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] for most of the day nearly every day and also had some of the other problems we just asked about.

Can you remember your exact age?

(AD37)
ADPBRMBR[1] Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
1 = Yes	5466	9.64
2 = No	3397	5.99
94 = DON'T KNOW	64	0.11
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	1342	2.37
99 = LEGITIMATE SKIP	46424	81.87

How old were you?

(AD37A, AD37B)
ADPBAGE[1] Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 97	8669	15.29
985 = BAD DATA Logically assigned	7	0.01
994 = DON'T KNOW	230	0.41
997 = REFUSED	20	0.04
998 = BLANK (NO ANSWER)	1355	2.39
999 = LEGITIMATE SKIP	46424	81.87

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

(AD52)
ADPBNUM[1] Len : 4 # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE

	Freq	Pct
RANGE = 1 - 1000	8381	14.78
9994 = DON'T KNOW	518	0.91
9997 = REFUSED	36	0.06
9998 = BLANK (NO ANSWER)	1346	2.37
9999 = LEGITIMATE SKIP	46424	81.87

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

(AD38)
ADPB2WK[1] Len : 2 FELT THIS 2 WKS+ W/OTH PRBS DURING PAST 12 MOS

	Freq	Pct
1 = Yes	5033	8.88
2 = No	3820	6.74
94 = DON'T KNOW	71	0.13
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	1348	2.38
99 = LEGITIMATE SKIP	46424	81.87

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] most severe.

Using the 0 to 10 scale shown below, where 0 means no interference and 10 means very severe interference, select the number that describes how much [NUMPROBS] interfered with your ability to do each of the following activities during that period. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] interfere with your ability to do home management task, like cleaning, shopping, and working around the house, apartment, or yard?

(AD66A)
ADPSHMGT[1] Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH HOME MNGMT

	Freq	Pct
0 = No Interference	90	0.16
1 = Mild - 1	74	0.13
2 = Mild - 2	197	0.35
3 = Mild - 3	285	0.50
4 = Moderate - 4	403	0.71
5 = Moderate - 5	771	1.36
6 = Moderate - 6	813	1.43
7 = Severe - 7	821	1.45
8 = Severe - 8	748	1.32
9 = Severe - 9	347	0.61
10 = Very Severe Interference	461	0.81
94 = DON'T KNOW	14	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1431	2.52
99 = LEGITIMATE SKIP	50244	88.61

During that time in the past 12 months when your [FEELNOUN] was most severe, how much did this interfere with your ability to work?

You can use any number between 0 and 10 to answer.

(AD66B)
ADPSWORK[1] Len : 2 HOW MUCH DID FEELING INTERFERE WITH ABLTY TO WORK

	Freq	Pct
0 = No Interference	306	0.54
1 = Mild - 1	175	0.31
2 = Mild - 2	359	0.63
3 = Mild - 3	483	0.85
4 = Moderate - 4	481	0.85
5 = Moderate - 5	721	1.27
6 = Moderate - 6	617	1.09
7 = Severe - 7	549	0.97
8 = Severe - 8	517	0.91
9 = Severe - 9	306	0.54
10 = Very Severe Interference	482	0.85
94 = DON'T KNOW	24	0.04
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	1432	2.53
99 = LEGITIMATE SKIP	50244	88.61

How much did your [FEELNOUN] interfere with your ability to form and maintain close relationships with other people during that period of time?

You can use any number between 0 and 10 to answer.

(AD66C)
ADPSRELS[1] Len : 2 HOW MUCH DID FEELING INTERFERE WITH RELATIONSHIPS

	Freq	Pct
0 = No Interference	172	0.30
1 = Mild - 1	142	0.25
2 = Mild - 2	272	0.48
3 = Mild - 3	398	0.70
4 = Moderate - 4	436	0.77
5 = Moderate - 5	672	1.19
6 = Moderate - 6	638	1.13
7 = Severe - 7	672	1.19
8 = Severe - 8	683	1.20
9 = Severe - 9	459	0.81
10 = Very Severe Interference	465	0.82
94 = DON'T KNOW	15	0.03
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	1434	2.53
99 = LEGITIMATE SKIP	50244	88.61

How much did [NUMPROBS] interfere with your ability to have a social life during that period of time?

You can use any number between 0 and 10 to answer.

(AD66D)
ADPSSOC[1] Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
0 = No Interference	109	0.19
1 = Mild - 1	115	0.20
2 = Mild - 2	184	0.32
3 = Mild - 3	307	0.54
4 = Moderate - 4	352	0.62
5 = Moderate - 5	612	1.08
6 = Moderate - 6	570	1.01
7 = Severe - 7	690	1.22
8 = Severe - 8	780	1.38
9 = Severe - 9	587	1.04
10 = Very Severe Interference	702	1.24
94 = DON'T KNOW	13	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1434	2.53
99 = LEGITIMATE SKIP	50244	88.61

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer

(AD68)
ADPSDAYS[1] Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS

	Freq	Pct
RANGE = 0 - 365	4861	8.57
994 = DON'T KNOW	123	0.22
997 = REFUSED	13	0.02
998 = BLANK (NO ANSWER)	1442	2.54
999 = LEGITIMATE SKIP	50266	88.64

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

(AD86)
ADSEEDOC[1] Len : 2 SEE/TALK TO DR/OTH PROF ABT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Yes	4412	7.78
2 = No	4494	7.93
94 = DON'T KNOW	13	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1356	2.39
99 = LEGITIMATE SKIP	46424	81.87

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

(AD86A01)
ADFAMDOC[1] Len : 2 GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	2356	4.15
6 = Response not entered	2040	3.60
94 = DON'T KNOW	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1369	2.41
99 = LEGITIMATE SKIP	50918	89.79

(AD86A02)
ADOTHDOC[1] Len : 2 OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	368	0.65
3 = Response entered LOGICALLY ASSIGNED	4	0.01
6 = Response not entered	4024	7.10
94 = DON'T KNOW	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1369	2.41
99 = LEGITIMATE SKIP	50918	89.79

(AD86A03)
ADPSYCH[1] Len : 2 PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	1427	2.52
6 = Response not entered	2969	5.24
94 = DON'T KNOW	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1369	2.41
99 = LEGITIMATE SKIP	50918	89.79

(AD86A04)
ADPSYMD[1] Len : 2 PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	1690	2.98
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	2705	4.77
94 = DON'T KNOW	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1369	2.41
99 = LEGITIMATE SKIP	50918	89.79

(AD86A05)
ADSOCWRK[1] Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	481	0.85
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	3914	6.90
94 = DON'T KNOW	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1369	2.41
99 = LEGITIMATE SKIP	50918	89.79

(AD86A06)
ADCOUNS[1] Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	1514	2.67
3 = Response entered LOGICALLY ASSIGNED	3	0.01
6 = Response not entered	2879	5.08
94 = DON'T KNOW	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1369	2.41
99 = LEGITIMATE SKIP	50918	89.79

(AD86A07)
ADOTHMHP[1] Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	591	1.04
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	3804	6.71
94 = DON'T KNOW	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1369	2.41
99 = LEGITIMATE SKIP	50918	89.79

(AD86A08)
ADNURSE[1] Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	436	0.77
3 = Response entered LOGICALLY ASSIGNED	6	0.01
6 = Response not entered	3954	6.97
94 = DON'T KNOW	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1369	2.41
99 = LEGITIMATE SKIP	50918	89.79

(AD86A09)
ADRELIG[1] Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS

	Freq	Pct
1 = Response entered	367	0.65
3 = Response entered LOGICALLY ASSIGNED	5	0.01
6 = Response not entered	4024	7.10
94 = DON'T KNOW	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1369	2.41
99 = LEGITIMATE SKIP	50918	89.79

(AD86A10)
ADHERBAL[1] Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	213	0.38
3 = Response entered LOGICALLY ASSIGNED	3	0.01
6 = Response not entered	4180	7.37
94 = DON'T KNOW	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1369	2.41
99 = LEGITIMATE SKIP	50918	89.79

(AD86A11)
ADOTHHLP[1] Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	193	0.34
6 = Response not entered	4203	7.41
94 = DON'T KNOW	11	0.02
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1369	2.41
99 = LEGITIMATE SKIP	50918	89.79

Are you currently receiving professional treatment or counseling for [NUMPROBS] with your mood?

(AD86B)
ADTMTNOW[1] Len : 2 CURRENTLY RCVNG PROF TREATMENT/COUNSLG FOR MOOD

	Freq	Pct
1 = Yes	2979	5.25
2 = No	1430	2.52
94 = DON'T KNOW	2	0.00
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	1369	2.41
99 = LEGITIMATE SKIP	50918	89.79

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

(AD86C)
ADRX12MO[1] Len : 2 TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS

	Freq	Pct
1 = Yes	3736	6.59
2 = No	5173	9.12
94 = DON'T KNOW	10	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1357	2.39
99 = LEGITIMATE SKIP	46424	81.87

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

(AD86D)
ADRXNOW[1] Len : 2 CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD

	Freq	Pct
1 = Yes	3232	5.70
2 = No	502	0.89
94 = DON'T KNOW	1	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1368	2.41
99 = LEGITIMATE SKIP	51597	90.99

During the past 12 months, how much has this prescription medication helped you?

(AD86E)
ADRXHLP[1] Len : 2 HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MO

	Freq	Pct
1 = Not at all	216	0.38
2 = A little	422	0.74
3 = Some	931	1.64
4 = A lot	1334	2.35
5 = Extremely	820	1.45
94 = DON'T KNOW	10	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1369	2.41
99 = LEGITIMATE SKIP	51597	90.99

During the past 12 months, how much has treatment or counseling helped you?

(AD86F)
ADTMTHLP[1] Len : 2 HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS

	Freq	Pct
1 = Not at all	517	0.91
2 = A little	620	1.09
3 = Some	1138	2.01
4 = A lot	1278	2.25
5 = Extremely	811	1.43
94 = DON'T KNOW	40	0.07
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	1370	2.42
99 = LEGITIMATE SKIP	50918	89.79

NOTE: The following variable, AMDELT, identifies an adult as having a major depressive episode (MDE) in their lifetime and AMDEYR identifies an adult as having MDE in the prior year. Beginning in 2021, missing values for AMDELT and AMDEYR were replaced using statistical imputation. The imputation-revised variables used in analysis, IRAMDELT and IRAMDEYR, appear in the Imputed Adult Depression section.

A respondent was classified as having a major depressive episode (MDE) in their lifetime, AMDELT=1, if they reported experiencing at least five out of the nine criteria used to define an adult as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (ADSMMDEA=1). An adult was classified as NOT having a major depressive episode (MDE) in their lifetime, AMDELT=2, if they met either of these conditions:

1. Reported experiencing fewer than five out of the nine criteria used to define an adult as having had MDE in their lifetime (ADSMMDEA=2).
2. If the number of criteria used to define an adult as having had MDE in their lifetime is unknown (ADSMMDEA=94,97,98) and the respondent reported at least one of the following:
   (a) Never having had a period of time lasting several days or longer for the following feelings:
      i. felt sad, empty, or depressed (ADDPREV=2)
      ii. discouraged about how things were going in life (ADDSCEV=2)
      iii. lost interest in most things usually enjoyable (ADLOSEV=2)
   (b) Experienced the feelings in (a), but they did not last most of the day, nearly every day for two weeks or longer (ADLSI2WK=2) or (ADDPR2WK=2).
   (c) Experienced the feelings in (a) most of the day, nearly every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (ADWRHRS=1).
   (d) Experienced the feelings in (a) most of the day, nearly every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but emotional distress was mild (ADWRDST=1), there was never a time when emotional distress was so severe that you could not be cheered up (ADWRCHR=4), and there was never a time when your emotional distress was so severe that you could not carry out your daily activities (ADWRIMP=4).
   (e) Experienced the feelings in (a) most of the day, nearly every day for two weeks or longer for at least an hour and the severe distress were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (ADDPPROB=2).

(ADDPPROB, ADDPR2WK, ADDPREV, ADDSCEV, ADLOSEV, ADLSI2WK, ADSMMDEA, ADWRCHR, ADWRDST, ADWRHRS, ADWRIMP)
AMDELT Len : 1 ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	12910	22.77
1 = Yes (ADSMMDEA=1)	8777	15.48
2 = No (See comment above)	35018	61.75

NOTE: Beginning in 2021, missing values for AMDEYR were replaced using statistical imputation. The imputation-revised variable used in analysis, IRAMDEYR, appears in the Imputed Adult Depression section.

(ADPB2WK, AMDELT)

AMDEYR Len : 1 ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	13007	22.94
1 = Yes (AMDELT=1 & ADPB2WK=1)	4990	8.80
2 = No (AMDELT=2 or [AMDELT=1 & ADPB2WK=2])	38708	68.26

NOTE: The following four variables make up the four role domains (home management, work, close relationships with others, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on an adult's life.

(ADPSHMGT)

ASDSHOM2 Len : 1 ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - HOME MANAGEMENT

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise)	51695	91.16
1 = None (ADPSHMGT=0)	90	0.16
2 = Mild (ADPSHMGT=1,2,3)	556	0.98
3 = Moderate (ADPSHMGT=4,5,6)	1987	3.50
4 = Severe (ADPSHMGT=7,8,9)	1916	3.38
5 = Very Severe (ADPSHMGT=10)	461	0.81

(ADPSWORK)

ASDSWRK2 Len : 1 ADULT: DEPRESS FEELINGS ROLE IMPAIRMENT - ABILITY TO WORK

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise)	51709	91.19
1 = None (ADPSWORK=0)	306	0.54
2 = Mild (ADPSWORK=1,2,3)	1017	1.79
3 = Moderate (ADPSWORK=4,5,6)	1819	3.21
4 = Severe (ADPSWORK=7,8,9)	1372	2.42
5 = Very Severe (ADPSWORK=10)	482	0.85

(ADPSRELS)

ASDSREL2 Len : 1 ADULT: DEP FEELINGS ROLE IMPAIRMENT - CLOSE RELATIONSHIPS

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise)	51696	91.17
1 = None (ADPSRELS=0)	172	0.30
2 = Mild (ADPSRELS=1,2,3)	812	1.43
3 = Moderate (ADPSRELS=4,5,6)	1746	3.08
4 = Severe (ADPSRELS=7,8,9)	1814	3.20
5 = Very Severe (ADPSRELS=10)	465	0.82

(ADPSSOC)

ASDSSOC2 Len : 1 ADULT: DEPRESSIVE FEELINGS ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Aged 12-17/Unkn/Legit Skip (Otherwise)	51697	91.17
1 = None (ADPSSOC=0)	109	0.19
2 = Mild (ADPSSOC=1,2,3)	606	1.07
3 = Moderate (ADPSSOC=4,5,6)	1534	2.71
4 = Severe (ADPSSOC=7,8,9)	2057	3.63
5 = Very Severe (ADPSSOC=10)	702	1.24

The following variable, AMDEIMP, is restricted to adults with past year MDE (AMDEYR=1) and is derived from the maximum level of interference over the four role domains of SDS: home management (ASDSHOM2), ability to work (ASDSWRK2), close relationships (ASDSREL2), and social life (ASDSSOC2). Adults with a past year MDE (AMDEYR=1) and a "severe" or "very severe" maximum level of interference are assigned AMDEIMP=1. Adults without a past year MDE (AMDEYR=2) or a maximum level of interference of "none", "mild", or "moderate" (and no missing data across the four role domains) are assigned AMDEIMP=2. All other respondents are assigned a missing value for AMDEIMP. Beginning in 2021, missing values for AMDEIMP were replaced using statistical imputation. The imputation-revised variable used in analysis, IRAMDEIMP, appears in the Imputed Adult Depression section.

(AMDEYR, ASDSHOM2, ASDSREL2, ASDSSOC2, ASDSWRK2)

AMDEIMP Len : 1 ADULT: MDE WITH SEVERE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	13034	22.99
1 = Yes	3578	6.31
2 = No	40093	70.70

IMPUTED ADULT DEPRESSION

(AMDELT)
IRAMDELT Len : 1 ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE) - IMP REV

	Freq	Pct
. = Aged 12-17	11572	20.41
0 = No	36074	63.62
1 = Yes	9059	15.98

(AMDELT)
IIAMDELT Len : 1 ADULT: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE) - IMP IND

	Freq	Pct
1 = Questionnaire data	43795	77.23
3 = Statistically imputed data	1338	2.36
9 = LEGITIMATE SKIP	11572	20.41

(AMDEYR)
IRAMDEYR Len : 1 ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE) - IMP REV

	Freq	Pct
. = Aged 12-17	11572	20.41
0 = No	39948	70.45
1 = Yes	5185	9.14

(AMDEYR)
IIAMDEYR Len : 1 ADULT: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE) - IMP IND

	Freq	Pct
1 = Questionnaire data	43698	77.06
3 = Statistically imputed data	1435	2.53
9 = LEGITIMATE SKIP	11572	20.41

(AMDEIMP)
IRAMDEIMP Len : 1 ADULT: MDE WITH SEVERE ROLE IMPAIRMENT - IMP REV

	Freq	Pct
. = Aged 12-17	11572	20.41
0 = No	41401	73.01
1 = Yes	3732	6.58

(AMDEIMP)
IIAMDEIMP Len : 1 ADULT: MDE WITH SEVERE ROLE IMPAIRMENT - IMP IND

	Freq	Pct
1 = Questionnaire data	43671	77.01
3 = Statistically imputed data	1462	2.58
9 = LEGITIMATE SKIP	11572	20.41

RECODED ADULT DEPRESSION

NOTE: The variables in this section are recoded variables that were created from one or more of the edited or imputed variables from the preceding sections.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Codebook section in the main introduction of the codebook.

NOTE: The following 16 variables are among all adult respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adults with MDE, the analysis will need to be restricted by either the lifetime MDE variable (IRAMDELT) or the past year MDE variable (IRAMDEYR).

(ADSEEDOC)
ATXMDEYR Len : 1 RC-ADULT: SAW/TALK TO MD/PROF ABT DEPRESSIVE FEELNGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	47799	84.29
0 = No (ADSEEDOC=2)	4494	7.93
1 = Yes (ADSEEDOC=1)	4412	7.78

(ADRX12MO)
ARXMDEYR Len : 1 RC-ADULT: USED RX MEDICATION FOR DEPRESSIVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	47796	84.29
0 = No (ADRX12MO=2)	5173	9.12
1 = Yes (ADRX12MO=1)	3736	6.59

The following variable, AMDETXRX, is defined as having received treatment/counseling for MDE in the past year if (1) saw or talked to a medical doctor or other professional about depressive feelings or (2) used prescription medication for depressive feelings.

(ARXMDEYR, ATXMDEYR)
AMDETXRX Len : 1 RC-ADULT: RCVD TRT/CNSLG OR RX MED FOR DEPRESS FEELING IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	47799	84.29
0 = No (ATXMDEYR=0 and ARXMDEYR=0)	3833	6.76
1 = Yes (ATXMDEYR=1 or ARXMDEYR=1)	5073	8.95

(ADFAMDOC, ADSEEDOC)
ADOCMDE Len : 1 RC-ADULT: SAW/TALK TO GEN PRAC/FAM MD ABT DEP FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise)	47815	84.32
0 = No (ADSEEDOC=2 or ADFAMDOC=6)	6534	11.52
1 = Yes (ADFAMDOC=1,3)	2356	4.15

(ADOTHDOC, ADSEEDOC)
AOMDMDE Len : 1 RC-ADULT: SAW/TALK TO OTHER MD ABT DEPRESSIVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise)	47815	84.32
0 = No (ADSEEDOC=2 or ADOTHDOC=6)	8518	15.02
1 = Yes (ADOTHDOC=1,3)	372	0.66

(ADPSYCH, ADSEEDOC)
APSY1MDE Len : 1 RC-ADULT: SAW/TALK TO PSYCHOLOGIST ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise)	47815	84.32
0 = No (ADSEEDOC=2 or ADPSYCH=6)	7463	13.16
1 = Yes (ADPSYCH=1,3)	1427	2.52

(ADPSYMD, ADSEEDOC)
APSY2MDE Len : 1 RC-ADULT: SAW/TALK TO PSYCHIATRIST ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise)	47815	84.32
0 = No (ADSEEDOC=2 or ADPSYMD=6)	7199	12.70
1 = Yes (ADPSYMD=1,3)	1691	2.98

(ADSEEDOC, ADSOCWRK)
ASOCMDE Len : 1 RC-ADULT: SAW/TALK TO SOCIAL WORKR ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise)	47815	84.32
0 = No (ADSEEDOC=2 or ADSOCWRK=6)	8408	14.83
1 = Yes (ADSOCWRK=1,3)	482	0.85

(ADCOUNS, ADSEEDOC)
ACOUNMDE Len : 1 RC-ADULT: SAW/TALK TO COUNSELOR ABT DEPRESSVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise)	47815	84.32
0 = No (ADSEEDOC=2 or ADCOUNS=6)	7373	13.00
1 = Yes (ADCOUNS=1,3)	1517	2.68

AOMHMDE indicates whether an adult reported having seen or talked to other mental health professionals about MDE during the past year. Other mental health professionals include mental health nurses and other therapists where type is not specified.

(ADOTHMHP, ADSEEDOC)
AOMHMDE Len : 1 RC-ADULT: SAW/TALK TO OTH MENT HLTH PROF ABT DEP FEELINGS-PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise)	47815	84.32
0 = No (ADSEEDOC=2 or [ADOTHMHP=6 & No Writ-in Enter])	8265	14.58
1 = Yes (ADOTHMHP=1,3 or Write-in Response Entered)	625	1.10

(ADNURSE, ADSEEDOC)
ANURSMDE Len : 1 RC-ADULT: SAW/TALK TO NURSE/OCC THERA ABT DEP FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise)	47815	84.32
0 = No (ADSEEDOC=2 or ADNURSE=6)	8448	14.90
1 = Yes (ADNURSE=1,3)	442	0.78

(ADRELIG, ADSEEDOC)
ARELMDE Len : 1 RC-ADULT: SAW/TALK TO RELIG ADVISR ABT DEPRES FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise)	47815	84.32
0 = No (ADSEEDOC=2 or ADRELIG=6)	8518	15.02
1 = Yes (ADRELIG=1,3)	372	0.66

(ADHERBAL, ADSEEDOC)
AHBCHMDE Len : 1 RC-ADULT: SAW/TALK TO ANOTHER HEALER ABT DEPR FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown/Legitimate Skip (Otherwise)	47815	84.32
0 = No (ADSEEDOC=2 or ADHERBAL=6)	8674	15.30
1 = Yes (ADHERBAL=1,3)	216	0.38

The following variable, AHLTMDE, indicates whether an adult reported seeing or talking to a health professional about MDE in the past year. Adults were classified as having seen or talked to a health professional, AHLTMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (ADOCMDE=1); other medical doctor (AOMDMDE=1); psychologist (APSY1MDE=1); psychiatrist or psychotherapist (APSY2MDE=1); social worker (ASOCMDE=1); counselor (ACOUNMDE=1); other mental health professional (AOMHMDE=1); or nurse, occupational therapist, or other health professional (ANURSMDE=1). Respondents were classified as having not seen or talked to a health professional, AHLTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

(ACOUNMDE, ADOCMDE, ANURSMDE, AOMDMDE, AOMHMDE, APSY1MDE, APSY2MDE, ASOCMDE)
AHLTMDE Len : 1 RC-ADULT: SAW/TALK TO HLTH PROF ABT DEPRESSVE FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	47815	84.32
0 = No (See comment above)	4565	8.05
1 = Yes (See comment above)	4325	7.63

The following variable, AALTMDE, indicates whether an adult reported seeing or talking to an alternative service professional about MDE in the past year. Adults were classified as having seen or talked to an alternative service professional, AALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (ARELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (AHBCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, AALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

(AHBCHMDE, ARELMDE)

AALTMDE Len : 1 RC-ADULT: SAW/TALK TO ALT SERV PROF ABT DEPRS FEELINGS IN PY

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	47815	84.32
0 = No (See comment above)	8349	14.72
1 = Yes (See comment above)	541	0.95

ADOLESCENT DEPRESSION

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty, or depressed?

(YDS21)
YODPREV[1] Len : 2 EVER HAD SEVERAL DAYS WHRE FELT SAD/EMPTY/DEPRSSD

	Freq	Pct
1 = Yes	5780	10.19
2 = No	5535	9.76
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	126	0.22
97 = REFUSED	105	0.19
98 = BLANK (NO ANSWER)	22	0.04
99 = LEGITIMATE SKIP	45133	79.59

Have you ever had a period of time lasting several days or longer when most of the day you felt very discouraged or hopeless about how things were going in your life?

(YDS22)
YODSCEV[1] Len : 2 EVER HAD PER OF TIME WHERE FELT DISCRGD OR HPELSS

	Freq	Pct
1 = Yes	441	0.78
2 = No	5134	9.05
94 = DON'T KNOW	94	0.17
97 = REFUSED	97	0.17
98 = BLANK (NO ANSWER)	26	0.05
99 = LEGITIMATE SKIP	50913	89.79

Have you ever had a period of time lasting several days or longer when you lost interest and became bored with most things you usually enjoy, like work, hobbies, and personal relationships?

(YDS23)
YOLOSEV[1] Len : 2 EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS

	Freq	Pct
1 = Yes	733	1.29
2 = No	4408	7.77
94 = DON'T KNOW	107	0.19
97 = REFUSED	77	0.14
98 = BLANK (NO ANSWER)	26	0.05
99 = LEGITIMATE SKIP	51354	90.56

During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?

(YD01)
YODPDISC[1] Len : 2 FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
1 = Yes	5064	8.93
2 = No	674	1.19
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	30	0.05
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	158	0.28
99 = LEGITIMATE SKIP	50763	89.52

During the times when you felt sad, empty, or depressed, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

(YD01A, YD01B)

YODPLSIN[1] Len : 2 EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED

	Freq	Pct
1 = Yes	4503	7.94
2 = No	1237	2.18
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	28	0.05
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	158	0.28
99 = LEGITIMATE SKIP	50763	89.52

During times when you felt discouraged about how things were going in your life, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?

(YD02)

YODSLSIN[1] Len : 2 EVER LOSE INT IN THGS WHEN FEELING DISCOURGAGED

	Freq	Pct
1 = Yes	250	0.44
2 = No	184	0.32
94 = DON'T KNOW	7	0.01
98 = BLANK (NO ANSWER)	174	0.31
99 = LEGITIMATE SKIP	56090	98.92

Did you ever have a period of time like this that lasted most of the day almost every day for two weeks or longer?

(YD09)

YOLSI2WK[1] Len : 2 PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR

	Freq	Pct
1 = Yes	124	0.22
2 = No	590	1.04
94 = DON'T KNOW	15	0.03
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	210	0.37
99 = LEGITIMATE SKIP	55762	98.34

Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, almost every day, for two weeks or longer?

(YD12)

YODPR2WK[1] Len : 2 TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR

	Freq	Pct
1 = Yes	4272	7.53
2 = No	1871	3.30
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	56	0.10
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	171	0.30
99 = LEGITIMATE SKIP	50310	88.72

Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?

(YD16)

YOWRHRS[1] Len : 2 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED

	Freq	Pct
1 = Less than 1 hour	397	0.70
2 = At least 1 hour but no more than 3 hours	1089	1.92
3 = At least 3 hours but no more than 5 hours	1169	2.06
4 = 5 hours or more	1652	2.91
85 = BAD DATA Logically assigned	4	0.01
94 = DON'T KNOW	79	0.14
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	303	0.53
99 = LEGITIMATE SKIP	52002	91.71

Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how strong were your bad feelings during those times?

(YD17)
YOWRDST[1] Len : 2 HOW STRONG WERE BAD FEELINGS DURING 2 WKS

	Freq	Pct
1 = Mild	458	0.81
2 = Moderate	1600	2.82
3 = Severe	1359	2.40
4 = Very Severe	510	0.90
94 = DON'T KNOW	55	0.10
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	307	0.54
99 = LEGITIMATE SKIP	52399	92.41

Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that nothing could cheer you up?

(YD18)
YOWRCHR[1] Len : 2 BAD FEELINGS SO SEVERE NOTHING COULD CHEER YOU UP

	Freq	Pct
1 = Often	1058	1.87
2 = Sometimes	1881	3.32
3 = Not very often	828	1.46
4 = Never	196	0.35
94 = DON'T KNOW	23	0.04
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	307	0.54
99 = LEGITIMATE SKIP	52399	92.41

Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.

How often, during those times, did you feel so bad that you could not carry out your daily activities?

(YD19)
YOWRIMP[1] Len : 2 MOOD SO SEVERE COULDN'T DO DLY ACTIVITIES

	Freq	Pct
1 = Often	983	1.73
2 = Sometimes	1507	2.66
3 = Not very often	951	1.68
4 = Never	519	0.92
94 = DON'T KNOW	27	0.05
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	307	0.54
99 = LEGITIMATE SKIP	52399	92.41

People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?

(YD21)
YODPPROB[1] Len : 2 EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER

	Freq	Pct
1 = Yes	3282	5.79
2 = No	614	1.08
94 = DON'T KNOW	32	0.06
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	307	0.54
99 = LEGITIMATE SKIP	52460	92.51

Think again about these other problems we just mentioned. They include things like changes in:

- sleep
- eating
- energy
- the ability to keep their mind on things
- feeling badly about themselves

Can you think of the worst time when you [FEELFILL] for two weeks or longer and also had these other problems at the same time?

(YD22)
YOWRPROB[1] Len : 2 ONE PARTICULAR TIME THAT IS THE WORST ONE EVER

	Freq	Pct
1 = Yes	2693	4.75
2 = No	551	0.97
94 = DON'T KNOW	33	0.06
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	349	0.62
99 = LEGITIMATE SKIP	53074	93.60

How old were you when that worst period of time started?

Then think of the most recent time you [FEELFILL] for two weeks or longer and you had these other problems at the same time.

How old were you when that time started?

(YD22A, YD22C)
YOWRAGE[1] Len : 3 AGE WHEN WORST PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 17	3168	5.59
994 = DON'T KNOW	93	0.16
997 = REFUSED	21	0.04
998 = BLANK (NO ANSWER)	349	0.62
999 = LEGITIMATE SKIP	53074	93.60

In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

During that time, did you feel sad, empty, or depressed for most of the day nearly every day?

(YD24A)
YOWRDEPR[1] Len : 2 WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY

	Freq	Pct
1 = Yes	2557	4.51
2 = No	679	1.20
94 = DON'T KNOW	35	0.06
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	349	0.62
99 = LEGITIMATE SKIP	53074	93.60

During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?

(YD24C)
YOWRDISC[1] Len : 2 WHEN PRBLMS WRST FELT DISCRGED ABT LIFE EVERY DAY

	Freq	Pct
1 = Yes	2627	4.63
2 = No	614	1.08
94 = DON'T KNOW	33	0.06
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	349	0.62
99 = LEGITIMATE SKIP	53074	93.60

During that [TIMEFILL] period of time, did you become bored with almost everything like school, work, hobbies, and things you like to do for fun?

(YD24E)
YOWRLSIN[1] Len : 2 WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS

	Freq	Pct
1 = Yes	2771	4.89
2 = No	485	0.86
94 = DON'T KNOW	21	0.04
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	349	0.62
99 = LEGITIMATE SKIP	53074	93.60

During that [TIMEFILL] period of time, did you feel like nothing was fun even when good things were happening?

(YD24F)
YOWRPLSR[1] Len : 2 WHEN PRBLMS WORST FEEL NO FUN IN GOOD THINGS

	Freq	Pct
1 = Yes	2424	4.27
2 = No	823	1.45
94 = DON'T KNOW	28	0.05
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	349	0.62
99 = LEGITIMATE SKIP	53074	93.60

The next questions are about changes in appetite and weight.

In answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you eat much less than usual almost every day during that time?

(YD26A)
YOWRELES[1] Len : 2 WHEN PRBLMS WORST EAT LESS THAN USUAL EVERY DAY

	Freq	Pct
1 = Yes	1913	3.37
2 = No	1170	2.06
94 = DON'T KNOW	51	0.09
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	355	0.63
99 = LEGITIMATE SKIP	53204	93.83

Did you eat much more than usual almost every day?

(YD26B)
YOWREMOR[1] Len : 2 WHEN PRBLMS WORST EAT MORE THAN USUAL EVERY DAY

	Freq	Pct
1 = Yes	484	0.85
2 = No	706	1.25
94 = DON'T KNOW	36	0.06
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	355	0.63
99 = LEGITIMATE SKIP	55117	97.20

Did you gain weight without trying to during that [TIMEFILL] period of time?

(YD26C)
YOWRGAIN[1] Len : 2 WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING

	Freq	Pct
1 = Yes	458	0.81
2 = No	729	1.29
94 = DON'T KNOW	39	0.07
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	355	0.63
99 = LEGITIMATE SKIP	55117	97.20

Did you gain weight without trying to because you were growing?

(YD26C1)
YOWRGROW[1] Len : 2 WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING

	Freq	Pct
1 = Yes	179	0.32
2 = No	233	0.41
94 = DON'T KNOW	45	0.08
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	401	0.71
99 = LEGITIMATE SKIP	55846	98.49

Did you gain weight without trying to because you were pregnant?

(YD26C2)
YOWRPREG[1] Len : 2 WHEN PRBLMS WRST GAIN WGHT W/O TRYING BC PREGNANT

	Freq	Pct
2 = No	188	0.33
94 = DON'T KNOW	1	0.00
98 = BLANK (NO ANSWER)	211	0.37
99 = LEGITIMATE SKIP	56305	99.29

How many pounds did you gain?

Please enter your answer as a whole number.

(YD26D)
YOWRGNL2[1] Len : 3 WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING

	Freq	Pct
RANGE = 1 - 20	150	0.26
21 = 21 to 25 pounds	8	0.01
22 = 26 to 30 pounds	23	0.04
23 = 31 to 35 pounds	3	0.01
24 = 36 to 40 pounds	7	0.01
25 = 41 to 45 pounds	3	0.01
26 = 46 to 50 pounds	9	0.02
27 = 51 or more pounds	18	0.03
994 = DON'T KNOW	53	0.09
997 = REFUSED	5	0.01
998 = BLANK (NO ANSWER)	401	0.71
999 = LEGITIMATE SKIP	56025	98.80

Did you lose weight without trying to?

(YD26E)
YOWRLOSE[1] Len : 2 WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING

	Freq	Pct
1 = Yes	1344	2.37
2 = No	1212	2.14
94 = DON'T KNOW	124	0.22
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	370	0.65
99 = LEGITIMATE SKIP	53647	94.61

Did you lose weight without trying to because you were sick or on a diet?

(YD26E1)
YOWRDIET[1] Len : 2 WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT

	Freq	Pct
1 = Yes	334	0.59
2 = No	998	1.76
94 = DON'T KNOW	10	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	502	0.89
99 = LEGITIMATE SKIP	54859	96.74

How many pounds did you lose?

Please enter your answer as a whole number.

(YD26F)
YOWRLSL2[1] Len : 3 WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING

	Freq	Pct
RANGE = 0 - 20	731	1.29
21 = 21 to 25 pounds	34	0.06
22 = 26 to 30 pounds	45	0.08
23 = 31 to 35 pounds	9	0.02
24 = 36 to 40 pounds	11	0.02
25 = 41 to 45 pounds	3	0.01
26 = 46 to 50 pounds	10	0.02
27 = 51 or more pounds	17	0.03
994 = DON'T KNOW	142	0.25
997 = REFUSED	8	0.01
998 = BLANK (NO ANSWER)	502	0.89
999 = LEGITIMATE SKIP	55193	97.33

Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

Did you have a lot more trouble than usual falling asleep or staying asleep most nights or waking too early most mornings during that [TIMEFILL] time?

(YD26G)
YOWRSLEP[1] Len : 2 WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY

	Freq	Pct
1 = Yes	2468	4.35
2 = No	645	1.14
94 = DON'T KNOW	21	0.04
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	355	0.63
99 = LEGITIMATE SKIP	53204	93.83

During that [TIMEFILL] period of time, did you sleep a lot more than usual?

(YD26H)
YOWRSMOR[1] Len : 2 WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL

	Freq	Pct
1 = Yes	417	0.74
2 = No	243	0.43
94 = DON'T KNOW	11	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	355	0.63
99 = LEGITIMATE SKIP	55672	98.18

On most days during that [TIMEFILL] period of time, did you feel that you didn't have much energy?

(YD26J)
YOWRENRG[1] Len : 2 WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY

	Freq	Pct
1 = Yes	2928	5.16
2 = No	202	0.36
94 = DON'T KNOW	12	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	355	0.63
99 = LEGITIMATE SKIP	53204	93.83

Did you feel as though you were talking or moving more slowly than usual on most days during that [TIMEFILL] period of time?

(YD26L)
YOWRSLOW[1] Len : 2 WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL

	Freq	Pct
1 = Yes	2242	3.95
2 = No	856	1.51
94 = DON'T KNOW	42	0.07
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	355	0.63
99 = LEGITIMATE SKIP	53204	93.83

Did anyone else notice that you were talking or moving more slowly than usual?

(YD26M)
YOWRSLNO[1] Len : 2 WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL

	Freq	Pct
1 = Yes	1163	2.05
2 = No	1022	1.80
94 = DON'T KNOW	56	0.10
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	403	0.71
99 = LEGITIMATE SKIP	54060	95.34

Were you so restless or jittery that you walked up or down or couldn't sit still?

(YD26N)
YOWRJITT[1] Len : 2 WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY

	Freq	Pct
1 = Yes	350	0.62
2 = No	530	0.93
94 = DON'T KNOW	18	0.03
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	355	0.63
99 = LEGITIMATE SKIP	55446	97.78

Did anyone else notice that you couldn't sit still?

(YD26O)
YOWRJINO[1] Len : 2 WHEN PRBLMS WRST PEOP NOTICE YOU CLDN'T SIT STILL

	Freq	Pct
1 = Yes	162	0.29
2 = No	170	0.30
94 = DON'T KNOW	17	0.03
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	379	0.67
99 = LEGITIMATE SKIP	55976	98.71

The next questions are about changes in your ability to concentrate, and your feelings about yourself.

Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.

On most days during that [TIMEFILL] time, did your thinking seem slower than usual or seem mixed up?

(YD26P)
YOWRTHOT[1] Len : 2 WHEN PRBLMS WORST THGHTS SLOWER/MIXED UP

	Freq	Pct
1 = Yes	2317	4.09
2 = No	752	1.33
94 = DON'T KNOW	69	0.12
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	355	0.63
99 = LEGITIMATE SKIP	53204	93.83

On most days, did you have a lot more trouble than usual keeping your mind on things?

(YD26R)
YOWRCONC[1] Len : 2 WHEN PRBLMS WRST HAVE TRBLE KEEPING MIND ON THNGS

	Freq	Pct
1 = Yes	2598	4.58
2 = No	506	0.89
94 = DON'T KNOW	32	0.06
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	355	0.63
99 = LEGITIMATE SKIP	53204	93.83

Were you unable to make up your mind about things you ordinarily have no trouble deciding about?

(YD26S)
YOWRDCSN[1] Len : 2 WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS

	Freq	Pct
1 = Yes	2038	3.59
2 = No	1039	1.83
94 = DON'T KNOW	59	0.10
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	355	0.63
99 = LEGITIMATE SKIP	53204	93.83

Did you feel that you were not as good as other people nearly every day?

(YD26U)
YOWRNOGD[1] Len : 2 WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE

	Freq	Pct
1 = Yes	2669	4.71
2 = No	445	0.78
94 = DON'T KNOW	20	0.04
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	355	0.63
99 = LEGITIMATE SKIP	53204	93.83

Did you feel totally worthless nearly every day?

(YD26V)
YOWRWRTH[1] Len : 2 WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY

	Freq	Pct
1 = Yes	1997	3.52
2 = No	646	1.14
94 = DON'T KNOW	18	0.03
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	387	0.68
99 = LEGITIMATE SKIP	53649	94.61

(D_MDEA1Y)
YO_MDEA1[1] Len : 2 SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED

	Freq	Pct
1 = Has symptom	2868	5.06
2 = Does not have symptom	383	0.68
94 = DON'T KNOW	26	0.05
97 = REFUSED	5	0.01
98 = OTHER MISSING/NOT APPLICABLE	8290	14.62
99 = LEGITIMATE SKIP	45133	79.59

(D_MDEA2Y)
YO_MDEA2[1] Len : 2 LOST INTEREST OR PLEASURE IN MOST THINGS

	Freq	Pct
1 = Has symptom	3021	5.33
2 = Does not have symptom	316	0.56
94 = DON'T KNOW	34	0.06
97 = REFUSED	6	0.01
98 = OTHER MISSING/NOT APPLICABLE	8195	14.45
99 = LEGITIMATE SKIP	45133	79.59

(D_MDEA3Y)
YO_MDEA3[1] Len : 2 CHANGES IN APPETITE OR WT

	Freq	Pct
1 = Has symptom	2473	4.36
2 = Does not have symptom	579	1.02
94 = DON'T KNOW	90	0.16
97 = REFUSED	4	0.01
98 = OTHER MISSING/NOT APPLICABLE	8426	14.86
99 = LEGITIMATE SKIP	45133	79.59

(D_MDEA4Y)
YO_MDEA4[1] Len : 2 SLEEP PROBLEMS

	Freq	Pct
1 = Has symptom	2885	5.09
2 = Does not have symptom	236	0.42
94 = DON'T KNOW	18	0.03
97 = REFUSED	7	0.01
98 = OTHER MISSING/NOT APPLICABLE	8426	14.86
99 = LEGITIMATE SKIP	45133	79.59

(D_MDEA5Y)
YO_MDEA5[1] Len : 2 OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC

	Freq	Pct
1 = Has symptom	1325	2.34
2 = Does not have symptom	1746	3.08
94 = DON'T KNOW	73	0.13
97 = REFUSED	2	0.00
98 = OTHER MISSING/NOT APPLICABLE	8426	14.86
99 = LEGITIMATE SKIP	45133	79.59

(D_MDEA6Y)
YO_MDEA6[1] Len : 2 FELT TIRED/LOW ENERGY NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	2928	5.16
2 = Does not have symptom	202	0.36
94 = DON'T KNOW	12	0.02
97 = REFUSED	4	0.01
98 = OTHER MISSING/NOT APPLICABLE	8426	14.86
99 = LEGITIMATE SKIP	45133	79.59

(D_MDEA7Y)
YO_MDEA7[1] Len : 2 FELT WORTHLESS NEARLY EVERY DAY

	Freq	Pct
1 = Has symptom	1997	3.52
2 = Does not have symptom	1123	1.98
94 = DON'T KNOW	18	0.03
97 = REFUSED	8	0.01
98 = OTHER MISSING/NOT APPLICABLE	8426	14.86
99 = LEGITIMATE SKIP	45133	79.59

(D_MDEA8Y)
YO_MDEA8[1] Len : 2 INABILITY TO CONCENTRATE OR MAKE DECISIONS

	Freq	Pct
1 = Has symptom	2839	5.01
2 = Does not have symptom	271	0.48
94 = DON'T KNOW	29	0.05
97 = REFUSED	7	0.01
98 = OTHER MISSING/NOT APPLICABLE	8426	14.86
99 = LEGITIMATE SKIP	45133	79.59

(DSMMDEAY)
YODSMMDE[1] Len : 2 SCORE OF SYMPTOM INDICATORS 1 THRU 9

	Freq	Pct
1 = Has 5 or more symptoms	2914	5.14
2 = Has less than 5 symptoms	429	0.76
94 = SUM OF SYMPTOMS AND DON'T KNOW >=5	28	0.05
97 = SUM OF SYMPTOMS AND REFUSED >=5	6	0.01
98 = OTHER MISSING/NOT APPLICABLE	8195	14.45
99 = LEGITIMATE SKIP	45133	79.59

You mentioned having some of the problems I just asked you about.

During that [TIMEFILL] period of time, how much did your [FEELNOUN] interfere or cause problems with your school work, your job, or your relationships with family and friends?

(YD28)
YOPBINTF[1] Len : 2 WHEN PRBLMS WORST INTERFERE WITH SCHL/ PRSNL LIFE

	Freq	Pct
1 = Not at all	127	0.22
2 = A little	523	0.92
3 = Some	944	1.66
4 = A lot	889	1.57
5 = Extremely	476	0.84
94 = DON'T KNOW	11	0.02
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	382	0.67
99 = LEGITIMATE SKIP	53340	94.07

During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities or to take care of yourself because of these problems with your mood?

(YD28A)
YOPBDLYA[1] Len : 2 WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS

	Freq	Pct
1 = Often	785	1.38
2 = Sometimes	1332	2.35
3 = Not very often	576	1.02
4 = Never	132	0.23
94 = DON'T KNOW	20	0.04
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	382	0.67
99 = LEGITIMATE SKIP	53467	94.29

Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] and also had some of the other problems we just asked about.

Can you remember your exact age?

(YD37)
YOPBRMBR[1] Len : 2 RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
1 = Yes	1660	2.93
2 = No	1293	2.28
94 = DON'T KNOW	18	0.03
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	382	0.67
99 = LEGITIMATE SKIP	53340	94.07

How old were you?

(YD37A, YD37B)
YOPBAGE[1] Len : 3 AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED

	Freq	Pct
RANGE = 1 - 17	2779	4.90
994 = DON'T KNOW	177	0.31
997 = REFUSED	15	0.03
998 = BLANK (NO ANSWER)	394	0.69
999 = LEGITIMATE SKIP	53340	94.07

In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

If you are not sure of your answer, just make your best guess.

(YD52)
YOPBNUM[1] Len : 4 # TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE

	Freq	Pct
RANGE = 1 - 1000	2484	4.38
9994 = DON'T KNOW	445	0.78
9997 = REFUSED	54	0.10
9998 = BLANK (NO ANSWER)	382	0.67
9999 = LEGITIMATE SKIP	53340	94.07

In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?

(YD38)
YOPB2WK[1] Len : 2 FELT THIS WAY 2 WKS+ W/OTH PRBS DURING PST 12 MOS

	Freq	Pct
1 = Yes	2107	3.72
2 = No	776	1.37
94 = DON'T KNOW	77	0.14
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	382	0.67
99 = LEGITIMATE SKIP	53340	94.07

Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] the worst.

Using the 0 to 10 scale shown below, where 0 means no problems and 10 means very severe problems, select the number that describes how much your [FEELNOUN] caused problems with your ability to do each of the following activities during that time. You can use any number between 0 and 10 to answer.

How much did your [FEELNOUN] cause problems with your chores at home?

(YD66A)
YOPSHMGT[1] Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH HOME CHORES

	Freq	Pct
0 = No Problems	83	0.15
1 = Mild - 1	68	0.12
2 = Mild - 2	115	0.20
3 = Mild - 3	159	0.28
4 = Moderate - 4	193	0.34
5 = Moderate - 5	336	0.59
6 = Moderate - 6	353	0.62
7 = Severe - 7	307	0.54
8 = Severe - 8	232	0.41
9 = Severe - 9	99	0.17
10 = Very Severe Problems	136	0.24
94 = DON'T KNOW	17	0.03
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	482	0.85
99 = LEGITIMATE SKIP	54116	95.43

During that time in the past 12 months when your [FEELNOUN] was worst, how much did this cause problems with your ability to do well at school or work?

You can use any number between 0 and 10 to answer.

(YD66B)
YOPSWORK[1] Len : 2 HOW MCH DID FLNGS INTRFR W/ABLTY TO DO WLL SCH/WK

	Freq	Pct
0 = No Problems	75	0.13
1 = Mild - 1	73	0.13
2 = Mild - 2	146	0.26
3 = Mild - 3	155	0.27
4 = Moderate - 4	170	0.30
5 = Moderate - 5	257	0.45
6 = Moderate - 6	249	0.44
7 = Severe - 7	259	0.46
8 = Severe - 8	283	0.50
9 = Severe - 9	171	0.30
10 = Very Severe Problems	245	0.43
94 = DON'T KNOW	16	0.03
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	482	0.85
99 = LEGITIMATE SKIP	54116	95.43

How much did your [FEELNOUN] cause problems with your ability to get along with your family during that time?

You can use any number between 0 and 10 to answer.

(YD66C)
YOPSRELS[1] Len : 2 HOW MUCH DID FLNGS INTRFR W/GETTING ALONG W/FAM

	Freq	Pct
0 = No Problems	78	0.14
1 = Mild - 1	66	0.12
2 = Mild - 2	142	0.25
3 = Mild - 3	164	0.29
4 = Moderate - 4	159	0.28
5 = Moderate - 5	294	0.52
6 = Moderate - 6	267	0.47
7 = Severe - 7	263	0.46
8 = Severe - 8	282	0.50
9 = Severe - 9	169	0.30
10 = Very Severe Problems	204	0.36
94 = DON'T KNOW	12	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	482	0.85
99 = LEGITIMATE SKIP	54116	95.43

How much did your [FEELNOUN] cause problems with your social life during that time?

You can use any number between 0 and 10 to answer.

(YD66D)
YOPSSOC[1] Len : 2 HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE

	Freq	Pct
0 = No Problems	63	0.11
1 = Mild - 1	46	0.08
2 = Mild - 2	104	0.18
3 = Mild - 3	135	0.24
4 = Moderate - 4	173	0.31
5 = Moderate - 5	252	0.44
6 = Moderate - 6	245	0.43
7 = Severe - 7	237	0.42
8 = Severe - 8	293	0.52
9 = Severe - 9	241	0.43
10 = Very Severe Problems	301	0.53
94 = DON'T KNOW	10	0.02
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	482	0.85
99 = LEGITIMATE SKIP	54116	95.43

About how many days out of 365 in the past 12 months were you totally unable to go to school or work or carry out your normal activities because of your [FEELNOUN]?

You can use any number between 0 and 365 to answer.

(YD68)
YOPSDAYS[1] Len : 3 # DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS

	Freq	Pct
RANGE = 0 - 365	1917	3.38
994 = DON'T KNOW	152	0.27
997 = REFUSED	19	0.03
998 = BLANK (NO ANSWER)	494	0.87
999 = LEGITIMATE SKIP	54123	95.45

Here is a list of professionals some people talk to about the problems we have been asking about:

- General practitioner or family doctor
- Other medical doctor like a cardiologist, gynecologist, urologist
- Psychologist
- Psychiatrist or psychotherapist
- Social Worker
- Counselor
- Other mental health professional, like a mental health nurse
- A nurse, occupational therapist, or other health professional
- A religious or spiritual advisor like a minister, priest, or rabbi
- Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist

At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?

(YD86)
YOSEEDOC[1] Len : 2 SEE/TALK TO A DR/OTH PROF ABT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Yes	1231	2.17
2 = No	1703	3.00
94 = DON'T KNOW	29	0.05
97 = REFUSED	20	0.04
98 = BLANK (NO ANSWER)	382	0.67
99 = LEGITIMATE SKIP	53340	94.07

During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?

(YD86A01)
YOFAMDOC[1] Len : 2 GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	381	0.67
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	829	1.46
94 = DON'T KNOW	14	0.02
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	411	0.72
99 = LEGITIMATE SKIP	55043	97.07

(YD86A02)
YOOTHDOC[1] Len : 2 OTH DR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	54	0.10
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	1156	2.04
94 = DON'T KNOW	14	0.02
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	411	0.72
99 = LEGITIMATE SKIP	55043	97.07

(YD86A03)
YOPSYCH[1] Len : 2 PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	407	0.72
6 = Response not entered	804	1.42
94 = DON'T KNOW	14	0.02
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	411	0.72
99 = LEGITIMATE SKIP	55043	97.07

(YD86A04)
YOPSYMD[1] Len : 2 PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	332	0.59
6 = Response not entered	879	1.55
94 = DON'T KNOW	14	0.02
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	411	0.72
99 = LEGITIMATE SKIP	55043	97.07

(YD86A05)
YOSOCWRK[1] Len : 2 SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	206	0.36
6 = Response not entered	1005	1.77
94 = DON'T KNOW	14	0.02
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	411	0.72
99 = LEGITIMATE SKIP	55043	97.07

(YD86A06)
YOCOUNS[1] Len : 2 COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	730	1.29
3 = Response entered LOGICALLY ASSIGNED	4	0.01
6 = Response not entered	477	0.84
94 = DON'T KNOW	14	0.02
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	411	0.72
99 = LEGITIMATE SKIP	55043	97.07

(YD86A07)
YOOTHMHP[1] Len : 2 MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	178	0.31
6 = Response not entered	1033	1.82
94 = DON'T KNOW	14	0.02
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	411	0.72
99 = LEGITIMATE SKIP	55043	97.07

(YD86A08)
YONURSE[1] Len : 2 NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	204	0.36
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	1006	1.77
94 = DON'T KNOW	14	0.02
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	411	0.72
99 = LEGITIMATE SKIP	55043	97.07

(YD86A09)
YORELIG[1] Len : 2 RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS

	Freq	Pct
1 = Response entered	66	0.12
3 = Response entered LOGICALLY ASSIGNED	1	0.00
6 = Response not entered	1144	2.02
94 = DON'T KNOW	14	0.02
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	411	0.72
99 = LEGITIMATE SKIP	55043	97.07

(YD86A10)
YOHERBAL[1] Len : 2 HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	22	0.04
6 = Response not entered	1189	2.10
94 = DON'T KNOW	14	0.02
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	411	0.72
99 = LEGITIMATE SKIP	55043	97.07

(YD86A11)
YOOTHHLP[1] Len : 2 OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS

	Freq	Pct
1 = Response entered	73	0.13
6 = Response not entered	1138	2.01
94 = DON'T KNOW	14	0.02
97 = REFUSED	26	0.05
98 = BLANK (NO ANSWER)	411	0.72
99 = LEGITIMATE SKIP	55043	97.07

Are you currently receiving treatment or counseling for [NUMPROBS] with your mood?

(YD86B)
YOTMTNOW[1] Len : 2 CURRENTLY RCVNG TREATMENT/COUNSLG FOR MOOD

	Freq	Pct
1 = Yes	747	1.32
2 = No	474	0.84
94 = DON'T KNOW	10	0.02
97 = REFUSED	20	0.04
98 = BLANK (NO ANSWER)	411	0.72
99 = LEGITIMATE SKIP	55043	97.07

During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?

(YD86C)
YORX12MO[1] Len : 2 TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS

	Freq	Pct
1 = Yes	697	1.23
2 = No	2260	3.99
94 = DON'T KNOW	15	0.03
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	382	0.67
99 = LEGITIMATE SKIP	53340	94.07

Are you currently taking prescription medication that was prescribed for [NUMPROBS]?

(YD86D)
YORXNOW[1] Len : 2 CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD

	Freq	Pct
1 = Yes	552	0.97
2 = No	143	0.25
94 = DON'T KNOW	2	0.00
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	397	0.70
99 = LEGITIMATE SKIP	55600	98.05

During the past 12 months, how much has this prescription medication helped you?

(YD86E)
YORXHLP[1] Len : 2 HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MOS

	Freq	Pct
1 = Not at all	79	0.14
2 = A little	101	0.18
3 = Some	192	0.34
4 = A lot	211	0.37
5 = Extremely	106	0.19
94 = DON'T KNOW	7	0.01
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	397	0.70
99 = LEGITIMATE SKIP	55600	98.05

During the past 12 months, how much has treatment or counseling helped you?

(YD86F)
YOTMTHLP[1] Len : 2 HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS

	Freq	Pct
1 = Not at all	147	0.26
2 = A little	238	0.42
3 = Some	349	0.62
4 = A lot	309	0.54
5 = Extremely	167	0.29
94 = DON'T KNOW	18	0.03
97 = REFUSED	23	0.04
98 = BLANK (NO ANSWER)	411	0.72
99 = LEGITIMATE SKIP	55043	97.07

RECODED ADOLESCENT DEPRESSION

The following variable, YMDELT, classifies an adolescent as having a major depressive episode (MDE) in their lifetime, YMDELT=1, if they reported experiencing at least 5 out of the 9 criteria used to define an adolescent as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (YODSMMDE=1). An adolescent was classified as NOT having a major depressive episode (MDE) in their lifetime, YMDELT=2, if they met either of these conditions.

1. Reported experiencing fewer than five out of the nine criteria used to define an adolescent as having had MDE in their lifetime (YODSMMDE=2).
2. If the number of criteria used to define an adolescent as having had MDE in their lifetime is unknown (YODSMMDE=94, 97, 98) and the respondent reported at least one of the following:
   (a) Never having had a period of time lasting several days or longer for the following feelings:
      i. felt sad, empty, or depressed (YODPREV=2)
      ii. discouraged or hopeless about how things were going in life (YODSCEV=2)
      iii. lost interest and became bored with most things usually enjoyable (YOLOSEV=2)
   (b) Experienced the feelings in (a), but they did not last most of the day, almost every day for two weeks or longer [YOLSI2WK=2 or YODPR2WK=2].
   (c) Experienced the feelings in (a) most of the day, almost every day for two weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (YOWRHRS=1).
   (d) Experienced the feelings in (a) most of the day, almost every day for two weeks or longer for at least an hour during those times when mood was most severe and frequent, but the bad feelings were mild (YOWRDST=1), there was never a time when you felt so bad that nothing could cheer you up (YOWRCHR=4), and there was never a time when you felt so bad that you could not carry out your daily activities (YOWRIMP=4).
   (e) Experienced the feelings in (a) most of the day, almost every day for two weeks or longer for at least an hour with bad feelings that were more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, eating, energy, the ability to keep mind on things, or feeling badly about self (YODPPROB=2).

(YODPPROB, YODPR2WK, YODPREV, YODSCEV, YODSMMDE, YOLOSEV, YOLSI2WK, YOWRCHR, YOWRDST, YOWRHRS, YOWRIMP)
YMDELT Len : 1 RC-YOUTH: LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	45541	80.31
1 = Yes (YODSMMDE=1)	2914	5.14
2 = No (See comment above)	8250	14.55

(YMDELT, YOPB2WK)
YMDEYR Len : 1 RC-YOUTH: PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	45637	80.48
1 = Yes (YMDELT=1 & YOPB2WK=1)	2075	3.66
2 = No (YMDELT=2 or [YMDELT=1 & YOPB2WK=2])	8993	15.86

NOTE: The following three recoded variables define if a respondent had co-occurring major depressive episode and a use disorder. Specific information about the DSM-5 use disorder criteria used in these recoded variables can be found in the Nicotine Dependence and Substance Use Disorder Appendix.

(IRPYUD5ALC, YMDEYR)
YMDEAUD5YR Len : 1 RC-YOUTH: PAST YEAR MDE AND ALC USE DISORDER-DSM-5

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.)	45637	80.48
0 = No (YMDEYR=2 or IRPYUD5ALC=0)	10910	19.24
1 = Yes (YMDEYR=1 & IRPYUD5ALC=1)	158	0.28

(UD5ILLANY, YMDEYR)
YMIUD5YANY Len : 1 RC-YOUTH: PY MDE AND ILL DRUG USE DISORDER-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.)	45637	80.48
0 = No (YMDEYR=2 or UD5ILLANY=0)	10688	18.85
1 = Yes (YMDEYR=1 & UD5ILLANY =1)	380	0.67

(UD5ILALANY, YMDEYR)
YMSUD5YANY Len : 1 RC-YOUTH: PY MDE AND SUB USE DISORDER-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.)	45637	80.48
0 = No (YMDEYR=2 or UD5ILALANY=0)	10627	18.74
1 = Yes (YMDEYR=1 & UD5ILALANY =1)	441	0.78

NOTE: The following two recoded variables define if a respondent had major depressive episode and/or a substance use disorder. YMDERSUD5ANY and YMDESUD5ANYO are based on DSM-5 SUD estimates including prescription drug use data from all past year users of prescription drugs. These recodes replace variables YMDEORSUD5 and YMDESUD5ONL, and were used starting with the 2021 First Findings Report appendix tables.

(UD5ILALANY, YMDEYR)
YMDERSUD5ANY Len : 1 RC-YTH: MDE OR SUBSTANCE USE DISORDER-PAST YEAR-DSM-5-ANY

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=. and UD5ILALANY=0)	45579	80.38
0 = No (YMDEYR=2 and UD5ILALANY=0)	8346	14.72
1 = Yes (YMDEYR =1 or UD5ILALANY=1)	2780	4.90

(UD5ILALANY, YMDEYR)
YMDESUD5ANYO Len : 1 RC-YTH:ONLY MDE, ONLY SUD, BOTH, OR NEITHER-PY-DSM-5-ANY

	Freq	Pct
. = Aged 18+/Unknown MDE(YMDEYR=.)	45637	80.48
1 = SUD only, no MDE (YMDEYR=2 and UD5ILALANY=1)	647	1.14
2 = MDE only, no SUD (YMDEYR =1 and UD5ILALANY=0)	1634	2.88
3 = SUD and MDE (YMDEYR=1 and UD5ILALANY=1)	441	0.78
4 = Neither SUD or MDE (YMDEYR=2 and UD5ILALANY=0)	8346	14.72

NOTE: The following 25 variables are among all adolescent respondents who were asked the respective questions and are not confined to those respondents who were ultimately classified as having a Major Depressive Episode (MDE) in their lifetime or past year. To produce estimates among adolescents with MDE, the analysis will need to be restricted by either the lifetime MDE variable (YMDELT) or the past year MDE variable (YMDEYR).

(YOSEEDOC)
YTXMDEYR Len : 1 RC-YOUTH: SAW OR TALK TO MD/PROF FOR MDE IN PAST YEAR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	53771	94.83
0 = No (YOSEEDOC=2)	1703	3.00
1 = Yes (YOSEEDOC=1)	1231	2.17

(YORX12MO)
YRXMDEYR Len : 1 RC-YOUTH: USED RX MEDICATION FOR MDE IN PAST YEAR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	53748	94.79
0 = No (YORX12MO=2)	2260	3.99
1 = Yes (YORX12MO=1)	697	1.23

In the following variable, YMDETXRX, an adolescent is defined as having received treatment/counseling if he/she saw or talked to a medical doctor or other professional for MDE.

(YRXMDEYR, YTXMDEYR)
YMDETXRX Len : 1 RC-YOUTH: RCVD TRT/CNSLG OR RX MED FOR MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	53765	94.82
0 = No (YTXMDEYR=0 and YRXMDEYR=0)	1609	2.84
1 = Yes (YTXMDEYR=1 or YRXMDEYR=1)	1331	2.35

(YOFAMDOC, YOSEEDOC)
YDOCMDE Len : 1 RC-YOUTH: SAW/TALK TO GEN PRAC/FAM MD ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	53791	94.86
0 = No (YOSEEDOC=2 or YOFAMDOC=6)	2532	4.47
1 = Yes (YOFAMDOC=1,3)	382	0.67

(YOOTHDOC, YOSEEDOC)
YOMDMDE Len : 1 RC-YOUTH: SAW/TALK TO OTHER MD ABOUT MDE IN PAST YEAR

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	53791	94.86
0 = No (YOSEEDOC=2 or YOOTHDOC=6)	2859	5.04
1 = Yes (YOOTHDOC=1,3)	55	0.10

(YOPSYCH, YOSEEDOC)
YPSY1MDE Len : 1 RC-YOUTH: SAW/TALK TO PSYCHOLOGIST ABT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	53791	94.86
0 = No (YOSEEDOC=2 or YOPSYCH=6)	2507	4.42
1 = Yes (YOPSYCH=1,3)	407	0.72

(YOPSYMD, YOSEEDOC)
YPSY2MDE Len : 1 RC-YOUTH: SAW/TALK TO PSYCHIATRIST ABT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	53791	94.86
0 = No (YOSEEDOC=2 or YOPSYMD=6)	2582	4.55
1 = Yes (YOPSYMD=1,3)	332	0.59

(YOSEEDOC, YOSOCWRK)
YSOCMDE Len : 1 RC-YOUTH: SAW/TALK TO SOCIAL WORKER ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	53791	94.86
0 = No (YOSEEDOC=2 or YOSOCWRK=6)	2708	4.78
1 = Yes (YOSOCWRK=1,3)	206	0.36

(YOCOUNS, YOSEEDOC)
YCOUNMDE Len : 1 RC-YOUTH: SAW/TALK TO COUNSELOR ABOUT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	53791	94.86
0 = No (YOSEEDOC=2 or YOCOUNS=6)	2180	3.84
1 = Yes (YOCOUNS=1,3)	734	1.29

YOMHMDE indicates whether an adolescent reported having seen or talked to other mental health professionals about MDE during the past year. Other mental health professionals include mental health nurses and other therapists where type is not specified.

(YOOTHMHP, YOSEEDOC)
YOMHMDE Len : 1 RC-YOUTH: SAW/TALK TO OTH MENT HLTH PROF ABOUT MDE-PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	53791	94.86
0 = No (YOSEEDOC=2 or [YOOTHMHP=6 & No Writ-in Enter])	2704	4.77
1 = Yes (YOOTHMHP=1,3 or Write-in Response Entered)	210	0.37

(YONURSE, YOSEEDOC)
YNURSMDE Len : 1 RC-YOUTH: SAW/TALK TO NURSE/OCC THERA ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	53791	94.86
0 = No (YOSEEDOC=2 or YONURSE=6)	2709	4.78
1 = Yes (YONURSE=1,3)	205	0.36

(YORELIG, YOSEEDOC)
YRELMDE Len : 1 RC-YOUTH: SAW/TALK TO RELIG ADVISOR ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	53791	94.86
0 = No (YOSEEDOC=2 or YORELIG=6)	2847	5.02
1 = Yes (YORELIG=1,3)	67	0.12

(YOHERBAL, YOSEEDOC)
YHBCHMDE Len : 1 RC-YOUTH: SAW/TALK TO ANOTHER HEALER ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	53791	94.86
0 = No (YOSEEDOC=2 or YOHERBAL=6)	2892	5.10
1 = Yes (YOHERBAL=1,3)	22	0.04

The following variable, YHLTMDE, indicates whether a youth reported seeing or talking to a health professional about MDE in the past year. Youths were classified as having seen or talked to a health professional, YHLTMDE=1, if they reported seeing or talking to any of the following professionals: general practitioner or family doctor (YDOCMDE=1); other medical doctor (YOMDMDE=1); psychologist (YPSY1MDE=1); psychiatrist or psychotherapist (YPSY2MDE=1); social worker (YSOCMDE=1); counselor (YCOUNMDE=1); other mental health professional (YOMHMDE=1); or nurse, occupational therapist, or other health professional (YNURSMDE=1). Respondents were classified as having not seen or talked to a health professional, YHLTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

(YCOUNMDE, YDOCMDE, YNURSMDE, YOMDMDE, YOMHMDE, YPSY1MDE, YPSY2MDE, YSOCMDE)
YHLTMDE Len : 1 RC-YOUTH: SAW/TALK TO HEALTH PROF ABOUT MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	53791	94.86
0 = No (See comment above)	1724	3.04
1 = Yes (See comment above)	1190	2.10

The following variable, YALTMDE, indicates whether a youth reported seeing or talking to an alternative service professional about MDE in the past year. Youths were classified as having seen or talked to an alternative service professional, YALTMDE=1, if they reported seeing or talking to any of the following professionals: religious or spiritual advisor (YRELMDE=1); or herbalist, chiropractor, acupuncturist, or massage therapist (YHBCHMDE=1). Respondents were classified as having not seen or talked to an alternative service professional, YALTMDE=0, if they reported not seeing or talking to all of the professionals listed above (source variable=0).

(YHBCHMDE, YRELMDE)
YALTMDE Len : 1 RC-YOUTH: SAW/TALK TO ALT SERV PROF ABOUT MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	53791	94.86
0 = No (See comment above)	2829	4.99
1 = Yes (See comment above)	85	0.15

(YHLTMDE, YRXMDEYR)
YMDEHPRX Len : 1 RC-YOUTH: SAW HEALTH PROF OR RX MED FOR MDE IN PST YR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	53776	94.83
0 = No (YHLTMDE=0 and YRXMDEYR=0)	1626	2.87
1 = Yes (YHLTMDE=1 or YRXMDEYR=1)	1303	2.30

(YHLTMDE, YRXMDEYR)
YMDEHPO Len : 1 RC-YOUTH: SAW HEALTH PROF ONLY FOR MDE IN PAST YEAR

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	53775	94.83
0 = No (YHLTMDE=0 or YRXMDEYR=1)	2325	4.10
1 = Yes (YHLTMDE=1 and YRXMDEYR=0)	605	1.07

(YHLTMDE, YRXMDEYR)
YMDERXO2 Len : 1 RC-YOUTH: RCVD RX MED, NO HEALTH PROF FOR MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	53764	94.81
0 = No (YRXMDEYR=0 or YHLTMDE=1)	2845	5.02
1 = Yes (YRXMDEYR=1 and YHLTMDE=0)	96	0.17

(YHLTMDE, YRXMDEYR)
YMDEHARX Len : 1 RC-YOUTH: SAW HEALTH PROF AND RX MED FOR MDE IN PY

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	53763	94.81
0 = No (YHLTMDE=0 or YRXMDEYR=0)	2358	4.16
1 = Yes (YHLTMDE=1 and YRXMDEYR=1)	584	1.03

NOTE: The following four variables make up the four role domains (chores at home, school or work, close relationships with family, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on an adolescent's life.

(YOPSHMGT)
YSDSHOME Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - CHORES AT HOME

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	54624	96.33
1 = None (YOPSHMGT=0)	83	0.15
2 = Mild (YOPSHMGT=1,2,3)	342	0.60
3 = Moderate (YOPSHMGT=4,5,6)	882	1.56
4 = Severe (YOPSHMGT=7,8,9)	638	1.13
5 = Very Severe (YOPSHMGT=10)	136	0.24

(YOPSWORK)
YSDSWRK Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - SCHOOL OR WORK

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	54622	96.33
1 = None (YOPSWORK=0)	75	0.13
2 = Mild (YOPSWORK=1,2,3)	374	0.66
3 = Moderate (YOPSWORK=4,5,6)	676	1.19
4 = Severe (YOPSWORK=7,8,9)	713	1.26
5 = Very Severe (YOPSWORK=10)	245	0.43

(YOPSRELS)
YSDSREL Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - FAMILY RELATIONSHIPS

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	54617	96.32
1 = None (YOPSRELS=0)	78	0.14
2 = Mild (YOPSRELS=1,2,3)	372	0.66
3 = Moderate (YOPSRELS=4,5,6)	720	1.27
4 = Severe (YOPSRELS=7,8,9)	714	1.26
5 = Very Severe (YOPSRELS=10)	204	0.36

(YOPSSOC)
YSDSSOC Len : 1 RC-YOUTH: MDE ROLE IMPAIRMENT - SOCIAL LIFE

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	54615	96.31
1 = None (YOPSSOC=0)	63	0.11
2 = Mild (YOPSSOC=1,2,3)	285	0.50
3 = Moderate (YOPSSOC=4,5,6)	670	1.18
4 = Severe (YOPSSOC=7,8,9)	771	1.36
5 = Very Severe (YOPSSOC=10)	301	0.53

The following variable, YSDSOVRL, is assigned the maximum level of interference over the four role domains of SDS: chores at home (YSDSHOME), school or work (YSDSWRK), family relationships (YSDSREL), and social life (YSDSSOC).

(YSDSHOME, YSDSREL, YSDSSOC, YSDSWRK)
YSDSOVRL Len : 1 RC-YOUTH: MAX SEVERITY LEVEL OF MDE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown/Legitimate Skip (Otherwise)	54608	96.30
1 = None (See comment above)	9	0.02
2 = Mild (See comment above)	67	0.12
3 = Moderate (See comment above)	479	0.84
4 = Severe (See comment above)	1017	1.79
5 = Very Severe (See comment above)	525	0.93

The following variable, MDEIMPY, is derived from the maximum severity level of MDE role impairment (YSDSOVRL) and is restricted to adolescents with past year MDE (YMDEYR).

(YMDEYR, YSDSOVRL)
MDEIMPY Len : 1 RC-YOUTH: MDE WITH SEVERE ROLE IMPAIRMENT

	Freq	Pct
. = Aged 18+/Unknown (Otherwise)	45645	80.50
1 = Yes (YMDEYR=1 and YSDSOVRL=4,5)	1534	2.71
2 = No (YMDEYR=2 or YSDSOVRL=1,2,3)	9526	16.80

NOTE: The following four recoded variables define if a respondent had co-occurring major depressive episode with severe impairment and/or a use disorder. Specific information about the DSM-5 use disorder criteria used in these recoded variables can be found in the Nicotine Dependence and Substance Use Disorder Appendix.

(IRPYUD5ALC, MDEIMPY)

YMDEIMAD5YR Len : 1 RC-YOUTH: PY MDE WITH SEVERE IMP AND ALC USE DISORDER-DSM-5

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.)	45645	80.50
0 = No (MDEIMPY=2 or IRPYUD5ALC=0)	10926	19.27
1 = Yes (MDEIMPY=1 & IRPYUD5ALC=1)	134	0.24

(MDEIMPY, UD5ILLANY)

YMIMI5YANY Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIR & ILL DRG USE DIS-DSM-5-ANY

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.)	45645	80.50
0 = No (MDEIMPY=2 or UD5ILLANY=0)	10743	18.95
1 = Yes (MDEIMPY=1 & UD5ILLANY =1)	317	0.56

(MDEIMPY, UD5ILALANY)

YMIMR5YANY Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIR OR SUB USE DIS-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=. and UD5ILALANY=0)	45584	80.39
0 = No (MDEIMPY=2 & UD5ILALANY=0)	8810	15.54
1 = Yes (MDEIMPY =1 or UD5ILALANY=1)	2311	4.08

(MDEIMPY, UD5ILALANY)

YMIMS5YANY Len : 1 RC-YOUTH: PY MDE W/ SEV IMPAIR AND SUB USE DIS-DSM-5 - ANY

	Freq	Pct
. = Aged 18+/Unknown MDE Impairment (MDEIMPY=.)	45645	80.50
0 = No (MDEIMPY=2 or UD5ILALANY=0)	10691	18.85
1 = Yes (MDEIMPY=1 & UD5ILALANY =1)	369	0.65

MENTAL HEALTH SERVICES UTILIZATION

During the past 12 months, did you seek professional counseling, medication, or other treatment for your mental health, emotions, or behavior?

NOTE: This question is asked of respondents who did not report receiving any of the treatments in the past 12 months for mental health, emotions, or behavior.

(TXMHSEK)
MHTSEEKTX Len : 2 DID SEEK TRMT FOR MENTAL HEALTH (NOT RCVD TRMT)-PST 12 MOS

	Freq	Pct
1 = Yes	507	0.89
2 = No	38895	68.59
11 = Yes (unknown receipt of treatment)	15	0.03
12 = No (unknown receipt of treatment)	396	0.70
94 = DON'T KNOW	105	0.19
97 = REFUSED	136	0.24
98 = BLANK (NO ANSWER)	746	1.32
99 = LEGITIMATE SKIP	15905	28.05

During the past 12 months, did you think you should get professional counseling, medication, or other treatment for your mental health, emotions, or behavior?

NOTE: This question is asked of respondents who did not report receiving any of the treatments in the past 12 months for mental health, emotions, or behavior, and did not report seeking treatment in the past 12 months for mental health, emotions, or behavior.

(TXMHGET)
MHTSHLDTX Len : 2 THOUGHT SHLD GET MNTL HLTH TRMT (NOT RCVD TRMT)-PST 12 MOS

	Freq	Pct
1 = Yes	2780	4.90
2 = No	36066	63.60
11 = Yes (unknown receipt of treatment)	17	0.03
12 = No (unknown receipt of treatment)	375	0.66
94 = DON'T KNOW	135	0.24
97 = REFUSED	158	0.28
98 = BLANK (NO ANSWER)	747	1.32
99 = LEGITIMATE SKIP	16427	28.97

There may be many reasons you did not get [additional] treatments during the past 12 months.

For each statement, please mark whether or not it was one of the reasons why you did not get [additional] professional counseling, medication or other treatment for your mental health, emotions, or behavior.

You thought it would cost too much.

(TXMHNOA)
MHTUNCOST Len : 2 UNMET MH TRMT NEED: TREATMENT COST TOO MUCH

	Freq	Pct
1 = Yes	1670	2.95
2 = No	1728	3.05
94 = DON'T KNOW	16	0.03
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	1073	1.89
99 = LEGITIMATE SKIP	52212	92.08

You did not have health insurance coverage for mental health treatment.

(TXMHNOB)
MHTUNINSCV Len : 2 UNMET MH TRMT NEED: NO HEALTH INSURANCE COVERAGE FOR TRMT

	Freq	Pct
1 = Yes	813	1.43
2 = No	2359	4.16
94 = DON'T KNOW	232	0.41
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	1073	1.89
99 = LEGITIMATE SKIP	52212	92.08

Your health insurance would not pay enough of the costs for treatment.

(TXMHNOC)
MHTUNENFCV Len : 2 UNMET MH TRMT NEED: HEALTH INSURANCE DID NOT COVER ENOUGH

	Freq	Pct
1 = Yes	853	1.50
2 = No	2219	3.91
94 = DON'T KNOW	336	0.59
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	1073	1.89
99 = LEGITIMATE SKIP	52212	92.08

You did not know how or where to get treatment.

(TXMHNOD)
MHTUNWHER Len : 2 UNMET TRMT NEED: DID NOT KNOW HOW/WHERE TO GET TREATMENT

	Freq	Pct
1 = Yes	1576	2.78
2 = No	1827	3.22
94 = DON'T KNOW	12	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	1073	1.89
99 = LEGITIMATE SKIP	52212	92.08

You could not find a treatment program or health care professional you wanted to go to.

(TXMHNOE)
MHTUNNOFND Len : 2 UNMET MH TRMT NEED: COULD NOT FIND PREFERRED PROVIDER

	Freq	Pct
1 = Yes	1176	2.07
2 = No	2128	3.75
94 = DON'T KNOW	96	0.17
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

There were no openings in the treatment program or with the health care professional you wanted to go to.

(TXMHNOF)
MHTUNNOOPN Len : 2 UNMET MH TRMT NEED: NO OPENINGS WITH PREFERRED PROVIDER

	Freq	Pct
1 = Yes	476	0.84
2 = No	2778	4.90
94 = DON'T KNOW	153	0.27
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

You had problems with things like transportation, childcare, or getting appointments at times that worked for you.

(TXMHNOG)
MHTUNPROBS Len : 2 UNMET MH TRMT NEED: PROB W/TRANS, CHILD CARE, APPT TIMES

	Freq	Pct
1 = Yes	718	1.27
2 = No	2651	4.68
94 = DON'T KNOW	41	0.07
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

You didn't have enough time for treatment.

(TXMHNOH)
MHTUNTIME Len : 2 UNMET MH TRMT NEED: NOT ENOUGH TIME FOR TREATMENT

	Freq	Pct
1 = Yes	1378	2.43
2 = No	1987	3.50
94 = DON'T KNOW	42	0.07
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

You were worried that your information would not be kept private.

(TXMHNOI)
MHTUNPRIV Len : 2 UNMET MH TRMT NEED: WORRIED THAT INFO NOT KEPT PRIVATE

	Freq	Pct
1 = Yes	975	1.72
2 = No	2412	4.25
94 = DON'T KNOW	18	0.03
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

You were worried about what people would think or say if you got treatment.

(TXMHNOJ)
MHTUNPTHNK Len : 2 UNMET MH TRMT NEED: WORRIED WHAT PEOPLE WOULD THINK OR SAY

	Freq	Pct
1 = Yes	1102	1.94
2 = No	2303	4.06
94 = DON'T KNOW	7	0.01
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

You thought that if people knew you were in treatment bad things would happen, like losing your job, home, or children.

(TXMHNOK)
MHTUNCONSQ Len : 2 UNMET MH TRMT NEED: WORRIED LOSS OF JOB, HOME, CHILDREN, ETC

	Freq	Pct
1 = Yes	391	0.69
2 = No	2989	5.27
94 = DON'T KNOW	22	0.04
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

You were not ready to start treatment.

(TXMHNOL)
MHTUNSTART Len : 2 UNMET MH TRMT NEED: NOT READY TO START TREATMENT

	Freq	Pct
1 = Yes	1575	2.78
2 = No	1750	3.09
94 = DON'T KNOW	79	0.14
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

You thought you should have been able to handle your mental health, emotions, or behavior on your own.

(TXMHNOM)
MHTUNHNDL Len : 2 UNMET MH TRMT NEED: THOUGHT COULD HANDLE MNTL HLTH ON OWN

	Freq	Pct
1 = Yes	2446	4.31
2 = No	932	1.64
94 = DON'T KNOW	28	0.05
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

You thought your family, friends, or religious group wouldn't like it if you got treatment.

(TXMHNON)
MHTUNFFLKE Len : 2 UNMET MH TRMT NEED: FAMILY/FRIENDS/RELIG GROUP WOULDNT LIKE

	Freq	Pct
1 = Yes	636	1.12
2 = No	2747	4.84
94 = DON'T KNOW	24	0.04
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

You were afraid of being committed to a hospital or forced into treatment against your will.

(TXMHNOO)
MHTUNFORCE Len : 2 UNMET MH TRMT NEED: WORRIED ABOUT BEING FORCED AGAINST WILL

	Freq	Pct
1 = Yes	772	1.36
2 = No	2604	4.59
94 = DON'T KNOW	29	0.05
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

You thought you would be told you needed to take medication.

(TXMHNOP)
MHTUNMED Len : 2 UNMET MH TRMT NEED: THOUGHT WOULD BE TOLD TO TAKE MEDICATION

	Freq	Pct
1 = Yes	1088	1.92
2 = No	2282	4.02
94 = DON'T KNOW	38	0.07
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

You didn't think treatment would help you.

(TXMHNOQ)
MHTUNNOHLP Len : 2 UNMET MH TRMT NEED: DIDN'T THINK TREATMENT WOULD HELP

	Freq	Pct
1 = Yes	1169	2.06
2 = No	2161	3.81
94 = DON'T KNOW	77	0.14
97 = REFUSED	12	0.02
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

You thought no one would care if you got better.

(TXMHNOR)

MHTUNCARE Len : 2 UNMET MH TRMT NEED: NO ONE WOULD CARE IF YOU GOT BETTER

	Freq	Pct
1 = Yes	706	1.25
2 = No	2655	4.68
94 = DON'T KNOW	42	0.07
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	1074	1.89
99 = LEGITIMATE SKIP	52212	92.08

IMPUTED MENTAL HEALTH SERVICES UTILIZATION

IRMHTSUPPGRP Len : 1 PARTICIPATED IN SUPPORT GRP FOR MNTL HLTH - PY - IMP REV

	Freq	Pct
0 = No	53942	95.13
1 = Yes	2763	4.87

IIMHTSUPPGRP Len : 1 PARTICIPATED IN SUPPORT GRP FOR MNTL HLTH - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	55643	98.13
2 = Logically assigned data	3	0.01
3 = Statistically imputed data	1059	1.87

IRMHTERED Len : 1 SEEN IN EMERGENCY ROOM/DEPT FOR MNTL HLTH - PY - IMP REV

	Freq	Pct
0 = No	55727	98.28
1 = Yes	978	1.72

IIMHTERED Len : 1 SEEN IN EMERGENCY ROOM/DEPT FOR MNTL HLTH - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	55703	98.23
2 = Logically assigned data	2	0.00
3 = Statistically imputed data	1000	1.76

IRMHTINHOSP Len : 1 RCVD MNTL HLTH TRMT AT HOSPITAL AS INPATIENT - PY - IMP REV

	Freq	Pct
0 = No	55902	98.58
1 = Yes	803	1.42

IIMHTINHOSP Len : 1 RCVD MNTL HLTH TRMT AT HOSPITAL AS INPATIENT - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	55575	98.01
2 = Logically assigned data	8	0.01
3 = Statistically imputed data	1122	1.98

IRMHTINRSMH Len : 1 RCVD MNTL HLTH TRMT AT RSDNTL MNTL HLTH TRMT CTR-PY-IMP REV

	Freq	Pct
0 = No	56160	99.04
1 = Yes	545	0.96

IIMHTINRSMH Len : 1 RCVD MNTL HLTH TRMT AT RSDNTL MNTL HLTH TRMT CTR-PY-IMP IND

	Freq	Pct
1 = Questionnaire data	55596	98.04
2 = Logically assigned data	2	0.00
3 = Statistically imputed data	1107	1.95

IRMHTINRHAB Len : 1 RCVD MNTL HLTH TRMT AT RSDNTL SUB REHAB/TRMT CTR-PY-IMP REV

	Freq	Pct
0 = No	56479	99.60
1 = Yes	226	0.40

IIMHTINRHAB Len : 1 RCVD MNTL HLTH TRMT AT RSDNTL SUB REHAB/TRMT CTR-PY-IMP IND

	Freq	Pct
1 = Questionnaire data	55622	98.09
3 = Statistically imputed data	1083	1.91

IRMHTINOPL Len : 1 RCVD MNTL HLTH TRMT AT OTHER PLACE AS INPATIENT-PY-IMP REV

	Freq	Pct
0 = No	56392	99.45
1 = Yes	313	0.55

IIMHTINOPL Len : 1 RCVD MNTL HLTH TRMT AT OTHER PLACE AS INPATIENT-PY-IMP IND

	Freq	Pct
1 = Questionnaire data	55599	98.05
2 = Logically assigned data	1	0.00
3 = Statistically imputed data	1105	1.95

IRMHTOUTMHCR Len : 1 RCVD MNTL HLTH TRMT AT OUTPTNT MNTL HLTH TRMT CTR-PY-IMP REV

	Freq	Pct
0 = No	54741	96.54
1 = Yes	1964	3.46

IIMHTOUTMHCR Len : 1 RCVD MNTL HLTH TRMT AT OUTPTNT MNTL HLTH TRMT CTR-PY-IMP IND

	Freq	Pct
1 = Questionnaire data	55551	97.96
3 = Statistically imputed data	1154	2.04

IRMHTOUTRHAB Len : 1 RCVD MNTL HLTH TRMT AT OUTPTNT SUB REHAB/TRMT CTR-PY-IMP REV

	Freq	Pct
0 = No	56327	99.33
1 = Yes	378	0.67

IIMHTOUTRHAB Len : 1 RCVD MNTL HLTH TRMT AT OUTPTNT SUB REHAB/TRMT CTR-PY-IMP IND

	Freq	Pct
1 = Questionnaire data	55589	98.03
3 = Statistically imputed data	1116	1.97

IRMHTOUTTHRP Len : 1 RCVD MNTL HLTH TRMT AT THERAPIST OFFICE - PY - IMP REV

	Freq	Pct
0 = No	49758	87.75
1 = Yes	6947	12.25

IIMHTOUTTHRP Len : 1 RCVD MNTL HLTH TRMT AT THERAPIST OFFICE - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	55563	97.99
2 = Logically assigned data	5	0.01
3 = Statistically imputed data	1137	2.01

IRMHTOUTDOC Len : 1 RCVD MNTL HLTH TRMT AT GENERAL MEDICAL OFFICE - PY - IMP REV

	Freq	Pct
0 = No	51881	91.49
1 = Yes	4824	8.51

IIMHTOUTDOC Len : 1 RCVD MNTL HLTH TRMT AT GENERAL MEDICAL OFFICE - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	55555	97.97
2 = Logically assigned data	1	0.00
3 = Statistically imputed data	1149	2.03

IRMHTOUTHOSP Len : 1 RCVD MNTL HLTH TRMT AT HOSPITAL AS OUTPTNT - PY - IMP REV

	Freq	Pct
0 = No	55874	98.53
1 = Yes	831	1.47

IIMHTOUTHOSP Len : 1 RCVD MNTL HLTH TRMT AT HOSPITAL AS OUTPTNT - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	55549	97.96
2 = Logically assigned data	3	0.01
3 = Statistically imputed data	1153	2.03

IRMHTOUTSCHL Len : 1 RCVD MNTL HLTH TRMT AT SCHOOL HEALTH/COUNSELING-PY-IMP REV

	Freq	Pct
0 = No	54485	96.09
1 = Yes	2220	3.91

IIMHTOUTSCHL Len : 1 RCVD MNTL HLTH TRMT AT SCHOOL HEALTH/COUNSELING-PY-IMP IND

	Freq	Pct
1 = Questionnaire data	55553	97.97
2 = Logically assigned data	4	0.01
3 = Statistically imputed data	1148	2.02

IRMHTOUTOPL Len : 1 RCVD MNTL HLTH TRMT AT OTHER PLACE AS OUTPTNT-PY- IMP REV

	Freq	Pct
0 = No	56113	98.96
1 = Yes	592	1.04

IIMHTOUTOPL Len : 1 RCVD MNTL HLTH TRMT AT OTHER PLACE AS OUTPTNT-PY- IMP IND

	Freq	Pct
1 = Questionnaire data	55515	97.90
3 = Statistically imputed data	1190	2.10

IRMHTRXMED Len : 1 USED RX MEDICATION TO HELP WITH MNTL HLTH - PY - IMP REV

	Freq	Pct
0 = No	46838	82.60
1 = Yes	9867	17.40

IIMHTRXMED Len : 1 USED RX MEDICATION TO HELP WITH MNTL HLTH - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	55672	98.18
3 = Statistically imputed data	1033	1.82

IRMHTPHVID Len : 1 RCVD TRMT BY PHONE/VIDEO FOR MNTL HLTH - PY - IMP REV

	Freq	Pct
0 = No	48316	85.21
1 = Yes	8389	14.79

IIMHTPHVID Len : 1 RCVD TRMT BY PHONE/VIDEO FOR MNTL HLTH - PY - IMP IND

	Freq	Pct
1 = Questionnaire data	55656	98.15
2 = Logically assigned data	10	0.02
3 = Statistically imputed data	1039	1.83

IRMHTPEERSPC Len : 1 RCVD MNTL HLTH HLP FM PEER SUP SPCLST/RECVY COACH-PY-IMP REV

	Freq	Pct
0 = No	55532	97.93
1 = Yes	1173	2.07

IIMHTPEERSPC Len : 1 RCVD MNTL HLTH HLP FM PEER SUP SPCLST/RECVY COACH-PY-IMP IND

	Freq	Pct
1 = Questionnaire data	55593	98.04
3 = Statistically imputed data	1112	1.96

RECODED MENTAL HEALTH SERVICES UTILIZATION

The following variable, MHTINOTHPY, was assigned a positive response if a respondent indicated receiving mental health treatment at some other inpatient location in the past year (IRMHTINOPL=1) and entered a write-in response other than the responses that matched existing categories or did not enter a write-in response.

A negative response was assigned if the respondent met either of these conditions:

1. Received mental health treatment at some other inpatient location in the past year (IRMHTINOPL=1) and their write-in response matched an existing inpatient treatment or other treatment category.
2. Did not receive mental health treatment at some other inpatient location in the past year (IRMHTINOPL=0).

(IRMHTINOPL)
MHTINOTHPY Len : 1 RC-RCVD MH TRMT AT SOME OTHER PLACE AS AN INPATIENT - PST YR

	Freq	Pct
0 = No (See comment above)	56443	99.54
1 = Yes (See comment above)	262	0.46

(IRMHTINHOSP, IRMHTINRHAB, IRMHTINRSMH, MHTINOTHPY)
MHTINPPY Len : 1 RC-RCVD MENTAL HEALTH TREATMENT AS AN INPATIENT - PAST YEAR

	Freq	Pct
0 = No (IRMHTINHOSP, IRMHTINRSMH, IRMHTINRHAB, and MHTINOTHPY=0)	55527	97.92
1 = Yes (IRMHTINHOSP, IRMHTINRSMH, IRMHTINRHAB, or MHTINOTHPY=1) .	1178	2.08

The following variable, MHTOUTOTPY, was assigned a positive response if a respondent indicated receiving mental health treatment at some other outpatient location in the past year (IRMHTOUTOPL=1) and entered a write-in response other than the responses that matched existing categories or did not enter a write-in response.

A negative response was assigned if the respondent met either of these conditions:

1. Received mental health treatment at some other outpatient location in the past year (IRMHTOUTOPL=1) and their write-in response matched an existing outpatient treatment or other treatment category.
2. Did not receive mental health treatment at some other outpatient location in the past year (IRMHTOUTOPL=0).

(IRMHTOUTOPL)
MHTOUTOTPY Len : 1 RC-RCVD MH TRMT AT SOME OTHER PLACE AS AN OUTPATIENT-PST YR

	Freq	Pct
0 = No (See comment above)	56361	99.39
1 = Yes (See comment above)	344	0.61

(IRMHTOUTDOC, IRMHTOUTHOSP, IRMHTOUTMHCR, IRMHTOUTRHAB, IRMHTOUTSCHL, IRMHTOUTTHRP, MHTOUTOTPY)
MHTOUTPPY Len : 1 RC-RCVD MENTAL HEALTH TREATMENT AS AN OUTPATIENT - PAST YEAR

	Freq	Pct
0 = No (All source variables=0)	46384	81.80
1 = Yes (Any source variable=1)	10321	18.20

(IRMHTOUTHOSP, IRMHTOUTMHCR, IRMHTOUTRHAB, IRMHTOUTSCHL, IRMHTOUTTHRP, MHTOUTOTPY)
MHTOUTNDOC Len : 1 RC-RCVD MH TRMT AS AN OUTPATIENT OTHER THAN GEN MED-PST YR

	Freq	Pct
0 = No (All source variables=0)	47997	84.64
1 = Yes (Any source variable=1)	8708	15.36

(IRMHTPHVID, IRMHTRXMED, MHTINPPY, MHTOUTPPY)
MHTRTPY Len : 1 RC-RCVD MENTAL HEALTH TREATMENT - PAST YEAR

	Freq	Pct
0 = No (All source variables=0)	41075	72.44
1 = Yes (Any source variable=1)	15630	27.56

(IRMHTERED, IRMHTPEERSPC, IRMHTSUPPGRP, MHTRTPY)
MHTRTOTHPY Len : 1 RC-RCVD MENTAL HEALTH TREATMENT OR OTHER SERVICES-PAST YEAR

	Freq	Pct
0 = No (MHTRTPY, IRMHTPEERSPC, IRMHTSUPPGRP, and IRMHTERED=0)	40433	71.30
1 = Yes (MHTRTPY, IRMHTPEERSPC, IRMHTSUPPGRP, or IRMHTERED=1)	16272	28.70

The following variable, as assigned a positive response if a respondent did not receive mental health treatment (MHTRTPY=0), and thought they should get treatment but did not seek treatment. A negative response was assigned if a respondent met either of these conditions:

1. Did not receive mental health treatment (MHTRTPY=0) and sought treatment.
2. Did not receive mental health treatment (MHTRTPY=0) and did not think they should get treatment.

(MHTRTPY, MHTSHLDTX)
MHTNSEEKPY Len : 1 RC-THGHT SHOULD GET MH TRT, DIDNT RECV OR SEEK TRT- PST YR

	Freq	Pct
. = Unknown/received MH treatment (Otherwise)	16379	28.88
1 = Yes (See comment above)	2844	5.02
2 = No (See comment above)	37482	66.10

The following variable, MHTSKTHPY, was assigned a positive response if a respondent met either of these conditions:

1. Did not receive mental health treatment (MHTRTPY=0) and sought treatment.
2. Did not receive mental health treatment (MHTRTPY=0), did not indicate they sought treatment, but did think they should get treatment.

A negative response was assigned if a respondent did not receive mental health treatment (MHTRTPY=0), did not seek treatment, and did not think they should get treatment.

(MHTRTPY, MHTSHLDTX)
MHTSKTHPY Len : 1 RC-SOUGHT OR THGHT SHLD GET MH TRT, DIDNT RECV TRT - PST YR

	Freq	Pct
. = Unknown/received MH treatment (Otherwise)	16393	28.91
1 = Sought or thght shld get trt, not recvd (See comment above)	3414	6.02
2 = Didnt seek or thnk shld get trt, not rcvd(See comment above)	36898	65.07

NOTE: The following 18 variables describe reasons the respondent did not receive mental health treatment. These variables are defined for respondents who did not receive mental health treatment in the past year and who either sought treatment or did not indicate they sought treatment but thought they should get treatment in the past year.

(MHTSKTHPY, MHTUNCOST)
MHNTCOST Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: THOUGHT COST TOO MUCH

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53313	94.02
0 = No (MHTSKTHPY=1 and MHTUNCOST=2)	1724	3.04
1 = Yes (MHTSKTHPY=1 and MHTUNCOST=1)	1668	2.94

(MHTSKTHPY, MHTUNINSCV)
MHNTINSCV Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: NO HEALTH INSUR COVERAGE

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53538	94.41
0 = No (MHTSKTHPY=1 and MHTUNINSCV=2)	2355	4.15
1 = Yes (MHTSKTHPY=1 and MHTUNINSCV=1)	812	1.43

(MHTSKTHPY, MHTUNENFCV)
MHNTENFCV Len : 1 RC-UNMET PY MH TRT NEED: HEALTH INSUR DIDNT COVER ENOUGH

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53637	94.59
0 = No (MHTSKTHPY=1 and MHTUNENFCV=2)	2215	3.91
1 = Yes (MHTSKTHPY=1 and MHTUNENFCV=1)	853	1.50

(MHTSKTHPY, MHTUNWHER)
MHNTWHER Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: DIDNT KNOW WHERE TO GET TRT

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53308	94.01
0 = No (MHTSKTHPY=1 and MHTUNWHER=2)	1822	3.21
1 = Yes (MHTSKTHPY=1 and MHTUNWHER=1)	1575	2.78

(MHTSKTHPY, MHTUNNOFND)
MHNTNOFND Len : 1 RC-UNMET PY MH TRT NEED: COULD NOT FIND PREFERRED PROVIDER

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53405	94.18
0 = No (MHTSKTHPY=1 and MHTUNNOFND=2)	2126	3.75
1 = Yes (MHTSKTHPY=1 and MHTUNNOFND=1)	1174	2.07

(MHTSKTHPY, MHTUNNOOPN)
MHNTNOOPN Len : 1 RC-UNMET PY MH TRT NEED: NO OPENINGS WITH PREFERRED PROVIDER

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53457	94.27
0 = No (MHTSKTHPY=1 and MHTUNNOOPN=2)	2773	4.89
1 = Yes (MHTSKTHPY=1 and MHTUNNOOPN=1)	475	0.84

(MHTSKTHPY, MHTUNPROBS)
MHNTPROBS Len : 1 RC-UNMET PY MH TRT NEED: PROB W/TRANS, CHILDCARE, APPT TIMES

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53341	94.07
0 = No (MHTSKTHPY=1 and MHTUNPROBS=2)	2647	4.67
1 = Yes (MHTSKTHPY=1 and MHTUNPROBS=1)	717	1.26

(MHTSKTHPY, MHTUNTIME)
MHNTTIME Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: NOT ENOUGH TIME FOR TRT

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53346	94.08
0 = No (MHTSKTHPY=1 and MHTUNTIME=2)	1982	3.50
1 = Yes (MHTSKTHPY=1 and MHTUNTIME=1)	1377	2.43

(MHTSKTHPY, MHTUNPRIV)
MHNTPRIV Len : 1 RC-UNMET PY MH TRT NEED: WORRIED THAT INFO NOT KEPT PRIVATE

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53324	94.04
0 = No (MHTSKTHPY=1 and MHTUNPRIV=2)	2409	4.25
1 = Yes (MHTSKTHPY=1 and MHTUNPRIV=1)	972	1.71

(MHTSKTHPY, MHTUNPTHNK)
MHNTPTHNK Len : 1 RC-UNMET PY MH TRT NEED: WORRIED WHAT PEOPLE WOULD THNK/SAY

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53305	94.00
0 = No (MHTSKTHPY=1 and MHTUNPTHNK=2)	2300	4.06
1 = Yes (MHTSKTHPY=1 and MHTUNPTHNK=1)	1100	1.94

(MHTSKTHPY, MHTUNCONSQ)
MHNTCONSQ Len : 1 RC-UNMET PY MH TRT NEED: THGHT WOULD LOSE JOB, HOME, CHILD

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53331	94.05
0 = No (MHTSKTHPY=1 and MHTUNCONSQ=2)	2985	5.26
1 = Yes (MHTSKTHPY=1 and MHTUNCONSQ=1)	389	0.69

(MHTSKTHPY, MHTUNSTART)
MHNTSTART Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: NOT READY TO START TRT

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53385	94.15
0 = No (MHTSKTHPY=1 and MHTUNSTART=2)	1747	3.08
1 = Yes (MHTSKTHPY=1 and MHTUNSTART=1)	1573	2.77

(MHTSKTHPY, MHTUNHNDL)
MHNTHNDL Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: THOUGHT COULD HANDLE ON OWN

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53333	94.05
0 = No (MHTSKTHPY=1 and MHTUNHNDL=2)	931	1.64
1 = Yes (MHTSKTHPY=1 and MHTUNHNDL=1)	2441	4.30

(MHTSKTHPY, MHTUNFFLKE)
MHNTFFLKE Len : 1 RC-UNMET PY MH TRT NEED: FAM/FRIENDS/RELIG GRP WOULDNT LIKE

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53328	94.04
0 = No (MHTSKTHPY=1 and MHTUNFFLKE=2)	2741	4.83
1 = Yes (MHTSKTHPY=1 and MHTUNFFLKE=1)	636	1.12

(MHTSKTHPY, MHTUNFORCE)
MHNTFORCE Len : 1 RC-UNMET PY MH TRT NEED: AFRAID OF BEING FORCED AGAINST WILL

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53335	94.06
0 = No (MHTSKTHPY=1 and MHTUNFORCE=2)	2602	4.59
1 = Yes (MHTSKTHPY=1 and MHTUNFORCE=1)	768	1.35

(MHTSKTHPY, MHTUNMED)
MHNTMEDS Len : 1 RC-UNMET PY MH TRT NEED: THOUGHT WOULD BE TOLD TO TAKE MEDS

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53340	94.07
0 = No (MHTSKTHPY=1 and MHTUNMED=2)	2280	4.02
1 = Yes (MHTSKTHPY=1 and MHTUNMED=1)	1085	1.91

(MHTSKTHPY, MHTUNNOHLP)
MHNTNOHLP Len : 1 RC-UNMET PY MNTL HLTH TRT NEED: DIDNT THINK TRT WOULD HELP

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53381	94.14
0 = No (MHTSKTHPY=1 and MHTUNNOHLP=2)	2158	3.81
1 = Yes (MHTSKTHPY=1 and MHTUNNOHLP=1)	1166	2.06

(MHTSKTHPY, MHTUNCARE)
MHNTCARE Len : 1 RC-UNMET PY MH TRT NEED: NO ONE WOULD CARE IF YOU GOT BETTER

	Freq	Pct
. = Unknwn/rcvd trt/no sought&no thght shld get trt (Otherwise)	53349	94.08
0 = No (MHTSKTHPY=1 and MHTUNCARE=2)	2651	4.68
1 = Yes (MHTSKTHPY=1 and MHTUNCARE=1)	705	1.24

NOTE: The following four variables were created by using a combination of variables from the following sections: Recoded Mental Health Services Utilization and Recoded Alcohol and Drug Treatment. Specifications on how the individual Recoded Adult Mental Health Service Utilization variable was defined can be found above. Specifications on how the individual Recoded Alcohol and Drug Treatment variable was defined can be found in the Recoded Alcohol and Drug Treatment section.

(MHTRTPY, SUTRTPY)
RCVSUTOMHT Len : 1 RC-RCVD SUBSTANCE USE TRT OR MENTAL HEALTH TRT IN PAST YEAR

	Freq	Pct
1 = Sub Trt or MH Trt (SUTRTPY=1 or MHTRTPY=1)	16481	29.06
2 = No Sub Trt and No MH Trt (SUTRTPY=0 and MHTRTPY=0)	40224	70.94

(MHTRTPY, SUTRTPY)
RCVMHTNSUT Len : 1 RC-RCVD MENTAL HEALTH TRT BUT NOT SUB USE TRT IN PAST YEAR

	Freq	Pct
1 = Mental Health Trt Only (MHTRTPY=1 and SUTRTPY=0)	13614	24.01
2 = No MH Trt or Rcvd Sub Trt (MHTRTPY=0 or SUTRTPY=1)	43091	75.99

(MHTRTPY, SUTRTPY)
RCVSUTNMHT Len : 1 RC-RCVD SUB USE TRT BUT NOT MENTAL HEALTH TRT IN PAST YEAR

	Freq	Pct
1 = Sub Trt Only (SUTRTPY=1 and MHTRTPY=0)	851	1.50
2 = No Sub Trt or Rcvd MH Trt (SUTRTPY=0 or MHTRTPY=1)	55854	98.50

(MHTRTPY, SUTRTPY)
RCVSUTAMHT Len : 1 RC-RCVD BOTH SUB USE TRT AND MENTAL HEALTH TRT IN PAST YEAR

	Freq	Pct
1 = Sub Trt and MH Trt (SUTRTPY=1 and MHTRTPY=1)	2016	3.56
2 = No Sub Trt or No MH Trt (SUTRTPY=0 or MHTRTPY=0)	54689	96.44

OTHER TOPICS

HEALTH

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

The next questions are about your health and health care.

Are you currently pregnant?

(HLTH02)
PREGNANT Len : 2 ARE YOU PREGNANT

	Freq	Pct
1 = Yes	649	1.14
2 = No	22002	38.80
85 = BAD DATA Logically assigned	7	0.01
94 = DON'T KNOW	36	0.06
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	243	0.43
99 = LEGITIMATE SKIP	33747	59.51

NOTE: In the variable HTANSWER, reported preferences to answer in feet and inches or in inches only were combined into a single value. Reported preferences to answer in meters and centimeters or in centimeters only were combined into a single value.

This question asks about your height.

To answer in feet and inches, press 1. To answer in meters and centimeters, press 2. To answer in inches only, press 3. To answer in centimeters only, press 4. Then press [ENTER] to continue.

(HLTH04)
HTANSWER[1] Len : 2 PREFERRED WAY TO REPORT HEIGHT

	Freq	Pct
1 = Feet/inches or inches only	53077	93.60
2 = Meters/cm or cm only	2152	3.80
85 = BAD DATA Logically assigned	17	0.03
94 = DON'T KNOW	522	0.92
97 = REFUSED	335	0.59
98 = BLANK (NO ANSWER)	602	1.06

NOTE: HTINCHE2 was recoded to inches from reports of heights in feet and inches, meters and centimeters, or centimeters only. Heights in meters and centimeters first were converted to centimeters. For respondents who chose to report their height in metric units, a conversion factor was applied of 0.393701 inches to 1 centimeter to produce a height in inches. HTINCHE2 was then rounded to the nearest integer and top coded at 75 inches and bottom coded at 55 inches.

About how tall are you, without shoes? First, please type in the number of feet, then press [ENTER].

Please type in the number of inches and then press [ENTER].

About how tall are you, without shoes? First, please type in the number of meters, then press [ENTER].

Please type in the number of centimeters and then press [ENTER].

(HLTH05, HLTH06A, HLTH06B, HLTH07, HLTH08A, HLTH08B)
HTINCHE2[1] Len : 3 HEIGHT IN INCHES WITHOUT SHOES - RECODE

	Freq	Pct
RANGE = 55 - 75	54408	95.95
985 = BAD DATA Logically assigned	204	0.36
994 = DON'T KNOW	1029	1.81
997 = REFUSED	446	0.79
998 = BLANK (NO ANSWER)	618	1.09

The next question asks about your weight.

To answer in pounds, press 1. To answer in kilograms, press 2. Then press [ENTER] to continue.

(HLTH09)
WTANSWER[1] Len : 2 PREFERRED WAY TO REPORT WEIGHT

	Freq	Pct
1 = Pounds	53261	93.93
2 = Kilograms	1685	2.97
85 = BAD DATA Logically assigned	17	0.03
94 = DON'T KNOW	608	1.07
97 = REFUSED	513	0.90
98 = BLANK (NO ANSWER)	621	1.10

NOTE: WTPOUND2 was recoded to pounds from reports of weights in kilograms. For respondents who chose to report their weight in kilograms, a conversion factor was applied of 2.20462 pounds to 1 kilogram to produce a weight in pounds. Females aged 12 to 44 who were currently pregnant were asked to report their weight before they got pregnant. WTPOUND2 was then rounded to the nearest integer and top coded at 295 pounds and bottom coded at 75 pounds.

About how much do you weigh? Please type in the number of pounds and then press [ENTER].

About how much do you weigh? Please type in the number of kilograms and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of pounds and then press [ENTER].

About how much did you weigh before you got pregnant? Please type in the number of kilograms and then press [ENTER].

(HLTH10, HLTH12, HLTH13, HLTH14)
WTPOUND2[1] Len : 3 WEIGHT IN POUNDS - RECODE

	Freq	Pct
RANGE = 75 - 295	53992	95.22
9985 = BAD DATA Logically assigned	204	0.36
9994 = DON'T KNOW	1212	2.14
9997 = REFUSED	671	1.18
9998 = BLANK (NO ANSWER)	626	1.10

During the past 12 months, that is since DATEFILL, how many different times have you been treated in an emergency room for any reason?

(HLTH16)
NMERTMT2 Len : 3 # OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS

	Freq	Pct
RANGE = 0 - 30	54896	96.81
31 = 31 or more	13	0.02
985 = BAD DATA Logically assigned	19	0.03
994 = DON'T KNOW	820	1.45
997 = REFUSED	331	0.58
998 = BLANK (NO ANSWER)	626	1.10

During the past 12 months, have you stayed overnight or longer as an inpatient in a hospital?

(HLTH17)
INHOSPYR Len : 2 STAYED OVERNIGHT AS INPNT IN HOSP PAST 12 MOS

	Freq	Pct
1 = Yes	3839	6.77
2 = No	51910	91.54
85 = BAD DATA Logically assigned	21	0.04
94 = DON'T KNOW	166	0.29
97 = REFUSED	139	0.25
98 = BLANK (NO ANSWER)	630	1.11

During the past 12 months, how many nights were you an inpatient in a hospital?

(HLTH18)
NMNGTHS2 Len : 3 # NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER

	Freq	Pct
RANGE = 1 - 30	3716	6.55
31 = 31 or more	59	0.10
985 = BAD DATA Logically assigned	6	0.01
994 = DON'T KNOW	53	0.09
997 = REFUSED	150	0.26
998 = BLANK (NO ANSWER)	811	1.43
999 = LEGITIMATE SKIP	51910	91.54

During the past 12 months, how many times have you visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place?

(HLTH19)
NMVSOPT2 Len : 3 # OUTPATIENT VISITS PAST 12 MOS - RECODE

	Freq	Pct
RANGE = 0 - 15	52642	92.83
16 = 16 - 20 times	621	1.10
17 = 21 - 25 times	262	0.46
18 = 26 - 30 times	246	0.43
19 = 31+ times	365	0.64
985 = BAD DATA Logically assigned	21	0.04
994 = DON'T KNOW	1604	2.83
997 = REFUSED	299	0.53
998 = BLANK (NO ANSWER)	645	1.14

What is your best guess of how many times you have visited a doctor, nurse, physician assistant or nurse practitioner about your own health at a doctor's office, a clinic, or some other place in the past 12 months?

(HLTH19DK)
NMVSOEST Len : 2 # TIMES VISITED DR ABOUT OWN HEALTH PST YR

	Freq	Pct
0 = I have not visited a Dr in the past 12 mos	164	0.29
1 = 1 time	136	0.24
2 = 2-3 times	322	0.57
3 = 4-5 times	211	0.37
4 = 6-7 times	129	0.23
5 = 8-9 times	82	0.14
6 = 10-12 times	71	0.13
7 = 13-15 times	37	0.07
8 = 16 or more times	117	0.21
94 = DON'T KNOW	467	0.82
97 = REFUSED	167	0.29
98 = BLANK (NO ANSWER)	666	1.17
99 = LEGITIMATE SKIP	54136	95.47

During the past 12 months, have you talked to a doctor, physician assistant, or nurse practitioner about your own health **over the phone, by email, or through video calling** instead of going to an in-person appointment?

(HLTHTELE)
TELEAPTYR Len : 2 TALK TO DOC ABOUT HEALTH OVER PHONE/EMAIL/VIDEO PST 12 MOS

	Freq	Pct
1 = Yes	13811	24.36
2 = No	41811	73.73
85 = BAD DATA Logically assigned	22	0.04
94 = DON'T KNOW	267	0.47
97 = REFUSED	144	0.25
98 = BLANK (NO ANSWER)	650	1.15

During the past 12 months, did any doctor or other health care professional ask, either in person or on a form, if you:

a. Smoke cigarettes or use any other tobacco products?

(HLTH20A)
HPUSETOB Len : 2 HEALTH PROF ASKED PST 12 MOS: TOBACCO USE

	Freq	Pct
1 = Yes	27893	49.19
2 = No	15817	27.89
85 = BAD DATA Logically assigned	22	0.04
94 = DON'T KNOW	300	0.53
97 = REFUSED	52	0.09
98 = BLANK (NO ANSWER)	1326	2.34
99 = LEGITIMATE SKIP	11295	19.92

b. Drink alcohol?

(HLTH20B)
HPUSEALC Len : 2 HEALTH PROF ASKED PST 12 MOS: ALCOHOL USE

	Freq	Pct
1 = Yes	27670	48.80
2 = No	16052	28.31
85 = BAD DATA Logically assigned	22	0.04
94 = DON'T KNOW	290	0.51
97 = REFUSED	49	0.09
98 = BLANK (NO ANSWER)	1327	2.34
99 = LEGITIMATE SKIP	11295	19.92

c. Use marijuana or other illegal drugs?

(HLTH20C)
HPUSEDRG Len : 2 HEALTH PROF ASKED PST 12 MOS: DRUG USE

	Freq	Pct
1 = Yes	23877	42.11
2 = No	19773	34.87
85 = BAD DATA Logically assigned	22	0.04
94 = DON'T KNOW	356	0.63
97 = REFUSED	55	0.10
98 = BLANK (NO ANSWER)	1327	2.34
99 = LEGITIMATE SKIP	11295	19.92

NOTE: If respondents reported that they last smoked cigarettes, used smokeless tobacco, or smoked cigars more than 12 months prior to their interview date and they did not smoke pipe tobacco in the past 30 days (or never smoked pipe tobacco), codes of 93 in HPQTTOB indicate that these respondents had not used tobacco products in the past 12 months. Respondents who smoked tobacco in a pipe in their lifetime were asked whether they did so in the past 30 days but they were not asked whether they smoked tobacco in a pipe more than 30 days ago but within the past 12 months. If respondents reported never using tobacco products or not using them in the past 12 months (including not smoking tobacco in a pipe in the past 30 days) and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, or outpatient visits, or telehealth encounters), indication that these respondents had not used tobacco products in the past 12 months or in their lifetime (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPQTTOB applied to respondents who used tobacco products in the past 12 months or whose status as a tobacco user in the past 12 months was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional advise you to quit smoking cigarettes or quit using any other tobacco products?

(HLTH21)
HPQTTOB Len : 2 HEALTH PROF ADVISED YOU TO QUIT TOBACCO USE

	Freq	Pct
1 = Yes	3467	6.11
2 = No	5228	9.22
85 = BAD DATA Logically assigned	11	0.02
91 = NEVER USED TOBACCO PRODUCTS	29258	51.60
93 = DID NOT USE TOBACCO IN PAST 12 MOS (See note)	15401	27.16
94 = DON'T KNOW	11	0.02
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	444	0.78
99 = LEGITIMATE SKIP (No health care visits pst 12 mos)	2877	5.07

NOTE: In HPALCAMT, HPALCFRQ, HPALCPRB, HPALCCUT, HPALCTX, and HPALCNOT, if respondents reported never using alcohol or not using it in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, outpatient visits, or telehealth encounters), indication that respondents never used alcohol or did not use it in the past 12 months (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in these variables applied to respondents who used alcohol in the past 12 months or whose status as a past year alcohol user was unknown but who did not have any health care visits in the past 12 months. Additionally, HPALCAMT through HPALCTX were assigned codes of 99 if respondents reported that a doctor did not discuss their alcohol use with them in the past 12 months (HPALCNOT=95). HPALCNOT was assigned a code of 99 if respondents selected any of the statements regarding discussions with their doctor about alcohol use (any of HPALCAMT through HPALCTX = 1).

Please think about all of the talks you have had with a doctor or other health care professional during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussions you may have had in person with a doctor or other health professional about your alcohol use.

Please think about [VISITFILL] during the past 12 months when you answer this question. Choose the statement or statements below that describe any discussion you may have had in person with a doctor or other health professional about your alcohol use.

To select more than one statement, press the space bar between each number you type. When you have finished, press [ENTER].

(HLTH221)
HPALCAMT Len : 2 DOCTOR ASKED HOW MUCH YOU DRINK

	Freq	Pct
1 = Yes	12129	21.39
2 = No (Not entered)	2947	5.20
85 = BAD DATA Logically assigned	3	0.01
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	7086	12.50
94 = DON'T KNOW	295	0.52
97 = REFUSED	165	0.29
98 = BLANK (NO ANSWER)	811	1.43
99 = LEGITIMATE SKIP	16804	29.63

(HLTH222)
HPALCFRQ Len : 2 DOCTOR ASKED HOW OFTEN YOU DRINK

	Freq	Pct
1 = Yes	11988	21.14
2 = No (Not entered)	3088	5.45
85 = BAD DATA Logically assigned	6	0.01
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	7086	12.50
94 = DON'T KNOW	295	0.52
97 = REFUSED	165	0.29
98 = BLANK (NO ANSWER)	808	1.42
99 = LEGITIMATE SKIP	16804	29.63

(HLTH223)
HPALCPRB Len : 2 DOCTOR ASKED IF ANY DRINKING PROBS

	Freq	Pct
1 = Yes	3022	5.33
2 = No (Not entered)	12054	21.26
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	7086	12.50
94 = DON'T KNOW	295	0.52
97 = REFUSED	165	0.29
98 = BLANK (NO ANSWER)	814	1.44
99 = LEGITIMATE SKIP	16804	29.63

(HLTH224)
HPALCCUT Len : 2 DOCTOR ADVISED YOU TO CUT DOWN ON DRINKING

	Freq	Pct
1 = Yes	936	1.65
2 = No (Not entered)	14140	24.94
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	7086	12.50
94 = DON'T KNOW	295	0.52
97 = REFUSED	165	0.29
98 = BLANK (NO ANSWER)	814	1.44
99 = LEGITIMATE SKIP	16804	29.63

(HLTH225)
HPALCTX Len : 2 DOCTOR OFFERED INFO ABOUT ALCOHOL TREATMT

	Freq	Pct
1 = Yes	602	1.06
2 = No (Not entered)	14474	25.53
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	7086	12.50
94 = DON'T KNOW	295	0.52
97 = REFUSED	165	0.29
98 = BLANK (NO ANSWER)	814	1.44
99 = LEGITIMATE SKIP	16804	29.63

(HLTH226)
HPALCNOT Len : 2 DOCTOR DIDNT DISCUSS MY ALCOHOL USE WITH ME

	Freq	Pct
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	7086	12.50
94 = DON'T KNOW	295	0.52
95 = DR DIDNT DISCUSS ALC USE PST 12 MOS	10500	18.52
97 = REFUSED	165	0.29
98 = BLANK (NO ANSWER)	813	1.43
99 = LEGITIMATE SKIP	21380	37.70

NOTE: In HPDRGTALK, if respondents reported never using marijuana, cocaine (including crack), heroin, hallucinogens, inhalants, or methamphetamine or not using these substances in the past 12 months and also that they did not have any health care visits in the past 12 months (emergency room visits, overnight hospitalizations, outpatient visits, or telehealth encounters), indication that respondents never used these drugs or last used any of them more than 12 months ago (as indicated by codes of 91 or 93) took precedence over assignment of codes to indicate that these respondents did not have any health care visits in the past 12 months. Codes of 99 in HPDRGTALK applied to respondents who used any of these drugs in the past 12 months or whose status as a past year user was unknown but who did not have any health care visits in the past 12 months.

During the past 12 months, did any doctor or other health care professional talk to you about your use of [MARIJUANA/COCAINE/CRACK/HEROIN/INHALANTS/HALLUCINOGENS/METHAMPHETAMINE]?

(HLTH23)
HPDRGTALK Len : 2 HEALTH PROF DISCUSSED MY DRUG USE WITH ME

	Freq	Pct
1 = Yes	3288	5.80
2 = No	8214	14.49
85 = BAD DATA Logically assigned	12	0.02
91 = NEVER USED MJ/COC/HER/HALL/INH/METH	29299	51.67
93 = DID NOT USE MJ/COC/HER/HAL/INH/METH IN PST 12 MOS	11882	20.95
94 = DON'T KNOW	21	0.04
97 = REFUSED	20	0.04
98 = BLANK (NO ANSWER)	880	1.55
99 = LEGITIMATE SKIP	3089	5.45

These next questions are about certain medical conditions.

During the past 12 months, did you have a sexually transmitted disease such as chlamydia, gonorrhea, herpes or syphilis?

(HLTH24)
STDANYYR[1] Len : 2 HAD SEXUALLY TRANSMITTED DISEASE PST 12 MOS

	Freq	Pct
1 = Yes	1084	1.91
2 = No	54623	96.33
85 = BAD DATA Logically assigned	22	0.04
94 = DON'T KNOW	154	0.27
97 = REFUSED	153	0.27
98 = BLANK (NO ANSWER)	669	1.18

NOTE: Variables HRTCONDEV through HIGHBPEVR were assigned codes of 99 if respondents reported never having a health care professional tell them they had any of the health conditions listed (NONABOVEV=95).

Below is a list of health conditions that you may have had during your lifetime.

Please read the list and type in the numbers of all of the conditions that a doctor or other health care professional has ever told you that you had.

To select more than one condition, press the space bar between each number you type. When you have finished, press [ENTER].

(HLTH2501)
HRTCONDEV[1] Len : 2 EVER TOLD HAD HEART CONDITION

	Freq	Pct
1 = Yes	3550	6.26
2 = No (not entered)	13142	23.18
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	459	0.81
97 = REFUSED	306	0.54
98 = BLANK (NO ANSWER)	694	1.22
99 = LEGITIMATE SKIP	38536	67.96

(HLTH2502)
DIABETEVR[1] Len : 2 EVER TOLD HAD DIABETES/SUGAR DIABETES

	Freq	Pct
1 = Yes	3580	6.31
2 = No (not entered)	13112	23.12
85 = BAD DATA Logically assigned	24	0.04
94 = DON'T KNOW	459	0.81
97 = REFUSED	306	0.54
98 = BLANK (NO ANSWER)	688	1.21
99 = LEGITIMATE SKIP	38536	67.96

(HLTH2503)
COPDEVER[1] Len : 2 EVER TOLD HAD CHRONIC BRONCHITIS OR COPD

	Freq	Pct
1 = Yes	1108	1.95
2 = No (not entered)	15584	27.48
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	459	0.81
97 = REFUSED	306	0.54
98 = BLANK (NO ANSWER)	702	1.24
99 = LEGITIMATE SKIP	38536	67.96

(HLTH2504)
CIRROSEVR[1] Len : 2 EVER TOLD HAD CIRRHOSIS OF THE LIVER

	Freq	Pct
1 = Yes	134	0.24
2 = No (not entered)	16558	29.20
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	459	0.81
97 = REFUSED	306	0.54
98 = BLANK (NO ANSWER)	702	1.24
99 = LEGITIMATE SKIP	38536	67.96

(HLTH2505)
HEPBCEVER[1] Len : 2 EVER TOLD HAD HEPATITIS B OR C

	Freq	Pct
1 = Yes	442	0.78
2 = No (not entered)	16250	28.66
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	459	0.81
97 = REFUSED	306	0.54
98 = BLANK (NO ANSWER)	702	1.24
99 = LEGITIMATE SKIP	38536	67.96

(HLTH2506)
KIDNYDSEV[1] Len : 2 EVER TOLD HAD KIDNEY DISEASE

	Freq	Pct
1 = Yes	749	1.32
2 = No (not entered)	15943	28.12
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	459	0.81
97 = REFUSED	306	0.54
98 = BLANK (NO ANSWER)	702	1.24
99 = LEGITIMATE SKIP	38536	67.96

(HLTH2507)
ASTHMAEVR[1] Len : 2 EVER TOLD HAD ASTHMA

	Freq	Pct
1 = Yes	6502	11.47
2 = No (not entered)	10190	17.97
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	459	0.81
97 = REFUSED	306	0.54
98 = BLANK (NO ANSWER)	702	1.24
99 = LEGITIMATE SKIP	38536	67.96

(HLTH2508)
HIVAIDSEV[1] Len : 2 EVER TOLD HAD HIV OR AIDS

	Freq	Pct
1 = Yes	125	0.22
2 = No (not entered)	16567	29.22
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	459	0.81
97 = REFUSED	306	0.54
98 = BLANK (NO ANSWER)	702	1.24
99 = LEGITIMATE SKIP	38536	67.96

(HLTH2509)
CANCEREVR[1] Len : 2 EVER TOLD HAD CANCER

	Freq	Pct
1 = Yes	1852	3.27
2 = No (not entered)	14840	26.17
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	459	0.81
97 = REFUSED	306	0.54
98 = BLANK (NO ANSWER)	702	1.24
99 = LEGITIMATE SKIP	38536	67.96

(HLTH2510)
HIGHBPEVR[1] Len : 2 EVER TOLD HAD HIGH BLOOD PRESSURE

	Freq	Pct
1 = Yes	6110	10.78
2 = No (not entered)	10582	18.66
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	459	0.81
97 = REFUSED	306	0.54
98 = BLANK (NO ANSWER)	702	1.24
99 = LEGITIMATE SKIP	38536	67.96

(HLTH2511)
NONABOVEV[1] Len : 2 NEVER HAD ANY OF THESE CONDITIONS

	Freq	Pct
2 = No (not entered)	16692	29.44
85 = BAD DATA Logically assigned	8	0.01
94 = DON'T KNOW	459	0.81
95 = Response entered	38536	67.96
97 = REFUSED	306	0.54
98 = BLANK (NO ANSWER)	704	1.24

NOTE: Variables CABLADDER through CAOTHER2 were assigned codes of 99 if respondents reported never having a health care professional tell them they had cancer (CANCEREVR=2,99). In addition, CAOVARY, CAPROSTEST, and CAUTERUS were assigned codes of 99 if the corresponding question did not apply due to the reported sex assigned at birth.

What kind of cancer was it? Enter all that apply.

To select more than one category, press the space bar between the numbers. When you have finished, press [ENTER].

(HLTH2601)
CABLADDER[1] Len : 2 TYPE OF CANCER: BLADDER

	Freq	Pct
1 = Yes	50	0.09
2 = No (not entered)	1760	3.10
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	53376	94.13

(HLTH2602, HLTH2612, HLTH2615)
CABLOLEULYM Len : 2 TYPE OF CANCER: BLOOD/LEUKEMIA/LYMPHOMA

	Freq	Pct
1 = Yes	171	0.30
2 = No (not entered)	1639	2.89
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	53376	94.13

(HLTH2605)
CABREAST[1] Len : 2 TYPE OF CANCER: BREAST

	Freq	Pct
1 = Yes	402	0.71
2 = No (not entered)	1408	2.48
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	53376	94.13

(HLTH2606)
CACERVIX[1] Len : 2 TYPE OF CANCER: CERVIX (FEMALES ONLY)

	Freq	Pct
1 = Yes	103	0.18
2 = No (not entered)	993	1.75
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1467	2.59
99 = LEGITIMATE SKIP	54122	95.44

(HLTH2607, HLTH2621)
CACOLNRECT Len : 2 TYPE OF CANCER: COLON/RECTUM

	Freq	Pct
1 = Yes	81	0.14
2 = No (not entered)	1729	3.05
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	53376	94.13

(HLTH2608, HLTH2625)
CAESOPSTOM Len : 2 TYPE OF CANCER: ESOPHAGUS/STOMACH

	Freq	Pct
1 = Yes	21	0.04
2 = No (not entered)	1789	3.15
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	53376	94.13

(HLTH2609, HLTH2613, HLTH2619)
CAGALLIVPAN Len : 2 TYPE OF CANCER: GALLBLADDER/LIVER/PANCREAS

	Freq	Pct
1 = Yes	29	0.05
2 = No (not entered)	1781	3.14
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	53376	94.13

(HLTH2610)
CAKIDNEY[1] Len : 2 TYPE OF CANCER: KIDNEY

	Freq	Pct
1 = Yes	47	0.08
2 = No (not entered)	1763	3.11
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	53376	94.13

(HLTH2611, HLTH2614)
CALARYLUNG Len : 2 TYPE OF CANCER: LARYNX/WINDPIPE/LUNG

	Freq	Pct
1 = Yes	61	0.11
2 = No (not entered)	1749	3.08
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	53376	94.13

(HLTH2616)
CAMELANOM[1] Len : 2 TYPE OF CANCER: MELANOMA

	Freq	Pct
1 = Yes	168	0.30
2 = No (not entered)	1642	2.90
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	53376	94.13

(HLTH2617, HLTH2627)
CAMOUTTHRO Len : 2 TYPE OF CANCER: MOUTH/TONGUE/LIP/THROAT/PHARYNX

	Freq	Pct
1 = Yes	24	0.04
2 = No (not entered)	1786	3.15
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	53376	94.13

(HLTH2618)
CAOVARY[1] Len : 2 TYPE OF CANCER: OVARY (FEMALES ONLY)

	Freq	Pct
1 = Yes	43	0.08
2 = No (not entered)	1053	1.86
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1467	2.59
99 = LEGITIMATE SKIP	54122	95.44

(HLTH2620, HLTH2626)
CAPROSTEST Len : 2 TYPE OF CANCER: PROSTATE/TESTIS (MALES ONLY)

	Freq	Pct
1 = Yes	253	0.45
2 = No (not entered)	461	0.81
85 = BAD DATA Logically assigned	28	0.05
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	54492	96.10

(HLTH2622)
CASKINOTH[1] Len : 2 TYPE OF CANCER: SKIN (NOT MELANOMA)

	Freq	Pct
1 = Yes	331	0.58
2 = No (not entered)	1479	2.61
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	53376	94.13

(HLTH2623)
CASKINDK[1] Len : 2 TYPE OF CANCER: SKIN DON'T KNOW WHICH KIND

	Freq	Pct
1 = Yes	98	0.17
2 = No (not entered)	1712	3.02
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	53376	94.13

(HLTH2628)
CATHYROID[1] Len : 2 TYPE OF CANCER: THYROID

	Freq	Pct
1 = Yes	88	0.16
2 = No (not entered)	1722	3.04
85 = BAD DATA Logically assigned	46	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1468	2.59
99 = LEGITIMATE SKIP	53376	94.13

(HLTH2629)
CAUTERUS[1] Len : 2 TYPE OF CANCER: UTERUS (FEMALES ONLY)

	Freq	Pct
1 = Yes	66	0.12
2 = No (not entered)	1030	1.82
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	1	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1467	2.59
99 = LEGITIMATE SKIP	54122	95.44

(HLTH2603, HLTH2604, HLTH2624, HLTH2630)
CAOTHER2 Len : 2 TYPE OF CANCER: OTHER

	Freq	Pct
1 = Yes	157	0.28
2 = No (not entered)	1653	2.92
85 = BAD DATA Logically assigned	47	0.08
94 = DON'T KNOW	3	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1467	2.59
99 = LEGITIMATE SKIP	53376	94.13

NOTE: The question corresponding to CANCERYR was skipped if respondents reported first being diagnosed with any form of cancer at their current age because it could be logically inferred that they had cancer in the past year. CANCERYR was assigned a code of 5 for these respondents. In rare situations, respondents whose final current age and reported age at any cancer diagnosis are the same were asked the question corresponding to CANCERYR. In this situation, respondents who indicated having cancer during the past 12 months were coded as CANCERYR=11, while respndents who indicated not having cancer during the past 12 months were coded as CANCERYR=12.

Did you have cancer during the past 12 months?

(HLTH29)
CANCERYR[1] Len : 2 HAD ANY CANCER PAST 12 MONTHS

	Freq	Pct
1 = Yes	384	0.68
2 = No	1362	2.40
5 = Yes LOGICALLY ASSIGNED from skip pattern	98	0.17
11 = Yes (see note)	1	0.00
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	1471	2.59
99 = LEGITIMATE SKIP	53376	94.13

How old were you when your heart condition or heart disease was first diagnosed?

(HLTH30)
HRTCONDAG[1] Len : 3 AGE HEART CONDITION 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 93	3470	6.12
985 = BAD DATA Logically assigned	18	0.03
994 = DON'T KNOW	69	0.12
997 = REFUSED	8	0.01
998 = BLANK (NO ANSWER)	1462	2.58
999 = LEGITIMATE SKIP	51678	91.13

NOTE: The question corresponding to HRTCONDYR was skipped if respondents reported first being diagnosed with a heart condition at their current age because it could be logically inferred that they a heart condition in the past year.

Did you have any kind of heart condition or heart disease in the past 12 months?

(HLTH31)
HRTCONDYR[1] Len : 2 HAD HEART CONDITION PAST 12 MONTHS

	Freq	Pct
1 = Yes	1802	3.18
2 = No	1550	2.73
5 = Yes LOGICALLY ASSIGNED from skip pattern	173	0.31
85 = BAD DATA Logically assigned	18	0.03
94 = DON'T KNOW	20	0.04
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1462	2.58
99 = LEGITIMATE SKIP	51678	91.13

How old were you when your diabetes or sugar diabetes was first diagnosed?

(HLTH32)
DIABETEAG[1] Len : 3 AGE DIABETES 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 92	3486	6.15
985 = BAD DATA Logically assigned	24	0.04
994 = DON'T KNOW	80	0.14
997 = REFUSED	12	0.02
998 = BLANK (NO ANSWER)	1455	2.57
999 = LEGITIMATE SKIP	51648	91.08

How old were you when your chronic bronchitis, emphysema, or chronic obstructive pulmonary disease, also called COPD were first diagnosed?

(HLTH33)
COPDAGE[1] Len : 3 AGE COPD 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 88	1068	1.88
985 = BAD DATA Logically assigned	10	0.02
994 = DON'T KNOW	38	0.07
997 = REFUSED	2	0.00
998 = BLANK (NO ANSWER)	1467	2.59
999 = LEGITIMATE SKIP	54120	95.44

How old were you when your cirrhosis of the liver was first diagnosed?

(HLTH34)
CIRROSAGE[1] Len : 3 AGE CIRRHOSIS 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 75	130	0.23
985 = BAD DATA Logically assigned	10	0.02
994 = DON'T KNOW	1	0.00
997 = REFUSED	3	0.01
998 = BLANK (NO ANSWER)	1467	2.59
999 = LEGITIMATE SKIP	55094	97.16

How old were you when your hepatitis was first diagnosed?

(HLTH35)
HEPBCAGE[1] Len : 3 AGE HEPATITIS 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 70	427	0.75
985 = BAD DATA Logically assigned	10	0.02
994 = DON'T KNOW	11	0.02
997 = REFUSED	3	0.01
998 = BLANK (NO ANSWER)	1468	2.59
999 = LEGITIMATE SKIP	54786	96.62

How old were you when your kidney disease was first diagnosed?

(HLTH36)
KIDNYDSAG[1] Len : 3 AGE KIDNEY DISEASE 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 92	722	1.27
985 = BAD DATA Logically assigned	10	0.02
994 = DON'T KNOW	24	0.04
997 = REFUSED	2	0.00
998 = BLANK (NO ANSWER)	1468	2.59
999 = LEGITIMATE SKIP	54479	96.07

How old were you when your asthma was first diagnosed?

(HLTH37)
ASTHMAAGE[1] Len : 3 AGE ASTHMA 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 85	6193	10.92
985 = BAD DATA Logically assigned	10	0.02
994 = DON'T KNOW	295	0.52
997 = REFUSED	14	0.02
998 = BLANK (NO ANSWER)	1467	2.59
999 = LEGITIMATE SKIP	48726	85.93

Do you still have asthma?

(HLTH38)
ASTHMANOW[1] Len : 2 STILL HAVE ASTHMA

	Freq	Pct
1 = Yes	4320	7.62
2 = No	2122	3.74
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	58	0.10
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1467	2.59
99 = LEGITIMATE SKIP	48726	85.93

How old were you when you found out you had HIV or AIDS?

(HLTH39)
HIVAIDSAG[1] Len : 3 AGE 1ST FOUND OUT HAD HIV/AIDS

	Freq	Pct
RANGE = 1 - 59	122	0.22
985 = BAD DATA Logically assigned	10	0.02
997 = REFUSED	3	0.01
998 = BLANK (NO ANSWER)	1467	2.59
999 = LEGITIMATE SKIP	55103	97.17

Are you currently taking prescription medicine for your high blood pressure?

(HLTH40)
HIGHBPMED[1] Len : 2 TAKING MEDS FOR HIGH BLOOD PRESSURE

	Freq	Pct
1 = Yes	4749	8.37
2 = No	1353	2.39
85 = BAD DATA Logically assigned	10	0.02
94 = DON'T KNOW	6	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1467	2.59
99 = LEGITIMATE SKIP	49118	86.62

How old were you when your high blood pressure was first diagnosed?

(HLTH41)
HIGHBPAGE[1] Len : 3 AGE WHEN HIGH BLOOD PRESSURE 1ST DIAGNOSED

	Freq	Pct
RANGE = 1 - 94	4619	8.15
985 = BAD DATA Logically assigned	8	0.01
994 = DON'T KNOW	122	0.22
997 = REFUSED	7	0.01
998 = BLANK (NO ANSWER)	1478	2.61
999 = LEGITIMATE SKIP	50471	89.01

RECODED HEALTH

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.

NOTE: Certain source variables that were used to create recoded variables have valid values that might not have been reported or assigned for the current survey year. However, these values have been included in the general specifications in the codebook on how the recoded variables were created. See additional details about this issue in the Organization of the Codebook section in the main introduction of the codebook.

(PREGNANT)
PREG Len : 1 RC-PREGNANT FEMALES AGED 12-44

	Freq	Pct
0 = Otherwise	56056	98.86
1 = Pregnant Females Aged 12-44 (PREGNANT=1)	649	1.14

(PREGNANT)
PREG2 Len : 1 RC-PREGNANCY STATUS OF FEMALES AGED 12-44

	Freq	Pct
. = Unknown (Otherwise)	307	0.54
1 = Pregnant (PREGNANT=1)	649	1.14
2 = Not Pregnant (PREGNANT=2)	22002	38.80
3 = Males/Females Not Aged 12-44 (PREGNANT=89,99)	33747	59.51

(PREG)
TRIMEST Len : 1 RC-CURRENT TRIMESTER OF PREGNANCY-FEMALES AGED 12-44

	Freq	Pct
. = Unknown	7	0.01
1 = 1st 3 Months of Pregnancy	203	0.36
2 = 2nd 3 Months of Pregnancy	234	0.41
3 = Last 3 Months of Pregnancy	205	0.36
4 = Males/Not Pregnant Females (PREG=0)	56056	98.86

BMI2 was created from the variables WTPOUND2 and HTINCHE2 according to the formula of 703 times WTPOUND2 divided by the square of HTINCHE2. BMI2 was set to a SAS missing value (unknown) if WTPOUND2 had a value of 9985, 9994, 9997, or 9998 or if HTINCHE2 had a value of 985, 994, 997, or 998.

(HTINCHE2, WTPOUND2)
BMI2 Len : 12 RC-BODY MASS INDEX (BMI)

	Freq	Pct
RANGE = 9.3733333333 - 68.557024793	53447	94.25
. = Unknown (See comment above)	3258	5.75

(TELEAPTYR)
TELEAPTYR2 Len : 1 RC-TALK TO DOC ABOUT VIRTUAL SERVICE TREATMENT-PAST YEAR

	Freq	Pct
. = Not Applicable/Unknown (Otherwise)	1083	1.91
0 = No (TELEAPTYR=2)	41811	73.73
1 = Yes (TELEAPTYR=1)	13811	24.36

EMERGING ISSUES

The values in this section may be inconsistent with values for variables in other sections of the interview. Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in earlier sections. Otherwise, variables in one section of the interview generally were not edited to make them consistent with variables in another section of the interview. This note applies to variables in this section marked by a[1].

Do you think you ever had a problem with your own drug or alcohol use?

(CA15)
CASUPROB[1] Len : 2 THINK EVER HAD PROBLEM WITH OWN DRUG OR ALCOHOL USE

	Freq	Pct
1 = Yes	5260	9.28
2 = No	38556	67.99
85 = BAD DATA Logically assigned	7	0.01
94 = DON'T KNOW	115	0.20
97 = REFUSED	188	0.33
98 = BLANK (NO ANSWER)	1007	1.78
99 = LEGITIMATE SKIP	11572	20.41

At this time do you consider yourself to be in recovery or recovered from your own problem with drugs or alcohol use?

(CA16)
CASURCVR[1] Len : 2 THINK IN RECOVERY FROM DRUG OR ALCOHOL PROBLEM

	Freq	Pct
1 = Yes	3726	6.57
2 = No	1518	2.68
85 = BAD DATA Logically assigned	7	0.01
94 = DON'T KNOW	13	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1311	2.31
99 = LEGITIMATE SKIP	50128	88.40

Do you think you ever had a problem with your own mental health?

(CA17)
CAMHPROB[1] Len : 2 THINK EVER HAD PROBLEM WITH OWN MENTAL HEALTH

	Freq	Pct
1 = Yes	13794	24.33
2 = No	29996	52.90
85 = BAD DATA Logically assigned	7	0.01
94 = DON'T KNOW	131	0.23
97 = REFUSED	195	0.34
98 = BLANK (NO ANSWER)	1010	1.78
99 = LEGITIMATE SKIP	11572	20.41

At this time do you consider yourself to be in recovery or recovered from your own mental health problem?

(CA18)
CAMHRCVR[1] Len : 2 THINK IN RECOVERY FROM MENTAL HEALTH PROBLEM

	Freq	Pct
1 = Yes	8912	15.72
2 = No	4779	8.43
85 = BAD DATA Logically assigned	7	0.01
94 = DON'T KNOW	90	0.16
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	1336	2.36
99 = LEGITIMATE SKIP	41568	73.31

This next question is about kratom, which can come in forms such as powder, pills, or leaf.

Have you ever, even once, used kratom?

(KA01)
KRATEVER Len : 2 EVER USED KRATOM

	Freq	Pct
1 = Yes	1081	1.91
2 = No	54074	95.36
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	305	0.54
97 = REFUSED	196	0.35
98 = BLANK (NO ANSWER)	1038	1.83

How long has it been since you last used kratom?

(KALAST3)
KRATREC Len : 2 TIME SINCE LAST USED KRATOM

	Freq	Pct
1 = Within the past 30 days	188	0.33
2 = More than 30 days ago but within the past 12 mos	172	0.30
3 = More than 12 months ago	714	1.26
9 = Used at some point in the lifetime LOG ASSN	7	0.01
85 = BAD DATA Logically assigned	11	0.02
91 = NEVER USED KRATOM	54074	95.36
98 = BLANK (NO ANSWER)	1539	2.71

Note: Beginning in 2022, edited variables FLVVAPEVR and FLVVAPREC replace variables VAPFLVEVR and VAPFLVREC because of revisions to the skip logic for these questions.

The next questions are about vaping flavoring.

Have you ever, even once, vaped only flavoring without nicotine or other substances added?

(VPFLLIF)
FLVVAPEVR Len : 2 EVER VAPED ONLY FLAVORING WITHOUT NICOTINE/SUBSTANCE

	Freq	Pct
1 = Yes	5045	8.90
2 = No	50196	88.52
85 = BAD DATA Logically Assigned	11	0.02
94 = DON'T KNOW	208	0.37
97 = REFUSED	201	0.35
98 = BLANK (NO ANSWER)	1044	1.84

How long has it been since you last vaped only flavoring?

(VPFLREC)
FLVVAPREC Len : 2 TIME SINCE LAST VAPED ONLY FLAVORING

	Freq	Pct
1 = Within the past 30 days	1169	2.06
2 = More than 30 days ago but within the past 12 mos	980	1.73
3 = More than 12 months ago	2862	5.05
9 = Used at some point in the lifetime LOGICALLY ASSIGNED	34	0.06
85 = BAD DATA Logically Assigned	11	0.02
91 = NEVER VAPED ONLY FLAVORING	50196	88.52
98 = BLANK (NO ANSWER)	1453	2.56

The next question is about synthetic marijuana or fake weed, also called K2 or Spice. Have you ever, even once, used synthetic marijuana or fake weed?

(SMLIF)
SYNMRJEVR Len : 2 EVER USED SYNTHETIC MARIJUANA

	Freq	Pct
1 = Yes	1447	2.55
2 = No	53828	94.93
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	179	0.32
97 = REFUSED	192	0.34
98 = BLANK (NO ANSWER)	1048	1.85

How long has it been since you last used synthetic marijuana or fake weed?

(SMREC)
SYNMRJREC Len : 2 TIME SINCE LAST USED SYNTHETIC MARIJUANA

	Freq	Pct
1 = Within the past 30 days	91	0.16
2 = More than 30 days ago but within the past 12 mos	123	0.22
3 = More than 12 months ago	1227	2.16
9 = Used at some point in the lifetime LOGICALLY ASSIGNED	6	0.01
85 = BAD DATA Logically assigned	11	0.02
91 = NEVER USED SYNTHETIC MARIJUANA	53828	94.93
98 = BLANK (NO ANSWER)	1419	2.50

The next question is about synthetic stimulants that people use to get high, also called "bath salts" or flakka.

Have you ever, even once, used these synthetic stimulants?

(SMLIF)
SYNSTMEVR Len : 2 EVER USED SYNTHETIC STIMULANTS

	Freq	Pct
1 = Yes	166	0.29
2 = No	55151	97.26
85 = BAD DATA Logically assigned	11	0.02
94 = DON'T KNOW	145	0.26
97 = REFUSED	180	0.32
98 = BLANK (NO ANSWER)	1052	1.86

How long has it been since you last used these synthetic stimulants, also called "bath salts" or flakka?

(SSREC)
SYNSTMREC Len : 2 TIME SINCE LAST USED SYNTHETIC STIMULANTS

	Freq	Pct
1 = Within the past 30 days	33	0.06
2 = More than 30 days ago but within the past 12 mos	11	0.02
3 = More than 12 months ago	119	0.21
9 = Used at some point in the lifetime LOGICALLY ASSIGNED	3	0.01
85 = BAD DATA Logically assigned	11	0.02
91 = NEVER USED SYNTHETIC STIMULANTS	55151	97.26
98 = BLANK (NO ANSWER)	1377	2.43

Earlier, you were asked whether you had used prescription fentanyl, also known as Duragesic or Fentora, in the past 12 months.

This next question is about illegally made fentanyl, which is fentanyl that people can't get from a doctor or pharmacy. Illegally made fentanyl can come in forms such as powder, pills, or blotter paper. It can also be mixed with heroin or other drugs.

Have you ever, even once, used illegally made fentanyl?

(IFLIF)
IMFEVER Len : 2 EVER USED ILLEGALLY MADE FENTANYL

	Freq	Pct
1 = Yes	338	0.60
2 = No	54968	96.94
85 = BAD DATA Logically Assigned	11	0.02
94 = DON'T KNOW	151	0.27
97 = REFUSED	181	0.32
98 = BLANK (NO ANSWER)	1056	1.86

Have you ever, even once, used a needle to inject illegally made fentanyl?

(IFNDLLIF)
IMFNDLEVER Len : 2 EVER INJECTED ILLEGALLY MADE FENTANYL WITH NEEDLE

	Freq	Pct
1 = Yes	107	0.19
2 = No	226	0.40
85 = BAD DATA Logically Assigned	12	0.02
91 = NEVER USED ILLEGALLY MADE FENTANYL	54968	96.94
94 = DON'T KNOW	1	0.00
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	1389	2.45

IMPUTED EMERGING ISSUES

(KRATEVER, KRATREC)
IRKRATREC Len : 1 KRATOM RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	204	0.36
2 = More than 30 days ago but within the past 12 mos	180	0.32
3 = More than 12 months ago	732	1.29
9 = NEVER USED KRATOM	55589	98.03

(KRATEVER, KRATREC)
IIKRATREC Len : 1 KRATOM RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55148	97.25
3 = Statistically imputed data - lifetime use imputed	1550	2.73
4 = Statistically imputed data - edited recency = 9	7	0.01

(FLVVAPEVR, FLVVAPREC)
IRFLVVAPREC Len : 1 ONLY FLAVORING VAPING RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	1218	2.15
2 = More than 30 days ago but within the past 12 mos	1026	1.81
3 = More than 12 months ago	2970	5.24
9 = NEVER VAPED ONLY FLAVORING	51491	90.81

(FLVVAPEVR, FLVVAPREC)
IIFLVVAPREC Len : 1 ONLY FLAVORING VAPING RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55207	97.36
3 = Statistically imputed data - lifetime use imputed	1464	2.58
4 = Statistically imputed data - edited recency = 9	34	0.06

(SYNMRJEVR, SYNMRJREC)
IRSYNMRJREC Len : 1 SYNTHETIC MARIJUANA RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	93	0.16
2 = More than 30 days ago but within the past 12 mos	126	0.22
3 = More than 12 months ago	1268	2.24
9 = NEVER USED SYNTHETIC MARIJUANA	55218	97.38

(SYNMRJEVR, SYNMRJREC)
IISYNMRJREC Len : 1 SYNTHETIC MARIJUANA RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55269	97.47
3 = Statistically imputed data - lifetime use imputed	1430	2.52
4 = Statistically imputed data - edited recency = 9	6	0.01

(SYNSTMEVR, SYNSTMREC)
IRSYNSTMREC Len : 1 SYNTHETIC STIMULANTS RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	34	0.06
2 = More than 30 days ago but within the past 12 mos	12	0.02
3 = More than 12 months ago	128	0.23
9 = NEVER USED SYNTHETIC STIMULANTS	56531	99.69

(SYNSTMEVR, SYNSTMREC)
IISYNSTMREC Len : 1 SYNTHETIC STIMULANTS RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55314	97.55
3 = Statistically imputed data - lifetime use imputed	1388	2.45
4 = Statistically imputed data - edited recency = 9	3	0.01

(IMFEVER)
IRIMFREC Len : 1 ILLEGALLY MADE FENTANYL RECENCY - IMPUTATION REVISED

	Freq	Pct
1 = Within the past 30 days	88	0.16
2 = More than 30 days ago but within the past 12 mos	80	0.14
3 = More than 12 months ago	182	0.32
9 = NEVER USED ILLEGALLY MADE FENTANYL	56355	99.38

(IMFEVER)
IIIMFREC Len : 1 ILLEGALLY MADE FENTANYL RECENCY - IMPUTATION INDICATOR

	Freq	Pct
1 = Questionnaire data	55300	97.52
3 = Statistically imputed data - lifetime use imputed	1399	2.47
4 = Statistically imputed data - edited recency = 9	6	0.01

RECODED EMERGING ISSUES

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from three of the preceding sections: Recoded Drug Use, Emerging Issues, or Imputed Emerging Issues.

(CASUPROB)
CASUPROB2 Len : 1 RC-PERCEIVED EVER HAD DRUG OR ALCOHOL USE PROBLEM

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	12889	22.73
0 = No (CASUPROB=2)	38556	67.99
1 = Yes (CASUPROB=1)	5260	9.28

(CASUPROB2, CASURCVR)
RCVYSUBPRB Len : 1 RC-PERCEIVED RECOVERY FROM DRUG OR ALCOHOL USE PROBLEM

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	12905	22.76
0 = No/No Problem (CASURCVR=2 OR CASUPROB2=0)	40074	70.67
1 = Yes (CASURCVR=1)	3726	6.57

(CAMHPROB)
CAMHPROB2 Len : 1 RC-PERCEIVED EVER HAD A MENTAL HEALTH ISSUE

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	12915	22.78
0 = No (CAMHPROB=2)	29996	52.90
1 = Yes (CAMHPROB=1)	13794	24.33

(CAMHPROB2, CAMHRCVR)
RCVYMHPRB Len : 1 RC-PERCEIVED RECOVERY FROM MENTAL HEALTH ISSUE

	Freq	Pct
. = Aged 12-17/Unknown (Otherwise)	13018	22.96
0 = No/No Issue (CAMHRCVR=2 OR CAMHPROB2=0)	34775	61.33
1 = Yes (CAMHRCVR=1)	8912	15.72

(IRKRATREC)
KRATOMFLAG Len : 1 RC-KRATOM - EVER USED

	Freq	Pct
0 = Never used (IRKRATREC = 9)	55589	98.03
1 = Ever used (IRKRATREC = 1-3)	1116	1.97

(IRKRATREC)
KRATOMYR Len : 1 RC-KRATOM - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRKRATREC = 3,9)	56321	99.32
1 = Used within the past year (IRKRATREC = 1,2)	384	0.68

(IRKRATREC)
KRATOMMON Len : 1 RC-KRATOM - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRKRATREC= 2-3,9)	56501	99.64
1 = Used within the past month (IRKRATREC = 1)	204	0.36

(IRFLVVAPREC)
FLVVAPFLAG Len : 1 RC-ONLY FLAVORING VAPING - EVER USED

	Freq	Pct
0 = Never used (IRFLVVAPREC = 9)	51491	90.81
1 = Ever used (IRFLVVAPREC = 1-3)	5214	9.19

(IRFLVVAPREC)
FLVVAPYR Len : 1 RC-ONLY FLAVORING VAPING - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRFLVVAPREC = 3,9)	54461	96.04
1 = Used within the past year (IRFLVVAPREC = 1,2)	2244	3.96

(IRFLVVAPREC)
FLVVAPMON Len : 1 RC-ONLY FLAVORING VAPING - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRFLVVAPREC= 2-3,9)	55487	97.85
1 = Used within the past month (IRFLVVAPREC = 1)	1218	2.15

(IRSYNMRJREC)
SYNMRJFLAG Len : 1 RC-SYNTHETIC MARIJUANA - EVER USED

	Freq	Pct
0 = Never used (IRSYNMRJREC = 9)	55218	97.38
1 = Ever used (IRSYNMRJREC = 1-3)	1487	2.62

(IRSYNMRJREC)
SYNMRJYR Len : 1 RC-SYNTHETIC MARIJUANA - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSYNMRJREC = 3,9)	56486	99.61
1 = Used within the past year (IRSYNMRJREC = 1,2)	219	0.39

(IRSYNMRJREC)
SYNMRJMON Len : 1 RC-SYNTHETIC MARIJUANA - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRSYNMRJREC= 2-3,9)	56612	99.84
1 = Used within the past month (IRSYNMRJREC = 1)	93	0.16

(IRSYNSTMREC)
SYNSTMFLAG Len : 1 RC-SYNTHETIC STIMULANTS - EVER USED

	Freq	Pct
0 = Never used (IRSYNSTMREC = 9)	56531	99.69
1 = Ever used (IRSYNSTMREC = 1-3)	174	0.31

(IRSYNSTMREC)
SYNSTMYR Len : 1 RC-SYNTHETIC STIMULANTS - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRSYNSTMREC = 3,9)	56659	99.92
1 = Used within the past year (IRSYNSTMREC = 1,2)	46	0.08

(IRSYNSTMREC)
SYNSTMMON Len : 1 RC-SYNTHETIC STIMULANTS - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRSYNSTMREC= 2-3,9)	56671	99.94
1 = Used within the past month (IRSYNSTMREC = 1)	34	0.06

(IRIMFREC)
IMFFLAG Len : 1 RC-ILLEGALLY MADE FENTANYL - EVER USED

	Freq	Pct
0 = Never used (IRIMFREC = 9)	56355	99.38
1 = Ever used (IRIMFREC = 1-3)	350	0.62

(IRIMFREC)
IMFYR Len : 1 RC-ILLEGALLY MADE FENTANYL - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (IRIMFREC = 3,9)	56537	99.70
1 = Used within the past year (IRIMFREC = 1,2)	168	0.30

(IRIMFREC)
IMFMON Len : 1 RC-ILLEGALLY MADE FENTANYL - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (IRIMFREC= 2-3,9)	56617	99.84
1 = Used within the past month (IRIMFREC = 1)	88	0.16

(IMFFLAG, IMFNDLEVER)
IMFNEDFLAG Len : 1 RC-EVER USED A NEEDLE TO INJECT IMF

	Freq	Pct
. = Unknown (Otherwise)	17	0.03
0 = No (IMFNDLEVER =2,91 or (IMFNDLEVER^=1 and IMFFLAG=0))	56581	99.78
1 = Yes (IMFNDLEVER=1)	107	0.19

The following recoded variable, ANYNEDFLAG, was created starting with the 2022 NSDUH to include data from the new questions in the Emerging Issues section about the use of a needle to inject illegally made fentanyl. ANYNEDFLAG (ever used a needle to inject heroin, cocaine, methamphetamine, illegally made fentanyl, or some other drug) replaces ANYNEDEVER (ever used a needle to inject heroin, cocaine, methamphetamine, or some other drug) that appeared in the Recoded Special Drugs section in 2021.

(COCNEDEVER, HERNEDEVER, IMFNEDFLAG, MTHNEDEVER, OTDGNEDL)
ANYNEDFLAG Len : 1 RC-EVER USED A NEEDLE TO INJECT DRUGS

	Freq	Pct
. = Unknown (Otherwise)	237	0.42
0 = No (OTDGNEDL=2,4 and all other source variables=0)	55561	97.98
1 = Yes (Any source variable=1)	907	1.60

(OTDGNDLRC)
ANYNEDYR Len : 1 RC- USED A NEEDLE TO INJECT DRUGS - PAST YEAR

	Freq	Pct
. = Unknown (Otherwise)	236	0.42
0 = No (OTDGNDLRC=3,13,81,91 and all other source variables=0)	56275	99.24
1 = Yes (OTDGNDLRC=1,2,11,12 or any other source variable=1)	194	0.34

(IMFYR, IRFENTANYYR)
FPIMFANYYR Len : 1 RC-FENTANYL PRODUCTS INCLUDING IMF - ANY PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (Otherwise)	56095	98.92
1 = Used within the past year (IRFENTANYYR=1 or IMFYR=1)	610	1.08

(IMFYR, IRFENTNMYR)
FPIMFNMYR Len : 1 RC-FENTANYL PRODUCTS INCLUDING IMF - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise)	56497	99.63
1 = Misused within the past year (IRFENTNMYR=1 or IMFYR=1)	208	0.37

(IMFYR, OPINMYR)
OPIIMFNMYR Len : 1 RC-OPIOIDS INCLUDING IMF - PAST YEAR MISUSE

	Freq	Pct
0 = Did not misuse in the past year (Otherwise)	54880	96.78
1 = Misused within the past year (OPINMYR=1 or IMFYR=1)	1825	3.22

(IMFMON, OPINMMON)
OPIIMFNMMN Len : 1 RC-OPIOIDS INCLUDING IMF - PAST MONTH MISUSE

	Freq	Pct
0 = Did not misuse in the past month (Otherwise)	56147	99.02
1 = Misused within the past month (OPINMMON=1 or IMFMON=1)	558	0.98

(CBDHMPFLAG, GHBFLAG, ILLFLAG, IMFFLAG, KRATOMFLAG, NPCOLDFLAG, SYNMRJFLAG, SYNSTMFLAG)
ILIMFOTHFG Len : 1 RC-ILLICIT DRUG, IMF, OR OTHER SUB - EVER USED

	Freq	Pct
0 = Never used (All source variables=0)	25960	45.78
1 = Ever used (Any source variable=1)	30745	54.22

(CBDHMPYR, GHBYR, ILLYR, IMFYR, KRATOMYR, NPCOLDYR, SYNMRJYR, SYNSTMYR)
ILIMFOTHYR Len : 1 RC-ILLICIT DRUG, IMF, OR OTHER SUB - PAST YEAR USE

	Freq	Pct
0 = Did not use in the past year (All source variables=0)	37452	66.05
1 = Used within the past year (Any source variable=1)	19253	33.95

(CBDHMPMON, GHBMON, ILLMON, IMFMON, KRATOMMON, NPCOLDMON, SYNMRJMON, SYNSTMMON)

ILIMFOTHMN Len : 1 RC-ILLICIT DRUG, IMF, OR OTHER SUB - PAST MONTH USE

	Freq	Pct
0 = Did not use in the past month (All source variables=0)	44129	77.82
1 = Used in the past month (Any source variable=1)	12576	22.18

COVID-19

Since the beginning of the COVID-19 pandemic, how much, if at all, has COVID-19 negatively affected your emotional or mental health?

(COV1)
CONEGMH Len : 2 HOW COVID-19 NEGATIVELY AFFECTED MENTAL HEALTH

	Freq	Pct
1 = Not at all	24342	42.93
2 = A little	14297	25.21
3 = Some	9140	16.12
4 = Quite a bit	4488	7.91
5 = A lot	2462	4.34
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	356	0.63
97 = REFUSED	365	0.64
98 = BLANK (NO ANSWER)	1203	2.12

How much, if at all, has the COVID-19 pandemic affected the amount of alcohol you drink?

(COV2)
COALCUSE Len : 2 HOW COVID-19 AFFECTED AMOUNT OF ALCOHOL DRANK

	Freq	Pct
1 = I drink much less than before the COVID-19 pandemic	6605	11.65
2 = I drink a little less than before the COVID-19 pandemic	2065	3.64
3 = I drink about the same as before the COVID-19 pandemic	18142	31.99
4 = I drink a little more than before the COVID-19 pandemic	2825	4.98
5 = I drink much more than before the COVID-19 pandemic	1030	1.82
85 = BAD DATA Logically assigned	19	0.03
91 = NEVER USED ALCOHOL	16465	29.04
93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS	7086	12.50
94 = DON'T KNOW	823	1.45
97 = REFUSED	567	1.00
98 = BLANK (NO ANSWER)	1078	1.90

How much, if at all, has the COVID-19 pandemic affected your drug use other than alcohol?

By drugs we mean cannabis, which includes marijuana or any cannabis product, cocaine, methamphetamine, heroin, fentanyl, hallucinogens, such as LSD, and prescription medications including benzodiazepines such as Xanax and Ativan, stimulants such as Ritalin and Adderall, and opioids such as hydrocodone or oxycodone.

(COV3)
CODRGUSE Len : 2 HOW COVID-19 AFFECTED DRUG USE

	Freq	Pct
1 = I use much less than before the COVID-19 pandemic	7098	12.52
2 = I use a little less than before the COVID-19 pandemic	974	1.72
3 = I use about the same as before the COVID-19 pandemic	11685	20.61
4 = I use a little more than before the COVID-19 pandemic	1705	3.01
5 = I use much more than before the COVID-19 pandemic	1136	2.00
83 = DID NOT USE DRUGS IN THE PAST 12 MOS Logically assigned	236	0.42
85 = BAD DATA Logically assigned	43	0.08
91 = NEVER USED DRUGS	17349	30.60
93 = DID NOT USE DRUGS IN THE PAST 12 MOS	11828	20.86
94 = DON'T KNOW	1784	3.15
97 = REFUSED	1375	2.42
98 = BLANK (NO ANSWER)	1492	2.63

How often have you had serious financial worries because of the COVID-19 pandemic?

(COV4)
COFINANC Len : 2 HOW OFTEN HAD SERIOUS FINANCIAL WORRIES DUE TO COVID-19

	Freq	Pct
1 = All the time	4840	8.54
2 = Nearly all the time	3148	5.55
3 = Some of the time	11375	20.06
4 = Rarely	11700	20.63
5 = Never	23224	40.96
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	638	1.13
97 = REFUSED	503	0.89
98 = BLANK (NO ANSWER)	1225	2.16

Because of the COVID-19 pandemic in the U.S., did you experience any of the following in your access to mental health treatment?

Appointments moved from in-person to telehealth?

(COV6A)
COMHTELE Len : 2 MENTAL HLTH APPTS MOVED TO TELEHEALTH DUE TO COVID-19

	Freq	Pct
1 = Yes	10588	18.67
2 = No	20098	35.44
3 = Does not apply	23615	41.65
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	623	1.10
97 = REFUSED	488	0.86
98 = BLANK (NO ANSWER)	1241	2.19

Delays or cancellations in appointments?

(COV6B)
COMHAPTDL Len : 2 DELAYS/CANCELLATIONS IN MENTAL HLTH APPTS DUE TO COVID-19

	Freq	Pct
1 = Yes	9103	16.05
2 = No	22520	39.71
3 = Does not apply	22733	40.09
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	596	1.05
97 = REFUSED	460	0.81
98 = BLANK (NO ANSWER)	1241	2.19

Delays in getting prescriptions?

(COV6C)
COMHRXDL Len : 2 DELAYS GETTING MENTAL HLTH PRESCRIPTIONS DUE TO COVID-19

	Freq	Pct
1 = Yes	4361	7.69
2 = No	26161	46.14
3 = Does not apply	23777	41.93
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	638	1.13
97 = REFUSED	475	0.84
98 = BLANK (NO ANSWER)	1241	2.19

Unable to access needed care resulting in moderate to severe impact on health?

(COV6D)
COMHSVHLT Len : 2 LACK OF MNTL HLTH CARE CAUSED IMPACT TO HLTH DUE TO COVID-19

	Freq	Pct
1 = Yes	2772	4.89
2 = No	27125	47.84
3 = Does not apply	24370	42.98
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	661	1.17
97 = REFUSED	484	0.85
98 = BLANK (NO ANSWER)	1241	2.19

Because of the COVID-19 pandemic in the U.S., did you experience any of the following in your access to substance use treatment?

Appointments moved from in-person to telehealth?

(COV7A)
COSUTELE Len : 2 SUB USE TRMT APPTS MOVED TO TELEHEALTH DUE TO COVID-19

	Freq	Pct
1 = Yes	3454	6.09
2 = No	19962	35.20
3 = Does not apply	30864	54.43
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	638	1.13
97 = REFUSED	485	0.86
98 = BLANK (NO ANSWER)	1250	2.20

Delays or cancellations in appointments?

(COV7B)
COSUAPTDL Len : 2 DELAYS/CANCELLATIONS IN SUB USE TRMT APPTS DUE TO COVID-19

	Freq	Pct
1 = Yes	3232	5.70
2 = No	20533	36.21
3 = Does not apply	30526	53.83
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	634	1.12
97 = REFUSED	478	0.84
98 = BLANK (NO ANSWER)	1250	2.20

Delays in getting prescriptions?

(COV7C)
COSURXDL Len : 2 DELAYS GETTING SUB USE TRMT PRESCRIPTIONS DUE TO COVID-19

	Freq	Pct
1 = Yes	1905	3.36
2 = No	21594	38.08
3 = Does not apply	30782	54.28
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	644	1.14
97 = REFUSED	478	0.84
98 = BLANK (NO ANSWER)	1250	2.20

Unable to access needed care resulting in moderate to severe impact on health?

(COV7D)
COSUSVHLT Len : 2 LACK OF SUB USE TRMT CAUSED IMPACT TO HLTH DUE TO COVID-19

	Freq	Pct
1 = Yes	1294	2.28
2 = No	21892	38.61
3 = Does not apply	31077	54.80
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	649	1.14
97 = REFUSED	491	0.87
98 = BLANK (NO ANSWER)	1250	2.20

Because of the COVID-19 pandemic in the U.S., did you experience any of the following in your access to medical care?

Appointments moved from in-person to telehealth?

(COV8A)
COHCTELE Len : 2 MEDICAL APPTS MOVED TO TELEHEALTH DUE TO COVID-19

	Freq	Pct
1 = Yes	14813	26.12
2 = No	24529	43.26
3 = Does not apply	14951	26.37
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	659	1.16
97 = REFUSED	446	0.79
98 = BLANK (NO ANSWER)	1255	2.21

Delays or cancellations in appointments?

(COV8B)
COHCAPTDL Len : 2 DELAYS/CANCELLATIONS IN MEDICAL APPTS DUE TO COVID-19

	Freq	Pct
1 = Yes	12195	21.51
2 = No	27027	47.66
3 = Does not apply	15049	26.54
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	680	1.20
97 = REFUSED	447	0.79
98 = BLANK (NO ANSWER)	1255	2.21

Delays in getting prescriptions?

(COV8C)
COHCRXDL Len : 2 DELAYS GETTING MEDICAL PRESCRIPTIONS DUE TO COVID-19

	Freq	Pct
1 = Yes	5540	9.77
2 = No	32228	56.83
3 = Does not apply	16508	29.11
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	672	1.19
97 = REFUSED	448	0.79
98 = BLANK (NO ANSWER)	1257	2.22

Unable to access needed care resulting in moderate to severe impact on health?

(COV8D)
COHCSVHLT Len : 2 LACK OF MED CARE CAUSED IMPACT TO HLTH DUE TO COVID-19

	Freq	Pct
1 = Yes	3034	5.35
2 = No	33734	59.49
3 = Does not apply	17478	30.82
85 = BAD DATA Logically assigned	52	0.09
94 = DON'T KNOW	687	1.21
97 = REFUSED	463	0.82
98 = BLANK (NO ANSWER)	1257	2.22

RECODED COVID-19

(CONEGMH)
COCLNEGMH Len : 1 RC-COLLAPSED HOW COVID-19 NEGATIVELY AFFECTED MENTAL HLTH

	Freq	Pct
. = Unknown (Otherwise)	1976	3.48
1 = Not at all (CONEGMH=1)	24342	42.93
2 = A little or some (CONEGMH=2,3)	23437	41.33
3 = Quite a bit or a lot (CONEGMH=4,5)	6950	12.26

(COALCUSE)
COCLALCUSE Len : 1 RC-COLLAPSED HOW COVID-19 AFFECTED AMOUNT ALCOHOL DRANK

	Freq	Pct
. = Unknown/No PY Alcohol Use (Otherwise)	26038	45.92
1 = Drink much less or little less (COALCUSE=1,2)	8670	15.29
2 = Drink about the same (COALCUSE=3)	18142	31.99
3 = Drink a little more or much more (COALCUSE=4,5)	3855	6.80

(CODRGUSE)
COCLDRGUSE Len : 1 RC-COLLAPSED HOW COVID-19 AFFECTED DRUG USE

	Freq	Pct
. = Unknown/No PY Drug Use (Otherwise)	34107	60.15
1 = Use much less or little less (CODRGUSE=1,2)	8072	14.24
2 = Use about the same (CODRGUSE=3)	11685	20.61
3 = Use little more or much more (CODRGUSE=4,5)	2841	5.01

(COFINANC)
COCLFINANC Len : 1 RC-COLLAPSE HOW OFTEN SERIOUS FINANCIAL WORRIES DUE COVID

	Freq	Pct
. = Unknown (Otherwise)	2418	4.26
1 = All or nearly all the time (COFINANC=1,2)	7988	14.09
2 = Some of the time or rarely (COFINANC=3,4)	23075	40.69
3 = Never (COFINANC=5)	23224	40.96

(COMHTELE)
COMHTELE2 Len : 1 RC-MENTAL HEALTH APPTS MOVED TO TELEHEALTH DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise)	2404	4.24
1 = Yes (COMHTELE=1)	10588	18.67
2 = No (COMHTELE=2)	20098	35.44
3 = Does not apply (COMHTELE=3)	23615	41.65

(COMHAPTDL)
COMHAPTDL2 Len : 1 RC-DELAYS/CANCELLATIONS IN MENTAL HLTH APPTS DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise)	2349	4.14
1 = Yes (COMHAPTDL=1)	9103	16.05
2 = No (COMHAPTDL=2)	22520	39.71
3 = Does not apply (COMHAPTDL=3)	22733	40.09

(COMHRXDL)
COMHRXDL2 Len : 1 RC-DELAYS GETTING MENTAL HLTH PRESCRIPTIONS DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise)	2406	4.24
1 = Yes (COMHRXDL=1)	4361	7.69
2 = No (COMHRXDL=2)	26161	46.14
3 = Does not apply (COMHRXDL=3)	23777	41.93

(COMHSVHLT)
COMHSVHLT2 Len : 1 RC-LACK MNTL HLTH CARE CAUSED IMPACT TO HLTH DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise)	2438	4.30
1 = Yes (COMHSVHLT=1)	2772	4.89
2 = No (COMHSVHLT=2)	27125	47.84
3 = Does not apply (COMHSVHLT=3)	24370	42.98

(COSUTELE)
COSUTELE2 Len : 1 RC-SUB USE TRT APPTS MOVED TO TELEHEALTH DUE TO COVID-19

	Freq	Pct
. = Unknown (Otherwise)	2425	4.28
1 = Yes (COSUTELE=1)	3454	6.09
2 = No (COSUTELE=2)	19962	35.20
3 = Does not apply (COSUTELE=3)	30864	54.43

(COSUAPTDL)
COSUAPTDL2 Len : 1 RC-DELAYS/CANCELLATIONS IN SUB USE TRT APPTS DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise)	2414	4.26
1 = Yes (COSUAPTDL=1)	3232	5.70
2 = No (COSUAPTDL=2)	20533	36.21
3 = Does not apply (COSUAPTDL=3)	30526	53.83

(COSURXDL)
COSURXDL2 Len : 1 RC-DELAYS GETTING SUB USE TRT PRESCRIPTIONS DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise)	2424	4.27
1 = Yes (COSURXDL=1)	1905	3.36
2 = No (COSURXDL=2)	21594	38.08
3 = Does not apply (COSURXDL=3)	30782	54.28

(COSUSVHLT)
COSUSVHLT2 Len : 1 RC-LACK OF SUB USE TRT CAUSED IMPACT TO HLTH DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise)	2442	4.31
1 = Yes (COSUSVHLT=1)	1294	2.28
2 = No (COSUSVHLT=2)	21892	38.61
3 = Does not apply (COSUSVHLT=3)	31077	54.80

(COHCTELE)
COHCTELE2 Len : 1 RC-MED CARE APPOINTMENTS MOVED TO TELEHEALTH DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise)	2412	4.25
1 = Yes (COHCTELE=1)	14813	26.12
2 = No (COHCTELE=2)	24529	43.26
3 = Does not apply (COHCTELE=3)	14951	26.37

(COHCAPTDL)
COHCAPTDL2 Len : 1 RC-DELAYS/CANCELLATIONS IN MED CARE APPTS DUE TO COVID-19

	Freq	Pct
. = Unknown (Otherwise)	2434	4.29
1 = Yes (COHCAPTDL=1)	12195	21.51
2 = No (COHCAPTDL=2)	27027	47.66
3 = Does not apply (COHCAPTDL=3)	15049	26.54

(COHCRXDL)
COHCRXDL2 Len : 1 RC-DELAYS GETTING MEDICAL CARE PRESCRIPTIONS DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise)	2429	4.28
1 = Yes (COHCRXDL=1)	5540	9.77
2 = No (COHCRXDL=2)	32228	56.83
3 = Does not apply (COHCRXDL=3)	16508	29.11

(COHCSVHLT)
COHCSVHLT2 Len : 1 RC-LACK OF MED CARE CAUSED IMPACT TO HEALTH DUE COVID-19

	Freq	Pct
. = Unknown (Otherwise)	2459	4.34
1 = Yes (COHCSVHLT=1)	3034	5.35
2 = No (COHCSVHLT=2)	33734	59.49
3 = Does not apply (COHCSVHLT=3)	17478	30.82

INTERVIEW INFORMATION

LANGVER Len : 1 LANGUAGE VERSION

	Freq	Pct
1 = English	54276	95.72
2 = Spanish	2429	4.28

GQTYPE2 Len : 1 TYPE OF GROUP QUARTER

	Freq	Pct
= Not a Group Quarter	56620	99.85
C = College Dorm	12	0.02
O = Other	73	0.13

INDEX

AALTMDE....486
ACOUNMDE....485
ACTD2001....9
ACTD7590....9
ACTD9001....9
ACTDEVER....8
ACTDPRIV....9
ACTDVIET....9
AD_MDEA1....472
AD_MDEA2....472
AD_MDEA3....473
AD_MDEA4....473
AD_MDEA5....473
AD_MDEA6....473
AD_MDEA7....473
AD_MDEA8....473
ADCOUNS....478
ADDPDISC....464
ADDPLSIN....465
ADDPPROB....466
ADDPR2WK....465
ADDPREV....464
ADDSCEV....464
ADDSLSIN....465
ADFAMDOC....477
ADHERBAL....479
ADLOSEV....464
ADLSI2WK....465
ADNURSE....478
ADOCMDE....484
ADOTHDOC....477
ADOTHHLP....479
ADOTHMHP....478
ADPB2WK....475
ADPBAGE....474
ADPBDLYA....474
ADPBINTF....474
ADPBNUM....475
ADPBRMBR....474
ADPSDAYS....477
ADPSHMGT....475
ADPSRELS....476
ADPSSOC....476
ADPSWORK....476
ADPSYCH....478
ADPSYMD....478
ADRELIG....479
ADRX12MO....479
ADRXHLP....480
ADRXNOW....479
ADSEEDOC....477
ADSMMDEA....474
ADSOCWRK....478
ADSUITPACOM....463
ADSUITPAYR....463
ADTMTHLP....480
ADTMTNOW....479
ADWRAGE....467
ADWRCHR....466
ADWRCONC....472
ADWRDCSN....472
ADWRDEPR....467
ADWRDIET....469
ADWRDISC....467
ADWRDST....466
ADWRELES....468
ADWREMOR....468
ADWRENRG....470
ADWRGAIN....468
ADWRGNL2....469
ADWRGROW....469
ADWRHRS....465
ADWRIMP....466
ADWRJINO....471
ADWRJITT....471
ADWRLOSE....469
ADWRLSIN....468
ADWRLSL2....470
ADWRNOGD....472
ADWRPLSR....468
ADWRPREG....469
ADWRPROB....467
ADWRSLEP....470
ADWRSLNO....471
ADWRSLOW....471
ADWRSMOR....470
ADWRTHOT....471
ADWRWRTH....472
AGE3....8
AHBCHMDE....485
AHLTMDE....485
AIIND102....7
AIRDUSEVER....227
AIRDUSTER....131
AKSSLR6WRST....460
AL30EST....72
ALBSTWAY....71
ALCAGLST....376
ALCBNG30D....73
ALCDAYS....72
ALCEVER....69
ALCFLAG....211
ALCMDAYS....243
ALCMFU....70
ALCMLU....377
ALCMON....211
ALCNUMDKPM....246
ALCREC....70
ALCTRY....69
ALCUS30D....72
ALCYDAYS....242
ALCYFU....69
ALCYLU....376
ALCYR....211
ALCYRBFR....386
ALCYRTOT....70
ALDAYPMO....71
ALDAYPWK....71
ALDAYPYR....71
ALDYSFG....72
ALFQFLG....70
ALTOTFG....70
AMDEIMP....482
AMDELT....480
AMDETXRX....484
AMDEYR....481
AMIPY....461
AMIRSUD5ANY....463
AMISUD5ANY....462
AMISUD5ANYO....463
AMYLNIEVER....226
AMYLNIT....129
ANALWT2_C....4
ANURSMDE....485
ANYEDUC3....438
ANYHLTI2....38
ANYNDLREC....272
ANYNEDFLAG....546
ANYNEDYR....546
AOMDMDE....484
AOMHMDE....485
APPDRGMON....409
APPDRGMON2....412
APSY1MDE....484
APSY2MDE....484
ARELMDE....485
ARGUPAR....434
ARXMDEYR....484
ASDSHOM2....481
ASDSREL2....481
ASDSSOC2....481
ASDSWRK2....481
ASOCMDE....485
ASTHMAAGE....535
ASTHMAEVR....529
ASTHMANOW....536
ATXMDEYR....484
AVGGRADE....433
BKARSON....45
BKBURGL....44
BKDRUG....45
BKDRUNK....45
BKDRVINF....45
BKFRAUD....46
BKLARCNY....43
BKMVTHFT....43
BKOTH....46
BKOTHOF2....47
BKPOSTOB....45
BKROB....44
BKSEXNR....46
BKSMASLT....44
BKSRVIOL....44
BLNT30C1....103
BLNT30C2....103
BLNT30DY....102
BLNTAGE....101
BLNTEVER....101
BLNTMFU....102
BLNTNOMJ....104
BLNTREC....102
BLNTYFU....101
BLRECFL2....102
BMI2....537
BNGDRKMON....224
BNGDRMDAYS....245
BOOKED....43
BZOANYYR....219
BZONMYR....222
CABINGAGE....81
CABINGEVR....80
CABINGFLG....80
CABINGMFU....81
CABINGYFU....81
CABLADDER....530
CABLOLEULYM....531
CABPLACE....77
CABREAST....531
CABUNDAG....77
CABUYFRE....76
CABUYWHO....77
CACERVIX....531
CACOLNRECT....531
CADRBAR....75
CADRCAR....74
CADREVNT....75
CADRHOME....74
CADRKCOCN....79
CADRKCOCN2....86
CADRKDRUG....78

CADRKHALL....79
CADRKHALL2....86
CADRKHERN....79
CADRKHERN2....86
CADRKINHL....80
CADRKINHL2....86
CADRKMARJ....79
CADRKMARJ2....86
CADRKMETH....80
CADRKMETH2....86
CADRLAST....74
CADROTH....76
CADROTHM....75
CADROTS2....76
CADRPEOP....74
CADRPUBL....75
CADRSCHL....75
CAESOPSTOM....531
CAFRESP2....78
CAFREWHO....78
CAGALLIVPAN....531
CAGVMONY....76
CAGVWHO....77
CAIDCHIP....31
CAKIDNEY....532
CALARYLUNG....532
CAMELANOM....532
CAMHPROB....538
CAMHPROB2....544
CAMHRCVR....538
CAMOUTTHRO....532
CANCEREVR....530
CANCERYR....534
CAOTHER2....533
CAOVARY....532
CAPROSTEST....532
CASKINDK....533
CASKINOTH....533
CASUPROB....538
CASUPROB2....544
CASURCVR....538
CATAG2....14
CATAG3....14
CATAG6....14
CATAG7....14
CATAGE....14
CATHYROID....533
CAUTERUS....533
CBDHMPEVR....87
CBDHMPFLAG....211
CBDHMPMON....212
CBDHMPREC....87
CBDHMPYR....212
CC30EST....107
CCBSTWAY....106
CCDAYPMO....107
CCDAYPWK....107
CCDAYPYR....107
CCFQFLG....106
CCTOTFG....106
CDCGMO....224
CDNOCGMO....224
CDUFLAG....224
CELLNOTCL....39
CELLWRKNG....39
CG30EST....53
CGR30USE....60
CGRAGLST....375
CGRFLAG....209
CGRMDAYS....243
CGRMON....209
CGRYR....209
CHAMPUS....31
CHMNDLREC....272
CI30EST....61
CIG100LF....55
CIG1PACK....245
CIG30AV....53
CIG30USE....52
CIGAGE....54
CIGAGLST....372
CIGAREVR....59
CIGARMFU....60
CIGARMLU....376
CIGARREC....60
CIGARTRY....59
CIGARYFU....59
CIGARYLU....375
CIGAVGD....246
CIGAVGM....246
CIGAVOID....63
CIGCRAGP....62
CIGCRAVE....62
CIGDLLST....373
CIGDLMFU....54
CIGDLMLU....374
CIGDLYFU....54
CIGDLYLU....373
CIGDLYMO....54
CIGEVER....51
CIGFLAG....209
CIGFNLKE....63
CIGFNSMK....63
CIGINCRS....66
CIGINCTL....63
CIGINFLU....65
CIGIRTBL....62
CIGLOTMR....66
CIGMDAYS....243
CIGMENTH30....53
CIGMFU....52
CIGMLU....373
CIGMON....209
CIGNMCHG....65
CIGNOINF....66
CIGPDAY....245
CIGPLANE....64
CIGREC....52
CIGREGDY....64
CIGREGNM....65
CIGREGWK....64
CIGRNOUT....64
CIGROLL30....53
CIGSATIS....66
CIGSVLHR....65
CIGTRY....51
CIGWAKE....67
CIGYFU....51
CIGYLU....372
CIGYR....209
CIGYRBFR....386
CIRROSAGE....535
CIRROSEVR....529
CLEFLU....129
CLEFLUEVER....226
CNSANYYR....220
CNSNMMON....222
CNSNMYR....222
COALCUSE....548
COCAGE....105
COCAGLST....377
COCEVER....105
COCFLAG....214
COCLALCUSE....552
COCLDRGUSE....552
COCLFINANC....552
COCLNEGMH....552
COCMDAYS....244
COCMFU....105
COCMLU....378
COCMON....214
COCNEDEVER....272
COCNEEDL....262
COCREC....106
COCUS30A....107
COCYDAYS....242
COCYFU....105
COCYLU....377
COCYR....214
COCYRBFR....387
COCYRTOT....106
CODRGUSE....548
COFINANC....548
COHCAPTDL....550
COHCAPTDL2....553
COHCRXDL....551
COHCRXDL2....553
COHCSVHLT....551
COHCSVHLT2....553
COHCTELE....550
COHCTELE2....553
COLDMEDS....258
COLDREC....258
COLDYR1....259
COLDYR2....260
COLDYR3....261
COLDYR4....261
COLDYR5....261
COMBATPY....9
COMHAPTDL....549
COMHAPTDL2....552
COMHRXDL....549
COMHRXDL2....552
COMHSVHLT....549
COMHSVHLT2....552
COMHTELE....549
COMHTELE2....552
CONDLREC....262
CONEGMH....548
COPDAGE....535
COPDEVER....529
COSUAPTDL....550
COSUAPTDL2....553
COSUIPLNYR....448
COSUITHNK....448
COSURXDL....550
COSURXDL2....553
COSUSVHLT....550
COSUSVHLT2....553
COSUTELE....549
COSUTELE2....553
COUTYP4....5
CR30EST....110
CRAKREC....109
CRBSTWAY....109
CRDAYPMO....110
CRDAYPWK....110
CRDAYPYR....109
CRFQFLG....109
CRKAGE....108
CRKAGLST....378
CRKEVER....108
CRKFLAG....214
CRKMDAYS....244
CRKMFU....108
CRKMLU....379
CRKMON....215
CRKUS30A....110
CRKYDAYS....242
CRKYFU....108
CRKYLU....378
CRKYR....214
CRKYRTOT....109
CRTOTFG....109
DAMTFXFLAG....216

DAMTFXMON 216
DAMTFXREC 128
DAMTFXYR 216
DCIGMON 224
DIABETEAG 534
DIABETEVR 529
DIFGETCOC 409
DIFGETCRK 409
DIFGETHER 409
DIFGETLSD 408
DIFGETMRJ 408
DIFOBTCOC 412
DIFOBTCRK 412
DIFOBTHER 412
DIFOBTLSD 412
DIFOBTMRJ 412
DMTAMTFXY 115
DRPRVME3 437
DRVINAGE 14
DRVINALCO 47
DRVINALCO2 50
DRVINALDRG 50
DRVINALON 49
DRVINCOCN 48
DRVINDETAG 15
DRVINDRG 50
DRVINDROTMJ 50
DRVINHALL 48
DRVINHERN 48
DRVININHL 49
DRVINMARJ 48
DRVINMARJ2 50
DRVINMETH 49
DSTCHR12 443
DSTCHR30 441
DSTEFF12 443
DSTEFF30 441
DSTHOP12 442
DSTHOP30 440
DSTNGD12 443
DSTNGD30 441
DSTNRV12 442
DSTNRV30 440
DSTRST12 442
DSTRST30 440
DSTWORST 441
ECSTMOAGE 126
ECSTMOAGL 383
ECSTMOFLAG 216
ECSTMOLLY 115
ECSTMOMFU 127
ECSTMOMLU 384
ECSTMOMON 216
ECSTMOREC 127
ECSTMOYFU 127
ECSTMOYLU 383
ECSTMOYR 216
EDFAM18 28
EDUD5PNRMIS 356
EDUD5PNRUNM 356
EDUD5SEDMIS 357
EDUD5SEDUNM 357
EDUD5STMMIS 357
EDUD5STMUNM 357
EDUD5TRQMIS 356
EDUD5TRQUNM 357
EDUFULPAR 16
EDUHIGHCAT 15
EDUSCHGRD2 16
EDUSCHLGO 16
EDUSCKCOM 17
EDUSCKEST 17
EDUSCKMON 17
EDUSKPCOM 18
EDUSKPEST 18
EDUSKPMON 17
EIBINGAGE 81
EIBINGMFU 82
EIBINGYFU 82
ENRLCOLLFT2 20
ENRLCOLLST2 20
ETHER 130
ETHEREVER 226
FELTMARKR 131
FENTANYYR 142
FENTNMYR 151
FILEDATE 3
FLTMRKEVER 227
FLVVAPEVR 539
FLVVAPFLAG 544
FLVVAPMON 545
FLVVAPREC 539
FLVVAPYR 544
FPIMFANYYR 546
FPIMFNMYR 546
FRDADLY2 436
FRDMEVR2 436
FRDMJMON 436
FRDPCIG2 436
FTNDDEPND 67
FUALC18 247
FUALC21 247
FUCD218 246
FUCD221 246
FUCGR18 246
FUCGR21 247
FUCIG18 246
FUCIG21 246
FUCOC18 247
FUCOC21 248
FUCRK18 248
FUCRK21 248
FUECSTMO18 249
FUECSTMO21 249
FUHALLUC18 248
FUHALLUC21 248
FUHER18 248
FUHER21 248
FUINHAL18 249
FUINHAL21 249
FULSD18 248
FULSD21 248
FUMETHAM18 249
FUMETHAM21 249
FUMJ18 247
FUMJ21 247
FUNICVAP18 247
FUNICVAP21 247
FUPCP18 248
FUPCP21 249
FUPNRNM18 249
FUPNRNM21 249
FUSEDNM18 250
FUSEDNM21 250
FUSMKLSS18 247
FUSMKLSS21 247
FUSTMNM18 250
FUSTMNM21 250
FUTRQNM18 249
FUTRQNM21 250
GAS 129
GASEVER 226
GHB 262
GHBFLAG 273
GHBMON 273
GHBREC 262
GHBYR 273
GLUE 130
GLUEEVER 226
GNNDCLEN 270
GNNDGET2 270
GNNDLSH1 269
GNNDLSH2 270
GNNDREUS 269
GOVTPROG 42
GQTYPE2 554
GRPCNSL2 437
GRPHLTIN 32
GRSKBNGDLY 412
GRSKBNGWK 412
GRSKCIGPKD 411
GRSKCOCMON 411
GRSKCOCWK 411
GRSKHERTRY 411
GRSKHERWK 411
GRSKLSDTRY 411
GRSKLSDWK 412
GRSKMRJMON 411
GRSKMRJWK 411
HALFQFLG 122
HALLAGLST 380
HALLDYPMO 123
HALLDYPWK 123
HALLDYSYR 123
HALLEASWY 123
HALLMOLST 381
HALLNDAYPM 244
HALLNDAYYR 242
HALLUC30E 124
HALLUC30N 124
HALLUCAGE 121
HALLUCEVR 121
HALLUCFLAG 215
HALLUCMFU 122
HALLUCMON 215
HALLUCOT1 117
HALLUCOT2 119
HALLUCOT3 120
HALLUCOT4 120
HALLUCOT5 121
HALLUCOTH 116
HALLUCREC 122
HALLUCYFQ 122
HALLUCYFU 121
HALLUCYR 215
HALLYRLST 380
HALTOTFG 122
HEALTH 10
HEALTH2 15
HEOTNDL 264
HEOTOTH 264
HEOTSMK 264
HEOTSNF 264
HEOTSP 264
HEPBCAGE 535
HEPBCEVER 529
HER30USE 113
HERAGE 111
HERAGLST 379
HEREVER 111
HERFLAG 215
HERMDAYS 244
HERMFU 111
HERMLU 380
HERMON 215
HERNEDEVER 272
HERNEEDL 263
HERPNRYR 222
HERREC 112
HERSMOEVER 273
HERSMOKE 263
HERSNIEVER 273
HERSNIFF 263
HERYDAYS 242
HERYFU 111

HERYLU 379
HERYR 215
HERYRTOT 112
HIGHBPAGE 536
HIGHBPEVR 530
HIGHBPMED 536
HIVAIDSAG 536
HIVAIDSEV 530
HLCALL99 38
HLCALLFG 38
HLCLAST 33
HLCNOTMO 33
HLCNOTYR 33
HLLOSRSN 34
HLNVCOST 34
HLNVNEED 34
HLNVOFFR 34
HLNVREF 34
HLNVSOR 35
HLTINALC 32
HLTINDRG 32
HLTINMNT 33
HLTINNOS 33
HPALCAMT 526
HPALCCUT 527
HPALCFRQ 527
HPALCNOT 527
HPALCPRB 527
HPALCTX 527
HPDRGTALK 528
HPQTTOB 526
HPUSEALC 525
HPUSEDRG 525
HPUSETOB 525
HR30EST 113
HRBSTWAY 112
HRDAYPMO 113
HRDAYPWK 113
HRDAYPYR 112
HRFQFLG 112
HRNDLREC 265
HRSMKREC 263
HRSNFREC 263
HRTCONDAG 534
HRTCONDEV 528
HRTCONDYR 534
HRTOTFG 112
HTANSWER 522
HTINCHE2 522
HVYDRKMON 224
IFATHER 28
II2ALCFM 194
II2ALCFY 190
II2ALCRC 178
II2CGRFM 193
II2CGRRC 176
II2CIGFM 193
II2CIGRC 176
II2COCFM 195
II2COCFY 191
II2COCRC 183
II2CRKFM 196
II2CRKFY 191
II2CRKRC 183
II2HERFM 196
II2HERFY 191
II2HERRC 183
II2LSDRC 184
II2MJFM 195
II2MJFY 190
II2MJRC 178
II2PCPRC 184
II2WRKST18 27
II2WRKSTAT 27
IIALCAGE 201
IIALCBNG30D 194
IIALCFM 194
IIALCFY 190
IIALCRC 178
IIALCYFU 201
IIAMDEIMP 483
IIAMDELT 483
IIAMDEYR 483
IIBZOANYYR 188
IIBZONMYR 189
IICBDHMPREC 178
IICD2YFU 199
IICDUAGE 199
IICGRAGE 200
IICGRFM 193
IICGRRC 176
IICGRYFU 200
IICHMPUS 36
IICIGAGE 199
IICIGFM 193
IICIGRC 176
IICIGYFU 199
IICOCAGE 202
IICOCFM 195
IICOCFY 190
IICOCRC 182
IICOCYFU 202
IICOSUIPLNYR 457
IICOSUITHNK 457
IICOSUITRYYR 458
IICRKAGE 202
IICRKFM 195
IICRKFY 191
IICRKRC 183
IICRKYFU 202
IIDAMTFXREC 185
IIDSTCHR12 452
IIDSTCHR30 451
IIDSTEFF12 453
IIDSTEFF30 451
IIDSTHOP12 452
IIDSTHOP30 450
IIDSTNGD12 453
IIDSTNGD30 451
IIDSTNRV12 452
IIDSTNRV30 450
IIDSTRST12 452
IIDSTRST30 450
IIDSTWORST 451
IIECSTMOAGE 204
IIECSTMOREC 185
IIECSTMOYFU 204
IIEDUHIGHST2 13
IIFAMIN3 41
IIFAMPMT 40
IIFAMSOC 40
IIFAMSSI 40
IIFAMSVC 40
IIFENTANYYR 187
IIFENTNMYR 188
IIFLVVAPREC 542
IIFSTAMP 40
IIGHBREC 271
IIHALLUC30N 196
IIHALLUCAGE 203
IIHALLUCREC 184
IIHALLUCYFQ 192
IIHALLUCYFU 203
IIHERAGE 202
IIHERFM 196
IIHERFY 191
IIHERRC 183
IIHERYFU 203
IIHH65_2 29
IIHHSIZ2 28
IIIMFREC 543
IIIMPCONCN 453
IIIMPGOUT 454
IIIMPGOUTM 454
IIIMPHHLD 455
IIIMPHHLDM 455
IIIMPPEOP 454
IIIMPPEOPM 454
IIIMPREMEM 453
IIIMPRESP 456
IIIMPRESPM 456
IIIMPSOC 455
IIIMPSOCM 455
IIIMPWORK 456
IIINHAL30N 196
IIINHALAGE 205
IIINHALREC 186
IIINHALYFQ 192
IIINHALYFU 205
IIINSUR4 38
IIKETMINREC 185
IIKI17_2 28
IIKRATREC 542
IILSDAGE 203
IILSDRC 184
IILSDYFU 204
IIMARIT 13
IIMCDCHP 36
IIMEDICR 36
IIMETHAM30N 197
IIMETHAMAGE 205
IIMETHAMREC 186
IIMETHAMYFQ 192
IIMETHAMYFU 205
IIMHTERED 515
IIMHTINHOSP 515
IIMHTINOPL 516
IIMHTINRHAB 515
IIMHTINRSMH 515
IIMHTOUTDOC 516
IIMHTOUTHOSP 516
IIMHTOUTMHCR 516
IIMHTOUTOPL 517
IIMHTOUTRHAB 516
IIMHTOUTSCHL 517
IIMHTOUTTHRP 516
IIMHTPEERSPC 517
IIMHTPHVID 517
IIMHTRXMED 517
IIMHTSUPPGRP 515
IIMJAGE 201
IIMJFM 195
IIMJFY 190
IIMJMONDAB 181
IIMJMONEAT 181
IIMJMONMOUTH 182
IIMJMONPILL 182
IIMJMONSKIN 182
IIMJMONSMOKE 181
IIMJMONVAPE 181
IIMJRC 178
IIMJYFU 201
IIMJYRDAB 179
IIMJYREAT 179
IIMJYRMOUTH 180
IIMJYROTHER 180
IIMJYRPILL 180
IIMJYRSKIN 180
IIMJYRSMOKE 179
IIMJYRVAPE 179
IINICVAP30N 194
IINICVAPAGE 200
IINICVAPREC 177
IINICVAPYFU 201
IINPCOLDREC 271

IIOTHHLT....37
IIOXCNANYYR....186
IIOXCNNMYR....188
IIPCPAGE....204
IIPCPRC....184
IIPCPYFU....204
IIPINC3....41
IIPIPLF....177
IIPIPMN....177
IIPMNICDEP....68
IIPNRANYREC....186
IIPNRNM30FQ....197
IIPNRNMAGE....207
IIPNRNMINIT....205
IIPNRNMREC....188
IIPNRNMYFU....206
IIPRVHLT....36
IIPYSEV5ALC....362
IIPYSEV5COC....363
IIPYSEV5HAL....363
IIPYSEV5HER....363
IIPYSEV5INH....363
IIPYSEV5MRJ....362
IIPYSEV5MTH....364
IIPYUD5ALC....358
IIPYUD5COC....358
IIPYUD5HAL....359
IIPYUD5HER....359
IIPYUD5INH....359
IIPYUD5MRJ....358
IIPYUD5MTH....360
IISALVIAREC....185
IISEDANYREC....187
IISEDNM30FQ....198
IISEDNMAGE....208
IISEDNMINIT....206
IISEDNMREC....189
IISEDNMYFU....208
IISEVPNRMIS....364
IISEVPNRUNM....364
IISEVSEDMIS....366
IISEVSEDUNM....366
IISEVSTMMIS....365
IISEVSTMUNM....365
IISEVTRQMIS....365
IISEVTRQUNM....365
IISMKLSS30N....193
IISMKLSSREC....177
IISMKLSSTRY....200
IISMKLSSYFU....200
IISTMANYREC....187
IISTMNM30FQ....197
IISTMNMAGE....208
IISTMNMINIT....206
IISTMNMREC....189
IISTMNMYFU....208
IISUICTHNK....456
IISUIPLANYR....457
IISUITRYYR....457
IISUTDETOX....399
IISUTERED....396
IISUTINHOSP....396
IISUTINOPL....397
IISUTINRHAB....396
IISUTINRSMH....396
IISUTOUTDOC....397
IISUTOUTHOSP....398
IISUTOUTMHCR....397
IISUTOUTOPL....398
IISUTOUTRHAB....397
IISUTOUTSCHL....398
IISUTOUTTHRP....397
IISUTPEERSPC....399
IISUTPHVID....399
IISUTRXALC....398
IISUTRXDRG....398
IISUTSUPPGRP....396
IISYNMRJREC....542
IISYNSTMREC....542
IITRQANYREC....187
IITRQNM30FQ....197
IITRQNMAGE....207
IITRQNMINIT....206
IITRQNMREC....189
IITRQNMYFU....207
IIUD5PNRMIS....360
IIUD5PNRUNM....360
IIUD5SEDMIS....361
IIUD5SEDUNM....362
IIUD5STMMIS....361
IIUD5STMUNM....361
IIUD5TRQMIS....360
IIUD5TRQUNM....361
IIWELMOS....41
IIWRKSTAT....27
IIWRKSTAT18....27
ILIMFOTHFG....546
ILIMFOTHMN....547
ILIMFOTHYR....546
ILLALCFLG....225
ILLALCMON....225
ILLANDALC....225
ILLEMFLAG....223
ILLEMMON....223
ILLEMYR....223
ILLFLAG....223
ILLMON....223
ILLORALC....225
ILLYR....223
ILTOBALCFG....224
ILTOBALCMN....224
ILTOBALCYR....224
ILTOBVAPALC....225
IMFEVER....541
IMFFLAG....545
IMFMON....545
IMFNDLEVER....541
IMFNEDFLAG....546
IMFYR....545
IMOTHER....28
IMPCONCN....444
IMPDYFRQ....447
IMPGOUT....444
IMPGOUTM....444
IMPHHLD....445
IMPHHLDM....446
IMPPEOP....444
IMPPEOPM....445
IMPREMEM....443
IMPRESP....446
IMPRESPM....446
IMPSOC....445
IMPSOCM....445
IMPWEEKS....447
IMPWORK....446
IMPYDAYS....447
INCOME....42
INHAL30ES....137
INHAL30N....137
INHALAGE....134
INHALEVER....134
INHALFLAG....217
INHALMFU....135
INHALMON....217
INHALOT1....132
INHALOT2....133
INHALOT3....133
INHALOT4....133
INHALOT5....133
INHALOTH....131
INHALREC....135
INHALYFQ....135
INHALYFU....134
INHALYR....217
INHDYPMO....136
INHDYPWK....136
INHDYSYR....136
INHEASWY....136
INHFQFLG....135
INHLAGLST....384
INHLMOLST....385
INHLYRLST....384
INHNDAYPM....244
INHNDAYYR....243
INHOSPYR....523
INHTOTFG....135
IRALCAGE....201
IRALCBNG30D....194
IRALCFM....194
IRALCFY....190
IRALCRC....178
IRALCYFU....201
IRAMDEIMP....483
IRAMDELT....483
IRAMDEYR....483
IRBZOANYYR....187
IRBZONMYR....189
IRCBDHMPREC....178
IRCD2YFU....199
IRCDUAGE....199
IRCGRAGE....199
IRCGRFM....193
IRCGRRC....176
IRCGRYFU....200
IRCHMPUS....36
IRCIGAGE....199
IRCIGFM....193
IRCIGRC....176
IRCIGYFU....199
IRCOCAGE....201
IRCOCFM....195
IRCOCFY....190
IRCOCRC....182
IRCOCYFU....202
IRCOSUIPLNYR....457
IRCOSUITHNK....457
IRCOSUITRYYR....457
IRCRKAGE....202
IRCRKFM....195
IRCRKFY....191
IRCRKRC....183
IRCRKYFU....202
IRDAMTFXREC....185
IRDSTCHR12....452
IRDSTCHR30....450
IRDSTEFF12....453
IRDSTEFF30....451
IRDSTHOP12....452
IRDSTHOP30....450
IRDSTNGD12....453
IRDSTNGD30....451
IRDSTNRV12....451
IRDSTNRV30....450
IRDSTRST12....452
IRDSTRST30....450
IRDSTWORST....451
IRECSTMOAGE....204
IRECSTMOREC....184
IRECSTMOYFU....204
IREDUHIGHST2....13
IRFAMIN3....41
IRFAMPMT....40
IRFAMSOC....40
IRFAMSSI....40
IRFAMSVC....40

IRFENTANYYR....187
IRFENTNMYR....188
IRFLVVAPREC....542
IRFSTAMP....40
IRGHBREC....271
IRHALLUC30N....196
IRHALLUCAGE....203
IRHALLUCREC....183
IRHALLUCYFQ....191
IRHALLUCYFU....203
IRHERAGE....202
IRHERFM....196
IRHERFY....191
IRHERRC....183
IRHERYFU....203
IRHH65_2....28
IRHHSIZ2....28
IRIMFREC....543
IRIMPCONCN....453
IRIMPGOUT....454
IRIMPGOUTM....454
IRIMPHHLD....455
IRIMPHHLDM....455
IRIMPPEOP....454
IRIMPPEOPM....454
IRIMPREMEM....453
IRIMPRESP....456
IRIMPRESPM....456
IRIMPSOC....455
IRIMPSOCM....455
IRIMPWORK....456
IRINHAL30N....196
IRINHALAGE....204
IRINHALREC....186
IRINHALYFQ....192
IRINHALYFU....205
IRINSUR4....38
IRKETMINREC....185
IRKI17_2....28
IRKRATREC....542
IRLSDAGE....203
IRLSDRC....184
IRLSDYFU....203
IRMARIT....13
IRMCDCHP....36
IRMEDICR....36
IRMETHAM30N....197
IRMETHAMAGE....205
IRMETHAMREC....186
IRMETHAMYFQ....192
IRMETHAMYFU....205
IRMHTERED....515
IRMHTINHOSP....515
IRMHTINOPL....515
IRMHTINRHAB....515
IRMHTINRSMH....515
IRMHTOUTDOC....516
IRMHTOUTHOSP....516
IRMHTOUTMHCR....516
IRMHTOUTOPL....517
IRMHTOUTRHAB....516
IRMHTOUTSCHL....517
IRMHTOUTTHRP....516
IRMHTPEERSPC....517
IRMHTPHVID....517
IRMHTRXMED....517
IRMHTSUPPGRP....515
IRMJAGE....201
IRMJFM....195
IRMJFY....190
IRMJMONDAB....181
IRMJMONEAT....181
IRMJMONMOUTH....182
IRMJMONPILL....182
IRMJMONSKIN....182
IRMJMONSMOKE....181
IRMJMONVAPE....181
IRMJRC....178
IRMJYFU....201
IRMJYRDAB....179
IRMJYREAT....179
IRMJYRMOUTH....180
IRMJYROTHER....180
IRMJYRPILL....180
IRMJYRSKIN....180
IRMJYRSMOKE....179
IRMJYRVAPE....179
IRNICVAP30N....194
IRNICVAPAGE....200
IRNICVAPREC....177
IRNICVAPYFU....200
IRNPCOLDREC....271
IROTHHLT....37
IROXCNANYYR....186
IROXCNNMYR....188
IRPCPAGE....204
IRPCPRC....184
IRPCPYFU....204
IRPINC3....41
IRPIPLF....176
IRPIPMN....177
IRPMNICDEP....68
IRPNRANYREC....186
IRPNRNM30FQ....197
IRPNRNMAGE....207
IRPNRNMINIT....205
IRPNRNMREC....188
IRPNRNMYFU....206
IRPRVHLT....36
IRPYSEV5ALC....362
IRPYSEV5COC....362
IRPYSEV5HAL....363
IRPYSEV5HER....363
IRPYSEV5INH....363
IRPYSEV5MRJ....362
IRPYSEV5MTH....364
IRPYUD5ALC....358
IRPYUD5COC....358
IRPYUD5HAL....359
IRPYUD5HER....359
IRPYUD5INH....359
IRPYUD5MRJ....358
IRPYUD5MTH....359
IRSALVIAREC....185
IRSEDANYREC....187
IRSEDNM30FQ....198
IRSEDNMAGE....208
IRSEDNMINIT....206
IRSEDNMREC....189
IRSEDNMYFU....208
IRSEVPNRMIS....364
IRSEVPNRUNM....364
IRSEVSEDMIS....366
IRSEVSEDUNM....366
IRSEVSTMMIS....365
IRSEVSTMUNM....365
IRSEVTRQMIS....364
IRSEVTRQUNM....365
IRSEX....13
IRSMKLSS30N....193
IRSMKLSSREC....177
IRSMKLSSTRY....200
IRSMKLSSYFU....200
IRSTMANYREC....187
IRSTMNM30FQ....197
IRSTMNMAGE....208
IRSTMNMINIT....206
IRSTMNMREC....189
IRSTMNMYFU....207
IRSUICTHNK....456
IRSUIPLANYR....457
IRSUITRYYR....457
IRSUTDETOX....399
IRSUTERED....396
IRSUTINHOSP....396
IRSUTINOPL....397
IRSUTINRHAB....396
IRSUTINRSMH....396
IRSUTOUTDOC....397
IRSUTOUTHOSP....397
IRSUTOUTMHCR....397
IRSUTOUTOPL....398
IRSUTOUTRHAB....397
IRSUTOUTSCHL....398
IRSUTOUTTHRP....397
IRSUTPEERSPC....399
IRSUTPHVID....398
IRSUTRXALC....398
IRSUTRXDRG....398
IRSUTSUPPGRP....396
IRSYNMRJREC....542
IRSYNSTMREC....542
IRTRQANYREC....187
IRTRQNM30FQ....197
IRTRQNMAGE....207
IRTRQNMINIT....206
IRTRQNMREC....188
IRTRQNMYFU....207
IRUD5PNRMIS....360
IRUD5PNRUNM....360
IRUD5SEDMIS....361
IRUD5SEDUNM....361
IRUD5STMMIS....361
IRUD5STMUNM....361
IRUD5TRQMIS....360
IRUD5TRQUNM....360
IRWELMOS....40
IRWRKSTAT....27
IRWRKSTAT18....27
KETMINESK....115
KETMINFLAG....216
KETMINMON....217
KETMINREC....128
KETMINYR....217
KIDNYDSAG....535
KIDNYDSEV....529
KRATEVER....539
KRATOMFLAG....544
KRATOMMON....544
KRATOMYR....544
KRATREC....539
KSSLR6MAX....459
KSSLR6MON....459
KSSLR6MONED....448
KSSLR6YR....459
KSSLR6YRED....449
LANGVER....554
LGAS....130
LGASEVER....226
LMIPY....461
LMMIPY....462
LMMISUD5ANY....462
LSD....114
LSDAGE....124
LSDAGLST....381
LSDFLAG....215
LSDMFU....125
LSDMLU....382
LSDMON....215
LSDREC....125
LSDYFU....124
LSDYLU....381
LSDYR....215
LVLDIFCARE2....12
LVLDIFCOMM2....12

LVLDIFHEAR2....11
LVLDIFMEM2....12
LVLDIFSEE2....11
LVLDIFWALK2....11
MAIIN102....6
MDEIMPY....508
MEDICARE....31
MEDMJPA2....94
MEFQFLG....139
MESC....114
MESCEVER....225
METHAGLST....385
METHAM30E....141
METHAM30N....141
METHAMAGE....138
METHAMEVR....138
METHAMFLAG....217
METHAMMFU....139
METHAMMON....218
METHAMREC....139
METHAMYFQ....139
METHAMYFU....138
METHAMYR....217
METHDYPMO....140
METHDYPWK....140
METHDYSYR....140
METHEASWY....140
METHMOLST....386
METHNDAYPM....244
METHNDAYYR....243
METHNDLRC....265
METHNEEDL....265
METHYRLST....385
METOTFG....139
MHNTCARE....521
MHNTCONSQ....520
MHNTCOST....519
MHNTENFCV....519
MHNTFFLKE....520
MHNTFORCE....521
MHNTHNDL....520
MHNTINSCV....519
MHNTMEDS....521
MHNTNOFND....519
MHNTNOHLP....521
MHNTNOOPN....520
MHNTPRIV....520
MHNTPROBS....520
MHNTPTHNK....520
MHNTSTART....520
MHNTTIME....520
MHNTWHER....519
MHTINOTHPY....518
MHTINPPY....518
MHTNSEEKPY....519
MHTOUTNDOC....518
MHTOUTOTPY....518
MHTOUTPPY....518
MHTRTOTHPY....518
MHTRTPY....518
MHTSEEKTX....510
MHTSHLDTX....510
MHTSKTHPY....519
MHTUNCARE....514
MHTUNCONSQ....512
MHTUNCOST....510
MHTUNENFCV....511
MHTUNFFLKE....513
MHTUNFORCE....513
MHTUNHNDL....513
MHTUNINSCV....510
MHTUNMED....513
MHTUNNOFND....511
MHTUNNOHLP....513
MHTUNNOOPN....511
MHTUNPRIV....512
MHTUNPROBS....511
MHTUNPTHNK....512
MHTUNSTART....512
MHTUNTIME....512
MHTUNWHER....511
MICATPY....462
MILSTAT....8
MILTCHLDR....19
MILTFAMLY....18
MILTPARNT....19
MILTSIBLN....19
MILTSPPAR....18
MJAGE....87
MJALLMEDYR....94
MJANYMEDYR....94
MJCMOTHMON....214
MJCMOTHYR....213
MJDABMON....213
MJDABYR....212
MJDAY30A....90
MJEATMON....214
MJEATYR....212
MJEVER....87
MJFQFLG....89
MJMFU....88
MJMONDAB....93
MJMONEAT....93
MJMONMOUTH....93
MJMONPILL....93
MJMONSKIN....93
MJMONSMOKE....92
MJMONVAPE....92
MJMTHMON....214
MJMTHYR....212
MJONLYFLAG....223
MJONLYMON....223
MJONLYYR....223
MJOTHYR....213
MJPLLMON....214
MJPLLYR....213
MJREC....88
MJSKNMON....214
MJSKNYR....213
MJSMKMON....213
MJSMKYR....212
MJVAPMON....213
MJVAPYR....212
MJYFU....88
MJYRDAB....91
MJYREAT....91
MJYRMOUTH....91
MJYROTHER....92
MJYRPILL....92
MJYRSKIN....92
MJYRSMOKE....91
MJYRTOT....89
MJYRVAPE....91
MKMAMTPDCOM2....96
MKMBGHT30N2....96
MKMBGHTDAB....98
MKMBGHTDISP....97
MKMBGHTDRPS....98
MKMBGHTEDBLE....98
MKMBGHTJNT....97
MKMBGHTKNW....97
MKMBGHTLOO....97
MKMBGHTLTN....99
MKMBGHTOTH....99
MKMBGHTPILL....99
MKMBGHTREC....96
MKMBGHTVAPE....98
MKMBGHTYR....95
MKMFREEYR....95
MKMGREWYR....95
MKMLOOGMCOM2....99
MKMLOOOUNCE....100
MKMOTHWAYYR....96
MKMSELLMRJ....100
MKMTRADEYR....95
MMIPY....461
MOVSINPYR2....10
MR30EST....90
MRBSTWAY....89
MRDAYPMO....90
MRDAYPWK....90
MRDAYPYR....89
MRJAGLST....371
MRJFLAG....212
MRJMDAYS....244
MRJMLU....372
MRJMON....212
MRJMONVAP2....213
MRJYDAYS....242
MRJYLU....371
MRJYR....212
MRJYRBFR....371
MRTOTFG....89
MTHNEDEVER....272
MXMJPNLT....49
NDSSDEPND....67
NEWRACE2....15
NICVAP30N....56
NICVAPAGE....55
NICVAPEVER....55
NICVAPFLAG....210
NICVAPMFU....56
NICVAPMON....210
NICVAPREC....56
NICVAPYFU....55
NICVAPYR....210
NICVPMDAYS....243
NITOXID....130
NITOXIEVER....226
NMERTMT2....523
NMNGTHS2....524
NMVSOEST....524
NMVSOPT2....524
NOBOOKY2....43
NOMARR2....10
NONABOVEV....530
NPCOLDFLAG....273
NPCOLDMON....273
NPCOLDYR....273
NRCH17_2....28
OPIANYYR....219
OPIIMFNMMN....546
OPIIMFNMYR....546
OPINMMON....222
OPINMYR....222
OTCFLAG....262
OTDGNDLA....266
OTDGNDLB....267
OTDGNDLC....268
OTDGNDLD....268
OTDGNDLE....269
OTDGNDLRC....269
OTDGNEDL....265
OTHAEREVER....227
OTHAEROS....131
OTHINS....38
OTHRPNRANY....229
OTHRPNRMIS....237
OTHRSEDANY....234
OTHRSEDMIS2....241
OTHRSTMANY....232
OTHRSTMMIS....240
OTHRTRQANY....231
OTHRTRQMIS....239
OXCNANYYR....142

OXCNNMAGE....143
OXCNNMMFU....144
OXCNNMYFU....143
OXCNNMYR....143
OXYCNANYYR....218
OXYCNNMYR....220
PARCHKHW....433
PARHLPHW....434
PARLMTSN....434
PAROL....50
PAROLREL....47
PCP....114
PCPAGE....125
PCPAGLST....382
PCPFLAG....216
PCPMFU....126
PCPMLU....383
PCPMON....216
PCPREC....126
PCPYFU....126
PCPYLU....382
PCPYR....216
PDEN10....5
PEYOTE....114
PEYOTEEVER....225
PIPE30DY....61
PIPEVER....61
PIPFLAG....209
PIPMON....209
PMNICDEP....67
PNRANYFLAG....218
PNRANYLIF....142
PNRANYREC....142
PNRANYYR....218
PNRMAINRSN....251
PNRNDAYPM....245
PNRNM30AL....146
PNRNM30D....145
PNRNM30ES....146
PNRNM30FQ....145
PNRNMAGE....145
PNRNMFLAG....220
PNRNMINIT....144
PNRNMLAS1....148
PNRNMLIF....143
PNRNMMFU....145
PNRNMMON....220
PNRNMREC....144
PNRNMYFU....145
PNRNMYR....220
PNRNORXFG....151
PNRRSDGFX....150
PNRRSEMOT....149
PNRRSEXPT....149
PNRRSHIGH....149
PNRRSHOOK....150
PNRRSMAIN....151
PNRRSOTRS2....150
PNRRSPAIN....148
PNRRSRELX....149
PNRRSSLEP....149
PNRRSSOR....150
PNRWYGAMT....147
PNRWYLNGR....147
PNRWYNORX....146
PNRWYOFTN....147
PNRWYOTWY....147
POVERTY3....42
PRALDLY2....435
PRBSOLV2....437
PRCHORE2....434
PREG....537
PREG2....537
PREGAGE2....14
PREGNANT....522
PREGPGM2....437
PREVIOL2....437
PRGDJOB2....434
PRLMTTV2....434
PRMJEVR2....435
PRMJMO....435
PROB....50
PROBATON....47
PRPKCIG2....435
PRPROUD2....434
PRTALK3....437
PRVDRGO2....437
PRVHLTIN....32
PRXRETRY....30
PRXYDATA....30
PSILCY....115
PSILCYEVER....226
PSYANYFLAG....219
PSYANYYR....219
PSYCHFLAG....222
PSYCHMON....222
PSYCHYR....222
PYUD5ALC....354
PYUD5COC....355
PYUD5HAL....355
PYUD5HER....355
PYUD5INH....355
PYUD5MRJ....354
PYUD5MTH....356
QUESTID2....3
RCVMHTNSUT....521
RCVSUTAMHT....521
RCVSUTNMHT....521
RCVSUTOMHT....521
RCVYMHPRB....544
RCVYSUBPRB....544
RKFQDBLT....410
RKFQPBLT....410
RLGATTD....438
RLGDCSN....438
RLGFRND....438
RLGIMPT....438
RSKBNGDLY....408
RSKBNGWK....408
RSKCIGPKD....406
RSKCOCMON....407
RSKCOCWK....407
RSKHERTRY....407
RSKHERWK....407
RSKLSDTRY....406
RSKLSDWK....407
RSKMRJMON....406
RSKMRJWK....406
RSKYFQDGR....410
RSKYFQTES....410
RSNMRJMO....103
RSNOMRJ....103
RXALPRANY....230
RXALPRMIS....237
RXAMMEANY....231
RXAMMEMIS....239
RXAMPHANY....232
RXAMPHMIS....239
RXANORANY....232
RXANORMIS....240
RXBARBANY....234
RXBARBMIS....241
RXBUPRANY....228
RXBUPRMIS....235
RXBZOSANY....233
RXBZOSMIS....241
RXBZOTANY....229
RXBZOTMIS....237
RXCLONANY....230
RXCLONMIS....238
RXCODEANY....228
RXCODEMIS....235
RXCYCLANY....231
RXCYCLMIS....238
RXDEMEANY....229
RXDEMEMIS....236
RXDIAZANY....230
RXDIAZMIS....238
RXESZOANY....233
RXESZOMIS....241
RXFLURANY....234
RXHYDCANY....227
RXHYDCMIS....234
RXHYDMANY....229
RXHYDMMIS....236
RXLORAANY....230
RXLORAMIS....237
RXMORPANY....228
RXMORPMIS....235
RXMRLXANY....230
RXMRLXMIS....238
RXMTDNANY....229
RXMTDNMIS....236
RXMTHPANY....232
RXMTHPMIS....240
RXOXCOANY....227
RXOXCOMIS....235
RXOXYMANY....228
RXOXYMMIS....236
RXPROVANY....232
RXPROVMIS....240
RXSOMAANY....231
RXSOMAMIS....238
RXTEMAANY....234
RXTRAMANY....228
RXTRAMMIS....235
RXTRIAANY....233
RXZALEANY....233
RXZOHYANY....227
RXZOHYMIS....234
RXZOLPANY....233
RXZOLPMIS....241
SALVIADIV....115
SALVIAFLAG....217
SALVIAMON....217
SALVIAREC....128
SALVIAYR....217
SCHFELT....433
SEDANYFLAG....219
SEDANYLIF....169
SEDANYREC....169
SEDANYYR....219
SEDMAINRSN....254
SEDNDAYPM....245
SEDNM30AL....172
SEDNM30D....171
SEDNM30ES....171
SEDNM30FQ....171
SEDNMAGE....170
SEDNMFLAG....221
SEDNMINIT....170
SEDNMLAST....173
SEDNMLIF....170
SEDNMMFU....171
SEDNMMON....221
SEDNMREC....170
SEDNMYFU....171
SEDNMYR....221
SEDNORXFG....175
SEDRSDGFX....174
SEDRSEMOT....174
SEDRSEXPT....173
SEDRSHIGH....174
SEDRSHOOK....174
SEDRSMAIN....175

SEDRSOTRS2 175
SEDRSRELX 173
SEDRSSLEP 174
SEDRSSOR 175
SEDWYGAMT 172
SEDWYLNGR 172
SEDWYNORX 172
SEDWYOFTN 172
SEDWYOTWY 173
SERVICE 8
SEVYRPNRANY 369
SEVYRSEDANY 369
SEVYRSTMANY 369
SEVYRTRQANY 369
SEXAGE 15
SEXATRACT2 10
SEXIDENT22 11
SEXRACE 15
SMIPPPY 460
SMIPY 461
SMIRSUD5ANY 462
SMISUD5ANY 462
SMISUD5ANYO 463
SMKAGLAST 374
SMKLSMDAYS 243
SMKLSS30E 59
SMKLSS30N 58
SMKLSSEVR 57
SMKLSSFLAG 209
SMKLSSMFU 58
SMKLSSMON 210
SMKLSSREC 58
SMKLSSTRY 57
SMKLSSYFU 57
SMKLSSYR 210
SMKMOLAST 375
SMKYRLAST 374
SMMIPY 461
SNFAMJEV 414
SNRLDCSN 414
SNRLFRND 415
SNRLGIMP 414
SNRLGSVC 414
SNYATTAK 413
SNYSELL 413
SNYSTOLE 413
SOLVENEVER 226
SOLVENT 130
SPAINTEVER 227
SPDPSTMON 459
SPDPSTYR 459
SPEAKENGL 11
SPPAINT 131
SRCCLFRPNR 257
SRCCLFRSED 257
SRCCLFRSTM 257
SRCCLFRTRQ 257
SRCFRPNRNM 256
SRCFRSEDNM 257
SRCFRSTMNM 256
SRCFRTRQNM 256
SRCPNRNM2 255
SRCSEDNM2 255
SRCSTMNM2 255
SRCTRQNM2 255
STDANYYR 528
STMANYFLAG 218
STMANYLIF 160
STMANYREC 160
STMANYYR 218
STMMAINRSN 253
STMNDAYPM 245
STMNDLREC 164
STMNDLYR 164
STMNM30AL 163
STMNM30D 162
STMNM30ES 162
STMNM30FQ 162
STMNMAGE 161
STMNMFLAG 221
STMNMINIT 161
STMNMLAS1 165
STMNMLIF 161
STMNMMFU 162
STMNMMON 221
STMNMREC 161
STMNMYFU 162
STMNMYR 221
STMNORXFG 168
STMRSALRT 166
STMRSCONC 165
STMRSDGFX 166
STMRSEXPT 166
STMRSHIGH 166
STMRSHOOK 167
STMRSMAIN 167
STMRSOTRS2 167
STMRSSOR 167
STMRSSTDY 166
STMRSWGHT 165
STMWYGAMT 163
STMWYLNGR 163
STMWYNORX 163
STMWYOFTN 163
STMWYOTWY 164
STNDALC 433
STNDDNK 433
STNDSCIG 433
STNDSMJ 433
SUICTHNK 447
SUIPLANYR 448
SUNTCARE 405
SUNTCONSQ 405
SUNTCOST 403
SUNTENCV 404
SUNTFFLKE 405
SUNTFORCE 405
SUNTHNDL 405
SUNTINSCV 404
SUNTNOFND 404
SUNTNOHLP 405
SUNTNOOPN 404
SUNTPRIV 404
SUNTPROBS 404
SUNTPTHNK 404
SUNTQUIT 405
SUNTSTART 405
SUNTTIME 404
SUNTWHER 404
SUTINPPY 400
SUTNEEDPY 403
SUTOUTALC 388
SUTOUTALCPY 400
SUTOUTCNSPY 401
SUTOUTCOC 389
SUTOUTCOCPY 400
SUTOUTDRALPY 402
SUTOUTDRGPY 402
SUTOUTHALL 389
SUTOUTHALPY 400
SUTOUTHER 389
SUTOUTHERPY 400
SUTOUTINHL 389
SUTOUTINHPY 401
SUTOUTMETH 390
SUTOUTMRJ 388
SUTOUTMRJPY 400
SUTOUTMTHPY 401
SUTOUTNDOC 400
SUTOUTODG 391
SUTOUTOPIPY 401
SUTOUTPNR 390
SUTOUTPNRPY 401
SUTOUTPPY 400
SUTOUTPSYPY 401
SUTOUTSED 391
SUTOUTSEDPY 401
SUTOUTSTM 390
SUTOUTSTMPY 401
SUTOUTTQSDPY 401
SUTOUTTRQ 390
SUTOUTTRQPY 401
SUTOUTUNSPPY 402
SUTPEERADB 392
SUTPHVIADB 391
SUTPHVIALC 402
SUTPHVIDRG 402
SUTRTALCPY 403
SUTRTDRALPY 403
SUTRTDRGPY 402
SUTRTOTHPY 403
SUTRTPY 402
SUTRTUNSPPY 403
SUTSKTHPY 403
SUTSUPPADB 388
SUTUNCARE 395
SUTUNCONSQ 394
SUTUNCOST 392
SUTUNENFCV 392
SUTUNFFLKE 395
SUTUNFORCE 395
SUTUNHNDL 395
SUTUNINSCV 392
SUTUNNOFND 393
SUTUNNOHLP 395
SUTUNNOOPN 393
SUTUNPRIV 394
SUTUNPROBS 393
SUTUNPTHNK 394
SUTUNQUIT 394
SUTUNSTART 394
SUTUNTIME 393
SUTUNWHER 393
SVBZOANYYR 169
SVBZONMYR 175
SVYRCNSANY 370
SVYRDUDANY 370
SVYROPIANY 370
SVYRPSYANY 369
SVYRSUDANY 370
SVYRTQSDANY 369
SYNMRJEVR 540
SYNMRJFLAG 545
SYNMRJMON 545
SYNMRJREC 540
SYNMRJYR 545
SYNSTMEVR 540
SYNSTMFLAG 545
SYNSTMMON 545
SYNSTMREC 540
SYNSTMYR 545
TALKPROB 436
TCHGJOB 433
TELEAPTYR 524
TELEAPTYR2 537
TOBALCFLG 225
TOBALCMN 225
TOBALCYR 225
TOBCIGONL 210
TOBCIGVAP2 211
TOBFLAG 210
TOBMON 210
TOBVAPONL2 211
TOBVNICFLAG 211
TOBVNICMON 211

TOBVNICYR 211
TOBYR 210
TQSDANYFLG 219
TQSDANYYR 219
TQSDNMFLAG 221
TQSDNMMON 221
TQSDNMYR 221
TRBZOANYYR 152
TRBZONMYR 159
TRIMEST 537
TRQANYFLAG 218
TRQANYLIF 152
TRQANYREC 152
TRQANYYR 218
TRQMAINRSN 252
TRQNDAYPM 245
TRQNM30AL 155
TRQNM30D 154
TRQNM30ES 154
TRQNM30FQ 154
TRQNMAGE 153
TRQNMFLAG 220
TRQNMINIT 153
TRQNMLAS1 156
TRQNMLIF 153
TRQNMMFU 154
TRQNMMON 220
TRQNMREC 153
TRQNMYFU 154
TRQNMYR 220
TRQNORXFG 159
TRQRSDGFX 157
TRQRSEMOT 157
TRQRSEXPT 157
TRQRSHIGH 157
TRQRSHOOK 158
TRQRSMAIN 158
TRQRSOTRS2 158
TRQRSRELX 156
TRQRSSLEP 157
TRQRSSOR 158
TRQWYGAMT 155
TRQWYLNGR 156
TRQWYNORX 155
TRQWYOFTN 155
TRQWYOTWY 156
UADBAR 83
UADBUND 85
UADBWHO 84
UADCAG 85
UADCAR 83
UADEVNT 83
UADFRD 86
UADFWHO 85
UADHOME 83
UADMONY 84
UADOTHM 83
UADOTSP2 84
UADPAID 84
UADPEOP 83
UADPLACE 85
UADPUBL 83
UADROTH 84
UADSCHL 84
UD5ALNILANY 368
UD5CNSANY 367
UD5HRPNRANY 367
UD5IEMANY 368
UD5ILAALANY 368
UD5ILALANY 368
UD5ILLANY 367
UD5ILNALANY 368
UD5OPIANY 367
UD5PSYANY 367
UD5TRQSDANY 367
UDALAVOIDWD 281
UDALAVWALCO 281
UDALAVWOTHR 282
UDALAVWSVTR 281
UDALBLCKCTD 277
UDALBLCKOUT 277
UDALFMLYCTD 279
UDALFMLYPRB 278
UDALGETHURT 279
UDALHLTHCTD 276
UDALHLTHPRB 276
UDALLESSEFF 275
UDALLRGAMTS 274
UDALMNTLCTD 277
UDALMNTLPRB 277
UDALNEEDMOR 275
UDALNOTSTOP 276
UDALSTOPACT 278
UDALSTRURGE 275
UDALTIMEGET 274
UDALTIMEUSE 274
UDALTRYSTOP 275
UDALWANTBAD 274
UDALWDFLANX 281
UDALWDHALUC 280
UDALWDSITST 280
UDALWDSLEEP 280
UDALWDSWEAT 279
UDALWDTRMBL 279
UDALWDVOMIT 280
UDALWORKPRB 278
UDALWSHSTOP 276
UDCCAVOIDWD 297
UDCCAVWCOCN 297
UDCCAVWMETH 297
UDCCAVWOTHR 298
UDCCAVWSTIM 298
UDCCFMLYCTD 295
UDCCFMLYPRB 295
UDCCGETHURT 295
UDCCHLTHCTD 293
UDCCHLTHPRB 293
UDCCLESSEFF 292
UDCCLRGAMTS 291
UDCCMNTLCTD 294
UDCCMNTLPRB 293
UDCCNEEDMOR 292
UDCCNOTSTOP 292
UDCCSTOPACT 294
UDCCSTRURGE 292
UDCCTIMEGET 291
UDCCTIMEUSE 291
UDCCTRYSTOP 292
UDCCWANTBAD 291
UDCCWDDREAM 296
UDCCWDFLBLU 295
UDCCWDHNGRY 296
UDCCWDSITST 297
UDCCWDSLEEP 296
UDCCWDTIRED 296
UDCCWORKPRB 294
UDCCWSHSTOP 293
UDHAFMLYCTD 309
UDHAFMLYPRB 309
UDHAGETHURT 309
UDHAHLTHCTD 307
UDHAHLTHPRB 307
UDHALESSEFF 306
UDHALRGAMTS 305
UDHAMNTLCTD 308
UDHAMNTLPRB 308
UDHANEEDMOR 306
UDHANOTSTOP 307
UDHASTOPACT 308
UDHASTRURGE 306
UDHATIMEGET 305
UDHATIMEUSE 305
UDHATRYSTOP 306
UDHAWANTBAD 305
UDHAWORKPRB 309
UDHAWSHSTOP 307
UDHEAVOIDWD 304
UDHEAVWHERN 304
UDHEAVWOTHR 304
UDHEAVWPNRL 304
UDHEFMLYCTD 302
UDHEFMLYPRB 301
UDHEGETHURT 302
UDHEHLTHCTD 300
UDHEHLTHPRB 300
UDHELESSEFF 299
UDHELRGAMTS 298
UDHEMNTLCTD 301
UDHEMNTLPRB 300
UDHENEEDMOR 299
UDHENOTSTOP 300
UDHESTOPACT 301
UDHESTRURGE 299
UDHETIMEGET 298
UDHETIMEUSE 298
UDHETRYSTOP 299
UDHEWANTBAD 299
UDHEWDCRAMP 302
UDHEWDDIARR 303
UDHEWDFEVER 303
UDHEWDFLBLU 302
UDHEWDRUNNY 303
UDHEWDSLEEP 304
UDHEWDSWEAT 303
UDHEWDVOMIT 302
UDHEWDYAWNS 303
UDHEWORKPRB 301
UDHEWSHSTOP 300
UDINFMLYCTD 314
UDINFMLYPRB 314
UDINGETHURT 314
UDINHLTHCTD 312
UDINHLTHPRB 312
UDINLESSEFF 311
UDINLRGAMTS 310
UDINMNTLCTD 313
UDINMNTLPRB 313
UDINNEEDMOR 311
UDINNOTSTOP 312
UDINSTOPACT 313
UDINSTRURGE 311
UDINTIMEGET 310
UDINTIMEUSE 310
UDINTRYSTOP 311
UDINWANTBAD 310
UDINWORKPRB 314
UDINWSHSTOP 312
UDMEAVOIDWD 320
UDMEAVWCOCN 321
UDMEAVWMETH 321
UDMEAVWOTHR 321
UDMEAVWSTIM 321
UDMEFMLYCTD 319
UDMEFMLYPRB 319
UDMEGETHURT 319
UDMEHLTHCTD 317
UDMEHLTHPRB 317
UDMELESSEFF 316
UDMELRGAMTS 315
UDMEMNTLCTD 318
UDMEMNTLPRB 317
UDMENEEDMOR 316
UDMENOTSTOP 316
UDMESTOPACT 318
UDMESTRURGE 316

UDMETIMEGET 315
UDMETIMEUSE 315
UDMETRYSTOP 316
UDMEWANTBAD 315
UDMEWDDREAM 320
UDMEWDFLBLU 319
UDMEWDHNGRY 320
UDMEWDSITST 320
UDMEWDSLEEP 320
UDMEWDTIRED 319
UDMEWORKPRB 318
UDMEWSHSTOP 317
UDMJAVOIDWD 290
UDMJAVWMARJ 290
UDMJAVWOTHR 290
UDMJFMLYCTD 286
UDMJFMLYPRB 286
UDMJGETHURT 287
UDMJHLTHCTD 285
UDMJHLTHPRB 284
UDMJLESSEFF 283
UDMJLRGAMTS 282
UDMJMNTLCTD 285
UDMJMNTLPRB 285
UDMJNEEDMOR 283
UDMJNOTSTOP 284
UDMJSTOPACT 285
UDMJSTRURGE 283
UDMJTIMEGET 282
UDMJTIMEUSE 282
UDMJTRYSTOP 284
UDMJWANTBAD 283
UDMJWDANGRY 287
UDMJWDAPPET 288
UDMJWDCHILL 289
UDMJWDDEPRS 288
UDMJWDFEVER 289
UDMJWDFLANX 287
UDMJWDHEDAC 290
UDMJWDSHAKE 289
UDMJWDSITST 288
UDMJWDSLEEP 287
UDMJWDSTMCH 288
UDMJWDSWEAT 289
UDMJWORKPRB 286
UDMJWSHSTOP 284
UDPRAVOIDWD 329
UDPRAVWHERN 330
UDPRAVWOTHR 330
UDPRAVWPNRL 329
UDPRFMLYCTD 326
UDPRFMLYPRB 326
UDPRGETHURT 327
UDPRHLTHCTD 324
UDPRHLTHPRB 324
UDPRLESSEFF 323
UDPRLRGAMTS 322
UDPRMNTLCTD 325
UDPRMNTLPRB 325
UDPRNEEDMOR 323
UDPRNOTSTOP 324
UDPRSTOPACT 325
UDPRSTRURGE 323
UDPRTIMEGET 322
UDPRTIMEUSE 322
UDPRTRYSTOP 323
UDPRWANTBAD 322
UDPRWDCRAMP 327
UDPRWDDIARR 328
UDPRWDFEVER 329
UDPRWDFLBLU 327
UDPRWDRUNNY 328
UDPRWDSLEEP 329
UDPRWDSWEAT 328
UDPRWDVOMIT 327
UDPRWDYAWNS 328
UDPRWORKPRB 326
UDPRWSHSTOP 324
UDSTAVOIDWD 345
UDSTAVWCOCN 345
UDSTAVWMETH 345
UDSTAVWOTHR 346
UDSTAVWSTIM 345
UDSTFMLYCTD 343
UDSTFMLYPRB 342
UDSTGETHURT 343
UDSTHLTHCTD 341
UDSTHLTHPRB 340
UDSTLESSEFF 339
UDSTLRGAMTS 338
UDSTMNTLCTD 341
UDSTMNTLPRB 341
UDSTNEEDMOR 339
UDSTNOTSTOP 340
UDSTSTOPACT 342
UDSTSTRURGE 339
UDSTTIMEGET 338
UDSTTIMEUSE 338
UDSTTRYSTOP 340
UDSTWANTBAD 339
UDSTWDDREAM 344
UDSTWDFLBLU 343
UDSTWDHNGRY 344
UDSTWDSITST 344
UDSTWDSLEEP 344
UDSTWDTIRED 343
UDSTWORKPRB 342
UDSTWSHSTOP 340
UDSVAVOIDWD 353
UDSVAVWALCO 353
UDSVAVWOTHR 354
UDSVAVWSVTR 353
UDSVFMLYCTD 351
UDSVFMLYPRB 350
UDSVGETHURT 351
UDSVHLTHCTD 349
UDSVHLTHPRB 348
UDSVLESSEFF 347
UDSVLRGAMTS 346
UDSVMNTLCTD 349
UDSVMNTLPRB 349
UDSVNEEDMOR 347
UDSVNOTSTOP 348
UDSVSTOPACT 350
UDSVSTRURGE 347
UDSVTIMEGET 346
UDSVTIMEUSE 346
UDSVTRYSTOP 348
UDSVWANTBAD 347
UDSVWDFLANX 353
UDSVWDHALUC 352
UDSVWDSITST 352
UDSVWDSLEEP 352
UDSVWDSWEAT 351
UDSVWDTRMBL 351
UDSVWDVOMIT 352
UDSVWORKPRB 350
UDSVWSHSTOP 348
UDTRAVOIDWD 337
UDTRAVWALCO 337
UDTRAVWOTHR 338
UDTRAVWSVTR 337
UDTRFMLYCTD 335
UDTRFMLYPRB 334
UDTRGETHURT 335
UDTRHLTHCTD 333
UDTRHLTHPRB 333
UDTRLESSEFF 332
UDTRLRGAMTS 331
UDTRMNTLCTD 333
UDTRMNTLPRB 333
UDTRNEEDMOR 331
UDTRNOTSTOP 332
UDTRSTOPACT 334
UDTRSTRURGE 331
UDTRTIMEGET 330
UDTRTIMEUSE 330
UDTRTRYSTOP 332
UDTRWANTBAD 331
UDTRWDFLANX 337
UDTRWDHALUC 336
UDTRWDSITST 336
UDTRWDSLEEP 336
UDTRWDSWEAT 335
UDTRWDTRMBL 335
UDTRWDVOMIT 336
UDTRWORKPRB 334
UDTRWSHSTOP 332
UDYR5PNRANY 368
UDYR5SEDANY 368
UDYR5STMANY 369
UDYR5TRQANY 369
VEREP 4
VESTR_C 4
WHODASDAED 449
WHODASDASC 460
WHODASSCED 449
WHODASTOTSC 460
WRK35WKUS 22
WRKDHRSWK2 21
WRKDPSTWK 21
WRKDPSTYR 23
WRKDRGALB 24
WRKDRGEDU 25
WRKDRGHLP 25
WRKDRGPOL 24
WRKEFFORT 22
WRKHADJOB 21
WRKLASTYR2 24
WRKNJBPYR 23
WRKNJBWKS 23
WRKNUMJOB2 23
WRKOKPREH 26
WRKOKRAND 26
WRKRSNJOB 22
WRKRSNNOT 22
WRKSELFEM 23
WRKSICKMO 24
WRKSKIPMO 24
WRKSTATWK2 21
WRKTST1ST 26
WRKTSTALC 25
WRKTSTDRG 25
WRKTSTHIR 25
WRKTSTRDM 26
WTANSWER 523
WTPOUND2 523
YALTMDE 507
YCOUNMDE 506
YDOCMDE 505
YEATNDYR 416
YECIGFRNDOF2 418
YECIGNEXTYR2 418
YECOMACT 428
YEDECLAS 429
YEDERGLR 429
YEDESPCL 429
YEDGPRGP 427
YEFAIACT 428
YEFALDLY 425
YEFMJEVR 425
YEFMJMO 425
YEFPKCIG 425
YEGALDLY 424
YEGMJEVR 424

YEGMJMO....424
YEGPKCIG....424
YEHMSLYR....416
YELSTGRD....417
YEOTHACT....429
YEPALDLY....423
YEPCHKHW....419
YEPCHORE....420
YEPGDJOB....420
YEPHLPHW....419
YEPLMTSN....420
YEPLMTTV....420
YEPMJEVR....423
YEPMJMO....423
YEPPKCIG....423
YEPPROUD....421
YEPRBSLV....427
YEPRGSTD....428
YEPRTDNG....427
YEPVNTYR....430
YERLDCSN....430
YERLFRND....431
YERLGIMP....430
YERLGSVC....430
YESCHACT....428
YESCHFLT....416
YESCHIMP....417
YESCHINT....417
YESCHWRK....416
YESLFHLP....427
YESTSALC....419
YESTSCIG....418
YESTSDNK....419
YESTSMJ....418
YETCGJOB....417
YETLKBGF....426
YETLKNON....426
YETLKOTA....426
YETLKPAR....426
YETLKSOP....426
YEVIOPRV....427
YEYARGUP....421
YEYATTAK....422
YEYFGTGP....421
YEYFGTSW....421
YEYHGUN....422
YEYSELL....422
YEYSTOLE....422
YFLADLY2....436
YFLMJMO....436
YFLPKCG2....435
YFLTMRJ2....436
YHBCHMDE....506
YHLTMDE....507
YMDEAUD5YR....504
YMDEHARX....507
YMDEHPO....507
YMDEHPRX....507
YMDEIMAD5YR....509
YMDELT....504
YMDERSUD5ANY....505
YMDERXO2....507
YMDESUD5ANYO....505
YMDETXRX....505
YMDEYR....504
YMIMI5YANY....509
YMIMR5YANY....509
YMIMS5YANY....509
YMIUD5YANY....504
YMSUD5YANY....504
YNURSMDE....506
YO_MDEA1....495
YO_MDEA2....495
YO_MDEA3....496
YO_MDEA4....496
YO_MDEA5....496
YO_MDEA6....496
YO_MDEA7....496
YO_MDEA8....496
YOATTAK2....435
YOCOUNS....501
YODPDISC....487
YODPLSIN....488
YODPPROB....489
YODPR2WK....488
YODPREV....487
YODSCEV....487
YODSLSIN....488
YODSMMDE....497
YOFAMDOC....500
YOFIGHT2....434
YOGRPFT2....434
YOHERBAL....502
YOHGUN2....435
YOLOSEV....487
YOLSI2WK....488
YOMDMDE....505
YOMHMDE....506
YONURSE....501
YOOTHDOC....500
YOOTHHLP....502
YOOTHMHP....501
YOPB2WK....498
YOPBAGE....497
YOPBDLYA....497
YOPBINTF....497
YOPBNUM....498
YOPBRMBR....497
YOPSDAYS....500
YOPSHMGT....498
YOPSRELS....499
YOPSSOC....499
YOPSWORK....499
YOPSYCH....501
YOPSYMD....501
YORELIG....502
YORX12MO....502
YORXHLP....503
YORXNOW....502
YOSEEDOC....500
YOSELL2....435
YOSOCWRK....501
YOSTOLE2....435
YOTMTHLP....503
YOTMTNOW....502
YOWRAGE....490
YOWRCHR....489
YOWRCONC....495
YOWRDCSN....495
YOWRDEPR....490
YOWRDIET....492
YOWRDISC....490
YOWRDST....489
YOWRELES....491
YOWREMOR....491
YOWRENRG....493
YOWRGAIN....491
YOWRGNL2....492
YOWRGROW....492
YOWRHRS....488
YOWRIMP....489
YOWRJINO....494
YOWRJITT....494
YOWRLOSE....492
YOWRLSIN....491
YOWRLSL2....493
YOWRNOGD....495
YOWRPLSR....491
YOWRPREG....492
YOWRPROB....490
YOWRSLEP....493
YOWRSLNO....494
YOWRSLOW....494
YOWRSMOR....493
YOWRTHOT....494
YOWRWRTH....495
YPSY1MDE....506
YPSY2MDE....506
YRELMDE....506
YRXMDEYR....505
YSDSHOME....508
YSDSOVRL....508
YSDSREL....508
YSDSSOC....508
YSDSWRK....508
YSOCMDE....506
YTHACT2....437
YTXMDEYR....505
YUCOSUIPLN....432
YUCOSUIPLN2....439
YUCOSUITHK....431
YUCOSUITHK2....438
YUSUIPLN....431
YUSUIPLNYR....438
YUSUITHK....431
YUSUITHKYR....438

INDEX

Codebook Creation Date: 3/25/2025 567

Appendix A

Drug Codes for Open-Ended Questions

The final drug codes for the 2023 National Survey on Drug Use and Health (NSDUH) were created from answers that respondents specified for use, misuse,[1] or treatment for substances other than those that respondents were asked about directly in the interview. Respondents in the 2023 NSDUH could specify (a) use in their lifetime of other hallucinogens or inhalants; (b) misuse in the past 12 months of other prescription drugs (pain relievers, tranquilizers, stimulants, or sedatives); (c) use of a needle in their lifetime to inject other drugs besides cocaine, heroin, or methamphetamine; and (d) other substances for which they received inpatient or outpatient treatment in the past 12 months.

This appendix does not include the codes for cough and cold medications mentioned in the special drugs section (edited variables COLDYR1 through COLDYR5). The cough and cold medicine codes are unique to those measures.

Drug codes 101-199 and 1001-1999 represent sedatives, codes 201-299 and 2001-2999 represent tranquilizers, codes 301-399 and 3001-3999 represent stimulants, codes 401-499 and 4001-4999 represent pain relievers, codes 501-599 and 5001-5999 represent inhalants, and codes 601-699 and 6001-6999 represent hallucinogens. Opiates not otherwise specified in the 401-499 and 4001-4999 code series are grouped in the 701-799 series (e.g., heroin, speedball, and black tar heroin). Drugs that do not fall in the above classifications are represented by the 801-899 and 8001-8999 code series.

Drugs are sorted by drug code in this appendix. Data users who know the name of a drug or part of a drug's name can search for that drug in the electronic codebook using the appropriate search function (e.g., Ctrl-F for .docx files in Microsoft Word or PDF files in Adobe Acrobat if using a computer with a Windows operating system). Listed below are guidelines for online searching of the electronic appendix for drug codes.

- Do not require searches to be case sensitive. For example, searching for the term "bromo" will take data users to code 698 (2C-B, Bromo mescaline, Nexus), in which "Bromo" is capitalized, and code 6173 (2,5-dimethoxy-4-bromoamphetamine, Brolamfetamine, DOB), in which "bromo" is not capitalized.
- Search for alternate text strings if an initial search does not identify the code being sought. For example, code 698 includes the text string "2C-B." In a search that is not case sensitive, code 698 will not be identified by searching for "2cb" without the hyphen or for "2-cb" instead of "2c b." However, code 698 will be identified by shortening the search to "2c" or by searching for an alternative text string, such as "bromo."
- Please be aware when searching for drug codes that some drugs are very similar in nomenclature or spelling. For example, the code level definitions for 2,5-Dimethoxy-4-methylphenethylamine (code 6154) and 2,5 Dimethoxy-4-methyl**thio**phenethylamine (code 6159) differ only in terms of the "thio" text for code 6159. These two codes will be identified in searches for "dimethoxy," "methyl," or "phenethylamine." Data users could therefore incorrectly choose the drug corresponding to code 6154 when they

[1] Misuse of prescription drugs also has been referred to in NSDUH as "nonmedical" use. Misuse of prescription drugs has been defined as use "in any way a doctor did not direct you to use it/them." Examples of misuse provided to respondents include (a) use without a prescription of your own; (b) use in greater amounts, more often, or longer than directed; or (c) use in any other way not directed by a doctor.

intended to find the drug corresponding to code 6159, or vice versa. Therefore, data users are encouraged to examine all results from a search to avoid choosing an incorrect code from a similarly named drug.

Table A.1 Numeric Listing of Drug Codes for Open-Ended Questions, 2023 NSDUH Computer-Assisted Interviewing

Code	Definition
101	Butisol
102	Buticaps
103	Amytal
104	Mebaral
105	Placidyl, Ethchlorvynol
106	Doriden
107	Noludar
108	Nembutal
109	Seconal
110	Tuinal
111	Dalmane [see also 1502]
112	Restoril [see also 1503]
113	Halcion [see also 1504]
114	Amobarbital
115	Phenobarbital
116	Methaqualone, Sopor, Quaalude [see also 138]
117	Chloral hydrate, Noctec
118	Pentobarbital, Pentothal, Sodium pentothal, Thiopental
119	Secobarbital
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED
121	USED SEDATIVE, DON'T KNOW NAME
122	Over-the-counter sleep aid; not specified <OTC>
123	Unisom <OTC>
124	Yellow jackets
126	Sominex <OTC>
127	Nytol <OTC>
128	Nervine <OTC>
129	Reds
130	Promethazine
132	Sleepettes <OTC>
137	7-14
138	Mandrax, Mandrix [see also 116]
139	Black widows
142	Belladonna
145	Red devil(s)
146	Bentyl, Dicyclomine
152	Eskabarb
153	Luminal
154	Alurate
156	Sodium barbital
157	Barbiturates
159	Octanox
163	Blue meanies
164	Yellow zombies
171	NyQuil <OTC>
172	Dream Ease <OTC>
173	Wafers
174	Ambien [see also 1501]
176	Melatonin <OTC>
177	Bean
179	Water tee [sic]
180	Tylenol PM <OTC>
181	Excedrin PM <OTC>
182	Melzone
184	Red and blues
186	Butalbital
187	Belladonna plant/flower/root, deadly nightshade
188	Prosom
189	Sonata, Zaleplon
190	Dormin <OTC>
191	Blues
194	Quiet World <OTC>
195	Lotusate, Talbutal
196	Simply Sleep <OTC>
197	Topamax
198	Seducaps
201	Valium [see also 2506]
202	Librium [see also 2507]
203	Limbitrol [see also 276]
204	Menrium
205	Serax [see also 2508]
206	Tranxene
207	Ativan [see also 2503]
208	Centrax
209	Xanax [see also 2501, 2502]
210	Paxipam
211	BuSpar [see also 2511]
212	Miltown [see also 220]
213	Equanil [see also 220]
214	Deprol
215	Vistaril [see also 2512]
216	Atarax [see also 2512]
217	Durrax
219	SK-Lygen
220	Meprobamate
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED
222	USED TRANQUILIZER, DON'T KNOW NAME
223	Methocarbamol
229	Librax
234	Flexeril [see also 2509]
237	Midazolam

Code	Definition
242	Equagesic
246	Klonopin [see also 2504, 2505]
260	PCB
266	Verstran
268	Rohypnol, Flunitrazepam, roche, roofies
276	Limbitrol DS [see also 203]
278	Benzodiazepines
281	Blue ringer
288	Baclofen
290	Metaxalone, Skelaxin
296	Novoxapam
297	Cafia
301	Dexedrine
302	Dexamyl
303	Eskatrol
304	Benzedrine
305	Biphetamine
306	Desoxyn
307	Tenuate [see also 3505]
308	Tepanil
309	Didrex [see also 3504]
310	Plegine
311	Preludin
312	Ionamin
313	Adipex-P [see also 3507]
314	Pondimin, Fenfluramine
315	Voranil
316	Sanorex
317	Mazanor
318	Ritalin [see also 3502]
319	Cylert
320	Dextroamphetamine
321	Methedrine
322	Methamphetamine (“ice” or “crank”), Meth [see also 3126]
323	Obedrin-L.A.
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED
325	USED STIMULANT, DON’T KNOW NAME
326	White cross
327	Black beauties, black beauty
328	Pink hearts
329	Bird’s eggs, robin’s eggs, speckled eggs
330	Blue birds, blue jays, blue robins, speckled bird
331	Blancs, whites
332	Ephedrine
333	357 Magnum, Magnum 44 <OTC>
334	Crossroads, cross tops

Code	Definition
336	Diet pills
337	White molly
339	Amphetamines, otherwise unspecified
341	Pink roses
342	Purple hearts
344	Bennies
345	Black molly
346	Marax
347	Phenylpropanolamine
348	Crystal
349	Phendimetrazine [see also 3506]
351	Cathinone, cat, khat, q’at
353	No-Doz <OTC>
354	Vivarin <OTC>
355	Crystal meth
356	Dexies
357	Heart-shaped black pills
358	20/20
359	Criss cross
360	Rainbow speed
363	Bam(s)
364	Pseudoephedrine <OTC>
366	Duromine
368	Peanut butter crank
374	Christmas tree(s)
376	TAC
377	Albuterol
379	Hearts
380	Pink ladies
381	P.O.T.C.
382	Footballs, pink footballs, purple footballs
383	Pre-Sate
384	Little crosses
385	Little pink ones
386	Herbal ecstasy
388	Pink lemon
390	Max Alert
394	Debs
395	Black cats
396	Black RJs, RJ8
398	Pink crosses
401	Darvon
402	Dolene
403	SK-65
404	Wygesic
405	Levo-Dromoran
406	Percodan
407	Demerol [see also 4511]
408	Dilaudid, Hydromorphone
409	Tylenol with Codeine, Tylenol 3, Tylenol 4

Code	Definition
410	Phenaphen with Codeine, Phenaphen 3
411	Talwin
412	Talwin NX
413	Talacen
414	Propoxyphene
415	Codeine pills [see also 4506]
416	Anileridine
417	Morphine
418	Methadone [see also 4512]
419	Stadol, Stadol NS
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED
421	USED PAIN RELIEVER, DON'T KNOW NAME
422	Motrin
423	Percocet
424	Fioricet
425	Advil <OTC>
426	Fiorinal
427	Darvocet, Darvocet-N
429	Frost 222
430	Aspirin, Ecotrin, Empirin <OTC>
431	Tylox
432	Rufen
433	Paregoric
434	Vicodin [see also 4501, 4502, 4503, 4504]
435	Tylenol, Tylenol Extra-Strength <OTC>
436	Bufferin <OTC>
438	Anaprox, Naprosyn, Naproxen, Naxen
439	222, Canadian 222
442	Ibuprofen
443	Diflunisal, Dolobid
444	Aspirin with Codeine, Empirin 3, Empirin 4
445	Norgesic Forte
447	Synalgos, Synalgos DC
450	Acetaminophen, including non-Tylenol brands <OTC>
453	Organidin with Codeine
454	Novocain, Procaine
455	Fiorinal with Codeine
457	T's and blues, tee's and b's, tops and bottoms
458	Mepergan, Mepergan Fortis
462	Norflex, Orphenadrine
465	Fentanyl [see also 4508, 4509]
466	Midol <OTC>
467	Tolectin
468	Excedrin <OTC>
469	Leritine

Code	Definition
470	Cafergot
471	Butazolidin
472	Indocin, Indomethacin
473	Pyridium
476	Duradrin, Isocom, Midrin
477	Melumbrina, Neo-Melumbrina
478	Nogirtronia
480	Robitussin AC with Codeine
481	Acular, Dolac, Ketorolac tromethamine, Torradlo
487	Ariel
490	Nalbuphine, Nubain
491	PDR
495	Red cross
496	Ultram
498	Mefenamic acid, Ponstan, Ponstel
499	Aleve <OTC>
501	Gasoline or lighter fluids
502	Spray paints
503	Other aerosol sprays
504	Shoeshine liquid, glue, or toluene; Super Glue; rubber cement; airplane or model glue; chemical glue
505	Lacquer thinner or other paint solvents
506	Amyl nitrite, "poppers," locker room odorizer, "rush," isobutyl nitrate, bolt
507	Halothane, ether, or other anesthetics; chloroform
508	Nitrous oxide, "whippets," dentist gas
509	Correction fluids, degreasers, cleaning fluids, Liquid Paper [see also 524], K2r spot remover, Typewash
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED
511	Markers, felt-tip pens, ink pens, Sharpies
512	Incense
516	CHC, chlorofluorocarbon, Freon, refrigerant
517	Toluol
518	Acetone, nail polish remover
519	Helium
520	Old paint, paint
521	Propane [see also 525, 544]
522	Liquid TV (MTV), TV tuner, TV11Y
523	Matches
524	White-Out [see also 509]
525	Butane [see also 521, 544]
526	Nail polish
527	Phenyl nitrate
528	Whipped-cream can
529	Moth balls

Code	Definition
531	Candy, powdered candy, sugar
533	Window sealant
534	Deodorant [see also 827]
536	Fire halt
537	Air horn, boat horn, condensed horn
539	ScotchGard
540	PAM
541	Binaca
542	Brasso, lens cleaner, spirits of ammonia, smelling salts
543	Liquid oxygen, oxygen
544	Lighter gases, not specified [see also 521, 525]
545	Car tailpipe exhaust fumes, Carbon monoxide, CO, gasoline motor exhaust fumes
546	Leather protector, suede protector
548	Cologne, isopropanol vapors, rubbing alcohol, perfume
550	Methyl chloride
551	Oven cleaner
553	Pixie sticks
554	Insect killer (e.g., Raid)
555	Chillers
556	Energine
557	Hagwash [sic], Hogwash
558	Kool Aid
559	LOLOY
560	Dishwashing detergent, laundry detergent, soap
561	Amputee gas cleanser
562	Ban apple gas
563	Acetylene
564	Electric contact cleaner
565	Trichloroethane
566	Smoked tea from Lipton tea bag
567	Pertussin spray
568	Tally
569	Peganento
571	Black jack
572	Etam
573	Furniture polish
574	Tornado
576	C.A.T.
577	Rave runners
580	Medusa
582	WD-40
585	TCL
586	Carbon from empty soft drink bottle
587	Mineral ice
588	Antifreeze
589	Tire shine/tire cleaner
590	Canned air, compressed air

Code	Definition
591	Air brush propellant, air brush cartridge
592	Computer air duster, computer cleaner, dust-off, dust X
594	Starting fluid
595	Chlorine
596	Femo clay
597	Trichloronitrate
598	Ethylene dichloride
599	Potpourri
601	LSD (“acid”) [see also 618]
602	Peyote
603	Mescaline
604	Psilocybin (mushrooms), sclerotia, shrooms
605	PCP (“angel dust,” phencyclidine)
606	“Ecstasy” (MDMA), X-TC, “X”
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED
609	Jimson weed
610	Crystal T
611	Greens
612	Happy stick, sherm, sherman, shermstick
613	Duckweed
614	MDA, Methylenedioxy amphetamine
615	Homemade drugs
616	DET, Dimethyltryptamine, DMT
617	Morning glory seeds, morning glory tendrils, ricea
618	Acid paper, blotter (acid) [see also 601]
619	Tic
620	Blue dragon
621	Red dragon
622	Microdot(s), green microdot, purple microdot
623	Mickey, mickey mouse club, mickey mousers
624	Orange sunshine, sunshine, yellow sunshine
625	Window, window pane, 4-way pane, 4-way
626	Jet fuel
627	Hawaiian wood rose, Hawaiian Woodrose seeds
628	Hawaiian rosebud seed tea
629	Rocket Fuel
630	Black Owsley
631	Purple Owsley
633	Mr. Natural
634	Unicorn

Code	Definition
635	Ginseng seeds, ginseng weed
636	DOM, STP
637	Purple haze
639	Nutmeg, Mace
640	Purple pyramid
642	Pink Floyd
643	Mount queen, queen
645	Thai stick
648	Designer drugs
650	Datura stramonium, daytura, thorn apple
651	Mellow Yellow
652	ALD-52
653	Cricket, cricketshit
654	Eve
655	Flying elephant
656	Mars
657	Orange barrel
658	Special K, Ketamine
659	Boat
660	Bufotenin, 5-HO-DMT, toad, toad licking
662	Kanepolin
663	Animal tranquilizer, horse tranquilizer
664	Purple fingers
665	Paniolis
666	Zonick
668	Yellow tiny pills
669	Stropharia
670	Monkey dust
672	Suncrush
673	Orange
674	Pee-pope
677	Skunk II
678	Banana peels
679	Hell bells
681	Lovely
682	Kif
686	Spider in my feet
687	Spray
688	AMP
690	RID
691	Maximum impact
693	Lemon drops
695	Angel's trumpet, floripondio
698	2C-B, Bromo mescaline, Nexus
699	BOHA-49B
701	OTHER Opiates, NOT OTHERWISE SPECIFIED
702	Heroin
703	Opium, otherwise unspecified

Code	Definition
704	Dope
705	Speedball (heroin + cocaine)
706	Smack
707	Black tar heroin
709	Poppy
710	Laudanum, opium tincture
711	Shirka
801	OTHER Drugs, NOT OTHERWISE SPECIFIED
802	THC, cannabinol, marinol, tetrahydrocannabinol
803	Marijuana, MarrJane [sic], Mary Jane, MJ, pot, weed, hemp
804	Hashish
805	Cocaine, coca, cocaína, coke, perico, Coca
806	Crack, rock
807	Alcohol, beer, ethanol, EtOH, pink champagne
808	All of the ones I've tried
809	Pills
810	Freebase
812	Cigars
813	Cigarettes, tobacco (type unspecified)
814	Caffeine <OTC>
815	Coffee <OTC>
816	Smokeless tobacco, snuff, chewing tobacco
817	Hard stuff
818	Nicotine
819	Inderal, Propranolol
820	Penicillin
821	Amoxicillin, Ampicillin, Pentrexyl
822	Rabbit tobacco
824	Steroids
825	Theo-Dur
826	Alupent
827	Aluminum chloride [see also 534]
828	Tetracycline
829	Robitussin DM <OTC>
830	Mad bull
831	Honey oil
832	Primo
833	Bone
834	Loveboat
836	Antabuse
837	Paris 400
840	Over-the-counter cough medicine (contents unspecified) <OTC>
841	Allerest <OTC>, Contac <OTC>
843	Antihistamine, cold medicine, cold tablets <OTC>

Code	Definition
844	Blood pressure medication
846	Erythromycin
847	GHB, NSC, gamma hydroxybutyrate
848	Liquid vitamin, vitamin pills <OTC>
849	Monosodium glutamate (MSG) <OTC>
850	Slack
852	Formaldehyde, wak [sic], whack (embalming fluid)
854	Juice
857	Wicki stick
858	Antibiotic
865	Diuretics, water pills
866	Boomers
867	Boron
873	Contraceptives, Ferutal, Mircette, Ortho Novum,
874	Premarin
875	Buds
876	Glass
877	Methazolamide
880	Frios
881	YLOALE
883	Dextromethorphan hydrobromide <OTC>
884	Snow
885	Drixoral <OTC>
886	Spanish fly
891	Famotidine, Pepcid
892	Carafate, Sucralfate
893	Estrogen
894	Depakene, Depakote, Divaporiex sodium, Valproic acid
895	Tagamet, Cimetidine
896	Catapres, Clonidine
897	Synthroid, Levothyroxine
898	Propylene
899	Bromophen
900	Not a drug
900	Non-drug reason given for a drug
1001	Benadryl, Diphenhydramine <OTC>
1003	Donnatal
1004	Valerian <OTC>
1005	Imovane, Zopiclone
1006	Oxcarbazepine, Trileptal
1007	Robitussin P.M. <OTC>
1008	Rohr 714, Rorer 714
1009	Mogadon
1010	Diprivan
1011	Eszopiclone, Lunesta
1012	Brevital

Code	Definition
1013	Ambien CR
1014	Tylenol Flu Nighttime <OTC>
1015	Wild lettuce
1016	Phenazepam
1017	Rozerem
1018	Advil PM <OTC>
1019	Donormyl <OTC>
1022	Atropine
1023	Relaxen <OTC>
1024	Homemade sedative
1025	Acetaminophen P.M., including non-Tylenol brands <OTC>
1026	Moon drops <OTC>
1027	ZzzQuil <OTC>
1028	Dormidina
1029	Sleep-Eze <OTC>
1030	Alteril <OTC>
1031	Zolfresh
1032	Aleve pm <OTC>
1033	Promethazine DM
1034	Topiramate
1035	Doxylamine succinate
1501	Zolpidem [see also 174]
1502	Flurazepam [see also 111]
1503	Temazepam [see also 112]
1504	Triazolam [see also 113]
2001	Soma [see also 2510]
2002	Muscle relaxers
2003	Zanies, zannies, zans, zany bars
2004	Bromazepam, Lexillium, Lexomil, Lexotan, Lexotanil
2006	Chlorzoxazone
2007	R2
2008	747
2009	Inapsine
2010	Buscopan, Espacil
2013	Hyoscyamine, Levsin
2014	Robaxisal
2015	Flexodin
2016	Xanax XR
2017	Motival
2018	4 Bar, Quad Bar
2019	Soma Compound
2022	Tetrazepam
2023	Tandrilax
2024	Muscoril, Myoril, Neoflax, Thiocolchicoside
2025	Clobazam
2026	Sedoxil
2027	Homemade tranquilizers
2028	Maolate, Chlorphenesin, Musil
2029	Etizolam

Code	Definition
2030	Versed
2031	Rivotril
2032	Flualprazolam
2033	Chlorodiazepam, Diclazepam
2034	Clonazolam
2501	Alprazolam [see also 209]
2502	Xanax bars [see also 209]
2503	Lorazepam [see also 207]
2504	Clonazepam [see also 246]
2505	Clonazepam product, otherwise unspecified [see also 246]
2506	Diazepam [see also 201]
2507	Chlordiazepoxide HCl [see also 202]
2508	Oxazepam [see also 205]
2509	Cyclobenzaprine [see also 234]
2510	Carisoprodol [see also 2001]
2511	Buspirone [see also 211]
2512	Hydroxyzine [see also 215, 216]
3001	Brown and clear
3002	Pep ups
3003	Primatene tablets <OTC>
3004	Black Cadillac
3006	Green amps
3007	Nasal inhalant
3008	Miniwhites
3009	Ephedrone, Methcathinone
3010	KOOD12
3011	Escalation
3012	Stud 100, stud the rock
3013	Tweek
3014	Uptime
3015	Fen-Phen (fenfluramine and phentermine)
3017	Dayquil <OTC>
3018	Up-johns
3019	Peppies
3020	White powder
3021	Blue balls
3023	Adderall
3024	Yohimbe
3025	Moles [sic]
3027	Energy pills
3028	Blackbirds
3029	Soccerballs
3030	Red hearts
3031	Brethine, Bricanyl, Terbutaline
3032	Heads up
3033	Metabolife <OTC>
3034	Speckleberry
3035	Blacks
3036	Ripped fuel <OTC>
3038	Obenil

Code	Definition
3039	Theophed
3040	Hyper pills
3041	Desbutal
3042	30-30
3043	Brown bodies
3044	Caffeine pills/packets <OTC>
3045	Stay awakes <OTC>
3046	Adrenalin, Epinephrine
3047	Sudafed <OTC>
3048	Diet Pep <OTC>
3049	Truck driver's speed
3050	Mini thins
3051	Betel nut, beetlenut
3052	Speed; otherwise unspecified
3053	Maxair, Pirbuterol
3054	Up your gas <OTC>
3055	Clenbuterol
3056	Xenadrine <OTC>
3057	Diet Fuel <OTC>
3058	Metabolift <OTC>
3059	Metabolize and Save <OTC>
3060	Hydroxycut <OTC>
3061	Metab-O-Lite <OTC>
3062	Homemade stimulants
3063	Dymetadrine <OTC>
3064	Ephedra, Ma Huang
3065	MA-300 <OTC>
3066	Alert Blue and Clear <OTC>
3068	Mini Two-way Action <OTC>
3069	DextroStat
3070	Synatan
3071	Adipokinetix <OTC>
3072	Purple Blast <OTC>
3073	Over-the-counter diet pill; otherwise unspecified <OTC>
3074	Stay Trim <OTC>
3075	Inibex
3076	Norephedrine <OTC>
3077	Concerta
3078	Blue and clears
3080	Meridia, Sibutramine
3081	P2P, Phenyl-2-propanone
3082	Fat burner; not otherwise specified
3083	Redotex
3084	Cartwheels
3085	Thermo Carb <OTC>
3086	Adderall XR
3088	Super Stingers <OTC>
3089	Christina, Tina
3090	Provigil [see also 3508]
3091	Black bombers
3092	Metadate CD
3093	Supercaps

Code	Definition
3094	Focalin [see also 3503]
3095	LoCarb Turbo <OTC>
3096	Yaba
3097	Bamadex
3098	Zantrex 3 <OTC>
3099	Asenlix, Clobenzorex
3100	Over-the-counter stimulant; not otherwise specified <OTC>
3101	Dexitac Stay Alert Stimulant. <OTC>
3102	Methylin
3103	RedLine. <OTC>
3104	Slimquick. <OTC>
3105	Affinato
3106	Sedalmerck
3107	Guarana. <OTC>
3109	Dietrex <OTC>
3110	Dexfenfluramine, Redux
3111	Vyvanse
3113	Levophed bitartrate, Norepinephrine
3114	Ritalin LA, Ritalin SR
3115	Isometheptene
3116	4-MCC, 4-methylmethcathinone, MCAT, Mephedrone
3117	Methedrone
3119	MDPV, Methylenedioxypyrovalerone
3120	DetoxaTrim <OTC>
3122	Nuvigil
3123	Adrafinil, Olmifon
3124	Focalin XR
3125	3, 4-Ethylenedioxy-N-methylamphetamine, EDMA, MDMC
3126	Pervitin [see also 322]
3127	4-FMA, 4-Fluoromethamphetamine
3128	Jet-Alert <OTC>
3129	JavaSLIM green coffee extract <OTC>
3130	IFA-Norex
3131	5-MAPB
3132	4-FA, 4-Fluoroamphetamine, 4-FMP
3133	5-APB
3134	SuperHD <OTC>
3135	Evekeo
3136	4-MEC, 4-Methylethcathinone
3137	3-Fluorophenmetrazine, 3-FPH, 3-FPM, PAL-593
3138	2-CA, 2-Chloroamphetamine
3139	2-FMA, 2-Fluoromethamphetamine
3140	2-FA, 2-Fluoroamphetamine
3141	Cotempla XR-ODT
3142	Amphetamine analogue; otherwise unspecified
3143	Pyrovalerone
3144	Cyclazodone

Code	Definition
3145	Jornay PM
3187	Greenies
3188	Anorex, Leptoprin <OTC>
3189	BetaLean <OTC>
3190	Primatene Mist <OTC>
3501	Amphetamine/dextroamphetamine salts
3502	Methylphenidate [see also 318]
3503	Dexmethylphenidate [see also 3094]
3504	Benzphetamine [see also 309]
3505	Diethylpropion [see also 307]
3506	Bontril [see also 349]
3507	Phentermine [see also 313]
3508	Modafinil [see also 3090]
4001	Actron, Ketoprofen, Orudis, Oruvail
4002	Imitrex, Sumatriptan
4005	Etodolac, Lodine
4007	Happy pills
4008	Brown gel pills
4009	Smilies
4011	Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol
4013	Fenoprofen, Nalfron
4018	Nuprin <OTC>
4022	Buprenex
4023	Pamprin <OTC>
4024	Reynol [sic]
4025	Viserol [sic]
4026	Ventrex [sic]
4027	Rorer
4028	Arthrotec
4029	Feldine, Piroxicam
4030	Triple “S”
4031	Cough syrup/medicine with Codeine
4033	Vicoprofen
4034	Lilly red
4035	Nabumetone, Relafin
4036	Stagesic
4037	MS Contin [see also 4507]
4038	Propacet
4039	Daypro, Oxyprozin
4040	Ridaura
4041	Maxalt, Rizatriptan
4042	M-33
4043	Tramadol
4044	Hydrocodone
4045	Dolgic, Phrenilin Forte, Sedapap
4046	Oxycodone [see also 4505]
4047	Roxicet
4048	Motrin IB <OTC>
4049	Headache power <OTC>
4050	Percogesic <OTC>

Code	Definition
4051	Celebrex
4052	Endocet
4053	Codydramol
4054	Zomax
4055	Vioxx
4056	Cataflam, Diclofenac, Voltaren
4057	Mejoral
4058	Totem poles
4059	Zomig, Zolmitriptan
4060	Ansaid, Flurbiprophen, Majezik
4061	Oramorph SR
4062	Iophen-C Liquid
4063	Naprelan
4064	Epidrin
4065	Roxicodone
4067	OxyContin
4068	Roxilox
4069	Benflogin
4070	Flexagen <OTC>
4071	Syncol
4072	Oxycet
4073	Temgesic
4074	Provil <OTC>
4075	Disalcid, Salflex, Salsalate
4076	Over-the-counter pain reliever; not otherwise specified <OTC>
4077	Tee's
4078	Spasmoproxyn
4079	Anbesol <OTC>
4080	Morphidex
4081	Avamigran
4082	Analgin, Dipyrone, Metamizol, Metamizole, Novalgin, Prodolin
4083	Ultracet
4084	Aktren
4085	Advil Migraine <OTC>
4086	Parafon Forte
4087	Torbugesic/Torbutrol (veterinary butorphanol) [see also 419]
4088	Synthetic/synthesized heroin
4089	Brompton's solution/mixture
4090	Dorixina
4091	K4
4092	Pain reliever lotion, rub; not specified
4093	Tylex, Solpadeine
4094	Tombstones
4095	Dihydrocodeine
4096	Bextra, Valdecoxib
4097	Tussionex
4098	Banamine
4099	Anacin <OTC>
4100	Excedrin Migraine <OTC>
4101	Myprodol

Code	Definition
4102	Meloxicam, Mobic
4103	Terpin Hydrate with Codeine
4104	Dolo-Neurobion
4105	Hydrocodone with APAP; otherwise unspecified
4106	Atroveran
4107	Panlor
4108	Homemade analgesics
4109	Suboxone
4110	Avinza
4111	Clinoril, Sulindac
4112	Saridone
4113	Cosanyl
4114	Nimesulide
4115	Pantopon
4116	Phenergan with Codeine, promethazine with Codeine
4117	Oxy-IR
4118	Sufenta, Sufentanil
4119	Buprenorphine
4120	Opana [see also 4510]
4121	Dorflex
4122	Combiflam
4123	Dolorex
4124	Eletriptan, Relpax
4125	Hycodan, Hydromet, Tussigon
4126	Panafen Plus
4127	Panadeine
4128	Ibuprofen 200 mg/Children's ibuprofen <OTC>
4129	Naproxen Sodium 220 mg <OTC>
4130	Dalgan, Dezocine
4131	Diconal, Dipipanone
4132	Embeda
4133	Tramadol extended release
4134	Ultram ER
4135	Arcoxia, Etoricoxib
4136	Sedalmex <OTC>
4137	Nucynta, Tapentadol
4138	Sprix
4139	Bute tabs, Phenylbutazone
4140	Opana ER (extended release)
4141	Alfenta, Alfentanil
4142	Remifentanil
4143	Vicotuss
4144	Bancap HC
4145	Daprisal
4146	Traumeel <OTC>
4147	Bio Electro pain reliever <OTC>
4148	Butrans transdermal system/patch
4149	Pain patch, otherwise unspecified
4150	Subutex

Code	Definition
4151	Acetaminophen; more than max dosage reported <OTC>
4152	Flanid
4153	Morphine extended release
4154	Musflex <OTC>
4155	Numorphone
4156	Apronax
4157	Profinal
4158	Naratriptan
4159	Aspirin and caffeine tablets/pills <OTC>
4160	Hysingla ER
4161	U-47700
4162	Oxymorphone extended release
4163	Belbuca
4164	Synthetic/synthesized opioid; otherwise unspecified
4165	Supradol
4166	zubsolv (buprenorphine/naloxone); sublingual
4167	Adco-Dol
4501	Lortab [see also 434]
4502	Norco [see also 434]
4503	Lorcet [see also 434]
4504	Anexsia [see also 434]
4505	Oxycodone product, otherwise unspecified [see also 4046]
4506	Codeine, not in pill form [see also 415]
4507	Kadian [see also 4037]
4508	Duragesic [see also 465]
4509	Sublimaze [see also 465]
4510	Oxymorphone [see also 4120]
4511	Meperidine [see also 407]
4512	Dolophine [see also 418]
5001	Bleach
5003	Methane
5004	Ink print, paper
5005	Cobra rush
5006	Brake fluid
5007	Fly nap
5008	R-R
5011	Ozone
5012	Negros
5013	Lebel 12
5014	Spray O Buzz
5015	MCH
5016	Masking tape, tape adhesive
5017	Oil, lubricant, grease; otherwise unspecified
5018	B-12 (Spanish)
5019	Melted plastic

Code	Definition
5020	Wet cement
5021	Octane booster
5022	Carbon dioxide, CO_2, CO_2 tank, cryogenic cleaning spray, dry ice blasting, dry ice hits
5023	Double eagle
5024	Candle, citronella candle
5025	Lime salt
5026	Silly putty
5027	Benzene
5028	Carburetor cleaner, engine cleaner
5029	Floor wax
5030	Polyurethane (spray, liquid, compound)
5031	Naphtha
5032	Nitrogen
5033	Sur-noxem
5034	Hippie crack
5035	Brake cleaner
5036	Wart remover
5037	Wood filler, wood putty
5038	Tywall
5039	Acetate
5040	Methanol, wood alcohol
5042	Fuels other than gasoline
5043	Carbona
5044	Powdered cleansers (e.g., Ajax, Comet, Boraxo)
5045	Cleaner; not otherwise specified
5046	Glass/window cleaner
5047	Tetrafluoroethylene
5048	MEK, Methyl ethyl ketone
5049	Hand sanitizer; contents unspecified
5050	Burned rubber
5051	Hair chemicals
5052	Silly String
5053	Electric parts cleaner, electronics cleaner
5054	Gum freezer, gum remover
5055	PVC
5056	Eucalyptus oil
5057	Argon
5058	Sealers/sealants; type unspecified
5059	Transmission fluid
5060	Crayons
5061	Lip balm, lip gloss
5062	Amazing Elastic Plastic
5063	Drano/drain cleaner; aerosol unspecified
5064	Erasers
5065	Nail polish dryer, quick drying treatment for nails
5066	Simply Green

Code	Definition
5067	Wet Ones wipes
5068	Smoke from a fire; contents unspecified
5069	Febreze
5070	Silicone
5071	Purell
5072	Air blast
5073	Goof off
5074	Floor wax stripper
5075	Pine-sol
5076	Water/stain repellant; type unspecified
5077	Resistol
5078	Axe body spray
5079	Shellac
5080	Tetrachloroethene
5081	Photographic development fluid
5082	Chalk dust
5083	Ethyl chloride
5084	Dry cleaning fluid/solvent
5085	Toilet bowl hook-ons
5086	Dry Fab
5087	Tennis balls, ping pong balls
5088	Jungle juice
5089	Tattoo Goo Color Guard Spray
5090	PVC Cleaner
5091	Germ-X
5092	Burning/ignited permanent marker
5093	Goo Gone
5094	Scotch Brite
5095	“The Works” shower cleaner
5096	Hemp rope
5097	Lysol; aerosol unspecified
5098	Axe/Axe deodorant; aerosol unspecified
5099	HydroCide
5100	TCE, Trichlorethylene
5101	Difluoroethane
5102	Xylene; otherwise unspecified
5103	Shoe dye
5104	Shoe cleaner; otherwise unspecified
5105	Sulfur; otherwise unspecified
5106	Carbon tetrachloride
5107	Alcanfor, camphor
5108	Tag body spray
5109	Tinactin antifungal spray
5110	Graffiti eraser
5111	Homemade napalm
5112	Lotion (body, hand); contents unspecified
5113	Disinfectant; contents unspecified
5114	Green gas propellant
5115	Polish; contents unspecified
5116	Vinegar

Code	Definition
5117	Turpentine
5118	Spray adhesive
5119	Battery acid
5120	Ignition spray
5121	Tetrafluoroethane
5122	Leather cleaner
5123	Fixative
5124	Bromine
5125	Difluoromethane
5126	Rubber rejuvenator
5127	Airsoft propellant
5128	Floor sealer
5129	Smoke bomb
5130	Glow stick
5131	Hunting/fishing deodorizer
5132	Chewing gum remover
5133	Air conditioner cleaner
5134	Cosmetics/makeup
5135	Rubber roof remover
5136	WariActiv
5137	Handi Wipes
5138	Glade Plugins
5139	Hydrazine hydrate
5140	Rat shampoo
5141	Gun smoke, gun powder
5142	Dryer sheets, fabric softener
5143	Toilet bowl cleaner
5144	Tires
5145	Phosphorus
5146	Rocol PR Spray
5147	Glycerin
5148	Hand sanitizer/cleaner; alcohol-based
5149	Sanitizer; type unspecified
5150	Nail strengthener
5151	Dichloromethane
5152	Sawdust
5153	Breaking Styrofoam (to release gas)
5154	Latex/latex glove
5155	Levmetamfetamine <OTC>
5156	Liquid air
5157	Spam in a plastic bag
5158	Alcohol dye
5159	Gas/fuel cleaner/treatment
5160	Smoke from burning paper
5161	Smoke from burning wood
5162	Mold cleaner; contents unspecified
5163	Sewage, raw sewage
5164	Oobleck
5165	Citric acid
5166	Frosties
5167	Cinnamon
5168	Cigarettes coated with salt

Code	Definition
5169	Baking soda
5170	Baby powder
5171	Mouthwash
5172	Shampoo
5173	Tire inflator/sealer; aerosol unspecified
5174	Belt dressing
5175	Acetylene chloride
5176	Fabuloso cleaner
5177	Pepper spray
5178	Creosote
5179	Wet tar/fresh tar
5180	Xenon, xenon gas
6001	Collapsing little birds
6003	Cocahina
6004	Hallucinogen seeds
6005	Sassafras, Sassafras tea
6006	Super X
6007	Bathtub
6008	8-Ball
6010	Atropa belladonna (flower)
6012	Cloud 9, cloud 13
6013	Lion's tail, wild dagga
6014	Indo
6015	Crysta
6016	Nas
6017	Meesha
6019	Black dust, black duct [sic]
6021	Snake bite kit (anti-venom)
6022	Tequila worm, agave worm
6023	Euphoria
6024	Blue Jesus
6025	Yellow jell
6026	KJ
6027	Judyfly
6028	Laced flower
6029	DXM
6030	Root
6031	Strychnine
6032	TSP
6033	Ramstein
6034	Pigface
6035	Campana (flower)
6036	Coco weed
6037	Fry
6038	Triplets, trips
6039	Blue Hawaii
6040	Dank
6041	Leaky leak
6042	Super K
6043	Diviner's sage, Salvia divinorum
6044	Gel caps, gel tabs

Code	Definition
6045	Blackboards
6046	Aquafoot
6048	Dex
6049	Locoseeds, locoweed seeds
6050	High roller
6051	Tryptamine, not otherwise specified
6052	Acrylic resin
6053	Toothpicks
6054	Spiny apples
6055	Liberty caps
6056	Wet
6057	Silk
6058	Purple life
6059	Satan flower
6060	Ololiuhqui
6061	5-MeO-DMT
6062	Madderwort, wormwood
6063	Foxglove
6064	Marigold buttons
6065	3CPO
6066	Purple rain
6067	Venus
6068	Blue ice
6069	Peach
6070	DTP
6071	Sinicuichi, sun opener
6072	JUNO
6073	Rolls
6074	LSA
6075	Trinity
6076	Lemon 714
6077	San Pedro
6078	Trumpet flowers/seeds; type unspecified
6079	Sugar cubes
6080	Purple passion
6081	Shabu
6083	CCC, "Triple C," C3 <OTC>
6084	Devil dust
6085	Dips
6086	Flakes
6087	Ibogaine
6088	Brugmansia
6089	Cake
6090	Heaven
6091	Ergot, rye mold
6092	TCP
6093	Mitsubishi
6094	Mushrooms, specifically not psilocybin
6095	Super cool, super kool
6096	Bananadine
6097	Banana slug slime

Code	Definition
6098	Dust; not otherwise specified
6099	Kathmandu Temple Kiff
6100	2C-T-7, T7, blue mystic
6101	Alice in Wonderland
6102	Absinthe
6103	Ayahuasca, Yage, Yahe
6104	Tish
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT
6106	Paramethoxyamphetamine, PMA
6107	Ambrosia
6108	Gorilla biscuits
6109	2, 5-Dimethoxyamphetamine, DMA
6110	Mad dog
6111	Syrian rue
6112	2C-T-2
6113	Candy flip
6114	Molly; not otherwise specified
6115	Foxy
6116	Nepenthes
6117	Dragon (with color; not blue/red)
6118	Adrenochrome
6119	Scoop
6120	Lucky seven
6121	Cactus; specifically not peyote
6122	MMDA
6123	Mighty Quinn
6124	Mormon tea
6125	MDE, MDEA, 3,4-Methylenedioxy-N-Ethylamphetamine
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I
6127	Skittles
6128	Henbane
6129	Beaner
6130	5-MeO-DiPT, foxy methoxy
6131	Mandrakes
6132	Amanita mushrooms, fly agaric, Muscimol
6133	Acorus calamus, sweet flag
6134	Anadenanthrea colubrina, cohoba, vilca, yopo
6135	5-MeO-AMT
6136	Spook
6137	Harmaline
6138	2,5-Dimethoxy-4-ethyl-phenethylamine, 2C-E
6139	2,5-Dimethoxy-4-chlorophenethylamine, 2C-C
6140	MiPT, N-Methyl-N-isopropyltryptamine
6141	Dipropyltryptamine, DPT, N,N-Dipropyltryptamine
6142	Snake venom
6143	2C-X
6144	Di-isopropyl-tryptamine, DiPT
6145	Scooby snacks
6146	5-MeO; otherwise unspecified
6147	Phenethylamines; otherwise unspecified
6148	Mimosa tree bark
6149	Tiletamine
6150	Mantis root
6151	Matrix
6152	Cigarette dipped in embalming fluid
6153	Asthmador
6154	2,5-Dimethoxy-4-methylphenethylamine, 2C-D
6155	5-MeO-T, 5-Methoxytryptamine
6156	TMA, Trimethoxyamphetamine
6157	Taters
6158	Mulberry seeds/plant
6159	2,5-Dimethoxy-4-methylthiophenethylamine, 2C-T
6160	Wacky Weed
6161	Thujone
6162	4-MeO-DMT
6163	Devil's trumpet
6164	Tenocyclidine
6165	PMMA, Paramethoxymethamphetamine
6166	BZP, Benzylpiperazine
6167	4-HO-DMT, Psilocin
6168	2,5-Dimethoxy-4-iodoamphetamine, DOI
6169	2,5-Dimethoxy-4-chloroamphetamine, DOC
6170	Moonflower/pod; otherwise unspecified
6171	4-Acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT
6172	2,5-Dimethoxy-4-(2-fluoroethylthio) phenethylamine, 2C-T-21
6173	2,5-dimethoxy-4-bromoamphetamine, Brolamfetamine, DOB
6174	bk-MDMA, Methylone
6175	4-Hydroxy-N,N-diisopropyltryptamine, 4-HO-DiPT, Iprocin
6176	3C-Bromo-Dragonfly, DOB-Dragonfly
6177	4-Acetoxy-DiPT, 4-Acetoxy-N,N-diisopropyltryptamine
6178	4-Acetoxy-DMT
6179	4-HO-HiPT, 4-HO-MiPT, 4-Hydroxy-MiPT, 4-Hydroxy-N-methyl-N-isopropyltryptamine, Miprocin

Code	Definition
6180	2C-BCB, TCB-2
6181	4-HO-MET, 4-Hydroxy-N-methyl-N-ethyltryptamine
6182	2C-P, 4-Propyl-2,5-dimethoxyphenethylamine
6183	5-MeO-DALT, N,N-diallyl-5-methoxytrytamine
6184	Orange peels
6185	25I-NBOMe, BOM-CI, Cimbi-5, NBOMe-2C-I
6186	3-MeO-2-Oxo-PCE, MXE, Methoxetamine
6187	Mugwort
6188	25B-NBOMe, NBOMe-2C-B
6189	25C-NBOMe, NBOMe-2C-C
6190	2, 5-Dimethoxy-4-fluorobenzaldehyde, 2C-F
6191	CI-400, Eticyclidine, PCE
6192	5-MeO-MiPT, 5-methoxy-N-methyl-N-isopropyltryptamine
6193	Fungus; otherwise specified
6194	MDMA derivative; otherwise unspecified
6195	LSZ, Lysergic acid 2,4-dimethylazetidide
6196	Changa
6198	5,6-methylenedioxy-2-aminoindane, MDAI
6199	LAH, LSH, Lysergic acid hydroxyethylamide
6200	6-allyl-6-nor-LSD, AL-LAD
6201	4-HO-DET, 4-Hydroxy-N,N diethyltryptamine, CZ-74, Ethocin
6202	4-Acetoxy-MET, 4-AcO-MET, Metacetin
6203	NBOMe; otherwise unspecified
6204	Hallucinogen from toothpaste
6205	Owsley, white owsley
6206	Blue Egyptian lotus, blue lotus
6207	2C-B-Fly, 2C-Bromo-Fly
6208	3-Methoxyphencyclidine, 3-MeO-PCP
6209	1P-LSD
6210	Beta-keto 2C-B, Bk-2C-B
6211	6-MAPB
6212	3-Mephedrone, 3-Methylmethcathinone, 3-MMC
6213	Synthetic/synthesized LSD/acid; otherwise unspecified
6214	Synthetic/synthesized mescaline; otherwise unspecified
6215	Synthetic/synthesized mushrooms; otherwise unspecified
6216	4-Acetoxy-N-methyl-N-isopropyltryptamine, 4-AcO-MiPT
6217	25D-NBOMe, NBOME-2C-D
6218	2,3,4-Trimethoxyamphetamine, TMA-2
6219	Hallucinogenic honey; type unspecified
6220	ETH-LAD
6221	Amatoxin-containing mushrooms; otherwise unspecified
6222	Jekem, Jenkem
6223	3-HO-PCP, 3-Hydroxyphencyclidine
6224	Red canary grass
6225	DCK, Deschloroketamine
6226	E-EAPB
6227	4-Acetoxy-N,N-Diethyltryptamine, 4-AcO-DET
6228	Synthetic/synthesized hallucinogen; otherwise unspecified
6229	LSD analogue; otherwise unspecified
6230	Ketamine analogue; otherwise unspecified
6231	Mescaline analogue; otherwise unspecified
6232	2-FDCK, 2-Fluorodeschloroketamine, Fluoroketamine
6233	Hawthorn berries
6234	Sniffing/smelling cat urine
6235	Drinking diesel fuel
6236	NBOH; otherwise unspecified
6237	Datura inoxia
6238	Curcumin, turmeric
6239	25E-NBOMe
6240	4-MeO-PCP, 4-Methoxyphencyclidine
6241	5-MeO-PCP, 5-Methoxyphencyclidine
6242	Chia sprouts
6243	Sex-enhancement hallucinogen; otherwise unspecified
6244	Synthetic/synthesized molly; otherwise unspecified
6245	Human blood
6246	5-Bromo-DMT, 5-Bromo-N, N-dimethyltryptamine
6247	Sunflower seeds
6248	b-Carboline Monoamine Oxidase
6501	Ketaset
8001	Robitussin elixir
8002	Zantac
8003	Yesca
8004	Guaifenesin
8005	Imodium AD <OTC>
8006	Laxative <OTC>
8007	Gabapentin, Neurontin

Code	Definition
8008	Antidepressant; type unspecified
8009	Allergy pills/antihistamine; type unspecified
8010	Zyrtec, Cetirizine <OTC>
8011	Herb, flower, plant; type unspecified
8012	Coriciden <OTC>
8013	Maalox <OTC>
8014	Throat spray/lozenge; type unspecified <OTC>
8015	Bengay <OTC>
8016	Icy Hot <OTC>
8017	Buscapina
8018	Claritromicina
8019	Azithromycin, Z-pack, Zithromax
8020	Allegra, Altiva
8021	Cipro, Ciprofloxacin, Cliloxam
8022	Creatine <OTC>
8023	Myoflex <OTC>
8024	Asthma inhaler, asthma medication, bronchial dilators
8025	Alavert D, Claritin D, or similar <OTC>
8026	Powder
8027	Alavert, Claritin, Loratadine <OTC>
8028	Bactine <OTC>
8029	Flexall <OTC>
8030	Tums <OTC>
8031	Sugar pills
8032	Prilosec, Mopral
8033	Heart medication; type unspecified
8034	Nutri-calm <OTC>
8035	Prednisone
8036	Norvasc
8037	Thermochrome 5000 <OTC>
8038	Coldact
8039	Kaopectate <OTC>
8040	Trioxsalen
8041	Garlic, garlic oil, garlic tablets <OTC>
8042	Alka Seltzer <OTC>
8043	Accolate
8044	Cephelaxin, Keflex
8045	Gas-X, Mylicon <OTC>
8046	Slim Fast <OTC>
8047	Pepcid AC <OTC>
8048	Theophylline
8049	Sorbitol
8050	Tavist D <OTC>
8051	Sinex <OTC>
8052	Bactrim, Septra
8053	Dristan <OTC>
8054	Beclovent, Beconase, Venceril
8055	Flonase
8056	Vicks VapoRub/inhaler <OTC>

Code	Definition
8057	Natacyn, Natamycin ophthalmic
8058	Cough medicine/syrup; type unspecified
8059	Peroxyl <OTC>
8060	Blue nitro
8061	Entex LA
8062	Mylanta <OTC>
8063	Heparin
8064	Triaminic <OTC>
8065	Tylenol Cold Medication <OTC>
8066	Sildenafil, Viagra
8067	Testosterone
8068	Hemorrhoid cream
8069	Decadron, Dexamethasone
8070	Advil Cold and Sinus <OTC>
8071	Augmentin
8072	Deca-Durabolin, Nandrolone decanoate
8073	Deconamine
8074	Fansidar
8075	Effergin <OTC>
8076	Sanzolol, Stanozolol, Winstrol
8077	Azmacort
8078	Vitamin K
8079	Insulin
8080	Depotrone
8081	Primobolan
8082	Robinul
8083	Testosterone cypronate
8085	Anti-psychotics/schizophrenic; type unspecified
8086	Provera
8087	Benzocaine
8088	Dianabol
8089	Sustanol <OTC>
8090	Sustanon, Sostenon
8091	Benzedrex, Propylhexedrine <OTC>
8092	Decaderm
8093	Stacker 2, Stacker 3, <OTC>
8094	Pepto Bismol <OTC>
8095	Over-the-counter asthma pills; not specified <OTC>
8096	Thermicore <OTC>
8097	Tizanidine, Zanaflex
8098	Potassium chloride
8099	Somatech
8100	Kava Kava <OTC>
8101	Colace <OTC>
8102	Nasacort <OTC>
8103	Testosterona 200, Testosterone 300
8104	Thermadrene <OTC>
8105	Sustiva
8106	Methoxy-7 <OTC>

Code	Definition
8107	Diovan, Valsartan
8108	Atenonol
8109	Apple cider and vinegar pills <OTC>
8110	Over-the-counter drug/pills; type unspecified <OTC>
8111	Silver chloride
8112	hCG, Human Chorionic Gonadotropin
8113	Test 250, Test 400 <OTC>
8114	Lidocaine
8115	Vicks 44 <OTC>
8116	Herbal Ease <OTC>
8117	Hydrocortisone
8118	Smoking; not otherwise specified
8119	Regal medicated oil
8120	Difulcan
8121	Invirase
8122	Trenbol
8123	Tylenol Sinus <OTC>
8124	Deca-diabolin
8125	Comtrex <OTC>
8126	Valtrex
8127	Damiana <OTC>
8128	Glucosamine <OTC>
8129	Equipoise, Equipoise
8130	Zantac 75 <OTC>
8131	Acacia Gum, carbisol <OTC>
8132	D-bol, Liquid D-bol
8133	Mega Teen <OTC>
8134	Glucophage, Metformin
8135	Verapamil
8136	Montekulast, Singulair
8137	5-HTP, 5-Hydroxytryptophan <OTC>
8138	Chlorphenamine maleate, Chlorpheniramine maleate, Piriton <OTC>
8139	Chloroquine, Nivaquine
8140	Anamine
8141	Gamma butyrolactone, GBL
8142	Conex Plus
8143	Mycelex
8144	Clarinex, Desloratadine
8145	Cooking extracts (vanilla, lemon, etc.) <OTC>
8146	Tabcin <OTC>
8147	Tylenol Flu <OTC>
8148	Met-Rx <OTC>
8149	Desenfriol <OTC>
8150	Biolex wound gel <OTC>
8151	Flu shot; otherwise unspecified
8152	Thermogenics; otherwise unspecified <OTC>
8153	Nexium
8154	Beta Blocker; otherwise unspecified

Code	Definition
8155	Telithromycin
8156	Flumethasone
8157	Colirio
8158	Lipitor
8159	Loperamide, Virola
8160	Eprosartan, Teveten
8161	Echinacea <OTC>
8162	Prevacid
8163	Ditropan
8164	Testosterone propionate
8165	Anavar
8166	White girl
8167	T3, Tri-iodothyronine
8168	Fluoride
8169	TheraFlu <OTC>
8170	Muscle stimulator spray; contents unspecified
8171	Dietary supplements; otherwise unspecified
8172	Cortisone
8173	Chlorhexidine, Exidine
8174	Betadine, Efodine, Iodine <OTC>
8175	CortiSlim <OTC>
8176	TrimSpa <OTC>
8177	Face/body cleanser; contents unspecified
8178	Norateen
8179	Artemesia
8180	Avonex
8181	Corgard
8182	Clindamycin
8183	St. John's Wort <OTC>
8184	Ondansetron, Periset, Zofran
8185	Pro Plus <OTC>
8186	Lomotil
8187	Xylocaine
8188	Anadrol
8189	Furosemide, Lasix
8190	Benegal
8191	L-Dopa
8192	Delsym, Dextromethorphan polistirex <OTC>
8193	Pertussin <OTC>
8194	Afrin <OTC>
8195	Anti-seizures; type unspecified
8196	Hirudoid
8197	Chronic
8198	Handle bars
8199	Neurobion
8200	Dan(s), Dan Dan(s); no other information
8201	Watson(s); no other information
8202	Intal

Code	Definition
8203	Bar; otherwise unspecified
8204	Phloroglucinol, Spasfon
8205	Tylenol Allergy <OTC>
8206	Delatestryl, Testosterone enanthate
8207	Terpin Hydrate
8208	Romilar, form unspecified
8209	Red Bull Energy Drink <OTC>
8210	Mylan(s); no other information
8211	Precose
8212	Finaplix Gold, Trembolona QV75, Trenbolone
8213	Ranitidine
8214	Robo, Robo tripping
8215	Yager's liniment <OTC>
8216	Red Dawn GHR Release <OTC>
8217	Anti-diarrhea medication; type unspecified
8218	Attention deficit disorder meds; type unspecified [added in 2006; changed to code 8229 beginning in 2007]
8219	A & D ointment <OTC>
8220	Lavender <OTC>
8221	Omnadren
8222	Protein-based weight gain product, type unspecified
8223	Chocolate
8224	Oxytocin, Pitocin, Syntocinon
8225	Cymbalta, Duloxetine
8226	Bitrex
8227	Sativa; otherwise unspecified
8228	Boldo
8229	ADHD/ADD medication; otherwise unspecified
8230	Advair
8231	Tussin medication, no other information
8232	Rat/rodent poison; contents unspecified
8233	Keppra, Levetiracetam
8234	Lamisil
8235	Benzonatate, Tessalon
8236	Lyrica, Pregabalin
8237	Kratom
8238	Decongestant; type unspecified
8239	Drotaverine, Drotin
8240	Lamictal, Lamotrigine
8241	Chemotherapy; drug unspecified
8242	Albucid
8243	Guaifenex
8244	Superdrol <OTC>
8245	Human growth hormone (HGH)
8246	Phenoxyl
8247	Abilify, Aripiprazole

Code	Definition
8248	Nano Vapor <OTC>
8249	DMG, N,N-Dimethylglycine HCl <OTC>
8250	Boldenone
8251	Orange oil
8252	Humatrope
8253	Pancof
8254	Green hornet
8255	Sulfuride
8256	Phenylephrine <OTC>
8257	Hoodia product/supplement <OTC>
8258	Vivonex <OTC>
8259	Rolaids <OTC>
8260	Dextromine <OTC>
8261	Chlorophyll <OTC>
8262	Green tea/green tea supplement <OTC>
8263	Stimulin <OTC>
8264	Lipozene <OTC>
8265	Apresoline, Hydralazine
8266	Alka Seltzer Plus <OTC>
8267	Quinine
8268	Protonix
8269	Acai berry supplement (pill, powder, liquid) <OTC>
8270	No-Xplode <OTC>
8271	Catnip <OTC>
8272	Tri Tren 150, Triple Trenbolone Blend
8273	Goofballs
8274	Terramycin
8275	Obesitol, Safflower oil <OTC>
8276	Bitter grass, Calea zacatechichi, Dream herb <OTC>
8277	XL-3 <OTC>
8278	Bufotoxin
8279	Coumadin, Warfarin
8280	MucinexDM <OTC>
8281	Antiseptic; contents unspecified
8282	Saline solution, salt, sodium chloride <OTC>
8283	Synthetic/sythesized cannabinoids (e.g., K2, Spice, JWH-018)
8284	Desvenlafaxine, Prestiq
8285	Mirapex, Pramipexole
8286	Advant, Atacand, Candesartan
8287	CP 55, 940
8288	Azor
8289	Ear drops; contents unspecified
8290	Dependal-M, Furazolidone, Furoxone
8291	Ritz and Ts, Ts and rits, Ts and Rs
8292	Cigarettes baked/smoked with toothpaste

Code	Definition
8293	Lean (Promethazine with codeine mixed with Sprite)
8294	Stevia <OTC>
8295	Tenex
8296	Acetazolamide, Diamox
8297	TussiCaps
8298	Jack3d <OTC>
8299	Broncolin <OTC>
8300	Zylortim <OTC>
8301	Bath salts/synthetic cathinone; otherwise unspecified
8303	Zicam <OTC>
8304	Phenphedrine <OTC>
8305	Anti-anxiety medication; type unspecified
8306	Flu medication; no other information
8307	ExtenZe <OTC>
8308	Devil's club
8309	Mucinex <OTC>
8310	DMAA, Methylhexanamine
8311	Zombie Matter
8312	Guanfacine, Intuniv
8313	Medithane
8314	Cloud 10 Ultra
8315	Synthetic/synthesized cannabis; otherwise unspecified
8316	Piracetam
8317	Namenda
8318	AM-2201
8319	Methotrexate
8320	Abraxane
8321	Botanical Slimming <OTC>
8322	Horny goat weed
8323	Benzathine benzylpenicillin, Penadur
8324	Lamb's ear
8325	Drostanolone propionate, Masteron
8326	Dalay
8327	7H
8328	Metamine
8329	Artane, Parkopan
8330	Bipolar disorder medication; type unspecified
8331	Diophenyl-T
8332	Myristicin
8333	Moringa
8334	OxyElite Pro
8335	Metatabs
8336	Peridan
8337	Collagen
8338	Bumex, Bumetanide, Burinex
8339	Tukol <OTC>
8340	Picot <OTC>

Code	Definition
8341	Apokyn, Apomorphine, Ixense, Spontane, Uprima
8342	Nalone, Naloxone, Narcan
8343	Agapanthus, Lily of the Nile
8344	Taurine
8345	Dolo-Doceplex D
8346	Duralex
8347	Chamomile
8348	Methenamine
8349	BCAA powder <OTC>
8350	Maqui
8351	6-APB, Benzo Fury
8352	Lisinopril
8353	Hormone; otherwise unspecified
8354	MitoQ <OTC>
8355	EPO, Erythropoietin
8356	Tigan, Trimethobenzamide
8357	Bronkaid <OTC>
8358	Kanna powder, sceletium tortuosum
8359	Sarsaparilla
8360	Piperazine; otherwise unspecified
8361	Januvia
8362	Doxycycline
8363	Cavedilol
8364	Pantoprazole
8365	Pen vaporizer; contents unspecified
8366	Omeprazole
8367	Peptides; otherwise unspecified
8368	alpha-PVP, alpha-Pyrrolidinopentiophenone
8369	Ivory Caps <OTC>
8370	Memory 2000 <OTC>
8371	Effexor XR
8372	Zonegran, zonisamide
8373	Electronic cigarette
8374	5-hour Energy <OTC>
8375	Frova, Frovatriptan
8376	Treximet
8377	New Skin <OTC>
8378	AcipHex
8379	Dabs/dabbing
8380	Adequan
8381	Vapor/vaping/vape juice; contents/route of use unspecified
8382	Hydroxychloroquine, Plaquenil
8383	Edex
8384	Latuda
8385	Belsomra
8386	Acyclovir
8387	Fexodine
8388	BPC-157
8389	CBD/hemp oil/edibles/vape (not marijuana) <OTC>

Code	Definition
8390	Monistat <OTC>
8391	Simvastatin, Zocor
8392	Cerebrolysin
8393	Cytotec, Misoprostol
8394	Magnesium chloride <OTC>
8395	Olbas oil <OTC>
8396	Triamcinolone
8397	Monster Energy drink <OTC>
8398	Tea tree oil <OTC>
8399	Lovenox
8400	Tetanus vaccine
8401	Tussin DM <OTC>
8402	Garcina cambogia <OTC>
8403	Sukrol <OTC>
8404	DL-Phenylalanine, L-Phenylalanine <OTC>
8405	Mytocin, Mytomycin
8406	Xyrem
8407	Campho-Phenique <OTC>
8408	Tianeptine
8409	Noroxin
8410	GHRP, Growth hormone-releasing peptide
8411	Tamiflu
8412	Thyroid medication; otherwise unspecified
8413	Ketalar [see also 658 and 6501]
8416	L-Carnitine <OTC>
8417	Basuco, coca paste, paco
8418	Cytomel, Liothyronine
8419	Pedialyte <OTC>
8420	Apixaban, Eliquis
8421	Thalidomide, Thalomid
8422	Flagyl, Metronidazole
8423	Achyranthes aspera, devil's horsewhip
8424	Duexis
8425	Rapé (shamanic snuff)
8426	TriMix
8427	Energy drink; product unspecified
8428	Dexmedetomidine, Precedex
8430	Batrachotoxin; source unspecified
8431	Tea; type or contents unspecified
8432	Cefazolin
8433	Vancomycin
8434	Naltrexone
8435	Probiotics
8436	Phenibut
8437	Methylamine
8439	Cilipin
8440	MiraLAX <OTC>
8441	Zyn pouches (nicotine pouch)

Code	Definition
8442	Cannabis product; otherwise unspecified
8444	1-Phenethyl-4-piperidone, NPP
8445	L-Tyrosine <OTC>
8446	Edibles, not otherwise specified
8447	Aricept, donepezil
8448	Phenethylamine analogue; otherwise unspecified
8449	L-Theanine <OTC>
8450	Ayurvedic medicine; not otherwise specified
8451	Testosterone booster; contents unspecified
8452	Liraglutide, Saxenda, Victoza
8453	Ashwagandha <OTC>
8454	Leonotis leonurus
8455	Delta-8
8456	Dokha (tobacco and herbs/spices mixture)
8457	Hangover pills/medication (contents unspecified)
8458	Estradiol valerate
8459	Eligard, Leuprolide, Lupron Depot
8460	Delta-9
8461	ATHC, THC-O Acetate
8462	Estradiol enantate
8463	OTC allergy/antihistamine; not otherwise specified <OTC>
8464	Briviact, brivaracetam
8465	Accutane, Isotretinoin
8466	Fanapt, Iloperidone
8467	Brintellix, Trintellix, Vortioxetine
8468	Metoprolol
8469	Coleus leaves/plant
8470	Levocetirizine, Xyzal
8471	Rifaximin, Xifaxan
8472	Xylazine
8473	Acetic acid, Ethanoic acid, Ethylic acid
8474	Progesterone
8475	Cyproheptadine
8476	Bupivacaine, Marcaine
8477	Betamethasone
8478	Hyaluronic acid
8479	delta9-Tetrahydrocannabinolic acid, THCA-A
8481	Ozempic, Semaglutide
8482	Bremelanotide, PT-141
8483	Tianna Red, ZaZa Red
8484	Truth serum; drug unspecified
8501	Haldol, Haloperidol
8502	Dimetapp <OTC>
8503	Dilantin

Code	Definition
8504	Actifed <OTC>
8505	Quetiapine, Seroquel
8506	Mysoline]
8507	Promazine
8508	Meclizine
8509	Triavil
8510	Desyrel, Trazodone hydrochloride
8511	Stelazine, Trifluoperazine HCl
8512	Thorazine
8513	Amitriptyline, Elavil
8514	Compazine, Prochlorperazine
8515	Mellaril
8516	Trilafon, Perphenazine
8517	Imipramine
8518	Lithium carbonate, Lithonate
8519	Prozac, Fluoxetine
8520	Etrafon
8521	Tryptophan
8522	Adapin, Doxepin, Sinequan
8523	Asendin
8524	Aventyl, Nortab, Nortriptyline, Pamelor
8525	Zestril
8526	Desipramine, Norpramin
8527	Prolixin
8528	Vivactil
8529	Marezine
8530	Sertraline hydrochloride, Zoloft
8531	Loxitane
8532	Clozapine, Clozaril
8533	Paroxetine, Paxil
8534	Tofranil

Code	Definition
8535	Risperdal, Risperdol, Risperidone
8536	Olanzapine, Zyprexa
8537	Celexa, Citalopram
8538	Serzone
8539	Anafranil, Clomipramine
8540	Fluvoxamine, Luvox
8541	Mirtazapine, Remeron
8542	Acepromazine, PromAce
8543	Nitroglycerine
8544	Cogentin
8545	Dimenhydrinate, Dramamine, sea/motion sickness pill <OTC>
8546	Scopolamine
8547	Seroquel XR
8548	Insidon, Opipramol
8549	Escitalopram, Lexapro
8550	Geodon, Ziprasidone
8551	Invega
8552	Lidone, Moban, Molindone
8553	Bupropion, Wellbutrin, Zyban
8554	Effexor
8555	Spancap
8556	Orlistat, Xenical
8557	Strattera
8558	Wellbutrin XL
8559	alli weight loss pills <OTC>
8560	Obitrol
8561	Akineton, Biperiden
8562	Flarex
8563	Suprax

Appendix B

Consolidated Drug OTHER, Specify Tables

Table B.1 Tabulation of Overall Drug OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
109	Seconal	2	0.10
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	8	0.39
146	Bentyl, Dicyclomine	1	0.05
157	Barbiturates	1	0.05
171	NyQuil <OTC>	1	0.05
174	Ambien	1	0.05
176	Melatonin <OTC>	3	0.15
180	Tylenol PM <OTC>	1	0.05
191	Blues	1	0.05
201	Valium	5	0.24
206	Tranxene	1	0.05
207	Ativan	1	0.05
209	Xanax	15	0.73
211	BuSpar	1	0.05
215	Vistaril	1	0.05
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	6	0.29
223	Methocarbamol	2	0.10
234	Flexeril	2	0.10
246	Klonopin	3	0.15
268	Rohypnol, Flunitrazepam, roche, roofies	1	0.05
278	Benzodiazepines	3	0.15
288	Baclofen	2	0.10
290	Metaxalone, Skelaxin	1	0.05
301	Dexedrine	1	0.05
304	Benzedrine	1	0.05
306	Desoxyn	1	0.05
313	Adipex-P	1	0.05
318	Ritalin	8	0.39
322	Methamphetamine (‘ice’ or ‘crank’), Meth	69	3.36
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	0.05
332	Ephedrine	1	0.05
339	Amphetamines, otherwise unspecified	4	0.19
344	Bennies	1	0.05
348	Crystal	3	0.15
351	Cathinone, cat, khat, Q’at	1	0.05
355	Crystal meth, crystal methamphetamine	2	0.10
377	Albuterol	6	0.29
394	Debs	1	0.05
407	Demerol	2	0.10
408	Dilaudid, Hydromorphone	46	2.24
415	Codeine pills	2	0.10
417	Morphine	40	1.95
418	Methadone	7	0.34
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	24	1.17

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
422	Motrin	6	0.29
423	Percocet	17	0.83
424	Fioricet	1	0.05
425	Advil <OTC>	67	3.26
430	Aspirin, Ecotrin, Empirin <OTC>	7	0.34
434	Vicodin	7	0.34
435	Tylenol, Tylenol Extra-Strength <OTC>	114	5.54
438	Anaprox, Naprosyn, Naproxen, Naxen	7	0.34
442	Ibuprofen	41	1.99
450	Acetaminophen, incl. non-Tylenol brands <OTC>	10	0.49
465	Fentanyl	21	1.02
466	Midol <OTC>	2	0.10
468	Excedrin <OTC>	2	0.10
481	Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.05
499	Aleve <OTC>	25	1.22
501	Gasoline or lighter fluids	6	0.29
503	Other aerosol sprays	15	0.73
504	Shoeshine liquid, glue, or toluene	5	0.24
505	Lacquer thinner or other paint solvents	1	0.05
506	Amyl nitrite, ‘poppers,’ locker room odorizer, ‘rush’	2	0.10
507	Halothane, ether, or other anesthetics; chloroform	2	0.10
508	Nitrous oxide, ‘whippits,’ dentist gas	28	1.36
509	Correction fluids, degreasers, cleaning fluids	1	0.05
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	10	0.49
511	Markers, felt-tip pens, ink pens	10	0.49
512	Incense	1	0.05
516	CHC, chlorofluorocarbon, freon, refrigerant	12	0.58
518	Acetone, nail polish remover	10	0.49
519	Helium	21	1.02
520	Old paint, paint	2	0.10
523	Matches	1	0.05
524	White-Out	1	0.05
526	Nail polish	4	0.19
528	Whipped-cream can	16	0.78
531	Candy, powdered candy, sugar	3	0.15
539	Scotch-Gard	1	0.05
540	PAM	1	0.05
542	Brasso, lens cleaner, spirits of ammonia	5	0.24
543	Liquid oxygen, oxygen	1	0.05
548	Cologne, isopropanol vapors, rubbing alcohol	8	0.39
573	Furniture polish	1	0.05
592	Computer air duster, computer cleaner, dust-off	9	0.44
599	Potpourri	1	0.05
601	LSD (‘acid’)	51	2.48

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
602	Peyote	1	0.05
603	Mescaline	1	0.05
604	Psilocybin (mushrooms), sclerotia, shrooms	77	3.75
605	PCP (‘angel dust,’ phencyclidine)	2	0.10
606	‘Ecstasy’ (MDMA), X-TC, ‘X’	9	0.44
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	51	2.48
609	Jimson weed	1	0.05
610	Crystal T	1	0.05
614	MDA, Methylenedioxy amphetamine	8	0.39
616	DET, Dimethyltryptamine, DMT	11	0.54
617	Morning glory seeds, morning glory tendrils, ricea	5	0.24
618	Acid paper, blotter (acid)	2	0.10
622	Microdot(s), green microdot, purple microdot	2	0.10
624	Orange sunshine, sunshine, yellow sunshine	1	0.05
625	Window, window pane, 4-way pane, 4-way	1	0.05
627	Hawaiian wood rose, Hawaiian Woodrow seeds	2	0.10
639	Nutmeg, Mace	4	0.19
648	Designer drugs	1	0.05
650	Datura stramonium, daytura, thorn apple	4	0.19
658	Special K, Ketamine	16	0.78
660	5-HO-DMT, Bufotenin, toad, toad licking	6	0.29
698	2C-B, Bromo mescaline, Nexus	54	2.63
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	4	0.19
702	Heroin	42	2.04
703	Opium, otherwise unspecified	4	0.19
709	Poppy	1	0.05
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	31	1.51
802	THC, cannabinol, marinol, tetrahydrocannabinol	7	0.34
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	21	1.02
804	Hashish	3	0.15
805	Cocaine, coca, cocaina, coke, perico	28	1.36
806	Crack, rock	9	0.44
807	Alcohol, beer, ethanol, EtOH, pink champagne	8	0.39
813	Cigarettes, tobacco (type unspecified)	2	0.10
818	Nicotine	6	0.29
819	Inderal, Propranolol	1	0.05
820	Penicillin	1	0.05
821	Amoxicillin, Ampicillin, Pentrexly	3	0.15
824	Steroids	5	0.24
829	Robitussin DM <OTC>	6	0.29
840	Over-the-counter-cough med (contents unspec)	2	0.10
843	Cold medicine, cold tablets <OTC>	1	0.05
847	GHB, NSC, gamma hydroxybutyrate	7	0.34
848	Liquid vitamin, vitamin pills <OTC>	1	0.05

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
852	Formaldehyde, wak, whack (embalming fluid)	1	0.05
883	Dextromethorphan hydrobromide <OTC>	15	0.73
891	Famotidine, Pepcid	1	0.05
894	Depakene, Depakote, Divalproex sodium, Valproic acid	1	0.05
896	Catapres, Clonidine	2	0.10
900	Not a drug	5	0.24
1001	Benadryl, Diphenhydramine <OTC>	39	1.90
1011	Eszopiclone, Lunesta	3	0.15
1018	Advil PM <OTC>	1	0.05
1034	Topiramate	1	0.05
1501	Zolpidem	2	0.10
2002	Muscle relaxers	3	0.15
2003	Zanies, zannies, zans, zany bars	2	0.10
2501	Alprazolam	1	0.05
2504	Clonazepam	1	0.05
2509	Cyclobenzaprine	3	0.15
2511	Buspirone	4	0.19
2512	Hydroxyzine	17	0.83
3023	Adderall	19	0.92
3051	Betel nut, beetlenut	2	0.10
3052	Speed, otherwise unspecified	3	0.15
3086	Adderall XR	1	0.05
3111	Vyvanse	6	0.29
3145	Jornay PM	1	0.05
3501	Amphetamine/dextroamphetamine salts	1	0.05
3508	Modafinil	3	0.15
4043	Tramadol	3	0.15
4044	Hydrocodone	6	0.29
4046	Oxycodone	34	1.65
4047	Roxicet	1	0.05
4051	Celebrex	1	0.05
4056	Cataflam, Diclofenac, Voltaren	4	0.19
4065	Roxicodone	6	0.29
4067	OxyContin	38	1.85
4082	Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	1	0.05
4102	Mobic, Meloxicam	2	0.10
4109	Suboxone	20	0.97
4119	Buprenorphine	3	0.15
4120	Opana	11	0.54
4137	Nucynta, Tapentadol	1	0.05
4150	Subutex	3	0.15
4166	zubsolv (buprenorphine/naloxone); sublingual	1	0.05
4501	Lortab	6	0.29
4502	Norco	2	0.10

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
4505	Oxycodone product, unspecified	14	0.68
5001	Bleach	1	0.05
5022	Carbon dioxide, CO2, dry ice hits, CO2 tank	1	0.05
5034	Hippie crack	1	0.05
5045	Cleaner, not otherwise specified	1	0.05
5049	Hand sanitizer/cleaner, contents unspecified	6	0.29
5069	Febreze	2	0.10
5078	Axe body spray	1	0.05
5115	Polish, contents unspecified	1	0.05
5176	Fabuloso cleaner	1	0.05
5177	Pepper spray	1	0.05
5180	Xenon, xenon gas	2	0.10
6005	Sassafras, sassafras tea	6	0.29
6012	Cloud 9, cloud 13	1	0.05
6029	DXM	18	0.88
6030	Root	1	0.05
6043	Diviner's sage, Salvia divinorum	1	0.05
6044	Gel caps, gel tabs	2	0.10
6048	Dex	1	0.05
6052	Acrylic resin	1	0.05
6061	5-MeO-DMT	4	0.19
6062	Madderwort, wormwood	1	0.05
6064	Marigold buttons	1	0.05
6074	LSA	23	1.12
6077	San Pedro	5	0.24
6079	Sugar cubes	1	0.05
6083	CCC, 'Triple C,' C3 <OTC>	2	0.10
6087	Ibogaine	1	0.05
6091	Ergot, rye mold	1	0.05
6102	Absinthe	4	0.19
6103	Ayahuasca, Yahe	30	1.46
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT	1	0.05
6114	Molly, not otherwise specified	6	0.29
6118	Adrenochrome	2	0.10
6122	MMDA	1	0.05
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I	21	1.02
6127	Skittles	1	0.05
6132	Amanita mushrooms, fly agaric, muscimol	5	0.24
6137	Harmaline	2	0.10
6138	2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	15	0.73
6141	DPT, Dipropyltryptamine, N,N-Dipropyltryptamine	1	0.05
6143	2C-X	3	0.15
6167	4-HO-DMT, Psilocin	1	0.05
6168	2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.05

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
6169	2,5-dimethoxy-4-chloroamphetamine, DOC	5	0.24
6170	Moonflower/pod, otherwise unspecified	1	0.05
6171	4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	7	0.34
6173	2,5-dimethoxy-4-bromoamphetamine, DOB	2	0.10
6179	4-HO-HiPT, 4-Hydroxy-MiPT, 4-HO-MiPT, Miprocin	3	0.15
6181	4-HO-MET, 4-Hydroxy-N-methyl-N-ethytryptamine	1	0.05
6184	Orange peels	1	0.05
6185	25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	16	0.78
6186	3-MeO-2-Oxo-PCE, MXE, Methoxetamine	3	0.15
6188	25B-NBOMe, NBOMe-2C-B	2	0.10
6189	25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	4	0.19
6192	5-MeO-MiPT	1	0.05
6195	LSZ, Lysergic acid 2,4-dimethylazetidide	3	0.15
6196	Changa	1	0.05
6203	NBOMe; otherwise unspecified	9	0.44
6204	Hallucinogen from toothpaste	1	0.05
6206	Blue Egyptian lotus, blue lotus	3	0.15
6208	3-MeO-PCP, 3-Methoxyphencyclidine	1	0.05
6209	1P-LSD	3	0.15
6213	Synthetic/synthesized LSD/acid; otherwise unspecified	3	0.15
6217	25D-NBOMe	1	0.05
6222	Jekem, Jenkem	1	0.05
6225	DCK, Deschloroketamine	1	0.05
6229	LSD analogue; otherwise unspecified	4	0.19
6245	Human blood	1	0.05
6246	5-Bromo-DMT, 5-Bromo-N, N-dimethyltryptamine	2	0.10
6247	Sunflower seeds	1	0.05
6248	b-Carboline Monoamine Oxidase	1	0.05
8007	Gabapentin, Neurontin	13	0.63
8008	Antidepressant, type unspecified	1	0.05
8011	Herb, flower, plant; type unspecified	5	0.24
8012	Coriciden <OTC>	2	0.10
8024	Asthma inhaler, asthma medication, bronchial dilator	3	0.15
8058	Cough medicine/syrup, type unspecified	4	0.19
8067	Testosterone	14	0.68
8072	Deca-Durabolin, Nandrolone decanoate	1	0.05
8083	Testosterone cypronate	1	0.05
8085	Anti-psychotics/schizophrenic, type unspcfd	2	0.10
8088	Dianabol	1	0.05
8097	Tizanidine, Zanaflex	1	0.05
8100	Kava Kava <OTC>	2	0.10
8110	Over-the-counter drug/pills, type unspecified	1	0.05
8111	Silver chloride	1	0.05
8114	Lidocaine	1	0.05

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
8129	Equipoise, Equipose	2	0.10
8134	Glucophage, Metformin	1	0.05
8168	Fluoride	1	0.05
8172	Cortisone	1	0.05
8188	Anadrol	1	0.05
8192	Delsym, Dextromethorphan polistirex <OTC>	2	0.10
8212	Finaplix Gold, Trembolona QV75, Trenbolone	1	0.05
8224	Oxytocin, Pitocin, Syntocinon	1	0.05
8225	Cymbalta, Duloxetine	2	0.10
8233	Keppra, Levetiracetam	1	0.05
8236	Lyrica, Pregabalin	1	0.05
8237	Kratom	3	0.15
8240	Lamictal, Lamotrigine	1	0.05
8245	Human growth hormone (HGH)	1	0.05
8247	Abilify, Aripiprazole	1	0.05
8276	Bitter grass, Calea zacatechichi, Dream herb	1	0.05
8283	Synthetic/synthesized cannabinoids (eg, K2, Spice, JWH-018)	13	0.63
8301	Bath salts/synthetic cathinone; otherwise unspcfd	3	0.15
8342	Nalone, Naloxone, Narcan	1	0.05
8351	6-APB, Benzo Fury	1	0.05
8366	Omeprazole	1	0.05
8368	alpha-PVP, alpha-Pyrrolidinopentiophenone	3	0.15
8374	5-hour Energy <OTC>	2	0.10
8379	Dabs/dabbing/dab pen	1	0.05
8381	Vapor/vaping/vape juice; contents/route unspecifd	3	0.15
8385	Belsomra	3	0.15
8394	Magnesium chloride <OTC>	3	0.15
8406	Xyrem	1	0.05
8420	Apixaban, Eliquis	2	0.10
8427	Energy drink; product unspecified	2	0.10
8446	Edibles, not otherwise specified	2	0.10
8452	Liraglutide, Saxenda, Victoza	1	0.05
8455	Delta-8	1	0.05
8465	Accutane, Iotretinoin	1	0.05
8466	Iloperidone, Fanapt	1	0.05
8467	Brintellix, Trintellix, Vortioxetine	1	0.05
8468	Metoprolol	1	0.05
8469	Coleus leaves/plant	1	0.05
8470	Levocetirizine, Xyzal	1	0.05
8471	Rifaximin, Xifaxan	1	0.05
8472	Xylazine	1	0.05
8475	Cyproheptadine	1	0.05
8476	Bupivacaine, Marcaine	1	0.05
8477	Betamethasone	1	0.05

Table B.1 Tabulation of Overall Drug OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Drugs Specified
8478	Hyaluronic acid	1	0.05
8481	Ozempic, Semaglutide injection	1	0.05
8482	Bremelanotide, PT-141	1	0.05
8483	Tianna Red, ZaZa Red	3	0.15
8505	Quetiapine, Seroquel	8	0.39
8510	Desyrel, Trazodone hydrochloride	19	0.92
8513	Amitriptyline, Elavil	3	0.15
8519	Prozac, Fluoxetine	4	0.19
8522	Adapin, Doxepin, Sinequan	1	0.05
8524	Aventyl, Nortab, Nortriptyline, Pamelor	2	0.10
8530	Sertraline hydrochloride, Zoloft	4	0.19
8533	Paroxetine, Paxil	1	0.05
8535	Risperdal, Risperdol, Risperidone	4	0.19
8536	Olanzapine, Zyprexa	1	0.05
8537	Celexa, Citalopram	1	0.05
8541	Mirtazapine, Remeron	2	0.10
8545	Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	2	0.10
8546	Scopolamine	1	0.05
8549	Escitalopram, Lexapro	3	0.15
8553	Bupropion, Wellbutrin, Zyban	11	0.54
8557	Atomoxetine, Strattera	1	0.05

Table B.2 Tabulation of Inhalant OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Inhalant Drugs Specified
339	Amphetamines, otherwise unspecified	1	0.54
348	Crystal	1	0.54
377	Albuterol	6	3.23
501	Gasoline or lighter fluids	5	2.69
503	Other aerosol sprays	15	8.06
504	Shoeshine liquid, glue, or toluene	5	2.69
505	Lacquer thinner or other paint solvents	1	0.54
507	Halothane, ether, or other anesthetics; chloroform	1	0.54
508	Nitrous oxide, 'whippits,' dentist gas	14	7.53
509	Correction fluids, degreasers, cleaning fluids	1	0.54
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	6	3.23
511	Markers, felt-tip pens, ink pens	10	5.38
512	Incense	1	0.54
516	CHC, chlorofluorocarbon, freon, refrigerant	12	6.45
518	Acetone, nail polish remover	10	5.38
519	Helium	21	11.29
520	Old paint, paint	1	0.54
523	Matches	1	0.54
524	White-Out	1	0.54
526	Nail polish	4	2.15
528	Whipped-cream can	16	8.60
531	Candy, powdered candy, sugar	3	1.61
539	Scotch-Gard	1	0.54
540	PAM	1	0.54
542	Brasso, lens cleaner, spirits of ammonia	4	2.15
543	Liquid oxygen, oxygen	1	0.54
548	Cologne, isopropanol vapors, rubbing alcohol	8	4.30
573	Furniture polish	1	0.54
592	Computer air duster, computer cleaner, dust-off	2	1.08
802	THC, cannabinol, marinol, tetrahydrocannabinol	2	1.08
807	Alcohol, beer, ethanol, EtOH, pink champagne	2	1.08
5001	Bleach	1	0.54
5022	Carbon dioxide, CO2, dry ice hits, CO2 tank	1	0.54
5034	Hippie crack	1	0.54
5045	Cleaner, not otherwise specified	1	0.54
5049	Hand sanitizer/cleaner, contents unspecified	6	3.23
5069	Febreze	2	1.08
5078	Axe body spray	1	0.54
5115	Polish, contents unspecified	1	0.54
5176	Fabuloso cleaner	1	0.54
5177	Pepper spray	1	0.54
5180	Xenon, xenon gas	2	1.08
6052	Acrylic resin	1	0.54
6222	Jekem, Jenkem	1	0.54

Table B.2 Tabulation of Inhalant OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Inhalant Drugs Specified
8024	Asthma inhaler, asthma medication, bronchial dilator	2	1.08
8111	Silver chloride	1	0.54
8379	Dabs/dabbing/dab pen	1	0.54
8381	Vapor/vaping/vape juice; contents/route unspecifd	3	1.61
8394	Magnesium chloride <OTC>	1	0.54

Table B.3 Tabulation of Hallucinogen OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Hallucinogen Drugs Specified
209	Xanax	1	0.15
268	Rohypnol, Flunitrazepam, roche, roofies	1	0.15
301	Dexedrine	1	0.15
304	Benzedrine	1	0.15
322	Methamphetamine (‘ice’ or ‘crank’), Meth	8	1.16
339	Amphetamines, otherwise unspecified	1	0.15
348	Crystal	1	0.15
351	Cathinone, cat, khat, Q’at	1	0.15
355	Crystal meth, crystal methamphetamine	2	0.29
417	Morphine	2	0.29
423	Percocet	1	0.15
501	Gasoline or lighter fluids	1	0.15
506	Amyl nitrite, ‘poppers,’ locker room odorizer, ‘rush’	2	0.29
507	Halothane, ether, or other anesthetics; chloroform	1	0.15
508	Nitrous oxide, ‘whippits,’ dentist gas	14	2.04
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	4	0.58
520	Old paint, paint	1	0.15
592	Computer air duster, computer cleaner, dust-off	7	1.02
599	Potpourri	1	0.15
601	LSD (‘acid’)	50	7.28
602	Peyote	1	0.15
603	Mescaline	1	0.15
604	Psilocybin (mushrooms), sclerotia, shrooms	76	11.06
605	PCP (‘angel dust,’ phencyclidine)	2	0.29
606	‘Ecstasy’ (MDMA), X-TC, ‘X’	3	0.44
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	51	7.42
609	Jimson weed	1	0.15
610	Crystal T	1	0.15
614	MDA, Methylenedioxy amphetamine	8	1.16
616	DET, Dimethyltryptamine, DMT	9	1.31
617	Morning glory seeds, morning glory tendrils, ricea	5	0.73
618	Acid paper, blotter (acid)	2	0.29
622	Microdot(s), green microdot, purple microdot	2	0.29
624	Orange sunshine, sunshine, yellow sunshine	1	0.15
625	Window, window pane, 4-way pane, 4-way	1	0.15
627	Hawaiian wood rose, Hawaiian Woodrow seeds	2	0.29
639	Nutmeg, Mace	4	0.58
648	Designer drugs	1	0.15
650	Datura stramonium, daytura, thorn apple	4	0.58
658	Special K, Ketamine	3	0.44
660	5-HO-DMT, Bufotenin, toad, toad licking	6	0.87
698	2C-B, Bromo mescaline, Nexus	54	7.86
703	Opium, otherwise unspecified	4	0.58
709	Poppy	1	0.15

Table B.3 Tabulation of Hallucinogen OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Hallucinogen Drugs Specified
802	THC, cannabinol, marinol, tetrahydrocannabinol	4	0.58
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	4	0.58
804	Hashish	3	0.44
807	Alcohol, beer, ethanol, EtOH, pink champagne	1	0.15
813	Cigarettes, tobacco (type unspecified)	1	0.15
818	Nicotine	1	0.15
829	Robitussin DM <OTC>	6	0.87
843	Cold medicine, cold tablets <OTC>	1	0.15
847	GHB, NSC, gamma hydroxybutyrate	7	1.02
852	Formaldehyde, wak, whack (embalming fluid)	1	0.15
883	Dextromethorphan hydrobromide <OTC>	14	2.04
900	Not a drug	1	0.15
1001	Benadryl, Diphenhydramine <OTC>	12	1.75
3051	Betel nut, beetlenut	2	0.29
3052	Speed, otherwise unspecified	2	0.29
3145	Jornay PM	1	0.15
3501	Amphetamine/dextroamphetamine salts	1	0.15
4044	Hydrocodone	1	0.15
6005	Sassafras, sassafras tea	5	0.73
6012	Cloud 9, cloud 13	1	0.15
6029	DXM	18	2.62
6030	Root	1	0.15
6043	Diviner's sage, Salvia divinorum	1	0.15
6044	Gel caps, gel tabs	2	0.29
6048	Dex	1	0.15
6061	5-MeO-DMT	4	0.58
6062	Madderwort, wormwood	1	0.15
6064	Marigold buttons	1	0.15
6074	LSA	23	3.35
6077	San Pedro	5	0.73
6079	Sugar cubes	1	0.15
6083	CCC, 'Triple C,' C3 <OTC>	2	0.29
6087	Ibogaine	1	0.15
6091	Ergot, rye mold	1	0.15
6102	Absinthe	4	0.58
6103	Ayahuasca, Yahe	30	4.37
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT	1	0.15
6118	Adrenochrome	2	0.29
6122	MMDA	1	0.15
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I	21	3.06
6127	Skittles	1	0.15
6132	Amanita mushrooms, fly agaric, muscimol	5	0.73
6137	Harmaline	2	0.29
6138	2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine	15	2.18

Table B.3 Tabulation of Hallucinogen OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Hallucinogen Drugs Specified
6141	DPT, Dipropyltryptamine, N,N-Dipropyltryptamine	1	0.15
6143	2C-X	3	0.44
6167	4-HO-DMT, Psilocin	1	0.15
6168	2,5-Dimethoxy-4-iodoamphetamine, DOI	1	0.15
6169	2,5-dimethoxy-4-chloroamphetamine, DOC	5	0.73
6170	Moonflower/pod, otherwise unspecified	1	0.15
6171	4-acetoxy-N,N-dimethyltryptamine, 4-AcO-DMT	7	1.02
6173	2,5-dimethoxy-4-bromoamphetamine, DOB	2	0.29
6179	4-HO-HiPT, 4-Hydroxy-MiPT, 4-HO-MiPT, Miprocin	3	0.44
6181	4-HO-MET, 4-Hydroxy-N-methyl-N-ethytryptamine	1	0.15
6184	Orange peels	1	0.15
6185	25I-NBOMe, 2C-I-NBOMe, BOM-CI, Cimbi-5	16	2.33
6186	3-MeO-2-Oxo-PCE, MXE, Methoxetamine	3	0.44
6188	25B-NBOMe, NBOMe-2C-B	2	0.29
6189	25C-NBOMe, 2C-C-NBOMe, NBOMe-2C-C, N-Bomb	4	0.58
6192	5-MeO-MiPT	1	0.15
6195	LSZ, Lysergic acid 2,4-dimethylazetidide	3	0.44
6196	Changa	1	0.15
6203	NBOMe; otherwise unspecified	9	1.31
6204	Hallucinogen from toothpaste	1	0.15
6206	Blue Egyptian lotus, blue lotus	3	0.44
6208	3-MeO-PCP, 3-Methoxyphencyclidine	1	0.15
6209	1P-LSD	3	0.44
6213	Synthetic/synthesized LSD/acid; otherwise unspecified	3	0.44
6217	25D-NBOMe	1	0.15
6225	DCK, Deschloroketamine	1	0.15
6229	LSD analogue; otherwise unspecified	4	0.58
6245	Human blood	1	0.15
6246	5-Bromo-DMT, 5-Bromo-N, N-dimethyltryptamine	2	0.29
6247	Sunflower seeds	1	0.15
6248	b-Carboline Monoamine Oxidase	1	0.15
8011	Herb, flower, plant; type unspecified	5	0.73
8012	Coriciden <OTC>	2	0.29
8058	Cough medicine/syrup, type unspecified	2	0.29
8085	Anti-psychotics/schizophrenic, type unspcfd	2	0.29
8100	Kava Kava <OTC>	2	0.29
8168	Fluoride	1	0.15
8192	Delsym, Dextromethorphan polistirex <OTC>	1	0.15
8237	Kratom	1	0.15
8276	Bitter grass, Calea zacatechichi, Dream herb	1	0.15
8283	Synthetic/synthesized cannabinoids (eg, K2, Spice, JWH-018)	13	1.89
8301	Bath salts/synthetic cathinone; otherwise unspcfd	2	0.29
8351	6-APB, Benzo Fury	1	0.15
8368	alpha-PVP, alpha-Pyrrolidinopentiophenone	3	0.44

Table B.3 Tabulation of Hallucinogen OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Hallucinogen Drugs Specified
8394	Magnesium chloride <OTC>	1	0.15
8446	Edibles, not otherwise specified	1	0.15
8469	Coleus leaves/plant	1	0.15
8545	Dimenhydrinate, Dramamine, sea/motion sickness <OTC>	2	0.29
8546	Scopolamine	1	0.15
8553	Bupropion, Wellbutrin, Zyban	1	0.15

Table B.4 Tabulation of Pain Reliever OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Pain Reliever Drugs Specified
146	Bentyl, Dicyclomine	1	0.26
174	Ambien	1	0.26
180	Tylenol PM <OTC>	1	0.26
201	Valium	1	0.26
209	Xanax	3	0.79
223	Methocarbamol	2	0.53
234	Flexeril	2	0.53
288	Baclofen	1	0.26
290	Metaxalone, Skelaxin	1	0.26
408	Dilaudid, Hydromorphone	2	0.53
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	17	4.47
422	Motrin	5	1.32
423	Percocet	1	0.26
424	Fioricet	1	0.26
425	Advil <OTC>	65	17.11
430	Aspirin, Ecotrin, Empirin <OTC>	7	1.84
434	Vicodin	3	0.79
435	Tylenol, Tylenol Extra-Strength <OTC>	110	28.95
438	Anaprox, Naprosyn, Naproxen, Naxen	7	1.84
442	Ibuprofen	39	10.26
450	Acetaminophen, incl. non-Tylenol brands <OTC>	10	2.63
466	Midol <OTC>	2	0.53
468	Excedrin <OTC>	2	0.53
481	Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.26
499	Aleve <OTC>	21	5.53
820	Penicillin	1	0.26
821	Amoxicillin, Ampicillin, Pentrexly	2	0.53
1001	Benadryl, Diphenhydramine <OTC>	8	2.11
1018	Advil PM <OTC>	1	0.26
1034	Topiramate	1	0.26
2002	Muscle relaxers	3	0.79
2509	Cyclobenzaprine	3	0.79
2512	Hydroxyzine	2	0.53
3023	Adderall	4	1.05
3111	Vyvanse	1	0.26
4043	Tramadol	2	0.53
4044	Hydrocodone	5	1.32
4046	Oxycodone	2	0.53
4051	Celebrex	1	0.26
4056	Cataflam, Diclofenac, Voltaren	3	0.79
4082	Analgin, Dipyrone, Metamizol, Metamizole, Prodolin	1	0.26
4102	Mobic, Meloxicam	2	0.53
4137	Nucynta, Tapentadol	1	0.26
4150	Subutex	1	0.26

Table B.4 Tabulation of Pain Reliever OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Pain Reliever Drugs Specified
4166	zubsolv (buprenorphine/naloxone); sublingual	1	0.26
4501	Lortab	5	1.32
4502	Norco	1	0.26
4505	Oxycodone product, unspecified	1	0.26
8007	Gabapentin, Neurontin	7	1.84
8024	Asthma inhaler, asthma medication, bronchial dilator	1	0.26
8097	Tizanidine, Zanaflex	1	0.26
8110	Over-the-counter drug/pills, type unspecified	1	0.26
8192	Delsym, Dextromethorphan polistirex <OTC>	1	0.26
8225	Cymbalta, Duloxetine	1	0.26
8236	Lyrica, Pregabalin	1	0.26
8420	Apixaban, Eliquis	2	0.53
8470	Levocetirizine, Xyzal	1	0.26
8510	Desyrel, Trazodone hydrochloride	2	0.53
8513	Amitriptyline, Elavil	1	0.26
8519	Prozac, Fluoxetine	1	0.26
8524	Aventyl, Nortab, Nortriptyline, Pamelor	1	0.26
8535	Risperdal, Risperdol, Risperidone	1	0.26

Table B.5 Tabulation of Stimulant OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Stimulant Drugs Specified
306	Desoxyn	1	3.03
313	Adipex-P	1	3.03
318	Ritalin	1	3.03
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	1	3.03
542	Brasso, lens cleaner, spirits of ammonia	1	3.03
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	1	3.03
2511	Buspirone	1	3.03
2512	Hydroxyzine	2	6.06
3023	Adderall	4	12.12
3111	Vyvanse	3	9.09
3508	Modafinil	3	9.09
4043	Tramadol	1	3.03
8233	Keppra, Levetiracetam	1	3.03
8237	Kratom	1	3.03
8374	5-hour Energy <OTC>	2	6.06
8427	Energy drink; product unspecified	2	6.06
8475	Cyproheptadine	1	3.03
8483	Tianna Red, ZaZa Red	1	3.03
8519	Prozac, Fluoxetine	1	3.03
8553	Bupropion, Wellbutrin, Zyban	3	9.09
8557	Atomoxetine, Strattera	1	3.03

Table B.6 Tabulation of Sedative OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Sedative Drugs Specified
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	2	2.90
176	Melatonin <OTC>	3	4.35
201	Valium	1	1.45
206	Tranxene	1	1.45
209	Xanax	2	2.90
215	Vistaril	1	1.45
246	Klonopin	1	1.45
415	Codeine pills	1	1.45
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	1	1.45
425	Advil <OTC>	2	2.90
435	Tylenol, Tylenol Extra-Strength <OTC>	2	2.90
442	Ibuprofen	1	1.45
821	Amoxicillin, Ampicillin, Pentrexly	1	1.45
1001	Benadryl, Diphenhydramine <OTC>	16	23.19
1011	Eszopiclone, Lunesta	1	1.45
2504	Clonazepam	1	1.45
2512	Hydroxyzine	7	10.14
4046	Oxycodone	1	1.45
4109	Suboxone	1	1.45
8007	Gabapentin, Neurontin	3	4.35
8385	Belsomra	2	2.90
8505	Quetiapine, Seroquel	4	5.80
8510	Desyrel, Trazodone hydrochloride	11	15.94
8513	Amitriptyline, Elavil	1	1.45
8530	Sertraline hydrochloride, Zoloft	1	1.45
8541	Mirtazapine, Remeron	1	1.45

Table B.7 Tabulation of Special Drugs OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Special Drugs Specified
109	Seconal	2	0.39
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	2	0.39
157	Barbiturates	1	0.19
201	Valium	3	0.58
209	Xanax	8	1.55
246	Klonopin	2	0.39
278	Benzodiazepines	3	0.58
318	Ritalin	7	1.36
322	Methamphetamine (‘ice’ or ‘crank’), Meth	52	10.08
332	Ephedrine	1	0.19
339	Amphetamines, otherwise unspecified	2	0.39
344	Bennies	1	0.19
394	Debs	1	0.19
407	Demerol	2	0.39
408	Dilaudid, Hydromorphone	44	8.53
417	Morphine	38	7.36
418	Methadone	5	0.97
420	OTHER Pain Reliever, NOT OTHERWISE SPECIFIED	6	1.16
423	Percocet	14	2.71
434	Vicodin	3	0.58
465	Fentanyl	11	2.13
606	‘Ecstasy’ (MDMA), X-TC, ‘X’	5	0.97
616	DET, Dimethyltryptamine, DMT	1	0.19
658	Special K, Ketamine	12	2.33
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	3	0.58
702	Heroin	39	7.56
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	25	4.84
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	2	0.39
805	Cocaine, coca, cocaina, coke, perico	26	5.04
806	Crack, rock	7	1.36
807	Alcohol, beer, ethanol, EtOH, pink champagne	2	0.39
824	Steroids	5	0.97
848	Liquid vitamin, vitamin pills <OTC>	1	0.19
2003	Zanies, zannies, zans, zany bars	1	0.19
3023	Adderall	11	2.13
3052	Speed, otherwise unspecified	1	0.19
3111	Vyvanse	2	0.39
4046	Oxycodone	30	5.81
4047	Roxicet	1	0.19
4056	Cataflam, Diclofenac, Voltaren	1	0.19
4065	Roxicodone	6	1.16
4067	OxyContin	36	6.98
4109	Suboxone	18	3.49
4119	Buprenorphine	2	0.39

Table B.7 Tabulation of Special Drugs OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Special Drugs Specified
4120	Opana	11	2.13
4150	Subutex	2	0.39
4501	Lortab	1	0.19
4502	Norco	1	0.19
4505	Oxycodone product, unspecified	12	2.33
6005	Sassafras, sassafras tea	1	0.19
6114	Molly, not otherwise specified	6	1.16
8007	Gabapentin, Neurontin	2	0.39
8067	Testosterone	14	2.71
8072	Deca-Durabolin, Nandrolone decanoate	1	0.19
8083	Testosterone cypronate	1	0.19
8088	Dianabol	1	0.19
8114	Lidocaine	1	0.19
8129	Equipoise, Equipose	2	0.39
8188	Anadrol	1	0.19
8212	Finaplix Gold, Trembolona QV75, Trenbolone	1	0.19
8224	Oxytocin, Pitocin, Syntocinon	1	0.19
8245	Human growth hormone (HGH)	1	0.19
8301	Bath salts/synthetic cathinone; otherwise unspcfd	1	0.19
8342	Nalone, Naloxone, Narcan	1	0.19
8394	Magnesium chloride <OTC>	1	0.19
8452	Liraglutide, Saxenda, Victoza	1	0.19
8466	Iloperidone, Fanapt	1	0.19
8476	Bupivacaine, Marcaine	1	0.19
8477	Betamethasone	1	0.19
8478	Hyaluronic acid	1	0.19
8481	Ozempic, Semaglutide injection	1	0.19
8482	Bremelanotide, PT-141	1	0.19
8553	Bupropion, Wellbutrin, Zyban	1	0.19

Table B.8 Tabulation of Tranquilizer OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Tranquilizer Drugs Specified
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	2	4.55
171	NyQuil <OTC>	1	2.27
207	Ativan	1	2.27
209	Xanax	1	2.27
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	6	13.64
288	Baclofen	1	2.27
499	Aleve <OTC>	1	2.27
658	Special K, Ketamine	1	2.27
896	Catapres, Clonidine	2	4.55
1001	Benadryl, Diphenhydramine <OTC>	1	2.27
1501	Zolpidem	2	4.55
2511	Buspirone	2	4.55
2512	Hydroxyzine	4	9.09
4067	OxyContin	1	2.27
8007	Gabapentin, Neurontin	1	2.27
8008	Antidepressant, type unspecified	1	2.27
8406	Xyrem	1	2.27
8505	Quetiapine, Seroquel	4	9.09
8510	Desyrel, Trazodone hydrochloride	6	13.64
8524	Aventyl, Nortab, Nortriptyline, Pamelor	1	2.27
8530	Sertraline hydrochloride, Zoloft	1	2.27
8535	Risperdal, Risperdol, Risperidone	1	2.27
8536	Olanzapine, Zyprexa	1	2.27
8549	Escitalopram, Lexapro	1	2.27

Table B.9 Tabulation of Treatment OTHER, Specifies

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Treatment Drugs Specified
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	2	1.42
191	Blues	1	0.71
211	BuSpar	1	0.71
322	Methamphetamine (‘ice’ or ‘crank’), Meth	9	6.38
348	Crystal	1	0.71
415	Codeine pills	1	0.71
418	Methadone	2	1.42
422	Motrin	1	0.71
423	Percocet	1	0.71
434	Vicodin	1	0.71
435	Tylenol, Tylenol Extra-Strength <OTC>	2	1.42
442	Ibuprofen	1	0.71
465	Fentanyl	10	7.09
499	Aleve <OTC>	3	2.13
601	LSD (‘acid’)	1	0.71
604	Psilocybin (mushrooms), sclerotia, shrooms	1	0.71
606	‘Ecstasy’ (MDMA), X-TC, ‘X’	1	0.71
616	DET, Dimethyltryptamine, DMT	1	0.71
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.71
702	Heroin	3	2.13
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	5	3.55
802	THC, cannabinol, marinol, tetrahydrocannabinol	1	0.71
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	15	10.64
805	Cocaine, coca, cocaina, coke, perico	2	1.42
806	Crack, rock	2	1.42
807	Alcohol, beer, ethanol, EtOH, pink champagne	3	2.13
813	Cigarettes, tobacco (type unspecified)	1	0.71
818	Nicotine	5	3.55
819	Inderal, Propranolol	1	0.71
840	Over-the-counter-cough med (contents unspec)	2	1.42
883	Dextromethorphan hydrobromide <OTC>	1	0.71
891	Famotidine, Pepcid	1	0.71
894	Depakene, Depakote, Divalproex sodium, Valproic acid	1	0.71
900	Not a drug	4	2.84
1001	Benadryl, Diphenhydramine <OTC>	2	1.42
1011	Eszopiclone, Lunesta	2	1.42
2003	Zanies, zannies, zans, zany bars	1	0.71
2501	Alprazolam	1	0.71
2511	Buspirone	1	0.71
2512	Hydroxyzine	2	1.42
3086	Adderall XR	1	0.71
4046	Oxycodone	1	0.71
4067	OxyContin	1	0.71
4109	Suboxone	1	0.71

Table B.9 Tabulation of Treatment OTHER, Specifies (continued)

Drug Code	Drug Name	Number of Times Mentioned in OTHER, Specifies	Percentage of All Treatment Drugs Specified
4119	Buprenorphine	1	0.71
4505	Oxycodone product, unspecified	1	0.71
8058	Cough medicine/syrup, type unspecified	2	1.42
8134	Glucophage, Metformin	1	0.71
8172	Cortisone	1	0.71
8225	Cymbalta, Duloxetine	1	0.71
8237	Kratom	1	0.71
8240	Lamictal, Lamotrigine	1	0.71
8247	Abilify, Aripiprazole	1	0.71
8366	Omeprazole	1	0.71
8385	Belsomra	1	0.71
8446	Edibles, not otherwise specified	1	0.71
8455	Delta-8	1	0.71
8465	Accutane, Iotretinoin	1	0.71
8467	Brintellix, Trintellix, Vortioxetine	1	0.71
8468	Metoprolol	1	0.71
8471	Rifaximin, Xifaxan	1	0.71
8472	Xylazine	1	0.71
8483	Tianna Red, ZaZa Red	2	1.42
8513	Amitriptyline, Elavil	1	0.71
8519	Prozac, Fluoxetine	2	1.42
8522	Adapin, Doxepin, Sinequan	1	0.71
8530	Sertraline hydrochloride, Zoloft	2	1.42
8533	Paroxetine, Paxil	1	0.71
8535	Risperdal, Risperdol, Risperidone	2	1.42
8537	Celexa, Citalopram	1	0.71
8541	Mirtazapine, Remeron	1	0.71
8549	Escitalopram, Lexapro	2	1.42
8553	Bupropion, Wellbutrin, Zyban	6	4.26

Appendix C

Nicotine Dependence and Substance Use Disorder

C.1 Introduction

The 2023 National Survey on Drug Use and Health (NSDUH) included questions that were designed to measure dependence on nicotine and drug[1] or alcohol use disorder. Drug or alcohol use disorder is also referred to as substance use disorder (SUD). This appendix includes information on the definitions and coding specifications of the variables that measure nicotine dependence and SUD, along with weighting and variance estimation information. The variable specifications are provided for nicotine dependence and SUD, respectively, within separate sections of this appendix. For information about comparing NSDUH data between years, see Section 7 in the main Introduction of the codebook.

C.1.1 Nicotine Dependence and SUD Measures

For nicotine, questions pertaining to dependence were based on criteria from the Nicotine Dependence Syndrome Scale (NDSS; Shiffman et al., 1995; Shiffman et al., 2004) and the Fagerstrom Test of Nicotine Dependence (FTND; Fagerstrom, 1978; Heatherton et al., 1991). These criteria were first used to measure nicotine dependence in NSDUH in 2003. However, the measure was based on the use of cigarettes only. Nicotine dependence was not measured for respondents who did not smoke cigarettes in the past month but used other products containing nicotine.

For substances other than nicotine, which include alcohol, marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, prescription pain relievers, prescription tranquilizers, prescription stimulants, and prescription sedatives, the 2023 questionnaire included SUD questions based on the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition (DSM-5; American Psychiatric Association, 2013). This includes respondents who reported use but not misuse of prescription drugs in the past year; they were asked questions about their substance use and could be classified as having an SUD based on those responses beginning in 2021.

Users of NSDUH data should also be aware that questions about the use of illegally made fentanyl (IMF) appeared after SUD questions in the 2023 NSDUH questionnaire. For this reason, overall SUD, drug use disorder, and opioid use disorder measures do not capture disorders currently characterized by only IMF use in the past year. See Section 3.4.1 in the *2023 National Survey on Drug Use and Health (NSDUH): Methodological Summary and Definitions* (Center for Behavioral Health Statistics and Quality [CBHSQ], 2024a) for additional information about the IMF questions.

The additional data from users but not misusers of prescription drugs led to the creation of new SUD outcome variables beginning in 2021. SUD outcome variables are available on the 2023 data file that are based on data from (1) misusers of prescription drugs, (2) users but not misusers of prescription drugs, and (3) any users of prescription drugs (i.e., the combination of the first two outcomes). The version of SUD variables based on data from any users of prescription drugs was the primary version of SUD used to generate estimates presented in the *Results from the 2023 National Survey on Drug Use and Health: Detailed Tables* (CBHSQ, 2024c) and in the *Key*

[1] Drugs include marijuana (including vaping), cocaine (including crack), heroin, hallucinogens, inhalants, methamphetamine, and any use of prescription psychotherapeutic drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives).

Substance Use and Mental Health Indicators in the United States: Results from the 2023 National Survey on Drug Use and Health report (CBHSQ, 2024b). The version of SUD variables based on data from people who misused prescription drugs and on data from people who used but did not misuse prescription drugs was not used to produce estimates presented in the 2023 Detailed Tables but was used to produce estimates in the 2023 Key Substance Use and Mental Health Indicators report. More information on the three versions of SUD variables is available later in this appendix in Sections C.3.8 through C.3.11.

C.1.2 SUD Severity Measures

For substances other than nicotine, in addition to being used to classify respondents with an SUD, the DSM-5 criteria questions included in the 2023 NSDUH can also be used to classify the severity of an SUD. The severity of an SUD according to DSM-5 criteria is determined by the number of individual criteria recorded as positive for a particular substance (or category of substances).

- People were classified as having an SUD of mild severity if they met two or three SUD criteria for that substance.
- People were classified as having an SUD of moderate severity if they met four or five SUD criteria for that substance.
- People were classified in the severe SUD category if they met six or more SUD criteria for that substance.

In addition to the three levels of SUD severity for individual substances, measures of severity were created for aggregate SUD categories starting with the 2022 NSDUH. These aggregate SUD categories include the following: any SUD, drug use disorder, prescription drug use disorder, tranquilizer or sedative use disorder, opioid use disorder, and CNS stimulant use disorder. SUD severity measures for these aggregate SUD categories were defined from the maximum severity level (i.e., mild, moderate, or severe) across the multiple SUDs that were included in the category. For example, if people had a moderate alcohol use disorder and a mild marijuana (cannabis) use disorder as their only SUDs in the past year, then they were classified as having moderate SUD.

C.2 Nicotine Dependence

The 2023 NSDUH questions designed to assess nicotine dependence were based on the NDSS and the FTND. To identify patterns of nicotine dependence within the 2023 NSDUH data, indicator variables were created to measure dependence on nicotine through the use of cigarettes. Respondents were classified as being dependent if they met either the NDSS or the FTND criteria for dependence. There was no change in the questions or variables definitions for nicotine dependence for the 2023 NSDUH.

C.2.1 Nicotine Dependence Syndrome Scale (NDSS)

The conceptual roots of the NDSS are similar to those behind the concept of dependence based on the *Diagnostic and Statistical Manual of Mental Disorders*, 4th edition (DSM-IV;

American Psychiatric Association, 1994; Edwards & Gross, 1976). The 2023 NSDUH contains 19 NDSS questions that address five aspects of dependence:

1. Smoking drive (compulsion to smoke driven by nicotine craving and withdrawal)
    a. After not smoking for a while, you need to smoke in order to feel less restless and irritable (CIGIRTBL)
    b. When you don't smoke for a few hours, you start to crave cigarettes (CIGCRAVE)
    c. You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control (CIGCRAGP)
    d. You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time (CIGINCTL)
    e. You sometimes worry that you will run out of cigarettes (CIGRNOUT)
2. Nicotine tolerance
    a. Since you started smoking, the amount you smoke has increased (CIGINCRS)
    b. Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied (CIGSATIS)
    c. Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything (CIGLOTMR)
3. Continuous smoking
    a. You smoke cigarettes fairly regularly throughout the day (CIGREGDY)
    b. You smoke about the same amount on weekends as on weekdays (CIGREGWK)
    c. You smoke just about the same number of cigarettes from day to day (CIGREGNM)
    d. It's hard to say how many cigarettes you smoke per day because the number often changes (CIGNMCHG)
    e. It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later (CIGSVLHR)
4. Behavioral priority (preferring smoking over other reinforcing activities)
    a. You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them (CIGAVOID)
    b. There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke (CIGFNLKE)
    c. Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke (CIGPLANE)
5. Stereotypy (fixed patterns of smoking)
    a. Do you have any friends who do not smoke cigarettes (CIGFNSMK)
    b. The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example (CIGINFLU)
    c. Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others (CIGNOINF).

Each of these five domains can be assessed as separate measures, but an average score across all domains also can be obtained for overall nicotine dependence (Shiffman et al., 2004). In accordance with the scoring methods described by Shiffman and colleagues, the NDSS algorithm

for calculating this average score was based on the respondent's answers to 17 of the 19 questions listed above. The items regarding nonsmoking friends (4b - CIGFNLKE and 5a - CIGFNSMK) were excluded due to higher item nonresponse rates.

Responses to items CIGIRTBL, CIGCRAVE, CIGCRAGP, CIGAVOID, CIGPLANE, CIGRNOUT, CIGREGDY, CIGREGWK, CIGREGNM, CIGNOINF, CIGINCRS, CIGSATIS, and CIGLOTMR were coded from 1 to 5, where

1=Not at all true,
2=Somewhat true,
3=Moderately true,
4=Very true, and
5=Extremely true.

Responses to items CIGINCTL, CIGNMCHG, CIGSVLHR, and CIGINFLU were reverse coded from 5 to 1, where

5=Not at all true,
4=Somewhat true,
3=Moderately true,
2=Very true, and
1=Extremely true.

For respondents who reported smoking cigarettes in the past month, the total NDSS score was calculated as the sum of the recoded responses to the previous 17 questions. A respondent was classified as nicotine dependent, NDSSDEPND=1, if the total NDSS score was greater than or equal to 46.75 (corresponding to an average score of 2.75), regardless of whether any of the 17 NDSS questions were missing. If a respondent provided a response to all 17 questions and the total NDSS score was less than 46.75, then the respondent was determined to be nondependent, NDSSDEPND=0, based on the NDSS. If a respondent was missing at least 1 of the 17 questions but the sum of the nonmissing items plus the number of questions with missing data multiplied by 5 was less than 46.75, then the respondent was also determined to be nondependent, NDSSDEPND=0, based on the NDSS. Otherwise, NDSSDEPND was set to missing for past month users of cigarettes. The average NDSS threshold of 2.75 was derived by the scale developers by examining the distribution of scores in other samples of smokers who were administered the NDSS, including a contrast of scores obtained for nondependent smokers (chippers) versus heavy smokers (Shiffman et al., 1994).

C.2.2 Fagerstrom Test of Nicotine Dependence (FTND)

The FTND is a multi-item measure of dependence, but much of its ability to determine dependent smokers derives from a single item assessing how soon after waking smokers have their first cigarette (Heatherton et al., 1989). Because most nicotine is cleared from the bloodstream overnight, smokers typically wake in nicotine deprivation, and rapid movement to smoke is considered a sign of dependence. Respondents who reported smoking cigarettes in the past month were classified as nicotine dependent based on the FTND, FTNDDEPND=1, if the first cigarette smoked was within 30 minutes of waking up on the days they smoked (CIGWAKE=1 or 2). Past

month users of cigarettes who reported smoking their first cigarette more than 30 minutes after waking up on the days they smoked (CIGWAKE=3 or 4) were determined to be nondependent, FTNDDEPND=0, based on the FTND. Otherwise, FTNDDEPND was set to missing for past month users of cigarettes.

C.2.3 Overall Nicotine Dependence

Using both the NDSS and the FTND measures, respondents were classified as having nicotine dependence in the past month, PMNICDEP=1, if they met either the NDSS (NDSSDEPND=1) or FTND (FTNDDEPND=1) criteria for dependence. A past month cigarette user was determined to be nondependent in the past month if NDSSDEPND=0 and FTNDDEPND=0. Otherwise, nicotine dependence status was unknown for past month cigarette users.

Starting with the 2021 NSDUH, missing values in the composite recode, PMNICDEP, were replaced using statistical imputation. The imputed variable for nicotine dependence, IRPMNICDEP, was used to create estimates presented in the 2023 Detailed Tables (CBHSQ, 2024c). For more information on the imputation of nicotine dependence, see the *2023 National Survey on Drug Use and Health (NSDUH) Methodological Resource Book, Section 10: Editing and Imputation Report* (CBHSQ, forthcoming).

C.3 SUD

Beginning in 2021, all respondents received SUD questions that were based on the DSM-5. Missing values for the SUD and SUD severity measures for alcohol, marijuana, cocaine, heroin, inhalants, hallucinogens, methamphetamine, pain relievers, stimulants, sedatives, and tranquilizers were replaced with valid response categories using statistical imputation. However, the individual SUD criteria variables for a given substance were not imputed and may contain missing values.

This section describes the recodes for the individual SUD measures. Listed below are the definitions used for each of the individual SUD measures along with the corresponding severity variable names. Specific notes about any inconsistency issues for each measure are also included. Additional variables that were created using a combination of these individual SUD measures are described in Section C.4 and are also listed in the body of the codebook.

C.3.1 ALCOHOL

To be classified with alcohol use disorder, IRPYUD5ALC, a respondent must have met two or more of the following alcohol criteria in the past year. More specifically, respondents with two or three criteria are considered to have “mild” disorder (IRPYSEV5ALC=1); respondents with four or five criteria are considered to have “moderate” disorder (IRPYSEV5ALC=2); and respondents with six or more criteria are considered to have “severe” disorder (IRPYSEV5ALC=3).

(1) Ended up drinking alcohol many times in larger amounts or for a longer time than intended (UDALLRGAMTS=1)

(2) One or more times tried and was unable to cut down or stop drinking alcohol or wished could cut down or stop drinking alcohol (UDALNOTSTOP=1 or UDALWSHSTOP=1)
(3) Spent a great deal of time drinking alcohol, feeling its effects, or getting over the effects of drinking, or trying to get alcohol (UDALTIMEGET=1 or UDALTIMEUSE=1)
(4) Wanted to use alcohol so badly could not think of anything else (UDALWANTBAD=1) or had a strong urge to use alcohol (UDALSTRURGE=1)
(5) Serious problems at work, school, or home, such as
- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family
(UDALWORKPRB=1)

(6) Problems with family or friends that were caused or made worse by using alcohol (UDALFMLYPRB=1) and continued to use alcohol even though it often caused arguments or problems with family or friends (UDALFMLYCTD=1)
(7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of alcohol use (UDALSTOPACT=1)
(8) Repeatedly got into situations where drinking alcohol increased your chances of getting physically hurt (UDALGETHURT=1)
(9) Continued to use alcohol even though it was causing problems with emotions, mental health, or physical health, or drinking gave you repeated blackouts (UDALMNTLCTD=1 or UDALHLTHCTD=1 or UDALBLCKCTD=1)
(10) Needed to drink a lot more alcohol to get the desired feeling, or drinking the same amount had less of an effect (UDALNEEDMOR=1 or UDALLESSEFF=1)
(11) Reported experiencing two or more alcohol withdrawal symptoms after alcohol use was cut back or stopped or respondent used the same or similar substance to avoid having alcohol withdrawal symptoms during the past 12 months. Symptoms include (i) sweating or feeling that heart was beating fast (UDALWDSWEAT=1); (ii) having hands tremble (UDALWDTRMBL=1); (iii) having trouble sleeping (UDALWDSLEEP=1); (iv) vomiting or feeling nauseous (UDALWDVOMIT=1); (v) seeing, hearing, or feeling things that were not really there (UDALWDHALUC=1); (vi) feeling like could not sit still (UDALWDSITST=1); (vii) feeling anxious (UDALWDFLANX=1); and (viii) having seizures or fits (UDALWDSZURE[2]=1). Substances used to avoid withdrawal symptoms could include alcohol (UDALAVWALCO=1) or prescription sedatives, tranquilizers, sleeping pills, or downers (UDALAVWSVTR=1).

Note: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder.

[2] The having seizures or fits as an alcohol withdrawal symptom (UDALWDSZURE) is excluded from the file due to disclosure risk.

Therefore, it is possible for a respondent to have been imputed to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

C.3.2 MARIJUANA

To be classified with marijuana use disorder, IRPYUD5MRJ, a respondent must have met two or more of the following marijuana criteria in the past year. More specifically, respondents with two or three criteria are considered to have "mild" disorder (IRPYSEV5MRJ=1); respondents with four or five criteria are considered to have "moderate" disorder (IRPYSEV5MRJ=2); and respondents with six or more criteria are considered to have "severe" disorder (IRPYSEV5MRJ=3).

(1) Ended up using marijuana many times in larger amounts or for a longer time than intended (UDMJLRGAMTS=1)
(2) One or more times tried and was unable to cut down or stop using marijuana or wished could cut down or stop using marijuana (UDMJNOTSTOP=1 or UDMJWSHSTOP=1)
(3) Spent a great deal of time using marijuana, feeling its effects, or getting over the effects, or trying to get marijuana (UDMJTIMEGET=1 or UDMJTIMEUSE=1)
(4) Wanted to use marijuana so badly could not think of anything else (UDMJWANTBAD=1) or had a strong urge to use marijuana (UDMJSTRURGE=1)
(5) Serious problems at work, school, or home, such as
   - missing a lot of work or school
   - getting demoted, having your hours cut, or losing a job
   - not being able to get a job or keep a job
   - getting suspended, expelled, or dropping out of school
   - failing to take care of family
   (UDMJWORKPRB=1)
(6) Problems with family or friends that were caused or made worse by using marijuana (UDMJFMLYPRB=1) and continued to use marijuana even though it often caused arguments or problems with family or friends (UDMJFMLYCTD=1)
(7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of marijuana use (UDMJSTOPACT=1)
(8) Repeatedly got into situations where using marijuana increased your chances of getting physically hurt (UDMJGETHURT=1)
(9) Continued to use marijuana even though it was causing problems with emotions, mental health, or physical health (UDMJMNTLCTD=1 or UDMJHLTHCTD=1)
(10) Needed to use marijuana a lot more to get the desired feeling, or use of the same amount had less of an effect (UDMJNEEDMOR=1 or UDMJLESSEFF=1)
(11) Reported experiencing three or more marijuana withdrawal symptoms after marijuana use was cut back or stopped or respondent used the same or similar substance to avoid having marijuana withdrawal symptoms during the past 12 months. Symptoms include (i) feeling irritable or angry (UDMJWDANGRY=1); (ii) feeling anxious or nervous (UDMJWDFLANX=1); (iii) having trouble sleeping (UDMJWDSLEEP=1); (iv) losing your appetite or losing weight without trying to (UDMJWDAPPET=1); (v) feeling like you couldn't sit still (UDMJWDSITST=1); (vi) feeling depressed

(UDMJWDDEPRS=1); and experiencing at least one for the following physical symptoms: stomach ache (UDMJWDSTMCH=1), shaking or tremors (UDMJWDSHAKE=1), sweating (UDMJWDSWEAT=1), fever (UDMJWDFEVER=1), chills (UDMJWDCHILL=1), or headache (UDMJWDHEDAC=1). Substances used to avoid withdrawal symptoms could include marijuana, hashish, or another cannabis product (UDMJAVWMARJ=1).

Note: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have been imputed to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

C.3.3 COCAINE

To be classified with cocaine use disorder, IRPYUD5COC, a respondent must have met two or more of the following cocaine criteria in the past year. More specifically, respondents with two or three criteria are considered to have "mild" disorder (IRPYSEV5COC=1); respondents with four or five criteria are considered to have "moderate" disorder IRPYSEV5COC=2); and respondents with six or more criteria are considered to have "severe" disorder (IRPYSEV5COC=3).

(1) Ended up using cocaine many times in larger amounts or for a longer time than intended (UDCCLRGAMTS=1)
(2) One or more times tried and was unable to cut down or stop using cocaine or wished could cut down or stop using cocaine (UDCCNOTSTOP=1 or UDCCWSHSTOP=1)
(3) Spent a great deal of time using cocaine, feeling its effects, or getting over the effects, or trying to get cocaine (UDCCTIMEGET=1 or UDCCTIMEUSE=1)
(4) Wanted to use cocaine so badly could not think of anything else (UDCCWANTBAD=1) or had a strong urge to use cocaine (UDCCSTRURGE=1)
(5) Serious problems at work, school, or home, such as
   - missing a lot of work or school
   - getting demoted, having your hours cut, or losing a job
   - not being able to get a job or keep a job
   - getting suspended, expelled, or dropping out of school
   - failing to take care of family
   (UDCCWORKPRB=1)
(6) Problems with family or friends that were caused or made worse by using cocaine (UDCCFMLYPRB=1) and continued to use cocaine even though it often caused arguments or problems with family or friends (UDCCFMLYCTD=1)
(7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of cocaine use (UDCCSTOPACT=1)
(8) Repeatedly got into situations where using cocaine increased your chances of getting physically hurt (UDCCGETHURT=1)

(9) Continued to use cocaine even though it was causing problems with emotions, mental health, or physical health (UDCCMNTLCTD=1 or UDCCHLTHCTD=1)
(10) Needed to use cocaine a lot more to get the desired feeling, or use of the same amount had less of an effect (UDCCNEEDMOR=1 or UDCCLESSEFF=1)
(11) Reported at least one of the following: (1) feeling blue or down when trying to stop or cut down using cocaine (UDCCWDFLBLU=1) as well as experiencing two or more additional cocaine withdrawal symptoms (listed below) after cocaine use was cut back or stopped; or (2) having used the same or similar substance to avoid having cocaine withdrawal symptoms during the past 12 months. Symptoms include (i) feeling tired or exhausted (UDCCWDTIRED=1), (ii) having bad dreams (UDCCWDDREAM=1), (iii) having trouble sleeping or sleeping more than normal (UDCCWDSLEEP=1), (iv) feeling hungry more often (UDCCWDHNGRY=1), and (v) feeling either very slowed down or like could not sit still (UDCCWDSITST=1). Substances used to avoid withdrawal symptoms could include cocaine (UDCCAVWCOCN=1), methamphetamine (UDCCAVWMETH=1), or prescription stimulants or uppers (UDCCAVWSTIM=1).

Note: Respondents could answer the cocaine use disorder questions if they reported injecting cocaine with a needle in the past year in the special drugs section, even if they reported not using cocaine in the past year in the cocaine section. Thus, situations may exist where respondents were classified as having a cocaine use disorder, even though they had not used cocaine in the past year according to the imputed recency variable (IRCOCRC).

C.3.4 HEROIN

To be classified with heroin use disorder, IRPYUD5HER, a respondent must have met two or more of the following heroin criteria in the past year. More specifically, respondents with two or three criteria are considered to have "mild" disorder (IRPYSEV5HER=1); respondents with four or five criteria are considered to have "moderate" disorder (IRPYSEV5HER=2); and respondents with six or more criteria are considered to have "severe" disorder (IRPYSEV5HER=3).

(1) Ended up using heroin many times in larger amounts or for a longer time than intended (UDHELRGAMTS=1)
(2) One or more times tried and was unable to cut down or stop using heroin or wished could cut down or stop using heroin (UDHENOTSTOP=1 or UDHEWSHSTOP=1)
(3) Spent a great deal of time using heroin, feeling its effects, or getting over the effects, or trying to get heroin (UDHETIMEGET=1 or UDHETIMEUSE=1)
(4) Wanted to use heroin so badly could not think of anything else (UDHEWANTBAD=1) or had a strong urge to use heroin (UDHESTRURGE=1)
(5) Serious problems at work, school, or home, such as
- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family
(UDHEWORKPRB=1)

(6) Problems with family or friends that were caused or made worse by using heroin (UDHEFMLYPRB=1) and continued to use heroin even though it often caused arguments or problems with family or friends (UDHEFMLYCTD=1)
(7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of heroin use (UDHESTOPACT=1)
(8) Repeatedly got into situations where using heroin increased your chances of getting physically hurt (UDHEGETHURT=1)
(9) Continued to use heroin even though it was causing problems with emotions, mental health, or physical health (UDHEMNTLCTD=1 or UDHEHLTHCTD=1)
(10) Needed to use heroin a lot more to get the desired feeling, or use of the same amount had less of an effect (UDHENEEDMOR=1 or UDHELESSEFF=1)
(11) Reported experiencing three or more heroin withdrawal symptoms after heroin use was cut back or stopped or respondent used the same or similar substance to avoid having heroin withdrawal symptoms during the past 12 months. Symptoms include (i) feeling kind of blue or down (UDHEWDFLBLU=1); (ii) vomiting or feeling nauseous (UDHEWDVOMIT=1); (iii) having cramps or muscle aches (UDHEWDCRAMP=1); (iv) having teary eyes or a runny nose (UDHEWDRUNNY=1); (v) feeling sweaty, having enlarged eye pupils, or having body hair standing up on skin (UDHEWDSWEAT=1); (vi) having diarrhea (UDHEWDDIARR=1); (vii) yawning (UDHEWDYAWNS=1); (viii) having a fever (UDHEWDFEVER=1); and (ix) having trouble sleeping (UDHEWDSLEEP=1). Substances used to avoid withdrawal symptoms could include heroin (UDHEAVWHERN=1) or prescriptions pain relievers (UDHEAVWPNRL=1).

Note: Respondents could answer the heroin use disorder questions if they reported injecting with a needle, smoking, sniffing, or snorting heroin in the past year in the special drugs section, even if they reported not using heroin in the past year in the heroin section. Thus, situations may exist where respondents were classified as having a heroin use disorder, even though they had not used heroin in the past year according to the imputed recency variable (IRHERRC).

C.3.5 HALLUCINOGENS

To be classified with hallucinogen use disorder, IRPYUD5HAL, a respondent must have met two or more of the following hallucinogen criteria in the past year. More specifically, respondents with two or three criteria are considered to have "mild" disorder (IRPYSEV5HAL=1); respondents with four or five criteria are considered to have "moderate" disorder (IRPYSEV5HAL=2); and respondents with six or more criteria are considered to have "severe" disorder (IRPYSEV5HAL=3).

(1) Ended up using hallucinogens many times in larger amounts or for a longer time than intended (UDHALRGAMTS=1)
(2) One or more times tried and was unable to cut down or stop using hallucinogens or wished could cut down or stop using hallucinogens (UDHANOTSTOP=1 or UDHAWSHSTOP=1)
(3) Spent a great deal of time using hallucinogens, feeling its effects, or getting over the effects, or trying to get hallucinogens (UDHATIMEGET=1 or UDHATIMEUSE=1)

(4) Wanted to use hallucinogens so badly could not think of anything else (UDHAWANTBAD=1) or had a strong urge to use hallucinogens (UDHASTRURGE=1)
(5) Serious problems at work, school, or home, such as
   − missing a lot of work or school
   − getting demoted, having your hours cut, or losing a job
   − not being able to get a job or keep a job
   − getting suspended, expelled, or dropping out of school
   − failing to take care of family
   (UDHAWORKPRB=1)
(6) Problems with family or friends that were caused or made worse by using hallucinogens (UDHAFMLYPRB=1) and continued to use hallucinogens even though it often caused arguments or problems with family or friends (UDHAFMLYCTD=1)
(7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of hallucinogen use (UDHASTOPACT=1)
(8) Repeatedly got into situations where using hallucinogens increased your chances of getting physically hurt (UDHAGETHURT=1)
(9) Continued to use hallucinogens even though it was causing problems with emotions, mental health, or physical health (UDHAMNTLCTD=1 or UDHAHLTHCTD=1)
(10) Needed to use hallucinogens a lot more to get the desired feeling, or use of the same amount had less of an effect (UDHANEEDMOR=1 or UDHALESSEFF=1)

C.3.6 INHALANTS

To be classified with inhalant use disorder, IRPYUD5INH, a respondent must have met two or more of the following inhalant criteria in the past year. More specifically, respondents with two or three criteria are considered to have "mild" disorder (IRPYSEV5INH=1); respondents with four or five criteria are considered to have "moderate" disorder (IRPYSEV5INH=2); and respondents with six or more criteria are considered to have "severe" disorder (IRPYSEV5INH=3).

(1) Ended up using inhalants many times in larger amounts or for a longer time than intended (UDINLRGAMTS=1)
(2) One or more times tried and was unable to cut down or stop using inhalants or wished could cut down or stop using inhalants (UDINNOTSTOP=1 or UDINWSHSTOP=1)
(3) Spent a great deal of time using inhalants, feeling its effects, or getting over the effects, or trying to get inhalants (UDINTIMEGET=1 or UDINTIMEUSE=1)
(4) Wanted to use inhalants so badly could not think of anything else (UDINWANTBAD=1) or had a strong urge to use inhalants (UDINSTRURGE=1)
(5) Serious problems at work, school, or home, such as
   − missing a lot of work or school
   − getting demoted, having your hours cut, or losing a job
   − not being able to get a job or keep a job
   − getting suspended, expelled, or dropping out of school
   − failing to take care of family
   (UDINWORKPRB=1)

(6) Problems with family or friends that were caused or made worse by using inhalants (UDINFMLYPRB=1) and continued to use inhalants even though it often caused arguments or problems with family or friends (UDINFMLYCTD=1)
(7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of inhalant use (UDINSTOPACT=1)
(8) Repeatedly got into situations where using inhalants increased your chances of getting physically hurt (UDINGETHURT=1)
(9) Continued to use inhalants even though it was causing problems with emotions, mental health, or physical health (UDINMNTLCTD=1 or UDINHLTHCTD=1)
(10) Needed to use inhalants a lot more to get the desired feeling, or use of the same amount had less of an effect (UDINNEEDMOR=1 or UDINLESSEFF=1)

C.3.7 METHAMPHETAMINE

To be classified with methamphetamine use disorder, IRPYUD5MTH, a respondent must have met two or more of the following methamphetamine criteria in the past year. More specifically, respondents with two or three criteria are considered to have "mild" disorder (IRPYSEV5MTH=1); respondents with four or five criteria are considered to have "moderate" disorder (IRPYSEV5MTH=2); and respondents with six or more criteria are considered to have "severe" disorder (IRPYSEV5MTH=3).

(1) Ended up using methamphetamine many times in larger amounts or for a longer time than intended (UDMELRGAMTS=1)
(2) One or more times tried and was unable to cut down or stop using methamphetamine or wished could cut down or stop using methamphetamine (UDMENOTSTOP=1 or UDMEWSHSTOP=1)
(3) Spent a great deal of time using methamphetamine, feeling its effects, or getting over the effects, or trying to get methamphetamine (UDMETIMEGET=1 or UDMETIMEUSE=1)
(4) Wanted to use methamphetamine so badly could not think of anything else (UDMEWANTBAD=1) or had a strong urge to use methamphetamine (UDMESTRURGE=1)
(5) Serious problems at work, school, or home, such as
   − missing a lot of work or school
   − getting demoted, having your hours cut, or losing a job
   − not being able to get a job or keep a job
   − getting suspended, expelled, or dropping out of school
   − failing to take care of family
   (UDMEWORKPRB=1)
(6) Problems with family or friends that were caused or made worse by using methamphetamine (UDMEFMLYPRB=1) and continued to use methamphetamine even though it often caused arguments or problems with family or friends (UDMEFMLYCTD=1)
(7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of methamphetamine use (UDMESTOPACT=1)
(8) Repeatedly got into situations where using methamphetamine increased your chances of getting physically hurt (UDMEGETHURT=1)

(9) Continued to use methamphetamine even though it was causing problems with emotions, mental health, or physical health (UDMEMNTLCTD=1 or UDMEHLTHCTD=1)
(10) Needed to use methamphetamine a lot more to get the desired feeling, or use of the same amount had less of an effect (UDMENEEDMOR=1 or UDMELESSEFF=1)
(11) Reported at least one of the following: (1) feeling blue or down when trying to stop or cut down using methamphetamine (UDMEWDFLBLU=1) as well as experiencing two or more additional methamphetamine withdrawal symptoms (listed below) after methamphetamine use was cut back or stopped; or (2) having used the same or similar substance to avoid having methamphetamine withdrawal symptoms during the past 12 months. Symptoms include (i) feeling tired or exhausted (UDMEWDTIRED=1), (ii) having bad dreams (UDMEWDDREAM=1), (iii) having trouble sleeping or sleeping more than normal (UDMEWDSLEEP=1), (iv) feeling hungry more often (UDMEWDHNGRY=1), and (v) feeling either very slowed down or like could not sit still (UDMEWDSITST=1). Substances used to avoid withdrawal symptoms could include methamphetamine (UDMEAVWMETH=1), cocaine or crack (UDMEAVWCOCN=1), or prescription stimulants or uppers (UDMEAVWSTIM=1).

Note: Respondents could answer the methamphetamine use disorder questions if they reported injecting methamphetamine with a needle in the past year in the special drugs section, even if they reported not using methamphetamine in the past year in the methamphetamine section. Thus, situations may exist where respondents were classified as having a methamphetamine use disorder, even though they had not used methamphetamine in the past year according to the imputed recency variable (IRMETHAMREC).

C.3.8 PRESCRIPTION PAIN RELIEVERS

Past year misusers of prescription pain relievers are classified with prescription pain reliever use disorder (IRUD5PNRMIS=1) if they met two or more of the following prescription pain reliever criteria in the past year. More specifically, past year misusers with two or three criteria are considered to have "mild" disorder (IRSEVPNRMIS=1); past year misusers with four or five criteria are considered to have "moderate" disorder (IRSEVPNRMIS=2); and past year misusers with six or more criteria are considered to have "severe" disorder (IRSEVPNRMIS=3). For past year users but not misusers of prescription pain relievers, the number of positive criteria required to classify a respondent with disorder (IRUD5PNRUNM) and to define disorder severity (IRSEVPNRUNM) are the same as for past year misusers. However, criteria 10 and 11 in the list below do not apply to respondents who used but did not misuse prescription drugs in the past year because tolerance and withdrawal can occur as normal physiological adaptations when people use these prescription drugs appropriately under medical supervision. Two additional recodes that include data from all past year users of prescription pain relievers, UDYR5PNRANY and SEVYRPNRANY, are also included on the data file. For past year misusers, UDYR5PNRANY and SEVYRPNRANY will equal IRUD5PNRMIS and IRSEVPNRMIS, respectively. For past year users but not misusers, UDYR5PNRANY and SEVYRPNRANY will equal IRUD5PNRUNM and IRSEVPNRUNM, respectively.

(1) Ended up using pain relievers many times in larger amounts or for a longer time than intended (UDPRLRGAMTS=1)

(2) One or more times tried and was unable to cut down or stop using pain relievers or wished could cut down or stop using pain relievers (UDPRNOTSTOP=1 or UDPRWSHSTOP=1)
(3) Spent a great deal of time using pain relievers, feeling its effects, or getting over the effects, or trying to get pain relievers (UDPRTIMEGET=1 or UDPRTIMEUSE=1)
(4) Wanted to use pain relievers so badly could not think of anything else (UDPRWANTBAD=1) or had a strong urge to use pain relievers (UDPRSTRURGE=1)
(5) Serious problems at work, school, or home, such as
   − missing a lot of work or school
   − getting demoted, having your hours cut, or losing a job
   − not being able to get a job or keep a job
   − getting suspended, expelled, or dropping out of school
   − failing to take care of family
   (UDPRWORKPRB=1)
(6) Problems with family or friends that were caused or made worse by using pain relievers (UDPRFMLYPRB=1) and continued to use pain relievers even though it often caused arguments or problems with family or friends (UDPRFMLYCTD=1)
(7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of pain reliever use (UDPRSTOPACT=1)
(8) Repeatedly got into situations where using pain relievers increased your chances of getting physically hurt (UDPRGETHURT=1)
(9) Continued to use pain relievers even though it was causing problems with emotions, mental health, or physical health (UDPRMNTLCTD=1 or UDPRHLTHCTD=1)
(10) Needed to use pain relievers a lot more to get the desired feeling, or use of the same amount had less of an effect (UDPRNEEDMOR=1 or UDPRLESSEFF=1)
(11) Reported experiencing three or more pain reliever withdrawal symptoms after pain reliever use was cut back or stopped or respondent used the same or similar substance to avoid having pain reliever withdrawal symptoms during the past 12 months. Symptoms include (i) feeling kind of blue or down (UDPRWDFLBLU=1); (ii) vomiting or feeling nauseous (UDPRWDVOMIT=1); (iii) having cramps or muscle aches (UDPRWDCRAMP=1); (iv) having teary eyes or a runny nose (UDPRWDRUNNY=1); (v) feeling sweaty, having enlarged pupils, or having body hair standing up on skin (UDPRWDSWEAT=1); (vi) having diarrhea (UDPRWDDIARR=1); (vii) yawning (UDPRWDYAWNS=1); (viii) having a fever (UDPRWDFEVER=1); and (ix) having trouble sleeping (UDPRWDSLEEP=1). Substances used to avoid withdrawal symptoms could include prescription pain relievers (UDPRAVWPNRL=1) or heroin (UDPRAVWHERN=1).

C.3.9 PRESCRIPTION TRANQUILIZERS

Past year misusers of prescription tranquilizers are classified with prescription tranquilizer use disorder (IRUD5TRQMIS=1) if they met two or more of the following prescription tranquilizer criteria in the past year. More specifically, past year misusers with two or three criteria are considered to have “mild” disorder (IRSEVTRQMIS=1); past year misusers with four or five criteria are considered to have “moderate” disorder (IRSEVTRQMIS=2); and past year misusers with six or more criteria are considered to have “severe” disorder (IRSEVTRQMIS=3). For past

year users but not misusers of prescription tranquilizers, the number of positive criteria required to classify a respondent with disorder (IRUD5TRQUNM) and to define disorder severity (IRSEVTRQUNM) are the same as for past year misusers. However, criteria 10 and 11 in the list below do not apply to respondents who used but did not misuse prescription drugs in the past year because tolerance and withdrawal can occur as normal physiological adaptations when people use these prescription drugs appropriately under medical supervision. Two additional recodes that include data from all past year users of prescription tranquilizers, UDYR5TRQANY and SEVYRTRQANY, are also included on the data file. For past year misusers, UDYR5TRQANY and SEVYRTRQANY will equal IRUD5TRQMIS and IRSEVTRQMIS, respectively. For past year users but not misusers, UDYR5TRQANY and SEVYRTRQANY will equal IRUD5TRQUNM and IRSEVTRQUNM, respectively.

(1) Ended up using tranquilizers many times in larger amounts or for a longer time than intended (UDTRLRGAMTS=1)
(2) One or more times tried and was unable to cut down or stop using tranquilizers or wished could cut down or stop using tranquilizers (UDTRNOTSTOP=1 or UDTRWSHSTOP=1)
(3) Spent a great deal of time using tranquilizers, feeling its effects, or getting over the effects, or trying to get tranquilizers (UDTRTIMEGET=1 or UDTRTIMEUSE=1)
(4) Wanted to use tranquilizers so badly could not think of anything else (UDTRWANTBAD=1) or had a strong urge to use tranquilizers (UDTRSTRURGE=1)
(5) Serious problems at work, school, or home, such as
    − missing a lot of work or school
    − getting demoted, having your hours cut, or losing a job
    − not being able to get a job or keep a job
    − getting suspended, expelled, or dropping out of school
    − failing to take care of family
    (UDTRWORKPRB=1)
(6) Problems with family or friends that were caused or made worse by using tranquilizers (UDTRFMLYPRB=1) and continued to use tranquilizers even though it often caused arguments or problems with family or friends (UDTRFMLYCTD=1)
(7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of tranquilizer use (UDTRSTOPACT=1)
(8) Repeatedly got into situations where using tranquilizers increased your chances of getting physically hurt (UDTRGETHURT=1)
(9) Continued to use tranquilizers even though it was causing problems with emotions, mental health, or physical health (UDTRMNTLCTD=1 or UDTRHLTHCTD=1)
(10) Needed to use tranquilizers a lot more to get the desired feeling, or use of the same amount had less of an effect (UDTRNEEDMOR=1 or UDTRLESSEFF=1)
(11) Reported experiencing two or more tranquilizer withdrawal symptoms after tranquilizer use was cut back or stopped or respondent used the same or similar substance to avoid having tranquilizer withdrawal symptoms during the past 12 months. Symptoms include (i) sweating or feeling that your heart was beating fast (UDTRWDSWEAT=1); (ii) having your hands tremble (UDTRWDTRMBL=1); (iii) having trouble sleeping (UDTRWDSLEEP=1); (iv) vomiting or having an upset stomach (UDTRWDVOMIT=1); (v) seeing, hearing, or feeling things that weren't

really there (UDTRWDHALUC=1); (vi) feeling like you couldn't sit still (UDTRWDSITST=1); feeling anxious (UDTRWDFLANX=1); having seizures or fits (UDTRWDSZURE[3]=1). Substances used to avoid withdrawal symptoms could include prescription tranquilizers, sedatives, downers, or sleeping pills (UDTRAVWSVTR=1) or alcohol (UDTRAVWALCO=1).

C.3.10 PRESCRIPTION STIMULANTS

Past year misusers of prescription stimulants are classified with prescription stimulant use disorder (IRUD5STMMIS=1) if they met two or more of the following prescription stimulant criteria in the past year. More specifically, past year misusers with two or three criteria are considered to have "mild" disorder (IRSEVSTMMIS=1); past year misusers with four or five criteria are considered to have "moderate" disorder (IRSEVSTMMIS=2); and past year misusers with six or more criteria are considered to have "severe" disorder (IRSEVSTMMIS=3). For past year users but not misusers of prescription stimulants, the number of positive criteria required to classify a respondent with disorder (IRUD5STMUNM) and to define disorder severity (IRSEVSTMUNM) are the same as for past year misusers. However, criteria 10 and 11 in the list below do not apply to respondents who used but did not misuse prescription drugs in the past year because tolerance and withdrawal can occur as normal physiological adaptations when people use these prescription drugs appropriately under medical supervision. Two additional recodes that include data from all past year users of prescription stimulants, UDYR5STMANY and SEVYRSTMANY, are also included on the data file. For past year misusers, UDYR5STMANY and SEVYRSTMANY will equal IRUD5STMMIS and IRSEVSTMMIS, respectively. For past year users but not misusers, UDYR5STMANY and SEVYRSTMANY will equal IRUD5STMUNM and IRSEVSTMUNM, respectively.

(1) Ended up using stimulants many times in larger amounts or for a longer time than intended (UDSTLRGAMTS=1)
(2) One or more times tried and was unable to cut down or stop using stimulants or wished could cut down or stop using stimulants (UDSTNOTSTOP=1 or UDSTWSHSTOP=1)
(3) Spent a great deal of time using stimulants, feeling its effects, or getting over the effects, or trying to get stimulants (UDSTTIMEGET=1 or UDSTTIMEUSE=1)
(4) Wanted to use stimulants so badly could not think of anything else (UDSTWANTBAD=1) or had a strong urge to use stimulants (UDSTSTRURGE=1)
(5) Serious problems at work, school, or home, such as
   - missing a lot of work or school
   - getting demoted, having your hours cut, or losing a job
   - not being able to get a job or keep a job
   - getting suspended, expelled, or dropping out of school
   - failing to take care of family
   (UDSTWORKPRB=1)

[3] The having seizures or fits as a prescription tranquilizer withdrawal symptom (UDTRWDSZURE) is excluded from the file due to disclosure risk.

(6) Problems with family or friends that were caused or made worse by using stimulants (UDSTFMLYPRB=1) and continued to use stimulants even though it often caused arguments or problems with family or friends (UDSTFMLYCTD=1)
(7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of stimulant use (UDSTSTOPACT=1)
(8) Repeatedly got into situations where using stimulants increased your chances of getting physically hurt (UDSTGETHURT=1)
(9) Continued to use stimulants even though it was causing problems with emotions, mental health, or physical health (UDSTMNTLCTD=1 or UDSTHLTHCTD=1)
(10) Needed to use stimulants a lot more to get the desired feeling, or use of the same amount had less of an effect (UDSTNEEDMOR=1 or UDSTLESSEFF=1)
(11) Reported at least one of the following: (1) feeling blue or down when trying to stop or cut down using stimulants (UDSTWDFLBLU=1) as well as experiencing two or more additional stimulant withdrawal symptoms after stimulant use was cut back or stopped; or (2) having used the same or similar substance to avoid having stimulant withdrawal symptoms (listed below) during the past 12 months. Symptoms include (i) feeling tired or exhausted (UDSTWDTIRED=1), (ii) having bad dreams (UDSTWDDREAM=1), (iii) having trouble sleeping or sleeping more than normal (UDSTWDSLEEP=1), (iv) feeling hungry more often (UDSTWDHNGRY=1), and (v) feeling either very slowed down or like could not sit still (UDSTWDSITST=1). Substances used to avoid withdrawal symptoms could include prescription stimulants or uppers (UDSTAVWSTIM=1), cocaine or crack (UDSTAVWCOCN=1), or methamphetamine (UDSTAVWMETH=1).

C.3.11 PRESCRIPTION SEDATIVES

Past year misusers of prescription sedatives are classified with prescription sedative use disorder (IRUD5SEDMIS=1) if they met two or more of the following prescription sedative criteria in the past year. More specifically, past year misusers with two or three criteria are considered to have "mild" disorder (IRSEVSEDMIS=1); past year misusers with four or five criteria are considered to have "moderate" disorder (IRSEVSEDMIS=2); and past year misusers with six or more criteria are considered to have "severe" disorder (IRSEVSEDMIS=3). For past year users but not misusers of prescription sedatives, the number of positive criteria required to classify a respondent with disorder (IRUD5SEDUNM) and to define disorder severity (IRSEVSEDUNM) are the same as for past year misusers. However, criteria 10 and 11 in the list below do not apply to respondents who used but did not misuse prescription drugs in the past year because tolerance and withdrawal can occur as normal physiological adaptations when people use these prescription drugs appropriately under medical supervision. Two additional recodes that include data from all past year users of prescription sedatives, UDYR5SEDANY and SEVYRSEDANY, are also included on the data file. For past year misusers, UDYR5SEDANY and SEVYRSEDANY will equal IRUD5SEDMIS and IRSEVSEDMIS, respectively. For past year users but not misusers, UDYR5SEDANY and SEVYRSEDANY will equal IRUD5SEDUNM and IRSEVSEDUNM, respectively.

(1) Ended up using sedatives many times in larger amounts or for a longer time than intended (UDSVLRGAMTS=1)

(2) One or more times tried and was unable to cut down or stop using sedatives or wished could cut down or stop using sedatives (UDSVNOTSTOP=1 or UDSVWSHSTOP=1)
(3) Spent a great deal of time using sedatives, feeling its effects, or getting over the effects, or trying to get sedatives (UDSVTIMEGET=1 or UDSVTIMEUSE=1)
(4) Wanted to use sedatives so badly could not think of anything else (UDSVWANTBAD=1) or had a strong urge to use sedatives (UDSVSTRURGE=1)
(5) Serious problems at work, school, or home, such as
   - missing a lot of work or school
   - getting demoted, having your hours cut, or losing a job
   - not being able to get a job or keep a job
   - getting suspended, expelled, or dropping out of school
   - failing to take care of family
   (UDSVWORKPRB=1)
(6) Problems with family or friends that were caused or made worse by using sedatives (UDSVFMLYPRB=1) and continued to use sedatives even though it often caused arguments or problems with family or friends (UDSVFMLYCTD=1)
(7) Gave up or spent a lot less time doing important social, occupational, or recreational activities because of sedative use (UDSVSTOPACT=1)
(8) Repeatedly got into situations where using sedatives increased your chances of getting physically hurt (UDSVGETHURT=1)
(9) Continued to use sedatives even though it was causing problems with emotions, mental health, or physical health (UDSVMNTLCTD=1 or UDSVHLTHCTD=1)
(10) Needed to use sedatives a lot more to get the desired feeling, or use of the same amount had less of an effect (UDSVNEEDMOR=1 or UDSVLESSEFF=1)
(11) Reported experiencing two or more sedative withdrawal symptoms after sedative use was cut back or stopped or respondent used the same or similar substance to avoid having sedative withdrawal symptoms during the past 12 months. Symptoms include (i) sweating or feeling that heart was beating fast (UDSVWDSWEAT=1); (ii) having hands tremble (UDSVWDTRMBL=1); (iii) having trouble sleeping or sleeping more than normal (UDSVWDSLEEP=1); (iv) vomiting or feeling nauseous (UDSVWDVOMIT=1); (v) seeing, hearing, or feeling things that were not really there (UDSVWDHALUC=1); (vi) feeling like could not sit still (UDSVWDSITST=1); (vii) feeling anxious (UDSVWDFLANX=1); and (viii) having seizures or fits (UDSVWDSZURE[4]=1). Substances used to avoid withdrawal symptoms could include prescription sedatives, tranquilizers, sleeping pills, or downers (UDSVAVWSVTR=1), or alcohol (UDSVAVWALCO=1).

C.4 SUD Summary Measures

The Drug Use Disorder version of SUD was created beginning in 2021 and incorporates data from respondents with *any use* of prescription drugs (i.e., misuse or use without misuse). This version of SUD was used to produce the primary measures of SUD for the 2023 Detailed Tables

[4] The having seizures or fits as a prescription sedative withdrawal symptom (UDSVWDSZURE) is excluded from the file due to disclosure risk.

(CBHSQ, 2024c) and 2023 Key Substance Use and Mental Health Indicators report (CBHSQ, 2024b).

Summary indicators of overall SUD (i.e., disorder, no disorder) based on DSM-5 criteria were created using combinations of "ANY" SUD variables. Table C.1 includes the summary variable names, the substance for which use disorder is being described, and a short description of each variable. To be classified as having SUD for a summary variable, a respondent must have been classified as having a disorder of at least one of the corresponding substances included in the summary measure. The variables used to create each summary measure can be found in the main body of the codebook.

Beginning in 2022, summary variables that incorporate prescription drug use disorder for respondents who were users but not misusers of prescription drugs and for respondents who misused prescription drugs are no longer created. The individual SUD variables for pain reliever, stimulant, tranquilizers, and sedative use disorders exist for respondents who were users but not misusers of prescription drugs and for respondents who misused prescription drugs.

C.5 Analysis Weights and Variance Estimation Variables

SUD estimates should be created for 2023 using the standard analysis weight (ANALWT2_C) and the variance estimation variables (VESTR_C and VEREP).

Table C.1 Summary SUD Variables That Incorporate Prescription Drug Use Disorder from Respondents with Any Use of Prescription Drugs

Summary Any Use SUD Variable Name	SUD	Description
UD5ILLANY	Drugs	Drug use disorder including prescription drug use disorder due to **any use** of prescription drugs
UD5IEMANY	Drugs Other than Marijuana	Drugs other than marijuana use disorder including prescription drug use disorder due to **any use** of prescription drugs
UD5ILALANY	Drugs or Alcohol	Drug use disorder including prescription drug use disorder due to **any use** of prescription drugs, or alcohol use disorder
UD5PSYANY	Prescription Psychotherapeutics	Prescription psychotherapeutic use disorder including prescription drug use disorder due to **any use** of prescription drugs
UD5TRQSDANY	Prescription Tranquilizers or Sedatives	Prescription tranquilizer or sedative use disorder including prescription tranquilizer or sedative use disorder due to **any use** of tranquilizers or sedatives
UD5OPIANY	Prescription Opioids	Prescription opioid use disorder including prescription pain reliever use disorder due to **any use** of pain relievers; the opioid use disorder estimates do not capture symptoms that arose solely from the use of illegally made fentanyl

Summary Any Use SUD Variable Name	SUD	Description
UD5CNSANY	Central Nervous System Stimulants	Central nervous system stimulant use disorder including prescription stimulant use disorder due to **any use** of stimulants
UD5ILAALANY	Both Drugs and Alcohol	Drug use disorder including prescription drug use disorder due to **any use** of prescription drugs, and alcohol use disorder
UD5ILNALANY	Drugs Only (No Alcohol)	Drug use disorder including prescription drug use disorder due to **any use** of prescription drugs, and no alcohol use disorder
UD5ALNILANY	Alcohol Only (No Drugs)	Alcohol use disorder, and no drug use disorder including prescription drug use disorder due to **any use** of prescription drugs

SUD = substance use disorder.

References

American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (4th ed.).

American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). https://doi.org/10.1176/appi.books.9780890425596

Center for Behavioral Health Statistics and Quality. (2024a). *2023 National Survey on Drug Use and Health: Methodological summary and definitions*. https://www.samhsa.gov/data/report/2023-methodological-summary-and-definitions

Center for Behavioral Health Statistics and Quality. (2024b). *Key substance use and mental health indicators in the United States: Results from the 2023 National Survey on Drug Use and Health* (HHS Publication No. PEP24-07-021 Series H-59, NSDUH). https://www.samhsa.gov/data/report/2023-nsduh-annual-national-report

Center for Behavioral Health Statistics and Quality. (2024c). *Results from the 2023 National Survey on Drug Use and Health: Detailed tables*. https://www.samhsa.gov/data/report/2023-nsduh-detailed-tables

Center for Behavioral Health Statistics and Quality. (forthcoming). *2023 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 10: Editing and imputation report*. https://www.samhsa.gov/data/report/nsduh-2023-methodological-resource-book-mrb

Edwards, G., & Gross, M. M. (1976). Alcohol dependence: Provisional description of a clinical syndrome. *British Medical Journal, 1*(6017), 1058-1061.

Fagerstrom, K. O. (1978). Measuring degree of physical dependence to tobacco smoking with reference to individualization of treatment. *Addictive Behaviors, 3*(3-4), 235-241.

Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., & Fagerstrom, K. O. (1991). The Fagerstrom Test for Nicotine Dependence: A revision of the Fagerstrom Tolerance Questionnaire. *British Journal of Addiction, 86*(9), 1119-1127.

Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., Rickert, W., & Robinson, J. (1989). Measuring the heaviness of smoking: Using self-reported time to the first cigarette of the day and number of cigarettes smoked per day. *British Journal of Addiction, 84*(7), 791-799.

Shiffman, S., Hickcox, M., Gnys, M., Paty, J. A., & Kassel, J. D. (1995, March). *The Nicotine Dependence Syndrome Scale: Development of a new measure*. Poster presented at the annual meeting of the Society for Research on Nicotine and Tobacco, San Diego, CA.

Shiffman, S., Paty, J. A., Kassel, J. D., Gnys, M., & Zettler-Segal, M. (1994). Smoking behavior and smoking history of tobacco chippers. *Experimental and Clinical Psychopharmacology, 2*, 126-142.

Shiffman, S., Waters, A. J., & Hickcox, M. (2004, April). The Nicotine Dependence Syndrome Scale: A multi-dimensional measure of nicotine dependence. *Nicotine and Tobacco Research, 6*(2), 327-348.

Appendix D

Recoded Mental Health

D.1 Introduction

The 2023 National Survey on Drug Use and Health (NSDUH) included a "mental health" section of the questionnaire that was designed to provide data on various mental health measures for adults aged 18 or older, such as:

- serious psychological distress (SPD),
- mental illness
  - any mental illness (AMI),
  - serious mental illness (SMI),
  - moderate mental illness (MMI),
  - serious or moderate mental illness (SMMI),
  - low [i.e., mild] mental illness (LMI), and
  - low or moderate mental illness (AMI excluding SMI; LMMI), and
- suicidal ideation and behavior (i.e., thoughts, plans, and attempts).

Estimates of past year and past month SPD, past year mental illness, and past year suicidal ideation and behavior are presented in the *Results from the 2023 National Survey on Drug Use and Health: Detailed Tables* (Center for Behavioral Health Statistics and Quality [CBHSQ], 2024c).[1] These measures, except SPD, are also presented in the *Key Substance Use and Mental Health Indicators in the United States: Results from the 2023 National Survey on Drug Use and Health* report (CBHSQ, 2024b).

This appendix includes details on the creation of the mental illness measures. Guidance regarding analysis of these measures, including weighting and variance estimation information, is also provided in this appendix. Details on the variables used to create the mental illness measures are included in the main body of the codebook. For information about comparing NSDUH data between years, see Section 7 in the main Introduction of the codebook.

D.2 Mental Illness Measures

Past year mental illness estimates found in tables and reports published for the 2023 NSDUH were based on a prediction model for mental illness originally developed using the 2008 data from the Mental Health Surveillance Study (MHSS) and later updated to include data from 2008 through 2012. The original 2008 model was created from a randomly selected subsample of approximately 1,500 adults in 2008 who had completed the NSDUH interview. Respondents were recruited for a follow-up clinical interview consisting of a diagnostic assessment for mental disorders.[2] For more information on the 2008 MHSS design and analysis, see Colpe et al. (2009) and Office of Applied Studies (2009). Information about the 2008 model is available in

[1] Variables for suicidal ideation and behavior because of coronavirus disease 2019 are available on the datafile but are not presented in the 2023 Detailed Tables and reports.

[2] Structured Clinical Interview for the DSM-IV-TR Axis I Disorders, Research Version, Non-patient Edition (SCID-I/NP); clinical interviews would require the use of a diagnostic assessment to identify mental disorders according to criteria based on the 5th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-5; American Psychiatric Association, 2013; First et al., 2002).

Appendix B of the *Results from the 2012 National Survey on Drug Use and Health: Mental Health Findings* (CBHSQ, 2013).

Based on the accumulated MHSS clinical data collected from 2008 to 2012, the Substance Abuse and Mental Health Services Administration (SAMHSA) determined the 2008 model had some important shortcomings not detected in the original model fitting because of the small sample of clinical interview respondents in 2008. Specifically, estimates of SMI and AMI among young adults based on the 2008 model were higher than the estimates for this age group based on the clinical interview data. In addition, improvements were needed in the weighting procedures for the MHSS clinical data to account better for undercoverage and nonresponse. Only NSDUH respondents in 2008 who answered their surveys in English were eligible for the clinical follow-up, and people with mental illness appeared to be more likely to participate in the follow-up.

Because of these concerns, SAMHSA fit a more accurate model using combined 2008-2012 clinical data for the 2012 model. To reduce bias and improve prediction, mental health-related variables and an age variable were added to the model. In addition, to protect against potential coverage and nonresponse error, alternatives for the weights were applied to the clinical sample data for the model development.

D.2.1 SMI Prediction Model

The 2012 model is a weighted logistic regression prediction model for mental illness. The response variable Y was defined so that $Y = 1$ when an SMI diagnosis was positive based on the clinical interview; otherwise, $Y = 0$. If $\mathbf{x}$ is a vector of realized explanatory variables, then the response probability $\pi = \Pr(Y = 1 | \mathbf{x})$ can be estimated using a weighted logistic regression model. Details about the 2012 prediction model for SMI are included below. For further technical details on the 2012 prediction models, see the *2012 National Survey on Drug Use and Health: Methodological Resource Book (Section 16a, 2012 Mental Health Surveillance Study: Design and Estimation Report)* (CBHSQ, 2014).

D.2.2 2012 Model

The 2012 SMI prediction model was fit with data from 4,912 MHSS respondents from 2008 through 2012, excluding those respondents in 2008 who were not assigned to receive the abbreviated World Health Organization Disability Assessment Schedule (WHODAS).[3] The final calibration model for the 2012 prediction model for SMI was determined as

[3] One case from 2008 and the one case from 2009 were dropped because of data errors and were also not included in the 2012 model.

$$\text{Logit}(\hat{\pi})=\text{Log}(\hat{\pi}/1-\hat{\pi}) = B_0 + B_1 X_k + B_2 X_w + B_3 X_s + B_4 X_m + B_5 X_a$$

or (1)

$$\hat{\pi} = \frac{1}{1+\exp[-(-B_0 + B_1 X_k + B_2 X_w + B_3 X_s + B_4 X_m + B_5 X_a)]}$$

where $\hat{\pi}$ refers to an estimate of the SMI response probability π.

The beta values are displayed in Table D.1. The covariates came from the main NSDUH interview data, and missing data were statistically imputed:

- X_k = *Alternative Past Year K6 Score (AKSSLR6WRST)*: Past year maximum K6 score of less than 8 recoded as 0; past year maximum K6 score of 8 to 24 recoded as 1 to 17.
- X_w = *Alternative WHODAS Score (WHODASDASC)*: WHODAS item score of less than 2 recoded as 0; WHODAS item score of 2 to 3 recoded as 1, then summed for a score ranging from 0 to 8.
- X_s = Serious Thoughts of Suicide in the Past Year (IRSUICTHNK): Coded as 1 if "Yes"; coded as 0 otherwise.
- X_m = *Past Year MDE (IRAMDEYR)*: Coded as 1 if the criteria for past year major depressive episode (MDE) were met;[4] coded as 0 otherwise.
- X_a = *Recoded Age (AGE1830[5])*: Coded as age minus 18 if aged 18 to 30; coded as 12 otherwise.

Table D.1 displays the WHODAS model specifications for the 2012 SMI prediction model.

Table D.1 Final 2012 WHODAS SMI Prediction Model

Final 2012 Model: AKSSLR6WRST + WHODASDASC + IRSUICTHNK + IRAMDEYR + AGE1830						
Term	**Beta**	**Beta SE**	**T-statistic**	**P-value**	**DF**	**Wald P-value**
Intercept	-5.9727	0.3201	-18.6586	0.0000		
AKSSLR6WRST	0.0873	0.0248	3.5247	0.0009	1	0.0009
WHODASDASC	0.3385	0.0349	9.7034	0.0000	1	0.0000
IRSUICTHNK	1.9553	0.2164	9.0342	0.0000	1	0.0000
IRAMDEYR	1.1267	0.2196	5.1308	0.0000	1	0.0000
AGE1830	0.1059	0.0244	4.3380	0.0001	1	0.0001

DF = degrees of freedom, SE = standard error, SMI = serious mental illness, WHODAS = abbreviated eight-item World Health Organization Disability Assessment Schedule.

[4] In this situation, the past year MDE measure is from the main NSDUH interview (i.e., not from the Structured Clinical Interview for DSM-IV [SCID]). See Section 3.4.8 in the *2023 National Survey on Drug Use and Health (NSDUH): Methodological Summary and Definitions* (CBHSQ, 2024a).

[5] The age variable (AGE1830) is excluded from the file due to disclosure risk.

The formula for the predicted probability of SMI (SMIPPPY) using the model parameter estimates in Table D.1 (but expressed with more decimal points) is as follows:

$$SMIPPPY = 1/(1 + \exp[-(-5.972664 + 0.0873416 * AKSSLR6WRST + 0.3385193 * WHODASDASC + 1.9552664 * IRSUICTHNK + 1.1267330 * IRAMDEYR + 0.1059137 * AGE1830)]).$$

Using the predicted probability of SMI (SMIPPPY), a cut point probability of 0.260573529 was determined so that any respondent with an SMI probability greater than or equal to the cut point was predicted to be SMI positive (SMIPY=1); otherwise, the respondent was predicted to be SMI negative (SMIPY=0). The cut point was chosen so that the weighted numbers of false positives and false negatives in the MHSS dataset were as close to equal as possible. The predicted SMI status for all adult NSDUH respondents was used to compute prevalence estimates of SMI. The estimates of the parameters of the SMI prediction model displayed in the equation are shown in Table D.1.

A second cut point probability of 0.0192519810 was determined so that any respondent with an SMI probability greater than or equal to the cut point was predicted to be positive for AMI (AMIPY=1), and the remainder were predicted to be negative for AMI (AMIPY=0). The second cut point was chosen so that the weighted numbers of AMI false positives and false negatives were as close to equal as possible. The 2023 tables and reports show estimates for AMI, SMI, and AMI excluding SMI.

D.3 Analysis Variables

The covariate variables used in the SMI prediction model as shown in Table D.1 are included on the 2023 data file unless noted otherwise. Table D.2 displays the 2023 predicted mental illness variables and indicates which variables were used to create the estimates in the 2023 Detailed Tables (CBHSQ, 2024c). Combination mental illness and substance use disorder variables were also created and used in the 2023 Detailed Tables but are not included in Table D.2. Beginning in 2021, the variables used in the prediction model were all statistically imputed, so the mental illness variables have no missing data.

Table D.2 Mental Illness Variable Names: NSDUH, 2023

Mental Illness Variable Name	Variable Label	Used in the Detailed Tables
SMIPY	RC-IMP SMI IND (1/0) BASED ON PREDICTED SMI PROB PY	Yes
SMIPPPY	RC-IMP PREDICTED SERIOUS MENTAL ILLNESS PROB PY	No
SMMIPY	RC-IMP SMMI IND (1/0) BASED ON PREDICTED SMI PROB PY	No
AMIPY	RC-IMP AMI IND (1/0) BASED ON PREDICTED SMI PROB PY	Yes
MMIPY	RC-IMP MOD MI IND (1/0) BASED ON PRED SMI PROB PY	No
LMIPY	RC-IMP MILD MI IND (1/0) BASED ON PRED SMI PROB PY	No
LMMIPY	RC-IMP LMMI IND (1/0) BASED ON PREDICTED SMI PROB PY	Yes
MICATPY	RC-IMP CATEGORICAL MI INDICATOR PY	No

NOTE: Mental illness aligns with criteria from the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition (DSM-5; American Psychiatric Association, 2013), and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder (SUD). Serious mental illness (SMI) is a subset of any mental illness (AMI) because SMI is limited to people with AMI that resulted in serious functional impairment. These mental illness variables are based on a predictive model and are not direct measures of diagnostic status.

D.4 Limitations in Using the Mental Illness Variables in Analyses

The predicted mental illness variables that were derived from the 2012 model were examined to determine how they were associated with the mental health predictor variables in the 2012 model. It was found that the 2012 model significantly overestimated the proportion of adults aged 18 or older with SMI (and those with AMI) who had suicidal thoughts in the past year and also the proportion of adults who had MDE in the past year. **Therefore, it is recommended that the mental illness variables derived from the 2012 model should not be used when analyzing past year suicidal thoughts, past year MDE, or other associated variables** (including past year suicide attempts, suicide plans, medical treatment for suicide attempts, or lifetime MDE). Similarly, it is recommended that model-based mental illness variables should not be used in conjunction with the Kessler-6 (K6) variables (including SPD) or WHODAS variables in any analyses. For details, see the *Estimating Mental Illness among Adults in the United States: Revisions to the 2008 Estimation Procedures* report (CBHSQ, 2015).

D.5 Analysis Weights and Variance Estimation Variables

Estimates for mental illness were created for 2023 using the standard analysis weight (ANALWT2_C) and the variance estimation variables (VESTR_C and VEREP).

D.6 Standard Errors for Mental Illness Measures

Standard errors for SMI estimates (and, likewise, estimates for AMI, SMMI, and AMI excluding SMI) were computed using the NSDUH dichotomous variables without taking into account any variance introduced through using a model based on the clinical subsample data. This ignores the added error resulting from fitting the 2012 SMI model, which can be very large (see the 2012 MHSS Design and Estimation Report; CBHSQ, 2014). These *conditional* standard errors (conditional on the model predictions being correct) are useful when making comparisons across years and across subpopulations (except those involved in modeling) within years because the errors due to model fitting are nearly the same across the estimates being compared.

However, caution is advised when these mental illness measures are used as explanatory variables within a regression analysis because the resulting estimated regression coefficients often will be biased toward zero (Carroll et al., 2006). Stated another way, values of the regression coefficients for these mental illness variables are likely to be attenuated. Consequently, situations in which AMI or specific levels of mental illness (e.g., SMI) are true predictors of a dependent variable of interest in the population may not be significant predictors in regression models that use these variables. If a statistically significant association is identified between these mental illness variables and the dependent variable, however, one can be more confident that this truly is a significant association.

References

American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.).

Carroll, R. J., Ruppert, D., Stefanski, L. A., & Crainiceanu, C. M. (2006). *Measurement error in nonlinear models: A modern perspective, 2nd ed.* Chaoman & Hall/CRC.

Center for Behavioral Health Statistics and Quality. (2013). *Results from the 2012 National Survey on Drug Use and Health: Mental health findings* (HHS Publication No. SMA 13-4805, NSDUH Series H-47). https://www.samhsa.gov/data/report/results-2012-national-survey-drug-use-and-health-mental-health-findings

Center for Behavioral Health Statistics and Quality. (2014). *2012 National Survey on Drug Use and Health: Methodological resource book (Section 16a, 2012 Mental Health Surveillance Study: Design and estimation report)*. https://www.samhsa.gov/data/report/2012-nsduh-mental-health-surveillance-study-design-and-estimation-report

Center for Behavioral Health Statistics and Quality. (2015). *Estimating mental illness among adults in the United States: Revisions to the 2008 estimation procedures*. https://www.samhsa.gov/data/report/2012-nsduh-estimating-mental-illness-among-adults-united-states-revisions-2008-estimation

Center for Behavioral Health Statistics and Quality. (2024a). *2023 National Survey on Drug Use and Health (NSDUH): Methodological summary and definitions*. https://www.samhsa.gov/data/report/2023-methodological-summary-and-definitions

Center for Behavioral Health Statistics and Quality. (2024b). *Key substance use and mental health indicators in the United States: Results from the 2023 National Survey on Drug Use and Health* (HHS Publication No. PEP24-07-021, NSDUH Series H-59). https://www.samhsa.gov/data/report/2023-nsduh-annual-national-report

Center for Behavioral Health Statistics and Quality. (2024c). *Results from the 2023 National Survey on Drug Use and Health: Detailed tables*. https://www.samhsa.gov/data/report/2023-nsduh-detailed-tables

Colpe, L. J., Epstein, J. F., Barker, P. R., & Gfroerer, J. C. (2009). Screening for serious mental illness in the National Survey on Drug Use and Health (NSDUH). *Annals of Epidemiology*, *19*(3), 210-211.

First, M. B., Spitzer, R. L., Gibbon, M., & Williams, J. B. W. (2002). *Structured Clinical Interview for DSM-IV-TR Axis I Disorders, Research Version, Non-patient Edition (SCID-I/NP)*. New York State Psychiatric Institute, Biometrics Research.

Office of Applied Studies. (2009). *2008 National Survey on Drug Use and Health: Methodological resource book (Section 16, Measuring serious mental illness with the NSDUH: Results of 2008 12-month analysis).* Substance Abuse and Mental Health Services Administration.

Appendix E

Recoded Adolescent Depression Variable Documentation

E.1 Introduction

The 2023 National Survey on Drug Use and Health (NSDUH) instrumentation included two modules, the adult depression module and the adolescent depression module, which were designed to measure whether respondents had experienced a major depressive episode (MDE) in their lifetime and past year. Additional questions to assess impairment levels caused by MDE and treatment received for depression were included at the end of each MDE module.

The NSDUH questions designed to assess MDE symptoms were based on the criteria in the 5th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-5; American Psychiatric Association, 2013). More specifically, MDE questions for adults were adapted from the depression section of the National Comorbidity Survey-Replication (NCS-R; Harvard School of Medicine, 2005), and questions for youths were adapted from the depression section of the National Comorbidity Survey-Adolescent (NCS-A; Harvard School of Medicine, 2005). To make the modules developmentally appropriate for youths, there are minor wording differences in a few questions between the adult and youth modules. People were classified as having had a lifetime MDE if they had five or more of nine symptoms for MDE in the same 2-week period in their lifetime, in which at least one of the symptoms was a depressed mood or loss of interest or pleasure in daily activities. People were classified as having MDE in the past year if they had a lifetime MDE and a period of time in the past 12 months when they felt depressed or lost interest or pleasure in daily activities for 2 weeks or longer, while also having some of the other symptoms for lifetime MDE.

Estimates of past year MDE and past year MDE with severe impairment are presented in the *Results from the 2023 National Survey on Drug Use and Health: Detailed Tables* (Center for Behavioral Health Statistics and Quality [CBHSQ], 2024c) and in the *Key Substance Use and Mental Health Indicators in the United States: Results from the 2023 National Survey on Drug Use and Health* report (CBHSQ, 2024b).[1]

Starting in 2021, the adult MDE and MDE with severe impairment variables were imputed. Information about the adult depression variables can be found in the main codebook text and in Section 3.4.8 of the *2023 National Survey on Drug Use and Health (NSDUH): Methodological Summary and Definitions* report (CBHSQ, 2024a). The youth depression variables are not imputed. Respondents aged 12 to 17 who had missing data for whether they had an MDE in the past 12 months were excluded from the analyses to produce published estimates for the 2023 NSDUH. This appendix provides youth MDE variable specifications and analysis and weighting information. A flowchart (Figure E.1) is included to provide details regarding the routing logic leading up to the MDE questions specifying which youth respondents were asked the MDE questions and were classified as having MDE. For information about comparing NSDUH data between years, see Section 7 in the main Introduction of the codebook.


E.2 MDE Variable Specifications

In the adolescent depression module of NSDUH, respondents aged 12 to 17 were asked a series of introductory questions to determine whether they had a worst period of time where they

[1] Variables for treatment for depression and lifetime MDE are available on the datafile but are not presented in the 2023 Detailed Tables (CBHSQ, 2024c) and reports.

experienced feeling sad, empty, depressed, discouraged, or a loss of interest. If youth respondents fit certain criteria based on the routing logic found in these introductory questions, then they were asked the questions related to the nine attributes (symptoms) of MDE. To demonstrate the responses that would lead respondents to be asked the MDE attributes questions based on these introductory questions, a flowchart using the youth questions is included as Figure E.1. The questions shown in the flowchart refer to the youth depression-associated question name from the computer-assisted interviewing (CAI) instrument specifications as well as the corresponding edited variable name to assist users in mapping the information back to the CAI. The flowchart does not show responses that would lead to a respondent not being asked the MDE attribute questions or being sent to the next section of the questionnaire.

Figure E.1 Routing Logic Prior to Youth Major Depressive Episode (MDE) Attribute Questions



The questions showing the nine attributes of MDE refer to the worst period of time the youth has had that stood out in the youth's mind, or, if the youth did not recall a worst period of time, the questions refer to the most recent period of time when the youth experienced any or all of the following: sadness, discouragement, or lack of interest in most things. These questions were asked once a youth respondent was routed through the CAI as indicated in the flowchart. **It should be noted that no exclusions were made for MDE caused by medical illness, bereavement, or substance use disorders.**

The coding specifications below for all recoded MDE variables include in parentheses both the youth depression-associated question name from the CAI instrument specifications and the corresponding edited variable name to assist users in mapping the information back to the CAI.

Youth respondents were classified with lifetime MDE (YMDELT=1) if they had at least five of the nine attributes where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (DSMMDEAY/YODSMMDE=1). Youth respondents were classified with not having lifetime MDE (YMDELT=2) if they met either of these conditions:

1. Reported experiencing fewer than five out of the nine criteria used to classify youths as having had MDE in their lifetime (DSMMDEAY/YODSMMDE=2).
2. If the number of criteria is unknown (DSMMDEAY/YODSMMDE=94, 97, and 98) and the youth respondent reported at least one of the following:
    a. Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (YDS21/YODPREV =2); discouraged about how things were going in life (YDS22/YODSCEV =2); and lost interest in most things usually enjoyable (YDS23/YOLOSEV =2).
    b. Experienced the feelings in (a), but they did not last most of the day, nearly every day for 2 weeks or longer (YD09/YOLSI2WK=2) or (YD12/YODPR2WK=2).
    c. Experienced the feelings in (a) most of the day, nearly every day for 2 weeks or longer, but the feelings lasted less than an hour when mood was most severe and frequent (YD16/YOWRHRS=1).
    d. Experienced the feelings in (a) most of the day, nearly every day for 2 weeks or longer for at least an hour during those times when mood was most severe and frequent, but emotional distress was mild (YD17/YOWRDST=1); there was never a time when emotional distress was so severe that the youth respondent could not be cheered up (YD18/YOWRCHR=4); and there was never a time when emotional distress was so severe that the youth respondent could not carry out daily activities (YD19/YOWRIMP=4).
    e. Experienced the feelings in (a) most of the day, nearly every day for 2 weeks or longer for at least an hour and the severe distress was more than mild or at some point could not be cheered up or could not carry out daily activities, but never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (YD21/YODPPROB=2).

Youth respondents who were classified with lifetime MDE (YMDELT=1) and who reported that during the past 12 months they had a period of depression lasting 2 weeks or longer, while also having some of the other symptoms mentioned (YOPB2WK=1), were classified as having past year depression (YMDEYR=1). Youth respondents with no lifetime MDE (YMDELT=2) or youth respondents with lifetime MDE (YMDELT=1) but no period of depression lasting 2 weeks or longer while having other symptoms (YOPB2WK=2) were classified as not having past year MDE (YMDEYR=2). Otherwise, youth respondents were classified as system missing for lifetime or past year MDE if they had unknown depression information and/or they were aged 18 or older.

Youth respondents with lifetime MDE and respondents with recurrent thoughts of death or recurrent suicide ideation (D_MDEA9Y/YO_MDEA9[2]=1), regardless of MDE classification, were guided through the remainder of the depression module. Because of this second criterion, variables for treatment of depression may have values for respondents who were not classified as having lifetime MDE. If the subpopulation of interest is youth respondents with lifetime MDE or past year MDE, these restrictions should be implemented in the analysis using the appropriate variables. Users who are interested in the suicide ideation data[3] from the depression modules should also be aware of the routing logic shown in Figure E.1 because only a subset of respondents are asked the suicide-related questions.

E.3 MDE with Severe Impairment Variable Specifications

The Sheehan Disability Scale (SDS) is used to measure impairment due to emotions, nerves, or mental health. Youth respondents classified as having had MDE in the past year were then asked questions from the SDS to measure the level of functional impairment in major life activities reported to be caused by the MDE in the past 12 months (Leon et al., 1997).

The youth SDS measures mental health-related impairment in four major life activities or role domains: (1) cause problems with your chores at home, (2) cause problems with your ability to do well at school or work, (3) cause problems with your ability to get along with your family during that time, and (4) cause problems with your ability to have a social life during that time. These four questions are assessed on a 0 to 10 visual analog scale with categories of "no interference" (0), "mild" (1-3), "moderate" (4-6), "severe" (7-9), and "very severe" (10).

The four youth SDS role domain variables (YOPSHMGT, YOPSWORK, YOPSRELS, and YOPSSOC, respectively) were recoded as follows: no interference = 1, mild = 2, moderate = 3, severe = 4, and very severe = 5. A maximum impairment score, YSDSOVRL, was then defined as the single highest severity level of role impairment across all four recoded SDS role domains (YSDSHOME, YSDSWRK, YSDSREL, and YSDSSOC). Youths with past year MDE (YMDEYR=1) and ratings greater than or equal to 7 on the original SDS scale (YSDSOVRL=4 or 5) were considered to have severe role impairment (MDEIMPY=1). Respondents aged 12 to 17 were classified as system missing if they had unknown impairment information for all four

[2] The recurrent thoughts of death or recurrent suicide ideation variable (YO_MDEA9) is excluded from the file due to disclosure risk.

[3] The youth suicide estimates presented in the 2023 Detailed Tables (CBHSQ, 2024c) and in the 2023 Key Substance Use and Mental Health Indicators report (CBHSQ, 2024b) are from the youth experiences module data, not the adolescent depression suicide module data.

SDS domain variables, were not asked the question due to routing logic, and/or they were aged 18 or older.

E.4 Analysis Weights and Variance Estimation Variables

Youth estimates for lifetime and past year MDE and MDE with severe impairment should be created for 2023 using the standard analysis weight (ANALWT2_C) and the variance estimation variables (VESTR_C and VEREP).

References

American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.).

Center for Behavioral Health Statistics and Quality. (2024a). *2023 National Survey on Drug Use and Health (NSDUH): Methodological summary and definitions*. https://www.samhsa.gov/data/report/2023-methodological-summary-and-definitions

Center for Behavioral Health Statistics and Quality. (2024b). *Key substance use and mental health indicators in the United States: Results from the 2023 National Survey on Drug Use and Health* (HHS Publication No. PEP24-07-021, NSDUH Series H-59). https://www.samhsa.gov/data/report/2023-nsduh-annual-national-report

Center for Behavioral Health Statistics and Quality. (2024c). *Results from the 2023 National Survey on Drug Use and Health: Detailed tables*. https://www.samhsa.gov/data/report/2023-nsduh-detailed-tables

Harvard School of Medicine. (2005). *Home page: National Comorbidity Survey (NCS)*. [Web page]. https://www.hcp.med.harvard.edu/ncs/

Leon, A. C., Olfson, M., Portera, L., Farber, L., & Sheehan, D. V. (1997). Assessing psychiatric impairment in primary care with the Sheehan Disability Scale. *International Journal of Psychiatry in Medicine, 27*(2), 93-105.

Appendix F

Sample SUDAAN®, SAS®, and Stata® Code and Public Use File Estimates

F.1 Introduction

This appendix provides several examples of code for generating estimates (means and totals along with the standard errors [SEs]), performing statistical tests of differences for means, calculating confidence intervals, and fitting linear or logistic regression models. Example code is written for SUDAAN®, and sometimes SAS® and Stata®. Additionally, tables showing some estimates calculated from the 2023 National Survey on Drug Use and Health (NSDUH) public use file (PUF) are included. PUF users can ensure that the 2023 PUF data are downloaded correctly, or that code is implemented correctly, by replicating estimates in these tables. Note that the examples in this appendix are created using variable names and data from the NSDUH PUF; some variable names may differ when using the NSDUH restricted-use file (RUF). As noted in the Quality Assessment of Public Use File Estimates and Standard Errors section, users are encouraged to apply precision-based suppression rules to estimates from the PUF.

The 2023 NSDUH used multimode data collection, in which respondents completed the survey via the web or in person at eligible locations. Investigations led to the conclusion that estimates based on multimode data collection in recent years are not comparable with estimates from 2020 or prior years. For more details, see Chapter 6 of the *2021 National Survey on Drug Use and Health (NSDUH): Methodological Summary and Definitions*.[1]

The exhibit number for each example and a description of the example are provided in Table F.1.

Table F.1 Summary of SUDAAN®, Stata®, and SAS® Exhibits

SUDAAN Exhibit	Stata Exhibit	SAS Exhibit	Description
F.1	F.2	F.3	Produces estimates (including means, totals, and the respective standard errors)
F.4	F.5	F.6	Calculates the standard errors of totals produced in Exhibits F.1 to F.3 for domains forced to match their respective U.S. Census Bureau population estimates through poststratification during the weighting process
F.7			Performs statistical tests of differences between means
F.8			Calculates a confidence interval using estimates produced in Exhibit F.1
F.9			Calculates percentages and the associated standard errors for categorical variables with multiple levels
F.10			Performs logistic regression (for binary response variables)
F.11			Performs regression analysis (for continuous response variables)

NOTE: An empty cell indicates that no SAS or Stata example is provided for that specific topic.

F.2 Guide for Defining Options for Analyzing NSDUH Data

Before running SUDAAN procedures, the input dataset must be sorted by the nesting variables (VESTR_C and VEREP),[2] or the NOTSORTED option must be used for SUDAAN to

[1] Center for Behavioral Health Statistics and Quality. (2022). *2021 National Survey on Drug Use and Health: Methodological summary and definitions*. https://www.samhsa.gov/data/report/2021-methodological-summary-and-definitions

[2] VESTR_C = variance estimation (pseudo) stratum, and VEREP = variance estimation (pseudo) replicate within stratum.

create an internal copy of the input dataset properly sorted by the nesting variables. The SUDAAN procedure DESCRIPT can then be run to produce unweighted sample sizes and weighted sample sizes (using ANALWT2_C for the 2023 PUF), means, totals, SEs of means and totals, and *p* values for testing the differences between means and totals.

The SAS procedure SURVEYMEANS is used in Exhibit F.3 (shown grouped with Exhibits F.1 and F.2 later in this appendix). Note that SAS also uses VESTR_C and VEREP as nesting variables; however, the data do not need to be sorted.

The options described in the following sections are specified within the SUDAAN and SAS examples to correctly produce estimates using NSDUH data. Stata and SAS commands can be run without the data being sorted; however, it should be noted that Stata code is case sensitive.

F.3 Design

Because of NSDUH's complex sample design, estimates are calculated using a method in SUDAAN that is unbiased for linear statistics. This method is based on multistage clustered sample designs where the first-stage (primary) sampling units are drawn with replacement. In SUDAAN, a user must specify DESIGN=WR (meaning with replacement). For Stata and SAS, the design does not need to be indicated because the svyset command in Stata and the SURVEYMEANS procedure in SAS use Taylor linearized variance estimation as a default.

F.4 Nesting Variables

The NSDUH nesting variables (VESTR_C and VEREP) are used to capture explicit stratification and to identify clustering with the NSDUH data, which are needed to compute the variance estimates correctly. Two replicates per year were defined within each variance stratum (VESTR_C). In SUDAAN, users must use the NEST statement within one of the appropriate SUDAAN procedures. In the NEST statement, the variance stratum variable should be listed first, followed by the primary sampling unit variable; that is, the VESTR_C variable should be listed first, followed by the VEREP variable. In SAS, users must use the STRATA and CLUSTER statements within one of the appropriate SAS procedures. VESTR_C should be listed in the STRATA statement, and VEREP should be listed in the CLUSTER statement. The NEST statement in SUDAAN and the STRATA and CLUSTER statements in SAS will need to be used each time one of the appropriate SUDAAN or SAS procedures are used, respectively. In Stata, the nesting variables are specified in the svyset command.

F.5 Degrees of Freedom and Design Effect

The degrees of freedom (DDF in SUDAAN and dof in Stata) have been 50 for national estimates since the 2014 NSDUH. From 2002 to 2013, the degrees of freedom should be set at 60. When combining any set of years of data (e.g., 2022 and 2023), the degrees of freedom remain the same as if the set were a single year (e.g., 50 for national estimates) when these years are part of the same sample design. When combining a pair of years with different degrees of freedom (e.g., 2013 and 2014), the specific number of degrees of freedom can be computed by counting the unique values of VESTR_C or VESTR. For example, when producing estimates by combining data for 2022 and 2023, DDF=50 can be used because the sample design remained the same across those 2 years. When combining data for 2013 and 2014, DDF=110 because the

sample design changed in 2014. Note that data in 2021 and later years should not be combined with data from 2020 and prior years.

When comparing estimates in two domains with different degrees of freedom, researchers should err on the conservative side and use the smaller degrees of freedom. For example, when comparing 2013 estimates with 2014 estimates, use DDF=50. For details about degrees of freedom, see Chapter 6 in the *2022 National Survey on Drug Use and Health Methodological Resource Book, Section 13: Statistical Inference Report*.[3] To specify the degrees of freedom in SUDAAN, the DDF = option on the procedure statement is used. This option should be used each time one of the appropriate SUDAAN procedures is used to ensure correct calculations. The provided SAS exhibits do not include testing or calculation of confidence intervals; therefore, options for specifying degrees of freedom are not shown. In Stata, the degrees of freedom are specified as a design option in the svyset command, "dof(50)."

The option DEFT4 within SUDAAN provides the correct measure of variance inflation due to stratification (or blocking), clustering, and unequal weighting in NSDUH estimation. The design effect cannot be output directly from the SURVEYMEANS procedure in SAS.

F.6 Pooled Weights When Using Multiple Years of Data

When analyzing a single year of PUF data, the person-level analysis weight ANALWT2_C should be used to produce estimates. However, for analysis that requires combining data from multiple years, pooled weights should be used. To create pooled weights for 2 years of combined data (e.g., 2022 and 2023), divide the weights by 2 (i.e., ANALWT_C/2) and create a new weight. Similarly, when combining 3 years of data, use ANALWT2_C/3.

F.7 Examples of SUDAAN, SAS, and Stata Code

F.7.1 Generation of Estimates

Exhibits F.1 through F.3 demonstrate how to compute estimates for past month alcohol use by sex using (1) the SUDAAN DESCRIPT procedure, (2) the Stata svy: mean and svy: total commands, and (3) the SAS SURVEYMEANS procedure, respectively. The SUDAAN example includes code to compute the prevalence estimate (MEAN), SE of the mean (SEMEAN), weighted sample size (WSUM), unweighted sample size (NSUM), weighted total (TOTAL), and SE of the total (SETOTAL). The Stata svy: mean and svy: total commands and the SAS SURVEYMEANS procedure will produce the same estimates. Whether the SETOTAL should be taken directly from this code depends on whether the specified domain (i.e., sex in this example) is among those forced to match their respective U.S. Census Bureau population estimates through the weight calibration process. For details about calculating the SE of totals, see the Variance Estimation of Estimated Numbers of Individuals section of the 2023 PUF codebook introduction. For examples of code to calculate the SEs of totals, see Section F.7.2 on Standard Errors of the Totals.

[3] Center for Behavioral Health Statistics and Quality. (2024). *2022 National Survey on Drug Use and Health (NSDUH) methodological resource book, Section 13: Statistical inference report.* https://www.samhsa.gov/data/report/nsduh-2022-statistical-inference-report

Exhibit F.1 SUDAAN DESCRIPT Procedure (Mean Estimate and Standard Error Generation by Sex)

```
        PROC SORT DATA=DATANAME; /*SAS code to sort output dataset by Nesting Variables*/
        BY VESTR_C VEREP;
        RUN;

        PROC DESCRIPT DATA=DATANAME DDF=50 DESIGN=WR FILETYPE=SAS DEFT4;
        /*Note: the DDF may change if using data combined across several years*/
        NEST VESTR_C VEREP;
        WEIGHT ANALWT2_C; /*2023 PUF person-level analysis weight. Note: pooled weights should
        be used on combined years of data*/
        VAR ALCMON; /*Past month alcohol use analysis variable*/
        SUBGROUP IRSEX; /*Sex variable, where male=1 & female=2*/
        LEVELS 2;
        TABLES IRSEX; /*by sex*/

        PRINT WSUM NSUM MEAN SEMEAN TOTAL SETOTAL / REPLACE STYLE=NCHS;
        OUTPUT WSUM MEAN SEMEAN TOTAL SETOTAL NSUM DEFFMEAN /REPLACE
             NSUMFMT=F8.0 WSUMFMT=F12.0 MEANFMT=F15.10 SEMEANFMT=F15.10 DEFFMEANFMT=F15.10
             TOTALFMT=F12.0 SETOTALFMT=F12.0 FILENAME="OUT.SUDFILE";

        TITLE "ESTIMATES OF PAST MONTH ALCOHOL USE BY SEX";
        RUN;
Note: The following CLASS statement could be used in place of SUBGROUP and LEVELS statements in
the above example:
        CLASS IRSEX;
```

Note: See Section F.7.2 on Standard Errors of the Totals and Exhibit F.4 in this appendix for information on the correct calculation of standard errors of the total.

Exhibit F.2 Stata COMMANDS svy: mean and svy: total (Mean Estimate and Standard Error Generation by Sex)

```
        use using ".\\dataname.dta", clear

        /*Ensure all variables are lower case*/
        rename *, lower

        /*ID Nesting variables (VESTR_C and VEREP), weight variable (ANALWT2_C- 2023 person-
        level analysis weight).
        Note: If using data combined across several years, pooled weights should be used and
        degrees of freedom (dof) may change.*/
        svyset verep [pw=analwt2_c], strata(vestr_c) dof(50)

        gen total_out=.
        gen setotal=.
        gen mean_out=.
        gen semean=.
        gen nsum=.
        gen double wsum=.
        gen deffmean=.
```

(continued)

Exhibit F.2 Stata COMMANDS svy: mean and svy: total (Mean Estimate and Standard Error Generation by Sex) (continued)

```
/*Estimated means of past month alcohol use by sex*/

 /*Sex variable, where male=1 & female=2*/
svy: mean alcmon, over(irsex)
matrix M=e(b) /*Store mean estimates in matrix M*/
matrix S=e(V) /*Store variances in matrix S*/
matrix N=e(_N) /*Store sample sizes in matrix N*/
matrix W=e(_N_subp) /*Store weighted sample sizes in matrix W*/

estat effects, deff srssubpop/*Obtain design effect*/
matrix D=e(deff) /*Store design effect in matrix D*/

/*Extract values stored in the M, S, N, W, and D matrices defined above to the
mean_out, semean, nsum, wsum, and deffmean variables. The loop ensures that the
appropriate values are extracted for each value of sex.*/
   forvalues j=1/2 { /* number of sex categories*/
         replace mean_out=(M[1,`j']) if irsex==`j'
         replace semean=(sqrt(S[`j',`j'])) if irsex==`j'
         replace nsum=(N[1,`j']) if irsex==`j'
         replace wsum=(W[1,`j']) if irsex==`j'
         replace deffmean=(D[1,`j']) if irsex==`j'
   }

/*Estimated Totals*/
svy: total alcmon, over(irsex)

 matrix M=e(b) /*Store total estimates in matrix M*/
 matrix S=e(V) /*Store variances in matrix S*/

/*Extract values stored in the M and S matrices defined above to the total_out and
setotal variables. The loop ensures that the appropriate values are extracted for value
of sex.*/

   forvalues j=1/2 { /* number of sex categories*/
    replace total_out=(M[1,`j']) if irsex==`j'
    replace setotal=(sqrt(S[`j',`j'])) if irsex==`j'
   }

keep wsum mean_out semean total_out setotal nsum deffmean irsex

duplicates drop irsex, force /*keep one record per subpopulation
  of interest*/
```

(continued)

Exhibit F.2 Stata COMMANDS svy: mean and svy: total (Mean Estimate and Standard Error Generation by Sex) (continued)

```
/*Format wsum, mean_out, semean, total_out, setotal, nsum, and deffmean variables to
control appearance in output.*/

format wsum %-12.0fc
format mean_out %-15.10f
format semean %-15.10f
format total_out %-12.0fc
format setotal %-12.0fc
format nsum %-8.0fc
format deffmean %-15.10f

/*Estimates of past month alcohol use by year and sex*/
list irsex wsum nsum mean_out semean total_out setotal
```

Note: See Section F.7.2 on Standard Errors of the Totals and Exhibit F.5 in this appendix for information on the correct calculation of standard errors of the total.

Exhibit F.3 SAS SURVEYMEANS Procedure (Mean Estimate and Standard Error Generation by Sex)

```
TITLE "ESTIMATES OF PAST MONTH ALCOHOL USE BY SEX";
PROC SURVEYMEANS DATA=DATANAME SUMWGT NOBS MEAN SUM;
STRATA VESTR_C; /*Nesting variable - strata*/
CLUSTER VEREP; /*Nesting variable - PSU*/
WEIGHT ANALWT2_C; /*2023 PUF person-level analysis weight. Note: pooled weights should
be used on combined years of data*/
VAR ALCMON; /*Past month alcohol use analysis variable*/
DOMAIN IRSEX; /*Sex variable, where male=1 & female=2*/
ODS OUTPUT DOMAIN=OUT.SASFILE;
RUN;
```

Note: See Section F.7.2 on Standard Errors of the Totals and Exhibit F.6 in this appendix for information on the correct calculation of standard errors of the total.

F.7.2 Standard Errors of the Totals

The SE for the mean (or proportion) is obtained directly from SUDAAN and SAS in the output variables SEMEAN (Exhibit F.1) and STDERR (Exhibit F.3), respectively, and the SEMEAN is calculated in Stata by taking the square root of the variance (Exhibit F.2). However, to compute the SE of the totals, NSDUH implements different methods depending on whether the specified domain (i.e., sex in this example) is forced to match its respective U.S. Census Bureau population estimates through poststratification during the weighting process. For those domains that are free of sampling error, an alternative SE estimation method to using SUDAAN is applied to estimate the SE of the totals. In the Variance Estimation of Estimated Numbers of Individuals section of the 2023 PUF codebook introduction, Table 1 lists the demographic domains that use the alternative SE estimation method. For these domains (e.g., forced to match the U.S. Census Bureau population estimates), the SE of the total is calculated as SETOTAL (SE of controlled domain) = WSUM (weighted sample size) × SEMEAN (SE for the mean/proportion). For all other domains (e.g., those not forced to match the U.S. Census Bureau

population estimates), the SE of the total is obtained directly from SUDAAN and SAS in the output variables SETOTAL and STDDEV, respectively. Because sex is one of the domains that uses the alternative SE estimation method, the SE of the totals would not be taken directly from the examples in Exhibits F.1 through F.3, but rather would be computed using the formula shown in Exhibits F.4 through F.6. Note that the formula is the same in Exhibits F.4 through F.6. Exhibit F.1 shows SUDAAN code, Exhibits F.2 and F.5 use Stata code, and Exhibits F.3, F.4, and F.6 use SAS code.

Exhibit F.4 SAS Code Based on SUDAAN Output (Calculation of Standard Error [SE] of Totals Using the Alternative SE Estimation Method)

```
DATA ESTIMATE;
SET OUT.SUDFILE; /*input the output file from above SUDAAN procedure*/

/************************************************************
Define SETOTAL for sex because it is a domain forced to match its respective U.S.
Census Bureau population estimates. In the SUDAAN procedure in Exhibit F.1, IRSEX is in
the subgroup Statement with 2 levels indicated. Therefore, values for 0=total males &
females, 1=males, and 2=females are automatically produced.
************************************************************/
IF IRSEX IN (0,1,2) THEN SETOTAL=WSUM*SEMEAN;
RUN;
```

Exhibit F.5 Stata Code Based on Stata Output (Calculation of Standard Error [SE] of Totals Using the Alternative SE Estimation Method)

```
generate setotal2=wsum*semean
replace setotal = setotal2 if inlist(irsex,1,2)
/*Note, Stata does not automatically produce overall estimates, i.e., irsex=0*/
```

Exhibit F.6 SAS Code Based on SAS Output (Calculation of Standard Error [SE] of Totals Using the Alternative SE Estimation Method)

```
DATA SASEST;
SET OUT.SASFILE; /*input the output file from above SAS procedure*/

IF IRSEX IN (1,2) THEN SETOTAL=SUMWGT*STDERR;
/*Note, SAS does not automatically produce overall estimates, i.e., irsex=0*/

RUN;
```

F.7.3 Statistical Tests of Differences

Significance tests can be conducted on differences of prevalence estimates between two domains. For the SUDAAN example, testing of differences requires a separate PROC DESCRIPT run from the initial DESCRIPT run (Exhibit F.1) that produces the corresponding sex-specific estimates. Tests of differences can be generated using DESCRIPT's CONTRAST, PAIRWISE, or DIFFVAR statements. The SUDAAN example (Exhibit F.7) uses the DIFFVAR statement to test for differences of means between males and females of past month alcohol use estimates for all people aged 12 or older.

Exhibit F.7 SUDAAN DESCRIPT Procedure (Tests of Differences)

```
        PROC DESCRIPT DATA=DATANAME DDF=50 DESIGN=WR FILETYPE=SAS;
        /* Note: the DDF may change if using data combined across several years*/
        NEST VESTR_C VEREP;
        WEIGHT ANALWT2_C; /*2023 PUF person-level analysis weight. Note: pooled weights should
        be used on combined years of data*/
        VAR ALCMON;
        SUBGROUP IRSEX;
        LEVELS 2;
        DIFFVAR IRSEX=(1 2) / NAME="MALES vs FEMALES";
        PRINT WSUM NSUM MEAN SEMEAN T_MEAN P_MEAN / REPLACE STYLE=NCHS;
        OUTPUT WSUM MEAN SEMEAN NSUM T_MEAN P_MEAN / REPLACE NSUMFMT=F8.0 WSUMFMT=F12.0
        MEANFMT=F15.10 SEMEANFMT=F15.10 FILENAME="OUT.SUDTESTS";
        TITLE "TESTS OF DIFFERENCES IN ESTIMATES OF PAST MONTH ALCOHOL BETWEEN MALES AND
        FEMALES";
        RUN;

Note: The following CLASS statement could be used in place of SUBGROUP and LEVELS statements in
the above examples:
        CLASS IRSEX;
```

When one or more contrasts are specified in SUDAAN, as in the DIFFVAR statement mentioned earlier, the output variable MEAN becomes the contrast mean where the number assigned to the output variable, CONTRAST, represents the tests in order of appearance in the SUDAAN code, and SEMEAN becomes the SE of the contrast mean. The examples provided earlier also output the *t*-statistic (T_MEAN) and the corresponding *p* value (P_MEAN).

F.7.4 Confidence Intervals

Confidence intervals can be calculated using means (MEAN) and SEs (SEMEAN) from PROC DESCRIPT in SUDAAN. After the means and SEs are obtained (Exhibit F.1), the code in Exhibit F.8 can be used to create the 95 percent confidence intervals for means and totals.

Exhibit F.8 SAS Code Based on SUDAAN Output (Calculating a 95 Percent Confidence Interval)

```
DATA CI;
SET OUT.SUDFILE; /*output data from Exhibit F.1*/
T_QNTILE=TINV(0.975,50); /*define t-statistic*/
NUMBER=SEMEAN/(MEAN*(1-MEAN));
L=LOG(MEAN/(1-MEAN));

A=L-T_QNTILE*NUMBER;
B=L+T_QNTILE*NUMBER;

PLOWER=1/(1+EXP(-A));
PUPPER=1/(1+EXP(-B));
/*PLOWER AND PUPPER ARE THE 95% CIS ASSOCIATED WITH MEAN FROM SUDAAN*/
TLOWER=WSUM*PLOWER;
TUPPER=WSUM*PUPPER;
/*TLOWER AND TUPPER ARE THE 95% CIS ASSOCIATED WITH TOTAL FROM SUDAAN*/
RUN;
```

F.7.5 Calculating Percentages for Categories

Exhibit F.9 demonstrates how to compute estimates corresponding to levels of a categorical variable. This example uses the number of days that marijuana was used in the past month among past month marijuana users. The variable that will be analyzed (MRJMDAYS) is a categorical variable with days grouped into four levels (1 = 1-2 days, 2 = 3-5 days, 3 = 6-19 days, 4 = 20+ days). Because SUDAAN now needs to estimate percentages and SEs for each level of the variable instead of computing only one estimate for the variable overall, the CATLEVEL statement is introduced, and the PERCENT and SEPERCENT keywords replace the MEAN and SEMEAN keywords.

Exhibit F.9 SUDAAN DESCRIPT Procedure (Frequency of Use; i.e., Number of Days Used Substance in the Past Month among Past Month Users)

```
PROC DESCRIPT DATA=DATANAME DDF=50 DESIGN=WR FILETYPE=SAS DEFT4;
/* Note: the DDF may change if using data combined across several years*/
NEST VESTR_C VEREP;
WEIGHT ANALWT2_C; /*2023 PUF person-level analysis weight. Note: pooled weights should be
used on combined years of data*
/VAR MRJMDAYS MRJMDAYS MRJMDAYS MRJMDAYS; /*Marijuana Use frequency in the past month
variable: 1=1-2 days, 2=3-5 days, 3=6-19 days, 4=20+ days, 5=did not use marijuana in the
past month*/
CATLEVEL 1 2 3 4; /*levels of MRJMDAYS to be shown in table*/
SUBGROUP MRJMON;
/*Past month marijuana use variable, where used in past month=1 & did not use in past
    month=0*/
LEVELS 1;
TABLES MRJMON; /*Tables will show percents among marijuana users*/
PRINT WSUM NSUM PERCENT SEPERCENT TOTAL SETOTAL / REPLACE STYLE=NCHS;
OUTPUT WSUM PERCENT SEPERCENT TOTAL SETOTAL NSUM / REPLACE FILENAME="OUT.SUDFILE_FREQ";
TITLE "FREQUENCY OF MARIJUANA USE BY PAST MONTH MARIJUANA USERS";
RUN;
```

F.7.6 Regression Analysis

Multiple regression analysis can be implemented in SUDAAN via PROC RLOGISTIC for logistic regression (if the outcome is a binary variable) or via PROC REGRESS for linear regression (if the outcome is a continuous variable) to study the relationship between an outcome and several covariates. Parameters estimated will primarily include regression coefficients, SEs for beta coefficients, Wald chi-square test or *t*-test, *p* values, and odds ratios (for logistic regression only). Exhibits F.10 and F.11 demonstrate the SUDAAN syntax for such analyses using NSDUH PUF data. For details about regression analyses using SUDAAN, see the SUDAAN operations manual.[4]

Exhibit F.10 SUDAAN RLOGIST Procedure

```
/*Association between alcohol past month use and demographic variables, recode IRMARIT=99 to
IRMARIT=5*/
PROC RLOGIST DATA=DATANAME DDF=50 DESIGN=WR FILETYPE=SAS;
/* Note: the DDF may change if using data combined across several years*/
NEST VESTR_C VEREP;
WEIGHT ANALWT2_C; /*2023 PUF person-level analysis weight. Note: pooled weights should be used
on combined years of data*/
REFLEVEL AGE3=1 NEWRACE2 =1 INCOME=1; /*Specify Reference Level if not using the default level,
by default, the last level is the reference level*/
SUBGROUP AGE3 IRSEX NEWRACE2 IRMARIT INCOME;
LEVELS 11 2 7 5 4;
MODEL ALCMON=AGE3 IRSEX NEWRACE2 IRMARIT INCOME; /*Model Covariates*/
SETENV DECWIDTH=6 COLWIDTH=18;
PRINT BETA="BETA" SEBETA="STDERR" DEFT="DESIGN EFFECT" T_BETA="T:BETA=0" P_BETA="P-VALUE"/
RISK=ALL TESTS=DEFAULT T_BETAFMT=F8.2 WALDCHIFMT=f6.2 ORFMT=f10.2 LOWORFMT=f10.2 UPORFMT=f10.2
DFFMT=f7.0;
OUTPUT BETA SEBETA T_BETA P_BETA / REPLACE FILENAME="OUT.MODEL_OUTPUT";
TITLE " MODEL OF ALCMON ";
RUN;
```

Exhibit F.11 SUDAAN REGRESS Procedure

```
/*Association between Body Mass Index and demographic variables, recode IRMARIT=99 to
IRMARIT=5*/
PROC REGRESS DATA=DATANAME DDF=50 DESIGN=WR FILETYPE=SAS;
/*Note: the DDF may change if using data combined across several years*/

NEST VESTR_C VEREP;
WEIGHT ANALWT2_C; /*2023 PUF person-level analysis weight. Note: pooled weights should be used
on combined years of data*/
REFLEVEL AGE3=1 NEWRACE2 =1 INCOME=1; /*Specify Reference Level if not using the default level,
by default, the last level is the reference level*/
SUBGROUP AGE3 IRSEX NEWRACE2 IRMARIT INCOME;
LEVELS 11 2 7 5 4;
MODEL BMI2=AGE3 IRSEX NEWRACE2 IRMARIT INCOME; /*Model Covariates*/
SETENV DECWIDTH=6 COLWIDTH=18;
PRINT BETA="BETA" SEBETA="STDERR" DEFT="DESIGN EFFECT" T_BETA="T:BETA=0" P_BETA="P-VALUE"/
TESTS=DEFAULT T_BETAFMT=F8.2 WALDCHIFMT=f6.2 DFFMT=f7.0;
OUTPUT BETA SEBETA T_BETA P_BETA / REPLACE FILENAME="OUT.MODEL_OUTPUT";
TITLE "MODEL OF BMI2";
RUN;
```

F.8 Examples of Selected 2023 PUF Tables

Tables F.2 through F.4 are examples of tables of estimates and SEs produced using the 2023 NSDUH PUF and are similar in format to the 2023 Detailed Tables.

[4] RTI International. (2018). *SUDAAN®, Release 11.0.3* [computer software].

Table F.2 Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month: Among People Aged 12 or Older; by Demographic Characteristics, Percentages and Standard Errors, 2023 NSDUH Public Use File Estimates

Demographic Characteristic	ALCOHOL USE		BINGE ALCOHOL USE		HEAVY ALCOHOL USE	
	Estimate	SE	Estimate	SE	Estimate	SE
TOTAL	47.7	0.49	21.7	0.41	5.9	0.21
AGE						
12-17	6.7	0.40	3.7	0.33	0.6	0.11
18-25	49.4	0.77	29.0	0.56	7.3	0.48
26 or Older	52.1	0.58	22.6	0.51	6.2	0.24
SEX						
Male	50.4	0.60	24.5	0.58	7.3	0.33
Female	45.0	0.64	19.0	0.44	4.5	0.20
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	49.0	0.49	21.4	0.42	6.2	0.22
AIAN	30.5	3.01	19.7	2.67	5.7	1.75
Asian	31.6	1.38	10.3	1.19	1.9	0.48
Black or African American	42.7	1.06	21.2	0.87	4.7	0.38
NHOPI	*	*	*	*	*	*
White	52.4	0.55	22.5	0.47	6.8	0.30
Two or More Races	45.1	2.01	22.1	1.66	7.6	0.98
Hispanic or Latino	41.8	0.92	23.0	0.87	4.4	0.33

* Low precision.

AIAN= American Indian or Alaska Native, NHOPI= Native Hawaiian or Other Pacific Islander, PUF = public use file; SE = standard error that is associated with the PUF estimate.

NOTE: NSDUH PUFs are available for download at https://www.samhsa.gov/data/data-we-collect/nsduh/datafiles.

NOTE: PUF estimates in this table might differ from the estimates in the "Tobacco Product and Alcohol Use" detailed tables available at https://www.samhsa.gov/data/report/2023-nsduh-detailed-tables, which are based on restricted-use data.

NOTE: Binge alcohol use is defined as drinking five or more drinks (for males) or four or more drinks (for females) on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. In 2015, the definition for females changed from five to four drinks. Heavy alcohol use is defined as binge drinking on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

NOTE: Precision-based suppression rules have been applied to this table. Users are encouraged to apply appropriate suppression rules as needed.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2023.

Table F.3 Tobacco Product Use in Lifetime, Past Year, and Past Month: Among People Aged 12 or Older; by Demographic Characteristics, Percentages and Standard Errors, 2023 NSDUH Public Use File Estimates

Demographic Characteristic	LIFETIME		PAST YEAR		PAST MONTH	
	Estimate	SE	Estimate	SE	Estimate	SE
TOTAL	57.5	0.43	22.3	0.33	17.6	0.33
SEX						
Male	65.1	0.62	28.5	0.51	22.1	0.53
Female	50.3	0.63	16.4	0.33	13.2	0.32
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	60.0	0.48	23.3	0.36	18.5	0.37
AIAN	61.2	2.85	29.9	2.24	25.7	2.21
Asian	32.2	1.86	10.6	1.16	8.1	0.90
Black or African American	47.6	1.06	24.5	0.89	19.9	0.67
NHOPI	*	*	*	*	*	*
White	65.5	0.53	24.1	0.43	19.0	0.45
Two or More Races	59.9	2.05	28.3	1.95	23.3	1.92
Hispanic or Latino	46.4	0.92	18.0	0.79	13.3	0.67

* Low precision.

AIAN= American Indian or Alaska Native, NHOPI= Native Hawaiian or Other Pacific Islander, PUF = public use file; SE = standard error that is associated with the PUF estimate.

NOTE: NSDUH PUFs are available for download at https://www.samhsa.gov/data/data-we-collect/nsduh/datafiles.

NOTE: PUF estimates in this table might differ from the estimates in the "Tobacco Product and Alcohol Use" detailed tables available at https://www.samhsa.gov/data/report/2023-nsduh-detailed-tables, which are based on restricted-use data.

NOTE: Tobacco products include cigarettes, smokeless tobacco (i.e., snuff, dip, chewing tobacco, or snus), cigars, or pipe tobacco. Tobacco product use in the past year excludes past year pipe tobacco use but includes past month pipe tobacco use.

NOTE: Precision-based suppression rules have been applied to this table. Users are encouraged to apply appropriate suppression rules as needed.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2023.

Table F.4 Serious Mental Illness in the Past Year: Among Adults Aged 18 or Older; by Age Group and Demographic Characteristics, Percentages and Standard Errors, 2023 NSDUH Public Use File Estimates

Demographic Characteristic	TOTAL		AGED 18-25		AGED 26-49		AGED 50+	
	Estimate	SE	Estimate	SE	Estimate	SE	Estimate	SE
TOTAL	5.7	0.16	10.2	0.43	7.9	0.29	2.4	0.24
SEX								
Male	4.3	0.19	7.3	0.54	6.1	0.37	1.6	0.28
Female	7.0	0.22	13.2	0.59	9.7	0.43	3.0	0.35
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	5.7	0.18	10.6	0.46	8.4	0.30	2.4	0.24
AIAN	3.1	0.72	13.6	3.53	3.4	1.09	0.2	0.18
Asian	3.1	0.53	7.9	1.78	3.1	0.65	*	*
Black or African American	3.8	0.34	6.5	0.68	5.1	0.55	1.4	0.51
NHOPI	*	*	*	*	*	*	*	*
White	6.1	0.19	11.6	0.61	9.7	0.39	2.5	0.24
Two or More Races	13.6	2.54	17.2	2.28	15.1	1.94	*	*
Hispanic or Latino	5.4	0.43	8.9	1.02	6.3	0.66	2.2	0.80
HEALTH INSURANCE[1]								
Private	4.8	0.17	11.7	0.65	6.3	0.29	1.6	0.21
Medicaid/CHIP	8.9	0.46	9.1	0.63	12.4	0.67	4.3	0.73
Other[2]	3.6	0.28	10.5	1.77	13.0	1.26	2.1	0.32
No Coverage	6.6	0.71	5.7	0.66	7.3	0.89	5.5	2.04
CURRENT EMPLOYMENT								
Full-Time	5.6	0.24	9.9	0.59	6.6	0.32	2.4	0.45
Part-Time	7.6	0.46	12.7	1.09	10.1	0.71	2.0	0.68
Unemployed	9.4	0.88	9.5	1.32	11.5	1.44	4.0	2.03
Other[3]	4.6	0.25	8.6	0.78	10.6	0.71	2.3	0.27

* Low precision.

AIAN= American Indian or Alaska Native, NHOPI= Native Hawaiian or Other Pacific Islander, PUF = public use file; SE = standard error that is associated with the PUF estimate.

NOTE: NSDUH PUFs are available for download at https://www.samhsa.gov/data/data-we-collect/nsduh/datafiles.

NOTE: PUF estimates in this table might differ from the estimates in the "Adult Mental Health" detailed tables available at https://www.samhsa.gov/data/report/2023-nsduh-detailed-tables, which are based on restricted-use data.

NOTE: Serious mental illness (SMI) aligns with *Diagnostic and Statistical Manual of Mental Disorders*, 4th edition (DSM-IV), criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of SMI are a subset of estimates of any mental illness (AMI) because SMI is limited to persons with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

NOTE: Precision-based suppression rules have been applied to this table. Users are encouraged to apply appropriate suppression rules as needed.

[1] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[2] Other health insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

[3] The other employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2023.