






T1モデル



1F




2F



RF

節点番号



○グルーピング

| 設計変数 | 2階 |    |    |    | R階 |    |    |    |
|------|----|----|----|----|----|----|----|----|
|      | G1 | G2 | B1 | B2 | G1 | G2 | B1 | B2 |
| H    | 1  | 1  | 2  | 1  | 1  | 1  | 2  | 1  |
| B    | 1  | 2  | 3  | 4  | 5  | 6  | 7  | 8  |
| T1   | 1  | 2  | 3  | 4  | 5  | 6  | 7  | 8  |
| T2   | 1  | 2  | 3  | 4  | 5  | 6  | 7  | 8  |

| 設計変数 | 1 階 |    |    | 2階 |    |    |
|------|-----|----|----|----|----|----|
|      | C1  | C2 | C3 | C1 | C2 | C3 |
| D    | 1   | 1  | 1  | 1  | 1  | 1  |
| T    | 1   | 2  | 3  | 4  | 5  | 6  |

梁CMQ

| フレーム名 | スパン  | ①w | ②幅   | ①×②  | C     | Q     | M0    |
|-------|------|----|------|------|-------|-------|-------|
| Y 1   | 6.4  | 8  | 1.6  | 12.8 | 43.7  | 41.0  | 65.5  |
| Y2    | 6.4  | 8  | 3.05 | 24.4 | 83.3  | 78.1  | 124.9 |
| Y3    | 6.4  | 8  | 1.45 | 11.6 | 39.6  | 37.1  | 59.4  |
| X1,X2 | 12.8 | 8  | 3.2  | 25.6 | 349.5 | 163.8 | 524.3 |
|       | 5.8  | 8  | 3.2  | 25.6 | 71.8  | 74.2  | 107.6 |