



KCNJ8 Hotspot Z-score across primary PDAC sections



IU_PDA_T1

KCNJ8: $C=0.001$, $\bar{Z}=0.19$, $FDR=5.95e-01$



KCNJ8 raw counts

1.0

0.8

0.6


0.4

0.2

0.0


IU_PDA_T10

KCNJ8: C=0.006, Z=1.06, FDR=3.63e-01




IU_PDA_T11

KCNJ8: C=0.010, Z=1.82, FDR=1.29e-01




IU_PDA_T12

KCNJ8: C=0.045, $\bar{Z}$ =10.39, FDR=1.86e-24




IU_PDA_T2

KCNJ8: $C=-0.004$, $Z=-0.87$, $FDR=8.57e-01$



IU_PDA_T3

KCNJ8: $C=0.026$, $\bar{Z}=6.59$, $FDR=1.47e-10$



KCNJ8 raw counts

1.0

0.8

0.6


0.4

0.2


0.0

IU_PDA_T4

KCNJ8: $C=0.006$, $\bar{Z}=1.25$, $FDR=2.05e-01$




IU_PDA_T6
KCNJ8: $C=0.022$, $\bar{Z}=4.74$, $FDR=8.76e-06$



IU_PDA_T8

KCNJ8: $C=-0.001$, $\bar{Z}=-0.27$, $FDR=6.83e-01$



IU_PDA_T9

KCNJ8: C=-0.001, Z=-0.16, FDR=7.06e-01

