




KCNMB4 Hotspot Z-score across primary PDAC sections




IU_PDA_T1

KCNMB4: C=0.001, Z=0.20, FDR=5.92e-01




IU_PDA_T10

KCNMB4: $C=0.006$, $Z=0.60$, $FDR=4.77e-01$




IU_PDA_T11

KCNMB4: C=0.026, Z=4.86, FDR=8.65e-06




IU_PDA_T12

KCNMB4: C=0.016, Z=3.56, FDR=7.31e-04




IU_PDA_T2

KCNMB4: $C=-0.004$, $Z=-0.92$, $FDR=8.66e-01$



IU_PDA_T3

KCNMB4: C=0.019, Z=4.81, FDR=3.85e-06




KCNMB4 raw counts

1.0
0.8
0.6
0.4
0.2
0.0


IU_PDA_T4

KCNMB4: $C=-0.005$, $Z=-1.06$, $FDR=8.66e-01$




IU_PDA_T6

KCNMB4: $C=-0.001$, $Z=-0.20$, $FDR=6.24e-01$



IU_PDA_T8

KCNMB4: C=0.003, Z=0.48, FDR=4.57e-01



IU_PDA_T9

KCNMB4: C=0.001, Z=0.20, FDR=6.06e-01

