


KCNMA1 vs Matrix

Spearman correlation between KCNMA1 raw counts and scaled pathway score




Gene set

Manual pathway/module used to compute per-spot activity


COL11A1 COL1A1 COL1A2 COL3A1 COL4A1 COL5A1 FN FN1 IAMA3 IAMB3 IAMC2 IGALS7 IGALS9 TNC VTN

IU_PDA_T1

KCNMA1: C=0.032, Z=7.20, FDR=1.5e-11




KCNMA1 raw counts




IU_PDA_T1

Matrix: rho=0.12, FDR=1.1e-12




Matrix
scaled score




IU_PDA_T10

KCNMA1: C=0.013, Z=2.49, FDR=6.5e-02




KCNMA1 raw counts




IU_PDA_T10

Matrix: rho=0.06, FDR=1.7e-03




Matrix
scaled score




IU_PDA_T11

KCNMA1: C=0.045, Z=9.42, FDR=8.9e-20




KCNMA1 raw counts




IU_PDA_T11


Matrix: rho=0.29, FDR=3.5e-54




Matrix
scaled score




IU_PDA_T12
KCNMA1: C=0.059, Z=13.53, FDR=1.1e-40




KCNMA1 raw counts





IU_PDA_T12
Matrix: rho=0.08, FDR=3.4e-06





Matrix
scaled score




IU_PDA_T2
KCNMA1: C=0.006, Z=1.53, FDR=2.5e-01



IU_PDA_T2
Matrix: rho=0.11, FDR=1.6e-12




IU_PDA_T3
KCNMA1: C=0.025, Z=6.45, FDR=3.6e-10



KCNMA1 raw counts

A vertical color scale bar for KCNMA1 raw counts. It ranges from 0.00 at the bottom (dark purple) to 1.00 at the top (yellow). Intermediate values are marked at 0.25, 0.50, and 0.75, with corresponding color transitions from purple to green to yellow.

IU_PDA_T3
Matrix: rho=0.11, FDR=1.9e-13




Matrix
scaled score


A vertical color scale bar for the Matrix scaled score. It ranges from -1.0 at the bottom (black) to 1.0 at the top (yellow). Intermediate values are marked at -0.5, 0.0, and 0.5, with corresponding color transitions from black to purple to yellow.

IU_PDA_T4

KCNMA1: C=0.036, Z=7.13, FDR=8.6e-12




KCNMA1 raw counts




IU_PDA_T4



Matrix: rho=0.11, FDR=1.8e-11





Matrix
scaled score




IU_PDA_T6
KCNMA1: $C=0.039$, $Z=8.15$, $FDR=3.3e-15$




IU_PDA_T6
Matrix: $\rho=0.16$, $FDR=1.5e-21$




IU_PDA_T8
KCNMA1: $C=0.003$, $Z=0.76$, $FDR=3.8e-01$




KCNMA1 raw counts





IU_PDA_T8
Matrix: $\rho=0.10$, $FDR=1.6e-09$



Matrix
scaled score



IU_PDA_T9
KCNMA1: C=0.030, Z=6.89, FDR=7.8e-11



IU_PDA_T9
Matrix: rho=0.09, FDR=5.6e-07

