


KCNMA1 vs NK_cells

Spearman correlation between KCNMA1 raw counts and scaled pathway score




Gene set

Manual pathway/module used to compute per-spot activity


NKG7, GNL1, PRF1, KIR2DL1, CTSC, XCL1, XCL2, FCGR3A, TYROBP, TRAC

IU_PDA_T1

KCNMA1: C=0.032, Z=7.20, FDR=1.5e-11




KCNMA1 raw counts




IU_PDA_T1

NK_cells: rho=0.06, FDR=3.5e-04




NK_cells
scaled score




IU_PDA_T10

KCNMA1: C=0.013, Z=2.49, FDR=6.5e-02




KCNMA1 raw counts




IU_PDA_T10

NK_cells: rho=0.02, FDR=3.4e-01




NK_cells
scaled score




IU_PDA_T11

KCNMA1: $C=0.045$, $Z=9.42$, $FDR=8.9e-20$



KCNMA1 raw counts




IU_PDA_T11


NK_cells: $\rho=-0.04$, $FDR=2.6e-02$




NK_cells
scaled score




IU_PDA_T12
KCNMA1: $C=0.059$, $Z=13.53$, $FDR=1.1e-40$




KCNMA1 raw counts




IU_PDA_T12
NK_cells: $\rho=0.00$, $FDR=7.9e-01$



NK_cells
scaled score




IU_PDA_T2
KCNMA1: $C=0.006$, $Z=1.53$, $FDR=2.5e-01$



KCNMA1 raw counts

A vertical color scale bar for KCNMA1 raw counts. It ranges from 0.00 at the bottom (dark purple) to 1.00 at the top (yellow). Intermediate values are marked at 0.25, 0.50, and 0.75, with corresponding color transitions from purple to green to yellow.



IU_PDA_T2
NK_cells: $\rho=-0.03$, $FDR=5.5e-02$





NK_cells
scaled score

A vertical color scale bar for NK_cells scaled score. It ranges from -1 at the bottom (dark purple) to 1 at the top (yellow). Intermediate values are marked at 0 (black) and -1 (dark purple). The scale is symmetric around 0, with colors transitioning from purple to black to yellow.

IU_PDA_T3
KCNMA1: C=0.025, Z=6.45, FDR=3.6e-10




IU_PDA_T3
NK_cells: rho=0.03, FDR=9e-02




IU_PDA_T4

KCNMA1: C=0.036, Z=7.13, FDR=8.6e-12




KCNMA1 raw counts




IU_PDA_T4



NK_cells: rho=0.08, FDR=9.9e-07





NK_cells
scaled score





IU_PDA_T6
KCNMA1: $C=0.039$, $Z=8.15$, $FDR=3.3e-15$




IU_PDA_T6
NK_cells: $\rho=-0.04$, $FDR=2.5e-02$




IU_PDA_T8
KCNMA1: C=0.003, Z=0.76, FDR=3.8e-01



IU_PDA_T8
NK_cells: $\rho=-0.04$, FDR=3.3e-02




IU_PDA_T9
KCNMA1: C=0.030, Z=6.89, FDR=7.8e-11



KCNMA1 raw counts

2.0
1.5
1.0
0.5
0.0

IU_PDA_T9
NK_cells: rho=-0.01, FDR=6.2e-01



NK_cells
scaled score

1
0
-1