



KCNMA1_KCNMB1 Hotspot Z-score across primary PDAC sections




IU_PDA_T1

KCNMA1_KCNMB1: C=0.035, Z=7.90, FDR=7.99e-14




IU_PDA_T10

KCNMA1_KCNMB1: $C=0.007$, $Z=1.35$, $FDR=2.96e-01$




IU_PDA_T11

KCNMA1_KCNMB1: C=0.065, Z=13.47, FDR=8.21e-40




IU_PDA_T12

KCNMA1_KCNMB1: C=0.039, Z=9.07, FDR=7.17e-19




IU_PDA_T2

KCNMA1_KCNMB1: C=0.009, Z=2.09, FDR=1.11e-01




IU_PDA_T3

KCNMA1_KCNMB1: C=0.036, Z=9.34, FDR=4.38e-20




IU_PDA_T4

KCNMA1_KCNMB1: C=0.058, Z=12.62, FDR=3.67e-35




IU_PDA_T6

KCNMA1_KCNMB1: C=0.058, Z=12.45, FDR=2.62e-34



IU_PDA_T8

KCNMA1_KCNMB1: C=0.002, Z=0.35, FDR=4.96e-01



IU_PDA_T9

KCNMA1_KCNMB1: C=0.039, Z=8.96, FDR=6.75e-18

