

KCN ecotype summary by section: IU_PDA_T1 (page 1/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNN4	CC1_CC5	2969	561	-0.056	0.480	2.863	6.774	-3.911	3.61e-06	4.33e-05
	CC2_CC3	68	3462	0.240	0.580	19.118	3.177	15.940	1.01e-12	2.43e-11
KCNK1	CC1_CC5	2969	561	-0.100	0.471	3.974	9.626	-5.651	8.81e-09	2.11e-07
	CC2_CC3	68	3462	0.200	0.566	17.647	4.622	13.025	6.72e-07	4.03e-06
KCNC4	CC1_CC5	2969	561	-0.043	0.486	3.267	6.061	-2.794	1.29e-03	7.57e-03
	CC2_CC3	68	3462	0.219	0.564	16.176	3.466	12.710	2.92e-08	3.51e-07
KCNQ4	CC1_CC5	2969	561	-0.022	0.494	0.539	1.783	-1.244	1.58e-03	7.57e-03
	CC2_CC3	68	3462	0.072	0.526	5.882	0.635	5.247	5.52e-07	4.03e-06
KCNT2	CC1_CC5	2969	561	-0.003	0.499	0.303	0.535	-0.232	3.87e-01	5.53e-01
	CC2_CC3	68	3462	0.038	0.513	2.941	0.289	2.652	1.99e-04	9.53e-04
KCNK6	CC1_CC5	2969	561	-0.057	0.483	4.917	8.378	-3.460	8.56e-04	6.84e-03
	CC2_CC3	68	3462	0.099	0.539	13.235	5.315	7.920	4.73e-03	1.89e-02
KCNE4	CC1_CC5	2969	561	0.072	0.521	10.138	6.061	4.077	2.11e-03	8.43e-03
	CC2_CC3	68	3462	-0.044	0.489	7.353	9.532	-2.179	5.30e-01	8.08e-01
KCNK15	CC1_CC5	2969	561	-0.009	0.497	0.101	0.713	-0.612	2.81e-03	9.64e-03
	CC2_CC3	68	3462	-0.003	0.499	0.000	0.202	-0.202	7.11e-01	8.08e-01
KCNMB4	CC1_CC5	2969	561	0.030	0.510	3.873	1.783	2.091	1.41e-02	4.24e-02
	CC2_CC3	68	3462	-0.012	0.497	2.941	3.553	-0.612	7.85e-01	8.08e-01
KCNJ15	CC1_CC5	2969	561	-0.021	0.493	1.347	2.674	-1.327	1.98e-02	5.27e-02
	CC2_CC3	68	3462	0.061	0.515	4.412	1.502	2.910	5.32e-02	1.60e-01
KCNJ8	CC1_CC5	2969	561	-0.001	0.498	5.288	5.704	-0.416	7.02e-01	8.02e-01
	CC2_CC3	68	3462	-0.083	0.473	0.000	5.459	-5.459	4.77e-02	1.60e-01
KCND2	CC1_CC5	2969	561	0.018	0.507	3.469	2.139	1.330	1.04e-01	2.43e-01
	CC2_CC3	68	3462	0.014	0.506	4.412	3.235	1.177	5.91e-01	8.08e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T1 (page 2/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNK17	CC1_CC5	2969	561	-0.008	0.497	0.505	1.070	-0.564	1.11e-01	2.43e-01
	CC2_CC3	68	3462	0.012	0.504	1.471	0.578	0.893	3.43e-01	8.08e-01
KCNAB2	CC1_CC5	2969	561	-0.018	0.493	3.503	4.813	-1.310	1.33e-01	2.66e-01
	CC2_CC3	68	3462	0.007	0.504	4.412	3.697	0.714	7.60e-01	8.08e-01
KCNS3	CC1_CC5	2969	561	0.029	0.510	10.812	8.913	1.899	1.75e-01	3.22e-01
	CC2_CC3	68	3462	0.074	0.522	14.706	10.427	4.278	2.41e-01	6.43e-01
KCNMA1	CC1_CC5	2969	561	0.011	0.506	12.024	10.695	1.329	3.92e-01	5.53e-01
	CC2_CC3	68	3462	-0.060	0.484	8.824	11.872	-3.048	4.23e-01	8.08e-01
KCND3	CC1_CC5	2969	561	-0.008	0.497	2.122	2.674	-0.552	4.15e-01	5.53e-01
	CC2_CC3	68	3462	-0.011	0.496	1.471	2.224	-0.754	6.76e-01	8.08e-01
KCNA5	CC1_CC5	2969	561	0.002	0.501	0.135	0.000	0.135	3.84e-01	5.53e-01
	CC2_CC3	68	3462	-0.002	0.499	0.000	0.116	-0.116	7.79e-01	8.08e-01
KCNB1	CC1_CC5	2969	561	-0.002	0.499	0.067	0.178	-0.111	4.09e-01	5.53e-01
	CC2_CC3	68	3462	-0.001	0.500	0.000	0.087	-0.087	8.08e-01	8.08e-01
KCNAB1	CC1_CC5	2969	561	0.002	0.501	0.337	0.178	0.159	5.37e-01	6.78e-01
	CC2_CC3	68	3462	-0.005	0.498	0.000	0.318	-0.318	6.42e-01	8.08e-01
KCNN3	CC1_CC5	2969	561	-0.003	0.499	1.044	1.248	-0.204	6.68e-01	8.02e-01
	CC2_CC3	68	3462	0.006	0.502	1.471	1.069	0.402	7.51e-01	8.08e-01
KCNMB1	CC1_CC5	2969	561	-0.008	0.499	3.301	3.565	-0.264	7.40e-01	8.07e-01
	CC2_CC3	68	3462	-0.031	0.490	1.471	3.380	-1.909	3.85e-01	8.08e-01
KCNJ16	CC1_CC5	2969	561	-0.002	0.500	0.573	0.535	0.038	9.15e-01	9.15e-01
	CC2_CC3	68	3462	-0.009	0.497	0.000	0.578	-0.578	5.30e-01	8.08e-01
KCNK3	CC1_CC5	2969	561	0.001	0.500	0.236	0.178	0.058	7.93e-01	8.27e-01
	CC2_CC3	68	3462	-0.003	0.499	0.000	0.231	-0.231	6.92e-01	8.08e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T10 (page 1/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNK1	CC1_CC5	582	2132	-0.266	0.426	5.498	20.028	-14.530	4.76e-17	1.14e-15
	CC2_CC3	1235	1479	0.369	0.608	28.502	7.235	21.267	2.92e-50	7.01e-49
KCNN4	CC1_CC5	582	2132	-0.086	0.473	1.718	7.176	-5.458	9.01e-07	1.08e-05
	CC2_CC3	1235	1479	0.119	0.536	9.960	2.705	7.255	1.80e-15	2.16e-14
KCNK6	CC1_CC5	582	2132	-0.078	0.476	4.467	9.193	-4.726	2.07e-04	1.65e-03
	CC2_CC3	1235	1479	0.112	0.534	11.903	5.071	6.832	7.45e-11	5.96e-10
KCNC4	CC1_CC5	582	2132	-0.035	0.489	1.375	3.659	-2.284	5.25e-03	2.52e-02
	CC2_CC3	1235	1479	0.039	0.513	4.534	2.028	2.506	2.03e-04	1.22e-03
KCND3	CC1_CC5	582	2132	-0.012	0.496	1.203	2.017	-0.814	1.95e-01	3.20e-01
	CC2_CC3	1235	1479	0.027	0.509	2.834	1.014	1.820	4.45e-04	2.14e-03
KCNAB2	CC1_CC5	582	2132	-0.068	0.479	5.155	9.334	-4.179	1.20e-03	7.20e-03
	CC2_CC3	1235	1479	0.060	0.517	10.283	6.897	3.387	1.28e-03	5.13e-03
KCNK15	CC1_CC5	582	2132	-0.009	0.497	0.344	0.985	-0.641	1.35e-01	3.03e-01
	CC2_CC3	1235	1479	0.014	0.505	1.377	0.406	0.971	6.01e-03	2.06e-02
KCNJ16	CC1_CC5	582	2132	-0.005	0.498	0.000	0.375	-0.375	1.39e-01	3.03e-01
	CC2_CC3	1235	1479	0.007	0.502	0.567	0.068	0.499	1.69e-02	5.08e-02
KCNB1	CC1_CC5	582	2132	-0.005	0.498	0.000	0.328	-0.328	1.66e-01	3.07e-01
	CC2_CC3	1235	1479	0.006	0.502	0.486	0.068	0.418	3.25e-02	7.79e-02
KCNT2	CC1_CC5	582	2132	-0.005	0.498	0.000	0.328	-0.328	1.66e-01	3.07e-01
	CC2_CC3	1235	1479	0.006	0.502	0.486	0.068	0.418	3.25e-02	7.79e-02
KCND2	CC1_CC5	582	2132	0.012	0.504	1.718	0.844	0.874	6.47e-02	2.39e-01
	CC2_CC3	1235	1479	-0.003	0.499	0.891	1.149	-0.259	5.08e-01	7.62e-01
KCNK3	CC1_CC5	582	2132	-0.008	0.497	0.000	0.563	-0.563	6.97e-02	2.39e-01
	CC2_CC3	1235	1479	0.001	0.500	0.486	0.406	0.080	7.54e-01	9.52e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T10 (page 2/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNE4	CC1_CC5	582	2132	0.023	0.508	6.186	4.644	1.542	1.28e-01	3.03e-01
	CC2_CC3	1235	1479	0.004	0.500	5.020	4.936	0.084	9.15e-01	9.60e-01
KCNK17	CC1_CC5	582	2132	-0.010	0.497	0.344	0.985	-0.641	1.35e-01	3.03e-01
	CC2_CC3	1235	1479	-0.002	0.500	0.810	0.879	-0.069	8.43e-01	9.60e-01
KCNA5	CC1_CC5	582	2132	-0.004	0.499	0.000	0.281	-0.281	2.00e-01	3.20e-01
	CC2_CC3	1235	1479	-0.004	0.499	0.081	0.338	-0.257	1.56e-01	3.40e-01
KCNJ15	CC1_CC5	582	2132	-0.009	0.497	0.687	1.220	-0.532	2.76e-01	4.14e-01
	CC2_CC3	1235	1479	0.005	0.501	1.215	1.014	0.200	6.18e-01	8.72e-01
KCNMA1	CC1_CC5	582	2132	-0.003	0.503	6.873	6.285	0.588	6.34e-01	7.33e-01
	CC2_CC3	1235	1479	-0.015	0.495	5.830	6.897	-1.067	2.66e-01	5.31e-01
KCNN3	CC1_CC5	582	2132	-0.006	0.498	1.546	2.017	-0.470	4.64e-01	6.56e-01
	CC2_CC3	1235	1479	-0.003	0.499	1.862	1.961	-0.098	8.49e-01	9.60e-01
KCNMB1	CC1_CC5	582	2132	-0.003	0.499	1.546	1.735	-0.189	7.53e-01	7.86e-01
	CC2_CC3	1235	1479	-0.007	0.498	1.457	1.893	-0.436	3.80e-01	6.63e-01
KCNQ4	CC1_CC5	582	2132	0.002	0.501	0.687	0.563	0.124	7.28e-01	7.86e-01
	CC2_CC3	1235	1479	0.004	0.501	0.729	0.473	0.255	3.87e-01	6.63e-01
KCNJ8	CC1_CC5	582	2132	-0.006	0.497	4.639	5.300	-0.661	5.26e-01	7.02e-01
	CC2_CC3	1235	1479	-0.004	0.500	5.182	5.139	0.044	9.71e-01	9.71e-01
KCNMB4	CC1_CC5	582	2132	-0.004	0.499	0.859	1.079	-0.220	6.41e-01	7.33e-01
	CC2_CC3	1235	1479	0.002	0.500	1.053	1.014	0.038	9.20e-01	9.60e-01
KCNAB1	CC1_CC5	582	2132	0.001	0.500	0.172	0.094	0.078	6.16e-01	7.33e-01
	CC2_CC3	1235	1479	-0.001	0.500	0.081	0.135	-0.054	6.72e-01	8.96e-01
KCNS3	CC1_CC5	582	2132	-0.000	0.500	5.326	5.347	-0.021	9.84e-01	9.84e-01
	CC2_CC3	1235	1479	-0.009	0.497	5.020	5.612	-0.592	4.94e-01	7.62e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T11 (page 1/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNK1	CC1_CC5	1956	821	-0.424	0.382	10.020	32.887	-22.866	3.42e-52	8.21e-51
	CC2_CC3	270	2507	0.629	0.684	48.519	13.363	35.156	8.35e-53	2.00e-51
KCNN4	CC1_CC5	1956	821	-0.234	0.427	6.391	20.828	-14.438	6.67e-30	8.00e-29
	CC2_CC3	270	2507	0.382	0.618	31.481	8.416	23.065	1.08e-32	1.29e-31
KCNC4	CC1_CC5	1956	821	-0.145	0.453	4.652	14.007	-9.355	6.71e-18	5.37e-17
	CC2_CC3	270	2507	0.214	0.570	20.000	6.063	13.937	5.77e-17	4.61e-16
KCNK6	CC1_CC5	1956	821	-0.141	0.452	7.311	16.931	-9.620	1.24e-14	7.47e-14
	CC2_CC3	270	2507	0.179	0.563	21.481	8.935	12.546	6.41e-11	3.85e-10
KCNK15	CC1_CC5	1956	821	-0.022	0.493	0.511	1.949	-1.438	3.30e-04	1.32e-03
	CC2_CC3	270	2507	0.048	0.515	3.704	0.638	3.065	6.61e-07	3.17e-06
KCNJ15	CC1_CC5	1956	821	-0.034	0.488	1.329	3.654	-2.325	6.91e-05	3.32e-04
	CC2_CC3	270	2507	0.048	0.516	4.815	1.715	3.100	5.62e-04	2.25e-03
KCNMB4	CC1_CC5	1956	821	-0.054	0.481	5.777	9.501	-3.724	3.89e-04	1.33e-03
	CC2_CC3	270	2507	0.073	0.526	11.481	6.382	5.099	1.62e-03	5.57e-03
KCNS3	CC1_CC5	1956	821	-0.063	0.479	12.065	16.322	-4.256	2.44e-03	7.32e-03
	CC2_CC3	270	2507	0.057	0.513	15.556	13.083	2.472	2.16e-01	3.99e-01
KCNAB2	CC1_CC5	1956	821	-0.039	0.485	6.339	9.379	-3.039	5.12e-03	1.37e-02
	CC2_CC3	270	2507	0.005	0.503	7.778	7.180	0.598	7.26e-01	7.58e-01
KCNA5	CC1_CC5	1956	821	-0.001	0.500	0.307	0.365	-0.059	8.04e-01	9.55e-01
	CC2_CC3	270	2507	0.012	0.504	1.111	0.239	0.872	1.67e-02	5.00e-02
KCNMB1	CC1_CC5	1956	821	-0.029	0.481	17.229	21.194	-3.965	2.09e-02	5.02e-02
	CC2_CC3	270	2507	-0.012	0.501	18.519	18.389	0.130	9.62e-01	9.62e-01
KCND2	CC1_CC5	1956	821	-0.021	0.493	2.249	3.654	-1.405	3.56e-02	7.13e-02
	CC2_CC3	270	2507	0.021	0.508	4.074	2.513	1.561	1.31e-01	2.82e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T11 (page 2/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNAB1	CC1_CC5	1956	821	0.017	0.506	2.147	0.974	1.173	3.39e-02	7.13e-02
	CC2_CC3	270	2507	-0.006	0.498	1.481	1.835	-0.353	6.78e-01	7.45e-01
KCNK3	CC1_CC5	1956	821	-0.011	0.496	1.176	2.071	-0.895	7.17e-02	1.32e-01
	CC2_CC3	270	2507	0.005	0.502	1.852	1.396	0.456	5.52e-01	6.74e-01
KCNJ16	CC1_CC5	1956	821	-0.001	0.500	0.204	0.244	-0.039	8.40e-01	9.55e-01
	CC2_CC3	270	2507	0.008	0.503	0.741	0.160	0.581	5.07e-02	1.35e-01
KCNQ4	CC1_CC5	1956	821	-0.003	0.499	1.840	1.949	-0.108	8.44e-01	9.55e-01
	CC2_CC3	270	2507	0.028	0.508	3.333	1.715	1.618	6.14e-02	1.47e-01
KCNT2	CC1_CC5	1956	821	0.007	0.503	0.869	0.365	0.504	1.52e-01	2.61e-01
	CC2_CC3	270	2507	-0.011	0.496	0.000	0.798	-0.798	1.41e-01	2.82e-01
KCNMA1	CC1_CC5	1956	821	0.002	0.487	40.849	44.580	-3.731	2.08e-01	3.32e-01
	CC2_CC3	270	2507	-0.085	0.484	40.000	42.162	-2.162	3.41e-01	4.81e-01
KCNN3	CC1_CC5	1956	821	-0.010	0.496	2.812	3.532	-0.720	3.12e-01	4.68e-01
	CC2_CC3	270	2507	-0.018	0.494	1.852	3.151	-1.299	2.36e-01	4.05e-01
KCND3	CC1_CC5	1956	821	-0.003	0.499	2.914	3.045	-0.131	8.50e-01	9.55e-01
	CC2_CC3	270	2507	0.016	0.506	4.074	2.832	1.242	2.53e-01	4.05e-01
KCNB1	CC1_CC5	1956	821	-0.006	0.498	1.738	2.071	-0.332	5.50e-01	7.77e-01
	CC2_CC3	270	2507	0.011	0.504	2.593	1.755	0.838	3.31e-01	4.81e-01
KCNE4	CC1_CC5	1956	821	0.003	0.501	6.697	6.577	0.120	9.12e-01	9.55e-01
	CC2_CC3	270	2507	-0.014	0.494	5.556	6.781	-1.225	4.53e-01	6.04e-01
KCNJ8	CC1_CC5	1956	821	-0.002	0.500	7.873	7.917	-0.044	9.55e-01	9.55e-01
	CC2_CC3	270	2507	-0.028	0.495	7.037	7.978	-0.941	5.62e-01	6.74e-01
KCNK17	CC1_CC5	1956	821	0.000	0.500	0.256	0.244	0.012	9.54e-01	9.55e-01
	CC2_CC3	270	2507	0.002	0.501	0.370	0.239	0.131	6.83e-01	7.45e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T12 (page 1/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNN4	CC1_CC5	2790	852	-0.443	0.389	18.136	38.263	-20.127	8.38e-41	2.01e-39
	CC2_CC3	251	3391	0.850	0.756	66.534	19.611	46.923	2.37e-76	5.69e-75
KCNK1	CC1_CC5	2790	852	-0.394	0.397	18.280	37.089	-18.810	1.23e-35	1.48e-34
	CC2_CC3	251	3391	0.837	0.754	65.737	19.493	46.244	1.03e-75	1.24e-74
KCNJ15	CC1_CC5	2790	852	-0.396	0.415	20.394	35.446	-15.052	7.46e-24	5.97e-23
	CC2_CC3	251	3391	0.787	0.717	60.558	21.203	39.355	9.25e-54	7.40e-53
KCNK6	CC1_CC5	2790	852	-0.266	0.429	28.423	40.376	-11.953	1.49e-14	8.93e-14
	CC2_CC3	251	3391	0.526	0.663	57.769	29.254	28.515	3.05e-26	1.83e-25
KCNC4	CC1_CC5	2790	852	-0.149	0.449	12.222	22.418	-10.196	1.10e-13	5.26e-13
	CC2_CC3	251	3391	0.259	0.590	31.076	13.388	17.687	7.23e-15	3.47e-14
KCND3	CC1_CC5	2790	852	-0.118	0.459	13.118	21.244	-8.126	4.39e-09	1.75e-08
	CC2_CC3	251	3391	0.178	0.558	25.498	14.244	11.254	6.23e-07	2.14e-06
KCNQ4	CC1_CC5	2790	852	-0.061	0.481	4.301	8.099	-3.798	1.14e-05	3.43e-05
	CC2_CC3	251	3391	0.113	0.536	11.952	4.689	7.263	5.11e-07	2.05e-06
KCNK3	CC1_CC5	2790	852	-0.078	0.477	5.771	10.329	-4.558	3.15e-06	1.08e-05
	CC2_CC3	251	3391	-0.009	0.497	6.375	6.871	-0.497	7.51e-01	8.58e-01
KCNJ8	CC1_CC5	2790	852	0.001	0.502	20.645	20.305	0.340	8.27e-01	8.95e-01
	CC2_CC3	251	3391	-0.203	0.443	10.359	21.321	-10.963	1.67e-05	5.01e-05
KCNE4	CC1_CC5	2790	852	0.095	0.531	31.470	25.822	5.648	7.79e-04	1.87e-03
	CC2_CC3	251	3391	-0.200	0.440	19.920	30.905	-10.985	7.88e-05	2.10e-04
KCNA5	CC1_CC5	2790	852	-0.030	0.490	2.043	4.108	-2.065	7.78e-04	1.87e-03
	CC2_CC3	251	3391	-0.021	0.493	1.195	2.625	-1.429	1.64e-01	2.31e-01
KCNMA1	CC1_CC5	2790	852	-0.005	0.504	42.975	42.136	0.839	6.83e-01	7.97e-01
	CC2_CC3	251	3391	-0.187	0.446	33.865	43.439	-9.574	1.21e-03	2.91e-03

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T12 (page 2/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNAB2	CC1_CC5	2790	852	-0.003	0.501	36.487	36.385	0.102	9.36e-01	9.36e-01
	CC2_CC3	251	3391	-0.189	0.451	29.084	37.010	-7.926	2.39e-03	5.22e-03
KCNB1	CC1_CC5	2790	852	-0.019	0.494	0.789	1.995	-1.207	2.72e-03	5.94e-03
	CC2_CC3	251	3391	0.001	0.501	1.195	1.062	0.134	8.43e-01	8.80e-01
KCND2	CC1_CC5	2790	852	0.058	0.517	15.914	12.676	3.238	1.71e-02	3.15e-02
	CC2_CC3	251	3391	-0.107	0.469	9.562	15.571	-6.009	8.09e-03	1.62e-02
KCNK17	CC1_CC5	2790	852	-0.066	0.484	9.785	12.911	-3.126	8.31e-03	1.66e-02
	CC2_CC3	251	3391	0.006	0.497	9.960	10.557	-0.597	7.45e-01	8.58e-01
KCNAB1	CC1_CC5	2790	852	-0.013	0.496	4.624	5.399	-0.775	3.54e-01	4.47e-01
	CC2_CC3	251	3391	-0.053	0.483	1.594	5.043	-3.449	1.36e-02	2.50e-02
KCNK15	CC1_CC5	2790	852	-0.008	0.497	0.860	1.408	-0.548	1.57e-01	2.09e-01
	CC2_CC3	251	3391	0.021	0.508	2.390	0.885	1.506	2.00e-02	3.43e-02
KCNJ16	CC1_CC5	2790	852	-0.008	0.497	0.358	0.939	-0.581	3.45e-02	5.91e-02
	CC2_CC3	251	3391	-0.001	0.499	0.398	0.501	-0.103	8.23e-01	8.80e-01
KCNMB4	CC1_CC5	2790	852	0.048	0.515	17.133	14.202	2.931	4.08e-02	6.53e-02
	CC2_CC3	251	3391	-0.060	0.480	12.749	16.721	-3.972	1.01e-01	1.52e-01
KCNS3	CC1_CC5	2790	852	0.063	0.518	30.287	26.878	3.409	5.12e-02	7.68e-02
	CC2_CC3	251	3391	-0.094	0.474	25.100	29.814	-4.715	8.31e-02	1.33e-01
KCNMB1	CC1_CC5	2790	852	-0.052	0.485	21.254	24.061	-2.807	5.66e-02	7.99e-02
	CC2_CC3	251	3391	0.036	0.515	24.701	21.705	2.997	2.72e-01	3.44e-01
KCNN3	CC1_CC5	2790	852	0.002	0.501	7.348	7.160	0.188	8.58e-01	8.95e-01
	CC2_CC3	251	3391	-0.035	0.491	5.578	7.431	-1.854	2.66e-01	3.44e-01
KCNT2	CC1_CC5	2790	852	0.003	0.501	1.720	1.526	0.195	6.98e-01	7.97e-01
	CC2_CC3	251	3391	-0.002	0.500	1.594	1.681	-0.087	9.17e-01	9.17e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T2 (page 1/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNK1	CC1_CC5	822	3296	-0.080	0.474	9.732	14.836	-5.104	1.31e-04	3.15e-03
	CC2_CC3	688	3430	0.244	0.581	27.035	11.166	15.869	4.33e-29	1.04e-27
KCNK6	CC1_CC5	822	3296	-0.030	0.492	7.421	9.072	-1.651	1.26e-01	3.63e-01
	CC2_CC3	688	3430	0.150	0.548	16.715	7.143	9.572	2.82e-16	3.38e-15
KCNN4	CC1_CC5	822	3296	-0.087	0.473	13.504	18.780	-5.277	2.80e-04	3.36e-03
	CC2_CC3	688	3430	0.183	0.561	27.616	15.743	11.873	3.28e-14	2.62e-13
KCNS3	CC1_CC5	822	3296	-0.010	0.496	11.192	12.045	-0.853	5.03e-01	7.30e-01
	CC2_CC3	688	3430	0.082	0.531	17.006	10.845	6.160	5.64e-06	3.39e-05
KCND3	CC1_CC5	822	3296	-0.016	0.495	1.095	2.184	-1.090	4.41e-02	1.76e-01
	CC2_CC3	688	3430	0.037	0.513	4.070	1.545	2.525	1.33e-05	6.37e-05
KCNC4	CC1_CC5	822	3296	-0.007	0.497	5.109	5.674	-0.564	5.27e-01	7.30e-01
	CC2_CC3	688	3430	0.051	0.518	8.576	4.956	3.619	1.58e-04	6.30e-04
KCNQ4	CC1_CC5	822	3296	-0.008	0.497	0.730	1.274	-0.544	1.93e-01	4.21e-01
	CC2_CC3	688	3430	0.022	0.508	2.471	0.904	1.567	4.77e-04	1.64e-03
KCNK3	CC1_CC5	822	3296	-0.022	0.492	2.068	3.641	-1.573	2.47e-02	1.35e-01
	CC2_CC3	688	3430	0.030	0.511	5.233	2.945	2.288	2.32e-03	6.97e-03
KCNAB1	CC1_CC5	822	3296	0.001	0.500	0.608	0.546	0.062	8.31e-01	9.16e-01
	CC2_CC3	688	3430	0.010	0.504	1.163	0.437	0.725	1.98e-02	5.28e-02
KCNMB4	CC1_CC5	822	3296	-0.019	0.494	3.771	5.006	-1.235	1.36e-01	3.63e-01
	CC2_CC3	688	3430	0.028	0.509	6.250	4.461	1.789	4.33e-02	1.04e-01
KCNJ16	CC1_CC5	822	3296	-0.001	0.500	1.703	1.760	-0.057	9.12e-01	9.16e-01
	CC2_CC3	688	3430	0.015	0.505	2.616	1.574	1.042	5.71e-02	1.25e-01
KCNE4	CC1_CC5	822	3296	0.027	0.510	6.934	4.885	2.050	1.93e-02	1.35e-01
	CC2_CC3	688	3430	-0.004	0.500	5.233	5.306	-0.074	9.28e-01	9.88e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T2 (page 2/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNMB1	CC1_CC5	822	3296	0.016	0.506	2.798	1.638	1.160	2.81e-02	1.35e-01
	CC2_CC3	688	3430	0.003	0.501	2.035	1.837	0.198	7.26e-01	9.12e-01
KCNJ15	CC1_CC5	822	3296	-0.027	0.492	10.706	12.379	-1.673	1.84e-01	4.21e-01
	CC2_CC3	688	3430	0.025	0.510	13.808	11.691	2.117	1.36e-01	2.71e-01
KCNT2	CC1_CC5	822	3296	-0.006	0.498	0.122	0.546	-0.424	1.08e-01	3.63e-01
	CC2_CC3	688	3430	-0.005	0.498	0.145	0.525	-0.379	1.80e-01	3.33e-01
KCND2	CC1_CC5	822	3296	0.008	0.503	2.798	2.124	0.674	2.46e-01	4.92e-01
	CC2_CC3	688	3430	-0.003	0.499	2.035	2.303	-0.268	6.68e-01	8.91e-01
KCNA5	CC1_CC5	822	3296	-0.000	0.500	0.487	0.516	-0.029	9.16e-01	9.16e-01
	CC2_CC3	688	3430	0.004	0.501	0.727	0.466	0.260	3.82e-01	6.13e-01
KCNB1	CC1_CC5	822	3296	0.001	0.500	0.365	0.303	0.062	7.78e-01	9.16e-01
	CC2_CC3	688	3430	-0.003	0.499	0.145	0.350	-0.205	3.83e-01	6.13e-01
KCNJ8	CC1_CC5	822	3296	0.011	0.504	7.786	6.978	0.808	4.20e-01	6.72e-01
	CC2_CC3	688	3430	0.015	0.503	7.703	7.026	0.677	5.16e-01	7.29e-01
KCNK17	CC1_CC5	822	3296	-0.011	0.497	3.285	3.914	-0.629	3.94e-01	6.72e-01
	CC2_CC3	688	3430	0.005	0.501	3.924	3.761	0.163	8.37e-01	9.56e-01
KCNN3	CC1_CC5	822	3296	-0.006	0.498	0.973	1.365	-0.392	3.72e-01	6.72e-01
	CC2_CC3	688	3430	-0.005	0.498	1.017	1.341	-0.324	4.91e-01	7.29e-01
KCNAB2	CC1_CC5	822	3296	0.008	0.503	5.839	5.309	0.530	5.48e-01	7.30e-01
	CC2_CC3	688	3430	0.001	0.501	5.669	5.364	0.304	7.60e-01	9.12e-01
KCNMA1	CC1_CC5	822	3296	-0.004	0.499	10.219	10.437	-0.218	8.46e-01	9.16e-01
	CC2_CC3	688	3430	-0.002	0.500	10.320	10.408	-0.088	9.46e-01	9.88e-01
KCNK15	CC1_CC5	822	3296	-0.000	0.500	0.122	0.152	-0.030	8.40e-01	9.16e-01
	CC2_CC3	688	3430	-0.000	0.500	0.145	0.146	-0.000	9.98e-01	9.98e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T3 (page 1/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNK3	CC1_CC5	1911	2443	-0.414	0.442	5.390	16.455	-11.065	6.69e-32	1.61e-30
	CC2_CC3	325	4029	-0.253	0.466	5.538	12.087	-6.549	2.42e-04	1.16e-03
KCNK1	CC1_CC5	1911	2443	-0.025	0.494	11.041	12.116	-1.075	2.40e-01	4.80e-01
	CC2_CC3	325	4029	0.339	0.603	30.154	10.151	20.002	5.92e-29	1.42e-27
KCNN4	CC1_CC5	1911	2443	-0.014	0.497	7.117	7.695	-0.579	4.49e-01	6.02e-01
	CC2_CC3	325	4029	0.247	0.582	22.462	6.230	16.232	2.92e-27	3.51e-26
KCNS3	CC1_CC5	1911	2443	0.060	0.524	15.542	10.725	4.817	3.59e-06	2.15e-05
	CC2_CC3	325	4029	0.257	0.591	29.538	11.492	18.047	3.77e-21	3.02e-20
KCNE4	CC1_CC5	1911	2443	0.061	0.522	9.524	5.035	4.489	8.67e-09	1.04e-07
	CC2_CC3	325	4029	-0.057	0.480	3.385	7.297	-3.912	7.75e-03	2.07e-02
KCNMA1	CC1_CC5	1911	2443	0.077	0.529	19.048	13.262	5.785	2.32e-07	1.86e-06
	CC2_CC3	325	4029	-0.093	0.469	10.154	16.257	-6.103	3.46e-03	1.04e-02
KCNJ15	CC1_CC5	1911	2443	0.023	0.509	6.175	4.380	1.795	7.98e-03	3.12e-02
	CC2_CC3	325	4029	0.077	0.524	9.538	4.815	4.723	2.06e-04	1.16e-03
KCND3	CC1_CC5	1911	2443	-0.034	0.490	2.564	4.625	-2.061	3.43e-04	1.65e-03
	CC2_CC3	325	4029	-0.041	0.487	1.231	3.922	-2.691	1.36e-02	3.27e-02
KCNJ8	CC1_CC5	1911	2443	-0.006	0.497	10.047	10.602	-0.555	5.74e-01	7.25e-01
	CC2_CC3	325	4029	-0.091	0.471	4.923	10.797	-5.874	7.99e-04	3.20e-03
KCNK15	CC1_CC5	1911	2443	-0.002	0.499	1.256	1.433	-0.177	6.17e-01	7.41e-01
	CC2_CC3	325	4029	0.035	0.511	3.385	1.191	2.193	9.89e-04	3.39e-03
KCNMB1	CC1_CC5	1911	2443	0.028	0.510	7.902	5.894	2.007	9.09e-03	3.12e-02
	CC2_CC3	325	4029	-0.003	0.497	6.154	6.826	-0.672	6.62e-01	6.91e-01
KCNB1	CC1_CC5	1911	2443	-0.005	0.498	0.000	0.327	-0.327	1.23e-02	3.69e-02
	CC2_CC3	325	4029	-0.003	0.499	0.000	0.199	-0.199	4.21e-01	4.82e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T3 (page 2/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNMB4	CC1_CC5	1911	2443	-0.012	0.493	9.053	10.520	-1.467	1.22e-01	3.26e-01
	CC2_CC3	325	4029	0.046	0.518	13.231	9.605	3.625	3.68e-02	7.35e-02
KCNQ4	CC1_CC5	1911	2443	0.001	0.500	1.675	1.637	0.037	9.24e-01	9.24e-01
	CC2_CC3	325	4029	0.021	0.508	3.077	1.539	1.538	3.67e-02	7.35e-02
KCNK6	CC1_CC5	1911	2443	0.001	0.501	8.111	7.982	0.129	8.87e-01	9.24e-01
	CC2_CC3	325	4029	0.037	0.515	10.769	7.818	2.951	6.15e-02	1.05e-01
KCNK17	CC1_CC5	1911	2443	0.004	0.502	1.727	1.392	0.335	3.74e-01	5.98e-01
	CC2_CC3	325	4029	-0.019	0.493	0.308	1.638	-1.330	6.09e-02	1.05e-01
KCNN3	CC1_CC5	1911	2443	0.007	0.502	2.302	1.883	0.420	3.33e-01	5.71e-01
	CC2_CC3	325	4029	-0.014	0.494	0.923	2.159	-1.236	1.34e-01	2.14e-01
KCND2	CC1_CC5	1911	2443	-0.009	0.497	1.727	2.251	-0.524	2.21e-01	4.80e-01
	CC2_CC3	325	4029	-0.018	0.494	0.923	2.110	-1.187	1.44e-01	2.15e-01
KCNAB2	CC1_CC5	1911	2443	0.007	0.504	14.338	13.508	0.830	4.44e-01	6.02e-01
	CC2_CC3	325	4029	0.047	0.514	16.308	13.676	2.632	1.71e-01	2.42e-01
KCNC4	CC1_CC5	1911	2443	0.003	0.501	4.239	4.052	0.186	7.56e-01	8.64e-01
	CC2_CC3	325	4029	0.020	0.508	5.538	4.021	1.518	1.87e-01	2.43e-01
KCNAB1	CC1_CC5	1911	2443	-0.004	0.498	0.314	0.614	-0.300	1.56e-01	3.75e-01
	CC2_CC3	325	4029	-0.008	0.497	0.000	0.521	-0.521	1.92e-01	2.43e-01
KCNA5	CC1_CC5	1911	2443	0.000	0.500	0.314	0.287	0.027	8.69e-01	9.24e-01
	CC2_CC3	325	4029	-0.005	0.498	0.000	0.323	-0.323	3.05e-01	3.66e-01
KCNJ16	CC1_CC5	1911	2443	-0.002	0.499	0.052	0.164	-0.111	2.81e-01	5.20e-01
	CC2_CC3	325	4029	-0.002	0.499	0.000	0.124	-0.124	5.25e-01	5.73e-01
KCNT2	CC1_CC5	1911	2443	0.002	0.501	0.471	0.327	0.143	4.51e-01	6.02e-01
	CC2_CC3	325	4029	-0.001	0.500	0.308	0.397	-0.089	8.04e-01	8.04e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T4 (page 1/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNK1	CC1_CC5	692	2929	-0.276	0.434	14.306	26.835	-12.529	5.93e-13	1.42e-11
	CC2_CC3	1215	2406	0.460	0.611	38.272	17.456	20.815	3.47e-48	8.34e-47
KCNN4	CC1_CC5	692	2929	-0.142	0.462	8.671	16.081	-7.410	4.27e-07	5.12e-06
	CC2_CC3	1215	2406	0.267	0.570	23.704	10.100	13.604	2.53e-29	3.04e-28
KCNK6	CC1_CC5	692	2929	-0.058	0.485	11.994	14.886	-2.891	4.51e-02	8.96e-02
	CC2_CC3	1215	2406	0.191	0.555	21.481	10.723	10.758	5.90e-19	4.72e-18
KCNQ4	CC1_CC5	692	2929	-0.049	0.486	4.913	7.648	-2.734	1.13e-02	3.00e-02
	CC2_CC3	1215	2406	0.102	0.530	11.029	5.154	5.875	6.11e-11	3.67e-10
KCNMB4	CC1_CC5	692	2929	-0.003	0.501	7.225	7.033	0.192	8.73e-01	9.17e-01
	CC2_CC3	1215	2406	0.065	0.519	9.547	5.819	3.729	2.92e-05	1.40e-04
KCNMA1	CC1_CC5	692	2929	0.055	0.518	7.803	4.199	3.604	7.56e-05	5.79e-04
	CC2_CC3	1215	2406	-0.021	0.492	3.868	5.403	-1.535	4.48e-02	1.08e-01
KCNMB1	CC1_CC5	692	2929	0.054	0.516	6.647	3.448	3.199	1.21e-04	5.79e-04
	CC2_CC3	1215	2406	-0.031	0.491	2.881	4.655	-1.774	1.04e-02	3.12e-02
KCNJ8	CC1_CC5	692	2929	0.037	0.514	5.347	2.526	2.820	1.14e-04	5.79e-04
	CC2_CC3	1215	2406	-0.006	0.498	2.798	3.200	-0.402	5.06e-01	5.78e-01
KCNAB2	CC1_CC5	692	2929	-0.043	0.485	5.780	8.774	-2.994	1.00e-02	3.00e-02
	CC2_CC3	1215	2406	0.050	0.518	10.535	7.024	3.511	2.71e-04	1.08e-03
KCNE4	CC1_CC5	692	2929	0.040	0.513	5.347	2.731	2.616	4.53e-04	1.81e-03
	CC2_CC3	1215	2406	-0.009	0.497	2.798	3.450	-0.651	2.96e-01	4.44e-01
KCNC4	CC1_CC5	692	2929	-0.006	0.498	4.913	5.394	-0.481	6.16e-01	8.22e-01
	CC2_CC3	1215	2406	0.045	0.513	6.996	4.447	2.549	1.12e-03	3.84e-03
KCNA5	CC1_CC5	692	2929	0.015	0.504	1.012	0.273	0.738	6.48e-03	2.22e-02
	CC2_CC3	1215	2406	-0.007	0.498	0.165	0.540	-0.376	9.64e-02	1.54e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T4 (page 2/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNK3	CC1_CC5	692	2929	0.012	0.504	1.734	0.956	0.778	7.81e-02	1.27e-01
	CC2_CC3	1215	2406	-0.011	0.496	0.576	1.372	-0.795	3.08e-02	8.20e-02
KCND2	CC1_CC5	692	2929	0.014	0.505	1.879	0.956	0.923	3.91e-02	8.96e-02
	CC2_CC3	1215	2406	0.006	0.501	1.317	1.039	0.278	4.54e-01	5.45e-01
KCND3	CC1_CC5	692	2929	0.011	0.504	1.590	0.785	0.804	4.85e-02	8.96e-02
	CC2_CC3	1215	2406	0.001	0.500	0.988	0.914	0.073	8.29e-01	8.29e-01
KCNK15	CC1_CC5	692	2929	0.007	0.502	0.723	0.239	0.484	4.66e-02	8.96e-02
	CC2_CC3	1215	2406	-0.005	0.498	0.082	0.457	-0.375	6.39e-02	1.39e-01
KCNN3	CC1_CC5	692	2929	0.011	0.503	1.445	0.751	0.694	7.94e-02	1.27e-01
	CC2_CC3	1215	2406	-0.010	0.497	0.494	1.081	-0.587	7.46e-02	1.49e-01
KCNS3	CC1_CC5	692	2929	-0.025	0.494	18.208	19.290	-1.082	4.75e-01	6.70e-01
	CC2_CC3	1215	2406	0.043	0.512	20.658	18.288	2.371	8.71e-02	1.49e-01
KCNJ16	CC1_CC5	692	2929	-0.000	0.500	0.145	0.171	-0.026	8.79e-01	9.17e-01
	CC2_CC3	1215	2406	0.004	0.501	0.329	0.083	0.246	8.56e-02	1.49e-01
KCNJ15	CC1_CC5	692	2929	0.010	0.504	2.457	1.707	0.750	1.89e-01	2.83e-01
	CC2_CC3	1215	2406	0.006	0.502	2.140	1.704	0.436	3.59e-01	4.79e-01
KCNAB1	CC1_CC5	692	2929	-0.002	0.500	0.434	0.512	-0.079	7.91e-01	9.17e-01
	CC2_CC3	1215	2406	0.003	0.501	0.658	0.416	0.243	3.27e-01	4.62e-01
KCNB1	CC1_CC5	692	2929	-0.000	0.500	0.145	0.171	-0.026	8.79e-01	9.17e-01
	CC2_CC3	1215	2406	-0.002	0.499	0.082	0.208	-0.126	3.81e-01	4.81e-01
KCNT2	CC1_CC5	692	2929	-0.000	0.500	0.723	0.751	-0.029	9.37e-01	9.37e-01
	CC2_CC3	1215	2406	-0.002	0.499	0.658	0.790	-0.131	6.65e-01	7.25e-01
KCNK17	CC1_CC5	692	2929	-0.001	0.500	0.434	0.478	-0.044	8.78e-01	9.17e-01
	CC2_CC3	1215	2406	-0.001	0.500	0.412	0.499	-0.087	7.17e-01	7.48e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T6 (page 1/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNK1	CC1_CC5	820	2577	-0.570	0.351	28.659	53.783	-25.125	9.83e-45	2.26e-43
	CC2_CC3	1656	1741	0.670	0.688	63.949	32.280	31.669	2.16e-95	4.97e-94
KCNN4	CC1_CC5	820	2577	-0.128	0.456	8.293	16.997	-8.704	1.07e-09	6.17e-09
	CC2_CC3	1656	1741	0.163	0.556	20.592	9.477	11.114	1.06e-19	1.22e-18
KCNJ16	CC1_CC5	820	2577	-0.090	0.474	0.366	5.471	-5.106	2.58e-10	2.97e-09
	CC2_CC3	1656	1741	0.076	0.530	7.367	1.264	6.104	1.79e-18	1.37e-17
KCNC4	CC1_CC5	820	2577	-0.159	0.451	11.829	21.537	-9.707	4.57e-10	3.50e-09
	CC2_CC3	1656	1741	0.182	0.558	25.060	13.613	11.448	9.31e-18	4.44e-17
KCNJ15	CC1_CC5	820	2577	-0.135	0.461	6.463	14.125	-7.662	3.57e-09	1.64e-08
	CC2_CC3	1656	1741	0.146	0.548	17.210	7.582	9.628	9.66e-18	4.44e-17
KCNS3	CC1_CC5	820	2577	-0.110	0.466	10.244	16.802	-6.559	3.04e-06	8.74e-06
	CC2_CC3	1656	1741	0.141	0.544	19.626	11.028	8.597	9.27e-13	3.56e-12
KCNK3	CC1_CC5	820	2577	-0.037	0.487	0.244	2.755	-2.511	1.57e-05	3.61e-05
	CC2_CC3	1656	1741	0.042	0.514	3.623	0.747	2.876	7.48e-09	2.46e-08
KCNK6	CC1_CC5	820	2577	-0.089	0.474	10.000	15.056	-5.056	1.77e-04	3.70e-04
	CC2_CC3	1656	1741	0.100	0.531	16.969	10.856	6.113	1.46e-07	4.21e-07
KCNJ8	CC1_CC5	820	2577	0.112	0.537	20.732	13.504	7.228	3.28e-07	1.26e-06
	CC2_CC3	1656	1741	-0.066	0.482	13.466	16.944	-3.478	3.42e-03	6.06e-03
KCNMA1	CC1_CC5	820	2577	0.115	0.531	14.756	8.770	5.986	4.74e-07	1.56e-06
	CC2_CC3	1656	1741	-0.069	0.483	8.575	11.775	-3.200	1.46e-03	2.79e-03
KCNE4	CC1_CC5	820	2577	0.094	0.529	15.732	10.089	5.642	6.69e-06	1.71e-05
	CC2_CC3	1656	1741	-0.028	0.493	10.749	12.119	-1.371	1.93e-01	2.61e-01
KCNQ4	CC1_CC5	820	2577	-0.030	0.491	2.439	4.230	-1.791	1.90e-02	2.73e-02
	CC2_CC3	1656	1741	0.038	0.512	5.012	2.642	2.370	2.97e-04	7.60e-04

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T6 (page 2/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNMB1	CC1_CC5	820	2577	0.023	0.508	6.098	4.501	1.596	6.60e-02	8.93e-02
	CC2_CC3	1656	1741	-0.041	0.488	3.623	6.088	-2.465	8.26e-04	1.81e-03
KCND3	CC1_CC5	820	2577	-0.033	0.490	2.805	4.851	-2.046	1.22e-02	2.01e-02
	CC2_CC3	1656	1741	0.034	0.512	5.556	3.217	2.339	8.64e-04	1.81e-03
KCNK15	CC1_CC5	820	2577	-0.022	0.492	0.366	1.901	-1.536	1.81e-03	3.47e-03
	CC2_CC3	1656	1741	0.014	0.505	2.053	1.034	1.019	1.57e-02	2.58e-02
KCND2	CC1_CC5	820	2577	0.047	0.516	10.488	7.334	3.154	3.71e-03	6.57e-03
	CC2_CC3	1656	1741	0.002	0.502	8.273	7.926	0.346	7.23e-01	7.56e-01
KCNN3	CC1_CC5	820	2577	0.023	0.509	4.634	2.910	1.724	1.68e-02	2.57e-02
	CC2_CC3	1656	1741	0.006	0.502	3.502	3.159	0.343	5.73e-01	6.59e-01
KCNT2	CC1_CC5	820	2577	0.008	0.503	1.098	0.543	0.554	9.19e-02	1.17e-01
	CC2_CC3	1656	1741	-0.009	0.497	0.362	0.976	-0.614	2.92e-02	4.47e-02
KCNK17	CC1_CC5	820	2577	0.007	0.503	1.098	0.582	0.515	1.25e-01	1.51e-01
	CC2_CC3	1656	1741	0.001	0.500	0.725	0.689	0.035	9.02e-01	9.02e-01
KCNAB2	CC1_CC5	820	2577	0.001	0.503	9.024	8.459	0.565	6.38e-01	6.67e-01
	CC2_CC3	1656	1741	0.027	0.508	9.360	7.869	1.491	1.16e-01	1.66e-01
KCNMB4	CC1_CC5	820	2577	0.023	0.506	5.244	4.075	1.169	1.48e-01	1.71e-01
	CC2_CC3	1656	1741	-0.015	0.496	3.925	4.767	-0.842	2.26e-01	2.89e-01
KCNAB1	CC1_CC5	820	2577	0.005	0.502	1.098	0.776	0.321	3.84e-01	4.20e-01
	CC2_CC3	1656	1741	-0.002	0.499	0.785	0.919	-0.134	6.71e-01	7.35e-01
KCNA5	CC1_CC5	820	2577	-0.000	0.500	0.244	0.272	-0.028	8.93e-01	8.93e-01
	CC2_CC3	1656	1741	-0.002	0.499	0.181	0.345	-0.163	3.54e-01	4.29e-01
KCNB1	CC1_CC5	820	2577	0.000	0.500	0.000	0.000	0.000	NA	NA
	CC2_CC3	1656	1741	0.000	0.500	0.000	0.000	0.000	NA	NA

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T8 (page 1/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNK1	CC1_CC5	242	3537	-0.300	0.413	6.612	23.721	-17.109	4.79e-10	1.05e-08
	CC2_CC3	2650	1129	0.318	0.594	28.075	9.832	18.244	3.50e-36	7.70e-35
KCNN4	CC1_CC5	242	3537	-0.263	0.427	7.025	21.346	-14.321	4.79e-08	5.27e-07
	CC2_CC3	2650	1129	0.284	0.582	25.170	9.300	15.870	1.03e-29	1.13e-28
KCNK6	CC1_CC5	242	3537	-0.066	0.478	3.306	7.662	-4.356	1.19e-02	6.57e-02
	CC2_CC3	2650	1129	0.056	0.519	8.528	4.694	3.834	3.61e-05	2.64e-04
KCNC4	CC1_CC5	242	3537	-0.052	0.483	2.066	5.457	-3.390	2.18e-02	7.98e-02
	CC2_CC3	2650	1129	0.050	0.516	6.189	3.012	3.177	5.58e-05	2.64e-04
KCNJ16	CC1_CC5	242	3537	-0.048	0.484	0.826	4.100	-3.273	1.08e-02	6.57e-02
	CC2_CC3	2650	1129	0.036	0.514	4.717	1.949	2.768	6.00e-05	2.64e-04
KCNJ15	CC1_CC5	242	3537	-0.033	0.490	2.479	4.524	-2.044	1.32e-01	3.63e-01
	CC2_CC3	2650	1129	0.035	0.511	5.019	2.923	2.096	3.82e-03	1.30e-02
KCNQ4	CC1_CC5	242	3537	-0.032	0.489	0.000	2.205	-2.205	1.96e-02	7.98e-02
	CC2_CC3	2650	1129	0.021	0.507	2.491	1.063	1.428	4.72e-03	1.30e-02
KCNE4	CC1_CC5	242	3537	0.014	0.506	4.545	3.421	1.124	3.59e-01	4.98e-01
	CC2_CC3	2650	1129	-0.029	0.491	2.943	4.783	-1.840	4.68e-03	1.30e-02
KCNJ8	CC1_CC5	242	3537	-0.022	0.493	4.132	5.457	-1.324	3.73e-01	4.98e-01
	CC2_CC3	2650	1129	-0.025	0.493	4.943	6.377	-1.434	6.99e-02	1.71e-01
KCNAB2	CC1_CC5	242	3537	-0.058	0.482	4.959	8.425	-3.467	5.47e-02	1.72e-01
	CC2_CC3	2650	1129	0.020	0.508	8.679	7.086	1.593	1.07e-01	2.36e-01
KCNN3	CC1_CC5	242	3537	0.015	0.505	2.479	1.414	1.066	1.85e-01	4.06e-01
	CC2_CC3	2650	1129	-0.009	0.497	1.283	1.949	-0.666	1.22e-01	2.41e-01
KCNK15	CC1_CC5	242	3537	-0.004	0.498	0.000	0.311	-0.311	3.85e-01	4.98e-01
	CC2_CC3	2650	1129	0.004	0.501	0.377	0.089	0.289	1.32e-01	2.41e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T8 (page 2/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNS3	CC1_CC5	242	3537	0.002	0.501	4.959	4.693	0.265	8.54e-01	8.54e-01
	CC2_CC3	2650	1129	0.016	0.505	5.019	3.986	1.033	1.68e-01	2.84e-01
KCNK3	CC1_CC5	242	3537	-0.006	0.498	0.000	0.396	-0.396	3.27e-01	4.98e-01
	CC2_CC3	2650	1129	0.003	0.501	0.453	0.177	0.276	2.02e-01	3.18e-01
KCND3	CC1_CC5	242	3537	-0.020	0.493	0.826	2.205	-1.379	1.49e-01	3.65e-01
	CC2_CC3	2650	1129	-0.003	0.499	2.038	2.303	-0.265	6.07e-01	7.41e-01
KCNMB1	CC1_CC5	242	3537	-0.021	0.494	1.653	2.940	-1.287	2.44e-01	4.55e-01
	CC2_CC3	2650	1129	0.009	0.503	3.019	2.480	0.539	3.60e-01	5.17e-01
KCNMB4	CC1_CC5	242	3537	-0.014	0.495	0.826	1.781	-0.955	2.69e-01	4.55e-01
	CC2_CC3	2650	1129	0.001	0.500	1.736	1.683	0.053	9.08e-01	9.20e-01
KCNT2	CC1_CC5	242	3537	-0.007	0.497	0.000	0.509	-0.509	2.66e-01	4.55e-01
	CC2_CC3	2650	1129	0.002	0.501	0.528	0.354	0.174	4.77e-01	6.17e-01
KCNMA1	CC1_CC5	242	3537	-0.020	0.495	5.785	6.729	-0.944	5.57e-01	6.13e-01
	CC2_CC3	2650	1129	0.007	0.504	6.906	6.112	0.794	3.76e-01	5.17e-01
KCNK17	CC1_CC5	242	3537	-0.007	0.498	0.413	0.848	-0.435	4.68e-01	5.42e-01
	CC2_CC3	2650	1129	-0.001	0.500	0.830	0.797	0.033	9.20e-01	9.20e-01
KCNAB1	CC1_CC5	242	3537	-0.003	0.499	0.000	0.226	-0.226	4.59e-01	5.42e-01
	CC2_CC3	2650	1129	0.001	0.500	0.226	0.177	0.049	7.63e-01	8.77e-01
KCND2	CC1_CC5	242	3537	-0.006	0.498	1.240	1.612	-0.372	6.54e-01	6.85e-01
	CC2_CC3	2650	1129	-0.001	0.501	1.623	1.506	0.117	7.97e-01	8.77e-01
KCNA5	CC1_CC5	242	3537	0.000	0.500	0.000	0.000	0.000	NA	NA
	CC2_CC3	2650	1129	0.000	0.500	0.000	0.000	0.000	NA	NA
KCNB1	CC1_CC5	242	3537	0.000	0.500	0.000	0.000	0.000	NA	NA
	CC2_CC3	2650	1129	0.000	0.500	0.000	0.000	0.000	NA	NA

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T9 (page 1/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCNN4	CC1_CC5	3019	507	0.003	0.501	7.652	7.495	0.156	9.01e-01	9.83e-01
	CC2_CC3	22	3504	0.429	0.668	40.909	7.420	33.489	3.37e-09	8.09e-08
KCNK1	CC1_CC5	3019	507	-0.054	0.488	8.082	10.454	-2.372	6.34e-02	1.52e-01
	CC2_CC3	22	3504	0.546	0.645	36.364	8.248	28.116	1.02e-06	1.22e-05
KCNN3	CC1_CC5	3019	507	-0.056	0.481	2.716	6.509	-3.793	8.71e-06	2.09e-04
	CC2_CC3	22	3504	-0.049	0.484	0.000	3.282	-3.282	3.88e-01	8.27e-01
KCNMB1	CC1_CC5	3019	507	-0.103	0.474	8.447	13.412	-4.966	2.13e-04	1.70e-03
	CC2_CC3	22	3504	-0.077	0.477	4.545	9.189	-4.644	4.48e-01	8.27e-01
KCNJ15	CC1_CC5	3019	507	0.079	0.526	9.473	4.339	5.134	1.43e-04	1.70e-03
	CC2_CC3	22	3504	-0.007	0.481	4.545	8.761	-4.216	5.23e-01	8.37e-01
KCNB1	CC1_CC5	3019	507	-0.017	0.495	0.199	1.183	-0.985	4.26e-04	2.55e-03
	CC2_CC3	22	3504	-0.005	0.498	0.000	0.342	-0.342	7.83e-01	8.95e-01
KCNA5	CC1_CC5	3019	507	-0.005	0.498	0.265	0.592	-0.327	2.22e-01	4.38e-01
	CC2_CC3	22	3504	0.060	0.521	4.545	0.285	4.260	3.55e-04	2.84e-03
KCND3	CC1_CC5	3019	507	-0.072	0.476	9.540	14.201	-4.662	1.21e-03	5.79e-03
	CC2_CC3	22	3504	-0.156	0.449	0.000	10.274	-10.274	1.13e-01	4.51e-01
KCNQ4	CC1_CC5	3019	507	-0.018	0.493	0.662	1.972	-1.310	2.98e-03	1.19e-02
	CC2_CC3	22	3504	-0.013	0.496	0.000	0.856	-0.856	6.63e-01	8.95e-01
KCNK6	CC1_CC5	3019	507	-0.061	0.480	9.109	13.018	-3.909	5.35e-03	1.83e-02
	CC2_CC3	22	3504	0.097	0.522	13.636	9.646	3.990	4.95e-01	8.37e-01
KCNK3	CC1_CC5	3019	507	-0.011	0.496	0.364	1.183	-0.819	1.39e-02	4.16e-02
	CC2_CC3	22	3504	-0.008	0.498	0.000	0.485	-0.485	7.43e-01	8.95e-01
KCNMA1	CC1_CC5	3019	507	-0.086	0.478	26.863	30.966	-4.103	4.65e-02	1.24e-01
	CC2_CC3	22	3504	-0.092	0.460	18.182	27.511	-9.330	4.01e-01	8.27e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.

KCN ecotype summary by section: IU_PDA_T9 (page 2/2)

KCN	Contrast	nIn	nOut	log2FC	AUC	%Pos in	%Pos out	dPct	P	FDR
KCND2	CC1_CC5	3019	507	0.016	0.505	2.054	0.986	1.067	1.03e-01	2.25e-01
	CC2_CC3	22	3504	0.037	0.513	4.545	1.884	2.662	3.62e-01	8.27e-01
KCNS3	CC1_CC5	3019	507	0.007	0.503	10.103	9.467	0.635	6.66e-01	8.42e-01
	CC2_CC3	22	3504	0.202	0.565	22.727	9.932	12.796	4.15e-02	2.49e-01
KCNJ8	CC1_CC5	3019	507	-0.035	0.492	9.606	11.243	-1.637	2.37e-01	4.38e-01
	CC2_CC3	22	3504	-0.023	0.496	9.091	9.846	-0.755	8.96e-01	9.35e-01
KCNE4	CC1_CC5	3019	507	-0.009	0.497	10.765	11.440	-0.675	6.52e-01	8.42e-01
	CC2_CC3	22	3504	-0.163	0.445	0.000	10.930	-10.930	1.01e-01	4.51e-01
KCNT2	CC1_CC5	3019	507	-0.009	0.497	1.689	2.367	-0.678	2.87e-01	4.70e-01
	CC2_CC3	22	3504	0.038	0.514	4.545	1.769	2.776	3.27e-01	8.27e-01
KCNK15	CC1_CC5	3019	507	-0.004	0.499	0.298	0.592	-0.294	2.94e-01	4.70e-01
	CC2_CC3	22	3504	-0.005	0.498	0.000	0.342	-0.342	7.83e-01	8.95e-01
KCNAB1	CC1_CC5	3019	507	-0.009	0.498	0.961	1.381	-0.420	3.82e-01	5.73e-01
	CC2_CC3	22	3504	-0.015	0.495	0.000	1.027	-1.027	6.33e-01	8.95e-01
KCNC4	CC1_CC5	3019	507	-0.005	0.498	2.716	3.156	-0.440	5.79e-01	8.18e-01
	CC2_CC3	22	3504	-0.041	0.486	0.000	2.797	-2.797	4.26e-01	8.27e-01
KCNAB2	CC1_CC5	3019	507	-0.003	0.499	9.672	9.862	-0.190	8.91e-01	9.83e-01
	CC2_CC3	22	3504	-0.080	0.474	4.545	9.732	-5.186	4.10e-01	8.27e-01
KCNK17	CC1_CC5	3019	507	0.000	0.500	0.795	0.789	0.006	9.89e-01	9.94e-01
	CC2_CC3	22	3504	-0.011	0.496	0.000	0.799	-0.799	6.74e-01	8.95e-01
KCNJ16	CC1_CC5	3019	507	0.000	0.500	0.199	0.197	0.002	9.94e-01	9.94e-01
	CC2_CC3	22	3504	-0.003	0.499	0.000	0.200	-0.200	8.34e-01	9.10e-01
KCNMB4	CC1_CC5	3019	507	-0.002	0.499	4.770	4.931	-0.161	8.74e-01	9.83e-01
	CC2_CC3	22	3504	-0.006	0.499	4.545	4.795	-0.249	9.55e-01	9.55e-01

Legend

Par KCN: ligne 1 = CC1+CC5, ligne 2 = CC2+CC3.

nIn / nOut: nombre de spots dans l'ecotype / hors ecotype pour la coupe.

log2FC: enrichissement moyen dans l'ecotype; AUC > 0.5 = plus haut dans l'ecotype.

%Pos in / %Pos out: pourcentage de spots positifs; dPct: difference des deux; P et FDR: Wilcoxon.