

KCNA5 SPARK-X significance across primary sections

Bars show $-\log_{10}$ adjusted p-value. Dashed line marks FDR = 0.05.

Section

IU_PDA_T12

IU_PDA_T4

IU_PDA_T9

IU_PDA_T6

IU_PDA_T3

IU_PDA_T2

IU_PDA_T11

IU_PDA_T10


IU_PDA_T1

0

1


2

$-\log_{10}(\text{adjusted p-value})$




KCNA5 expression in IU_PDA_T1

positive spots = 4 | best kernel = gaus3 | best stat = 3.32 | adjusted p = 1e+00




KCNA5 expression in IU_PDA_T10

positive spots = 6 | best kernel = cos1 | best stat = 2.36 | adjusted p = 1e+00




KCNA5 expression in IU_PDA_T11

positive spots = 9 | best kernel = cos5 | best stat = 4.02 | adjusted p = 1e+00




KCNA5 expression in IU_PDA_T12

positive spots = 92 | best kernel = projection | best stat = 21.80 | adjusted p = 2.65e-03




KCNA5 expression in IU_PDA_T2

positive spots = 21 | best kernel = gaus5 | best stat = 5.37 | adjusted p = 1e+00



KCNA5 expression in IU_PDA_T3

positive spots = 13 | best kernel = projection | best stat = 6.52 | adjusted p = 1e+00




KCNA5 expression in IU_PDA_T4

positive spots = 15 | best kernel = projection | best stat = 16.47 | adjusted p = 4.1e-02



KCNA5 expression in IU_PDA_T6

positive spots = 9 | best kernel = cos4 | best stat = 4.66 | adjusted p = 1e+00



KCNA5 expression in IU_PDA_T9

positive spots = 11 | best kernel = cos1 | best stat = 4.25 | adjusted p = 1e+00

