

KCNB1 SPARK-X significance across primary sections

Bars show $-\log_{10}$ adjusted p-value. Dashed line marks FDR = 0.05.

Section

IU_PDA_T1

IU_PDA_T11

IU_PDA_T3

IU_PDA_T12

IU_PDA_T9

IU_PDA_T4

IU_PDA_T2


IU_PDA_T10

0.0

0.5


1.0

$-\log_{10}(\text{adjusted p-value})$




KCNB1 expression in IU_PDA_T1

positive spots = 3 | best kernel = gaus1 | best stat = 14.37 | adjusted p = 9.98e-02




KCNB1 expression in IU_PDA_T10

positive spots = 7 | best kernel = gaus3 | best stat = 7.43 | adjusted p = 1e+00




KCNB1 expression in IU_PDA_T11

positive spots = 51 | best kernel = projection | best stat = 12.21 | adjusted p = 3.13e-01




KCNB1 expression in IU_PDA_T12

positive spots = 39 | best kernel = projection | best stat = 8.69 | adjusted p = 5.03e-01




KCNB1 expression in IU_PDA_T2

positive spots = 13 | best kernel = gaus5 | best stat = 3.82 | adjusted p = 1e+00



KCNB1 expression in IU_PDA_T3

positive spots = 8 | best kernel = cos2 | best stat = 11.32 | adjusted p = 4.08e-01



KCNB1 expression in IU_PDA_T4

positive spots = 6 | best kernel = cos3 | best stat = 2.81 | adjusted p = 1e+00



KCNB1 expression in IU_PDA_T9

positive spots = 12 | best kernel = projection | best stat = 4.96 | adjusted p = 1e+00

