



KCNJ16 SPARK-X significance across primary sections

Bars show $-\log_{10}$ adjusted p-value. Dashed line marks FDR = 0.05.




KCNJ16 expression in IU_PDA_T1

positive spots = 20 | best kernel = projection | best stat = 8.85 | adjusted p = 1e+00




KCNJ16 expression in IU_PDA_T10

positive spots = 8 | best kernel = cos4 | best stat = 10.41 | adjusted p = 7.66e-01




KCNJ16 expression in IU_PDA_T11

positive spots = 6 | best kernel = projection | best stat = 4.61 | adjusted p = 1e+00




KCNJ16 expression in IU_PDA_T12

positive spots = 18 | best kernel = cos4 | best stat = 2.39 | adjusted p = 1e+00




KCNJ16 expression in IU_PDA_T2

positive spots = 72 | best kernel = projection | best stat = 40.16 | adjusted p = 4.79e-07



KCNJ16 expression in IU_PDA_T3

positive spots = 5 | best kernel = cos2 | best stat = 4.34 | adjusted p = 1e+00




KCNJ16 expression in IU_PDA_T4

positive spots = 6 | best kernel = gaus3 | best stat = 5.18 | adjusted p = 1e+00




KCNJ16 expression in IU_PDA_T6

positive spots = 144 | best kernel = projection | best stat = 153.40 | adjusted p = 1.32e-32



KCNJ16 expression in IU_PDA_T8

positive spots = 147 | best kernel = projection | best stat = 79.10 | adjusted p = 4.32e-16



KCNJ16 expression in IU_PDA_T9

positive spots = 7 | best kernel = projection | best stat = 10.59 | adjusted p = 8.11e-01

