



# KCNK15 SPARK-X significance across primary sections

Bars show  $-\log_{10}$  adjusted p-value. Dashed line marks FDR = 0.05.




# KCNK15 expression in IU\_PDA\_T1

positive spots = 7 | best kernel = cos1 | best stat = 10.51 | adjusted p = 1e+00




# KCNK15 expression in IU\_PDA\_T10

positive spots = 23 | best kernel = cos5 | best stat = 6.67 | adjusted p = 1e+00




# KCNK15 expression in IU\_PDA\_T11

positive spots = 26 | best kernel = gaus5 | best stat = 8.15 | adjusted p = 6.49e-01




# KCNK15 expression in IU\_PDA\_T12

positive spots = 36 | best kernel = cos5 | best stat = 4.68 | adjusted p = 1e+00




# KCNK15 expression in IU\_PDA\_T2

positive spots = 6 | best kernel = cos1 | best stat = 6.22 | adjusted p = 1e+00



# KCNK15 expression in IU\_PDA\_T3

positive spots = 59 | best kernel = gaus2 | best stat = 4.21 | adjusted p = 1e+00




# KCNK15 expression in IU\_PDA\_T4

positive spots = 12 | best kernel = projection | best stat = 10.21 | adjusted p = 7.58e-01




# KCNK15 expression in IU\_PDA\_T6

positive spots = 52 | best kernel = projection | best stat = 19.73 | adjusted p = 7.91e-03



# KCNK15 expression in IU\_PDA\_T8

positive spots = 11 | best kernel = projection | best stat = 10.03 | adjusted p = 7.18e-01



# KCNK15 expression in IU\_PDA\_T9

positive spots = 12 | best kernel = cos4 | best stat = 7.65 | adjusted p = 1e+00

