


KCNK1 SPARK-X significance across primary sections


Bars show $-\log_{10}$ adjusted p-value. Dashed line marks FDR = 0.05.

Section




KCNK1 expression in IU_PDA_T1

positive spots = 172 | best kernel = gaus2 | best stat = 40.53 | adjusted p = 9.5e-08



KCNK1 expression in IU_PDA_T10

positive spots = 459 | best kernel = projection | best stat = 43.51 | adjusted p = 8.07e-09




KCNK1 expression in IU_PDA_T11

positive spots = 466 | best kernel = projection | best stat = 60.04 | adjusted p = 4.77e-13




KCNK1 expression in IU_PDA_T12

positive spots = 826 | best kernel = gaus4 | best stat = 172.14 | adjusted p = 8.69e-44




KCNK1 expression in IU_PDA_T2

positive spots = 569 | best kernel = projection | best stat = 66.64 | adjusted p = 2.28e-14




KCNK1 expression in IU_PDA_T3

positive spots = 507 | best kernel = projection | best stat = 131.94 | adjusted p = 1.05e-29




KCNK1 expression in IU_PDA_T4

positive spots = 885 | best kernel = projection | best stat = 205.22 | adjusted p = 3.07e-49




KCNK1 expression in IU_PDA_T6

positive spots = 1621 | best kernel = projection | best stat = 344.04 | adjusted p = 6.64e-109



KCNK1 expression in IU_PDA_T8

positive spots = 855 | best kernel = projection | best stat = 109.02 | adjusted p = 6.01e-27



KCNK1 expression in IU_PDA_T9

positive spots = 297 | best kernel = gauss3 | best stat = 12.00 | adjusted p = 9.24e-02

