



KCNMA1 SPARK-X significance across primary sections

Bars show $-\log_{10}$ adjusted p-value. Dashed line marks FDR = 0.05.




KCNMA1 expression in IU_PDA_T1

positive spots = 417 | best kernel = gaus2 | best stat = 47.05 | adjusted p = 7.8e-10




KCNMA1 expression in IU_PDA_T10

positive spots = 174 | best kernel = gaus5 | best stat = 16.26 | adjusted p = 1.57e-02




KCNMA1 expression in IU_PDA_T11

positive spots = 1165 | best kernel = projection | best stat = 127.95 | adjusted p = 8.19e-38




KCNMA1 expression in IU_PDA_T12

positive spots = 1558 | best kernel = gaus5 | best stat = 87.81 | adjusted p = 3.27e-26




KCNMA1 expression in IU_PDA_T2

positive spots = 428 | best kernel = gaus4 | best stat = 26.08 | adjusted p = 2.5e-04



KCNMA1 expression in IU_PDA_T3

positive spots = 688 | best kernel = gaus5 | best stat = 16.97 | adjusted p = 5.04e-03




KCNMA1 expression in IU_PDA_T4

positive spots = 177 | best kernel = projection | best stat = 52.69 | adjusted p = 2.61e-10




KCNMA1 expression in IU_PDA_T6

positive spots = 347 | best kernel = projection | best stat = 55.03 | adjusted p = 1.49e-11



KCNMA1 expression in IU_PDA_T8

positive spots = 252 | best kernel = projection | best stat = 76.46 | adjusted p = 6.13e-16



KCNMA1 expression in IU_PDA_T9

positive spots = 968 | best kernel = gaus2 | best stat = 17.13 | adjusted p = 3.82e-03

