



KCNQ4 SPARK-X significance across primary sections

Bars show $-\log_{10}$ adjusted p-value. Dashed line marks FDR = 0.05.




KCNQ4 expression in IU_PDA_T1

positive spots = 26 | best kernel = cos2 | best stat = 6.33 | adjusted p = 1e+00




KCNQ4 expression in IU_PDA_T10

positive spots = 16 | best kernel = cos3 | best stat = 7.23 | adjusted p = 1e+00




KCNQ4 expression in IU_PDA_T11

positive spots = 52 | best kernel = projection | best stat = 16.42 | adjusted p = 4.25e-02




KCNQ4 expression in IU_PDA_T12

positive spots = 189 | best kernel = gaus5 | best stat = 39.11 | adjusted p = 9.59e-08




KCNQ4 expression in IU_PDA_T2

positive spots = 48 | best kernel = projection | best stat = 6.62 | adjusted p = 1e+00




KCNQ4 expression in IU_PDA_T3

positive spots = 72 | best kernel = projection | best stat = 15.01 | adjusted p = 8.57e-02




KCNQ4 expression in IU_PDA_T4

positive spots = 258 | best kernel = projection | best stat = 69.08 | adjusted p = 2.99e-14




KCNQ4 expression in IU_PDA_T6

positive spots = 129 | best kernel = projection | best stat = 40.38 | adjusted p = 1.57e-07



KCNQ4 expression in IU_PDA_T8

positive spots = 78 | best kernel = projection | best stat = 16.27 | adjusted p = 4.01e-02



KCNQ4 expression in IU_PDA_T9

positive spots = 30 | best kernel = projection | best stat = 23.59 | adjusted p = 3.31e-03

