



WeChinaSourcing

Verified at the Source.

A design system for a global sourcing, factory-audit, and product-inspection authority — built for trust at every scale, from a 15 mm audit seal to a 20-foot container.

BRAND STRATEGY

Mission, Positioning & Personality

Mission

We connect global buyers to vetted Chinese manufacturing through rigorous, on-the-ground verification — converting distance and opacity into transparency, and transactions into trust.

Positioning

For import and procurement teams who can't inspect Chinese factories themselves, WeChinaSourcing is the sourcing & verification partner that puts a named inspector and a dated report behind every factory claim — unlike directories and trading agents who resell contacts they've never physically visited.

Tone of Voice

-  **Authoritative** We state findings plainly — no hedging on facts verified in person.
-  **Precise** Specifications, not adjectives. Every claim is a number, code, photo or signature.
-  **Transparent** We show the audit trail, not just the conclusion.
-  **Modern Industrial** Engineered clarity over decoration — a calibration certificate, not a brochure.
-  **High-Trust** Every claim is attributable to a named inspector and a dated report.

Personality Matrix



BRAND STRATEGY

We Are / We Are Not & Messaging Architecture

Evidence-led positioning only works if the evidence is real. This page distinguishes verified operational fact from marketing language — and shows how to write each responsibly.

We Are / We Are Not

WE ARE	WE ARE NOT
✓ Evidence-led	✗ Adjective-led
✓ Confident from data	✗ Confident from tone alone
✓ Plain and specific	✗ Vague and aspirational
✓ Global-standard, China-fluent	✗ Western stereotype of "the East"
✓ Calm under bad news	✗ Defensive or evasive

Messaging Architecture — Proof Pillars

Physical Verification

VERIFIED

Every factory published on the platform has received at least one documented on-site visit — photo-logged, GPS-stamped, and signed by a named inspector — before it is listed.

MARKETING

"Trusted by importers worldwide." Directional, not evidentiary — use only alongside a citable count, logo wall with permission, or named case study.

Traceability

VERIFIED

Each inspection report carries a unique reference number (e.g. FA-2026-0417) that resolves to the original findings, photos, and inspector of record.

MARKETING

"Full supply-chain visibility." Only claim this for accounts where traceability is actually configured end-to-end — flag as tier-dependent.

Response Standard

VERIFIED

Support and inspection-scheduling SLAs are whatever is contractually committed per account tier — state the actual figure, never round up.

MARKETING

"Lightning-fast turnaround." Replace with the contracted SLA figure (e.g. "48-hour scheduling window") wherever it appears in sales or marketing copy.

LOGO SYSTEM

Logo Anatomy & Construction

The mark is a compass/verification badge: an axis-aligned square and a rotated square (diamond) share one center, their overlap forming an eight-point silhouette. A radial ring and the WCS wordmark sit inside, centered to within 1px of true optical center.



Canvas 1024 × 1024 · 1:1 square

Construction
Square n rotated square
(45°)

Mark silhouette
94.3% of canvas

Optical center
<1px offset

Ring & Wordmark

A radial ring built from Signal Teal cardinal points (top/bottom) and Slate Blue arcs (left/right) reads as a compass rose or aperture — evoking navigation and verification. The "WCS" wordmark sits in Deep Navy across the horizontal center, cap-height 21.3% of canvas, wordmark width 71.2% of canvas.

Why this construction

The badge form reads as a seal of authenticity at a glance — appropriate for an inspection authority — while the compass/ring motif signals navigation across geography and process. No element is decorative: every shape carries either structural or semantic weight.

LOGO SYSTEM

Lockups by Composition

Three approved compositions. Colour treatment for each — Full, Navy, Black, Reversed White — is documented in full on the next page.

**WeChinaSourcing****01 — Primary Horizontal**

Default whenever space allows, ≥160px wide: headers, letterhead, signage, email footers.

**WeChinaSourcing****02 — Stacked**

Square / vertical formats: avatars, seals, packing-list headers, narrow columns.

**03 — Icon / Badge Only**

Favicons, app icons, inspection tags — only where the full name already appears elsewhere on the same surface.

Icon-only vs. full lockup: the icon alone is permitted only where the WeChinaSourcing name is already established on the same page, screen, or object (a favicon next to a page titled "WeChinaSourcing," a second-page footer, an inspection tag accompanying a labeled report). On any surface where this is the *first* or *only* brand mention — a cover, a business card, an unaccompanied social post — use the Primary Horizontal or Stacked lockup, never the icon alone.

LOGO SYSTEM

Colour Variants — Full Lockups

Every composition, every approved colour — twelve combinations, no others. Reversed White is the only variant approved for backgrounds darker than Slate Blue.


	FULL COLOUR	NAVY ONE-COLOUR	BLACK ONE-COLOUR	REVERSED WHITE
Primary Horizontal ≥160px wide				
Stacked Square / vertical				
Icon / Badge ≥32px full colour, ≥16px one-colour				

Full file list and naming: brand-assets/01-logo/svg/ — wcs_[horizontal|stacked|icon]_[full|navy|black|reversed-white].svg (p.23, Governance).

LOGO SYSTEM

Clear Space & Minimum Sizes

Exclusion Zone — one measurable rule



X = the cap-height of the letter "W" in the wordmark, measured at whatever size the mark is displayed (left). Reproduce that exact linear distance — not a percentage, not "some space" — as the minimum gap on all four sides (right). Nothing may cross this boundary: text, edges, photography, or other logos.

Minimum Reproduction Sizes

LOCKUP / PROCESS	DIGITAL	PRINT	RULE
Primary lockup (full color)	160px width	40mm width	Below this, teal ring detail begins to compress.
Icon, full color	40px · floor 32px	12mm · floor 10mm	Fine internal linework starts filling in under 32px.
Icon, one-colour (navy/black)	24px · floor 16px	8mm	Favicons, laser engraving, photocopy-safe stationery.
Embroidery (flat stitch)	—	20mm min. height	Ring detail simplifies to a solid disc below 20mm; consult digitizer proof.
Foil stamp / hot-stamp	—	10mm min. height	Single-tone only (navy or black foil) — no gradient foils.
Laser etch / engrave	—	8mm min. height	One-colour only; verify line weight survives the substrate's kerf width.



Optical-size rule: below 32px, switch to the one-colour icon — never shrink the full-color version past its floor. Below 16px the mark reads as an abstract badge, not literal text; acceptable for favicons only.

LOGO SYSTEM

Misuse & Corrected Alternatives

The mark's geometry and palette are permanently locked. These six misuses are the most common — each paired with the correct alternative, no exceptions for platform constraints.



Stretch or distort
Scale proportionally only — lock aspect ratio 1:1.

× **WRONG**

✓ **RIGHT**



Rotate off-axis
Keep true to horizontal / vertical, always.

× **WRONG**

✓ **RIGHT**



Recolor off-palette
Use full color, or one approved single-tone variant.

× **WRONG**

✓ **RIGHT**



Add shadows, bevels, effects
Flat only — no shadow, glow, bevel, gradient, or outline.

× **WRONG**

✓ **RIGHT**



Full color on a dark background
Switch to the Reversed White variant (p.6).

× **WRONG**

✓ **RIGHT**



Crowd the clear-space zone
Respect the X measurement on every side (p.7).

× **WRONG**

✓ **RIGHT**

× **Two additional prohibited practices** — add an unauthorized container, outline, or badge shape around the mark.

× **Recreate the wordmark or icon using system fonts, emoji, or an approximate hand-traced copy.**

Together with the six above: eight prohibited practices, matching the Quick Start summary (p.25) exactly.

COLOUR SYSTEM

Foundation Palette

Four locked hues extracted directly from the master mark. Every other color in the system — neutrals, status, focus — is derived from these.

PRIMARY / AUTHORITY

Deep Navy

HEX #122350

RGB 18, 35, 80

CMYK 78, 56, 0, 69

PMS 2758 C*

15.1:1 AAA on Porcelain White

SECONDARY / STRUCTURE

Slate Blue

HEX #1F5474

RGB 31, 84, 116

CMYK 73, 28, 0, 55

PMS 7702 C*

8.1:1 AAA on Porcelain White

ACCENT / VERIFICATION

Signal Teal

HEX #2D9C91

RGB 45, 156, 145

CMYK 71, 0, 7, 39

PMS 7717 C*

3.3:1 on Porcelain White — large text/UI only

BASE / CANVAS

Porcelain White

HEX #FEFEFE

RGB 254, 254, 254

CMYK 0, 0, 0, 0

PMS White

n/a — base surface

*Nearest coated Pantone equivalent — treat as a starting point only; confirm against a physical swatch book before production. Uncoated stock, textile dye lots, and foil substrates will all shift the match.

Neutral Scale — derived from Navy at fixed tint steps

Neutral-50
#F2F3F5

Neutral-100
#E6E8ED

Neutral-200
#CFD2DB

Neutral-300
#ABB1C1

Neutral-500
#65708D

Neutral-600
#414F73

Neutral-600 on Porcelain White = 8.1:1 (AAA, safe for secondary text).
Neutral-500 = 4.9:1 (AA floor for caption-size text). Neutral-300 and lighter fail text contrast — decorative, border, and disabled-state use only.

Why these four

Navy carries authority and reads as trustworthy officialdom worldwide. Slate is Navy's working cousin — structural, never decorative. Teal is reserved for verification and action, so it stays meaningful precisely because it's used sparingly. Porcelain White (not pure #FFFFFF) keeps large surfaces from glaring under studio and warehouse lighting alike.

COLOUR SYSTEM

Semantic Tokens & Accessibility

Every token below carries a pre-checked, accessible foreground/background pairing — status is never conveyed by color alone.

TOKEN	VALUE	PAIRING	RATIO	LEVEL	USAGE
brand.primary	#122350	On Porcelain White	15.1:1	AAA	Wordmark, primary buttons, headers
brand.secondary	#1F5474	On Porcelain White	8.1:1	AAA	Structural chrome, secondary buttons
brand.accent	#2D9C91	On Deep Navy	4.5:1	AA	Active states, links, teal CTA fills (navy text on teal)
text.primary	#122350	On surface.base	15.1:1	AAA	Body copy, headings
text.secondary	#414F73	On surface.base	8.1:1	AAA	Supporting copy, captions
text.tertiary	#65708D	On surface.base	4.9:1	AA	Meta text, timestamps — size ≥12.5px
text.disabled	#ABB1C1	On surface.base	2.1:1	Exempt*	Disabled labels only — WCAG excludes inactive UI
text.inverse	#FEFEFE	On brand.primary	15.1:1	AAA	Text on navy/dark surfaces
border.default	#E6E8ED	On surface.base	—	n/a	Card, input, table dividers
border.strong	#CFD2DB	On surface.base	—	n/a	Emphasized dividers, focus-adjacent
success.text / success.bg	#177750 / #E3F2EC	Text on tint	4.8:1	AA	Pass, conforming, verified
warning.text / warning.bg	#975C14 / #F8EEE3	Text on tint	4.8:1	AA	Pending, re-inspection, review
danger.text / danger.bg	#9C2721 / #F8E6E5	Text on tint	6.4:1	AAA	Fail, non-conforming, blocked
information.text / .bg	#173F57 / #E3EAED	Text on tint	9.2:1	AAA	In transit, informational
focus.ring	#2D9C91	On surface.base	3.3:1	AA (UI)*	2px outline, 2px offset — non-text 3:1 minimum
disabled.bg	#F2F3F5	On surface.base	—	n/a	Inactive control fill

*Disabled/inactive controls are excluded from WCAG 1.4.3 text contrast; non-text UI boundaries (1.4.11) need only 3:1 — Signal Teal clears that at 3.3:1 on Porcelain White despite failing as body text.

TYPOGRAPHY

Latin Type System

HEADING — URBANIST

Aa

Urbanist

400-500-600-700-800-900 (variable)

Geometric, wide x-height, architectural — carries authority at large sizes.
SIL OFL · fonts.google.com/specimen/Urbanist

BODY — DM SANS

Aa

DM Sans

400-500-700 (variable)

A legible workhorse for dense paragraphs and inspection tables at small sizes. SIL OFL · fonts.google.com/specimen/DM+Sans

DATA — JETBRAINS MONO

Aa

JetBrains Mono

400-500-600 (variable)

Fixed-width for HS codes, container IDs, batch numbers — nothing ever misaligns. SIL OFL · fonts.google.com/specimen/JetBrains+Mono

STYLE	SIZE/LH	TRACKING	WEIGHT	USAGE
Display	84 / 84	-0.02em	Urbanist ExtraBold 800	Cover & section dividers only
H1	46 / 50	-0.02em	Urbanist ExtraBold 800	Page titles
H2	32 / 38	-0.015em	Urbanist Bold 700	Section headings
H3	24 / 30	-0.01em	Urbanist Bold 700	Card & module titles
H4	18 / 24	-0.005em	Urbanist SemiBold 600	Sub-heads, table group labels
Body Large	16 / 25	0	DM Sans Regular 400	Intros, pull statements
Body	14 / 22	0	DM Sans Regular 400	Default paragraph & UI text
Caption	11.5 / 16	0.01em	DM Sans Medium 500	Meta, footnotes, units
Overline	10.5 / 14	0.16em	JetBrains Mono Medium 500	Eyebrows, section kickers, UPPERCASE
Data / Mono	12.5 / 19	0	JetBrains Mono Regular 400	HS codes, container #, batch IDs, tabular figures

TYPOGRAPHY

Chinese & Multilingual System

A global-China brand needs first-class Simplified Chinese typography, not a fallback afterthought. Noto Sans SC pairs with the Latin system on weight, license terms, and availability.

HEADING — NOTO SANS SC

验证于源头

Noto Sans SC — Bold 700

100–900 variable · SIL OFL 1.1

Pairs with Urbanist ExtraBold at matching cap-height. Illustrative rendering only — not an approved tagline translation; see note below.

BODY — NOTO SANS SC

全部工厂在上线前均经过实地审核。

Noto Sans SC — Regular 400

Google Noto Project · fonts.google.com/noto/sans-sc

Pairs with DM Sans Regular. Set 1px larger than the paired Latin size — CJK glyph density needs more optical weight at equal perceived size.

DATA — CJK-SAFE FALLBACK

HS 8517.62 货柜 TCLU-772154-3

JetBrains Mono + Noto Sans SC

No open CJK monospace at this weight range

True CJK monospace (e.g. Source Han Mono) is heavier than JetBrains Mono's optical weight — mixing looks uneven. Keep numerals/codes in JetBrains Mono, Chinese labels in Noto Sans SC Medium, never force CJK into the mono face.

Fallback Stacks

```
heading: 'Urbanist', 'Noto Sans SC', system-ui, sans-serif;
body: 'DM Sans', 'Noto Sans SC', system-ui, sans-serif;
data: 'JetBrains Mono', 'Noto Sans SC', monospace;
```

Pairing Rules

Never bold Chinese body text below 16px — strokes clog. Never italicize Chinese (no authentic italic form exists). Line-height for CJK runs 1.6–1.8× vs. 1.4–1.6× for Latin. Mixed EN/ZH strings: keep Latin in the Latin face, don't force one face to render both scripts.

Translation note: Chinese sample copy on this page demonstrates typography only. Per brand voice policy (p.22), no Chinese copy ships to production without professional transcreation and native business-fluent review — literal translation of English taglines is explicitly disallowed.

VISUAL TOKENS

Iconography & Industrial Graphic Motifs

Icon Style



Library: FontAwesome Free 6.5.2 – Solid
Canvas: 24×24px · optical bounds 20×20px
Stroke: 1.5px-equivalent at 24px
Color: Navy (primary) · Slate (secondary) · Teal (active only)

Spacing: minimum 8px between adjacent icons; 6px between an icon and its label. Accessibility: every functional icon ships with `aria-label`, or `aria-hidden="true"` plus adjacent visible text — never an icon-only control with no text alternative anywhere in the DOM.




Compass Grid
Event backdrops, section dividers. Max 18% opacity.



Container Line Grid
Report backgrounds, packaging. Max 18% opacity.



Verification Stamp
Full opacity only — audit reports, seals.



Precision Crosshair
Bullet points, spec call-outs. Full opacity.

Usage rule: motifs sit behind content at ≤18% opacity, or as isolated line-art accents — never as full-saturation fields competing with the logo or body copy for attention. The Verification Stamp is the one exception: always full opacity, always intact.

VISUAL TOKENS

Photography & Image Art Direction

Two distinct categories, never blended: Documentary imagery is real, traceable, and evidence-capable. Illustrative art direction is conceptual — labeled, and never evidence.

Documentary — evidence-capable

Real, traceable to a dated assignment, consented. May appear in audit reports and factual claims.

Illustrative — art direction only

Conceptual, may be AI-generated (as the 6 examples below are). Never evidence, never a claim, always labeled.



Inspector at Work
kittl_inspector-at-work.png




Product Detail — Macro
kittl_product-detail-macro.png



Factory Floor — Wide
kittl_factory-floor-wide.png



Documentation in Hand
kittl_documentation-in-hand.png



Traceability — Batch / Label
kittl_traceability-batch-label.png



Portrait — Named & Credited
kittl_portrait-named-credited.png

Illustrative art direction — AI-generated, not inspection evidence. These six images set tone, composition, and lighting only. The WCS mark is never rendered inside a generated image — where a lockup is needed, the master SVG is placed as a separate vector layer over the photograph, never traced, warped, or approximated by the image generator.

DIGITAL PRODUCT SYSTEM

Core Components

Buttons

Schedule Inspection

View Report

[Learn more](#)

Reject Batch

Unavailable

Primary

Secondary

Tertiary

Destructive

Disabled

Form Fields

FACTORY ID — DEFAULT

SH-O221-CN

FACTORY ID — FOCUS

SH-O221-CN

FACTORY ID — ERROR

SH-O2

! Factory ID must be 8 characters.

Tags

PASS · CONFORMING

FAIL · NON-CONFORMING

PENDING RE-INSPECTION

IN TRANSIT

Alerts

Re-inspection scheduled for 2026-09-02.

3 open non-conformances require sign-off before release.

SPACING SCALE

4·8·12·16·24·32·48·64px

RADIUS SCALE

4·6·8·10px · full (pills)

SHADOW — SM

0 1px 2px rgba(18,35,80,.06)

SHADOW — MD

0 6px 16px rgba(18,35,80,.10)

DIGITAL PRODUCT SYSTEM

Patterns, States & Foundations

Navigation

 WCS

Suppliers

Reports

Shipments

Empty State



No inspections scheduled

New requests appear here once submitted.

Table

FACTORY ID	SUPPLIER	STATUS
SH-0221-CN	Ningbo Precision Metals	PASS
SZ-1140-CN	Shenzhen Circuit Works	FAIL

Loading State

Focus State

Approve

2px Teal ring, 2px offset, on `:focus-visible` only — never removed. Meets WCAG 1.4.11 non-text contrast (3.3:1 on Porcelain White).

GRID

12-col · 24px gutter · 1280 max

BREAKPOINTS

640 · 768 · 1024 · 1280px

TOUCH TARGET

44 × 44px minimum

KEYBOARD

Full tab order · no keyboard traps

DIGITAL PRODUCT SYSTEM

Applications — Dashboard & Mobile

Both views run on the exact tokens from p.15–16 — no one-off colors, spacing, or components.

app.wechinasourcing.com/suppliers

Supplier Scorecards

+ New Inspection

FACTORY ID	SUPPLIER	STATUS
SH-0221-CN	Ningbo Precision Metals	PASS
GZ-0587-CN	Guangzhou Textile Co.	PENDING
SZ-1140-CN	Shenzhen Circuit Works	FAIL

AVG. INSPECTION SCORE

92.4/100

OPEN NON-CONFORMANCES

3

9:41

My Shipments

CNTR # TCLU-772154-3

Ningbo → Rotterdam

IN TRANSIT

HS 8471.30

Final QC — Batch 04


PASS

Mobile — status-first layout

DIGITAL PRODUCT SYSTEM


Data Visualisation System

Evidence is the brand strength — charts stay quiet, labeled, and legible so the finding is the story, not the decoration.



Palette & Rules

Categorical series: Navy → Slate → Teal, in that order; never more than three series on one chart. Status overlays always use the semantic success/warning/danger tokens (p.10) — labeled directly, never color-only. Axis labels in Caption/DM Sans; values and units in JetBrains Mono.



Not Permitted


3D charts or perspective tilt · pie charts beyond 4 segments · dual axes without explicit labeling on both · rainbow/unthemed color scales · any legend that relies on color alone without a text label · decorative gradients inside data marks.

APPLICATIONS

Physical & Supply-Chain Applications



Inspection Seal
Foil-stamped / laser-etched, ≥8mm.
wcs_icon_navy.svg




Shipping Label
Mono-navy mark; JetBrains Mono fields.
04-templates/wcs_template_shipping-label.pdf



Product / Hang Tag
One-colour navy or black only, ≤80gsm card.
wcs_icon_navy.svg · wcs_icon_black.svg



Audit Report Cover
Navy field, reversed mark, mono ref.
04-templates/wcs_template_audit-report.pdf



Corrugated Packaging
One-colour print on kraft; mark ≥30mm.
wcs_icon_navy.svg



Uniform — Polo
Left-chest badge lockup, single-colour embroidery.
wcs_icon_navy.svg



Trade-Show Backdrop
Reversed-white on navy; ≥3m viewing distance.
wcs_stacked_reversed-white.svg

Production Constraints
One-colour processes (engraving, embroidery, foil, screen print) use Navy or Black only — never Slate or Teal, which don't hold detail at small scale. Reversed artwork requires the dedicated wcs_[lockup]_reversed-white.svg file (p.6) — never a white-filtered version of the full-colour mark. Always place vector source; never re-trace from a raster export.

VOICE & MESSAGING

Pillars & Language Rules

Message Pillars

- Physical Verification
- Traceability
- Named Accountability
- Global-Standard Compliance

Headline Formulas

[VERIFIED FACT] + [WHAT IT MEANS FOR THE BUYER]

"Every factory physically audited — before you ever place an order."

[EVIDENCE], [DATED / NAMED ATTRIBUTION]

"14 of 14 sample units passed dimensional tolerance — inspected 2026-03-03, report FA-2026-0417."

Claim Substantiation

Any absolute word — *always, 100%, guaranteed, best, only* — requires a citable source, a date, or a named report attached at point of use. If none exists, rewrite as a scoped, precise claim (e.g. "100% verified" → "every listed factory receives an on-site visit before publication").

Numbers, Units & Dates

Dates: ISO 8601 (2026-08-15) in data/UI; "15 August 2026" in prose — never MM/DD, which is ambiguous outside the US. Units: metric first, imperial in parentheses for US buyers. Currency: always ISO code (USD 12,400 — never a bare "\$"). Percentages: one decimal maximum.

Terminology

- | | |
|---------------------------|-------------------------------|
| ✓ Factory audit | not "Check-up / visit" |
| ✓ Non-conformance | not "Issue / problem" |
| ✓ Inspector of record | not "Our agent / our guy" |
| ✓ Supplier | not "Vendor" |
| ✓ Scheduled re-inspection | not "We'll take another look" |

VOICE & MESSAGING

Channel Examples

CHANNEL	VOICE EMPHASIS	DO	DON'T
Audit & Inspection Reports	Precise, evidentiary	✓ "14 of 14 sample units passed dimensional tolerance ±0.2mm."	✗ "The factory looks great and quality seems excellent."
Sales & Buyer Outreach	Authoritative, consultative	✓ "We inspected this factory in March — here is exactly what we found."	✗ "Amazing supplier, don't miss out, act now!"
Website & Product Copy	Modern industrial, confident	✓ "Every listed factory is physically audited before it reaches you."	✗ "We're basically your best friend in China."
Customer Support	Transparent, calm authority	✓ "Here's the discrepancy we found and the two ways to resolve it."	✗ "Don't worry about it, it's probably fine."
Social / LinkedIn	High-trust, human	✓ "Meet the inspector behind report FA-2026-0417."	✗ Stock-photo handshake clichés with no attribution.

House rule: if a sentence can't be traced to a report, a spec, or a named person, rewrite it. Confidence comes from evidence, not adjectives.

VOICE & MESSAGING

English / Chinese Localisation Principles

Simplified Chinese copy is transcreated for business register and cultural context — never a literal, word-for-word translation of English marketing lines.

Register & Structure

Chinese B2B correspondence typically opens more formally and relationship-first before moving to specifics — don't force the English "hook-first" pattern. Keep sentences shorter; Chinese business readers expect density without padding. Match the SAME evidentiary substance in both languages even where phrasing diverges — the report number, the date, and the inspector's name travel unchanged.

Formatting Differences

Dates in Chinese-facing material: 2026年8月15日 (year-month-day, with characters) rather than the ISO hyphen form. Full-width punctuation (, .) in Chinese running text; half-width for embedded Latin codes and numerals (HS codes, batch IDs stay in Latin/ASCII form).

Cultural Awareness

Red and green carry opposite meaning in Chinese equities (red = gain) versus Western finance (red = loss) — never reuse chart color logic across audiences without labels (see p.18). QC pass/fail (green/red) is globally standardized and safe. Avoid prominent stand-alone "4" in numbered lists or pricing tiers where a natural alternative exists; no meaning is implied by "8."

Process

Every piece of Chinese-facing copy: (1) drafted with business context, not machine-translated from the English final; (2) reviewed by a native, business-fluent speaker with sourcing/trade experience; (3) approved via the same governance workflow as English copy (p.23) before publication.

GOVERNANCE

Governance & Asset Management

Asset Folder Structure

```
brand-assets/  
├─ 01-logo/  
│  ├─ svg/      12 – 3 lockups × 4 colors  
│  ├─ png/      36 – svg set × @1x @2x @3x  
│  ├─ pdf/      12 – svg set, print-ready  
│  └─ favicon/   6 – 16/32/48/180/192/512px  
├─ 02-color/    tokens.css · tokens.json  
├─ 03-type/     LICENSES.md · specimens/  
├─ 04-templates/ audit-report · shipping-label  
└─ CHANGELOG.md
```

Naming Convention

```
wcs_[lockup]_[color]@[density].[ext]  
e.g. wcs_icon_reversed-white@2x.png  
(svg/pdf omit density – resolution-independent)
```

The Brand Guidelines deck and Quick Start sheet ship one level up, alongside brand-assets/ — only the two standalone document templates live in 04-templates/.

Approval Workflow

1. Request

Requester opens a brand-asset ticket with use case, channel, and deadline.
2. Draft

Brand & Creative produces or pulls the approved asset — no new variants without sign-off.
3. Review

Brand owner checks against this guide; legal reviews if a substantiated claim is involved.
4. Approve & Version

Approved asset gets a version tag and lands in the shared library — never sent as a one-off attachment.
5. Log

Change is recorded in CHANGELOG.md with date, requester, and reason.

VERSION CONTROL

Semantic: MAJOR.MINOR (v1.1). MAJOR = geometry/palette change (requires this doc's owner + legal sign-off). MINOR = new template, copy, or token addition.

EXCEPTIONS

Only the Brand & Creative owner may approve a one-time exception to any rule in this document, logged with a written reason.

Partner & supplier requests: assets@wechinasourcing.com — turnaround per the contracted SLA for that account tier. Never re-derive a logo from a screenshot or prior printed piece; always request the master file.

GOVERNANCE

Design Tokens Reference

Every value used across this document is exported as machine-readable tokens — `tokens.css` for direct implementation, `tokens.json` for Figma Tokens / Style Dictionary pipelines.

`tokens.css` — excerpt

```
:root{
  --color-navy:      #122350;
  --color-slate:     #1F5474;
  --color-teal:      #2D9C91;
  --color-porcelain: #FEFEFE;
  --font-head:  'Urbanist', 'Noto Sans SC', sans-serif;
  --font-body:  'DM Sans', 'Noto Sans SC', sans-serif;
  --font-mono:  'JetBrains Mono', monospace;
  --radius-md:  8px;
  --space-4:    16px;
}
```

`tokens.json` — excerpt, W3C DTCG-style

```
{
  "color": { "brand": {
    "primary": { "value": "#122350" },
    "secondary": { "value": "#1F5474" },
    "accent": { "value": "#2D9C91" }
  } },
  "spacing": { "4": { "value": "16px" } },
  "radius": { "md": { "value": "8px" } }
}
```

COLOR TOKENS

20 — brand, surface, text, border, status

TYPE TOKENS

10 scale steps × 3 font families

SPACING / RADIUS

8 steps / 5 steps

FILES

02-color/tokens.css · tokens.json

Import `tokens.json` into Figma via the Tokens Studio plugin to keep design files and code in sync; `tokens.css` is the single source of truth for web and product engineering — no hard-coded hex values in application code.



QUICK START

Quick Start — Partner & Supplier Summary

A condensed version of this page ships as a standalone one-page PDF (Quick-Start-Sheet.pdf) for partners who need the essentials without the full 26-page system.



Use the master file only — never redraw.

CLEAR SPACE

X = cap-height of "W" — that exact gap on all 4 sides, minimum.

MINIMUM SIZE

32px / 10mm floor, full color. Below that: one-colour icon only.

ON DARK BACKGROUNDS

Always switch to the Reversed White file — never full color.

CORE COLORS



#122350 · #1F5474 · #2D9C91

CORE TYPE

Headings: Urbanist Bold/ExtraBold. Body: DM Sans Regular. Data: JetBrains Mono. Chinese: Noto Sans SC.

8 THINGS NEVER TO DO

Stretch · rotate · recolor · add shadow/bevel · full color on dark · add a container/outline · crowd the clear space · redraw with system fonts.

Need an asset or an exception? assets@wechinasourcing.com — never source a logo file from a screenshot, prior printed piece, or a partner's own files.



Verified at the Source.

WeChinaSourcing — Brand Identity & Visual Style Guidelines · v1.1