

Gann Parity Roadmap: what GSPS still needs to become a faithful copy of W. D. Gann's method

Compiled 2026-09-27, after the full read of every Gann source in the project owner's folders (A01–A11, A2.1–A2.3). Built from GANN_CYCLES_HERMETIC_MASTER_REPORT.md, the per-source notes in docs/memory-bank/sources/, and a check of the current code (lib/gann/, lib/scoring/, lib/lifecycle/, lib/trade/, lib/risk/). It recommends; it doesn't change code. Everything that would move a verdict, a plan, an order or risk is an owner decision under AGENTS.md.

Roadmap phase. The current phase is Q1 (Aug–Oct 2026, monetization and retention). None of this is a Q1 initiative. It continues the out-of-phase Gann-grounding work recorded in ROADMAP.md under "Gann & Sara Cross-Market Confluence Layers." Each item built from here should be recorded as out-of-phase, per AGENTS.md.

Part 1 — What "a carbon copy" can and cannot mean

The goal is that every rule Gann **disclosed** runs in GSPS the way he stated it, on every surface it applies to. Four limits apply. They come from the sources themselves, not from GSPS preference, so it is worth stating them first.

1. **Gann never published his "Master Time Factor."** Four texts say so in his own words:

- Truth of the Stock Tape (1923): "not my object here to give away that secret"
- Wall Street Stock Selector (1930): forecasting methods taught only by private course
- Face Facts America! (1940)
- the 1929 Annual Forecast's sales pages

What survives is his **disclosed** time rules (cycle hierarchy, anniversaries, fractions of time, the permanent calendar, counter-move durations) and his **forecasts**. His forward record with the undisclosed method is mixed: the 1929 call was a hit he chose to reprint, and the 1940 war and economy calls mostly missed (master report M7). **GSPS can copy the disclosed rules exactly. It cannot copy the secret, and nothing in our files lets us reconstruct it.**

2. **Some illustrations are lost.** The Hexagon and Square of 20 plates, and the Master Course chapter figures, don't survive. The modules built on them stay research-only (AGENTS.md, orphan audit item 7).
3. **Magnitudes don't port literally.** "3 points," "5 cents," "9 points on the Dow" are 1920s–50s share and commodity prices. Gann himself scaled stops and moves to price level (A8's price-scaled cotton-seed-oil stops; the 1951 "normal move = 1/16 of price"). GSPS ports **the rule** and scales **the number**, and says so each time. `combineNearbyLevels` is the standing worked example.
4. **Gann's astrology is his, but our policy governs how it enters.** Per AGENTS.md (clarified 2026-09-27), it ranks alongside his other techniques by how well it is sourced. It enters only as a labelled confluence field, after an ephemeris calculation and Dewey's full test. It never gates.

Status legend used below:

- **Aligned:** the rule runs as Gann stated it.
- **Partial:** the rule's shape is there, but a part is missing or differs.
- **Conflict:** GSPS does something Gann's text contradicts.

- **Missing:** no implementation.
- **Research-only:** built but deliberately kept out of production.
- **Excluded:** not to be built, with the reason recorded.

Part 2 — Where GSPS stands today (summary)

Domain	Aligned	Partial	Conflict	Missing	Other
Time	7	3	0	7	1 research-only
Price and levels	6	1	0	3	—
Trend	5	1	0 (X3 fixed)	6	—
Entries, stops, exits, lifecycle	3	3	1 (X4)	5	—
Volume	2	0	0	2	—
Risk and money management	4	1	0	1	—
The trader (education)	1	2	0	2	—
Astrology, numerology, forecasting	1	0	0	3 (research)	2 excluded, 1 cannot be copied
Total (74 rules)	29	11	1	29	4

Counts are rows in Part 3; "Aligned" includes rows aligned in structure.

The headline: GSPS already has a large share of Gann's level and time geometry. The biggest gaps are:

- **Trend construction (X3).** The swing charts underneath the verdict are not Gann's definition.
- **Gann's "change of trend" rules:** over-balance of time and space, the greatest reaction of the campaign, the monthly-low break.
- **Post-entry and exit management:** hold tests, the three-adverse-closes exit, trailing by the last reaction, and the "never fix a target" conflict.

Those three areas are where Gann's method is most specific, and where the verdict is most affected.

Part 3 — The parity matrix

Each row gives the rule and its source, what GSPS does now, the status, and the next step. **Owner** marks rows that need a project-owner decision before building (they touch scoring, gating, plans, orders or risk). Gap numbers (G1-G25) and conflict numbers (X1, X3) refer to the master report's Part V.

3.1 Time (Gann's first factor)

Gann rule	Source	GSPS today	Status	Next step
Time outranks price; time says when, price says which way	A2.1, A2.2, A11	timeCycles.ts gives windows; direction comes from pivot polarity	Aligned	—

Gann rule	Source	GPS today	Status	Next step
Count from every major pivot, not a calendar origin	A03; A2.1 Ch. 13	majorPivots anchors	Aligned	—
Cycle hierarchy 1, 2, 3, 5, 7, 10, 15, 20, 30, 50, 60 years	A2.1 Ch. 7	MAJOR_CYCLE_YEARS, yearCycleConvergence	Aligned	Label 30–60 as disclosed, not validated (M5)
Convergence of several cycles on one window	A2.1 Ch. 7, 13	yearCycleConvergence counts hits	Partial	Extend to the daily/weekly counts and squares (G11)
Permanent annual calendar (8 dated windows)	A04 back matter; A09	FIXED_CALENDAR_WINDOWS	Aligned (fixed 2026-09-27)	Measure as a recurrent event (M4)
Fractions of the year: anniversary $> \frac{1}{2} > \frac{1}{4}$, $\frac{3}{4} > \frac{1}{3}$, $\frac{2}{3} > \frac{1}{5}$	A2.1 Ch. 13–14	squareOf52.ts, WHEEL_COUNTS	Partial	Add the ranking to the output (G8)
Day-count bands 7–12, 18–21, 28–31, 42–49, 57–65, 85–92, 112–120, 150–157, 175–185	A09 Rule 8; A8 pp. 57–58	WHEEL_COUNTS = 45/90/120/180/270/360 only	Missing	G17: add the bands as windows from each pivot. Confluence first
Seasonal counts from Mar 20/21 and the midseason points	A2.1 Ch. 14, 17, 18	none (the calendar fix covers the dates, not counts from them)	Missing	G8
Counter-move duration prior: reactions 2–5 weeks (3–4 typical; 14 and 21 days most common); a 3rd month means a trend change; strong stocks seldom react into a 2nd month	A2.1 Ch. 11B, 14, 17; A05; A04 Ch. IV	none	Missing	G2 and G24. A "counter-move clock" context field, then an Owner decision on using it as a trend-change signal
Daily/weekly time rules: 2–3-day halt at extremes; buy 2–3-week reactions; watch the 3rd week; the 6th–7th week ends fast moves	A04 Ch. IV; A09 Rule 4	boilingPoint.ts (6–7 weeks)	Partial	Add the 2–3-day halt and the 3rd-week watch to the same clock
Time balancing: project prior swing durations forward; percentages of time	A8 pp. 97–99, 293	timePriceSquare.ts (price = time)	Missing	G22
Accumulation time proportional to the size of the advance	A04 Ch. VII; A8 p. 52	none	Missing	G22: a context annotation on breakouts from long ranges
7/14-day alternation of minor and major turns	A2.2	none	Missing	G9, confluence
Incorporation-date anniversary / company age	A03; A2.1 Ch. 7; A04 Ch. VI	none	Missing	G10. Needs a per-symbol incorporation-date source
Periodogram ("harmonic analysis")	A03; 1926 letter (B01)	spectralCycle.ts, confluence	Aligned	Add the Schuster test (M1)

Gann rule	Source	GSPS today	Status	Next step
Squares of time: Master 12, Square of 52, 36 angle month-counts	A2.1 Ch. 7, 13, 14	masterTwelve.ts, squareOf52.ts, angleMonthCounts.ts (confluence)	Aligned	—
Decade-digit bull/bear years	A2.1 Ch. 7	decadeCycle.ts (confluence)	Aligned	—
Square of 20 and Hexagon	A2.1 Ch. 7, 15B	research-only	Research-only	Keep, unless new source material appears

3.2 Price and levels

Gann rule	Source	GSPS today	Status	Next step
Range divisions: $\frac{1}{2}$ first, then $\frac{1}{4}/\frac{3}{4}$, $\frac{1}{3}/\frac{2}{3}$, $\frac{1}{5}$ s	A2.1 Ch. 2, 13	retracement.ts, gannRetracementConfluence (scored)	Aligned	—
Percentages of the extreme price (low $\div 8$; high $\div 8$ and $\div 3$; 50% and 100% of a bottom)	A8 pp. 32–34; A09	range fractions only	Missing	G13: add as levels to retracement.ts, feeding the same confluence
Old tops become support, old bottoms resistance	A02; A04; A8	historicalSR (scored), levels.ts	Aligned	—
Clustered levels averaged into one	A2.1 Ch. 9; A8	combineNearbyLevels	Aligned	—
Double and triple tops within a price-scaled band; the 3rd test decides	A05; A8 p. 53	levels only	Partial	Count tests per level (feeds G15)
The 4th test of a level goes through	A8 p. 43; A09	none	Missing	G15: an invalidation or confluence field
Square of Nine ($180^\circ = +1$ root)	A2.1 Ch. 13	squareOf9.ts	Aligned	Don't "fix" it to the D-levels table (C5)
Gann angles / 1x1	A2.1 Ch. 4	fans.ts, normalizedSlope.ts, gannAngleSlope (scored)	Aligned (price unit ATR-scaled, documented)	—
Price = time squaring	A2.1; A8	timePriceSquare (scored)	Aligned	—
Even figures (100, 200) attract orders; place orders $\frac{1}{2}$ – $\frac{3}{4}$ off them	A04 Ch. I, V	none	Missing	An order-placement hint in the ticket and in plan pricing. Owner (touches plan prices)

3.3 Trend

Gann rule	Source	GSPS today	Status	Next step
Swing chart = counter-moves of 2-3 days on highs and lows; weekly chart = 7 calendar days; trend turns on breaking the last swing extreme	A8 1951 pp. 316–317; A09 Ch. VII; A04 Ch. IV; A02 p. 82	swingChart.ts rebuilt 2026-09-27: 3-Day Chart + 7-day weekly chart on highs and lows, trend on breaking the last swing extreme	Aligned (B1 built 2026-09-27)	Fresh replay on 2026-09-27-gann-swing-c harts (B3); the price-scaled 9-point chart stays a candidate
Time trend turn: a lower top, then a break of the first swing low	A8 1951 p. 309	trendStrength.ts stepping swings	Aligned in structure	Re-verify after B1
Rule of Three (3 consecutive lower closes reverse an uptrend) on daily, weekly and monthly	A04 p. 72	ruleOfThree.ts (scored, daily)	Partial	Apply on weekly and monthly as Gann does
Three-stage Space Rule; greatest reaction of the campaign exceeded = trend change	A2.1 Ch. 7, 10A, 11A; A8 p. 51; A04 Ch. VII	none	Missing	G3 + G14: build one campaign counter-move ledger (Part 5, B2)
Over-balance of time before space	A8 BP/SP #3–#6; A09 Rule 8; A2.1 Ch. 11	none	Missing	G14, same ledger
Monthly-low (high) break since the top = trend turn	A05; A04 Ch. VII	none	Missing	G6
Close vs bar midpoint as a per-bar trend read	A2.1 Ch. 13	none	Missing	G1, the cheapest literal rule
Weekly 1-bar swing chart	A2.1 Ch. 18	none	Missing	G5 (subsumed by B1's weekly chart)
Monthly > weekly > daily hierarchy, with power ratio 7/30/365	A05; A04	readTrend, timeframeWeight.ts	Aligned	—
Stock's own trend, never index confirmation	A05; A2.1 Ch. 5–6	macroBreadthAgrees uses the stock's own charts	Aligned	Keep it that way (X2 withdrawn)
Campaigns run in 3–4 sections; signals weigh more in the 3rd/4th	A04; A09 Rule 5; A8 p. 51	none	Missing	A section counter in the B2 ledger
Sideways range: stay out; trade the breakaway	A8 p. 52; A04 Ch. V, VII	Built 2026-09-27 (decision 5). rangeReversion.ts is never tradeable; li b/gann/breakaway.t s + applyBreakawayHold hold a range-bound Execute to Watch unless the entry crosses the 13-week range's extreme (live scan and replay)	Aligned	—

3.4 Entries, stops, exits and lifecycle

Gann rule	Source	GSPS today	Status	Next step
Buy/sell on crossing an old swing extreme + lost motion ($\approx 1\frac{7}{8}$, never 3 points)	A2.1 Ch. 9; A8	entryTrigger.ts	Aligned	Add the Ch. 9 citation (C4)
3-point confirmation beyond a level	A02; A04; A05	entryConfirmation.ts buffer	Aligned	—
Stop placed at entry, just beyond the level	A01; A05; A04	plan invalidation	Aligned	—
Hold test: no 3-point reaction back under a crossed top	A05; A8 p. 53	none	Missing	G4. A lifecycle invalidation. Owner
Exit after 3 successive adverse closes	A05 p. 23	none	Missing	G4. A lifecycle exit. Owner
Break-even stop after 3–4 points of profit	A02 Book II; A04 Rule 3	break-even only after TP1 is hit (protocol-exit.ts rule 4)	Partial	G23. Move to break-even on a price-scaled profit threshold, not only at TP1. Owner
Trail the stop by the size of the last reaction, or under the prior month's low; in the final stage, under the prior day after a 2-day counter-move	A04 Ch. IV, VI, VII; A8 BP/SP #9	trails the best price by one unit of the original risk	Partial	G18 + G24: trail on Gann's structure (last reaction, prior month's low) instead of a fixed R. Owner
"Never fix a target price" : exit on the stop or a trend-change signal; sell at resistance levels his rules identify	A02 Book II; A04 Rule list	fixed TP1 (60% out) and master target (20% out)	Conflict (X4, new)	Owner. Gann sells at resistance levels but never at a fixed profit objective. Options: (a) keep TP1 and document it as a GSPS safety choice; (b) derive TP1/master only from Gann levels and let the runner exit only on a Gann trend-change signal (B2/B4). Option (b) is the faithful copy
Entry confirmation on every path	measured 2026-09-26 (+0.190R vs -0.155R)	automation only	Partial	Already recommended in AGENTS.md (F3.4 reversal). Owner
Pyramiding: decreasing lots every 10 points (price-scaled), stop on each add	A02; A03; A04; A05	GSPS does not pyramid	Missing	Excluded for now (a product choice); teach it in the School. Revisit for Expert/Wall Street
Reverse signal day; 7–10 Day Rule	A8 1951 pp. 311, 317–318	none	Missing	G20
Gap rules (exhaust gap; filled gap reverses the minor trend)	A8 1951 pp. 318–325	none	Missing	G21, confluence first

3.5 Volume

Gann rule	Source	GSPS today	Status	Next step
Normal bottoms on decreasing volume and narrowing range; climax volume at a low is the panic exception; tops on heavy volume	A2.1 Ch. 12; A09 Ch. X; A8 p. 63; A04 Ch. VII	Built 2026-09-27 (D1). volumeClimax.ts reads drying-up, lower-volume retests and climaxes; the scored criterion ("Volume at the turn") and the coarse pre-filter pass a low on drying up, a lower-volume retest or a panic climax, and a high on heavy volume or a lower-volume secondary top	Aligned	Measure on the next run
Shrinking volume on an equal or lower low = liquidation over	A04 Ch. VII	Built 2026-09-27 (D1): retestOnLowerVolume	Aligned	—
Volume relative to float; 2/3 of float in a week = distribution	A04 Ch. VII; A2.1 Ch. 12	none	Missing	G7. Needs a shares-outstanding source
Shares-per-point efficiency at tops	A2.1 Ch. 12	none	Missing	G7

3.6 Risk and money management

Gann rule	Source	GSPS today	Status	Next step
Risk $\leq$ 10% of capital; equal risk over 4-5 positions	A03; A04; A05	lib/risk/*, checkPositionLimits	Aligned (percentage form)	—
Series of losses: after 2-3 losses stop and study; cut the unit to 10% of remaining capital	A8 pp. 12, 17, 29; A02; A04 Ch. III	Built 2026-09-28 (E1): lib/risk/lossSeries.ts pauses new entries after 3 consecutive losses (rest of that day and the next trading day) on every path, paper and live; percentage sizing re-bases the unit after losses. cooldown.ts now cites the rule and states that its % thresholds are GSPS's own	Aligned	—
Don't increase size after a long winning run	A04 Rule 24	Verified 2026-09-28: sizing is a fixed % of current equity and nothing raises it on results (the demo's larger-size days alternate by date, not by wins)	Aligned (structure)	—
Close all trades twice a year and rest	A02 Book I	none	Missing	Education and an optional reminder; never forced

Gann rule	Source	GSPS today	Status	Next step
Reward/risk: don't take a 3-5-point target unless the stop is 1-2 points	A04 Ch. II	plan R:R checks	Aligned	—
Never trade in bad health or impaired state	A05 Ch. II	cooldown concept	Partial	Education

3.7 The trader: education and copy

Gann rule	Source	GSPS today	Status	Next step
Five qualifications; hope and fear as the enemy; prove the rules yourself	A05; A03; A10	GSPS School curriculum; E2 2026-09-28: Academy 4 course "The Method's Rules" (swing charts and trend change, time, entries/stops/exits, volume and the trader), in our own words	Partial	The qualifications and the Seven Zones still to write
Seven Zones of Activity	A02 Ch. XI	none	Missing	Education or regime display
Early and late leaders; first-year-high filter; stocks that bottom first top first	A04 Ch. VII	none	Missing	G25: scanner ranking context
Never buy one stock to follow another in its group	A04 Ch. VII	stock-own trend	Aligned	—
Dated forecasts are testimony, never performance claims	all	banned-terms rule	Partial	Keep the 1929/1940 record as a teaching example of why GSPS measures

3.8 Astrology, numerology and forecasting

Item	Source	GSPS today	Status	Next step
Planetary averages (helio/geo, 6 planets and the 5 without Mars)	A2.3 1954 letter	none	Missing (research)	AS1: ephemeris library, rule fixed in advance, Dewey test, confluence only
Active angles (a planet's longitude and its 90/120/180°) on the Circle Chart	A2.3	none	Missing (research)	AS2
Jupiter-Saturn aspects; Saturn return; Mars half-return	A2.3; B03; A2.1 1931 lesson	none	Missing (research)	AS3, AS4
Eclipse longitudes	B05 only (not in A02/A04)	none	Excluded until a Gann source is found	C-A4-2
Gann's sacred numbers (3, 7, 9, 12...), digital root	A10; blueprint	digitalRoot.ts confluence	Aligned (confluence only)	—

Item	Source	GSPS today	Status	Next step
Name and letter-count numerology; per-market price-to-degree scales chosen ad hoc	A2.1 Ch. 15A; A03	none	Excluded	No validatable rule; multiple-comparisons pattern
The undisclosed Master Time Factor forecast	A04; A07	none	Cannot be copied	See Part 1

Part 4 — Decisions the owner needs to make first

Decided 2026-09-27 (project owner): decisions 1, 2 and 3 are "Gann's method supersedes my own. Implement Gann's method." X3, X4 and X1 are to be built to Gann's text: swing charts on counter-move duration with trend turns on breaking the last swing extreme; no fixed profit objective, exits on the stop or a Gann trend-change signal and selling only at Gann-derived levels; volume read with the normal drying-up bottom as the rule and the climax as the panic exception. Decisions 4–7, same day: (4) confirmation on every path; (5) always Gann's rules, so Execute needs the breakaway; (6) break-even and trailing stops on Gann's structure; (7) astrology stays research-only, maintained separately. Scores may change so long as they follow Gann. Intraday use to be verified by measurement.

These block or shape the build order. Each is a real choice between "what GSPS does" and "what Gann wrote." Under "WD Gann precedence" the default is Gann's side unless a stated reason says otherwise.

- X3 — Rebuild the swing charts to Gann's definition.** This is the most consequential item. Everything trend-related sits on it.
 - Recommendation: yes, as step B1 below, then re-derive the 6/3.5 cutoffs from a fresh replay.
- X4 — "Never fix a target price" vs the fixed TP1 and master target.**
 - Recommendation: keep resting targets only at Gann-derived resistance levels. Let the runner exit only on a Gann trend-change signal (hold test, three adverse closes, trailing by the last reaction, over-balance).
 - Measure both on the replay before switching Guided and the demo.
- X1 — Volume at bottoms.**
 - Recommendation: option (b). Add Gann's normal-bottom rule (volume drying up, range narrowing) alongside the panic-climax case, and score whichever applies.
- Entry confirmation everywhere** (AGENTS.md F3.4 reversal). It's already recommended on measured evidence and pending.
- In-range trading vs the breakaway** (A8 p. 52).
 - Recommendation: keep range states as Watch context. Arm Execute only on the breakaway.
- Break-even and trailing on Gann's structure** (G23, G24, G18). This depends on decision 2.
- Astrology research track: go or no-go.** It needs an ephemeris library dependency. It is confluence only.

Part 5 — Build sequence

The order follows three rules:

- cheapest and most literal rules first
- anything that moves the verdict only after the owner decides, and always followed by a fresh replay
- every new field enters as display/confluence first, then gets measured, and only then may it gate (AGENTS.md "Gann-derived AND measured")

Each step says whether a user waits on it (AGENTS.md "Speed is a product requirement"). All of these are per-symbol computations on bars the scan already loads, so the added scan cost should be small, but it must be measured with the [market-scan] breadcrumbs.

Stage A — literal, cheap, display/confluence only (no owner sign-off needed beyond this plan)

Built 2026-09-27 in one module, `lib/gann/disclosedRules.ts`, shown on the confluence card and in the explanation trace, and never scored. A1–A7 are there as context fields. A8 citation headers were added to `entryTrigger.ts` and `timeCycles.ts`; `spectralCycle.ts` already carried its citations. Deviations from the plan as written: - A2 lives in the new module, not `retracement.ts`, so the scored retracement criterion is unchanged. - A3 and A6 read from the scan's major pivots without changing `timeCycles.ts`' own windows. WHEEL_COUNTS still lacks $\frac{2}{3}$ (240 days) and the other $\frac{1}{8}$ s; A6's ranking includes them. - A5 counts completed 3-Day Chart swing extremes within 1% of a level, rather than editing `levels.ts`. - **Infused the same day** (owner: "the point of the parity is to align, infuse and implement throughout the platform"): A3/A6's day-count bands and full year fractions now drive `timeCycles.ts`' windows (scanner ranking); A2's three major percentage-of-price levels join the S/R list (level criterion, stops, targets) on the live scan and the replay; A7's weekly/monthly Rule of Three counts in the scored `ruleOfThree` criterion. A1, A4 and A5 act through the trend read and are recorded per backtest trade as `contextFactors` for measurement; they move to the verdict or lifecycle (Stage C) when measured.

- A1 · G1 close vs bar midpoint (per-bar trend read) on the confluence card.
- A2 · G13 percentages of the extreme price as levels in `retracement.ts`.
- A3 · G17 day-count bands from each major pivot in `timeCycles.ts`.
- A4 · The "counter-move clock" (G2/G24 as a context field): days and weeks since the last swing extreme, the campaign's typical reaction length, and the 2nd/3rd-month warnings.
- A5 · G15 level-test counter (2nd, 3rd, 4th test) on `levels.ts`.
- A6 · G8 fraction-of-year ranking on the time windows.
- A7 · Rule of Three on the weekly and monthly charts (display first).
- A8 · C4 citation headers (no behaviour change).

Stage B — the trend engine (owner decisions 1 and 5)

- B1 · **Built 2026-09-27** (STRATEGY_VERSION 2026-09-27-gann-swing-charts). Rebuild `swingChart.ts`:
 - daily chart = counter-moves of ≥ 2 -3 bars on highs and lows
 - weekly chart = ≥ 7 calendar days
 - trend turns on breaking the last swing extreme
 - a price-scaled 9-point variant kept as an option, per A09
 - Re-point `swingChartTrend`, `trendStrength.ts` and `readGannTrend`, and apply it identically in the live scan and the replay (`lib/scan/entrySelection.ts`).

- B2 · **Built 2026-09-27** (`lib/gann/campaignLedger.ts`) and wired into the verdict: over-balance of space or time and the monthly-low break now stop `readGannTrend` confirming a trend, which feeds the macro trend reads, the regime engine and setup direction. The first-year high is computed but rarely available on a year of daily bars. Time balancing is shown and measured, not yet acted on. The **campaign counter-move ledger**: per symbol, each swing's points and duration, the campaign's section count, and its greatest reaction in points and in time. It powers:
 - G3 (the Space Rule)
 - G14 (over-balance of time and space)
 - G6 (monthly-low break)
 - G22 (time balancing)
 - G25 (first-year-high filter)
- B3 · A fresh replay on the new `STRATEGY_VERSION`. Re-derive the Execute/Watch cutoffs. Record the result in `AGENTS.md`.

Stage C — lifecycle and exits (owner decisions 2 and 6)

- Decision 5 · **Built 2026-09-27** (`STRATEGY_VERSION 2026-09-27-gann-breakaway`). Range setups are Watch context only; Execute in a range-bound market needs the breakaway (the entry crosses the highest top or lowest bottom of the 3-Day Chart's last 13 weeks). Same code on the live scan and the replay; the breakaway hold is registered in `criteria-registry.ts`.
- C1 · G4 hold test and three-adverse-closes exit as lifecycle invalidations.
- C2 · G23 break-even on a price-scaled profit threshold.
- C3 · G18/G24 trailing by the last reaction and by the prior month's low; final-stage daily trail.
- C4 · X4 targets from Gann levels only; the runner exits on a B2 trend-change signal.
- C5 · Entry confirmation on all paths (decision 4). **Built 2026-09-27**: `lib/trade/place-order.ts` checks it for every entry carrying the protocol's levels (ticket advised entry, Guided, demo, and automation, per the owner's "automation adheres to the same rules as everything else"), via `lib/lifecycle/confirmNow.ts`.
- Measure C1-C4 on the replay with `entryRule` variants before any production switch.
- C1-C4 · **Built 2026-09-27 for measurement** in one pure module, `lib/gann/exitRules.ts` (`readGannExit`): the hold test (a daily close back under the crossed level by the lost-motion allowance), three successive adverse closes, break-even after one risk unit of profit (Gann's 3-point stop and 3-point break-even, as a ratio), the stop under each higher bottom since entry and under the prior month's low, the final-stage trail (last reaction's size, prior day after a 2-day counter-move), and exits on a weekly trend change or a campaign over-balance after entry. No fixed target. The replay runs it as `exitRule`: "gann" against the fixed bracket, and the report splits results by exit reason (`exitReasonSplit`). The live exit manager is switched once the replay agrees (decision 4's "if it agrees with our own backtest").

Stage D — volume and data

- D1 · **Built 2026-09-27**. Gann's volume rule in full, not only the climax: drying-up bottoms, lower-volume retests and secondary tops, the climax as the panic exception (see the X1 row). The criterion key stays `volumeClimax`; it is unmeasured on the new construction.
- D2 · G7 float-relative volume, once a shares-outstanding source exists (a data-provider decision). **Blocked 2026-09-27**: no source exists; `lib/deferred/types.ts` only reserves the field. Owner to choose a provider.

- D3 · G10 incorporation-date anniversaries, once a per-symbol date source exists. **Blocked 2026-09-27:** no source exists. Owner to choose a provider.

Stage E — risk and education

- E1 · G16: cite Gann in `cooldown.ts`, align the thresholds (owner), and add "don't size up after a winning run." **Built 2026-09-28:** `lib/risk/lossSeries.ts` on every placement path; the % breaker is documented as GSPS's own; no result-based size increase exists.
- E2 · GSPS School lessons for the disclosed rules users now see in the product: time rules, the Rule of Three, the 3-point rule, sections, over-balance, the Seven Zones, early and late leaders, and why forecasts are measured. **Built 2026-09-28:** a four-lesson course in Academy 4 (advisory for Pro/Expert, so no required academy reopens for existing learners). The Seven Zones and the trader's qualifications are still to write.

Stage F — timing refinements and research

- F1 · G9 7/14-day alternation; G20 reverse signal day and 7-10 Day Rule; G21 gap rules; G11 Square of 144 convergence; G12 projection dispersion.
- F2 · The astrology track AS1-AS4 (decision 7): ephemeris, a rule fixed in advance, Dewey's full test, confluence only.
- F3 · Measurement upgrades M1-M7 throughout (Schuster test, out-of-sample, regime splits, base rates).
- F4 · The deferred cycles, solar-year anchor and calendar-convention research prompt: `FUTURE_PROMPTS.md`, "Deferred: cycles and calendar research". Not before Stages A-E are complete.

Part 6 — How we'll know parity is reached

A disclosed rule counts as copied only when all four hold:

1. **Implemented as written.** The code header cites the source and tier and states any scaling of Gann's literal numbers.
2. **Present on every surface it applies to:** the live scan, the replay, confluence, the coarse pre-filter, lifecycle, the School (AGENTS.md cross-platform consistency).
3. **Measured.** It has an entry in `lib/validation/criteria-registry.ts` if scored, or a hit-rate-vs-base-rate check if it is a calendar or confluence field. An inverted result is treated first as a porting bug, per AGENTS.md.
4. **Recorded.** The master report's matrix row moves to Aligned, with the commit.

When every row in Part 3 reads Aligned, Research-only (with its reason) or Excluded (with its reason), GSPS runs every rule Gann disclosed. That is the most faithful copy the surviving record allows.

Part 7 — Three-question basis for this roadmap

1. **Gann:** every row cites its Tier A source. Tier B material appears only where it quotes Gann (the 1954 letter via B05) or as a counter-example.
2. **Dewey and Tomes:** every time item is a periodicity or recurrence claim. That is why Stage A ships them as confluence first and F3 measures them against base rates and out of sample before any can gate. The 1929/1940 forecast record (M7) is the concrete reason.
3. **Hermetic:**

- **Correspondence** is the organising principle. Gann applies the same rule at daily, weekly and monthly scale, and GSPS must apply it on every surface. That is Part 6's second test.
- **Cause and Effect** orders the build. The trend engine (cause) is fixed before the exits and cutoffs that depend on it (effects).
- Rhythm and Polarity are subjects of individual rows (cycles; long/short mirrors), not the plan's method.
- Mentalism, Vibration and Gender don't describe a build order.